ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 28-JUL-2011
Account: SELHOL

CERTIFICATE WH11129439

Project: JP Ross Project

P.O. No.: JP00432011

This report is for 107 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 9-JUL-2011.

The following have access to data associated with this certificate:

KEITH FOWLOW	JEAN-PIERRE LONDERO	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
LOG-23	Pulp Login - Rcvd with Barcode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **SELENE HOLDINGS LP**
ATTN: KEITH FOWLOW
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 28-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11129439

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP22 Au ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
CAE441628		4.44	0.001	<0.2	2.33	<2	<10	560	<0.5	<2	0.44	<0.5	13	9	10	3.13
CAE441629		3.97	0.001	<0.2	2.40	<2	<10	640	<0.5	<2	0.41	<0.5	14	10	19	3.50
CAE441630		0.14	1.250	0.8	1.53	22	<10	190	<0.5	<2	0.98	0.6	11	44	588	3.32
CAE441631		4.38	0.002	<0.2	2.47	<2	<10	1480	<0.5	<2	0.50	<0.5	14	9	17	3.70
CAE441632		1.09	0.001	<0.2	0.18	<2	<10	60	<0.5	<2	0.03	<0.5	1	4	1	0.46
CAE441633		3.78	0.002	0.2	2.25	<2	<10	720	<0.5	<2	0.53	<0.5	12	8	13	3.40
CAE441634		5.12	0.003	<0.2	2.17	<2	<10	380	<0.5	<2	0.34	<0.5	13	8	22	3.55
CAE441635		4.46	0.005	0.2	1.59	2	<10	260	0.5	<2	0.24	<0.5	12	7	9	4.48
CAE441636		2.68	0.005	<0.2	1.98	<2	<10	210	<0.5	<2	0.58	<0.5	9	6	12	3.02
CAE441637		2.82	0.006	0.2	1.94	<2	<10	220	<0.5	<2	0.56	<0.5	11	6	13	3.20
CAE441638		5.62	0.003	<0.2	2.36	<2	<10	350	<0.5	<2	0.36	<0.5	12	8	21	3.56
CAE441639		2.91	0.004	0.2	2.25	<2	<10	340	<0.5	<2	0.44	<0.5	11	8	17	3.40
CAE441640		7.39	0.004	<0.2	1.92	<2	<10	280	<0.5	<2	0.38	<0.5	10	7	15	3.09
CAE441641		5.16	0.004	<0.2	1.86	<2	<10	180	<0.5	<2	0.36	<0.5	11	8	27	3.41
CAE441642		5.65	0.005	0.3	1.77	<2	<10	190	<0.5	<2	0.34	<0.5	11	7	38	3.37
CAE441643		5.35	0.008	0.3	1.96	<2	<10	170	<0.5	<2	0.21	<0.5	10	7	31	3.57
CAE441644		5.67	0.004	0.2	2.01	<2	<10	240	<0.5	<2	0.29	<0.5	10	7	61	3.41
CAE441645		0.15	1.030	1.0	1.56	21	<10	200	<0.5	<2	1.06	0.6	12	47	617	3.64
CAE441646		4.76	0.003	0.2	1.56	<2	<10	330	<0.5	<2	0.26	<0.5	7	6	21	2.55
CAE441647		6.42	0.002	<0.2	1.90	<2	<10	230	<0.5	<2	0.41	<0.5	9	7	20	2.87
CAE441648		6.54	0.002	<0.2	1.83	<2	<10	250	<0.5	<2	0.31	<0.5	11	6	31	2.87
CAE441649		5.42	0.002	0.2	2.22	<2	<10	390	<0.5	<2	0.40	<0.5	13	6	72	3.80
CAE441650		5.60	0.002	0.3	2.08	<2	<10	300	<0.5	<2	0.44	<0.5	11	8	29	3.17
CAE441651		4.95	0.004	0.2	1.59	<2	<10	110	<0.5	<2	0.37	<0.5	10	6	49	2.52
CAE441652		2.61	0.003	<0.2	0.72	<2	<10	70	<0.5	<2	0.12	<0.5	3	4	10	1.68
CAE441653		1.03	0.001	<0.2	0.20	<2	<10	50	<0.5	<2	0.06	<0.5	1	3	3	0.73
CAE441654		4.33	0.003	0.2	1.91	<2	<10	210	<0.5	<2	0.49	<0.5	10	12	11	3.55
CAE441655		1.71	0.003	1.5	1.89	2	<10	520	<0.5	<2	0.58	<0.5	13	23	19	3.90
CAE441656		1.97	0.003	0.6	2.08	<2	<10	400	<0.5	<2	0.68	<0.5	12	18	32	3.50
CAE441657		3.38	0.002	0.3	2.15	<2	<10	450	0.6	<2	0.50	<0.5	14	8	13	4.78
CAE441658		5.41	0.001	<0.2	2.12	5	<10	320	0.5	<2	1.56	<0.5	11	8	13	3.83
CAE441659		5.39	0.001	<0.2	1.97	2	<10	170	<0.5	<2	0.71	<0.5	9	7	17	3.39
CAE441660		5.50	0.002	0.2	0.98	<2	<10	70	<0.5	<2	0.59	<0.5	4	4	13	2.09
CAE441661		5.98	0.003	0.2	1.99	<2	<10	290	<0.5	<2	1.48	<0.5	13	8	16	4.22
CAE441662		0.14	1.135	1.1	1.54	21	<10	200	<0.5	<2	1.04	0.6	11	45	597	3.49
CAE441663		6.38	0.003	0.2	2.08	<2	<10	310	<0.5	<2	1.30	<0.5	16	10	26	3.76
CAE441664		7.06	0.002	0.3	2.18	2	<10	300	<0.5	<2	1.50	<0.5	14	9	16	3.82
CAE441665		5.73	0.003	0.4	1.77	2	<10	180	<0.5	<2	1.35	<0.5	16	10	30	4.37
CAE441666		5.81	0.002	0.3	1.28	<2	<10	210	<0.5	<2	1.16	<0.5	18	8	35	3.26
CAE441667		5.38	0.004	0.5	1.01	11	<10	260	0.6	<2	1.41	0.8	17	11	54	4.76

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 28-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11129439

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
CAE441628		10	<1	1.28	10	1.25	627	<1	0.07	4	520	3	0.01	<2	4	31
CAE441629		10	<1	0.99	10	1.36	733	<1	0.07	4	540	<2	0.01	<2	7	25
CAE441630		<10	<1	0.25	10	0.69	464	27	0.12	32	650	71	0.62	2	6	51
CAE441631		10	<1	0.90	10	1.51	790	<1	0.09	4	520	5	0.01	<2	8	30
CAE441632		<10	<1	0.13	<10	0.02	80	<1	0.06	1	80	4	0.01	<2	<1	47
CAE441633		10	<1	1.06	10	1.30	683	<1	0.06	3	660	<2	0.01	<2	5	39
CAE441634		10	<1	1.05	10	1.24	606	1	0.05	4	500	2	0.01	<2	5	23
CAE441635		<10	<1	0.45	20	0.70	1450	1	0.02	2	520	3	<0.01	<2	11	16
CAE441636		10	<1	0.70	10	0.96	498	<1	0.04	3	490	3	0.01	<2	5	53
CAE441637		10	<1	0.68	10	0.99	547	1	0.03	3	570	3	0.01	<2	5	49
CAE441638		10	<1	1.37	10	1.38	746	<1	0.04	3	470	2	0.01	<2	4	21
CAE441639		10	<1	1.03	10	1.29	673	<1	0.05	3	500	3	0.01	<2	4	32
CAE441640		10	<1	0.89	10	1.02	536	1	0.05	2	400	2	0.01	<2	4	23
CAE441641		10	<1	1.00	10	1.08	603	1	0.06	3	440	3	0.01	<2	5	15
CAE441642		<10	<1	0.92	10	0.90	726	2	0.05	3	420	5	0.01	<2	5	21
CAE441643		10	<1	0.81	20	0.85	560	1	0.03	2	410	6	0.01	<2	9	10
CAE441644		10	<1	0.88	10	0.91	610	1	0.05	3	460	3	0.01	<2	7	15
CAE441645		10	<1	0.25	10	0.74	492	31	0.12	32	680	76	0.62	4	6	52
CAE441646		<10	<1	0.57	10	0.65	517	1	0.04	2	320	4	0.01	<2	5	15
CAE441647		<10	<1	0.64	10	0.97	620	1	0.04	3	390	3	<0.01	<2	5	25
CAE441648		<10	<1	0.84	10	0.94	505	1	0.03	4	360	3	0.01	<2	6	16
CAE441649		10	<1	1.08	10	1.20	875	1	0.05	3	450	3	0.01	<2	8	22
CAE441650		10	<1	0.59	10	1.03	616	<1	0.06	3	410	3	0.01	<2	7	27
CAE441651		<10	<1	0.17	20	0.66	601	<1	0.06	4	340	3	0.01	<2	6	24
CAE441652		<10	<1	0.30	20	0.22	288	<1	0.07	1	230	2	0.01	<2	3	6
CAE441653		<10	<1	0.13	<10	0.03	85	<1	0.06	1	130	3	<0.01	<2	1	66
CAE441654		10	<1	0.46	10	0.89	813	1	0.05	4	520	3	0.01	<2	8	25
CAE441655		10	<1	0.29	10	0.92	908	1	0.04	6	570	2	0.01	<2	9	29
CAE441656		10	1	0.36	10	0.96	742	1	0.07	2	620	2	0.01	<2	10	26
CAE441657		10	<1	0.51	10	0.94	1035	1	0.04	2	640	2	0.01	<2	12	36
CAE441658		10	<1	0.23	10	0.86	892	1	0.03	2	480	5	0.06	<2	11	47
CAE441659		10	<1	0.39	20	0.78	675	1	0.04	2	510	3	0.09	<2	10	26
CAE441660		<10	<1	0.24	30	0.32	500	<1	0.07	1	230	3	0.08	<2	4	19
CAE441661		10	<1	0.47	10	1.02	1005	<1	0.03	3	610	3	0.16	<2	15	48
CAE441662		<10	<1	0.24	10	0.72	476	30	0.12	31	650	75	0.80	4	6	52
CAE441663		10	<1	0.51	10	1.08	928	2	0.04	3	640	3	0.28	<2	11	39
CAE441664		10	<1	0.61	10	1.18	941	<1	0.04	3	710	4	0.26	<2	13	42
CAE441665		10	<1	0.41	20	1.11	1120	2	0.05	4	680	3	0.29	<2	14	39
CAE441666		<10	<1	0.29	10	0.91	695	1	0.04	5	680	4	0.33	<2	9	38
CAE441667		<10	<1	0.25	10	0.98	1730	<1	0.03	18	1200	7	0.29	<2	13	48

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 28-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11129439

Sample Description	Method Analyte Units LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CAE441628		<20	0.18	<10	<10	80	<10	62
CAE441629		<20	0.16	<10	<10	93	<10	74
CAE441630		<20	0.12	<10	<10	69	20	98
CAE441631		<20	0.14	<10	<10	95	<10	103
CAE441632		<20	<0.01	<10	<10	8	<10	7
CAE441633		<20	0.15	<10	<10	83	<10	74
CAE441634		<20	0.14	<10	<10	82	<10	65
CAE441635		<20	0.05	<10	<10	80	<10	56
CAE441636		<20	0.10	<10	<10	70	<10	56
CAE441637		<20	0.10	<10	<10	70	<10	61
CAE441638		<20	0.18	<10	<10	88	<10	80
CAE441639		<20	0.14	<10	<10	77	<10	89
CAE441640		<20	0.12	<10	<10	67	<10	51
CAE441641		<20	0.16	<10	<10	78	<10	62
CAE441642		<20	0.12	<10	<10	65	<10	70
CAE441643		<20	0.10	<10	<10	80	<10	62
CAE441644		<20	0.11	<10	<10	73	<10	58
CAE441645		<20	0.12	<10	<10	74	20	110
CAE441646		<20	0.07	<10	<10	52	<10	37
CAE441647		<20	0.08	<10	<10	59	<10	47
CAE441648		<20	0.11	<10	<10	66	<10	49
CAE441649		<20	0.14	<10	<10	89	<10	67
CAE441650		<20	0.07	<10	<10	69	<10	62
CAE441651		<20	0.02	<10	<10	49	<10	57
CAE441652		<20	0.04	<10	<10	22	<10	27
CAE441653		<20	0.02	<10	<10	23	<10	14
CAE441654		<20	0.08	<10	<10	84	<10	61
CAE441655		<20	0.08	<10	<10	97	<10	72
CAE441656		<20	0.09	<10	<10	109	<10	75
CAE441657		<20	0.06	<10	<10	110	<10	98
CAE441658		<20	0.02	<10	<10	117	<10	82
CAE441659		<20	0.04	<10	<10	79	<10	59
CAE441660		<20	0.03	<10	<10	26	<10	34
CAE441661		<20	0.06	<10	<10	108	<10	70
CAE441662		<20	0.12	<10	<10	72	20	107
CAE441663		<20	0.07	<10	<10	96	<10	67
CAE441664		<20	0.09	<10	<10	104	<10	73
CAE441665		<20	0.05	<10	<10	108	<10	81
CAE441666		<20	0.04	<10	<10	94	<10	109
CAE441667		<20	0.02	<10	<10	156	<10	145

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 28-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11129439

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP22 Au ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
CAE441668		1.41	0.001	<0.2	0.19	3	<10	40	<0.5	<2	0.03	<0.5	1	2	2	0.51
CAE441669		6.99	0.004	0.4	0.75	16	<10	100	0.5	<2	1.08	0.7	15	8	36	3.24
CAE441670		6.22	0.004	0.5	0.86	12	<10	110	0.7	<2	1.14	1.4	15	11	56	4.65
CAE441671		5.81	0.008	1.0	0.41	63	<10	350	<0.5	<2	2.18	4.0	5	33	75	1.57
CAE441672		5.32	0.005	0.5	1.34	25	<10	130	0.6	<2	0.45	1.4	11	43	65	3.36
CAE441673		4.93	0.005	0.4	2.15	8	<10	180	<0.5	<2	0.85	0.7	13	21	37	4.09
CAE441674		2.84	0.006	0.3	2.30	5	<10	190	<0.5	2	1.00	<0.5	15	9	16	4.56
CAE441675		2.54	0.006	0.2	2.28	4	<10	170	<0.5	<2	1.04	<0.5	15	10	17	4.53
CAE441676		5.51	0.004	<0.2	0.45	5	<10	40	<0.5	2	0.36	<0.5	5	4	6	1.79
CAE441677		5.62	0.003	0.3	0.74	6	<10	60	<0.5	<2	0.61	<0.5	11	6	26	3.53
CAE441678		5.09	0.010	3.0	0.53	54	<10	100	0.5	<2	1.45	2.9	5	82	128	2.22
CAE441679		5.92	0.007	1.7	0.22	40	<10	120	<0.5	<2	0.26	0.9	4	18	62	1.35
CAE441680		5.59	0.002	0.6	0.26	12	<10	80	<0.5	<2	0.61	1.0	6	21	50	1.66
CAE441681		6.40	0.004	1.3	0.67	46	<10	170	<0.5	<2	0.66	2.7	7	35	71	2.38
CAE441682		4.77	0.002	<0.2	1.19	7	<10	410	0.7	<2	0.44	<0.5	10	36	46	3.36
CAE441683		5.45	0.002	0.2	1.71	8	<10	680	0.7	2	0.59	<0.5	16	62	63	3.33
CAE441684		5.01	0.002	0.2	1.68	13	<10	330	0.8	<2	0.84	<0.5	11	39	55	3.50
CAE441685		5.00	0.003	<0.2	1.63	3	<10	340	0.6	<2	0.22	<0.5	11	30	46	3.25
CAE441686		0.14	1.155	1.0	1.51	23	<10	200	<0.5	2	0.99	<0.5	12	46	612	3.47
CAE441687		5.77	0.002	<0.2	1.53	4	<10	300	0.7	<2	0.39	<0.5	12	33	66	3.44
CAE441688		5.63	0.004	0.7	1.15	31	<10	110	0.5	<2	0.79	<0.5	13	31	81	3.53
CAE441689		1.07	0.001	<0.2	0.16	3	<10	50	<0.5	<2	0.02	<0.5	1	6	1	0.43
CAE441690		4.83	0.005	0.4	0.96	12	<10	100	0.5	<2	0.47	<0.5	11	22	61	3.05
CAE441691		5.89	0.008	0.5	1.66	16	<10	260	0.9	3	0.44	<0.5	33	30	153	6.41
CAE441692		5.37	0.006	0.4	0.79	4	<10	100	0.7	<2	0.32	<0.5	15	14	73	4.02
CAE441693		2.65	0.054	0.5	0.48	14	<10	100	0.6	<2	0.86	1.2	12	26	131	4.19
CAE441694		2.25	0.060	2.3	0.48	19	<10	80	0.5	<2	1.34	1.4	13	26	97	4.21
CAE441695		6.15	0.003	0.4	0.53	16	<10	60	0.6	<2	0.71	5.0	7	57	60	2.05
CAE441696		5.29	0.002	0.6	0.93	4	<10	190	0.5	<2	0.81	2.8	8	45	88	2.50
CAE441697		5.02	0.013	0.4	1.46	5	<10	260	0.7	2	0.59	<0.5	20	33	96	4.40
CAE441698		5.18	0.003	<0.2	1.16	5	<10	210	0.5	<2	0.24	<0.5	18	23	66	3.03
CAE441699		5.54	0.004	<0.2	0.85	7	<10	200	<0.5	2	0.33	<0.5	15	26	83	2.73
CAE441700		5.00	0.003	<0.2	0.41	21	<10	70	<0.5	<2	0.48	<0.5	12	23	62	2.25
CAE441701		5.54	0.004	0.3	0.52	21	<10	120	<0.5	<2	0.30	<0.5	21	24	108	3.87
CAE441702		4.39	0.002	0.2	0.14	5	<10	40	<0.5	<2	0.18	1.1	8	18	45	1.25
CAE441703		5.58	0.015	1.6	0.23	30	<10	30	<0.5	<2	0.58	<0.5	14	22	75	2.44
CAE441704		4.19	0.007	1.0	0.29	15	<10	50	<0.5	<2	0.23	<0.5	13	22	68	2.64
CAE441705		0.15	3.10	61.9	1.91	40	<10	170	<0.5	<2	2.74	8.2	11	51	175	2.99
CAE441706		5.22	0.006	1.0	0.22	13	<10	50	<0.5	<2	0.22	<0.5	9	17	60	1.77
CAE441707		5.15	0.002	1.0	0.47	21	<10	110	<0.5	<2	0.30	0.5	14	22	65	2.97

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 28-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11129439

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
CAE441668		<10	<1	0.12	<10	0.02	83	<1	0.06	<1	80	<2	<0.01	<2	<1	48
CAE441669		<10	<1	0.13	10	0.73	920	1	0.03	16	1430	5	0.31	<2	8	35
CAE441670		<10	<1	0.13	10	0.73	1470	2	0.03	31	1200	9	0.25	<2	13	42
CAE441671		<10	<1	0.08	10	0.53	349	6	0.01	62	3940	29	0.10	<2	3	65
CAE441672		<10	<1	0.12	20	0.79	533	5	0.02	59	1010	10	0.18	<2	5	21
CAE441673		10	<1	0.37	20	1.35	727	1	0.03	22	840	6	0.25	<2	11	37
CAE441674		10	1	0.48	10	1.48	869	<1	0.03	4	630	<2	0.29	<2	13	38
CAE441675		10	<1	0.45	10	1.48	877	<1	0.03	3	630	4	0.30	<2	13	38
CAE441676		<10	<1	0.16	30	0.30	333	<1	0.04	2	330	<2	0.20	<2	2	17
CAE441677		<10	<1	0.16	20	1.01	613	1	0.04	8	510	3	0.19	<2	7	26
CAE441678		<10	<1	0.25	10	0.38	253	9	0.02	92	5400	63	0.62	<2	4	52
CAE441679		<10	<1	0.12	<10	0.03	77	8	0.01	34	1390	30	0.47	<2	1	22
CAE441680		<10	<1	0.06	10	0.30	283	7	0.01	43	500	8	0.30	<2	3	27
CAE441681		<10	<1	0.26	10	0.31	253	21	0.01	75	2970	12	0.32	<2	3	32
CAE441682		<10	<1	0.58	20	1.27	699	<1	0.02	33	410	2	0.45	<2	6	21
CAE441683		10	<1	0.89	20	1.32	536	1	0.02	53	930	4	0.52	<2	6	23
CAE441684		<10	<1	0.65	20	1.68	829	4	0.02	37	330	5	1.14	<2	4	33
CAE441685		<10	<1	0.93	20	1.07	485	1	0.02	33	380	4	0.43	<2	4	12
CAE441686		<10	<1	0.24	10	0.71	476	29	0.11	33	660	74	0.61	<2	6	51
CAE441687		<10	<1	0.72	20	1.29	742	1	0.02	32	340	6	0.63	<2	4	17
CAE441688		<10	<1	0.25	20	1.12	1435	12	0.02	47	450	8	1.02	<2	3	20
CAE441689		<10	<1	0.11	<10	0.02	57	<1	0.05	1	80	<2	0.01	<2	<1	46
CAE441690		<10	<1	0.22	20	0.90	993	4	0.01	32	300	4	0.81	<2	2	15
CAE441691		<10	<1	0.64	40	1.43	2440	3	0.02	61	880	11	1.48	<2	6	16
CAE441692		<10	<1	0.17	20	0.95	1635	2	0.02	33	460	8	0.96	<2	6	15
CAE441693		<10	<1	0.31	10	0.93	857	17	0.02	56	590	18	2.82	<2	6	52
CAE441694		<10	<1	0.26	10	1.14	1035	14	0.02	54	610	20	2.41	<2	7	72
CAE441695		<10	<1	0.39	10	0.70	205	41	0.02	102	2260	10	1.62	<2	4	45
CAE441696		<10	1	0.54	20	0.91	352	16	0.01	89	2130	18	0.86	<2	4	35
CAE441697		<10	<1	0.89	30	1.30	1400	4	0.02	52	650	8	1.15	<2	5	21
CAE441698		<10	<1	0.69	20	0.98	1215	3	0.02	36	300	10	0.63	<2	4	13
CAE441699		<10	<1	0.42	10	0.69	1355	1	0.01	54	320	6	0.68	<2	3	12
CAE441700		<10	<1	0.16	10	0.56	1850	3	0.01	50	270	5	0.64	<2	2	18
CAE441701		<10	<1	0.21	20	0.67	2430	5	0.01	93	480	13	0.80	<2	3	18
CAE441702		<10	<1	0.04	<10	0.24	701	<1	0.01	20	80	3	0.36	<2	2	9
CAE441703		<10	<1	0.08	10	0.51	981	6	0.01	59	530	10	1.10	<2	3	25
CAE441704		<10	<1	0.10	10	0.49	1840	2	0.01	68	280	8	0.69	<2	2	10
CAE441705		10	13	0.24	10	1.57	550	9	0.07	36	500	1090	1.00	157	4	90
CAE441706		<10	<1	0.07	10	0.35	1070	1	<0.01	34	310	12	0.38	<2	2	10
CAE441707		<10	<1	0.19	10	0.68	990	4	0.01	44	760	16	0.78	<2	2	16

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 28-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11129439

Sample Description	Method Analyte Units LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CAE441668		<20	0.01	<10	<10	15	<10	8
CAE441669		<20	0.01	<10	<10	94	<10	110
CAE441670		<20	0.01	<10	<10	128	<10	185
CAE441671		<20	<0.01	<10	<10	108	<10	238
CAE441672		<20	0.01	<10	<10	76	<10	244
CAE441673		<20	0.04	<10	<10	106	<10	125
CAE441674		<20	0.06	<10	<10	101	<10	76
CAE441675		<20	0.05	<10	<10	101	<10	75
CAE441676		<20	<0.01	<10	<10	19	<10	31
CAE441677		<20	0.01	<10	<10	59	<10	88
CAE441678		<20	0.01	<10	<10	156	<10	405
CAE441679		<20	<0.01	<10	<10	21	<10	114
CAE441680		<20	<0.01	<10	<10	39	<10	126
CAE441681		<20	0.01	<10	<10	162	<10	377
CAE441682		<20	0.06	<10	<10	48	<10	71
CAE441683		<20	0.12	<10	<10	64	<10	79
CAE441684		<20	0.07	<10	<10	40	<10	75
CAE441685		<20	0.11	<10	<10	38	<10	74
CAE441686		<20	0.12	<10	<10	71	30	102
CAE441687		<20	0.09	<10	<10	36	<10	69
CAE441688		<20	0.01	<10	<10	55	<10	81
CAE441689		<20	<0.01	<10	<10	8	<10	7
CAE441690		<20	0.01	<10	<10	28	<10	68
CAE441691		<20	0.07	<10	<10	68	<10	103
CAE441692		<20	0.01	<10	<10	52	<10	88
CAE441693		<20	0.01	<10	<10	132	<10	180
CAE441694		<20	0.01	<10	<10	133	<10	217
CAE441695		<20	0.02	<10	10	275	<10	544
CAE441696		<20	0.04	<10	<10	176	<10	362
CAE441697		<20	0.09	<10	<10	50	<10	90
CAE441698		<20	0.07	<10	<10	35	<10	70
CAE441699		<20	0.05	<10	<10	41	<10	63
CAE441700		<20	0.01	<10	<10	40	<10	80
CAE441701		<20	0.02	<10	<10	44	<10	74
CAE441702		<20	<0.01	<10	<10	16	<10	120
CAE441703		<20	0.01	<10	<10	44	<10	68
CAE441704		<20	0.01	<10	<10	30	<10	56
CAE441705		<20	0.04	<10	<10	45	<10	2100
CAE441706		<20	<0.01	<10	<10	23	<10	58
CAE441707		<20	<0.01	<10	<10	31	<10	85

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 28-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11129439

Sample Description	Method	WEI-21	Au-ICP22	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CAE441708		1.09	<0.001	0.3	0.28	<2	<10	70	<0.5	<2	0.03	<0.5	2	5	3	0.87
CAE441709		5.07	0.009	1.9	0.52	44	<10	110	<0.5	<2	0.60	1.2	15	18	119	3.29
CAE441710		5.35	0.006	1.2	0.72	17	<10	150	0.7	<2	0.61	<0.5	24	21	122	5.48
CAE441711		5.12	0.001	0.8	0.30	14	<10	30	<0.5	<2	0.64	<0.5	7	19	68	1.62
CAE441712		5.42	0.002	1.1	0.31	77	<10	70	<0.5	<2	1.27	1.2	5	23	68	1.83
CAE441713		2.37	0.005	0.4	0.55	8	<10	80	<0.5	<2	1.66	<0.5	12	5	27	3.61
CAE441714		2.19	<0.001	0.4	0.58	16	<10	90	<0.5	<2	1.55	<0.5	13	6	26	3.60
CAE441715		5.82	0.004	0.9	0.46	10	<10	110	<0.5	<2	1.11	0.5	10	12	75	2.72
CAE441716		4.65	0.004	0.5	1.68	7	<10	240	<0.5	2	1.25	<0.5	17	9	45	4.95
CAE441717		5.62	0.004	0.3	1.99	5	<10	140	<0.5	2	1.70	<0.5	13	9	23	3.65
CAE441718		5.04	0.002	0.2	1.89	<2	<10	130	<0.5	<2	1.37	<0.5	12	9	32	3.13
CAE441719		5.07	0.003	0.3	1.67	5	<10	80	<0.5	<2	2.83	<0.5	11	6	27	3.24
CAE441720		5.28	0.002	0.3	1.72	9	<10	100	<0.5	<2	1.99	<0.5	10	10	21	3.10
CAE441721		5.38	<0.001	0.3	1.88	2	<10	80	<0.5	<2	1.68	<0.5	11	8	28	3.33
CAE441722		0.16	1.050	1.1	1.58	22	<10	200	<0.5	<2	1.03	0.6	12	45	600	3.58
CAE441723		5.03	0.001	0.4	1.69	3	<10	80	<0.5	<2	1.95	<0.5	11	9	35	3.02
CAE441724		5.15	0.003	0.3	1.43	4	<10	70	<0.5	2	1.95	<0.5	9	6	21	2.51
CAE441725		6.44	0.012	0.2	1.39	9	<10	120	<0.5	2	2.91	<0.5	9	5	8	2.56
CAE441726		0.88	<0.001	<0.2	0.27	<2	<10	60	<0.5	<2	0.03	<0.5	1	3	1	0.50
CAE441727		5.81	<0.001	0.3	1.19	<2	<10	100	<0.5	<2	3.22	<0.5	8	6	11	2.85
CAE441728		5.09	<0.001	0.3	1.52	5	<10	240	<0.5	<2	2.29	<0.5	11	18	27	3.46
CAE441729		4.96	0.002	0.3	0.72	4	<10	130	0.5	<2	1.45	<0.5	11	20	60	3.51
CAE441730		5.14	0.003	0.4	0.59	5	<10	130	0.5	<2	1.32	<0.5	13	26	53	3.74
CAE441731		2.94	0.002	1.2	0.39	10	<10	110	<0.5	<2	2.16	1.8	7	29	77	1.85
CAE441732		3.42	0.009	1.3	0.37	12	<10	110	<0.5	<2	2.08	2.2	7	32	78	1.82
CAE441733		5.65	0.002	0.6	0.64	8	<10	110	0.6	<2	1.47	1.1	12	28	62	3.39
CAE441734		5.06	<0.001	0.3	0.59	2	<10	80	0.6	<2	1.21	<0.5	12	15	37	3.80

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 28-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11129439

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
CAE441708		<10	1	0.17	<10	0.04	114	<1	0.08	1	120	3	<0.01	<2	1	51
CAE441709		<10	<1	0.20	10	0.94	1145	4	0.01	37	1080	49	0.58	<2	2	20
CAE441710		<10	<1	0.27	30	0.88	2590	4	0.01	52	1090	15	1.52	<2	4	24
CAE441711		<10	<1	0.04	<10	0.42	943	<1	<0.01	19	150	7	0.36	<2	2	20
CAE441712		<10	<1	0.09	10	0.64	637	7	<0.01	41	1830	17	0.58	<2	2	36
CAE441713		<10	<1	0.24	20	1.21	1030	<1	0.02	4	430	5	0.29	<2	3	65
CAE441714		<10	1	0.25	20	1.17	1030	<1	0.02	6	440	3	0.32	<2	3	64
CAE441715		<10	<1	0.18	10	0.52	587	12	0.01	24	1840	5	0.92	<2	2	43
CAE441716		10	<1	0.60	20	1.44	1110	1	0.03	6	750	9	0.70	<2	11	76
CAE441717		10	1	0.63	20	1.31	758	1	0.04	1	430	5	0.43	<2	8	72
CAE441718		10	1	0.91	20	1.12	647	<1	0.05	2	400	2	0.25	<2	5	46
CAE441719		<10	<1	0.35	20	0.99	1025	<1	0.04	1	380	4	0.26	<2	6	61
CAE441720		<10	<1	0.37	20	0.97	759	1	0.04	1	380	2	0.20	<2	5	64
CAE441721		10	<1	0.45	10	1.12	776	<1	0.04	1	410	4	0.12	<2	5	55
CAE441722		10	<1	0.25	10	0.74	470	28	0.12	31	650	76	0.60	<2	6	52
CAE441723		10	<1	0.32	20	1.02	827	<1	0.04	1	380	16	0.16	<2	5	59
CAE441724		<10	<1	0.34	10	0.81	625	1	0.05	<1	340	3	0.15	<2	3	51
CAE441725		<10	<1	0.27	20	0.77	686	<1	0.03	1	350	2	0.24	<2	3	88
CAE441726		<10	<1	0.17	<10	0.02	65	<1	0.07	<1	60	2	<0.01	<2	<1	45
CAE441727		<10	<1	0.22	20	1.05	816	<1	0.03	7	350	8	0.10	<2	7	100
CAE441728		<10	<1	0.35	20	1.20	839	2	0.03	13	450	8	0.40	<2	8	70
CAE441729		<10	<1	0.25	20	1.10	672	2	0.01	30	540	9	1.29	<2	4	49
CAE441730		<10	<1	0.26	20	1.07	860	1	0.01	29	450	6	1.07	<2	5	46
CAE441731		<10	<1	0.16	10	0.84	523	7	0.01	55	2680	25	0.62	<2	2	90
CAE441732		<10	<1	0.14	10	0.78	467	6	<0.01	61	2890	25	0.73	<2	2	93
CAE441733		<10	<1	0.23	20	1.37	963	4	0.01	42	1240	10	0.77	<2	5	50
CAE441734		<10	<1	0.17	20	1.47	882	1	0.01	18	490	9	0.35	<2	9	52

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 28-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11129439

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CAE441708		<20	0.01	<10	<10	25	<10	24
CAE441709		<20	0.01	<10	<10	36	<10	218
CAE441710		<20	0.01	<10	<10	38	<10	106
CAE441711		<20	<0.01	<10	<10	21	<10	40
CAE441712		<20	<0.01	<10	<10	61	<10	154
CAE441713		<20	<0.01	<10	<10	29	<10	55
CAE441714		<20	<0.01	<10	<10	31	<10	54
CAE441715		<20	<0.01	<10	<10	27	<10	58
CAE441716		<20	0.07	<10	<10	88	<10	114
CAE441717		<20	0.07	<10	<10	74	<10	70
CAE441718		<20	0.11	<10	<10	63	<10	52
CAE441719		<20	0.03	<10	<10	49	<10	54
CAE441720		<20	0.03	<10	<10	50	<10	50
CAE441721		<20	0.05	<10	<10	55	<10	67
CAE441722		<20	0.12	<10	<10	71	20	101
CAE441723		<20	0.03	<10	<10	46	<10	90
CAE441724		<20	0.03	<10	<10	36	<10	43
CAE441725		<20	0.01	<10	<10	29	<10	34
CAE441726		<20	<0.01	<10	<10	16	<10	9
CAE441727		<20	0.01	<10	<10	44	<10	43
CAE441728		<20	0.03	<10	<10	61	<10	64
CAE441729		<20	0.01	<10	<10	30	<10	66
CAE441730		<20	0.01	<10	<10	34	<10	75
CAE441731		<20	<0.01	<10	<10	65	<10	184
CAE441732		<20	<0.01	<10	<10	62	<10	226
CAE441733		<20	0.01	<10	<10	66	<10	135
CAE441734		<20	0.01	<10	<10	69	<10	79