ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 22-SEP-2011
Account: SELHOL

CERTIFICATE WH11135443

Project: JP Ross Project

P.O. No.: JR00462011

This report is for 52 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 17-JUL-2011.

The following have access to data associated with this certificate:

KEITH FOWLOW	JEAN-PIERRE LONDERO	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-23	Pulp Login - Rcvd with Barcode
LOG-21	Sample logging - ClientBarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Ag-OG46	Ore Grade Ag - Aqua Regia	VARIABLE
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **SELENE HOLDINGS LP**
ATTN: KEITH FOWLOW
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 22-SEP-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11135443

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP22 Au ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
CAE441840		5.65	0.002	0.3	2.06	3	<10	290	<0.5	<2	0.38	<0.5	13	11	15	3.45
CAE441841		5.85	0.002	<0.2	2.14	<2	<10	510	<0.5	<2	0.37	<0.5	15	10	23	3.55
CAE441842		5.27	0.001	<0.2	2.34	<2	<10	900	<0.5	<2	0.38	<0.5	15	11	22	3.72
CAE441843		4.69	0.002	<0.2	2.42	<2	<10	1660	<0.5	<2	0.37	<0.5	11	10	11	3.38
CAE441844		5.52	0.002	<0.2	2.10	<2	<10	480	<0.5	<2	0.36	<0.5	12	10	9	3.26
CAE441845		4.90	0.003	<0.2	1.83	<2	<10	250	<0.5	<2	0.24	<0.5	12	9	11	3.39
CAE441846		2.83	0.007	<0.2	1.00	<2	<10	130	<0.5	<2	0.14	<0.5	5	8	2	2.01
CAE441847		4.08	0.003	<0.2	1.62	<2	<10	260	0.5	<2	0.24	<0.5	11	8	9	4.35
CAE441848		5.61	0.001	<0.2	1.70	<2	<10	250	0.5	<2	0.28	<0.5	11	9	13	4.74
CAE441849		4.13	0.001	<0.2	1.80	<2	<10	270	<0.5	<2	0.36	<0.5	11	9	9	3.79
CAE441850		0.16	1.105	0.9	1.55	18	<10	190	<0.5	<2	0.96	0.6	13	43	573	3.35
CAE441851		2.25	0.001	<0.2	2.16	<2	<10	370	<0.5	<2	0.35	<0.5	13	9	10	3.85
CAE441852		4.24	0.001	<0.2	2.19	<2	<10	300	<0.5	<2	0.43	<0.5	13	10	5	3.72
CAE441853		2.84	0.001	<0.2	2.24	<2	<10	340	<0.5	<2	0.38	<0.5	14	9	16	3.71
CAE441854		3.06	0.002	<0.2	2.18	<2	<10	350	<0.5	<2	0.37	<0.5	15	8	13	3.39
CAE441855		4.05	0.001	<0.2	2.20	<2	<10	360	<0.5	<2	0.41	<0.5	13	8	17	3.36
CAE441856		4.11	0.002	1.6	1.89	<2	<10	420	<0.5	<2	0.55	<0.5	13	8	14	2.99
CAE441857		3.65	0.003	>100	2.05	<2	<10	510	<0.5	<2	0.70	<0.5	14	8	1500	2.79
CAE441858		7.63	0.003	>100	2.14	<2	<10	360	<0.5	<2	0.46	<0.5	13	11	276	3.28
CAE441859		6.37	0.004	1.6	1.65	<2	<10	200	<0.5	<2	0.30	<0.5	12	9	32	3.13
CAE441860		1.46	0.001	<0.2	0.18	<2	<10	40	<0.5	<2	0.01	<0.5	<1	5	<1	0.62
CAE441861		5.58	0.002	<0.2	2.00	<2	<10	200	<0.5	<2	0.56	<0.5	12	9	45	3.40
CAE441862		2.44	0.001	<0.2	1.69	<2	<10	340	<0.5	<2	0.81	<0.5	9	6	21	2.53
CAE441863		2.28	0.001	<0.2	1.81	<2	<10	340	<0.5	<2	0.83	<0.5	9	7	24	2.70
CAE441864		5.41	0.003	<0.2	2.03	<2	<10	290	<0.5	<2	0.87	<0.5	12	8	43	3.14
CAE441865		5.38	0.002	<0.2	1.84	<2	<10	250	<0.5	<2	0.76	<0.5	11	6	55	3.00
CAE441866		5.34	0.002	<0.2	1.94	<2	<10	290	<0.5	<2	1.11	<0.5	11	7	28	3.62
CAE441867		5.42	0.002	0.8	1.37	<2	<10	500	<0.5	<2	1.03	<0.5	10	29	18	2.78
CAE441868		5.44	0.002	0.2	0.65	<2	<10	60	<0.5	<2	0.91	<0.5	7	5	15	2.07
CAE441869		5.27	0.001	<0.2	1.95	<2	<10	260	<0.5	<2	1.86	<0.5	14	8	31	3.46
CAE441870		5.55	0.001	<0.2	2.38	<2	<10	320	<0.5	<2	1.31	<0.5	12	7	21	2.71
CAE441871		4.83	<0.001	<0.2	1.62	<2	<10	380	<0.5	<2	0.61	<0.5	8	7	10	2.32
CAE441872		0.16	3.04	54.3	1.82	35	<10	170	<0.5	<2	2.82	8.0	11	54	172	2.92
CAE441873		5.69	0.001	<0.2	1.91	<2	<10	120	<0.5	<2	1.49	<0.5	13	11	15	3.65
CAE441874		5.46	0.002	0.2	1.81	2	<10	310	<0.5	<2	1.29	<0.5	12	12	28	3.37
CAE441875		1.03	<0.001	<0.2	0.19	<2	<10	40	<0.5	2	0.02	<0.5	1	4	1	0.53
CAE441876		5.68	0.003	1.0	0.71	14	<10	160	0.6	<2	3.18	2.9	12	25	81	2.84
CAE441877		5.35	0.002	1.1	0.37	33	<10	110	<0.5	2	1.17	2.9	6	28	94	1.68
CAE441878		2.38	0.005	2.0	0.52	73	<10	140	<0.5	2	1.04	4.3	7	32	116	1.75
CAE441879		2.06	0.039	2.2	0.42	57	<10	120	<0.5	2	0.88	3.5	6	31	90	1.45

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 22-SEP-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11135443

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
CAE441840		10	<1	0.98	10	1.13	693	<1	0.06	1	570	<2	0.03	<2	4	24
CAE441841		10	<1	1.10	10	1.20	948	<1	0.06	1	490	3	0.03	<2	5	21
CAE441842		10	<1	1.17	10	1.33	1035	<1	0.07	<1	470	4	0.02	<2	5	23
CAE441843		10	<1	0.85	10	1.27	729	<1	0.09	<1	370	<2	0.03	<2	5	26
CAE441844		10	<1	0.46	10	0.97	617	<1	0.06	<1	460	<2	0.02	<2	8	22
CAE441845		10	<1	0.43	10	1.03	596	<1	0.05	<1	430	<2	0.02	<2	6	14
CAE441846		<10	<1	0.30	10	0.50	263	<1	0.05	<1	280	<2	0.02	<2	3	6
CAE441847		<10	<1	0.61	10	0.72	1345	<1	0.05	<1	490	2	0.02	<2	11	12
CAE441848		<10	<1	0.71	20	0.71	1600	<1	0.05	<1	450	2	0.03	<2	15	14
CAE441849		10	<1	0.81	10	0.86	1135	<1	0.06	<1	580	<2	0.02	<2	12	18
CAE441850		10	1	0.24	10	0.69	465	28	0.11	30	630	72	0.58	3	6	50
CAE441851		10	<1	1.20	10	1.16	750	<1	0.07	<1	470	<2	0.03	<2	8	19
CAE441852		10	<1	1.16	10	1.16	650	<1	0.07	<1	530	<2	0.03	<2	6	24
CAE441853		10	<1	1.33	10	1.28	717	<1	0.07	<1	480	<2	0.02	<2	6	17
CAE441854		10	<1	1.14	10	1.14	789	<1	0.06	<1	480	<2	0.02	<2	6	17
CAE441855		10	<1	1.30	10	1.25	590	<1	0.07	<1	460	<2	0.02	<2	4	22
CAE441856		10	1	0.48	10	0.85	675	<1	0.05	<1	530	2	0.02	<2	7	34
CAE441857		<10	<1	0.96	10	1.11	478	<1	0.07	52	480	<2	0.02	<2	3	48
CAE441858		10	<1	1.15	10	1.24	650	<1	0.07	12	490	<2	0.02	<2	4	28
CAE441859		10	<1	0.77	20	0.79	570	<1	0.07	<1	480	3	0.03	<2	7	14
CAE441860		<10	<1	0.12	<10	0.01	66	<1	0.09	<1	30	7	0.02	<2	<1	26
CAE441861		10	<1	1.10	20	1.07	683	<1	0.07	<1	400	2	0.09	<2	7	21
CAE441862		<10	<1	0.86	20	0.81	548	12	0.07	<1	280	<2	0.06	<2	5	27
CAE441863		<10	<1	0.96	20	0.90	583	10	0.07	<1	310	2	0.07	<2	5	26
CAE441864		10	<1	1.08	20	1.00	668	1	0.07	<1	400	2	0.27	<2	7	27
CAE441865		<10	<1	0.91	20	0.92	523	1	0.06	<1	340	<2	0.09	<2	6	30
CAE441866		10	<1	0.64	20	0.86	1045	<1	0.07	<1	440	<2	0.05	<2	10	53
CAE441867		<10	<1	0.22	20	0.68	724	1	0.08	14	400	<2	0.12	<2	6	49
CAE441868		<10	<1	0.21	30	0.33	592	1	0.06	2	270	3	0.05	<2	5	30
CAE441869		<10	<1	0.73	20	1.19	893	1	0.04	4	410	4	0.09	<2	10	42
CAE441870		10	1	0.75	10	0.95	575	1	0.13	2	390	<2	0.03	<2	6	71
CAE441871		<10	<1	0.61	20	0.60	435	<1	0.11	2	320	<2	0.04	<2	5	33
CAE441872		10	12	0.24	10	1.56	577	8	0.09	36	510	1050	1.04	145	4	86
CAE441873		10	<1	0.26	10	1.15	818	<1	0.08	<1	640	<2	0.08	<2	8	49
CAE441874		10	<1	0.46	10	1.05	645	1	0.08	2	600	2	0.25	<2	8	39
CAE441875		<10	<1	0.13	<10	0.01	101	<1	0.06	<1	60	5	0.01	<2	1	60
CAE441876		<10	<1	0.15	10	1.53	794	7	0.02	90	1840	23	0.41	<2	7	71
CAE441877		<10	<1	0.11	<10	0.43	320	3	0.01	59	2730	31	0.12	<2	3	41
CAE441878		<10	<1	0.13	10	0.24	251	23	0.01	93	3430	76	0.34	<2	3	96
CAE441879		<10	<1	0.12	10	0.14	196	21	<0.01	64	3510	78	0.28	<2	3	52

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 22-SEP-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11135443

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2	Ag-OG46 Ag ppm 1
CAE441840		<20	0.14	<10	<10	78	<10	84	
CAE441841		<20	0.16	<10	<10	83	<10	139	
CAE441842		<20	0.17	<10	<10	90	<10	197	
CAE441843		<20	0.11	<10	<10	82	<10	202	
CAE441844		<20	0.05	<10	<10	76	<10	52	
CAE441845		<20	0.05	<10	<10	72	<10	71	
CAE441846		<20	0.03	<10	<10	38	<10	35	
CAE441847		<20	0.07	<10	<10	86	<10	47	
CAE441848		<20	0.09	<10	<10	100	<10	48	
CAE441849		<20	0.11	<10	<10	98	<10	53	
CAE441850		<20	0.11	<10	<10	67	20	97	
CAE441851		<20	0.17	<10	<10	96	<10	47	
CAE441852		<20	0.16	<10	<10	96	<10	54	
CAE441853		<20	0.19	<10	<10	97	<10	61	
CAE441854		<20	0.15	<10	<10	85	<10	52	
CAE441855		<20	0.18	<10	<10	83	<10	53	
CAE441856		<20	0.06	<10	<10	77	10	53	
CAE441857		<20	0.14	<10	<10	68	1780	48	645
CAE441858		<20	0.16	<10	<10	80	390	85	100
CAE441859		<20	0.11	<10	<10	80	10	69	
CAE441860		<20	<0.01	<10	<10	15	<10	14	
CAE441861		<20	0.15	<10	<10	79	<10	54	
CAE441862		<20	0.12	<10	<10	55	<10	42	
CAE441863		<20	0.13	<10	<10	59	<10	47	
CAE441864		<20	0.14	<10	<10	73	<10	45	
CAE441865		<20	0.12	<10	<10	64	<10	45	
CAE441866		<20	0.07	<10	<10	77	<10	66	
CAE441867		<20	0.03	<10	<10	49	<10	60	
CAE441868		<20	0.03	<10	<10	32	<10	37	
CAE441869		<20	0.09	<10	<10	79	<10	59	
CAE441870		<20	0.10	<10	<10	61	<10	44	
CAE441871		<20	0.10	<10	<10	43	<10	38	
CAE441872		<20	0.04	<10	<10	47	<10	2130	
CAE441873		<20	0.12	<10	<10	85	<10	70	
CAE441874		<20	0.16	<10	<10	93	<10	68	
CAE441875		<20	<0.01	<10	<10	11	<10	8	
CAE441876		<20	0.01	<10	<10	143	<10	442	
CAE441877		<20	<0.01	<10	<10	72	<10	309	
CAE441878		<20	<0.01	<10	10	131	<10	367	
CAE441879		<20	<0.01	<10	10	112	<10	266	

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 22-SEP-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11135443

Sample Description	Method	WEI-21	Au-ICP22	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CAE441880		5.07	0.006	1.2	0.62	31	<10	240	<0.5	<2	1.16	5.8	10	21	62	2.36
CAE441881		6.43	0.005	0.7	0.29	29	<10	110	<0.5	2	0.20	2.0	5	18	58	1.64
CAE441882		4.69	0.004	0.7	0.44	25	<10	60	<0.5	<2	0.40	1.3	6	18	47	1.94
CAE441883		5.53	0.004	0.2	0.58	7	<10	30	<0.5	<2	0.48	0.5	10	5	18	3.07
CAE441884		5.95	0.009	1.0	0.44	35	<10	70	<0.5	<2	0.64	1.9	4	43	67	1.45
CAE441885		5.71	0.003	0.8	0.28	6	<10	80	<0.5	<2	0.69	1.5	6	25	68	1.50
CAE441886		3.05	0.001	0.9	0.60	3	<10	150	<0.5	<2	0.47	5.1	7	30	92	1.84
CAE441887		5.42	0.002	0.4	1.65	<2	<10	380	0.6	<2	0.74	1.7	11	54	63	3.13
CAE441888		5.25	0.002	3.6	1.53	<2	<10	420	0.6	<2	0.33	<0.5	10	34	55	3.18
CAE441889		4.97	0.002	0.2	1.29	<2	<10	360	0.5	2	0.21	<0.5	8	34	42	2.64
CAE441890		5.18	0.001	0.3	2.55	2	<10	930	0.8	2	0.56	<0.5	19	95	60	3.84
CAE441891		2.87	0.001	0.2	1.61	<2	<10	490	0.5	2	0.31	<0.5	10	51	56	3.05

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 22-SEP-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11135443

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
CAE441880		<10	<1	0.16	10	0.40	459	9	0.01	83	2830	42	0.57	<2	4	36
CAE441881		<10	<1	0.10	10	0.05	228	9	<0.01	51	850	37	0.16	<2	2	14
CAE441882		<10	<1	0.15	10	0.27	329	5	0.01	27	1230	14	0.08	<2	3	19
CAE441883		<10	<1	0.18	20	0.32	623	7	0.02	22	500	<2	0.22	<2	3	27
CAE441884		<10	<1	0.19	10	0.19	165	10	0.01	57	2540	17	0.37	<2	3	53
CAE441885		<10	<1	0.08	10	0.26	274	17	<0.01	50	1260	3	0.25	<2	3	38
CAE441886		<10	<1	0.23	20	0.31	174	31	<0.01	94	1640	5	0.76	<2	3	23
CAE441887		10	<1	0.81	20	1.34	551	3	0.02	50	770	2	0.99	<2	7	35
CAE441888		<10	<1	0.80	20	1.09	580	<1	0.01	30	380	3	0.51	<2	5	14
CAE441889		<10	<1	0.53	20	0.98	338	1	0.01	27	410	3	0.36	<2	4	8
CAE441890		10	<1	1.15	30	1.83	405	<1	0.03	65	1080	<2	0.52	<2	7	19
CAE441891		10	<1	0.75	20	1.07	346	1	0.01	37	900	<2	0.62	<2	4	11

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 22-SEP-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11135443

Sample Description	Method Analyte Units LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2	Ag-OG46 Ag ppm 1
CAE441880		<20	<0.01	<10	<10	111	<10	560	
CAE441881		<20	<0.01	<10	<10	60	<10	225	
CAE441882		<20	<0.01	<10	<10	49	<10	142	
CAE441883		<20	<0.01	<10	<10	39	<10	163	
CAE441884		<20	0.01	<10	<10	83	<10	230	
CAE441885		<20	<0.01	<10	<10	45	<10	188	
CAE441886		<20	0.01	<10	10	176	<10	371	
CAE441887		<20	0.09	<10	<10	94	<10	188	
CAE441888		<20	0.09	<10	<10	47	20	66	
CAE441889		<20	0.05	<10	<10	46	<10	60	
CAE441890		<20	0.14	<10	<10	78	<10	88	
CAE441891		<20	0.09	<10	<10	50	<10	71	