ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 28-JUL-2011
Account: SELHOL

CERTIFICATE WH11122217

Project: JP Ross Project

P.O. No.: JR00392011

This report is for 118 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 2-JUL-2011.

The following have access to data associated with this certificate:

KEITH FOWLOW	JEAN-PIERRE LONDERO	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **SELENE HOLDINGS LP**
ATTN: KEITH FOWLOW
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 28-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11122217

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg .02	Au-ICP22 Au ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
CAE103355		5.38	0.084	0.6	0.58	5	<10	50	<0.5	<2	0.64	1.8	4	11	37	1.25
CAE103356		4.70	0.109	0.6	0.78	2	<10	90	<0.5	<2	0.74	1.7	8	36	46	2.35
CAE103357		5.43	0.101	0.3	0.91	2	<10	160	<0.5	<2	0.50	0.7	11	64	34	3.66
CAE103358		6.37	0.121	0.5	0.87	3	<10	140	<0.5	<2	0.48	1.1	14	68	45	3.02
CAE103359		4.47	0.106	0.5	0.64	3	<10	60	<0.5	<2	0.40	0.5	5	8	46	2.32
CAE103360		4.91	0.127	0.3	0.59	2	<10	70	<0.5	<2	0.44	0.6	4	7	24	2.11
CAE103361		4.47	0.131	0.5	0.80	2	<10	80	<0.5	<2	0.81	1.0	6	10	41	2.76
CAE103362		4.96	0.143	0.4	0.74	3	<10	60	<0.5	<2	0.76	0.5	4	9	37	2.50
CAE103363		0.15	1.045	1.0	1.51	23	<10	200	<0.5	<2	0.99	<0.5	13	45	621	3.46
CAE103364		4.91	0.129	0.5	0.94	3	<10	60	<0.5	<2	1.25	0.7	5	11	51	2.79
CAE103365		4.08	0.125	0.9	0.81	<2	<10	60	<0.5	<2	0.73	1.9	6	8	65	2.57
CAE103366		4.78	0.077	0.6	0.97	3	<10	70	<0.5	<2	1.22	0.7	5	11	37	2.32
CAE103367		4.54	0.185	0.5	0.93	4	<10	70	<0.5	<2	0.66	0.5	11	12	44	3.74
CAE103368		0.89	0.004	<0.2	0.32	<2	<10	80	<0.5	<2	0.03	<0.5	3	4	1	0.68
CAE103369		4.68	0.202	0.3	0.94	<2	<10	70	<0.5	<2	1.55	0.6	6	11	29	2.51
CAE103370		4.60	0.099	0.3	0.93	2	<10	100	<0.5	<2	1.23	1.0	4	12	24	2.00
CAE103371		5.07	0.112	0.3	0.98	<2	<10	90	<0.5	<2	1.10	<0.5	6	14	35	2.49
CAE103372		4.68	0.058	0.3	1.36	2	<10	110	<0.5	<2	1.00	0.6	6	21	25	2.11
CAE103373		5.19	0.110	0.4	1.36	4	<10	120	<0.5	<2	0.49	0.7	9	21	34	3.24
CAE103374		5.16	0.107	0.5	1.24	3	<10	120	<0.5	<2	0.79	0.9	8	19	29	2.71
CAE103375		2.86	0.089	0.6	1.09	4	<10	80	<0.5	<2	0.69	1.2	7	10	34	2.45
CAE103376		2.24	0.078	0.5	1.18	4	<10	100	<0.5	<2	0.76	1.2	6	11	33	2.32
CAE103377		5.58	0.087	0.5	0.95	<2	<10	90	<0.5	<2	0.69	1.3	7	15	45	1.95
CAE103378		6.04	0.111	0.6	1.19	<2	<10	150	<0.5	<2	0.72	1.2	10	22	55	2.31
CAE103379		6.06	0.122	0.8	1.23	<2	<10	80	<0.5	<2	1.36	1.7	10	12	89	2.10
CAE103380		3.47	0.073	0.8	1.27	3	<10	100	<0.5	<2	1.27	2.4	8	18	72	2.20
CAE103381		5.51	0.104	0.5	1.79	<2	<10	180	0.5	<2	1.08	0.6	22	232	81	3.07
CAE103382		6.03	0.111	0.5	1.91	6	<10	200	0.5	<2	1.37	0.6	25	249	104	4.15
CAE103383		6.12	0.088	0.7	1.32	4	<10	240	0.5	<2	2.54	0.7	22	251	113	3.76
CAE103384		4.81	0.031	0.6	1.20	<2	<10	160	<0.5	<2	0.67	0.7	14	60	88	2.76
CAE103385		4.68	0.102	0.5	2.35	2	<10	160	0.5	<2	0.97	<0.5	24	108	122	4.43
CAE103386		5.53	0.105	0.7	2.29	<2	<10	110	0.5	<2	1.30	1.1	26	178	88	4.62
CAE103387		5.66	0.098	0.7	2.67	<2	<10	140	0.6	<2	1.48	0.6	26	157	127	4.99
CAE103388		0.15	3.01	61.1	1.77	37	<10	160	<0.5	2	2.58	8.6	10	49	176	2.82
CAE103389		5.38	0.150	0.9	2.71	<2	<10	120	0.6	<2	1.83	0.8	27	181	93	5.29
CAE103390		5.05	0.115	0.9	3.05	<2	<10	170	0.7	<2	2.21	<0.5	32	160	114	5.81
CAE103391		5.19	0.061	1.3	2.12	3	<10	180	0.5	<2	2.06	2.0	23	131	110	4.73
CAE103392		0.94	<0.001	<0.2	0.21	<2	<10	60	<0.5	<2	0.07	<0.5	1	5	1	0.58
CAE103393		4.90	0.083	1.0	1.78	<2	<10	220	0.6	<2	1.84	0.7	19	62	105	3.47
CAE103394		5.81	0.074	1.4	2.00	<2	<10	120	<0.5	<2	2.06	0.6	20	124	102	4.35

Comments: Email confirmation from Sarah Rice to discard empty sample bag E103397

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 28-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11122217

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
CAE103355		<10	<1	0.05	20	0.25	353	4	0.07	8	860	48	0.05	3	2	42
CAE103356		<10	<1	0.19	20	0.44	396	4	0.10	31	920	45	0.49	<2	2	54
CAE103357		<10	<1	0.34	20	0.56	291	3	0.14	52	1040	42	0.50	<2	2	148
CAE103358		<10	<1	0.33	20	0.57	357	5	0.11	61	1040	31	0.54	<2	2	82
CAE103359		<10	<1	0.06	20	0.21	264	6	0.11	6	840	33	0.12	<2	2	47
CAE103360		<10	<1	0.06	20	0.17	213	2	0.12	4	840	47	0.19	<2	1	49
CAE103361		<10	<1	0.07	20	0.33	348	7	0.12	5	830	44	0.40	<2	2	60
CAE103362		<10	<1	0.05	20	0.33	414	4	0.10	4	840	22	0.03	<2	2	52
CAE103363		<10	<1	0.24	<10	0.70	473	30	0.11	32	660	72	0.60	4	6	50
CAE103364		<10	<1	0.07	20	0.45	528	8	0.09	5	850	27	0.17	<2	4	69
CAE103365		<10	<1	0.07	20	0.34	461	5	0.08	5	830	44	0.15	<2	3	48
CAE103366		<10	<1	0.07	20	0.46	431	3	0.12	4	840	29	0.18	<2	3	70
CAE103367		<10	<1	0.07	20	0.40	400	5	0.11	6	850	32	0.20	<2	3	52
CAE103368		<10	<1	0.21	<10	0.03	127	<1	0.10	1	90	3	<0.01	<2	1	61
CAE103369		<10	<1	0.08	20	0.52	516	3	0.09	5	850	29	0.47	2	4	70
CAE103370		<10	<1	0.11	20	0.54	413	6	0.08	5	820	26	0.39	<2	4	60
CAE103371		<10	<1	0.15	20	0.53	348	8	0.10	6	720	26	0.75	<2	3	58
CAE103372		<10	<1	0.35	10	0.75	344	4	0.15	6	750	34	0.66	<2	4	68
CAE103373		10	<1	0.46	10	0.64	291	2	0.15	7	600	39	1.33	<2	4	59
CAE103374		<10	<1	0.28	10	0.47	248	2	0.15	7	1050	52	1.03	2	2	59
CAE103375		<10	<1	0.25	10	0.44	259	2	0.13	4	610	62	0.58	2	1	55
CAE103376		<10	<1	0.25	10	0.42	259	3	0.16	3	660	60	0.55	<2	1	64
CAE103377		<10	<1	0.30	10	0.54	249	7	0.12	8	130	60	0.44	<2	2	48
CAE103378		<10	<1	0.41	10	0.65	258	6	0.15	12	200	44	0.69	<2	2	86
CAE103379		<10	<1	0.26	10	0.63	314	7	0.11	9	140	60	0.71	<2	2	86
CAE103380		<10	1	0.26	10	0.68	310	10	0.12	9	200	52	0.57	<2	3	73
CAE103381		10	<1	0.69	10	1.22	293	8	0.21	165	1210	23	1.13	<2	4	101
CAE103382		10	<1	0.69	10	1.29	360	3	0.20	162	2410	22	1.81	2	6	111
CAE103383		<10	<1	0.41	10	0.97	718	11	0.08	208	1220	22	1.27	4	4	103
CAE103384		10	<1	0.41	10	0.98	281	4	0.04	42	150	31	1.01	<2	7	24
CAE103385		10	<1	0.75	10	1.25	313	1	0.21	69	490	25	2.05	<2	7	67
CAE103386		10	<1	0.76	<10	1.22	348	2	0.24	77	280	26	1.95	<2	7	78
CAE103387		10	<1	0.81	10	1.54	401	2	0.25	101	850	34	1.76	<2	8	92
CAE103388		10	12	0.24	10	1.51	529	9	0.06	36	480	1090	0.97	156	4	82
CAE103389		10	<1	0.72	10	1.57	468	1	0.26	85	860	38	2.13	<2	10	100
CAE103390		10	1	1.15	10	2.11	548	3	0.27	129	1520	25	1.55	<2	7	114
CAE103391		10	<1	0.58	10	1.43	593	2	0.18	110	1080	35	1.29	<2	7	99
CAE103392		<10	<1	0.13	<10	0.03	146	<1	0.07	2	120	4	0.02	<2	1	81
CAE103393		10	<1	0.60	10	1.00	421	3	0.14	67	1560	25	1.20	<2	5	83
CAE103394		10	<1	0.28	10	1.19	471	15	0.15	92	1930	19	0.89	<2	5	206

Comments: Email confirmation from Sarah Rice to discard empty sample bag E103397

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 28-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11122217

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CAE103355		<20	0.05	<10	<10	22	<10	188
CAE103356		<20	0.09	<10	<10	32	<10	132
CAE103357		<20	0.16	<10	<10	40	<10	94
CAE103358		<20	0.15	<10	<10	39	<10	84
CAE103359		<20	0.07	<10	<10	28	<10	87
CAE103360		<20	0.08	<10	<10	25	<10	96
CAE103361		<20	0.08	<10	<10	30	<10	106
CAE103362		<20	0.08	<10	<10	29	<10	83
CAE103363		<20	0.12	<10	<10	70	20	102
CAE103364		<20	0.06	<10	<10	35	<10	92
CAE103365		<20	0.06	<10	<10	28	<10	213
CAE103366		<20	0.08	<10	<10	33	<10	89
CAE103367		<20	0.08	<10	<10	37	<10	78
CAE103368		<20	0.01	<10	<10	32	<10	16
CAE103369		<20	0.06	<10	<10	36	<10	72
CAE103370		<20	0.03	<10	<10	34	<10	137
CAE103371		<20	0.08	<10	<10	36	<10	69
CAE103372		<20	0.15	<10	<10	60	<10	88
CAE103373		<20	0.17	<10	<10	66	<10	89
CAE103374		<20	0.13	<10	<10	47	<10	87
CAE103375		<20	0.12	<10	<10	43	<10	108
CAE103376		<20	0.12	<10	<10	40	<10	108
CAE103377		<20	0.13	<10	<10	48	<10	98
CAE103378		<20	0.15	<10	<10	54	<10	93
CAE103379		<20	0.10	<10	<10	44	<10	146
CAE103380		<20	0.11	<10	<10	56	<10	203
CAE103381		<20	0.21	<10	<10	65	<10	77
CAE103382		<20	0.25	<10	<10	80	<10	82
CAE103383		<20	0.16	<10	<10	74	<10	146
CAE103384		<20	0.10	<10	<10	67	<10	128
CAE103385		<20	0.24	<10	<10	95	<10	86
CAE103386		<20	0.26	<10	<10	102	<10	129
CAE103387		<20	0.33	<10	<10	106	<10	115
CAE103388		<20	0.04	<10	<10	43	<10	2110
CAE103389		<20	0.27	<10	<10	121	<10	115
CAE103390		<20	0.40	<10	<10	110	<10	144
CAE103391		<20	0.21	<10	<10	83	<10	229
CAE103392		<20	0.01	<10	<10	16	<10	12
CAE103393		<20	0.19	<10	<10	53	<10	102
CAE103394		<20	0.21	<10	<10	83	<10	83

Comments: Email confirmation from Sarah Rice to discard empty sample bag E103397

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 28-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11122217

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg .02	Au-ICP22 Au ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
CAE103395		5.26	0.060	0.7	1.81	5	<10	150	<0.5	<2	1.29	0.6	32	119	85	4.31
CAE103396		5.21	0.188	0.9	2.22	3	<10	240	<0.5	<2	1.38	<0.5	32	121	78	3.86
CAE103397		Empty Bag														
CAE103398		5.40	0.031	0.7	2.39	<2	<10	270	0.5	<2	1.32	0.5	30	120	52	4.12
CAE103399		5.49	0.026	0.5	2.54	2	<10	280	0.5	<2	1.49	0.5	32	126	61	4.46
CAE103400		5.32	0.035	1.3	2.87	2	<10	210	0.5	2	1.66	1.3	33	126	114	5.44
CAE103401		2.85	0.096	0.9	2.90	<2	<10	170	0.8	2	1.85	0.8	33	123	136	5.81
CAE103402		4.87	0.005	1.1	0.29	5	<10	80	<0.5	2	0.82	6.5	7	23	32	1.65
CAE103403		4.71	0.004	0.9	0.41	<2	<10	150	<0.5	<2	0.84	6.1	8	28	56	2.12
CAE103404		6.93	0.027	2.2	0.29	3	<10	150	<0.5	2	0.80	3.2	18	22	151	3.13
CAE103405		4.67	0.057	2.0	0.18	2	<10	170	<0.5	<2	0.70	5.4	13	19	109	2.08
CAE103406		0.16	1.135	1.0	1.43	20	<10	190	<0.5	2	0.96	0.5	12	43	568	3.35
CAE103407		4.94	0.011	1.6	0.20	<2	<10	170	<0.5	<2	0.68	4.7	9	15	79	1.96
CAE103408		5.12	0.007	1.5	0.43	<2	<10	130	<0.5	<2	0.82	5.3	12	26	72	2.67
CAE103409		5.25	0.036	1.6	1.52	3	<10	200	<0.5	<2	1.09	1.3	20	77	115	4.42
CAE103410		0.90	0.008	1.3	0.93	<2	<10	50	<0.5	<2	1.21	1.8	11	32	71	2.83
CAE103411		0.85	0.009	1.8	0.97	<2	<10	60	<0.5	2	1.20	2.6	13	32	95	3.08
CAE103412		5.75	0.140	1.2	3.59	<2	<10	130	0.8	<2	1.59	0.8	41	236	163	6.43
CAE103413		4.64	0.034	1.4	1.23	6	<10	140	<0.5	<2	1.24	2.8	26	50	85	3.22
CAE103414		5.03	0.127	1.4	1.85	<2	<10	270	<0.5	<2	1.47	<0.5	27	58	178	4.54
CAE103415		2.74	0.030	0.6	1.87	4	<10	370	<0.5	<2	1.03	<0.5	24	68	66	3.63
CAE103416		2.47	0.040	0.7	1.82	3	<10	360	<0.5	<2	1.03	0.5	23	67	70	3.57
CAE103417		5.39	0.023	0.7	1.68	3	<10	390	<0.5	<2	1.06	<0.5	24	58	75	3.53
CAE103418		5.17	0.030	0.5	1.79	3	<10	630	<0.5	<2	1.04	<0.5	21	55	62	3.79
CAE103419		4.98	0.063	1.0	1.10	<2	<10	220	<0.5	<2	1.04	0.6	16	58	88	2.78
CAE103420		6.14	0.018	0.7	1.35	2	<10	210	<0.5	<2	1.20	<0.5	19	51	81	2.74
CAE103421		5.01	0.031	0.7	1.43	4	<10	310	<0.5	<2	1.02	0.5	19	69	66	3.00
CAE103422		5.84	0.019	0.5	2.09	3	<10	440	<0.5	<2	1.22	<0.5	24	104	44	3.53
CAE103423		5.31	0.052	1.4	1.82	6	<10	310	<0.5	<2	1.33	0.5	25	84	135	3.66
CAE103424		4.84	0.032	2.6	1.42	2	<10	260	<0.5	<2	1.27	2.6	19	72	249	3.53
CAE103425		4.80	0.003	2.1	0.43	10	<10	30	<0.5	<2	0.41	4.7	13	25	123	2.52
CAE103426		4.45	0.008	2.7	0.50	19	<10	30	<0.5	2	0.46	10.0	27	23	130	2.64
CAE103427		4.58	0.003	2.1	0.61	8	<10	50	<0.5	2	0.32	5.1	13	28	134	2.61
CAE103428		0.15	2.91	57.9	1.78	35	<10	160	<0.5	3	2.58	7.7	10	51	174	2.85
CAE103429		5.23	0.003	1.6	0.47	8	<10	60	<0.5	2	0.39	2.3	13	23	106	1.95
CAE103430		4.81	0.042	3.4	1.72	8	<10	300	<0.5	2	1.32	1.8	18	99	287	3.69
CAE103431		5.16	0.060	2.1	1.69	8	<10	290	<0.5	<2	1.50	0.5	20	88	178	3.16
CAE103432		0.94	<0.001	<0.2	0.22	3	<10	50	<0.5	2	0.03	<0.5	1	4	3	0.94
CAE103433		3.67	0.041	1.4	1.61	4	<10	320	<0.5	<2	1.37	0.5	15	59	151	3.06
CAE103434		5.16	0.017	1.9	1.10	12	<10	250	<0.5	2	1.49	3.5	24	45	137	2.66

Comments: Email confirmation from Sarah Rice to discard empty sample bag E103397

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 28-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11122217

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
CAE103395		10	<1	0.57	10	1.42	381	<1	0.16	129	1550	19	0.94	<2	4	76
CAE103396		10	<1	0.68	10	1.44	409	<1	0.25	131	1070	15	0.86	<2	4	132
CAE103397																
CAE103398		10	<1	1.01	10	1.77	409	<1	0.26	121	1630	19	0.84	<2	5	90
CAE103399		10	1	1.12	10	1.82	421	<1	0.28	124	1970	17	0.87	<2	6	73
CAE103400		10	<1	0.92	10	2.03	624	<1	0.23	112	1890	34	1.46	<2	8	72
CAE103401		10	<1	1.14	10	1.84	527	<1	0.28	120	1740	30	2.16	<2	6	95
CAE103402		<10	<1	0.10	10	0.53	495	4	0.01	18	560	93	0.35	<2	3	32
CAE103403		<10	<1	0.18	10	0.67	401	1	0.02	27	310	28	0.58	<2	3	40
CAE103404		<10	<1	0.12	10	0.60	445	8	0.01	41	400	50	1.49	<2	3	37
CAE103405		<10	<1	0.09	10	0.50	406	4	0.01	24	320	98	0.75	<2	2	30
CAE103406		10	<1	0.23	10	0.69	445	27	0.10	31	610	70	0.58	2	6	48
CAE103407		<10	<1	0.07	10	0.51	391	2	0.01	20	920	81	0.57	<2	3	38
CAE103408		<10	<1	0.14	20	0.77	538	2	0.01	25	850	86	0.72	<2	4	44
CAE103409		10	<1	0.56	10	1.29	637	7	0.08	63	740	45	1.30	<2	9	48
CAE103410		<10	<1	0.13	10	0.92	515	<1	0.02	38	1010	77	0.80	<2	4	36
CAE103411		<10	<1	0.14	10	0.94	535	<1	0.02	42	970	133	0.91	<2	4	35
CAE103412		10	<1	2.09	20	3.20	705	1	0.25	169	2500	15	1.73	<2	6	127
CAE103413		10	<1	0.29	10	1.17	631	4	0.06	37	650	51	0.47	<2	7	36
CAE103414		10	<1	0.71	10	1.65	498	6	0.13	51	1340	12	1.05	<2	7	48
CAE103415		10	<1	0.88	10	1.58	373	<1	0.15	61	1500	8	0.51	<2	5	65
CAE103416		10	<1	0.82	10	1.51	370	<1	0.15	61	1450	8	0.52	<2	5	77
CAE103417		10	<1	0.83	10	1.45	363	<1	0.15	44	1710	10	0.46	<2	5	48
CAE103418		10	<1	0.98	10	1.58	408	1	0.16	42	1630	7	0.32	<2	5	54
CAE103419		<10	<1	0.26	<10	0.95	349	1	0.14	36	590	11	0.20	<2	6	68
CAE103420		10	<1	0.25	<10	1.01	361	<1	0.15	45	850	9	0.38	<2	7	77
CAE103421		10	<1	0.50	<10	1.25	382	<1	0.13	44	800	10	0.45	<2	6	61
CAE103422		10	<1	1.03	10	1.92	420	5	0.17	91	1620	6	0.33	<2	5	60
CAE103423		10	<1	0.79	10	1.53	458	2	0.13	84	1940	13	0.52	<2	5	54
CAE103424		10	<1	0.61	10	1.25	717	4	0.09	74	960	36	0.88	2	5	35
CAE103425		<10	<1	0.08	10	0.30	1345	1	0.01	79	340	91	0.81	6	3	15
CAE103426		<10	<1	0.10	10	0.33	303	3	0.01	50	500	141	1.03	5	4	24
CAE103427		<10	<1	0.09	10	0.44	278	5	0.01	35	230	94	0.62	2	5	19
CAE103428		10	12	0.24	10	1.50	545	9	0.06	38	500	1020	0.95	143	4	85
CAE103429		<10	<1	0.09	10	0.37	298	5	0.01	31	300	63	0.42	2	4	22
CAE103430		10	<1	0.64	10	1.39	693	12	0.05	60	1230	48	0.77	<2	9	42
CAE103431		10	<1	0.47	10	1.37	622	33	0.08	54	870	15	0.51	2	7	42
CAE103432		<10	<1	0.13	<10	0.04	99	<1	0.05	2	90	6	<0.01	<2	2	38
CAE103433		10	<1	0.44	10	1.28	620	17	0.11	31	490	14	0.38	<2	9	39
CAE103434		<10	<1	0.37	10	0.76	526	5	0.06	44	750	57	0.74	2	5	39

Comments: Email confirmation from Sarah Rice to discard empty sample bag E103397

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 28-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11122217

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CAE103395		<20	0.29	<10	<10	78	<10	91
CAE103396		<20	0.29	<10	<10	65	<10	80
CAE103397								
CAE103398		<20	0.37	<10	<10	85	<10	93
CAE103399		<20	0.40	<10	<10	107	<10	95
CAE103400		<20	0.35	<10	<10	111	<10	181
CAE103401		<20	0.38	<10	<10	95	<10	133
CAE103402		<20	0.01	<10	<10	27	<10	605
CAE103403		<20	0.02	<10	<10	36	<10	525
CAE103404		<20	0.01	<10	<10	27	<10	289
CAE103405		<20	<0.01	<10	<10	19	<10	459
CAE103406		<20	0.12	<10	<10	67	20	96
CAE103407		<20	<0.01	<10	<10	12	<10	408
CAE103408		<20	0.01	<10	<10	32	<10	473
CAE103409		<20	0.14	<10	<10	72	<10	175
CAE103410		<20	0.01	<10	<10	37	<10	202
CAE103411		<20	0.01	<10	<10	38	<10	283
CAE103412		<20	0.62	<10	<10	135	<10	218
CAE103413		<20	0.12	<10	<10	88	<10	284
CAE103414		<20	0.29	<10	<10	94	<10	87
CAE103415		<20	0.31	<10	<10	73	<10	76
CAE103416		<20	0.30	<10	<10	71	<10	76
CAE103417		<20	0.32	<10	<10	80	<10	73
CAE103418		<20	0.38	<10	<10	88	<10	83
CAE103419		<20	0.19	<10	<10	89	<10	63
CAE103420		<20	0.22	<10	<10	74	<10	54
CAE103421		<20	0.23	<10	<10	88	<10	69
CAE103422		<20	0.35	<10	<10	73	<10	76
CAE103423		<20	0.32	<10	<10	83	<10	99
CAE103424		<20	0.22	<10	<10	61	<10	282
CAE103425		<20	0.01	<10	<10	36	<10	419
CAE103426		<20	<0.01	<10	<10	29	<10	833
CAE103427		<20	0.01	<10	<10	32	<10	476
CAE103428		<20	0.04	<10	<10	44	<10	2000
CAE103429		<20	0.01	<10	<10	24	<10	241
CAE103430		<20	0.15	<10	<10	86	<10	239
CAE103431		<20	0.17	<10	<10	90	<10	104
CAE103432		<20	0.01	<10	<10	38	<10	23
CAE103433		<20	0.18	<10	<10	97	<10	106
CAE103434		<20	0.12	<10	<10	50	<10	347

Comments: Email confirmation from Sarah Rice to discard empty sample bag E103397

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 28-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11122217

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg .02	Au-ICP22 Au ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
CAE103435		2.12	0.028	1.6	1.87	4	<10	380	<0.5	2	1.79	1.0	16	79	146	3.60
CAE103436		2.26	0.028	1.7	1.77	5	<10	340	<0.5	<2	1.55	1.4	17	74	155	3.46
CAE103437		5.17	0.050	3.7	1.74	8	<10	260	<0.5	<2	1.31	3.7	22	57	325	3.80
CAE103438		5.13	0.041	2.0	1.95	2	<10	480	<0.5	2	1.35	0.6	20	75	224	3.82
CAE103439		5.13	0.056	3.0	1.90	9	<10	280	<0.5	<2	1.26	1.6	24	55	248	3.83
CAE103440		5.52	0.045	1.4	1.55	3	<10	230	<0.5	<2	1.07	<0.5	20	52	177	3.28
CAE103441		5.16	0.030	1.2	2.07	4	<10	410	<0.5	<2	1.25	0.9	17	91	127	3.69
CAE103442		5.27	0.007	1.8	1.23	6	<10	150	<0.5	2	0.89	3.9	15	54	121	2.84
CAE103443		5.10	0.008	1.2	1.49	6	<10	290	<0.5	<2	0.99	1.2	20	64	94	2.82
CAE103444		4.92	0.007	1.2	1.82	7	<10	350	<0.5	<2	0.86	<0.5	20	91	115	3.40
CAE103445		5.29	0.012	0.6	1.79	5	<10	570	<0.5	<2	1.05	<0.5	23	118	71	3.13
CAE103446		5.23	0.006	0.8	2.06	10	<10	840	<0.5	<2	1.08	<0.5	23	182	78	3.19
CAE103447		5.38	0.052	1.6	2.11	5	<10	310	<0.5	<2	1.30	<0.5	28	129	192	3.64
CAE103448		5.24	0.015	1.3	1.93	8	<10	370	<0.5	<2	1.11	<0.5	28	91	125	3.50
CAE103449		0.15	1.180	0.9	1.50	20	<10	190	<0.5	<2	0.96	0.5	11	44	597	3.27
CAE103450		5.22	0.035	1.5	1.72	8	<10	470	<0.5	2	1.05	<0.5	25	75	170	3.15
CAE103451		2.74	0.014	0.8	1.74	5	<10	650	<0.5	<2	1.06	<0.5	22	125	92	3.00
CAE103452		2.47	0.014	2.1	1.01	27	<10	120	<0.5	<2	2.64	5.2	19	61	166	3.23
CAE103453		0.85	<0.001	0.2	0.17	<2	<10	60	<0.5	2	0.04	<0.5	1	4	2	0.57
CAE103454		2.30	0.010	2.6	0.34	38	<10	30	<0.5	3	1.39	13.9	28	16	142	3.13
CAE103455		5.27	0.004	1.7	0.50	6	<10	50	<0.5	2	0.66	3.8	16	20	110	2.02
CAE103456		5.05	0.002	0.9	0.77	3	<10	130	<0.5	2	0.64	1.1	11	29	74	2.43
CAE103457		4.89	0.007	1.4	1.61	4	<10	340	<0.5	<2	1.10	2.0	17	67	130	3.31
CAE103458		3.13	0.035	1.3	1.92	3	<10	470	<0.5	<2	1.30	<0.5	15	84	127	3.05
CAE103459		2.81	0.037	1.4	1.96	3	<10	440	<0.5	<2	1.58	0.5	16	83	136	3.26
CAE103460		5.28	0.028	0.9	1.78	<2	<10	240	<0.5	<2	1.41	0.6	19	93	93	3.02
CAE103461		5.76	0.007	0.9	1.77	3	<10	370	<0.5	<2	1.07	<0.5	17	113	95	3.39
CAE103462		5.31	0.050	2.9	2.53	7	<10	300	<0.5	<2	1.95	0.7	20	127	272	4.30
CAE103463		4.87	0.005	0.8	1.21	7	<10	440	<0.5	<2	0.75	1.4	23	43	70	2.97
CAE103464		3.89	0.007	1.7	0.59	2	<10	240	<0.5	<2	0.47	1.0	13	26	156	2.27
CAE103465		6.29	0.002	0.9	0.43	3	<10	130	<0.5	<2	0.53	2.1	12	22	82	1.95
CAE103466		5.01	0.003	1.7	1.56	6	<10	180	<0.5	<2	1.52	2.1	15	10	132	2.74
CAE103467		4.99	0.008	1.3	1.79	4	<10	160	<0.5	<2	1.72	4.0	14	4	78	3.42
CAE103468		5.61	0.005	1.8	1.26	8	<10	100	<0.5	<2	1.66	8.1	17	8	102	3.09
CAE103469		5.14	0.002	1.1	0.35	7	<10	40	<0.5	<2	0.55	2.5	15	21	55	2.22
CAE103470		5.01	0.002	0.9	0.22	8	<10	30	<0.5	<2	0.45	1.6	15	17	52	1.88
CAE103471		2.77	0.002	0.6	0.52	<2	<10	110	<0.5	<2	0.64	1.2	13	21	43	2.37
CAE103472		3.29	0.002	0.6	0.86	3	<10	150	<0.5	<2	0.83	1.9	15	27	44	2.36

Comments: Email confirmation from Sarah Rice to discard empty sample bag E103397

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 28-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11122217

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
CAE103435		10	<1	0.67	10	1.38	738	3	0.10	68	1050	24	0.74	2	6	46
CAE103436		10	<1	0.57	10	1.29	647	2	0.09	62	1070	28	0.81	2	6	41
CAE103437		10	<1	0.34	<10	1.32	596	4	0.12	47	750	66	0.84	2	9	33
CAE103438		10	<1	0.69	<10	1.68	611	5	0.11	55	880	12	0.69	<2	11	32
CAE103439		10	<1	0.56	<10	1.39	586	3	0.13	47	910	34	0.77	3	6	43
CAE103440		10	<1	0.45	10	1.27	411	2	0.13	49	1110	10	0.35	<2	6	36
CAE103441		10	<1	0.72	10	1.67	519	2	0.13	85	1550	20	0.47	<2	6	55
CAE103442		10	<1	0.21	10	0.99	565	2	0.03	44	610	86	0.66	2	5	26
CAE103443		10	<1	0.46	10	1.10	528	1	0.06	42	920	28	0.48	<2	6	29
CAE103444		10	<1	0.71	10	1.37	541	1	0.05	61	1130	11	0.73	<2	9	38
CAE103445		10	<1	0.81	10	1.49	431	<1	0.11	95	1250	6	0.38	<2	5	46
CAE103446		10	<1	1.02	<10	2.02	489	2	0.08	99	1040	10	0.36	<2	6	46
CAE103447		10	<1	0.68	10	1.48	431	1	0.14	106	1620	14	0.86	<2	5	74
CAE103448		10	<1	0.74	10	1.56	518	1	0.08	77	1090	14	0.79	2	8	39
CAE103449		10	1	0.25	10	0.70	463	29	0.11	31	650	74	0.58	3	6	50
CAE103450		10	1	0.73	10	1.50	490	5	0.09	62	1370	11	0.55	<2	6	30
CAE103451		10	<1	0.93	<10	1.61	484	1	0.08	97	1020	9	0.43	2	5	26
CAE103452		<10	<1	0.33	<10	0.74	1130	61	0.02	54	610	55	2.25	8	4	58
CAE103453		<10	<1	0.12	<10	0.03	191	<1	0.05	3	110	4	0.01	<2	1	69
CAE103454		<10	<1	0.09	10	0.17	603	61	0.01	31	260	84	2.94	8	3	33
CAE103455		<10	<1	0.11	20	0.40	469	3	0.01	30	250	54	0.59	<2	4	26
CAE103456		<10	<1	0.19	10	0.67	799	1	0.01	34	360	31	0.51	<2	5	20
CAE103457		10	<1	0.43	10	1.22	785	1	0.05	41	1000	32	0.73	2	7	32
CAE103458		10	<1	0.54	<10	1.29	470	1	0.14	50	990	14	0.51	<2	8	64
CAE103459		10	1	0.50	<10	1.31	461	<1	0.15	50	1010	15	0.54	<2	8	66
CAE103460		10	1	0.40	10	1.35	457	1	0.13	50	770	15	0.52	<2	8	48
CAE103461		10	1	0.77	10	1.52	516	1	0.07	55	730	9	0.67	<2	8	28
CAE103462		10	1	1.04	10	1.76	629	5	0.14	68	2130	16	0.96	<2	12	78
CAE103463		10	1	0.50	20	1.09	834	1	0.04	32	410	22	0.53	<2	8	26
CAE103464		<10	<1	0.26	20	0.69	722	3	0.02	33	210	21	0.47	<2	5	25
CAE103465		<10	1	0.18	10	0.58	767	7	0.01	25	170	34	0.37	2	4	22
CAE103466		<10	<1	0.35	10	1.21	691	10	0.12	13	330	39	0.40	<2	7	56
CAE103467		10	1	0.45	10	1.48	755	1	0.14	6	420	68	0.56	2	8	71
CAE103468		<10	1	0.33	10	1.24	795	1	0.09	14	370	89	0.61	3	7	59
CAE103469		<10	1	0.12	10	0.72	605	5	0.01	38	110	51	0.47	3	3	21
CAE103470		<10	<1	0.08	10	0.43	644	3	0.01	42	200	36	0.51	3	2	19
CAE103471		<10	<1	0.16	10	0.64	836	1	0.01	30	320	29	0.51	<2	4	23
CAE103472		<10	<1	0.20	20	0.70	738	2	0.01	24	270	22	0.39	2	5	23

Comments: Email confirmation from Sarah Rice to discard empty sample bag E103397

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 28-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11122217

Sample Description	Method Analyte Units LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CAE103435		<20	0.21	<10	<10	73	<10	147
CAE103436		<20	0.19	<10	<10	69	<10	182
CAE103437		<20	0.17	<10	<10	109	<10	376
CAE103438		<20	0.21	<10	<10	117	<10	148
CAE103439		<20	0.20	<10	<10	87	<10	211
CAE103440		<20	0.25	<10	<10	82	<10	80
CAE103441		<20	0.31	<10	<10	79	<10	144
CAE103442		<20	0.07	<10	<10	56	<10	377
CAE103443		<20	0.17	<10	<10	64	<10	148
CAE103444		<20	0.25	<10	<10	103	<10	97
CAE103445		<20	0.34	<10	<10	76	<10	69
CAE103446		<20	0.33	<10	<10	94	<10	91
CAE103447		<20	0.29	<10	<10	80	<10	71
CAE103448		<20	0.24	<10	<10	79	<10	82
CAE103449		<20	0.12	<10	<10	70	20	98
CAE103450		<20	0.27	<10	<10	78	<10	83
CAE103451		<20	0.26	<10	<10	73	<10	75
CAE103452		<20	0.06	<10	<10	45	<10	393
CAE103453		<20	0.01	<10	<10	17	<10	14
CAE103454		<20	<0.01	<10	<10	22	<10	932
CAE103455		<20	0.01	<10	<10	23	<10	356
CAE103456		<20	0.03	<10	<10	47	<10	139
CAE103457		<20	0.10	<10	<10	89	<10	226
CAE103458		<20	0.21	<10	<10	96	<10	69
CAE103459		<20	0.23	<10	<10	99	<10	67
CAE103460		<20	0.22	<10	<10	91	<10	88
CAE103461		<20	0.19	<10	<10	96	<10	77
CAE103462		<20	0.23	<10	<10	138	<10	113
CAE103463		<20	0.10	<10	<10	75	<10	161
CAE103464		<20	0.04	<10	<10	46	<10	112
CAE103465		<20	0.03	<10	<10	31	<10	201
CAE103466		<20	0.06	<10	<10	57	<10	220
CAE103467		<20	0.06	<10	<10	66	<10	386
CAE103468		<20	0.03	<10	<10	48	<10	719
CAE103469		<20	0.01	<10	<10	22	<10	255
CAE103470		<20	<0.01	<10	<10	16	<10	162
CAE103471		<20	0.02	<10	<10	38	<10	129
CAE103472		<20	0.03	<10	<10	47	<10	197

Comments: Email confirmation from Sarah Rice to discard empty sample bag E103397