ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 29-JUL-2011
Account: SELHOL

CERTIFICATE WH11129437

Project: JP Ross Project

P.O. No.: JP00412011

This report is for 104 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 9-JUL-2011.

The following have access to data associated with this certificate:

KEITH FOWLOW	JEAN-PIERRE LONDERO	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **SELENE HOLDINGS LP**
ATTN: KEITH FOWLOW
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 29-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11129437

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP22 Au ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
CAE441424		3.52	<0.001	0.2	1.17	<2	<10	680	<0.5	2	0.21	2.7	7	36	35	1.99
CAE441425		6.41	0.001	0.3	1.78	2	<10	700	<0.5	<2	0.28	1.1	11	141	53	2.73
CAE441426		4.81	<0.001	0.2	1.56	3	<10	440	<0.5	<2	0.65	<0.5	8	77	32	2.24
CAE441427		1.95	0.001	0.5	1.07	9	<10	470	<0.5	<2	0.22	<0.5	5	46	44	1.80
CAE441428		3.17	0.004	1.2	1.18	38	<10	160	<0.5	<2	0.25	0.6	8	64	68	2.54
CAE441429		4.24	0.002	0.6	1.77	14	<10	320	<0.5	<2	0.32	<0.5	13	87	56	2.85
CAE441430		4.90	0.002	0.5	1.02	12	<10	320	<0.5	<2	0.14	<0.5	7	29	61	2.11
CAE441431		4.35	<0.001	0.4	1.19	8	<10	270	<0.5	<2	0.16	0.8	6	31	42	2.15
CAE441432		0.15	1.285	0.9	1.65	18	<10	200	<0.5	<2	1.08	0.5	12	45	598	3.54
CAE441433		3.59	0.001	0.4	0.96	<2	<10	120	<0.5	<2	0.19	<0.5	6	34	79	2.08
CAE441434		4.34	0.001	0.2	1.51	<2	<10	280	<0.5	<2	0.28	<0.5	10	72	41	2.43
CAE441435		3.54	0.001	0.4	1.45	13	<10	190	<0.5	<2	0.22	0.5	9	61	35	2.32
CAE441436		4.14	0.012	0.2	1.15	<2	<10	360	<0.5	<2	0.22	<0.5	6	41	84	2.53
CAE441437		0.89	0.004	<0.2	0.53	<2	<10	60	<0.5	<2	0.10	<0.5	2	17	20	1.15
CAE441438		1.41	0.003	0.2	1.29	2	<10	140	<0.5	2	0.20	<0.5	5	33	63	2.56
CAE441439		1.34	0.005	0.3	1.10	<2	<10	80	<0.5	<2	0.17	<0.5	5	33	57	2.39
CAE441440		3.72	0.022	0.9	1.68	10	<10	360	<0.5	<2	0.41	<0.5	13	49	71	3.34
CAE441441		4.15	0.002	0.2	2.03	<2	<10	1050	<0.5	<2	0.38	<0.5	16	80	51	3.39
CAE441442		5.71	<0.001	0.2	1.40	<2	<10	360	<0.5	<2	0.52	<0.5	12	57	44	2.49
CAE441443		3.86	0.001	0.3	1.83	8	<10	360	<0.5	<2	0.32	<0.5	10	89	33	2.87
CAE441444		4.73	0.002	0.3	1.52	<2	<10	320	<0.5	<2	0.29	<0.5	14	59	40	2.46
CAE441445		5.75	0.005	0.6	1.76	10	<10	390	<0.5	<2	0.23	<0.5	18	87	53	3.25
CAE441446		5.47	0.007	1.1	1.05	15	<10	130	<0.5	<2	0.19	<0.5	8	29	85	2.65
CAE441447		5.17	0.057	0.3	1.14	3	<10	220	<0.5	<2	0.15	<0.5	11	32	62	2.63
CAE441448		5.14	0.014	0.4	1.29	7	<10	260	<0.5	2	0.27	<0.5	14	34	77	2.87
CAE441449		7.55	0.017	0.5	0.81	7	<10	90	<0.5	2	0.12	<0.5	11	19	38	1.78
CAE441450		6.03	0.005	0.7	0.97	15	<10	100	<0.5	2	0.15	<0.5	6	31	54	2.06
CAE441451		2.00	0.006	0.6	0.71	15	<10	100	<0.5	<2	0.13	<0.5	5	14	26	1.25
CAE441452		6.21	0.005	0.6	0.69	10	<10	50	<0.5	<2	0.10	<0.5	6	19	31	1.48
CAE441453		5.91	0.004	0.8	1.06	16	<10	60	<0.5	<2	0.11	<0.5	6	22	63	2.10
CAE441454		4.39	0.005	0.9	0.74	4	<10	60	<0.5	<2	0.09	<0.5	8	19	56	1.59
CAE441455		3.06	0.013	1.7	2.49	21	<10	70	<0.5	<2	0.19	<0.5	30	204	168	4.32
CAE441456		0.16	3.01	59.4	1.93	38	<10	150	<0.5	2	2.64	7.9	11	52	171	2.91
CAE441457		6.83	0.018	0.9	2.25	27	<10	80	<0.5	<2	0.78	0.6	30	189	101	4.27
CAE441458		0.82	<0.001	<0.2	0.22	<2	<10	60	<0.5	<2	0.03	<0.5	1	4	2	0.50
CAE441459		2.96	0.005	0.5	1.24	8	<10	300	<0.5	<2	1.27	<0.5	13	46	61	2.57
CAE441460		2.33	0.007	0.5	1.18	8	<10	280	<0.5	<2	1.50	<0.5	12	43	58	2.56
CAE441461		5.46	0.001	0.2	1.31	2	<10	430	<0.5	<2	0.14	<0.5	9	38	55	2.08
CAE441462		6.56	0.001	0.2	1.93	2	<10	1210	0.5	<2	0.31	<0.5	10	54	69	3.09
CAE441463		4.43	0.001	0.2	1.52	2	<10	750	<0.5	2	0.24	<0.5	9	46	59	2.49

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 29-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11129437

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
CAE441424		<10	<1	0.55	10	0.67	350	2	0.03	21	610	5	0.08	<2	4	15
CAE441425		10	<1	0.52	20	1.31	438	2	0.02	90	720	7	0.08	<2	6	14
CAE441426		10	<1	0.45	10	1.05	460	1	0.01	50	550	5	0.05	<2	4	17
CAE441427		<10	<1	0.32	10	0.66	218	2	0.01	32	730	6	0.07	<2	2	13
CAE441428		<10	<1	0.19	10	0.81	251	5	0.01	45	960	15	0.04	<2	3	10
CAE441429		10	<1	0.36	10	1.49	442	2	0.01	69	580	9	0.03	<2	5	10
CAE441430		<10	<1	0.28	10	0.57	249	2	0.01	23	470	22	0.06	<2	3	9
CAE441431		<10	<1	0.31	10	0.64	270	2	0.01	22	500	7	0.03	<2	3	11
CAE441432		<10	<1	0.27	10	0.76	471	31	0.11	33	650	75	0.62	3	6	56
CAE441433		<10	<1	0.13	10	0.48	178	2	0.01	21	360	9	0.07	<2	3	32
CAE441434		10	<1	0.28	20	1.00	289	2	0.01	45	730	3	0.01	<2	6	11
CAE441435		10	<1	0.22	10	1.01	349	2	0.01	40	660	38	0.02	<2	5	8
CAE441436		<10	<1	0.18	10	0.59	170	2	0.02	20	920	5	0.27	<2	3	20
CAE441437		<10	<1	0.09	10	0.28	123	1	0.04	9	260	6	0.01	<2	2	32
CAE441438		<10	<1	0.12	10	0.78	201	2	0.03	28	730	2	0.07	<2	3	18
CAE441439		<10	<1	0.10	10	0.65	180	2	0.03	24	620	3	0.09	<2	2	16
CAE441440		10	<1	0.37	10	0.88	488	9	0.01	42	1480	19	0.02	<2	5	12
CAE441441		10	<1	0.92	20	1.16	580	3	0.03	46	960	3	0.16	<2	7	11
CAE441442		<10	<1	0.44	10	0.94	453	2	0.04	36	810	9	0.29	<2	5	19
CAE441443		10	<1	0.49	10	1.31	609	1	0.02	57	800	10	0.06	<2	5	9
CAE441444		10	<1	0.39	10	1.02	620	1	0.01	51	690	6	0.10	<2	5	11
CAE441445		10	1	0.57	20	1.00	598	1	0.02	56	610	8	0.13	<2	6	9
CAE441446		<10	<1	0.19	10	0.42	282	4	0.02	29	770	10	0.22	<2	2	10
CAE441447		<10	<1	0.39	10	0.51	376	2	0.02	31	550	2	0.23	<2	3	7
CAE441448		<10	<1	0.45	10	0.62	548	1	0.01	42	700	3	0.25	<2	3	8
CAE441449		<10	<1	0.14	10	0.36	265	1	0.01	36	360	2	0.11	<2	2	4
CAE441450		<10	<1	0.14	10	0.49	204	2	0.02	26	580	5	0.13	<2	2	7
CAE441451		<10	<1	0.15	10	0.31	181	1	0.02	22	520	4	0.03	<2	1	5
CAE441452		<10	<1	0.10	10	0.40	273	1	0.01	23	330	7	0.02	<2	2	5
CAE441453		<10	<1	0.13	10	0.67	325	1	0.01	25	350	9	0.05	<2	3	5
CAE441454		<10	<1	0.09	10	0.36	203	2	<0.01	31	270	6	0.04	<2	1	6
CAE441455		10	<1	0.23	10	1.92	490	2	<0.01	201	650	15	0.05	<2	6	8
CAE441456		10	11	0.25	10	1.54	534	9	0.06	39	500	1025	0.96	152	4	92
CAE441457		10	<1	0.23	20	1.80	683	2	0.01	184	610	17	0.29	<2	6	13
CAE441458		<10	<1	0.16	<10	0.02	80	<1	0.06	2	100	3	0.01	<2	<1	66
CAE441459		<10	<1	0.52	10	0.73	709	1	0.02	43	520	4	0.29	<2	5	17
CAE441460		<10	<1	0.51	10	0.68	794	1	0.02	41	560	4	0.32	<2	5	18
CAE441461		<10	<1	0.69	10	0.75	269	1	0.01	30	370	2	0.09	<2	4	6
CAE441462		10	<1	0.94	10	0.96	465	2	0.03	28	940	2	0.17	<2	5	13
CAE441463		<10	<1	0.73	10	0.75	390	1	0.02	34	710	4	0.05	<2	4	8

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 29-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11129437

Sample Description	Method Analyte Units LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CAE441424		<20	0.11	<10	<10	41	<10	52
CAE441425		<20	0.08	<10	<10	85	<10	104
CAE441426		<20	0.06	<10	<10	51	<10	57
CAE441427		<20	0.03	<10	<10	52	<10	57
CAE441428		<20	0.01	<10	<10	74	<10	76
CAE441429		<20	0.06	<10	<10	58	<10	73
CAE441430		<20	0.04	<10	<10	36	<10	64
CAE441431		<20	0.04	<10	<10	42	<10	64
CAE441432		<20	0.13	<10	<10	74	20	99
CAE441433		<20	0.01	<10	<10	41	<10	28
CAE441434		<20	0.05	<10	<10	88	<10	43
CAE441435		<20	0.03	<10	<10	63	<10	73
CAE441436		<20	0.02	<10	<10	46	<10	29
CAE441437		<20	0.01	<10	<10	28	<10	19
CAE441438		<20	0.01	<10	<10	47	<10	35
CAE441439		<20	0.01	<10	<10	41	<10	27
CAE441440		<20	0.08	<10	<10	78	<10	67
CAE441441		<20	0.21	<10	<10	101	<10	83
CAE441442		<20	0.14	<10	<10	73	<10	59
CAE441443		<20	0.08	<10	<10	84	<10	83
CAE441444		<20	0.08	<10	<10	68	<10	58
CAE441445		<20	0.10	<10	<10	74	<10	81
CAE441446		<20	0.02	<10	<10	40	<10	53
CAE441447		<20	0.08	<10	<10	43	<10	51
CAE441448		<20	0.10	<10	<10	40	<10	51
CAE441449		<20	0.01	<10	<10	19	<10	36
CAE441450		<20	0.01	<10	<10	32	<10	32
CAE441451		<20	<0.01	<10	<10	17	<10	20
CAE441452		<20	0.01	<10	<10	19	<10	30
CAE441453		<20	0.01	<10	<10	22	<10	39
CAE441454		<20	<0.01	<10	<10	18	<10	30
CAE441455		<20	0.01	<10	<10	68	<10	114
CAE441456		<20	0.04	<10	<10	45	<10	2040
CAE441457		<20	0.02	<10	<10	68	<10	108
CAE441458		<20	<0.01	<10	<10	13	<10	9
CAE441459		<20	0.09	<10	<10	49	<10	56
CAE441460		<20	0.08	<10	<10	47	<10	57
CAE441461		<20	0.12	<10	<10	45	<10	52
CAE441462		<20	0.20	<10	<10	74	<10	72
CAE441463		<20	0.14	<10	<10	55	<10	59

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 29-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11129437

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP22 Au ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
CAE441464		5.48	0.001	0.3	1.65	<2	<10	550	<0.5	<2	0.22	<0.5	9	53	51	2.57
CAE441465		5.36	<0.001	0.3	1.28	2	<10	410	<0.5	2	0.22	<0.5	9	41	40	2.24
CAE441466		5.02	0.001	0.3	1.15	4	<10	430	<0.5	<2	0.12	<0.5	8	34	81	2.08
CAE441467		6.25	0.001	<0.2	1.19	<2	<10	430	<0.5	<2	0.11	<0.5	6	35	59	2.12
CAE441468		6.09	<0.001	0.2	1.17	4	<10	390	<0.5	<2	0.18	<0.5	8	43	37	1.97
CAE441469		5.39	0.001	0.3	1.13	<2	<10	320	<0.5	<2	0.21	<0.5	7	40	30	1.88
CAE441470		5.93	<0.001	0.3	1.20	2	<10	380	<0.5	<2	0.16	<0.5	8	39	46	2.40
CAE441471		6.18	0.010	0.6	1.06	271	<10	130	<0.5	<2	0.71	0.8	8	35	44	2.00
CAE441472		0.96	<0.001	0.2	0.24	3	<10	50	<0.5	<2	0.03	<0.5	<1	5	1	0.70
CAE441473		6.55	<0.001	0.3	1.87	3	<10	650	<0.5	<2	0.82	<0.5	11	87	55	2.73
CAE441474		5.58	<0.001	0.2	2.48	<2	<10	1560	<0.5	<2	0.97	<0.5	13	129	41	2.91
CAE441475		0.53	<0.001	0.2	0.24	2	<10	80	<0.5	<2	0.04	<0.5	1	6	1	0.57
CAE441476		5.57	<0.001	0.2	1.94	4	<10	830	<0.5	2	0.58	<0.5	14	70	54	3.21
CAE441477		5.64	0.001	0.2	1.55	<2	<10	1250	<0.5	2	1.00	<0.5	9	64	33	1.88
CAE441478		2.64	0.001	0.2	1.61	3	<10	240	<0.5	<2	0.76	<0.5	17	76	66	2.64
CAE441479		2.58	0.001	0.2	1.49	<2	<10	310	<0.5	2	0.67	<0.5	15	71	64	2.47
CAE441480		5.84	0.001	0.2	2.27	<2	<10	340	<0.5	<2	1.33	<0.5	14	77	54	2.31
CAE441481		5.03	0.001	<0.2	2.51	<2	<10	510	<0.5	<2	1.21	<0.5	18	155	14	2.30
CAE441482		5.62	0.006	<0.2	1.44	<2	<10	210	<0.5	<2	0.76	<0.5	19	86	31	2.62
CAE441483		4.92	0.001	<0.2	1.47	<2	<10	570	<0.5	<2	0.81	<0.5	12	51	30	1.78
CAE441484		5.79	<0.001	<0.2	1.63	<2	<10	730	<0.5	<2	0.80	<0.5	10	61	30	1.82
CAE441485		6.14	0.001	0.2	2.02	<2	<10	300	<0.5	2	0.89	<0.5	19	123	61	2.72
CAE441486		5.74	0.002	0.2	2.59	2	<10	550	0.5	2	0.81	<0.5	17	110	84	3.11
CAE441487		5.11	0.001	0.2	1.85	2	<10	510	<0.5	2	0.67	<0.5	15	60	94	2.33
CAE441488		5.97	0.002	0.2	1.18	7	<10	150	<0.5	2	0.98	<0.5	13	50	67	2.05
CAE441489		0.16	2.94	54.0	1.81	35	<10	150	<0.5	2	2.48	7.5	11	48	165	2.68
CAE441490		5.86	0.002	0.2	1.30	8	<10	130	<0.5	<2	1.27	<0.5	12	68	38	2.12
CAE441491		4.89	0.002	0.2	3.16	19	<10	130	<0.5	3	3.69	<0.5	28	220	54	3.86
CAE441492		5.47	0.001	<0.2	2.42	11	<10	140	<0.5	2	2.60	<0.5	22	157	47	2.81
CAE441493		1.02	<0.001	<0.2	0.18	<2	<10	50	<0.5	<2	0.08	<0.5	1	4	1	0.52
CAE441494		5.30	0.001	<0.2	1.31	<2	<10	110	<0.5	<2	1.22	<0.5	13	71	46	1.65
CAE441495		6.08	0.001	<0.2	1.86	<2	<10	160	<0.5	<2	1.84	<0.5	21	90	73	2.54
CAE441496		1.24	0.001	<0.2	2.78	<2	<10	80	<0.5	3	2.07	<0.5	27	140	114	3.91
CAE441497		0.95	0.001	<0.2	2.71	<2	<10	60	<0.5	2	2.45	<0.5	26	130	111	3.77
CAE441498		6.63	0.002	0.3	1.18	<2	<10	310	<0.5	<2	0.58	<0.5	12	38	73	2.36
CAE441499		4.53	0.005	0.5	1.37	<2	<10	530	<0.5	2	0.44	0.7	10	46	73	2.48
CAE441500		5.53	0.004	0.4	1.47	<2	<10	450	<0.5	<2	0.37	<0.5	12	38	62	2.50
CAE441501		6.42	0.009	0.6	1.56	9	<10	230	<0.5	2	2.03	<0.5	14	32	54	3.03
CAE441602		5.96	0.005	0.8	1.33	16	<10	220	<0.5	3	1.24	2.4	13	30	87	2.90
CAE441603		3.05	0.044	1.5	0.92	22	<10	160	<0.5	<2	1.48	5.3	11	32	98	2.84

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 29-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11129437

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
CAE441464		10	<1	0.91	10	0.88	477	1	0.02	32	620	2	0.06	<2	5	8
CAE441465		<10	<1	0.71	10	0.63	394	1	0.02	28	620	3	0.11	<2	5	8
CAE441466		<10	<1	0.62	10	0.59	343	1	0.01	26	360	6	0.11	<2	3	7
CAE441467		<10	<1	0.69	10	0.57	426	1	0.01	19	340	5	0.04	<2	3	9
CAE441468		<10	<1	0.65	10	0.60	367	1	0.02	29	500	<2	0.16	<2	4	8
CAE441469		<10	<1	0.63	20	0.54	348	1	0.03	26	500	6	0.14	<2	3	7
CAE441470		<10	<1	0.66	10	0.60	413	1	0.02	26	380	3	0.36	<2	3	5
CAE441471		<10	<1	0.20	10	0.66	519	1	0.01	33	390	6	0.34	<2	2	12
CAE441472		<10	<1	0.15	<10	0.03	63	<1	0.06	<1	120	<2	0.01	<2	1	55
CAE441473		10	<1	0.80	20	1.16	1580	2	0.02	65	670	<2	0.42	<2	5	15
CAE441474		10	1	1.05	10	1.59	403	2	0.05	90	990	2	0.26	<2	8	41
CAE441475		<10	<1	0.17	<10	0.02	148	<1	0.07	1	90	2	0.01	<2	1	64
CAE441476		10	<1	0.84	20	1.06	427	2	0.03	47	1020	4	0.27	<2	6	20
CAE441477		<10	<1	0.32	10	0.76	341	2	0.07	46	900	2	0.29	<2	4	78
CAE441478		<10	<1	0.26	10	1.23	326	2	0.04	65	950	<2	0.46	<2	5	32
CAE441479		<10	<1	0.31	10	1.10	298	1	0.04	58	900	2	0.49	<2	5	25
CAE441480		<10	1	0.29	10	0.94	276	1	0.13	64	760	2	0.42	<2	4	106
CAE441481		10	<1	0.51	10	1.58	242	1	0.08	148	650	3	0.32	<2	4	105
CAE441482		<10	<1	0.29	10	0.95	166	1	0.08	144	1050	2	1.17	<2	3	55
CAE441483		<10	<1	0.17	10	0.69	149	1	0.07	65	940	<2	0.43	<2	3	68
CAE441484		<10	<1	0.19	10	0.69	130	3	0.11	58	930	<2	0.44	<2	3	71
CAE441485		10	<1	0.29	10	1.41	256	2	0.08	134	1030	<2	0.79	<2	4	101
CAE441486		10	<1	0.85	10	1.81	629	2	0.05	86	1120	<2	0.54	<2	7	77
CAE441487		10	<1	0.42	10	1.13	781	1	0.06	64	660	2	0.42	<2	5	37
CAE441488		<10	<1	0.12	10	0.81	797	1	0.04	79	600	<2	0.43	<2	3	29
CAE441489		10	11	0.24	10	1.44	522	8	0.07	36	480	959	0.98	145	4	84
CAE441490		<10	<1	0.13	<10	0.98	650	<1	0.04	65	390	2	0.28	<2	4	27
CAE441491		10	<1	0.12	<10	2.69	901	<1	0.10	126	690	2	0.19	<2	12	79
CAE441492		<10	<1	0.09	<10	1.89	623	<1	0.11	99	620	<2	0.16	<2	8	86
CAE441493		<10	<1	0.10	<10	0.04	141	<1	0.06	1	90	3	<0.01	<2	1	33
CAE441494		<10	<1	0.07	<10	0.88	453	<1	0.10	61	390	<2	0.16	<2	4	52
CAE441495		<10	<1	0.05	<10	1.19	492	<1	0.10	86	750	<2	0.45	<2	5	91
CAE441496		10	<1	0.11	10	1.95	721	1	0.10	101	1060	3	0.66	<2	9	62
CAE441497		10	<1	0.09	<10	1.92	741	1	0.10	97	880	<2	0.61	<2	9	70
CAE441498		<10	<1	0.28	10	0.73	463	2	0.03	47	680	3	0.67	<2	3	17
CAE441499		<10	<1	0.57	20	0.87	471	4	0.03	50	1030	5	0.67	<2	3	11
CAE441500		10	<1	0.54	20	0.85	543	2	0.03	35	880	4	0.57	<2	4	14
CAE441501		<10	<1	0.64	20	0.92	1060	2	0.03	43	610	5	0.67	<2	3	49
CAE441602		<10	<1	0.26	10	0.89	603	3	0.02	51	980	11	0.98	<2	2	23
CAE441603		<10	<1	0.57	10	0.78	585	14	0.03	51	700	85	1.68	<2	3	21

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 29-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11129437

Sample Description	Method Analyte Units LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CAE441464		<20	0.17	<10	<10	68	<10	68
CAE441465		<20	0.15	<10	<10	62	<10	57
CAE441466		<20	0.11	<10	<10	42	<10	46
CAE441467		<20	0.12	<10	<10	40	<10	44
CAE441468		<20	0.12	<10	<10	49	<10	50
CAE441469		<20	0.12	<10	<10	50	<10	51
CAE441470		<20	0.13	<10	<10	46	<10	58
CAE441471		<20	0.03	<10	<10	36	<10	64
CAE441472		<20	<0.01	<10	<10	27	<10	15
CAE441473		<20	0.10	<10	<10	80	<10	82
CAE441474		<20	0.16	<10	<10	106	<10	101
CAE441475		<20	<0.01	<10	<10	14	<10	12
CAE441476		<20	0.18	<10	<10	83	<10	83
CAE441477		<20	0.08	<10	<10	65	<10	47
CAE441478		<20	0.09	<10	<10	63	<10	40
CAE441479		<20	0.09	<10	<10	60	<10	46
CAE441480		<20	0.11	<10	<10	60	<10	29
CAE441481		<20	0.09	<10	<10	55	<10	30
CAE441482		<20	0.06	<10	<10	56	<10	26
CAE441483		<20	0.06	<10	<10	44	<10	22
CAE441484		<20	0.06	<10	<10	84	<10	34
CAE441485		<20	0.06	<10	<10	82	<10	70
CAE441486		<20	0.13	<10	<10	105	<10	109
CAE441487		<20	0.09	<10	<10	67	<10	58
CAE441488		<20	0.04	<10	<10	40	<10	38
CAE441489		<20	0.04	<10	<10	43	<10	1960
CAE441490		<20	0.08	<10	<10	43	<10	37
CAE441491		<20	0.15	<10	<10	109	<10	80
CAE441492		<20	0.17	<10	<10	76	<10	53
CAE441493		<20	0.01	<10	<10	17	<10	10
CAE441494		<20	0.12	<10	<10	39	<10	26
CAE441495		<20	0.11	<10	<10	53	<10	36
CAE441496		<20	0.11	<10	<10	92	<10	68
CAE441497		<20	0.11	<10	<10	88	<10	65
CAE441498		<20	0.05	<10	<10	48	<10	84
CAE441499		<20	0.08	<10	<10	78	<10	134
CAE441500		<20	0.09	<10	<10	61	<10	97
CAE441501		<20	0.09	<10	<10	41	<10	81
CAE441602		<20	0.02	<10	<10	50	<10	138
CAE441603		<20	0.05	<10	<10	64	<10	218

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 29-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11129437

Sample Description	Method	WEI-21	Au-ICP22	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CAE441604		4.71	0.043	1.2	0.80	17	<10	190	<0.5	2	1.70	4.6	7	26	79	2.25
CAE441605		5.65	0.030	1.1	1.11	26	<10	110	0.6	<2	8.8	0.8	7	25	160	2.43
CAE441606		5.64	0.014	0.5	0.89	24	<10	240	<0.5	2	6.60	0.5	6	17	65	2.00
CAE441607		5.84	0.002	0.4	1.48	4	<10	420	<0.5	<2	0.54	0.6	10	34	76	2.47
CAE441608		6.37	0.002	0.6	1.14	3	<10	450	<0.5	<2	0.81	0.9	7	26	71	2.12
CAE441609		5.56	0.003	0.6	0.86	4	<10	210	<0.5	2	1.07	1.6	8	29	75	2.06
CAE441610		0.16	1.160	0.9	1.54	20	<10	190	<0.5	2	0.98	0.7	13	44	585	3.31
CAE441611		5.34	0.009	1.0	1.01	10	<10	230	<0.5	<2	1.34	1.3	9	25	78	2.45
CAE441612		7.04	0.002	0.3	1.24	3	<10	480	<0.5	<2	1.24	<0.5	8	37	59	2.08
CAE441613		5.59	0.001	0.3	1.34	<2	<10	390	<0.5	<2	0.54	<0.5	8	39	50	2.26
CAE441614		0.72	<0.001	<0.2	0.19	2	<10	50	<0.5	<2	0.03	<0.5	1	3	1	0.69
CAE441615		5.42	0.022	0.2	1.80	3	<10	380	<0.5	2	0.85	<0.5	11	49	54	2.94
CAE441616		5.82	0.003	0.3	1.88	<2	<10	540	<0.5	2	0.38	<0.5	12	53	61	3.09
CAE441617		5.54	0.005	0.3	1.59	<2	<10	420	<0.5	<2	0.39	2.0	9	46	84	2.63
CAE441618		5.36	0.003	<0.2	1.65	2	<10	460	<0.5	<2	0.32	<0.5	10	40	58	2.75
CAE441619		2.46	0.002	0.2	1.88	<2	<10	580	<0.5	<2	0.27	<0.5	11	48	63	3.18
CAE441620		2.50	0.003	0.3	1.73	2	<10	540	<0.5	2	0.27	<0.5	10	43	68	2.92
CAE441621		5.76	0.002	0.3	1.72	<2	<10	480	<0.5	2	0.36	<0.5	11	44	55	2.84
CAE441622		5.74	0.002	0.3	1.58	<2	<10	420	<0.5	<2	1.10	<0.5	9	40	46	2.45
CAE441623		5.76	0.004	0.4	1.53	3	<10	290	<0.5	<2	0.53	<0.5	10	39	54	2.62
CAE441624		6.25	0.003	0.3	1.34	5	<10	220	<0.5	<2	1.49	0.6	10	43	37	2.49
CAE441625		5.15	0.001	0.6	1.42	<2	<10	370	<0.5	2	0.51	<0.5	9	42	47	2.21
CAE441626		6.00	0.002	0.3	1.35	3	<10	340	<0.5	2	1.24	<0.5	10	39	65	2.32
CAE441627		5.54	0.002	0.5	1.49	<2	<10	490	<0.5	2	0.62	<0.5	9	30	65	2.50

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 29-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11129437

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
CAE441604		<10	<1	0.29	10	0.52	393	6	0.03	40	1320	39	1.18	<2	2	25
CAE441605		<10	<1	0.15	10	0.87	727	11	0.03	32	1060	14	0.89	<2	3	122
CAE441606		<10	<1	0.19	10	0.70	800	4	0.03	40	1000	3	1.19	<2	1	95
CAE441607		<10	<1	0.36	10	0.98	424	4	0.03	46	1110	2	0.59	<2	3	12
CAE441608		<10	<1	0.32	10	0.73	412	4	0.03	43	1570	5	0.68	<2	2	21
CAE441609		<10	<1	0.12	10	0.57	308	5	0.02	53	1580	8	1.00	<2	1	23
CAE441610		<10	<1	0.25	10	0.70	463	30	0.12	32	660	72	0.62	3	6	52
CAE441611		<10	<1	0.23	10	0.74	440	3	0.02	40	560	9	1.31	<2	2	23
CAE441612		<10	<1	0.46	10	0.67	417	2	0.03	38	1320	3	0.46	<2	2	21
CAE441613		<10	<1	0.62	20	0.71	357	1	0.03	36	630	3	0.31	<2	3	17
CAE441614		<10	<1	0.12	<10	0.03	76	<1	0.06	1	100	2	<0.01	<2	1	50
CAE441615		10	<1	0.72	20	0.97	379	1	0.03	46	920	2	0.37	<2	4	19
CAE441616		10	<1	0.89	20	1.06	330	1	0.03	46	980	3	0.47	<2	5	13
CAE441617		<10	1	0.68	20	0.86	249	11	0.03	64	1190	4	0.63	<2	3	16
CAE441618		<10	<1	0.73	20	0.84	284	1	0.03	40	870	3	0.35	<2	3	12
CAE441619		<10	<1	0.90	30	0.95	260	1	0.03	44	940	2	0.34	<2	4	15
CAE441620		<10	<1	0.85	30	0.88	231	2	0.03	48	920	7	0.33	<2	4	14
CAE441621		10	<1	0.78	30	0.88	262	1	0.03	43	1030	3	0.31	<2	4	15
CAE441622		<10	<1	0.58	20	0.81	330	1	0.03	39	890	3	0.38	<2	3	36
CAE441623		<10	<1	0.46	20	0.84	362	1	0.02	41	720	3	0.45	<2	3	17
CAE441624		<10	<1	0.26	10	0.74	411	1	0.03	42	770	5	0.68	<2	3	39
CAE441625		<10	<1	0.55	20	0.75	353	2	0.03	40	940	3	0.39	<2	3	22
CAE441626		<10	<1	0.33	20	0.80	486	2	0.03	41	660	3	0.67	<2	3	33
CAE441627		<10	<1	0.37	10	0.87	331	1	0.04	32	500	8	0.63	<2	3	40

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 29-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11129437

Sample Description	Method Analyte Units LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CAE441604		<20	0.02	<10	<10	53	<10	164
CAE441605		<20	0.01	<10	<10	39	<10	75
CAE441606		<20	0.01	<10	<10	32	<10	75
CAE441607		<20	0.05	<10	<10	71	<10	142
CAE441608		<20	0.04	<10	<10	47	<10	121
CAE441609		<20	<0.01	<10	<10	41	<10	92
CAE441610		<20	0.12	<10	<10	70	20	99
CAE441611		<20	0.01	<10	<10	35	<10	77
CAE441612		<20	0.06	<10	<10	48	<10	70
CAE441613		<20	0.09	<10	<10	50	<10	68
CAE441614		<20	<0.01	<10	<10	25	<10	11
CAE441615		<20	0.10	<10	<10	62	<10	88
CAE441616		<20	0.13	<10	<10	81	<10	116
CAE441617		<20	0.09	<10	<10	177	<10	211
CAE441618		<20	0.10	<10	<10	55	<10	92
CAE441619		<20	0.14	<10	<10	72	<10	105
CAE441620		<20	0.13	<10	<10	66	<10	106
CAE441621		<20	0.11	<10	<10	65	<10	96
CAE441622		<20	0.07	<10	<10	56	<10	88
CAE441623		<20	0.06	<10	<10	50	<10	79
CAE441624		<20	0.05	<10	<10	48	<10	76
CAE441625		<20	0.07	<10	<10	51	<10	86
CAE441626		<20	0.04	<10	<10	49	<10	84
CAE441627		<20	0.05	<10	<10	44	<10	77