ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 13-JUL-2011
Account: SELHOL

CERTIFICATE WH11111300

Project: JP Ross Project

P.O. No.: WG00292011

This report is for 116 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 18-JUN-2011.

The following have access to data associated with this certificate:

KEITH FOWLOW	JEAN-PIERRE LONDERO	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-21	Sample logging - ClientBarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **SELENE HOLDINGS LP**
ATTN: KEITH FOWLOW
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 13-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11111300

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP22 Au ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
CAE104254		2.96	0.001	<0.2	2.82	3	<10	400	<0.5	<2	1.53	<0.5	12	18	24	3.52
CAE104255		4.46	0.001	<0.2	2.93	6	<10	310	<0.5	<2	1.59	<0.5	13	19	27	3.87
CAE104256		4.95	0.001	<0.2	2.48	3	<10	260	<0.5	<2	1.55	<0.5	12	17	26	3.52
CAE104257		5.14	<0.001	<0.2	2.51	15	<10	280	<0.5	<2	1.69	<0.5	14	18	39	3.86
CAE104258		4.90	0.001	<0.2	2.46	4	<10	310	<0.5	<2	1.29	<0.5	12	18	27	3.75
CAE104259		5.03	0.001	<0.2	2.01	4	<10	230	<0.5	<2	1.23	<0.5	15	19	26	3.68
CAE104260		4.94	<0.001	<0.2	2.24	<2	<10	290	<0.5	<2	1.37	<0.5	13	18	27	3.56
CAE104261		3.35	0.001	<0.2	2.30	2	<10	400	<0.5	<2	1.23	<0.5	12	18	43	3.73
CAE104262		0.13	3.17	61.8	1.81	37	<10	160	<0.5	2	2.61	8.3	10	49	180	2.83
CAE104263		2.54	0.001	0.3	2.31	9	<10	460	<0.5	3	0.67	<0.5	9	21	38	3.69
CAE104264		4.24	<0.001	<0.2	2.69	2	<10	380	<0.5	<2	1.63	<0.5	12	18	24	3.66
CAE104265		5.44	0.001	<0.2	3.22	2	<10	480	<0.5	<2	1.95	<0.5	11	15	28	3.12
CAE104266		5.37	<0.001	<0.2	3.43	<2	<10	460	<0.5	<2	2.05	<0.5	12	18	27	3.51
CAE104267		5.13	<0.001	<0.2	3.58	<2	<10	430	<0.5	<2	2.20	<0.5	16	22	25	3.94
CAE104268		5.02	0.005	<0.2	3.11	<2	<10	420	<0.5	<2	1.76	<0.5	15	22	37	4.68
CAE104269		4.98	0.001	<0.2	3.07	<2	<10	420	<0.5	<2	1.87	<0.5	15	20	25	3.97
CAE104270		6.34	<0.001	<0.2	3.37	<2	<10	390	<0.5	<2	2.26	<0.5	16	23	31	4.31
CAE104271		4.40	0.001	<0.2	2.99	<2	<10	250	<0.5	<2	3.57	<0.5	14	20	25	3.75
CAE104272		5.65	0.001	<0.2	3.10	<2	<10	350	<0.5	<2	2.06	<0.5	14	26	37	3.90
CAE104273		5.08	0.001	<0.2	2.50	<2	<10	280	<0.5	<2	1.73	<0.5	14	20	23	3.70
CAE104274		4.78	<0.001	<0.2	2.81	<2	<10	300	<0.5	<2	1.64	<0.5	16	21	30	4.17
CAE104275		3.65	0.011	<0.2	2.71	<2	<10	310	<0.5	<2	0.87	<0.5	21	22	70	4.32
CAE104276		2.07	0.645	1.6	0.78	6	<10	430	<0.5	34	0.09	<0.5	8	11	179	5.36
CAE104277		0.74	0.001	<0.2	0.24	<2	<10	40	<0.5	<2	0.05	<0.5	1	7	5	0.57
CAE104278		3.59	0.004	0.3	2.71	<2	<10	200	<0.5	2	0.66	<0.5	20	22	119	5.42
CAE104279		2.36	0.001	<0.2	2.57	<2	<10	280	<0.5	<2	1.15	<0.5	16	23	27	4.45
CAE104280		2.34	0.002	<0.2	2.51	<2	<10	260	<0.5	<2	1.17	<0.5	15	23	27	4.33
CAE104281		5.35	0.001	<0.2	2.72	<2	<10	330	<0.5	<2	1.54	<0.5	15	26	25	4.07
CAE104282		5.16	0.001	<0.2	3.23	<2	<10	410	<0.5	<2	1.91	<0.5	14	20	27	3.80
CAE104283		5.33	<0.001	<0.2	3.58	<2	<10	470	<0.5	<2	2.03	<0.5	16	19	24	4.05
CAE104284		5.25	0.001	<0.2	2.97	<2	<10	430	<0.5	<2	1.54	<0.5	15	22	26	4.10
CAE104285		5.35	<0.001	<0.2	3.13	<2	<10	390	<0.5	<2	1.84	<0.5	15	21	22	4.12
CAE104286		5.22	0.001	0.2	2.82	2	<10	180	<0.5	<2	2.55	<0.5	15	19	25	3.93
CAE104287		4.99	<0.001	<0.2	2.96	<2	<10	290	<0.5	<2	1.91	<0.5	12	20	15	3.75
CAE104288		0.13	1.130	1.2	1.54	19	<10	180	<0.5	<2	1.01	0.6	12	47	620	3.50
CAE104289		5.42	0.001	<0.2	2.13	<2	<10	100	<0.5	<2	1.41	<0.5	11	15	16	3.07
CAE104290		5.07	<0.001	<0.2	2.54	<2	<10	310	<0.5	<2	1.25	<0.5	13	13	15	3.63
CAE104291		5.19	<0.001	<0.2	2.91	<2	<10	390	<0.5	<2	1.42	<0.5	14	14	16	3.66
CAE104292		5.10	<0.001	<0.2	2.44	<2	<10	240	<0.5	<2	1.27	<0.5	13	13	24	3.43
CAE104293		0.79	<0.001	<0.2	0.27	<2	<10	40	<0.5	<2	0.03	<0.5	1	5	1	0.76

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 13-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11111300

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
CAE104254		10	<1	0.81	10	1.21	622	<1	0.27	5	730	2	0.01	<2	12	66
CAE104255		10	<1	0.88	10	1.33	668	<1	0.28	5	710	<2	<0.01	<2	13	67
CAE104256		10	<1	0.72	10	1.20	629	<1	0.22	5	680	4	<0.01	<2	11	50
CAE104257		10	<1	0.81	10	1.24	697	1	0.24	5	690	3	0.01	<2	13	59
CAE104258		10	<1	0.85	10	1.25	703	<1	0.25	4	670	<2	0.01	<2	12	51
CAE104259		10	<1	0.68	10	1.17	763	<1	0.22	4	710	2	0.02	<2	12	28
CAE104260		10	<1	0.76	<10	1.22	696	<1	0.24	4	680	<2	<0.01	<2	12	37
CAE104261		10	<1	0.98	<10	1.31	550	<1	0.19	4	670	<2	<0.01	<2	14	39
CAE104262		10	12	0.24	10	1.51	549	9	0.06	37	500	1100	0.98	152	4	84
CAE104263		10	<1	1.36	10	1.60	528	1	0.07	4	500	3	<0.01	<2	17	28
CAE104264		10	<1	0.82	10	1.31	680	<1	0.27	4	650	2	0.01	<2	13	63
CAE104265		10	<1	0.73	<10	1.12	515	<1	0.36	4	670	2	<0.01	<2	10	117
CAE104266		10	<1	0.79	<10	1.29	590	<1	0.40	4	670	2	<0.01	<2	12	118
CAE104267		10	1	0.80	<10	1.47	718	<1	0.42	5	750	2	0.02	<2	12	103
CAE104268		10	<1	1.03	<10	1.72	850	<1	0.26	5	700	4	0.01	<2	15	51
CAE104269		10	1	0.84	<10	1.46	740	<1	0.37	5	720	4	0.03	<2	13	71
CAE104270		10	<1	0.76	<10	1.56	790	<1	0.40	6	770	2	0.03	<2	15	79
CAE104271		10	1	0.58	<10	1.12	745	<1	0.20	4	700	2	0.02	<2	12	156
CAE104272		10	1	0.80	<10	1.36	656	<1	0.31	4	720	3	0.04	<2	14	102
CAE104273		10	<1	0.61	10	1.18	677	<1	0.29	5	620	<2	0.01	<2	13	67
CAE104274		10	1	1.04	10	1.68	942	<1	0.25	4	710	<2	0.02	<2	14	52
CAE104275		10	1	0.85	10	1.29	745	<1	0.17	5	670	<2	0.02	<2	15	31
CAE104276		<10	<1	0.43	10	0.14	112	1	0.04	1	330	29	0.55	<2	5	33
CAE104277		<10	<1	0.13	10	0.03	126	<1	0.09	2	90	5	<0.01	<2	1	45
CAE104278		10	1	0.83	10	1.54	813	<1	0.14	6	830	6	0.15	<2	16	39
CAE104279		10	<1	0.92	10	1.57	908	<1	0.22	5	780	<2	0.02	<2	15	30
CAE104280		10	1	0.85	10	1.50	852	<1	0.23	5	760	<2	0.01	<2	14	29
CAE104281		10	1	0.83	10	1.55	848	<1	0.31	5	690	<2	0.05	<2	15	40
CAE104282		10	<1	0.88	<10	1.42	689	<1	0.36	4	670	<2	0.03	<2	12	82
CAE104283		10	1	0.97	<10	1.49	772	<1	0.43	5	720	3	0.03	<2	12	98
CAE104284		10	<1	1.09	<10	1.59	884	<1	0.32	6	680	<2	0.03	<2	14	52
CAE104285		10	<1	0.97	10	1.48	814	<1	0.32	5	690	<2	0.03	<2	14	99
CAE104286		10	1	0.72	10	1.42	793	<1	0.23	4	670	2	0.10	<2	14	68
CAE104287		10	1	0.85	10	1.47	718	<1	0.28	4	660	3	0.02	<2	14	83
CAE104288		10	1	0.24	10	0.72	482	30	0.11	32	670	78	0.63	<2	6	50
CAE104289		10	<1	0.45	10	1.06	634	<1	0.27	3	560	2	0.03	<2	12	70
CAE104290		10	1	0.86	10	1.22	693	<1	0.32	3	580	<2	0.02	<2	12	57
CAE104291		10	<1	0.98	10	1.31	680	<1	0.37	4	620	<2	0.02	<2	11	74
CAE104292		10	<1	0.73	10	1.17	643	<1	0.29	3	580	2	0.02	<2	11	57
CAE104293		<10	<1	0.19	<10	0.02	65	<1	0.09	1	60	3	<0.01	<2	1	47

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 13-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11111300

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CAE104254		<20	0.21	<10	<10	115	<10	52
CAE104255		<20	0.22	<10	<10	126	<10	56
CAE104256		<20	0.21	<10	<10	112	<10	53
CAE104257		<20	0.21	<10	<10	124	<10	53
CAE104258		<20	0.22	<10	<10	121	<10	52
CAE104259		<20	0.21	<10	<10	118	<10	51
CAE104260		<20	0.22	<10	<10	116	<10	52
CAE104261		<20	0.22	<10	<10	129	<10	51
CAE104262		<20	0.04	<10	<10	43	10	2100
CAE104263		<20	0.19	<10	<10	136	<10	55
CAE104264		<20	0.21	<10	<10	120	<10	52
CAE104265		<20	0.19	<10	<10	102	<10	45
CAE104266		<20	0.21	<10	<10	116	<10	52
CAE104267		<20	0.25	<10	<10	132	<10	63
CAE104268		<20	0.28	<10	<10	154	<10	82
CAE104269		<20	0.25	<10	<10	131	<10	64
CAE104270		<20	0.24	<10	<10	147	<10	65
CAE104271		<20	0.16	<10	<10	110	<10	55
CAE104272		<20	0.21	<10	<10	134	<10	59
CAE104273		<20	0.21	<10	<10	121	<10	54
CAE104274		<20	0.25	<10	<10	139	<10	76
CAE104275		<20	0.22	<10	<10	140	<10	74
CAE104276		<20	0.04	<10	<10	41	210	10
CAE104277		<20	0.01	<10	<10	15	<10	16
CAE104278		<20	0.20	<10	<10	157	90	67
CAE104279		<20	0.24	<10	<10	149	<10	64
CAE104280		<20	0.24	<10	<10	145	<10	61
CAE104281		<20	0.24	<10	<10	145	<10	64
CAE104282		<20	0.24	<10	<10	130	<10	60
CAE104283		<20	0.26	<10	<10	136	<10	66
CAE104284		<20	0.27	<10	<10	144	<10	75
CAE104285		<20	0.25	<10	<10	136	<10	72
CAE104286		<20	0.20	<10	<10	130	<10	66
CAE104287		<20	0.20	<10	<10	132	<10	70
CAE104288		<20	0.13	<10	<10	73	30	104
CAE104289		<20	0.14	<10	<10	106	<10	56
CAE104290		<20	0.21	<10	<10	117	<10	66
CAE104291		<20	0.23	<10	<10	117	<10	68
CAE104292		<20	0.20	<10	<10	108	<10	124
CAE104293		<20	0.01	<10	<10	28	<10	18

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 13-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11111300

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP22 Au ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
CAE104294		5.48	0.001	<0.2	2.72	<2	<10	420	<0.5	<2	1.28	<0.5	14	13	15	3.76
CAE104295		3.49	0.001	<0.2	2.88	<2	<10	530	<0.5	<2	0.98	<0.5	15	17	142	4.24
CAE104296		1.75	0.497	2.3	0.88	536	<10	210	<0.5	63	0.15	<0.5	3	11	180	8.10
CAE104297		4.26	0.020	<0.2	2.18	5	<10	380	<0.5	<2	0.99	<0.5	20	13	40	4.17
CAE104298		2.67	0.007	0.2	2.47	29	<10	380	<0.5	<2	1.27	<0.5	20	14	33	4.21
CAE104299		2.65	0.014	<0.2	2.46	35	<10	390	<0.5	<2	0.90	<0.5	22	12	93	4.21
CAE104300		4.92	<0.001	<0.2	2.17	<2	<10	280	<0.5	<2	1.00	<0.5	13	12	12	3.79
CAE104301		5.11	<0.001	<0.2	2.03	7	<10	190	<0.5	<2	1.05	<0.5	13	12	35	3.57
CAE104302		5.22	<0.001	<0.2	2.12	<2	<10	160	<0.5	<2	1.04	<0.5	13	12	24	3.48
CAE104303		5.02	<0.001	<0.2	2.45	2	<10	340	<0.5	<2	0.68	<0.5	15	11	16	3.83
CAE104304		5.04	<0.001	<0.2	2.69	4	<10	370	<0.5	<2	1.14	<0.5	17	13	18	4.46
CAE104305		5.19	<0.001	<0.2	2.77	2	<10	450	<0.5	<2	1.44	<0.5	14	12	10	4.42
CAE104306		4.84	0.007	<0.2	2.65	<2	<10	270	<0.5	<2	1.98	<0.5	14	10	37	4.13
CAE104307		0.14	3.03	61.5	1.88	42	<10	150	<0.5	<2	2.76	8.3	10	52	179	3.02
CAE104308		4.90	<0.001	0.2	2.79	<2	<10	390	<0.5	<2	1.47	<0.5	14	10	16	4.02
CAE104309		5.33	<0.001	<0.2	2.58	<2	<10	430	<0.5	<2	1.31	<0.5	13	10	28	3.73
CAE104310		5.23	<0.001	<0.2	2.60	<2	<10	550	<0.5	<2	1.61	<0.5	13	8	21	3.62
CAE104311		4.80	<0.001	<0.2	2.59	2	<10	510	<0.5	<2	1.11	<0.5	13	11	16	3.74
CAE104312		5.37	<0.001	<0.2	2.83	<2	<10	590	<0.5	<2	1.18	<0.5	14	11	20	3.93
CAE104313		3.81	<0.001	<0.2	2.43	<2	<10	380	<0.5	<2	1.24	<0.5	13	10	12	3.63
CAE104314		0.86	<0.001	<0.2	0.26	<2	<10	50	<0.5	<2	0.05	<0.5	1	3	1	0.49
CAE104315		3.69	<0.001	<0.2	1.85	3	<10	200	<0.5	<2	0.83	<0.5	15	11	35	3.90
CAE104316		5.28	<0.001	<0.2	2.04	<2	<10	180	<0.5	<2	0.67	<0.5	15	12	34	4.10
CAE104317		2.50	<0.001	<0.2	2.10	<2	<10	320	<0.5	<2	1.13	<0.5	13	11	20	3.66
CAE104318		2.55	<0.001	0.2	2.27	<2	<10	310	<0.5	<2	1.23	<0.5	12	12	20	3.88
CAE104319		4.88	<0.001	<0.2	2.14	<2	<10	280	<0.5	<2	1.54	<0.5	13	11	28	3.78
CAE104320		5.32	<0.001	<0.2	2.11	3	<10	280	<0.5	<2	1.56	<0.5	12	11	21	3.31
CAE104321		5.14	0.019	<0.2	2.48	5	<10	370	<0.5	<2	1.92	<0.5	14	11	33	3.55
CAE104322		5.09	0.274	<0.2	2.65	6	<10	360	<0.5	<2	2.73	<0.5	16	9	70	4.47
CAE104323		4.88	<0.001	<0.2	2.20	3	<10	400	<0.5	<2	1.27	<0.5	13	11	34	3.64
CAE104324		5.05	<0.001	<0.2	1.92	2	<10	250	<0.5	<2	2.02	<0.5	14	11	28	3.50
CAE104325		4.51	<0.001	<0.2	2.27	4	<10	200	<0.5	<2	1.71	<0.5	21	11	26	4.72
CAE104326		4.01	<0.001	<0.2	2.43	4	<10	270	<0.5	<2	1.07	<0.5	32	10	62	4.67
CAE104327		4.89	0.047	<0.2	2.39	22	<10	220	<0.5	<2	0.59	<0.5	22	9	157	6.45
CAE104328		3.68	<0.001	<0.2	2.16	7	<10	240	<0.5	<2	1.35	<0.5	15	11	19	3.72
CAE104329		4.60	<0.001	<0.2	2.29	3	<10	120	<0.5	<2	1.09	<0.5	24	9	31	4.71
CAE104330		4.46	<0.001	<0.2	2.04	<2	<10	200	<0.5	<2	1.03	<0.5	14	7	15	3.49
CAE104331		0.14	1.160	1.1	1.52	21	<10	180	<0.5	<2	1.03	0.5	12	45	597	3.53
CAE104332		5.08	0.001	<0.2	2.51	<2	<10	310	<0.5	<2	1.59	<0.5	14	13	47	4.10
CAE104333		4.95	0.007	<0.2	2.34	3	<10	150	<0.5	<2	2.25	<0.5	12	11	17	3.99

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 13-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11111300

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
CAE104294		10	<1	0.99	10	1.33	739	<1	0.31	3	590	2	0.02	<2	10	58
CAE104295		10	<1	1.13	10	1.28	555	<1	0.22	3	550	<2	0.28	<2	12	66
CAE104296		<10	<1	0.49	10	0.18	153	<1	0.15	<1	330	19	0.99	<2	5	43
CAE104297		10	<1	0.84	10	1.20	761	<1	0.18	4	600	<2	0.08	<2	10	44
CAE104298		10	<1	0.87	10	1.28	835	<1	0.26	3	610	<2	0.06	<2	12	50
CAE104299		10	1	0.90	10	1.12	676	<1	0.17	5	560	<2	0.16	<2	10	43
CAE104300		10	<1	0.91	10	1.26	853	<1	0.19	3	400	<2	0.02	<2	11	35
CAE104301		10	<1	0.72	20	1.16	700	1	0.19	4	740	2	0.07	<2	11	40
CAE104302		10	<1	0.80	10	1.25	738	<1	0.20	3	580	2	0.05	<2	11	51
CAE104303		10	<1	1.22	10	1.35	792	<1	0.16	2	460	<2	0.01	<2	10	47
CAE104304		10	<1	1.25	20	1.57	847	2	0.17	2	620	<2	0.01	<2	16	33
CAE104305		10	<1	1.32	20	1.65	892	<1	0.16	2	530	<2	0.01	2	14	30
CAE104306		10	1	0.89	10	1.39	805	<1	0.16	1	670	<2	0.03	<2	14	60
CAE104307		10	13	0.25	10	1.58	580	9	0.06	36	520	1090	1.01	164	4	86
CAE104308		10	<1	1.05	10	1.47	778	<1	0.18	2	540	2	0.01	<2	10	58
CAE104309		10	<1	0.97	10	1.31	680	<1	0.24	1	590	<2	0.03	2	9	51
CAE104310		10	<1	1.06	10	1.25	699	<1	0.19	1	530	<2	0.02	<2	7	179
CAE104311		10	<1	1.12	10	1.33	680	<1	0.26	<1	580	<2	0.02	<2	9	49
CAE104312		10	<1	1.20	10	1.41	701	<1	0.26	2	610	<2	0.02	<2	8	57
CAE104313		10	<1	0.98	10	1.16	669	<1	0.23	2	560	<2	0.02	<2	8	45
CAE104314		<10	<1	0.20	<10	0.01	80	<1	0.08	<1	100	4	<0.01	<2	1	68
CAE104315		10	<1	0.76	10	1.03	656	<1	0.15	2	530	<2	0.25	<2	10	34
CAE104316		10	<1	1.05	10	1.33	750	<1	0.14	1	620	<2	0.36	<2	10	19
CAE104317		10	<1	0.88	10	1.15	677	<1	0.20	1	560	<2	0.06	<2	11	31
CAE104318		10	<1	0.88	10	1.21	707	<1	0.24	2	620	<2	0.06	<2	12	36
CAE104319		10	<1	0.88	10	1.20	695	<1	0.18	1	610	<2	0.11	<2	13	31
CAE104320		10	<1	0.64	10	1.10	662	<1	0.24	3	620	<2	0.05	<2	11	44
CAE104321		10	<1	0.71	10	1.15	648	<1	0.21	3	600	<2	0.22	<2	11	41
CAE104322		10	<1	0.64	10	1.44	825	<1	0.14	3	560	2	0.70	<2	9	53
CAE104323		10	1	0.90	10	1.20	701	<1	0.22	3	580	<2	0.11	<2	11	34
CAE104324		10	<1	0.69	10	1.04	720	<1	0.17	3	540	2	0.18	<2	13	36
CAE104325		10	<1	0.50	10	1.19	815	<1	0.12	2	560	<2	0.08	<2	13	23
CAE104326		10	<1	0.59	10	1.05	586	1	0.08	2	560	<2	0.01	<2	11	88
CAE104327		10	<1	0.57	10	1.01	510	1	0.10	1	510	5	0.35	<2	11	41
CAE104328		10	<1	0.74	10	1.11	723	<1	0.13	1	510	<2	0.06	<2	11	97
CAE104329		10	<1	0.36	10	1.22	844	<1	0.10	2	570	3	0.08	<2	12	61
CAE104330		10	<1	0.58	10	1.00	612	<1	0.17	1	470	<2	0.05	<2	9	134
CAE104331		<10	<1	0.25	10	0.72	482	29	0.11	30	660	72	0.62	4	6	50
CAE104332		10	<1	0.87	10	1.44	727	<1	0.16	4	610	<2	0.10	<2	11	44
CAE104333		10	<1	0.41	20	1.49	789	<1	0.11	1	570	<2	0.10	<2	12	40

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 13-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11111300

Sample Description	Method Analyte Units LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CAE104294		<20	0.25	<10	<10	114	<10	85
CAE104295		<20	0.25	<10	<10	123	<10	58
CAE104296		<20	0.05	<10	<10	54	10	13
CAE104297		<20	0.21	<10	<10	104	<10	67
CAE104298		<20	0.24	<10	<10	117	<10	73
CAE104299		<20	0.24	<10	<10	111	<10	71
CAE104300		<20	0.22	<10	<10	111	<10	69
CAE104301		<20	0.17	<10	<10	108	<10	69
CAE104302		<20	0.17	<10	<10	107	<10	73
CAE104303		<20	0.20	<10	<10	111	<10	70
CAE104304		<20	0.22	<10	<10	136	<10	77
CAE104305		<20	0.25	<10	<10	132	<10	84
CAE104306		<20	0.19	<10	<10	120	<10	71
CAE104307		<20	0.04	<10	<10	47	10	2180
CAE104308		<20	0.23	<10	<10	123	<10	72
CAE104309		<20	0.23	<10	<10	108	<10	59
CAE104310		<20	0.22	<10	<10	102	<10	60
CAE104311		<20	0.24	<10	<10	110	<10	62
CAE104312		<20	0.25	<10	<10	114	<10	64
CAE104313		<20	0.21	<10	<10	103	<10	56
CAE104314		<20	0.01	<10	<10	20	<10	9
CAE104315		<20	0.19	<10	<10	99	<10	55
CAE104316		<20	0.22	<10	<10	119	<10	66
CAE104317		<20	0.21	<10	<10	114	<10	52
CAE104318		<20	0.22	<10	<10	119	<10	55
CAE104319		<20	0.20	<10	<10	116	<10	54
CAE104320		<20	0.18	<10	<10	108	<10	52
CAE104321		<20	0.17	<10	<10	106	<10	54
CAE104322		<20	0.16	<10	<10	104	<10	62
CAE104323		<20	0.22	<10	<10	115	<10	56
CAE104324		<20	0.19	<10	<10	112	<10	56
CAE104325		<20	0.16	<10	<10	121	<10	68
CAE104326		<20	0.13	<10	<10	96	<10	56
CAE104327		<20	0.16	<10	<10	111	10	48
CAE104328		<20	0.19	<10	<10	105	<10	54
CAE104329		<20	0.15	<10	<10	114	<10	68
CAE104330		<20	0.16	<10	<10	91	<10	47
CAE104331		<20	0.12	<10	<10	71	20	102
CAE104332		<20	0.20	<10	<10	118	<10	63
CAE104333		<20	0.12	<10	<10	112	<10	50

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 13-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11111300

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP22 Au ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
CAE104334		0.95	<0.001	<0.2	0.23	8	<10	30	<0.5	<2	0.03	<0.5	1	3	<1	0.58
CAE104335		5.20	<0.001	<0.2	2.02	<2	<10	260	<0.5	<2	1.04	<0.5	12	10	35	3.47
CAE104336		2.22	<0.001	<0.2	1.86	<2	<10	240	<0.5	<2	0.80	<0.5	16	11	47	4.01
CAE104337		2.25	<0.001	<0.2	1.88	<2	<10	230	<0.5	<2	0.67	<0.5	17	10	58	4.04
CAE104338		5.06	<0.001	<0.2	1.13	<2	<10	80	<0.5	<2	0.89	<0.5	10	13	33	2.62
CAE104339		5.26	0.003	<0.2	2.25	3	<10	180	<0.5	<2	1.92	<0.5	28	13	41	4.75
CAE104340		4.76	<0.001	<0.2	1.90	4	<10	160	<0.5	2	0.44	<0.5	14	35	10	3.25
CAE104341		5.49	<0.001	<0.2	2.25	<2	<10	230	<0.5	<2	0.40	<0.5	11	34	17	3.43
CAE104342		4.83	<0.001	<0.2	1.95	<2	<10	220	<0.5	<2	0.45	<0.5	9	27	13	2.78
CAE104343		4.75	<0.001	<0.2	2.18	3	<10	150	0.6	<2	1.18	<0.5	12	27	36	3.45
CAE104344		0.14	1.080	1.1	1.55	20	<10	190	<0.5	<2	1.02	0.6	12	45	631	3.48
CAE104345		5.24	<0.001	<0.2	1.86	<2	<10	130	0.6	<2	1.24	<0.5	10	27	30	2.84
CAE104346		4.66	<0.001	<0.2	1.99	<2	<10	190	<0.5	<2	0.37	<0.5	9	36	18	2.85
CAE104347		0.70	<0.001	<0.2	0.31	<2	<10	80	<0.5	<2	0.04	<0.5	1	5	<1	0.47
CAE104348		5.00	<0.001	<0.2	2.41	<2	<10	340	<0.5	<2	0.92	<0.5	12	13	33	3.74
CAE104349		4.91	<0.001	<0.2	1.44	<2	<10	210	<0.5	<2	0.75	<0.5	7	16	42	2.37
CAE104350		5.18	<0.001	<0.2	2.03	<2	<10	480	<0.5	<2	0.75	<0.5	11	17	29	3.24
CAE104351		4.94	<0.001	<0.2	2.61	2	<10	400	<0.5	<2	1.61	<0.5	13	14	34	3.98
CAE104352		2.24	<0.001	<0.2	2.61	<2	<10	590	<0.5	<2	1.45	<0.5	14	16	25	4.12
CAE104353		2.52	<0.001	<0.2	2.54	<2	<10	600	<0.5	<2	1.49	<0.5	14	17	22	4.03
CAE104354		5.09	<0.001	<0.2	2.06	<2	<10	160	<0.5	<2	0.78	<0.5	13	71	18	3.43
CAE104355		5.29	<0.001	<0.2	1.88	<2	<10	240	<0.5	<2	0.99	<0.5	11	92	15	3.22
CAE104356		5.04	<0.001	<0.2	1.90	<2	<10	260	<0.5	<2	1.09	<0.5	9	52	15	2.83
CAE104357		5.28	<0.001	<0.2	2.22	<2	<10	230	0.7	<2	1.51	<0.5	10	46	17	3.04
CAE104358		5.34	<0.001	<0.2	1.13	<2	<10	100	<0.5	<2	0.84	<0.5	7	36	15	2.11
CAE104359		5.57	<0.001	<0.2	1.43	2	<10	50	<0.5	<2	1.47	<0.5	10	37	27	2.73
CAE104360		5.04	<0.001	<0.2	1.13	2	<10	30	<0.5	<2	1.42	<0.5	7	33	28	2.10
CAE104361		5.09	<0.001	<0.2	1.31	9	<10	40	<0.5	<2	1.72	<0.5	9	31	26	2.20
CAE104362		4.85	<0.001	<0.2	1.64	<2	<10	140	<0.5	<2	1.07	<0.5	7	43	19	2.74
CAE104363		5.02	<0.001	<0.2	2.09	<2	<10	140	<0.5	<2	1.01	<0.5	10	52	23	3.49
CAE104364		5.24	<0.001	<0.2	2.03	2	<10	140	<0.5	<2	1.99	<0.5	7	37	18	2.49
CAE104365		5.00	<0.001	<0.2	2.16	<2	<10	80	<0.5	<2	0.79	<0.5	10	52	16	3.08
CAE104366		0.15	1.060	0.9	1.47	20	<10	190	<0.5	<2	0.98	0.5	11	44	614	3.40
CAE104367		5.18	0.003	<0.2	1.73	2	<10	70	<0.5	<2	1.59	<0.5	8	31	19	2.39
CAE104368		5.29	<0.001	<0.2	1.71	<2	<10	60	0.5	<2	1.18	<0.5	10	39	32	2.80
CAE104369		2.83	<0.001	<0.2	2.54	<2	<10	70	0.8	<2	1.72	<0.5	9	50	18	3.10

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 13-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11111300

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
CAE104334		<10	<1	0.12	10	0.02	91	<1	0.10	<1	20	2	<0.01	<2	<1	20
CAE104335		10	<1	0.71	20	1.21	705	<1	0.23	2	560	<2	0.06	<2	11	37
CAE104336		10	<1	0.88	20	1.21	620	<1	0.13	2	520	<2	0.63	<2	10	25
CAE104337		10	<1	0.90	20	1.23	601	<1	0.12	1	540	<2	0.52	<2	10	23
CAE104338		<10	<1	0.38	20	0.55	318	<1	0.13	2	450	<2	0.53	<2	6	36
CAE104339		10	<1	0.78	10	1.40	592	1	0.15	12	830	5	0.94	<2	15	71
CAE104340		10	<1	0.81	30	0.96	382	<1	0.08	17	480	3	0.21	3	8	16
CAE104341		10	<1	1.21	30	1.07	377	<1	0.05	23	360	3	0.06	<2	6	7
CAE104342		10	<1	1.21	30	0.95	398	<1	0.06	18	320	3	0.07	<2	4	8
CAE104343		10	<1	0.93	30	0.90	517	<1	0.05	23	410	6	0.25	<2	4	12
CAE104344		10	<1	0.26	10	0.73	475	34	0.11	33	680	74	0.60	4	6	52
CAE104345		10	<1	0.78	20	0.74	433	1	0.05	19	340	5	0.26	<2	4	11
CAE104346		10	<1	1.11	20	1.08	384	1	0.08	15	380	2	0.07	<2	8	11
CAE104347		<10	<1	0.27	<10	0.02	96	<1	0.09	1	80	3	<0.01	<2	<1	99
CAE104348		10	<1	1.20	10	1.31	831	2	0.16	6	530	6	0.16	2	9	43
CAE104349		10	<1	0.77	10	0.75	651	8	0.08	9	550	4	0.08	<2	5	24
CAE104350		10	<1	1.10	10	1.09	708	1	0.11	10	420	4	0.08	<2	5	51
CAE104351		10	<1	1.01	10	1.39	779	10	0.06	9	470	4	0.10	2	7	37
CAE104352		10	<1	1.19	10	1.43	737	<1	0.14	7	540	4	0.06	2	8	125
CAE104353		10	<1	1.23	10	1.41	751	<1	0.14	7	540	3	0.05	<2	8	106
CAE104354		10	<1	1.01	30	1.42	449	<1	0.08	24	640	3	0.12	<2	11	18
CAE104355		10	<1	1.05	30	1.24	548	<1	0.11	23	610	3	0.15	<2	10	19
CAE104356		10	<1	1.07	30	0.86	508	<1	0.06	18	410	5	0.10	2	6	25
CAE104357		10	<1	1.04	40	0.99	509	<1	0.03	19	500	7	0.14	<2	7	35
CAE104358		10	<1	0.47	20	0.56	314	1	0.10	14	380	4	0.20	<2	5	36
CAE104359		10	<1	0.50	20	0.74	380	<1	0.13	19	420	5	0.39	<2	4	30
CAE104360		<10	<1	0.23	20	0.60	304	<1	0.11	14	290	5	0.23	<2	5	33
CAE104361		10	<1	0.25	20	0.58	316	<1	0.10	15	270	5	0.32	<2	4	78
CAE104362		10	<1	0.93	30	0.76	429	<1	0.07	15	420	2	0.22	<2	7	51
CAE104363		10	<1	1.17	20	1.11	516	<1	0.13	22	440	3	0.17	2	6	54
CAE104364		10	<1	0.59	10	0.81	389	<1	0.13	15	450	4	0.18	<2	4	424
CAE104365		10	<1	1.07	10	1.13	450	<1	0.15	21	400	3	0.14	<2	4	43
CAE104366		10	<1	0.25	10	0.69	460	30	0.10	31	660	72	0.57	5	6	50
CAE104367		10	<1	0.58	10	0.76	301	<1	0.08	17	330	3	0.32	<2	3	145
CAE104368		10	<1	0.62	20	0.84	309	6	0.14	20	330	4	0.51	<2	5	45
CAE104369		10	<1	0.74	30	0.99	401	<1	0.20	22	390	4	0.24	<2	6	87

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 13-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11111300

Sample Description	Method Analyte Units LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CAE104334		<20	0.01	<10	<10	13	<10	11
CAE104335		<20	0.17	<10	<10	106	<10	56
CAE104336		<20	0.19	<10	<10	99	<10	60
CAE104337		<20	0.19	<10	<10	101	<10	63
CAE104338		<20	0.11	<10	<10	49	<10	26
CAE104339		<20	0.19	<10	<10	157	<10	60
CAE104340		<20	0.14	<10	<10	62	<10	32
CAE104341		<20	0.16	<10	<10	38	<10	42
CAE104342		<20	0.15	<10	<10	29	<10	53
CAE104343		<20	0.12	<10	<10	30	<10	54
CAE104344		<20	0.12	<10	<10	72	20	102
CAE104345		<20	0.10	<10	<10	29	<10	44
CAE104346		<20	0.16	<10	<10	61	<10	33
CAE104347		<20	0.01	<10	<10	14	<10	8
CAE104348		<20	0.20	<10	<10	98	<10	94
CAE104349		<20	0.10	<10	<10	52	<10	94
CAE104350		<20	0.17	<10	<10	76	<10	68
CAE104351		<20	0.17	<10	<10	92	<10	73
CAE104352		<20	0.22	<10	<10	104	<10	67
CAE104353		<20	0.23	<10	<10	102	<10	66
CAE104354		20	0.18	<10	<10	79	<10	54
CAE104355		<20	0.24	<10	<10	66	<10	54
CAE104356		<20	0.19	<10	<10	46	<10	53
CAE104357		<20	0.18	<10	<10	51	<10	58
CAE104358		<20	0.16	<10	<10	31	<10	42
CAE104359		<20	0.19	<10	<10	33	<10	58
CAE104360		<20	0.14	<10	<10	28	<10	42
CAE104361		<20	0.11	<10	<10	28	<10	40
CAE104362		<20	0.19	<10	<10	44	<10	45
CAE104363		<20	0.25	<10	<10	54	<10	54
CAE104364		<20	0.16	<10	<10	35	<10	45
CAE104365		<20	0.23	<10	<10	44	<10	59
CAE104366		<20	0.12	<10	<10	69	20	97
CAE104367		<20	0.18	<10	<10	28	<10	59
CAE104368		<20	0.19	<10	<10	37	<10	57
CAE104369		<20	0.22	<10	<10	45	<10	69