ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 20-JUN-2011
Account: SELHOL

CERTIFICATE WH11099584

Project: JP Ross Project

P.O. No.: WG00232011

This report is for 131 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 6-JUN-2011.

The following have access to data associated with this certificate:

KEITH FOWLOW	JEAN-PIERRE LONDERO	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-21	Sample logging - ClientBarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **SELENE HOLDINGS LP**
ATTN: KEITH FOWLOW
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 20-JUN-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11099584

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP22 Au ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
CAE102951		2.83	0.008	0.5	0.30	23	<10	40	<0.5	<2	0.06	<0.5	<1	5	4	0.79
CAE102952		2.95	0.015	0.2	0.31	21	<10	30	<0.5	<2	0.05	<0.5	<1	6	2	0.64
CAE102953		4.69	0.297	1.0	0.30	16	<10	70	<0.5	7	0.03	<0.5	<1	8	5	1.23
CAE102954		4.32	0.050	0.7	0.35	28	<10	60	<0.5	2	0.02	<0.5	<1	8	6	1.41
CAE102955		2.84	0.015	0.5	0.34	12	<10	60	<0.5	<2	0.02	<0.5	<1	6	7	0.77
CAE102956		2.60	0.030	0.3	0.38	21	<10	80	<0.5	<2	0.01	<0.5	<1	4	3	0.84
CAE102957		2.04	0.017	<0.2	0.33	24	<10	50	<0.5	<2	0.01	<0.5	<1	4	3	0.65
CAE102958		2.50	0.025	<0.2	0.40	43	<10	90	<0.5	<2	0.01	<0.5	1	9	5	0.68
CAE102959		2.79	0.036	0.4	0.36	65	<10	90	<0.5	<2	0.01	<0.5	<1	5	3	1.23
CAE102960		2.35	0.051	0.3	0.43	36	<10	90	<0.5	<2	0.01	<0.5	<1	3	8	1.13
CAE102961		1.64	0.028	0.2	0.41	14	<10	90	<0.5	<2	0.01	<0.5	<1	3	4	0.90
CAE102962		3.43	0.003	<0.2	0.38	7	<10	60	<0.5	<2	0.02	<0.5	<1	4	3	0.55
CAE102963		2.42	0.164	0.8	0.26	13	<10	70	<0.5	<2	0.01	<0.5	1	6	4	0.92
CAE102964		3.23	0.014	<0.2	0.45	5	<10	80	<0.5	<2	0.01	<0.5	1	5	8	1.04
CAE102965		2.13	0.042	3.2	0.28	31	<10	100	<0.5	7	0.01	<0.5	<1	2	11	1.49
CAE102966		2.28	0.003	<0.2	0.48	4	<10	50	<0.5	<2	0.01	<0.5	1	4	6	0.94
CAE102967		2.62	0.032	0.3	0.37	5	<10	50	<0.5	<2	0.01	<0.5	1	4	8	0.93
CAE102968		2.49	0.001	<0.2	0.56	2	<10	60	<0.5	<2	0.02	<0.5	1	5	6	1.04
CAE102969		2.53	0.022	0.2	0.45	2	<10	30	<0.5	<2	0.02	<0.5	1	7	7	0.89
CAE102970		2.45	0.001	<0.2	0.72	<2	<10	50	<0.5	<2	0.03	<0.5	2	5	3	1.21
CAE102971		4.39	0.003	<0.2	1.15	<2	<10	70	<0.5	<2	0.04	<0.5	3	5	8	1.75
CAE102972		4.94	0.001	0.2	1.24	2	<10	90	<0.5	<2	0.05	<0.5	3	5	12	1.92
CAE102973		4.89	0.004	<0.2	0.95	2	<10	70	<0.5	<2	0.13	<0.5	4	4	13	1.69
CAE102974		5.36	0.001	<0.2	0.90	<2	<10	80	<0.5	<2	0.51	<0.5	4	5	8	1.90
CAE102975		5.10	0.001	<0.2	0.71	2	<10	60	<0.5	<2	0.28	<0.5	3	5	2	1.55
CAE102976		4.83	0.001	<0.2	0.88	<2	<10	70	<0.5	<2	0.22	<0.5	4	6	1	1.70
CAE102977		2.41	0.001	<0.2	1.21	2	<10	80	0.6	<2	0.21	<0.5	8	60	17	2.23
CAE102978		5.18	0.002	<0.2	0.56	2	<10	60	<0.5	<2	0.12	<0.5	3	12	10	1.27
CAE102979		5.20	0.002	<0.2	0.50	<2	<10	60	<0.5	<2	0.08	<0.5	2	6	7	1.21
CAE102980		5.15	0.002	<0.2	0.51	<2	<10	70	<0.5	<2	0.18	<0.5	2	7	2	1.09
CAE102981		5.37	0.005	<0.2	0.49	<2	<10	60	<0.5	<2	0.19	<0.5	2	7	3	1.13
CAE102982		5.67	0.015	<0.2	0.43	2	<10	40	<0.5	<2	0.19	<0.5	2	8	5	1.03
CAE102983		4.69	0.004	<0.2	0.45	2	<10	50	<0.5	<2	0.18	<0.5	2	7	5	1.13
CAE102984		5.15	0.009	<0.2	0.47	<2	<10	70	<0.5	<2	0.10	<0.5	2	8	3	1.16
CAE102985		5.14	0.061	0.2	0.36	2	<10	40	<0.5	<2	0.05	<0.5	4	5	4	1.06
CAE102986		6.15	0.014	<0.2	0.40	19	<10	40	<0.5	<2	0.05	<0.5	2	5	6	0.96
CAE102987		3.58	0.023	0.2	0.36	12	<10	50	<0.5	<2	0.06	<0.5	5	7	7	1.37
CAE102988		2.67	0.008	<0.2	0.24	3	<10	40	<0.5	<2	0.04	<0.5	2	5	2	1.02
CAE102989		2.64	0.004	<0.2	0.24	3	<10	30	<0.5	<2	0.03	<0.5	2	4	4	1.25
CAE102990		0.14	2.79	52.4	1.69	34	<10	140	<0.5	2	2.52	7.2	10	47	166	2.76

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 20-JUN-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11099584

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
CAE102951		<10	<1	0.15	10	0.03	50	<1	0.05	<1	50	4	0.14	<2	1	9
CAE102952		<10	<1	0.16	10	0.04	59	<1	0.05	<1	50	5	0.07	<2	1	8
CAE102953		<10	<1	0.26	10	0.03	37	8	0.04	<1	60	6	0.29	<2	1	11
CAE102954		<10	<1	0.28	10	0.03	34	2	0.06	<1	60	23	0.38	<2	1	13
CAE102955		<10	<1	0.19	20	0.02	33	<1	0.04	<1	50	4	0.19	<2	1	9
CAE102956		<10	<1	0.25	20	0.02	30	3	0.02	<1	50	6	0.20	<2	1	12
CAE102957		<10	<1	0.22	10	0.02	24	1	0.04	<1	30	6	0.14	<2	<1	6
CAE102958		<10	<1	0.29	10	0.03	26	1	0.01	1	30	6	0.15	<2	<1	8
CAE102959		<10	1	0.33	20	0.02	27	3	0.03	<1	40	40	0.37	<2	<1	12
CAE102960		<10	<1	0.32	20	0.03	27	9	0.02	1	70	23	0.22	<2	1	11
CAE102961		<10	<1	0.26	20	0.02	33	14	0.04	1	50	6	0.21	<2	1	12
CAE102962		<10	<1	0.19	10	0.03	29	<1	0.03	<1	40	4	0.10	<2	1	9
CAE102963		<10	<1	0.21	20	0.02	29	4	0.05	<1	60	5	0.30	<2	<1	9
CAE102964		<10	<1	0.22	20	0.05	57	<1	0.05	<1	120	6	0.23	<2	1	11
CAE102965		<10	<1	0.30	20	0.02	18	2	0.07	<1	110	341	0.41	<2	1	12
CAE102966		<10	<1	0.20	20	0.07	75	<1	0.05	<1	80	5	0.15	<2	1	12
CAE102967		<10	<1	0.19	50	0.05	68	<1	0.07	<1	120	4	0.18	<2	1	12
CAE102968		<10	<1	0.28	30	0.11	170	<1	0.07	<1	110	2	0.09	<2	1	9
CAE102969		<10	<1	0.23	20	0.12	119	<1	0.09	<1	80	16	0.15	<2	1	7
CAE102970		<10	<1	0.39	20	0.21	281	<1	0.07	<1	160	3	0.04	<2	1	8
CAE102971		<10	<1	0.55	10	0.33	359	<1	0.05	<1	190	2	0.05	<2	3	10
CAE102972		<10	<1	0.56	20	0.35	361	<1	0.04	1	240	7	0.08	<2	3	15
CAE102973		<10	<1	0.53	30	0.32	575	<1	0.04	<1	230	7	0.09	<2	3	11
CAE102974		<10	<1	0.49	30	0.31	667	<1	0.07	<1	240	5	0.04	<2	3	20
CAE102975		<10	<1	0.44	30	0.27	469	<1	0.05	<1	210	4	0.05	<2	2	13
CAE102976		<10	<1	0.54	30	0.33	517	<1	0.06	<1	210	3	0.01	<2	3	12
CAE102977		10	<1	0.79	30	0.71	767	<1	0.03	28	300	8	0.08	<2	5	13
CAE102978		<10	<1	0.34	30	0.18	372	<1	0.05	3	130	4	0.12	<2	1	11
CAE102979		<10	<1	0.31	30	0.15	334	<1	0.05	<1	130	5	0.10	<2	1	9
CAE102980		<10	<1	0.28	30	0.14	329	<1	0.06	<1	140	4	0.09	<2	1	10
CAE102981		<10	<1	0.30	30	0.15	373	<1	0.05	<1	170	3	0.08	<2	1	11
CAE102982		<10	<1	0.24	30	0.14	277	<1	0.07	<1	130	2	0.14	<2	1	10
CAE102983		<10	<1	0.28	30	0.16	309	<1	0.07	<1	120	3	0.11	<2	1	9
CAE102984		<10	<1	0.29	30	0.16	313	<1	0.07	<1	130	2	0.12	<2	1	9
CAE102985		<10	<1	0.18	20	0.08	205	<1	0.06	<1	120	5	0.40	<2	1	6
CAE102986		<10	<1	0.19	20	0.07	272	25	0.04	<1	130	2	0.27	<2	1	8
CAE102987		<10	<1	0.16	20	0.05	341	1	0.06	2	190	5	0.77	<2	3	13
CAE102988		<10	<1	0.13	10	0.04	270	<1	0.04	<1	100	4	0.50	<2	1	6
CAE102989		<10	<1	0.09	10	0.02	167	1	0.06	<1	80	6	0.95	<2	1	8
CAE102990		10	11	0.20	10	1.41	529	8	0.05	35	490	949	0.93	135	4	83

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 20-JUN-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11099584

Sample Description	Method Analyte Units LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CAE102951		30	0.02	<10	<10	2	<10	14
CAE102952		30	0.02	<10	<10	2	<10	15
CAE102953		20	0.01	<10	<10	2	<10	9
CAE102954		<20	0.02	<10	<10	4	<10	7
CAE102955		20	0.01	<10	<10	2	<10	6
CAE102956		<20	0.01	<10	<10	2	<10	4
CAE102957		<20	0.01	<10	<10	2	<10	4
CAE102958		<20	0.01	<10	<10	3	<10	4
CAE102959		<20	0.01	<10	<10	2	<10	3
CAE102960		<20	0.01	<10	<10	3	<10	6
CAE102961		20	0.01	<10	<10	2	<10	6
CAE102962		<20	0.01	<10	<10	2	<10	4
CAE102963		20	0.01	<10	<10	2	<10	3
CAE102964		20	0.02	<10	<10	4	<10	6
CAE102965		<20	0.01	<10	<10	5	<10	3
CAE102966		20	0.02	<10	<10	6	<10	9
CAE102967		40	0.02	<10	<10	5	<10	10
CAE102968		20	0.04	<10	<10	6	<10	15
CAE102969		20	0.03	<10	<10	8	<10	13
CAE102970		<20	0.06	<10	<10	12	<10	30
CAE102971		<20	0.08	<10	<10	21	<10	40
CAE102972		<20	0.08	<10	<10	22	<10	53
CAE102973		<20	0.07	<10	<10	17	<10	57
CAE102974		<20	0.06	<10	<10	18	<10	47
CAE102975		20	0.05	<10	<10	13	<10	36
CAE102976		20	0.07	<10	<10	17	<10	39
CAE102977		<20	0.08	<10	<10	35	<10	65
CAE102978		20	0.04	<10	<10	9	<10	25
CAE102979		20	0.04	<10	<10	9	<10	24
CAE102980		20	0.04	<10	<10	9	<10	24
CAE102981		20	0.04	<10	<10	9	<10	24
CAE102982		20	0.03	<10	<10	8	<10	19
CAE102983		20	0.04	<10	<10	9	<10	21
CAE102984		20	0.04	<10	<10	10	<10	23
CAE102985		<20	0.02	<10	<10	8	<10	25
CAE102986		20	0.02	<10	<10	10	<10	17
CAE102987		<20	0.02	<10	<10	14	<10	22
CAE102988		<20	0.01	<10	<10	7	<10	13
CAE102989		<20	0.01	<10	<10	4	<10	18
CAE102990		<20	0.04	<10	<10	41	<10	1920

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 20-JUN-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11099584

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP22 Au ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
CAE102991		2.42	0.010	<0.2	0.34	2	<10	30	<0.5	<2	0.07	<0.5	2	5	8	1.21
CAE102992		4.96	0.006	<0.2	0.39	2	<10	30	<0.5	<2	0.06	<0.5	3	4	7	1.21
CAE102993		0.83	0.001	<0.2	0.22	2	<10	50	<0.5	<2	0.01	<0.5	1	3	<1	0.50
CAE102994		2.37	0.014	<0.2	0.37	4	<10	30	<0.5	<2	0.03	<0.5	6	5	5	0.90
CAE102995		2.06	0.012	0.2	0.33	4	<10	30	<0.5	<2	0.03	<0.5	5	4	5	0.87
CAE102996		6.00	0.007	<0.2	0.48	7	<10	30	<0.5	<2	0.04	<0.5	6	21	3	2.03
CAE102997		2.21	0.191	1.2	0.47	38	<10	40	<0.5	5	0.03	1.4	12	4	7	3.05
CAE102998		2.62	0.016	<0.2	0.45	2	<10	40	<0.5	<2	0.04	<0.5	5	3	5	1.30
CAE102999		3.23	0.027	<0.2	0.25	5	<10	30	<0.5	<2	0.02	<0.5	1	6	1	0.42
CAE103000		2.37	0.060	<0.2	0.44	<2	<10	40	<0.5	<2	0.04	<0.5	3	5	2	0.88
CAE103001		2.42	0.024	<0.2	0.38	2	<10	30	<0.5	<2	0.05	<0.5	3	3	2	1.12
CAE103002		2.84	0.021	<0.2	0.38	2	<10	30	<0.5	<2	0.09	<0.5	3	5	3	0.91
CAE103003		3.44	0.004	<0.2	0.40	<2	<10	40	<0.5	<2	0.07	<0.5	4	3	1	1.03
CAE103004		2.07	0.003	<0.2	0.43	<2	<10	40	<0.5	<2	0.06	<0.5	5	3	4	1.18
CAE103005		2.71	0.001	<0.2	0.49	<2	<10	40	<0.5	<2	0.07	<0.5	4	3	2	1.23
CAE103006		2.54	0.002	<0.2	0.48	<2	<10	40	<0.5	<2	0.08	<0.5	4	3	1	1.35
CAE103007		0.13	1.185	0.9	1.47	20	<10	190	<0.5	<2	1.01	0.5	12	44	607	3.54
CAE103008		2.75	0.015	<0.2	0.49	<2	<10	40	<0.5	<2	0.19	<0.5	6	4	2	1.69
CAE103009		0.71	<0.001	<0.2	0.21	<2	<10	70	<0.5	<2	0.03	<0.5	2	3	<1	0.41
CAE103010		1.37	0.074	0.4	0.39	2	<10	50	<0.5	<2	0.08	<0.5	8	3	2	1.76
CAE103011		1.08	0.023	<0.2	0.41	2	<10	60	<0.5	<2	0.09	<0.5	4	3	1	1.13
CAE103012		2.69	0.027	<0.2	0.62	2	<10	70	<0.5	<2	0.09	<0.5	7	10	3	1.93
CAE103013		2.70	0.027	<0.2	0.52	<2	<10	30	<0.5	<2	0.07	<0.5	4	3	2	1.13
CAE103014		4.59	0.031	<0.2	0.62	2	<10	40	<0.5	<2	0.09	<0.5	5	4	4	1.62
CAE103015		5.95	0.017	0.2	0.60	<2	<10	40	<0.5	<2	0.10	<0.5	5	10	6	1.78
CAE103016		5.23	0.019	<0.2	0.59	<2	<10	40	<0.5	<2	0.38	<0.5	5	5	3	1.57
CAE103017		5.32	0.046	0.2	0.70	2	<10	70	0.5	<2	0.81	<0.5	9	6	9	2.54
CAE103018		4.86	0.012	<0.2	1.28	2	<10	100	1.1	<2	5.00	<0.5	8	5	2	3.28
CAE103019		5.39	0.003	<0.2	1.08	<2	<10	180	0.6	<2	2.65	<0.5	8	5	6	2.55
CAE103020		5.46	0.010	<0.2	1.01	<2	<10	80	0.5	<2	3.59	<0.5	8	4	9	2.33
CAE103021		5.50	0.008	<0.2	1.53	<2	<10	300	<0.5	<2	2.21	<0.5	9	6	5	2.84
CAE103022		5.56	0.004	<0.2	1.47	<2	<10	320	<0.5	<2	2.10	<0.5	10	6	6	2.79
CAE103023		5.51	0.001	<0.2	1.33	<2	<10	320	<0.5	<2	2.28	<0.5	9	6	4	2.73
CAE103024		5.35	0.023	<0.2	0.98	<2	<10	160	<0.5	<2	2.30	<0.5	8	4	6	2.32
CAE103025		4.59	0.010	<0.2	1.30	<2	<10	150	0.5	2	1.96	<0.5	8	5	16	2.63
CAE103026		5.18	0.003	<0.2	1.31	<2	<10	140	0.6	<2	1.29	<0.5	8	6	6	3.02
CAE103027		5.27	0.001	<0.2	1.72	<2	<10	220	0.6	<2	1.44	<0.5	10	7	11	3.40
CAE103028		3.39	0.003	1.0	0.49	195	<10	40	<0.5	2	0.42	<0.5	9	7	15	2.62
CAE103029		0.13	3.00	58.3	1.79	37	<10	160	<0.5	2	2.71	7.7	11	49	176	2.97
CAE103030		2.56	0.005	0.2	0.49	101	<10	30	<0.5	<2	0.32	<0.5	11	4	16	2.35

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 20-JUN-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11099584

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
CAE102991		<10	<1	0.15	20	0.08	445	<1	0.05	<1	110	4	0.23	<2	2	9
CAE102992		<10	<1	0.16	20	0.08	362	1	0.05	<1	140	3	0.32	<2	2	13
CAE102993		<10	<1	0.16	<10	0.03	64	<1	0.06	<1	50	<2	<0.01	<2	<1	46
CAE102994		<10	<1	0.14	10	0.04	121	2	0.05	3	100	2	0.56	<2	2	21
CAE102995		<10	<1	0.13	10	0.04	103	2	0.05	2	100	<2	0.54	<2	1	20
CAE102996		<10	1	0.21	10	0.10	178	3	0.04	11	120	3	1.52	<2	3	29
CAE102997		<10	<1	0.16	20	0.02	29	3420	<0.01	12	150	161	3.22	<2	2	56
CAE102998		<10	<1	0.19	20	0.03	32	5	0.02	2	120	3	1.12	<2	1	23
CAE102999		<10	<1	0.14	<10	0.01	34	9	0.04	<1	20	3	0.06	<2	<1	6
CAE103000		<10	1	0.19	20	0.03	58	1	0.03	2	100	2	0.64	<2	1	22
CAE103001		<10	<1	0.16	20	0.03	117	1	0.03	<1	80	3	0.78	<2	1	15
CAE103002		<10	<1	0.16	20	0.05	45	<1	0.04	1	70	3	0.70	<2	1	21
CAE103003		<10	<1	0.22	20	0.04	38	<1	0.03	<1	160	2	0.83	<2	1	18
CAE103004		<10	<1	0.22	20	0.05	58	<1	0.05	<1	180	3	0.89	<2	2	17
CAE103005		<10	<1	0.28	20	0.08	270	<1	0.03	<1	180	<2	0.67	<2	2	21
CAE103006		<10	<1	0.27	20	0.09	207	<1	0.04	<1	140	2	0.82	<2	2	23
CAE103007		10	1	0.23	10	0.72	459	29	0.10	30	640	72	0.61	2	6	48
CAE103008		<10	<1	0.29	20	0.13	314	<1	0.04	<1	200	2	1.08	<2	2	18
CAE103009		<10	<1	0.17	<10	0.02	55	<1	0.06	<1	80	<2	<0.01	<2	<1	58
CAE103010		<10	1	0.21	20	0.05	83	5	0.03	<1	160	5	1.56	<2	1	20
CAE103011		<10	<1	0.24	20	0.06	71	<1	0.04	<1	160	2	0.88	<2	1	20
CAE103012		<10	<1	0.32	20	0.21	493	<1	0.05	3	160	2	0.95	<2	4	30
CAE103013		<10	<1	0.24	20	0.08	434	1	0.03	1	140	12	0.35	<2	2	27
CAE103014		<10	<1	0.30	20	0.14	413	2	0.03	<1	200	4	0.79	<2	3	16
CAE103015		<10	<1	0.30	10	0.21	410	1	0.06	3	200	21	0.93	<2	4	13
CAE103016		<10	1	0.34	20	0.28	484	<1	0.05	<1	220	2	0.37	<2	3	23
CAE103017		<10	<1	0.36	20	0.38	432	1	0.03	1	350	8	1.20	<2	8	46
CAE103018		<10	<1	0.52	20	0.67	1175	<1	0.02	<1	400	9	0.11	<2	13	126
CAE103019		<10	<1	0.58	20	0.57	807	<1	0.03	<1	360	5	0.12	<2	7	79
CAE103020		<10	1	0.67	20	0.62	1000	<1	0.03	<1	310	6	0.55	<2	4	101
CAE103021		<10	1	1.01	20	0.81	728	<1	0.03	1	350	4	0.15	<2	7	62
CAE103022		10	<1	0.89	20	0.80	700	<1	0.03	<1	340	5	0.07	<2	9	49
CAE103023		<10	<1	0.79	20	0.79	722	<1	0.04	<1	330	2	0.05	<2	8	66
CAE103024		<10	<1	0.61	20	0.60	761	<1	0.04	<1	310	6	0.13	<2	6	65
CAE103025		<10	<1	0.84	20	0.74	773	<1	0.03	1	350	20	0.16	<2	5	68
CAE103026		10	<1	0.78	20	0.61	883	<1	0.04	1	360	7	0.18	<2	9	34
CAE103027		10	1	1.06	20	0.84	819	<1	0.03	1	330	3	0.11	<2	11	38
CAE103028		<10	<1	0.23	10	0.23	334	2	0.03	2	270	212	1.58	2	7	22
CAE103029		10	12	0.22	10	1.54	540	9	0.06	37	510	1035	0.98	155	4	83
CAE103030		<10	<1	0.19	10	0.17	421	<1	0.02	1	280	27	1.40	<2	9	17

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 20-JUN-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11099584

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CAE102991		20	0.02	<10	<10	12	<10	24
CAE102992		<20	0.02	<10	<10	13	<10	25
CAE102993		<20	0.01	<10	<10	18	<10	10
CAE102994		<20	0.01	<10	<10	8	<10	19
CAE102995		<20	0.01	<10	<10	7	<10	14
CAE102996		<20	0.01	<10	<10	16	<10	31
CAE102997		<20	<0.01	<10	20	12	<10	126
CAE102998		20	<0.01	<10	<10	4	<10	13
CAE102999		<20	<0.01	<10	<10	1	<10	<2
CAE103000		20	<0.01	<10	<10	4	<10	13
CAE103001		20	<0.01	<10	<10	3	<10	21
CAE103002		20	<0.01	<10	<10	4	<10	19
CAE103003		<20	<0.01	<10	<10	4	<10	16
CAE103004		<20	0.01	<10	<10	9	<10	21
CAE103005		<20	0.01	<10	<10	10	<10	29
CAE103006		20	0.01	<10	<10	9	<10	28
CAE103007		<20	0.12	<10	<10	69	20	97
CAE103008		<20	0.01	<10	<10	11	<10	24
CAE103009		<20	<0.01	<10	<10	13	<10	8
CAE103010		<20	<0.01	<10	<10	6	<10	17
CAE103011		<20	<0.01	<10	<10	6	<10	15
CAE103012		20	0.02	<10	<10	19	<10	36
CAE103013		<20	0.01	<10	<10	8	<10	24
CAE103014		<20	0.02	<10	<10	13	<10	30
CAE103015		<20	0.03	<10	<10	22	<10	40
CAE103016		<20	0.03	<10	<10	17	<10	34
CAE103017		<20	0.03	<10	<10	45	<10	41
CAE103018		<20	0.04	<10	<10	56	<10	49
CAE103019		<20	0.05	<10	<10	37	<10	45
CAE103020		<20	0.06	<10	<10	30	<10	42
CAE103021		<20	0.12	<10	<10	44	<10	50
CAE103022		<20	0.10	<10	<10	47	<10	46
CAE103023		<20	0.09	<10	<10	47	<10	45
CAE103024		<20	0.06	<10	<10	32	<10	44
CAE103025		<20	0.09	<10	<10	39	<10	63
CAE103026		<20	0.09	<10	<10	56	<10	53
CAE103027		<20	0.12	<10	<10	69	<10	54
CAE103028		<20	0.01	<10	<10	38	<10	73
CAE103029		<20	0.04	<10	<10	43	10	2000
CAE103030		<20	0.01	<10	<10	33	<10	47

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 20-JUN-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11099584

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP22 Au ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
CAE103031		2.56	0.002	<0.2	0.57	221	<10	20	<0.5	<2	0.62	<0.5	10	4	18	2.64
CAE103032		0.68	<0.001	<0.2	0.24	<2	<10	60	<0.5	<2	0.04	<0.5	4	2	5	0.55
CAE103033		2.62	0.006	2.6	0.47	117	<10	20	<0.5	3	0.77	<0.5	9	6	10	1.94
CAE103034		2.71	0.005	0.7	0.59	60	<10	50	<0.5	<2	0.23	1.3	13	4	38	3.01
CAE103035		2.57	0.004	<0.2	0.46	56	<10	30	<0.5	<2	0.53	<0.5	13	5	28	3.18
CAE103036		1.42	<0.001	<0.2	0.57	29	<10	30	<0.5	<2	1.12	<0.5	11	5	18	2.64
CAE103037		1.14	0.003	<0.2	0.52	18	<10	30	<0.5	<2	1.02	<0.5	11	5	18	2.47
CAE103038		2.59	0.008	<0.2	0.51	23	<10	220	<0.5	<2	1.28	<0.5	10	7	8	1.90
CAE103039		2.70	0.006	<0.2	0.42	3	<10	50	<0.5	<2	0.91	<0.5	6	3	2	1.03
CAE103040		2.61	0.002	<0.2	0.48	5	<10	50	<0.5	<2	0.76	<0.5	5	3	2	1.24
CAE103041		2.22	0.005	<0.2	0.50	9	<10	40	<0.5	<2	0.24	<0.5	6	2	3	1.18
CAE103042		2.73	0.013	<0.2	0.45	4	<10	40	<0.5	<2	0.27	<0.5	7	3	6	1.36
CAE103043		3.04	0.149	0.6	0.37	11	<10	50	<0.5	<2	0.38	0.6	9	5	9	2.49
CAE103044		2.15	0.075	0.4	0.55	4	<10	30	<0.5	<2	0.32	<0.5	10	2	6	2.30
CAE103045		5.08	0.002	<0.2	0.59	13	<10	30	<0.5	<2	0.59	0.9	6	3	9	1.69
CAE103046		5.51	0.005	<0.2	0.80	<2	<10	50	<0.5	<2	0.75	<0.5	6	4	3	1.72
CAE103047		5.18	0.015	<0.2	0.78	7	<10	50	<0.5	<2	0.52	<0.5	5	3	3	1.85
CAE103048		5.60	0.004	<0.2	0.85	<2	<10	60	0.5	<2	0.72	<0.5	5	4	1	1.63
CAE103049		5.34	0.010	<0.2	0.77	<2	<10	40	0.5	<2	0.88	<0.5	6	3	1	1.58
CAE103050		0.13	1.170	0.8	1.41	17	<10	190	<0.5	<2	0.94	<0.5	14	43	588	3.35
CAE103051		5.21	0.020	<0.2	0.48	<2	<10	60	<0.5	<2	1.68	<0.5	5	4	<1	1.02
CAE103052		5.48	0.031	<0.2	0.96	4	<10	60	0.5	<2	1.92	<0.5	11	15	10	2.01
CAE103053		1.17	0.001	<0.2	0.24	<2	<10	60	<0.5	<2	0.05	<0.5	3	3	<1	0.57
CAE103054		2.55	0.013	<0.2	0.65	33	<10	40	<0.5	<2	1.14	<0.5	6	6	8	1.64
CAE103055		2.05	<0.001	<0.2	0.72	31	<10	50	<0.5	<2	1.15	<0.5	7	7	9	1.67
CAE103056		5.25	0.004	<0.2	0.85	<2	<10	40	<0.5	<2	0.94	<0.5	5	3	7	1.44
CAE103057		5.23	0.021	<0.2	0.57	7	<10	30	<0.5	<2	0.80	<0.5	6	3	8	1.72
CAE103058		4.68	0.009	<0.2	1.08	<2	<10	50	0.5	<2	2.69	<0.5	11	31	21	2.51
CAE103059		5.50	0.003	<0.2	0.79	<2	<10	60	0.6	<2	1.82	<0.5	6	2	4	1.51
CAE103060		5.78	0.001	<0.2	0.86	<2	<10	50	0.7	<2	1.98	<0.5	5	3	2	1.78
CAE103061		4.67	0.022	<0.2	0.97	<2	<10	80	0.5	<2	1.19	<0.5	6	3	7	1.56
CAE103062		5.22	0.002	<0.2	1.04	<2	<10	90	0.5	<2	1.17	<0.5	6	4	4	1.70
CAE103063		4.97	0.002	<0.2	0.98	<2	<10	80	<0.5	<2	1.41	<0.5	6	4	3	1.90
CAE103064		5.83	0.004	<0.2	0.69	4	<10	50	<0.5	<2	1.75	<0.5	7	3	8	1.63
CAE103065		2.81	0.007	0.2	0.75	2	<10	40	0.5	<2	1.01	<0.5	9	3	11	2.45
CAE103066		0.14	3.05	62.7	1.81	36	<10	170	<0.5	2	2.65	8.5	12	47	178	2.91
CAE103067		1.50	0.008	0.4	0.66	2	<10	20	0.5	<2	0.78	<0.5	10	2	29	1.98
CAE103068		3.25	0.024	0.3	0.64	9	<10	30	<0.5	<2	0.21	<0.5	5	2	12	1.18
CAE103069		0.98	<0.001	<0.2	0.25	3	<10	60	<0.5	<2	0.04	<0.5	2	4	<1	0.67
CAE103070		5.15	8.87	5.6	0.41	22	<10	20	<0.5	6	0.73	<0.5	100	1	6	18.4

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 20-JUN-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11099584

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
CAE103031		<10	<1	0.19	10	0.25	403	<1	0.01	1	290	9	1.69	2	9	24
CAE103032		<10	<1	0.17	<10	0.02	53	2	0.07	3	100	9	<0.01	<2	1	52
CAE103033		<10	<1	0.15	10	0.26	181	3	<0.01	2	230	204	1.56	<2	7	31
CAE103034		<10	<1	0.18	10	0.08	62	2	<0.01	2	280	146	2.93	<2	4	17
CAE103035		<10	<1	0.16	10	0.20	532	2	0.02	1	280	21	2.36	<2	8	24
CAE103036		<10	<1	0.31	10	0.37	725	2	0.02	<1	300	9	1.21	<2	8	42
CAE103037		<10	<1	0.27	10	0.35	721	2	0.02	1	300	7	1.03	<2	9	40
CAE103038		<10	<1	0.28	20	0.15	584	1	0.02	2	220	7	1.22	<2	4	35
CAE103039		<10	<1	0.22	20	0.13	462	1	0.03	<1	170	4	0.28	<2	2	32
CAE103040		<10	<1	0.26	20	0.20	377	1	0.02	<1	200	12	0.62	<2	2	28
CAE103041		<10	<1	0.20	20	0.07	89	1	0.01	<1	200	6	0.97	<2	2	13
CAE103042		<10	<1	0.19	20	0.09	93	5	<0.01	<1	150	17	1.19	<2	2	14
CAE103043		<10	<1	0.20	30	0.11	155	213	<0.01	<1	90	22	2.40	<2	2	20
CAE103044		<10	<1	0.24	20	0.12	127	48	0.02	<1	220	60	2.09	<2	2	17
CAE103045		<10	<1	0.23	20	0.23	441	2	0.02	<1	220	10	0.71	<2	4	23
CAE103046		<10	<1	0.41	30	0.27	469	3	0.02	<1	230	7	0.34	<2	3	23
CAE103047		<10	<1	0.40	30	0.29	456	2	0.03	<1	240	10	0.46	<2	4	26
CAE103048		<10	<1	0.45	20	0.28	479	1	0.03	<1	210	5	0.17	<2	3	24
CAE103049		<10	<1	0.43	30	0.29	386	1	0.03	<1	230	16	0.41	<2	3	33
CAE103050		10	<1	0.23	10	0.68	441	31	0.10	30	620	73	0.56	2	6	48
CAE103051		<10	<1	0.35	20	0.19	451	3	0.03	<1	200	5	0.32	<2	1	48
CAE103052		<10	<1	0.50	10	0.79	525	146	0.02	5	300	8	0.45	<2	7	115
CAE103053		<10	<1	0.16	10	0.02	73	1	0.07	<1	150	5	<0.01	<2	1	68
CAE103054		<10	<1	0.32	20	0.42	285	2	0.03	2	240	20	0.72	<2	4	65
CAE103055		<10	<1	0.35	20	0.46	274	1	0.03	2	270	15	0.69	<2	4	66
CAE103056		<10	<1	0.41	30	0.31	380	2	0.03	<1	250	7	0.34	<2	3	38
CAE103057		<10	<1	0.19	20	0.23	220	129	0.01	<1	210	32	1.28	<2	4	48
CAE103058		10	1	0.50	30	0.68	769	2	0.02	7	300	10	1.30	<2	8	106
CAE103059		<10	<1	0.40	30	0.32	633	5	0.02	<1	240	10	0.24	<2	4	58
CAE103060		<10	<1	0.42	30	0.31	823	2	0.02	<1	260	8	0.06	<2	4	47
CAE103061		<10	<1	0.52	30	0.35	496	3	0.03	<1	260	7	0.10	<2	3	33
CAE103062		<10	<1	0.55	30	0.37	518	1	0.02	<1	270	7	0.17	<2	3	31
CAE103063		<10	<1	0.57	30	0.40	550	1	0.03	<1	270	7	0.56	<2	4	40
CAE103064		<10	<1	0.35	20	0.36	564	2	0.02	<1	240	8	0.75	<2	3	75
CAE103065		<10	<1	0.31	20	0.39	677	3	0.01	<1	290	9	1.38	<2	4	56
CAE103066		10	13	0.23	10	1.55	542	11	0.05	34	480	1150	0.97	164	4	84
CAE103067		<10	<1	0.20	20	0.25	826	29	0.01	1	230	23	1.08	<2	5	33
CAE103068		<10	1	0.19	20	0.08	114	3	0.01	1	240	9	0.99	3	2	12
CAE103069		<10	1	0.18	<10	0.02	70	<1	0.06	1	130	7	0.02	<2	1	60
CAE103070		<10	1	0.23	10	0.26	231	14	0.03	<1	130	11	>10.0	2	2	32

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 20-JUN-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11099584

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CAE103031		<20	0.01	<10	<10	47	<10	79
CAE103032		<20	0.01	<10	<10	27	<10	16
CAE103033		<20	0.01	<10	<10	43	<10	47
CAE103034		<20	<0.01	<10	<10	22	<10	75
CAE103035		<20	0.01	<10	<10	34	<10	67
CAE103036		<20	0.02	<10	<10	49	<10	55
CAE103037		<20	0.01	<10	<10	47	<10	62
CAE103038		<20	0.01	<10	<10	22	<10	32
CAE103039		<20	<0.01	<10	<10	10	<10	21
CAE103040		<20	<0.01	<10	<10	8	<10	28
CAE103041		20	<0.01	<10	<10	5	<10	21
CAE103042		<20	<0.01	<10	<10	7	<10	60
CAE103043		<20	<0.01	<10	<10	12	<10	67
CAE103044		<20	0.01	<10	<10	10	<10	47
CAE103045		<20	0.02	<10	<10	20	<10	275
CAE103046		<20	0.04	<10	<10	16	<10	37
CAE103047		20	0.04	<10	<10	21	<10	39
CAE103048		<20	0.04	<10	<10	17	<10	34
CAE103049		<20	0.04	<10	<10	17	<10	32
CAE103050		<20	0.11	<10	<10	67	20	100
CAE103051		<20	0.01	<10	<10	8	<10	22
CAE103052		<20	0.03	<10	<10	46	<10	50
CAE103053		<20	0.01	<10	<10	21	<10	16
CAE103054		<20	0.02	<10	<10	25	<10	39
CAE103055		<20	0.02	<10	<10	27	<10	40
CAE103056		<20	0.03	<10	<10	18	<10	37
CAE103057		<20	0.01	<10	<10	16	<10	44
CAE103058		<20	0.04	<10	<10	46	<10	51
CAE103059		<20	0.03	<10	<10	15	<10	35
CAE103060		20	0.04	<10	<10	17	<10	43
CAE103061		20	0.05	<10	<10	18	<10	41
CAE103062		20	0.05	<10	<10	17	<10	46
CAE103063		<20	0.06	<10	<10	21	<10	49
CAE103064		<20	0.02	<10	<10	14	<10	45
CAE103065		<20	0.02	<10	<10	23	<10	60
CAE103066		<20	0.03	<10	<10	42	10	2100
CAE103067		<20	0.01	<10	<10	21	<10	78
CAE103068		<20	<0.01	<10	<10	12	<10	36
CAE103069		<20	0.01	<10	<10	31	<10	15
CAE103070		<20	<0.01	<10	<10	10	<10	16

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 20-JUN-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11099584

Sample Description	Method	WEI-21	Au-ICP22	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CAE103071		2.55	0.043	0.4	0.58	28	<10	40	<0.5	<2	0.21	<0.5	7	3	15	1.30
CAE103072		2.61	0.028	0.4	0.57	24	<10	30	<0.5	<2	0.23	<0.5	8	5	24	1.83
CAE103073		2.17	0.017	0.8	0.67	53	<10	30	<0.5	<2	0.22	1.1	6	3	26	1.54
CAE103074		2.86	0.020	0.8	0.68	60	<10	30	<0.5	<2	0.17	0.8	7	3	19	1.30
CAE103075		2.77	0.145	3.1	0.32	33	<10	30	<0.5	<2	0.25	1.0	5	6	12	2.08
CAE103076		1.83	0.031	0.2	0.68	49	<10	50	<0.5	<2	0.44	<0.5	6	3	14	1.86
CAE103077		5.68	0.014	0.3	0.93	4	<10	90	<0.5	<2	1.26	<0.5	6	4	34	1.88
CAE103078		4.50	0.003	<0.2	1.21	2	<10	140	0.5	<2	1.05	<0.5	5	4	33	1.94
CAE103079		7.85	0.004	<0.2	1.05	2	<10	130	<0.5	<2	1.58	<0.5	5	4	10	1.76
CAE103080		2.65	0.003	<0.2	1.08	<2	<10	130	<0.5	<2	1.18	<0.5	5	3	10	1.90
CAE103081		5.22	0.003	<0.2	0.84	<2	<10	90	<0.5	<2	1.48	<0.5	5	4	9	1.49

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 20-JUN-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11099584

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
CAE103071		<10	1	0.24	20	0.09	176	8	0.02	1	260	10	1.02	3	3	13
CAE103072		<10	1	0.22	20	0.12	320	7	0.01	1	230	12	1.27	<2	3	14
CAE103073		<10	1	0.19	20	0.09	62	16	0.01	2	220	57	1.39	<2	2	15
CAE103074		<10	<1	0.18	10	0.06	49	18	<0.01	2	250	15	1.20	<2	2	13
CAE103075		<10	1	0.16	10	0.08	49	611	0.01	1	180	34	2.15	<2	1	12
CAE103076		<10	1	0.29	10	0.18	309	3	0.03	<1	290	12	1.36	2	3	24
CAE103077		<10	1	0.50	20	0.31	591	3	0.02	<1	290	13	0.89	2	2	39
CAE103078		<10	<1	0.64	20	0.40	576	4	0.04	<1	300	7	0.45	<2	4	31
CAE103079		<10	1	0.63	20	0.40	689	1	0.03	<1	300	8	0.14	<2	4	41
CAE103080		<10	1	0.61	20	0.41	593	<1	0.02	<1	290	13	0.14	2	4	29
CAE103081		<10	<1	0.51	20	0.29	559	<1	0.02	<1	280	8	0.33	<2	2	38

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 20-JUN-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11099584

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CAE103071		<20	0.01	<10	<10	12	<10	29
CAE103072		<20	0.01	<10	<10	13	<10	45
CAE103073		<20	<0.01	<10	<10	9	<10	34
CAE103074		<20	<0.01	<10	<10	9	<10	28
CAE103075		<20	<0.01	<10	<10	7	<10	21
CAE103076		<20	0.01	<10	<10	15	<10	42
CAE103077		<20	0.04	<10	<10	12	<10	47
CAE103078		<20	0.06	<10	<10	18	<10	44
CAE103079		<20	0.06	<10	<10	19	<10	41
CAE103080		<20	0.06	<10	<10	20	<10	44
CAE103081		<20	0.04	<10	<10	12	<10	34