ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 28-SEP-2011
Account: SELHOL

CERTIFICATE WH11152788

Project: White Gold Project

P.O. No.: WG00962011

This report is for 66 Rock samples submitted to our lab in Whitehorse, YT, Canada on 8-AUG-2011.

The following have access to data associated with this certificate:

KEITH FOWLOW	JEAN-PIERRE LONDERO	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-23	Pulp Login - Rcvd with Barcode
LOG-21	Sample logging - ClientBarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **SELENE HOLDINGS LP**
ATTN: KEITH FOWLOW
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 28-SEP-2011
Account: SELHOL

Project: White Gold Project

CERTIFICATE OF ANALYSIS WH11152788

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP22 Au ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
CAE103527		3.23	0.001	<0.2	0.98	<2	<10	260	0.5	<2	0.22	<0.5	3	6	23	2.11
CAE103528		3.92	0.001	<0.2	0.94	<2	<10	280	0.5	<2	0.21	<0.5	4	7	25	2.16
CAE103529		0.07	0.219	<0.2	0.18	489	<10	1670	<0.5	<2	1.08	<0.5	2	23	65	3.89
CAE103530		4.02	0.001	<0.2	0.56	2	<10	200	<0.5	<2	0.10	<0.5	2	6	12	1.18
CAE103531		3.68	0.001	<0.2	0.73	3	<10	220	<0.5	<2	0.15	<0.5	3	5	22	1.84
CAE103532		4.04	0.002	<0.2	0.92	2	<10	220	0.5	<2	0.18	<0.5	3	6	23	2.06
CAE103533		3.84	0.001	<0.2	0.75	2	<10	190	0.5	<2	0.16	<0.5	3	6	23	1.86
CAE103534		2.25	0.001	<0.2	0.19	2	<10	50	<0.5	<2	0.03	<0.5	1	10	1	0.75
CAE103535		3.52	<0.001	<0.2	0.80	2	<10	180	0.5	<2	0.16	<0.5	4	9	17	1.79
CAE103536		4.31	0.001	<0.2	1.18	<2	<10	280	0.6	<2	0.31	<0.5	4	9	22	2.35
CAE103537		4.25	0.001	<0.2	0.83	<2	<10	120	<0.5	<2	0.20	<0.5	4	6	12	1.56
CAE103538		2.91	0.001	<0.2	1.11	<2	<10	220	<0.5	<2	0.32	<0.5	3	5	5	2.00
CAE103539		2.97	0.001	<0.2	0.91	<2	<10	150	<0.5	<2	0.23	<0.5	3	5	6	1.73
CAE103540		3.12	0.001	<0.2	0.97	2	<10	170	<0.5	<2	0.36	<0.5	3	5	3	1.53
CAE103541		4.27	0.001	<0.2	0.94	<2	<10	190	<0.5	<2	0.25	<0.5	3	6	5	1.81
CAE103542		3.50	0.001	<0.2	1.18	<2	<10	240	<0.5	<2	0.33	<0.5	4	9	54	1.91
CAE103543		3.56	0.001	<0.2	0.97	<2	<10	210	<0.5	<2	0.26	<0.5	4	9	9	1.79
CAE103544		3.17	0.001	<0.2	1.05	<2	<10	230	<0.5	<2	0.27	<0.5	4	6	6	1.85
CAE103545		0.06	NSS	0.2	0.18	486	<10	2460	<0.5	<2	1.06	<0.5	2	23	64	3.93
CAE103546		3.11	<0.001	<0.2	0.71	<2	<10	180	<0.5	<2	0.19	<0.5	3	7	6	1.51
CAE103547		3.64	0.001	<0.2	1.05	2	<10	250	0.5	<2	0.28	<0.5	3	8	11	1.89
CAE103548		3.71	0.001	<0.2	0.88	3	<10	200	<0.5	<2	0.25	<0.5	3	6	8	1.57
CAE103549		1.73	0.001	<0.2	0.32	<2	<10	70	<0.5	<2	0.03	<0.5	1	9	1	0.73
CAE103550		3.16	0.002	<0.2	0.77	<2	<10	160	<0.5	<2	0.22	<0.5	2	7	6	1.54
CAE103551		3.83	0.001	<0.2	1.23	<2	<10	310	0.5	<2	0.35	<0.5	4	5	20	2.33
CAE103552		3.56	0.001	<0.2	0.97	<2	<10	230	<0.5	<2	0.28	<0.5	3	5	25	2.09
CAE103553		3.87	0.001	<0.2	0.89	<2	<10	230	<0.5	<2	0.28	<0.5	3	7	23	1.79
CAE103554		2.98	0.001	<0.2	1.24	<2	<10	260	<0.5	<2	0.49	<0.5	6	6	20	2.59
CAE103555		4.06	<0.001	<0.2	1.15	<2	<10	210	0.8	<2	0.21	<0.5	6	9	13	2.40
CAE103556		3.52	0.001	<0.2	0.52	<2	<10	170	0.7	<2	0.09	0.7	2	5	24	1.73
CAE103557		4.42	0.001	<0.2	0.68	4	<10	250	0.5	<2	0.11	0.7	3	9	16	1.62
CAE103558		3.87	0.001	0.2	0.78	3	<10	250	0.5	<2	0.13	<0.5	3	7	23	1.98
CAE103559		2.83	<0.001	<0.2	0.98	<2	<10	300	0.7	<2	0.17	<0.5	3	5	22	2.19
CAE103560		3.15	0.001	<0.2	0.95	<2	<10	310	0.7	2	0.18	<0.5	3	4	21	2.25
CAE103561		4.00	0.001	<0.2	0.53	<2	<10	460	0.6	<2	0.29	<0.5	2	7	9	1.48
CAE103562		3.37	<0.001	<0.2	0.83	<2	<10	280	0.5	<2	0.14	<0.5	3	4	6	1.96
CAE103563		2.72	<0.001	<0.2	0.97	<2	<10	330	0.5	<2	0.16	<0.5	2	4	3	2.05
CAE103564		4.34	0.004	<0.2	1.35	<2	<10	340	0.7	<2	0.23	<0.5	5	12	10	2.96
CAE103565		0.06	NSS	0.2	0.17	454	<10	2130	<0.5	<2	1.03	<0.5	2	21	61	3.77
CAE103566		4.17	0.001	0.2	0.62	3	<10	170	0.6	<2	0.13	<0.5	3	6	14	1.94

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 28-SEP-2011
Account: SELHOL

Project: White Gold Project

CERTIFICATE OF ANALYSIS WH11152788

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
CAE103527		<10	<1	0.31	30	0.28	430	3	0.05	3	450	6	0.01	<2	2	23
CAE103528		<10	<1	0.32	30	0.31	443	1	0.03	3	510	5	0.01	<2	1	18
CAE103529		<10	3	0.07	<10	0.02	110	17	0.01	17	60	18	0.15	29	1	34
CAE103530		<10	<1	0.23	20	0.12	230	<1	0.05	2	200	7	0.01	<2	1	12
CAE103531		<10	<1	0.23	30	0.22	347	1	0.03	3	370	5	0.01	<2	1	13
CAE103532		<10	<1	0.27	30	0.28	411	1	0.06	3	430	6	<0.01	<2	1	18
CAE103533		<10	<1	0.21	30	0.25	364	<1	0.03	3	420	7	0.01	<2	1	13
CAE103534		<10	1	0.15	<10	0.04	176	<1	0.05	4	80	3	<0.01	<2	1	34
CAE103535		<10	<1	0.23	30	0.30	374	1	0.03	6	380	6	0.01	<2	1	14
CAE103536		<10	<1	0.44	50	0.40	538	<1	0.04	3	570	5	0.01	2	1	32
CAE103537		<10	<1	0.27	20	0.29	663	<1	0.04	2	430	4	<0.01	<2	1	19
CAE103538		<10	<1	0.42	30	0.37	418	<1	0.06	2	580	3	<0.01	2	1	33
CAE103539		<10	<1	0.32	30	0.34	376	<1	0.04	2	480	2	<0.01	<2	1	20
CAE103540		<10	<1	0.34	30	0.31	339	<1	0.07	1	490	2	<0.01	<2	1	37
CAE103541		<10	<1	0.39	20	0.32	389	<1	0.04	2	470	3	0.01	<2	1	27
CAE103542		<10	<1	0.45	30	0.34	336	<1	0.08	4	440	3	0.03	<2	2	36
CAE103543		<10	<1	0.35	40	0.32	339	<1	0.05	3	400	3	0.03	<2	2	30
CAE103544		<10	<1	0.38	30	0.35	349	<1	0.08	2	430	3	0.03	<2	1	31
CAE103545		<10	3	0.07	<10	0.02	107	18	<0.01	16	60	17	0.20	31	1	36
CAE103546		<10	<1	0.19	30	0.23	367	<1	0.04	2	340	3	0.03	<2	1	19
CAE103547		<10	<1	0.35	40	0.31	385	<1	0.07	3	380	5	0.03	<2	2	32
CAE103548		<10	<1	0.30	40	0.28	359	<1	0.04	3	420	3	0.02	<2	1	24
CAE103549		<10	<1	0.26	<10	0.01	79	<1	0.08	1	90	4	0.02	<2	1	35
CAE103550		<10	<1	0.30	20	0.25	294	<1	0.06	1	360	3	0.03	<2	1	23
CAE103551		<10	<1	0.51	30	0.33	478	1	0.09	1	610	4	0.03	<2	1	45
CAE103552		<10	<1	0.36	30	0.27	406	1	0.05	2	490	4	0.03	<2	1	30
CAE103553		<10	1	0.33	30	0.22	358	1	0.07	2	400	4	0.03	<2	1	36
CAE103554		10	<1	0.40	30	0.47	600	<1	0.05	2	860	4	0.03	<2	1	49
CAE103555		10	<1	0.57	40	0.47	1025	1	0.05	4	390	8	0.03	<2	3	20
CAE103556		<10	1	0.20	30	0.08	482	1	0.02	2	180	37	0.03	<2	1	10
CAE103557		<10	1	0.29	20	0.16	576	2	0.04	4	280	61	0.03	<2	1	10
CAE103558		<10	<1	0.31	30	0.18	559	1	0.03	3	380	56	0.03	<2	1	10
CAE103559		<10	<1	0.46	40	0.20	572	1	0.05	3	450	12	0.01	<2	1	16
CAE103560		<10	1	0.45	40	0.22	684	1	0.03	2	510	13	0.01	<2	1	16
CAE103561		<10	<1	0.25	30	0.08	636	<1	0.04	3	270	8	0.02	<2	1	20
CAE103562		<10	<1	0.35	20	0.17	550	<1	0.04	<1	410	5	0.01	<2	1	12
CAE103563		<10	<1	0.42	30	0.19	700	1	0.05	1	440	8	0.01	<2	1	13
CAE103564		10	<1	0.61	40	0.51	776	1	0.04	9	560	14	0.02	<2	3	18
CAE103565		<10	3	0.06	<10	0.02	101	17	0.03	15	60	15	0.17	29	1	35
CAE103566		<10	1	0.28	30	0.13	484	2	0.06	3	370	16	0.02	<2	1	13

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 28-SEP-2011
Account: SELHOL

Project: White Gold Project

CERTIFICATE OF ANALYSIS WH11152788

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CAE103527		<20	0.07	<10	<10	10	<10	28
CAE103528		20	0.06	<10	<10	10	<10	29
CAE103529		<20	0.01	10	<10	11	<10	19
CAE103530		20	0.02	<10	<10	4	<10	15
CAE103531		20	0.03	<10	<10	7	<10	25
CAE103532		20	0.03	<10	<10	8	<10	32
CAE103533		20	0.02	<10	<10	7	<10	28
CAE103534		<20	<0.01	<10	<10	30	<10	19
CAE103535		20	0.03	<10	<10	9	<10	28
CAE103536		20	0.10	<10	<10	8	<10	39
CAE103537		<20	0.07	<10	<10	8	<10	24
CAE103538		<20	0.11	<10	<10	9	<10	28
CAE103539		20	0.09	<10	<10	8	<10	25
CAE103540		<20	0.11	<10	<10	7	<10	23
CAE103541		<20	0.11	<10	<10	9	<10	25
CAE103542		<20	0.13	<10	<10	13	<10	26
CAE103543		20	0.11	<10	<10	14	<10	25
CAE103544		20	0.09	<10	<10	11	<10	26
CAE103545		<20	0.01	10	<10	11	<10	22
CAE103546		<20	0.04	<10	<10	8	<10	21
CAE103547		20	0.09	<10	<10	12	<10	28
CAE103548		20	0.09	<10	<10	9	<10	28
CAE103549		<20	<0.01	<10	<10	30	<10	19
CAE103550		<20	0.06	<10	<10	8	<10	29
CAE103551		<20	0.13	<10	<10	9	<10	50
CAE103552		20	0.11	<10	<10	8	<10	42
CAE103553		<20	0.08	<10	<10	6	<10	28
CAE103554		<20	0.15	<10	<10	14	<10	45
CAE103555		30	0.09	<10	<10	26	<10	86
CAE103556		30	0.01	<10	<10	6	<10	267
CAE103557		20	0.03	<10	<10	6	<10	254
CAE103558		20	0.04	<10	<10	8	<10	155
CAE103559		20	0.06	<10	<10	6	<10	56
CAE103560		20	0.07	<10	<10	6	<10	58
CAE103561		<20	0.02	<10	<10	4	<10	31
CAE103562		<20	0.05	<10	<10	5	<10	36
CAE103563		20	0.06	<10	<10	4	<10	38
CAE103564		20	0.13	<10	<10	19	<10	104
CAE103565		<20	0.01	10	<10	10	<10	17
CAE103566		20	0.04	<10	<10	9	<10	48

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 28-SEP-2011
Account: SELHOL

Project: White Gold Project

CERTIFICATE OF ANALYSIS WH11152788

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP22 Au ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
CAE103567		3.19	0.002	<0.2	0.42	<2	<10	130	<0.5	<2	0.08	<0.5	2	6	8	1.55
CAE103568		4.39	0.001	0.2	0.54	<2	<10	120	<0.5	3	0.10	<0.5	2	4	6	1.56
CAE103569		3.70	0.011	0.2	0.56	2	<10	190	0.8	<2	0.12	<0.5	2	5	9	1.58
CAE103570		2.36	<0.001	<0.2	0.16	<2	<10	40	<0.5	<2	0.03	<0.5	1	8	2	0.86
CAE103571		3.69	0.002	<0.2	0.54	2	<10	180	0.8	<2	0.11	<0.5	2	6	10	1.71
CAE103572		4.54	0.003	<0.2	0.63	<2	<10	190	0.6	<2	0.11	<0.5	3	7	12	1.59
CAE103573		3.66	0.006	<0.2	0.75	<2	<10	330	0.6	<2	0.16	<0.5	2	5	10	1.62
CAE103574		3.52	0.001	<0.2	0.75	<2	<10	110	<0.5	<2	0.22	<0.5	3	11	8	1.52
CAE103575		4.02	0.001	<0.2	0.84	<2	<10	140	<0.5	<2	0.28	<0.5	3	8	5	1.50
CAE103576		4.27	0.001	<0.2	0.82	<2	<10	110	<0.5	<2	0.36	<0.5	2	7	6	1.52
CAE103577		3.13	<0.001	<0.2	0.81	<2	<10	120	0.5	<2	0.26	<0.5	3	7	8	1.66
CAE103578		2.72	0.001	<0.2	0.77	<2	<10	120	<0.5	<2	0.24	<0.5	3	7	8	1.58
CAE103579		3.85	0.001	<0.2	0.87	<2	<10	140	0.5	<2	0.24	<0.5	4	10	10	1.61
CAE103580		3.06	0.002	<0.2	0.66	<2	<10	140	0.6	<2	0.17	<0.5	3	8	17	1.66
CAE103581		2.22	<0.001	<0.2	0.52	<2	<10	150	0.7	<2	0.12	<0.5	2	10	5	1.18
CAE103582		4.06	0.001	0.2	1.64	<2	<10	250	1.0	2	0.71	<0.5	10	104	10	2.41
CAE103583		0.08	NSS	0.2	0.18	472	<10	2030	<0.5	<2	1.08	<0.5	2	23	64	3.93
CAE103584		5.57	0.001	<0.2	1.03	2	<10	150	0.6	<2	0.32	<0.5	35	862	51	2.63
CAE103585		5.35	0.001	<0.2	1.29	<2	<10	170	0.7	<2	0.37	<0.5	40	931	27	2.88
CAE103586		3.91	0.004	<0.2	1.10	<2	<10	70	0.5	<2	0.24	<0.5	49	1040	20	3.07
CAE103587		4.17	0.001	<0.2	0.98	<2	<10	80	<0.5	<2	0.19	<0.5	44	1085	17	3.02
CAE103588		4.26	0.001	<0.2	1.02	2	<10	80	<0.5	<2	0.20	<0.5	43	1075	14	3.00
CAE103589		1.96	0.001	<0.2	0.17	<2	<10	40	<0.5	<2	0.02	<0.5	2	20	1	0.86
CAE103590		3.79	<0.001	<0.2	1.09	<2	<10	90	0.5	<2	0.24	<0.5	42	1050	15	3.07
CAE103591		4.64	0.001	<0.2	0.93	3	<10	110	0.5	<2	0.23	<0.5	34	877	16	2.51
CAE103592		3.96	<0.001	<0.2	0.84	<2	<10	50	<0.5	<2	0.12	<0.5	39	1050	16	2.93

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 28-SEP-2011
Account: SELHOL

Project: White Gold Project

CERTIFICATE OF ANALYSIS WH11152788

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
CAE103567		<10	<1	0.19	20	0.05	350	3	0.06	1	270	5	0.02	<2	1	10
CAE103568		<10	<1	0.24	10	0.09	448	1	0.04	2	300	7	0.02	<2	1	9
CAE103569		<10	1	0.21	30	0.07	492	3	0.05	2	240	8	0.02	<2	1	15
CAE103570		<10	<1	0.11	<10	0.01	114	<1	0.05	1	80	3	0.01	<2	1	34
CAE103571		<10	<1	0.24	30	0.07	504	2	0.04	4	280	9	0.02	<2	1	13
CAE103572		<10	<1	0.27	20	0.13	463	1	0.03	4	340	10	0.02	<2	1	11
CAE103573		<10	<1	0.28	30	0.14	406	1	0.05	2	340	8	0.02	<2	1	15
CAE103574		<10	<1	0.29	20	0.25	404	<1	0.04	3	320	4	0.02	<2	1	26
CAE103575		<10	<1	0.30	20	0.24	472	<1	0.06	2	310	6	0.01	<2	1	40
CAE103576		<10	<1	0.20	20	0.25	475	<1	0.04	2	360	4	0.02	<2	1	43
CAE103577		<10	<1	0.16	20	0.22	496	<1	0.06	2	320	6	0.01	<2	1	35
CAE103578		<10	<1	0.14	20	0.22	501	<1	0.04	2	310	6	0.01	<2	1	31
CAE103579		<10	<1	0.19	20	0.25	514	<1	0.06	4	290	5	0.01	<2	1	28
CAE103580		<10	<1	0.18	20	0.18	472	<1	0.04	2	210	4	0.01	<2	1	20
CAE103581		<10	<1	0.16	20	0.09	378	<1	0.05	2	100	5	0.01	<2	1	16
CAE103582		10	1	0.42	20	1.49	347	<1	0.06	60	670	18	0.01	<2	3	37
CAE103583		<10	3	0.06	<10	0.02	104	18	0.02	15	60	17	0.17	30	1	37
CAE103584		<10	<1	0.04	<10	3.69	249	<1	0.01	645	180	3	0.02	<2	4	13
CAE103585		<10	<1	0.09	10	5.91	401	<1	0.02	671	300	2	0.02	<2	5	17
CAE103586		<10	<1	0.05	10	8.12	456	<1	0.02	827	200	5	0.02	<2	6	12
CAE103587		<10	<1	0.05	10	7.48	444	<1	0.01	773	170	4	0.01	<2	6	10
CAE103588		<10	<1	0.07	10	8.30	502	<1	0.02	805	200	5	0.02	<2	6	12
CAE103589		<10	<1	0.11	10	0.08	103	<1	0.05	11	90	4	0.01	<2	1	32
CAE103590		<10	<1	0.06	10	8.01	491	<1	0.02	752	220	3	0.02	<2	6	13
CAE103591		<10	<1	0.10	10	5.82	375	1	0.01	592	280	8	0.01	<2	5	14
CAE103592		<10	1	0.03	10	7.54	439	<1	0.02	736	110	4	0.02	<2	5	8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 28-SEP-2011
Account: SELHOL

Project: White Gold Project

CERTIFICATE OF ANALYSIS WH11152788

Sample Description	Method Analyte Units LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CAE103567		20	0.02	<10	<10	5	<10	25
CAE103568		20	0.03	<10	<10	5	<10	27
CAE103569		20	0.01	<10	<10	5	<10	29
CAE103570		<20	<0.01	<10	<10	38	<10	23
CAE103571		20	0.02	<10	<10	6	<10	35
CAE103572		<20	0.03	<10	<10	6	<10	35
CAE103573		20	0.03	<10	<10	6	<10	29
CAE103574		20	0.07	<10	<10	11	<10	33
CAE103575		20	0.07	<10	<10	9	<10	38
CAE103576		20	0.05	<10	<10	8	<10	35
CAE103577		20	0.03	<10	<10	8	<10	44
CAE103578		20	0.03	<10	<10	8	<10	45
CAE103579		20	0.03	<10	<10	11	<10	43
CAE103580		20	0.02	<10	<10	7	<10	31
CAE103581		30	0.02	<10	<10	5	<10	12
CAE103582		30	0.16	<10	<10	52	<10	59
CAE103583		<20	0.01	10	<10	11	<10	17
CAE103584		<20	0.02	<10	<10	35	<10	17
CAE103585		<20	0.04	<10	<10	39	<10	27
CAE103586		<20	0.03	<10	<10	37	<10	30
CAE103587		<20	0.03	<10	<10	36	<10	23
CAE103588		<20	0.03	<10	<10	35	<10	30
CAE103589		<20	<0.01	<10	<10	36	<10	25
CAE103590		<20	0.03	<10	<10	37	<10	26
CAE103591		<20	0.04	<10	<10	36	<10	36
CAE103592		<20	0.02	<10	<10	32	<10	24

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 28-SEP-2011
Account: SELHOL

Project: White Gold Project

CERTIFICATE OF ANALYSIS WH11152788

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non-sufficient sample.