ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 12-SEP-2011
Account: SELHOL

CERTIFICATE WH11144993

Project: White Gold Project

P.O. No.: WG00922011

This report is for 64 Rock samples submitted to our lab in Whitehorse, YT, Canada on 30-JUL-2011.

The following have access to data associated with this certificate:

KEITH FOWLOW	JEAN-PIERRE LONDERO	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-23	Pulp Login - Rcvd with Barcode
LOG-21	Sample logging - ClientBarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **SELENE HOLDINGS LP**
ATTN: KEITH FOWLOW
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 12-SEP-2011
Account: SELHOL

Project: White Gold Project

CERTIFICATE OF ANALYSIS WH11144993

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP22 Au ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
CAE441991		3.83	<0.001	<0.2	1.00	<2	<10	60	<0.5	<2	2.70	<0.5	6	20	18	2.03
CAE441992		2.91	<0.001	<0.2	1.69	<2	<10	100	0.6	<2	5.13	<0.5	9	24	24	2.78
CAE441993		3.19	<0.001	<0.2	1.17	4	<10	80	<0.5	2	0.92	<0.5	6	21	25	2.68
CAE441994		2.96	<0.001	<0.2	0.65	<2	<10	50	<0.5	<2	0.25	<0.5	6	20	16	1.74
CAE441995		2.47	<0.001	<0.2	0.67	<2	<10	40	<0.5	<2	0.23	<0.5	5	27	11	1.73
CAE441996		2.34	0.014	0.5	2.64	108	<10	170	0.5	<2	1.41	<0.5	27	21	522	9.10
CAE441997		3.06	0.008	0.3	2.31	45	<10	90	<0.5	<2	1.04	<0.5	25	20	309	6.98
CAE441998		2.51	<0.001	<0.2	0.70	<2	<10	110	<0.5	<2	1.64	<0.5	7	5	23	3.67
CAE441999		3.38	<0.001	<0.2	0.36	8	<10	110	<0.5	<2	0.52	<0.5	4	8	17	1.99
CAE442000		2.87	0.001	<0.2	0.33	58	<10	100	<0.5	<2	0.98	<0.5	4	5	14	2.31
CAE103473		3.14	0.001	<0.2	0.30	156	<10	90	<0.5	<2	0.43	<0.5	3	6	11	1.82
CAE103474		4.18	<0.001	<0.2	0.28	7	<10	90	<0.5	<2	0.16	<0.5	3	5	6	1.81
CAE103475		3.52	0.001	<0.2	1.74	2	<10	230	<0.5	<2	1.07	<0.5	21	48	152	5.81
CAE103476		3.79	0.001	<0.2	2.00	<2	<10	340	<0.5	<2	2.28	<0.5	21	38	126	5.83
CAE103477		2.92	0.002	<0.2	1.30	<2	<10	370	0.5	<2	1.29	<0.5	18	27	123	5.62
CAE103478		2.80	0.002	<0.2	2.25	<2	<10	410	<0.5	<2	1.58	<0.5	25	29	166	6.63
CAE103479		3.61	0.002	<0.2	1.76	<2	<10	90	<0.5	<2	1.03	<0.5	14	30	37	4.33
CAE103480		3.68	0.001	<0.2	1.50	3	<10	230	<0.5	<2	1.74	<0.5	15	32	92	4.33
CAE103481		3.52	0.007	<0.2	1.10	13	10	230	0.6	<2	2.71	<0.5	21	25	149	5.90
CAE103482		0.08	0.209	0.2	0.18	492	<10	1290	<0.5	<2	1.10	<0.5	2	23	65	3.97
CAE103483		3.31	0.003	<0.2	0.67	2	10	830	0.6	<2	4.04	<0.5	23	26	126	5.93
CAE103484		3.49	0.004	<0.2	0.55	<2	<10	480	<0.5	2	8.6	<0.5	20	35	93	5.25
CAE103485		3.53	0.008	<0.2	0.33	4	<10	1160	<0.5	<2	9.6	<0.5	21	28	52	4.36
CAE103486		2.91	0.002	<0.2	0.39	2	<10	100	<0.5	<2	9.3	<0.5	20	28	70	4.87
CAE103487		3.35	0.001	<0.2	0.38	3	<10	260	<0.5	<2	8.1	<0.5	19	25	36	4.68
CAE103488		3.82	0.002	<0.2	0.40	<2	<10	270	<0.5	<2	7.2	<0.5	16	22	59	4.73
CAE103489		3.03	<0.001	<0.2	0.53	2	<10	210	<0.5	<2	3.22	<0.5	10	14	38	3.14
CAE103490		2.64	<0.001	<0.2	0.21	<2	<10	40	<0.5	<2	0.04	<0.5	1	9	1	0.94
CAE103491		3.29	<0.001	<0.2	0.60	2	<10	300	<0.5	<2	1.63	<0.5	13	6	69	5.23
CAE103492		3.18	0.006	<0.2	0.44	2	<10	1260	<0.5	<2	3.41	<0.5	13	7	97	4.85
CAE103493		3.65	0.005	<0.2	0.49	3	<10	380	<0.5	<2	1.67	<0.5	12	11	27	3.42
CAE103494		3.33	0.004	<0.2	0.57	2	<10	950	<0.5	<2	6.14	<0.5	14	6	62	4.88
CAE103495		3.11	0.001	<0.2	0.52	2	<10	330	<0.5	<2	5.43	<0.5	15	13	101	4.75
CAE103496		2.59	0.002	<0.2	0.56	<2	<10	600	<0.5	<2	4.79	<0.5	15	11	92	4.79
CAE103497		3.16	0.002	<0.2	0.50	3	<10	660	<0.5	<2	5.35	<0.5	18	21	147	4.94
CAE103498		3.34	0.001	<0.2	0.44	<2	<10	280	<0.5	<2	5.03	<0.5	15	15	95	4.52
CAE103499		2.89	0.001	<0.2	0.44	<2	<10	310	<0.5	<2	6.55	<0.5	17	19	89	4.88
CAE103500		3.23	0.003	<0.2	0.42	<2	<10	480	<0.5	<2	8.4	<0.5	20	15	72	5.20
CAE103501		3.87	0.012	<0.2	0.41	2	<10	820	<0.5	<2	8.3	<0.5	18	10	70	4.77
CAE103502		3.33	0.001	<0.2	0.51	3	<10	430	<0.5	<2	7.1	<0.5	21	10	113	5.46

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 12-SEP-2011
Account: SELHOL

Project: White Gold Project

CERTIFICATE OF ANALYSIS WH11144993

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
CAE441991		<10	<1	0.28	30	0.36	266	<1	0.03	18	400	10	0.03	<2	3	65
CAE441992		<10	<1	0.39	40	0.64	418	<1	0.04	24	410	13	0.12	<2	4	147
CAE441993		<10	<1	0.44	50	0.58	362	1	0.04	17	450	9	0.17	<2	3	31
CAE441994		<10	<1	0.16	20	0.26	313	<1	0.02	16	350	6	0.04	<2	2	11
CAE441995		<10	<1	0.13	20	0.34	288	1	0.02	11	220	5	0.01	<2	2	9
CAE441996		10	1	0.12	10	1.90	1140	3	0.04	14	470	12	0.09	<2	21	42
CAE441997		10	1	0.10	10	1.80	1065	2	0.05	16	490	12	0.07	<2	18	32
CAE441998		<10	<1	0.07	10	0.27	777	1	0.05	2	570	6	0.01	<2	12	31
CAE441999		<10	<1	0.05	10	0.06	439	1	0.06	4	200	4	<0.01	<2	5	18
CAE442000		<10	<1	0.04	10	0.04	490	2	0.06	3	130	6	<0.01	<2	5	18
CAE103473		<10	<1	0.03	10	0.04	463	2	0.06	5	40	5	<0.01	<2	4	17
CAE103474		<10	<1	0.02	10	0.04	474	1	0.07	1	110	3	<0.01	<2	6	11
CAE103475		10	<1	0.06	20	1.32	997	<1	0.05	28	780	3	0.01	<2	17	24
CAE103476		10	<1	0.04	10	1.56	1020	<1	0.06	24	790	2	0.04	<2	21	43
CAE103477		10	<1	0.07	20	0.83	1085	<1	0.05	23	780	2	0.02	<2	18	27
CAE103478		10	1	0.05	10	1.65	1120	<1	0.06	25	910	3	0.01	<2	24	33
CAE103479		10	<1	0.06	<10	1.42	942	<1	0.09	14	820	2	0.01	<2	13	36
CAE103480		10	<1	0.10	10	0.77	785	<1	0.07	19	660	2	0.01	<2	15	51
CAE103481		<10	<1	0.16	10	0.41	1100	1	0.04	22	610	6	0.01	<2	17	29
CAE103482		<10	3	0.06	<10	0.02	110	17	0.02	16	50	16	0.14	29	1	34
CAE103483		<10	<1	0.13	10	0.65	1110	1	0.04	27	710	2	0.02	<2	20	46
CAE103484		<10	<1	0.13	10	1.08	1350	1	0.03	30	340	2	0.01	<2	18	56
CAE103485		<10	<1	0.09	<10	2.62	1405	<1	0.02	30	160	5	0.04	<2	13	134
CAE103486		<10	<1	0.09	<10	3.33	1355	<1	0.03	26	280	<2	0.01	<2	15	123
CAE103487		<10	<1	0.13	<10	3.02	1160	<1	0.02	24	270	<2	0.01	<2	12	93
CAE103488		<10	<1	0.06	<10	2.69	1310	<1	0.02	16	360	2	0.01	<2	14	86
CAE103489		<10	<1	0.05	<10	1.30	814	<1	0.02	9	270	<2	0.01	<2	8	56
CAE103490		<10	<1	0.16	<10	0.02	143	<1	0.06	2	80	2	<0.01	<2	1	36
CAE103491		<10	<1	0.08	10	0.51	1180	<1	0.06	7	1030	<2	0.01	<2	14	31
CAE103492		<10	<1	0.07	10	1.18	1225	<1	0.04	7	730	<2	0.05	<2	12	88
CAE103493		<10	<1	0.07	20	0.52	678	<1	0.06	10	760	<2	0.01	<2	12	40
CAE103494		<10	<1	0.08	10	1.78	1265	<1	0.06	9	850	2	0.03	<2	14	106
CAE103495		<10	<1	0.07	<10	1.15	1170	<1	0.03	14	460	<2	0.01	<2	15	60
CAE103496		<10	<1	0.06	<10	0.79	1180	<1	0.03	11	550	2	0.02	<2	16	62
CAE103497		<10	<1	0.05	<10	1.74	1190	<1	0.03	16	490	<2	0.03	<2	16	80
CAE103498		<10	<1	0.06	<10	1.75	1090	<1	0.04	12	480	<2	0.02	<2	16	62
CAE103499		<10	<1	0.06	<10	2.30	1200	<1	0.03	18	540	<2	0.02	<2	18	81
CAE103500		<10	<1	0.07	<10	3.16	1335	<1	0.03	25	280	<2	0.02	<2	14	136
CAE103501		<10	<1	0.07	<10	3.32	1385	<1	0.03	20	250	<2	0.03	<2	13	137
CAE103502		<10	<1	0.08	<10	2.31	1275	<1	0.03	24	300	<2	0.02	<2	19	109

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 12-SEP-2011
Account: SELHOL

Project: White Gold Project

CERTIFICATE OF ANALYSIS WH11144993

Sample Description	Method Analyte Units LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CAE441991		<20	0.03	<10	<10	15	<10	42
CAE441992		<20	0.05	<10	<10	23	<10	60
CAE441993		20	0.04	<10	<10	18	<10	43
CAE441994		<20	0.01	<10	<10	11	<10	26
CAE441995		<20	0.01	<10	<10	15	<10	25
CAE441996		<20	0.02	<10	<10	214	<10	198
CAE441997		<20	0.02	<10	<10	178	<10	129
CAE441998		<20	0.02	<10	<10	47	<10	53
CAE441999		<20	0.01	<10	<10	23	<10	26
CAE442000		<20	<0.01	<10	<10	24	<10	36
CAE103473		<20	<0.01	<10	<10	24	<10	29
CAE103474		<20	<0.01	<10	<10	14	<10	24
CAE103475		<20	0.03	<10	<10	236	<10	100
CAE103476		<20	0.05	<10	<10	259	<10	85
CAE103477		<20	0.03	<10	<10	239	<10	76
CAE103478		<20	0.04	<10	<10	294	<10	91
CAE103479		<20	0.11	<10	<10	116	<10	64
CAE103480		<20	0.07	<10	<10	151	<10	59
CAE103481		<20	0.04	<10	<10	174	<10	95
CAE103482		<20	0.01	10	<10	11	<10	18
CAE103483		<20	0.02	<10	<10	192	<10	85
CAE103484		<20	0.01	<10	<10	144	<10	69
CAE103485		<20	0.01	<10	<10	111	<10	61
CAE103486		<20	0.01	<10	<10	131	<10	62
CAE103487		<20	0.01	<10	<10	128	<10	64
CAE103488		<20	0.02	<10	<10	176	<10	64
CAE103489		<20	0.02	<10	<10	123	<10	42
CAE103490		<20	<0.01	<10	<10	41	<10	26
CAE103491		<20	0.02	<10	<10	76	<10	70
CAE103492		<20	0.02	<10	<10	122	<10	55
CAE103493		<20	0.03	<10	<10	87	<10	26
CAE103494		<20	0.03	<10	<10	149	<10	59
CAE103495		<20	0.01	<10	<10	137	<10	76
CAE103496		<20	0.02	<10	<10	117	<10	76
CAE103497		<20	0.01	<10	<10	163	<10	75
CAE103498		<20	0.02	<10	<10	151	<10	57
CAE103499		<20	0.01	<10	<10	184	<10	66
CAE103500		<20	0.01	<10	<10	202	<10	66
CAE103501		<20	0.01	<10	<10	176	<10	57
CAE103502		<20	0.01	<10	<10	216	<10	67

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 12-SEP-2011
Account: SELHOL

Project: White Gold Project

CERTIFICATE OF ANALYSIS WH11144993

Sample Description	Method	WEI-21	Au-ICP22	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CAE103503		4.15	0.002	<0.2	0.34	<2	<10	70	<0.5	<2	7.5	<0.5	22	8	108	6.32
CAE103504		4.29	0.001	<0.2	0.39	2	<10	1630	<0.5	<2	9.1	<0.5	21	14	62	5.14
CAE103505		0.08	0.200	<0.2	0.16	479	<10	1870	<0.5	<2	1.06	<0.5	1	23	64	3.90
CAE103506		3.40	<0.001	<0.2	0.61	3	<10	250	<0.5	<2	5.11	<0.5	22	22	112	5.69
CAE103507		3.14	0.002	<0.2	0.73	2	<10	720	<0.5	<2	6.17	<0.5	20	47	97	5.56
CAE103508		3.34	0.007	<0.2	1.20	2	<10	200	<0.5	<2	4.47	<0.5	20	38	130	4.91
CAE103509		3.36	0.005	<0.2	1.66	<2	<10	230	<0.5	<2	3.76	<0.5	25	57	289	6.24
CAE103510		4.32	0.003	<0.2	0.82	<2	<10	1660	<0.5	<2	4.53	<0.5	17	61	104	3.98
CAE103511		3.07	0.001	<0.2	1.17	<2	<10	640	<0.5	<2	4.51	<0.5	23	72	101	5.53
CAE103512		3.70	<0.001	<0.2	0.46	<2	<10	1470	<0.5	<2	4.08	<0.5	22	30	53	4.35
CAE103513		2.54	<0.001	<0.2	0.20	2	<10	40	<0.5	<2	0.04	<0.5	1	6	1	0.83
CAE103514		2.78	0.001	<0.2	0.50	2	<10	1050	<0.5	<2	2.67	<0.5	14	19	61	3.75
CAE103515		2.57	0.002	<0.2	0.45	4	<10	2940	<0.5	<2	6.97	<0.5	22	21	62	5.73
CAE103516		2.94	0.004	<0.2	0.55	3	<10	500	0.5	<2	4.42	<0.5	24	32	120	5.98
CAE103517		3.35	0.002	<0.2	0.38	2	<10	760	<0.5	<2	5.76	<0.5	20	40	128	5.41
CAE103518		2.56	<0.001	<0.2	0.52	4	<10	900	0.6	<2	6.17	<0.5	35	40	49	7.30
CAE103519		2.80	0.005	<0.2	0.51	5	<10	490	0.6	<2	6.40	<0.5	37	40	58	7.39
CAE103520		1.20	0.001	<0.2	0.70	<2	<10	1490	0.9	<2	6.17	<0.5	40	54	64	7.89
CAE103521		3.21	<0.001	0.2	0.34	5	<10	1820	0.5	<2	8.9	1.3	27	31	25	5.66
CAE103522		4.64	<0.001	0.3	0.34	52	<10	3210	<0.5	<2	3.71	1.5	4	14	68	1.59
CAE103523		3.61	0.001	<0.2	0.40	3	<10	580	<0.5	<2	5.38	<0.5	13	24	12	6.61
CAE103524		2.16	0.001	0.4	0.23	4	<10	520	0.5	<2	17.9	<0.5	28	3	5	8.04
CAE103525		3.08	0.004	<0.2	0.68	<2	<10	1070	1.1	<2	5.71	<0.5	49	26	508	8.15
CAE103526		5.55	<0.001	0.4	0.38	<2	<10	1040	<0.5	<2	4.49	<0.5	19	42	214	4.48

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 12-SEP-2011
Account: SELHOL

Project: White Gold Project

CERTIFICATE OF ANALYSIS WH11144993

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
CAE103503		<10	<1	0.05	<10	2.47	1590	<1	0.03	23	390	<2	0.01	<2	20	87
CAE103504		<10	<1	0.06	<10	3.46	1390	<1	0.03	24	200	<2	0.06	<2	14	162
CAE103505		<10	3	0.06	<10	0.02	105	17	0.02	15	50	15	0.16	24	1	32
CAE103506		<10	<1	0.09	<10	2.15	1195	<1	0.04	21	520	2	0.02	<2	22	111
CAE103507		<10	<1	0.09	<10	2.87	1560	<1	0.04	23	540	<2	0.04	<2	22	148
CAE103508		10	<1	0.07	<10	2.23	1260	<1	0.04	30	510	<2	0.02	<2	20	113
CAE103509		10	<1	0.08	10	1.75	1070	<1	0.04	39	830	2	0.01	<2	27	62
CAE103510		<10	<1	0.09	<10	1.81	1065	<1	0.08	33	570	3	0.06	<2	26	89
CAE103511		10	<1	0.20	<10	1.92	1295	1	0.05	42	710	<2	0.04	<2	35	82
CAE103512		<10	<1	0.09	<10	1.06	856	<1	0.06	24	560	<2	0.24	<2	19	75
CAE103513		<10	<1	0.16	<10	0.02	132	<1	0.06	1	110	3	<0.01	<2	1	45
CAE103514		<10	<1	0.16	10	0.87	813	<1	0.04	19	570	<2	0.05	<2	15	63
CAE103515		<10	<1	0.09	<10	2.75	1195	<1	0.05	29	330	2	0.10	<2	19	209
CAE103516		<10	<1	0.13	<10	1.68	1170	<1	0.04	28	720	<2	0.02	<2	25	90
CAE103517		<10	<1	0.06	<10	2.31	1295	<1	0.05	23	470	3	0.03	<2	23	113
CAE103518		<10	<1	0.13	<10	2.14	1360	<1	0.04	34	430	<2	0.41	<2	30	139
CAE103519		<10	<1	0.13	<10	2.28	1405	<1	0.04	34	430	<2	0.61	<2	30	144
CAE103520		<10	<1	0.18	<10	1.99	1165	<1	0.04	46	620	3	0.30	<2	37	162
CAE103521		<10	<1	0.09	<10	3.32	1085	<1	0.03	55	580	9	0.08	<2	18	223
CAE103522		<10	1	0.07	<10	0.99	242	5	0.03	32	1680	6	0.07	<2	4	435
CAE103523		<10	<1	0.07	<10	1.69	1520	<1	0.04	11	500	3	0.01	<2	16	77
CAE103524		<10	<1	0.03	<10	0.68	3210	2	0.03	5	60	7	0.04	<2	4	747
CAE103525		<10	<1	0.23	<10	1.52	925	<1	0.03	34	600	3	0.33	<2	34	112
CAE103526		<10	<1	0.05	<10	2.01	962	<1	0.05	34	530	12	0.04	<2	19	80

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 12-SEP-2011
Account: SELHOL

Project: White Gold Project

CERTIFICATE OF ANALYSIS WH11144993

Sample Description	Method Analyte Units LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CAE103503		<20	0.03	<10	<10	289	<10	71
CAE103504		<20	<0.01	<10	<10	152	<10	69
CAE103505		<20	0.01	10	<10	10	<10	18
CAE103506		<20	0.01	<10	<10	185	<10	71
CAE103507		<20	0.01	<10	<10	191	<10	67
CAE103508		<20	0.01	<10	<10	166	<10	73
CAE103509		<20	0.01	<10	<10	226	<10	113
CAE103510		<20	0.02	<10	<10	130	<10	55
CAE103511		<20	0.02	<10	<10	176	<10	81
CAE103512		<20	0.01	<10	<10	125	<10	61
CAE103513		<20	0.01	<10	<10	38	<10	21
CAE103514		<20	0.01	<10	<10	94	<10	62
CAE103515		<20	0.01	<10	<10	168	<10	91
CAE103516		<20	0.01	<10	<10	190	<10	88
CAE103517		<20	0.01	<10	<10	178	<10	91
CAE103518		<20	0.01	<10	<10	176	<10	83
CAE103519		<20	0.01	<10	<10	173	<10	85
CAE103520		<20	0.01	<10	<10	185	<10	65
CAE103521		<20	<0.01	<10	<10	205	<10	102
CAE103522		<20	<0.01	<10	<10	100	<10	153
CAE103523		<20	0.01	<10	<10	185	<10	55
CAE103524		<20	<0.01	<10	<10	47	<10	168
CAE103525		<20	<0.01	<10	<10	164	<10	50
CAE103526		<20	<0.01	<10	<10	152	<10	65