Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Submitted By: Jean-Pierre Londero
Receiving Lab: Canada-Dawson City
Received: September 01, 2011
Report Date: February 21, 2012

CERTIFICATE OF ANALYSIS DAW11000338.2

CLIENT JOB INFORMATION

Project: White Gold
Shipment ID: WG01302011
P.O. Number
Number of Samples: 78

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
WGHT	78	Weight of sample after prep drying		Completed	VAN
RJSV	78	Saving all or part of Soil Reject			DAW
Dry at 60C	78	Dry at 60C			DAW
SS80	78	Dry at 60C sieve 100g to -80 mesh			DAW
1F02	78	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Version 2: Revised Sample ID's

Invoice To: Selene Holdings LP
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8
Canada

CC: Keith Fowlow
Jean-Pierre Londero

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: February 21, 2012

CERTIFICATE OF ANALYSIS DAW11000338.2

	Method	DRY WT	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01
CAG197254	Sediment	1.96	0.88	17.43	8.70	57.6	31	32.8	12.5	615	2.62	4.9	0.8	0.4	6.1	101.0	0.12	0.17	0.09	51	0.58
CAG197255	Sediment	1.48	0.75	15.71	7.93	49.1	33	29.1	10.6	435	2.38	4.6	0.8	0.7	5.6	84.1	0.10	0.16	0.08	47	0.55
CAG197256	Sediment	2.01	0.78	16.83	8.39	51.3	37	30.4	11.1	491	2.37	4.4	0.9	0.4	5.7	89.4	0.12	0.16	0.09	48	0.57
CAG197257	Sediment	2.11	0.43	15.00	4.93	43.1	23	15.2	9.5	284	1.90	2.0	1.4	6.5	4.3	30.5	0.06	0.10	0.07	42	0.45
CAG197258	Sediment	1.59	0.38	22.98	3.15	40.3	30	16.2	8.6	246	1.76	1.5	1.5	<0.2	2.5	23.7	0.05	0.07	0.11	48	0.46
CAG197259	Sediment	2.20	0.73	15.69	7.03	46.4	27	26.9	10.8	636	2.29	3.9	0.9	<0.2	5.5	72.0	0.09	0.14	0.09	47	0.50
CAG197260	Sediment	1.54	0.67	14.69	6.76	44.1	25	26.7	9.5	408	2.13	3.2	0.8	0.5	5.4	74.5	0.08	0.14	0.08	44	0.54
CAG197261	Sediment	2.21	0.73	16.40	7.44	47.1	34	30.5	11.0	487	2.33	3.8	0.9	4.6	5.4	81.7	0.09	0.16	0.09	48	0.57
CAG197262	Sediment	2.36	0.67	16.21	7.13	46.6	36	26.9	10.4	605	2.16	3.9	0.9	<0.2	5.0	81.1	0.11	0.16	0.08	44	0.58
CAG197263	Sediment	1.84	0.59	15.35	4.58	45.8	29	22.0	11.4	345	2.38	3.3	0.9	0.4	5.5	63.8	0.06	0.14	0.06	44	0.64
CAG197264	Sediment	1.53	0.53	16.72	4.74	47.2	31	22.5	12.0	376	2.40	2.6	0.9	0.7	6.0	70.3	0.08	0.14	0.06	45	0.69
CAG197265	Sediment	2.51	0.31	9.94	3.65	39.1	25	23.6	12.1	574	1.84	2.0	0.5	143.3	4.2	64.2	0.07	0.10	0.04	36	0.54
CAG197266	Sediment	2.34	0.32	11.43	2.99	26.7	22	7.3	7.1	210	1.50	2.1	0.4	<0.2	1.7	48.8	0.05	0.11	0.03	34	0.47
CAG197267	Sediment	1.90	0.65	14.74	6.55	44.2	87	26.3	10.0	423	2.15	3.3	0.8	0.8	5.4	73.5	0.08	0.15	0.07	44	0.58
CAG197268	Sediment	2.07	0.66	16.19	5.77	53.8	40	22.0	10.8	410	2.48	5.7	1.0	4.0	5.7	51.8	0.10	0.23	0.09	47	0.63
CAG197269	Sediment	2.12	0.75	13.40	5.33	48.0	26	19.8	10.4	326	2.53	4.1	0.8	4.6	7.5	33.3	0.10	0.14	0.06	42	0.43
CAG197270	Sediment	2.70	0.65	14.39	8.56	43.4	24	26.1	10.5	480	2.30	3.5	0.9	2.2	6.0	73.9	0.09	0.14	0.08	48	0.61
CAG197271	Sediment	2.52	0.55	13.05	6.43	37.1	23	23.3	8.4	359	2.11	2.8	0.8	6.7	5.3	69.3	0.08	0.12	0.07	45	0.62
CAG197272	Sediment	2.44	1.03	21.46	6.55	71.0	48	26.5	12.1	402	2.49	4.2	1.3	0.8	7.0	32.5	0.27	0.15	0.10	44	0.54
CAG197273	Sediment	1.91	0.68	14.39	6.68	42.0	27	24.7	10.1	632	2.10	3.4	1.0	0.3	5.4	67.4	0.12	0.14	0.07	43	0.49
CAG197274	Sediment	1.38	0.69	16.33	4.83	53.1	62	21.6	9.8	281	2.26	2.7	1.2	0.2	6.1	20.2	0.12	0.13	0.13	43	0.45
CAG197275	Sediment	1.89	0.86	17.18	4.90	46.3	55	18.1	9.4	337	2.14	3.3	3.3	7.4	6.6	22.9	0.11	0.15	0.16	40	0.56
CAG197276	Sediment	1.83	0.88	18.35	7.37	69.4	42	22.5	12.7	445	2.40	5.5	1.0	0.2	5.9	18.4	0.13	0.15	0.16	40	0.34
CAG197277	Sediment	2.25	0.55	15.71	3.87	39.0	43	15.2	7.8	246	1.85	2.2	1.4	2.1	3.8	19.1	0.09	0.11	0.20	36	0.42
CAG197278	Sediment	1.85	0.58	15.90	4.72	42.5	49	15.9	8.2	266	1.81	3.1	1.9	11.2	4.0	21.9	0.08	0.14	0.18	33	0.41
CAG197279	Sediment	2.07	0.58	18.22	4.52	44.2	45	17.7	10.0	382	2.08	3.8	1.0	3.8	4.0	30.5	0.11	0.15	0.14	42	0.49
CAG197280	Sediment	2.49	0.50	13.95	4.10	36.1	31	14.9	7.7	218	1.91	3.1	0.9	1.8	3.8	26.8	0.06	0.11	0.12	40	0.45
CAG197281	Sediment	2.13	0.49	14.23	6.10	37.4	38	19.9	8.6	268	1.85	3.0	1.4	21.8	4.7	33.3	0.05	0.13	0.11	41	0.56
CAG197282	Sediment	1.29	0.57	12.72	5.29	39.7	87	20.0	8.6	384	1.85	3.1	0.8	473.4	4.1	52.7	0.08	0.11	0.09	36	0.43
CAG197283	Sediment	1.79	0.49	11.53	4.96	36.4	25	19.3	7.9	293	1.77	2.7	0.9	<0.2	4.4	54.1	0.06	0.12	0.09	35	0.48

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: February 21, 2012

CERTIFICATE OF ANALYSIS DAW11000338.2

	Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
	MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
CAG197254	Sediment	0.115	16.4	50.5	0.71	237.1	0.105	<1	1.18	0.017	0.19	0.2	3.3	0.11	<0.02	5	0.2	<0.02	4.2
CAG197255	Sediment	0.108	15.3	51.1	0.62	240.3	0.093	1	1.02	0.018	0.15	0.2	3.0	0.09	0.02	<5	0.2	<0.02	3.7
CAG197256	Sediment	0.112	16.0	48.1	0.63	243.3	0.089	1	1.05	0.017	0.15	0.2	3.1	0.10	0.02	7	0.2	<0.02	3.8
CAG197257	Sediment	0.095	11.5	33.3	0.69	193.9	0.095	<1	0.97	0.010	0.19	0.1	1.9	0.10	<0.02	11	0.2	0.02	4.0
CAG197258	Sediment	0.085	8.7	38.1	0.71	204.2	0.103	<1	0.97	0.012	0.20	<0.1	2.2	0.04	<0.02	<5	<0.1	<0.02	3.9
CAG197259	Sediment	0.115	14.1	48.2	0.59	244.2	0.085	1	0.93	0.016	0.15	0.1	2.7	0.09	<0.02	<5	0.2	<0.02	3.6
CAG197260	Sediment	0.123	14.2	49.3	0.56	229.5	0.083	<1	0.90	0.016	0.13	0.3	2.8	0.09	<0.02	<5	0.2	<0.02	3.4
CAG197261	Sediment	0.122	15.2	51.6	0.64	240.2	0.089	<1	1.01	0.017	0.15	0.1	3.0	0.10	<0.02	5	0.2	<0.02	3.7
CAG197262	Sediment	0.120	14.7	44.3	0.56	238.7	0.084	1	0.95	0.018	0.13	0.2	2.9	0.09	0.02	7	0.2	<0.02	3.4
CAG197263	Sediment	0.169	16.6	30.2	0.60	140.7	0.091	<1	1.11	0.014	0.21	0.1	2.7	0.11	<0.02	<5	0.2	<0.02	3.7
CAG197264	Sediment	0.170	18.1	27.7	0.61	180.5	0.088	1	1.16	0.016	0.21	0.1	3.0	0.12	0.02	10	0.3	<0.02	3.9
CAG197265	Sediment	0.124	14.1	19.5	0.47	108.3	0.072	<1	0.88	0.018	0.12	<0.1	2.6	0.07	<0.02	<5	0.1	<0.02	3.0
CAG197266	Sediment	0.095	6.9	14.7	0.43	79.3	0.061	<1	0.86	0.019	0.06	<0.1	2.3	0.03	<0.02	7	<0.1	<0.02	2.7
CAG197267	Sediment	0.144	15.1	42.6	0.56	223.1	0.085	<1	0.94	0.017	0.14	0.2	2.9	0.09	<0.02	7	0.2	<0.02	3.5
CAG197268	Sediment	0.110	18.5	31.4	0.61	127.5	0.090	1	1.23	0.018	0.14	0.2	2.9	0.11	0.02	17	0.1	0.03	4.0
CAG197269	Sediment	0.107	19.2	28.0	0.56	104.8	0.080	<1	1.17	0.011	0.15	0.1	2.9	0.11	<0.02	9	0.1	0.02	4.0
CAG197270	Sediment	0.153	15.1	50.4	0.56	240.4	0.086	<1	0.94	0.018	0.14	0.4	2.8	0.08	<0.02	<5	0.1	<0.02	3.5
CAG197271	Sediment	0.166	14.6	51.0	0.47	220.0	0.071	1	0.80	0.017	0.10	0.3	2.6	0.07	<0.02	<5	0.1	<0.02	2.9
CAG197272	Sediment	0.137	20.3	31.0	0.57	245.1	0.089	<1	1.18	0.011	0.18	0.1	2.6	0.15	0.02	21	0.2	0.03	3.9
CAG197273	Sediment	0.117	14.8	43.4	0.51	227.8	0.079	1	0.86	0.017	0.13	0.2	2.6	0.08	0.02	<5	0.2	0.03	3.1
CAG197274	Sediment	0.125	20.6	32.2	0.68	137.0	0.096	<1	1.27	0.010	0.20	0.2	2.7	0.14	<0.02	9	0.2	<0.02	4.4
CAG197275	Sediment	0.119	23.6	25.7	0.56	88.0	0.084	1	1.13	0.011	0.18	0.2	2.5	0.13	0.02	9	0.3	<0.02	3.8
CAG197276	Sediment	0.065	17.6	31.0	0.64	120.2	0.069	<1	1.21	0.010	0.09	<0.1	2.2	0.11	0.03	10	0.3	<0.02	4.3
CAG197277	Sediment	0.089	12.5	24.7	0.55	105.8	0.069	1	0.98	0.009	0.18	0.2	1.9	0.12	<0.02	10	0.1	<0.02	3.4
CAG197278	Sediment	0.071	13.8	24.3	0.48	85.1	0.060	1	1.01	0.011	0.11	0.2	1.9	0.09	0.04	16	0.2	<0.02	3.3
CAG197279	Sediment	0.082	11.9	30.1	0.61	140.7	0.077	1	1.03	0.012	0.13	0.1	2.3	0.09	0.02	15	0.1	<0.02	3.7
CAG197280	Sediment	0.088	11.0	24.9	0.48	122.8	0.064	1	0.87	0.011	0.11	0.3	1.9	0.07	0.02	6	0.2	<0.02	3.1
CAG197281	Sediment	0.100	13.8	36.5	0.58	199.6	0.073	1	0.95	0.012	0.14	0.3	2.0	0.08	0.02	16	<0.1	<0.02	3.3
CAG197282	Sediment	0.093	11.6	33.0	0.50	168.8	0.064	1	0.83	0.013	0.12	0.2	2.1	0.09	0.02	6	0.2	<0.02	3.0
CAG197283	Sediment	0.107	12.3	34.9	0.46	174.6	0.066	1	0.81	0.013	0.11	0.1	2.2	0.07	0.02	<5	0.1	<0.02	3.0

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: February 21, 2012

CERTIFICATE OF ANALYSIS DAW11000338.2

	Method	DRY WT	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01
CAG197284	Sediment	2.53	0.49	18.60	5.52	47.8	44	17.4	9.9	350	2.25	6.9	1.0	1.8	3.7	32.4	0.09	0.26	0.12	51	0.69
CAG197285	Sediment	2.18	0.45	10.28	4.22	37.0	27	11.3	7.0	227	1.72	4.0	0.9	7.0	3.7	19.6	0.07	0.15	0.11	37	0.39
CAG197286	Sediment	1.44	0.48	13.77	4.78	43.6	44	14.6	9.4	338	1.91	4.4	0.9	2.2	4.4	20.0	0.12	0.17	0.13	39	0.44
CAG197287	Sediment	1.95	0.39	10.11	4.34	36.8	26	12.3	7.1	239	1.74	3.1	0.9	0.5	4.7	21.2	0.07	0.11	0.11	33	0.44
CAG197288	Sediment	2.23	0.61	12.97	6.20	42.5	28	22.3	9.6	363	1.94	3.2	0.9	0.5	4.8	61.4	0.08	0.11	0.10	38	0.59
CAG197289	Sediment	1.56	0.43	19.96	4.96	47.0	44	17.4	8.9	320	2.20	4.6	0.6	1.0	2.9	32.7	0.11	0.26	0.11	55	0.69
CAG197290	Sediment	1.28	0.35	21.18	4.69	45.1	50	16.4	8.7	301	2.04	4.1	0.8	1.1	2.8	31.2	0.06	0.23	0.10	44	0.62
CAG197291	Sediment	1.84	0.56	15.37	5.84	45.7	36	22.1	9.3	401	1.91	3.4	1.0	1.4	4.1	62.8	0.09	0.15	0.09	41	0.59
CAG197292	Sediment	2.13	0.66	17.74	6.10	51.7	100	26.1	10.6	547	2.08	4.1	1.2	1780	4.1	67.2	0.09	0.15	0.09	41	0.56
CAG197293	Sediment	1.97	0.65	14.67	11.96	45.2	25	23.2	9.9	405	1.96	3.6	1.0	8.1	4.2	61.8	0.08	0.13	0.09	39	0.50
CAG197294	Sediment	1.51	0.31	16.87	3.60	31.3	31	10.8	6.1	215	1.54	2.4	1.4	32.7	2.4	30.5	0.07	0.14	0.06	43	0.58
CAG197295	Sediment	3.19	0.55	14.38	5.45	43.6	28	22.2	9.3	350	1.93	3.5	0.8	4.8	3.5	56.5	0.06	0.12	0.07	37	0.43
CAG197296	Sediment	1.42	0.56	18.86	4.45	37.1	48	20.2	9.8	840	1.98	3.7	0.8	259.4	3.5	46.8	0.08	0.10	0.06	41	0.42
CAG197297	Sediment	1.91	0.59	18.10	5.80	47.0	38	24.8	10.7	654	2.11	4.0	1.2	3.5	3.9	65.1	0.10	0.13	0.09	43	0.56
CAG197299	Sediment	1.56	0.65	21.97	5.46	59.7	75	7.8	8.6	405	2.88	3.5	2.6	4.8	1.9	105.8	0.12	0.13	0.08	60	0.60
CAG197300	Sediment	1.52	0.57	19.80	10.32	79.2	59	11.3	9.2	310	3.61	10.1	1.5	2.4	2.6	310.5	0.08	0.13	0.09	51	0.61
CAG197301	Sediment	1.82	0.48	13.37	9.11	62.6	34	8.8	8.0	825	3.44	7.2	0.7	2.0	2.2	343.3	0.12	0.12	0.07	50	0.47
CAG197302	Sediment	2.62	0.38	12.59	7.51	59.9	33	8.3	7.4	525	2.32	6.5	0.8	4.5	2.2	323.6	0.08	0.10	0.06	41	0.48
CAG197303	Sediment	1.70	0.37	17.19	7.04	62.1	71	10.6	8.6	707	2.07	5.8	1.0	0.3	2.2	291.2	0.12	0.12	0.20	40	0.57
CAG197304	Sediment	2.95	0.50	22.07	7.72	71.1	34	8.4	8.3	607	2.90	3.6	0.8	<0.2	2.1	41.8	0.11	0.17	0.12	43	0.43
CAG197305	Sediment	1.97	0.42	18.76	4.51	60.2	23	6.1	7.7	450	5.06	3.0	0.6	<0.2	2.0	29.8	0.07	0.13	0.17	51	0.38
CAG197306	Sediment	2.14	0.63	7.30	4.48	47.7	43	4.3	4.2	486	3.83	3.6	0.5	23.7	1.4	12.5	0.11	0.18	0.07	24	0.18
CAG197307	Sediment	1.54	0.39	14.54	5.81	55.8	73	7.7	5.3	466	2.08	2.9	1.0	<0.2	2.1	50.1	0.13	0.16	0.09	32	0.46
CAG197308	Sediment	2.32	0.82	14.43	5.38	56.7	34	8.4	7.7	1575	3.08	6.0	1.0	0.3	2.1	126.4	0.11	0.16	0.07	37	0.39
CAG197309	Sediment	1.28	0.58	13.47	4.92	58.9	23	10.6	7.8	1086	2.96	9.3	0.7	<0.2	2.7	109.3	0.10	0.17	0.07	42	0.38
CAG197310	Sediment	1.40	0.57	21.06	22.16	51.0	75	14.6	10.4	350	2.63	6.6	1.0	31.4	4.0	249.4	0.13	0.58	0.17	51	0.75
CAG197311	Sediment	2.51	0.55	13.96	5.90	61.5	39	10.5	8.2	881	3.52	8.2	0.8	56.0	2.7	123.9	0.11	0.18	0.07	47	0.47
CAG197312	Sediment	2.37	0.55	18.55	6.80	60.4	50	13.5	8.9	330	2.73	6.8	0.6	48.6	2.6	54.7	0.10	0.35	0.09	49	0.55
CAG197313	Sediment	2.35	0.50	13.86	5.99	58.0	29	10.8	8.4	719	3.28	7.3	0.7	<0.2	2.9	120.4	0.10	0.22	0.07	47	0.46
CAG197314	Sediment	2.24	0.42	17.27	7.36	63.8	47	12.3	7.7	414	2.30	6.4	1.7	2.0	2.8	201.9	0.13	0.27	0.17	42	0.61

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: February 21, 2012

CERTIFICATE OF ANALYSIS DAW11000338.2

	Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
	MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
CAG197284	Sediment	0.089	12.9	24.9	0.58	123.9	0.077	2	1.09	0.020	0.09	0.3	2.7	0.07	0.03	12	0.1	<0.02	3.7
CAG197285	Sediment	0.075	11.7	16.7	0.37	55.9	0.057	1	0.86	0.012	0.07	0.1	1.9	0.06	0.02	5	<0.1	<0.02	3.0
CAG197286	Sediment	0.077	15.4	19.3	0.42	89.8	0.065	<1	0.98	0.013	0.09	0.2	2.0	0.09	0.02	11	<0.1	<0.02	3.3
CAG197287	Sediment	0.092	13.9	16.8	0.38	67.7	0.057	1	0.88	0.010	0.09	0.3	1.7	0.07	0.03	27	<0.1	<0.02	3.0
CAG197288	Sediment	0.128	13.7	35.2	0.56	188.2	0.075	1	0.93	0.015	0.13	<0.1	2.6	0.09	0.02	8	0.1	<0.02	3.7
CAG197289	Sediment	0.089	10.2	26.7	0.59	142.6	0.081	2	1.10	0.026	0.07	0.2	2.8	0.05	<0.02	17	0.1	<0.02	3.6
CAG197290	Sediment	0.067	10.2	29.0	0.64	199.9	0.073	1	1.22	0.017	0.14	0.1	3.2	0.08	<0.02	16	0.1	<0.02	4.0
CAG197291	Sediment	0.099	13.1	32.9	0.55	189.1	0.072	1	0.96	0.016	0.11	0.2	2.5	0.08	0.02	19	0.2	<0.02	3.5
CAG197292	Sediment	0.090	12.9	35.5	0.61	205.7	0.077	1	1.03	0.014	0.14	0.1	2.6	0.10	0.03	6	0.2	<0.02	3.7
CAG197293	Sediment	0.095	13.0	33.6	0.58	181.8	0.075	1	0.98	0.013	0.13	0.1	2.5	0.09	0.02	14	0.2	<0.02	3.6
CAG197294	Sediment	0.109	8.1	24.0	0.42	124.7	0.076	<1	0.82	0.016	0.07	0.5	2.2	0.05	<0.02	22	<0.1	<0.02	3.0
CAG197295	Sediment	0.076	11.1	31.2	0.61	173.3	0.074	<1	1.00	0.012	0.14	<0.1	2.3	0.09	0.02	8	0.2	<0.02	3.5
CAG197296	Sediment	0.085	9.5	33.7	0.48	208.0	0.065	<1	0.79	0.012	0.13	0.2	1.9	0.07	0.02	11	0.1	<0.02	2.9
CAG197297	Sediment	0.085	12.6	36.2	0.60	231.3	0.079	2	0.99	0.014	0.14	<0.1	2.5	0.09	0.03	11	0.3	<0.02	3.5
CAG197299	Sediment	0.061	11.6	10.7	0.48	50.4	0.053	1	1.13	0.020	0.06	0.1	5.2	0.04	<0.02	19	0.2	<0.02	4.6
CAG197300	Sediment	0.090	12.3	16.7	0.57	162.2	0.067	2	1.24	0.020	0.10	<0.1	4.7	0.09	0.04	30	0.3	<0.02	5.0
CAG197301	Sediment	0.064	8.5	12.1	0.37	159.8	0.063	1	0.84	0.026	0.10	<0.1	4.0	0.06	0.02	9	0.1	<0.02	4.1
CAG197302	Sediment	0.068	8.9	12.4	0.38	157.0	0.064	<1	0.88	0.027	0.09	<0.1	3.8	0.07	0.02	9	0.1	<0.02	3.7
CAG197303	Sediment	0.057	10.0	16.4	0.47	175.0	0.073	1	1.08	0.024	0.11	0.1	3.7	0.09	0.03	23	0.3	<0.02	3.8
CAG197304	Sediment	0.060	8.6	12.2	0.64	143.0	0.078	<1	1.23	0.018	0.20	0.1	4.8	0.11	<0.02	16	<0.1	0.04	4.9
CAG197305	Sediment	0.079	6.8	8.4	0.43	95.9	0.061	<1	0.90	0.016	0.15	<0.1	4.0	0.07	<0.02	7	0.1	0.03	5.3
CAG197306	Sediment	0.036	7.2	6.4	0.15	88.4	0.031	<1	0.61	0.007	0.04	<0.1	4.3	0.04	<0.02	17	0.2	<0.02	4.8
CAG197307	Sediment	0.054	11.3	12.1	0.35	168.5	0.053	<1	0.99	0.012	0.07	0.1	3.4	0.06	<0.02	13	0.2	0.03	3.7
CAG197308	Sediment	0.060	7.8	11.1	0.37	134.4	0.061	<1	0.86	0.017	0.11	<0.1	3.5	0.08	<0.02	11	0.1	<0.02	4.1
CAG197309	Sediment	0.071	8.1	14.7	0.38	139.0	0.060	<1	0.85	0.016	0.15	<0.1	3.2	0.08	<0.02	5	<0.1	<0.02	4.0
CAG197310	Sediment	0.096	19.6	23.5	0.58	228.9	0.062	2	1.12	0.019	0.09	0.2	4.2	0.06	0.02	45	0.2	<0.02	4.3
CAG197311	Sediment	0.091	8.8	15.9	0.40	145.8	0.064	<1	0.89	0.017	0.13	0.1	3.5	0.08	<0.02	10	0.1	<0.02	4.5
CAG197312	Sediment	0.081	9.3	18.8	0.50	170.0	0.054	1	0.95	0.019	0.10	0.2	3.4	0.07	<0.02	12	0.2	<0.02	3.9
CAG197313	Sediment	0.089	8.9	17.0	0.41	153.7	0.060	<1	0.87	0.017	0.12	0.1	3.4	0.07	<0.02	11	<0.1	0.03	4.5
CAG197314	Sediment	0.073	11.5	20.2	0.51	168.5	0.066	3	1.09	0.020	0.10	0.2	3.6	0.08	<0.02	23	0.2	<0.02	4.0

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: February 21, 2012

CERTIFICATE OF ANALYSIS DAW11000338.2

	Method	DRY WT	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01
CAG197315	Sediment	2.42	0.47	16.84	9.02	44.3	40	11.0	8.4	350	2.45	6.7	0.8	69.7	3.1	150.8	0.10	0.32	0.13	52	0.65
CAG197316	Sediment	3.24	0.47	12.66	8.70	40.1	20	9.6	7.8	323	2.55	5.3	0.6	0.4	3.0	115.9	0.08	0.24	0.09	49	0.63
CAG197317	Sediment	3.12	0.44	15.97	5.31	54.0	37	12.7	8.3	301	2.57	5.7	0.8	5.0	3.1	102.3	0.13	0.28	0.10	52	0.66
CAG197318	Sediment	2.27	0.78	26.76	6.79	73.9	37	9.0	11.1	446	3.68	11.6	0.7	0.6	3.8	40.8	0.13	0.24	0.15	68	0.57
CAG197319	Sediment	3.45	0.45	51.42	3.36	65.7	95	5.2	9.3	665	3.53	4.9	0.4	6.0	1.4	24.4	0.13	0.19	0.07	58	0.41
CAG197320	Sediment	2.36	0.36	20.24	3.54	50.3	116	6.3	8.4	350	2.81	2.3	0.8	2.2	3.4	22.8	0.14	0.15	0.11	65	0.40
CAG197321	Sediment	2.03	0.27	31.20	3.71	73.9	81	7.6	7.0	228	2.31	3.4	0.5	1.9	1.8	33.2	0.15	0.12	0.07	60	0.49
CAG197322	Sediment	1.52	0.82	68.48	24.73	164.4	306	10.7	14.9	1759	3.12	8.3	0.9	10.1	3.0	47.2	0.49	0.30	0.38	52	0.35
CAG197323	Sediment	1.73	0.49	62.46	15.07	191.9	138	6.7	9.2	892	3.28	5.7	1.3	3.3	3.3	37.5	0.75	0.17	0.22	59	0.36
CAG197324	Sediment	2.35	0.56	40.51	13.80	162.7	83	5.9	8.2	653	3.59	6.4	0.9	1.8	2.8	34.5	0.37	0.18	0.18	51	0.31
CAG197325	Sediment	1.79	0.54	14.93	9.22	83.6	56	10.3	7.5	742	3.13	6.4	1.3	1.8	2.8	49.7	0.20	0.25	0.12	44	0.45
CAG197326	Sediment	2.32	0.29	17.71	5.67	60.8	27	7.6	9.3	540	3.26	5.7	1.7	0.9	2.3	96.1	0.14	0.22	0.09	88	0.62
CAG197327	Sediment	2.92	0.22	18.69	6.27	68.5	25	5.4	7.7	515	3.70	6.5	1.2	0.8	2.4	82.1	0.11	0.19	0.09	109	0.54
CAG197328	Sediment	3.38	0.34	28.26	6.86	91.8	29	7.6	8.0	494	2.60	5.1	1.3	1.2	2.8	63.4	0.22	0.24	0.09	50	0.41
CAG197329	Sediment	2.59	0.67	16.12	6.08	77.7	29	8.3	8.0	765	5.18	7.6	0.6	1.8	2.2	23.7	0.18	0.29	0.09	48	0.32
CAG197330	Sediment	2.82	0.98	17.59	9.76	110.1	60	8.7	9.8	1375	5.42	7.2	0.8	4.4	2.5	26.1	0.36	0.31	0.11	48	0.28
CAG197331	Sediment	3.09	0.35	26.19	6.69	85.2	56	8.6	7.6	497	2.64	5.1	1.2	2.3	2.4	54.8	0.23	0.23	0.09	48	0.40
CAG197332	Sediment	3.32	0.48	21.27	8.06	88.6	33	6.8	7.7	909	3.54	4.6	1.1	0.9	2.2	52.2	0.25	0.20	0.09	53	0.38

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: February 21, 2012

CERTIFICATE OF ANALYSIS DAW11000338.2

	Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
	MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
CAG197315	Sediment	0.092	10.6	19.9	0.48	165.8	0.065	3	1.02	0.025	0.07	0.2	3.9	0.05	0.03	19	0.2	<0.02	3.8
CAG197316	Sediment	0.122	8.7	19.0	0.49	127.5	0.062	2	0.90	0.028	0.09	0.1	3.5	0.05	0.03	14	0.1	<0.02	3.6
CAG197317	Sediment	0.106	10.2	22.5	0.61	191.6	0.079	2	1.08	0.027	0.13	0.2	3.3	0.06	0.03	14	0.1	<0.02	4.0
CAG197318	Sediment	0.119	11.3	23.0	1.01	233.8	0.112	2	1.60	0.019	0.27	<0.1	5.3	0.09	0.04	16	<0.1	0.07	6.7
CAG197319	Sediment	0.087	6.0	11.8	0.78	323.8	0.085	2	1.37	0.026	0.23	<0.1	5.2	0.08	0.06	18	0.3	0.06	5.7
CAG197320	Sediment	0.091	12.0	13.3	0.57	258.7	0.074	1	1.20	0.013	0.19	0.2	3.9	0.08	0.03	24	0.2	0.04	4.2
CAG197321	Sediment	0.090	6.5	15.7	0.72	271.2	0.086	1	1.33	0.025	0.20	<0.1	4.6	0.07	0.06	19	0.3	0.07	4.8
CAG197322	Sediment	0.065	15.2	18.2	0.46	220.6	0.059	2	1.27	0.014	0.07	0.1	3.7	0.10	0.03	38	0.3	0.11	5.2
CAG197323	Sediment	0.049	12.6	10.6	0.40	168.9	0.054	2	1.05	0.021	0.08	<0.1	4.4	0.09	0.03	25	0.3	0.06	4.9
CAG197324	Sediment	0.056	9.7	7.8	0.38	156.7	0.052	1	0.92	0.017	0.09	<0.1	4.3	0.08	0.03	24	0.1	0.07	4.9
CAG197325	Sediment	0.065	13.7	16.2	0.38	181.2	0.059	2	1.05	0.014	0.06	0.2	3.9	0.07	0.02	18	0.3	<0.02	5.0
CAG197326	Sediment	0.094	7.7	13.2	0.44	103.4	0.052	2	0.84	0.031	0.10	<0.1	4.9	0.06	0.03	14	0.2	<0.02	3.5
CAG197327	Sediment	0.081	6.8	9.4	0.58	61.6	0.051	1	0.96	0.023	0.10	<0.1	6.7	0.07	<0.02	14	<0.1	<0.02	4.0
CAG197328	Sediment	0.060	8.7	11.6	0.37	114.7	0.047	2	0.81	0.020	0.07	0.1	3.6	0.05	<0.02	15	0.2	<0.02	3.2
CAG197329	Sediment	0.063	9.0	13.0	0.32	134.2	0.050	<1	0.87	0.012	0.07	0.1	4.4	0.04	<0.02	8	<0.1	<0.02	5.7
CAG197330	Sediment	0.053	12.0	13.1	0.37	173.8	0.048	1	1.18	0.009	0.07	0.1	6.0	0.06	<0.02	16	0.2	<0.02	6.8
CAG197331	Sediment	0.058	9.0	12.6	0.38	120.0	0.050	1	0.82	0.019	0.07	0.1	3.4	0.05	<0.02	19	0.2	0.02	3.3
CAG197332	Sediment	0.056	8.1	9.9	0.38	115.0	0.051	1	0.82	0.020	0.07	<0.1	3.8	0.05	<0.02	10	0.1	<0.02	4.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: February 21, 2012

QUALITY CONTROL REPORT DAW11000338.2

	Method	DRY WT	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01
Pulp Duplicates																					
CAG197256	Sediment	2.01	0.78	16.83	8.39	51.3	37	30.4	11.1	491	2.37	4.4	0.9	0.4	5.7	89.4	0.12	0.16	0.09	48	0.57
REP CAG197256	QC		0.74	16.55	7.91	51.7	35	29.4	10.9	482	2.33	4.5	0.8	<0.2	5.3	87.1	0.09	0.16	0.08	47	0.55
CAG197264	Sediment	1.53	0.53	16.72	4.74	47.2	31	22.5	12.0	376	2.40	2.6	0.9	0.7	6.0	70.3	0.08	0.14	0.06	45	0.69
REP CAG197264	QC		0.55	16.87	4.86	45.7	29	22.1	11.5	367	2.39	2.6	0.8	2.9	5.8	74.2	0.08	0.13	0.06	44	0.70
CAG197279	Sediment	2.07	0.58	18.22	4.52	44.2	45	17.7	10.0	382	2.08	3.8	1.0	3.8	4.0	30.5	0.11	0.15	0.14	42	0.49
REP CAG197279	QC		0.65	19.25	5.01	46.9	44	18.7	10.3	397	2.26	4.4	1.0	8.4	4.3	33.4	0.09	0.13	0.14	45	0.56
CAG197309	Sediment	1.28	0.58	13.47	4.92	58.9	23	10.6	7.8	1086	2.96	9.3	0.7	<0.2	2.7	109.3	0.10	0.17	0.07	42	0.38
REP CAG197309	QC		0.65	14.32	5.15	64.0	30	10.9	8.5	1147	3.13	9.8	0.7	<0.2	2.8	116.6	0.11	0.17	0.07	42	0.41
CAG197328	Sediment	3.38	0.34	28.26	6.86	91.8	29	7.6	8.0	494	2.60	5.1	1.3	1.2	2.8	63.4	0.22	0.24	0.09	50	0.41
REP CAG197328	QC		0.34	28.38	6.83	88.0	30	8.1	8.2	503	2.60	5.3	1.2	0.6	2.5	61.7	0.24	0.23	0.09	51	0.44
Reference Materials																					
STD DS8	Standard		12.48	114.2	126.7	304.6	1763	37.5	7.4	621	2.45	25.6	3.0	109.8	7.5	66.5	2.50	5.99	7.41	44	0.70
STD DS8	Standard		12.78	104.5	128.4	314.3	1759	35.4	7.0	620	2.50	26.3	2.8	117.8	6.8	71.8	2.52	5.72	6.86	42	0.73
STD DS8	Standard		13.23	106.9	120.1	319.0	1824	37.5	7.5	620	2.44	24.7	2.7	111.7	6.6	64.4	2.39	5.32	6.27	41	0.74
STD DS8 Expected			13.44	110	123	312	1690	38.1	7.5	615	2.46	26	2.8	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: February 21, 2012

QUALITY CONTROL REPORT DAW11000338.2

	Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
	MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
Pulp Duplicates																			
CAG197256	Sediment	0.112	16.0	48.1	0.63	243.3	0.089	1	1.05	0.017	0.15	0.2	3.1	0.10	0.02	7	0.2	<0.02	3.8
REP CAG197256	QC	0.106	14.8	46.7	0.62	234.8	0.089	1	1.03	0.017	0.15	0.2	3.1	0.10	0.02	6	0.2	0.02	3.8
CAG197264	Sediment	0.170	18.1	27.7	0.61	180.5	0.088	1	1.16	0.016	0.21	0.1	3.0	0.12	0.02	10	0.3	<0.02	3.9
REP CAG197264	QC	0.188	18.3	26.9	0.60	185.6	0.084	1	1.14	0.015	0.20	0.2	2.9	0.11	0.02	15	0.2	0.02	3.7
CAG197279	Sediment	0.082	11.9	30.1	0.61	140.7	0.077	1	1.03	0.012	0.13	0.1	2.3	0.09	0.02	15	0.1	<0.02	3.7
REP CAG197279	QC	0.089	13.0	32.4	0.66	152.5	0.083	1	1.10	0.013	0.14	0.2	2.4	0.09	0.02	9	0.1	<0.02	4.0
CAG197309	Sediment	0.071	8.1	14.7	0.38	139.0	0.060	<1	0.85	0.016	0.15	<0.1	3.2	0.08	<0.02	5	<0.1	<0.02	4.0
REP CAG197309	QC	0.075	8.6	16.4	0.41	144.0	0.064	<1	0.90	0.016	0.15	<0.1	3.4	0.09	<0.02	9	<0.1	<0.02	4.3
CAG197328	Sediment	0.060	8.7	11.6	0.37	114.7	0.047	2	0.81	0.020	0.07	0.1	3.6	0.05	<0.02	15	0.2	<0.02	3.2
REP CAG197328	QC	0.064	8.9	12.4	0.38	116.0	0.048	1	0.82	0.020	0.07	0.1	3.8	0.05	<0.02	19	0.1	<0.02	3.4
Reference Materials																			
STD DS8	Standard	0.086	15.8	119.8	0.61	279.4	0.112	3	0.99	0.113	0.44	2.9	2.4	5.45	0.15	184	4.9	4.89	4.6
STD DS8	Standard	0.083	15.4	121.0	0.61	286.1	0.113	3	0.95	0.096	0.42	2.9	2.2	5.54	0.17	217	5.2	5.33	4.7
STD DS8	Standard	0.082	15.3	121.0	0.62	283.9	0.113	3	1.00	0.110	0.45	3.2	2.3	5.60	0.16	217	5.2	4.98	5.1
STD DS8 Expected		0.08	14.6	115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	2.3	5.4	0.1679	192	5.23	5	4.7
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.