Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Submitted By: Jean-Pierre Londero
Receiving Lab: Canada-Dawson City
Received: September 03, 2011
Report Date: February 21, 2012

CERTIFICATE OF ANALYSIS DAW11000339.2

CLIENT JOB INFORMATION

Project: White Gold
Shipment ID: WG01322011
P.O. Number
Number of Samples: 47

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
WGHT	47	Weight of sample after prep drying		Completed	VAN
RJSV	47	Saving all or part of Soil Reject			DAW
Dry at 60C	47	Dry at 60C		Completed	DAW
SS80	47	Dry at 60C sieve 100g to -80 mesh			DAW
1F02	47	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Version 2: Revised Sample ID's

Invoice To: Selene Holdings LP
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8
Canada

CC: Keith Fowlow
Jean-Pierre Londero

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: February 21, 2012

CERTIFICATE OF ANALYSIS DAW11000339.2

	Method	DRY WT	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01
CAG197062	Sediment	2.49	0.65	15.42	5.40	73.4	81	6.9	9.8	452	2.49	3.3	0.4	2.4	1.7	19.2	0.13	0.13	0.12	66	0.30
CAG197063	Sediment	2.14	0.48	16.17	4.38	79.6	43	8.0	11.8	569	2.98	3.5	0.4	1.7	2.2	21.3	0.15	0.12	0.08	76	0.38
CAG197064	Sediment	2.33	0.45	13.22	3.82	68.6	31	7.2	10.4	494	2.79	3.6	0.4	1.4	2.2	18.5	0.12	0.12	0.07	64	0.39
CAG197065	Sediment	1.69	0.57	15.32	5.04	78.6	42	8.3	10.3	574	2.95	4.3	0.5	3.1	2.2	21.1	0.13	0.14	0.08	66	0.39
CAG197066	Sediment	2.72	0.43	14.29	4.06	60.3	38	8.6	8.0	289	2.11	3.1	0.4	1.7	2.0	19.0	0.11	0.12	0.07	46	0.36
CAG197067	Sediment	1.74	0.56	10.40	3.95	51.6	46	7.3	6.1	228	1.92	2.8	0.3	0.9	1.5	15.3	0.08	0.13	0.07	47	0.30
CAG197068	Sediment	2.48	0.91	22.03	5.05	70.1	49	9.7	12.2	752	3.03	4.9	0.6	1.5	2.3	23.4	0.20	0.16	0.14	63	0.39
CAG197069	Sediment	3.17	0.50	17.77	4.28	67.7	45	9.2	9.7	490	3.32	5.1	0.8	1.7	2.1	30.8	0.17	0.12	0.08	61	0.44
CAG197070	Sediment	3.79	0.56	15.69	5.52	73.9	42	7.9	14.3	518	2.66	3.0	0.7	2.0	1.4	18.8	0.17	0.10	0.07	68	0.36
CAG197071	Sediment	3.55	0.54	16.48	4.45	63.4	37	8.5	11.0	917	2.78	3.5	0.6	1.3	2.1	26.2	0.14	0.11	0.08	62	0.45
CAG197072	Sediment	3.14	0.38	23.51	3.60	49.0	28	8.2	9.5	411	2.34	2.7	0.5	0.6	1.8	28.3	0.09	0.10	0.06	53	0.39
CAG197073	Sediment	2.86	0.46	23.52	3.77	51.7	23	9.0	11.3	551	2.78	3.3	0.5	0.9	1.9	28.8	0.11	0.11	0.06	64	0.47
CAG197074	Sediment	2.30	0.50	24.97	3.72	65.6	26	9.5	13.2	878	3.50	3.4	0.7	0.8	1.6	40.1	0.15	0.10	0.06	73	0.57
CAG197075	Sediment	4.03	0.37	16.37	3.46	45.9	20	6.6	8.6	365	3.58	2.5	0.5	4.3	1.8	29.3	0.07	0.10	0.05	73	0.49
CAG197076	Sediment	3.01	0.39	17.06	3.34	48.5	23	7.5	9.0	417	3.72	2.5	0.4	1.5	1.8	29.3	0.07	0.09	0.06	74	0.45
CAG197077	Sediment	3.09	0.38	16.03	3.49	47.6	26	8.2	8.7	401	3.16	2.7	0.6	2.5	2.0	31.5	0.11	0.12	0.06	69	0.53
CAG197078	Sediment	2.47	0.35	18.54	4.58	63.4	16	7.2	11.2	611	3.23	3.5	0.6	0.9	1.5	56.2	0.11	0.16	0.06	79	0.53
CAG197079	Sediment	4.06	0.39	15.24	3.55	47.9	23	8.2	8.6	350	3.26	2.9	1.5	3.5	2.6	31.5	0.09	0.12	0.06	70	0.49
CAG197080	Sediment	3.16	0.37	14.70	3.56	47.5	27	8.8	8.8	390	2.71	2.8	0.8	6.8	2.1	33.2	0.09	0.14	0.06	59	0.53
CAG197213	Sediment	2.16	0.40	14.07	4.13	47.2	25	9.5	7.7	320	2.49	3.6	0.8	2.7	2.1	49.3	0.10	0.20	0.06	56	0.53
CAG197214	Sediment	2.77	0.49	18.28	5.29	58.7	29	8.7	9.1	411	2.97	4.9	0.9	1.6	2.2	54.5	0.13	0.21	0.07	67	0.46
CAG197215	Sediment	1.88	0.34	13.55	5.06	55.5	33	8.6	6.3	331	2.86	3.5	1.0	10.9	2.2	52.7	0.14	0.19	0.07	51	0.44
CAG197216	Sediment	2.17	0.49	22.15	4.79	56.9	34	10.1	10.6	418	3.18	5.0	0.6	1.0	2.3	41.3	0.13	0.23	0.07	84	0.53
CAG197217	Sediment	1.77	0.75	28.53	5.45	67.3	28	6.1	11.6	521	4.01	4.2	0.6	2.2	1.7	27.2	0.17	0.29	0.11	113	0.41
CAG197218	Sediment	2.60	0.83	22.85	5.73	69.8	137	7.5	10.3	394	2.64	4.3	0.9	1.0	1.6	18.3	0.17	0.18	0.09	70	0.41
CAG197219	Sediment	1.72	0.73	16.99	5.63	75.5	126	7.9	11.4	553	2.90	4.3	0.6	7.7	1.7	21.4	0.12	0.16	0.14	67	0.43
CAG197220	Sediment	2.04	0.97	23.72	7.64	135.5	92	8.8	13.0	911	3.06	6.2	1.2	1.9	1.7	32.9	0.79	0.26	0.12	59	0.47
CAG197221	Sediment	1.54	0.71	19.18	9.03	87.4	60	9.4	9.4	530	3.09	6.6	0.9	2.6	1.6	26.8	0.23	0.35	0.11	49	0.41
CAG197222	Sediment	1.29	0.69	20.91	8.45	75.7	54	13.4	9.1	339	3.06	18.9	0.8	1.2	2.8	36.2	0.18	0.51	0.11	49	0.48
CAG197223	Sediment	2.38	0.70	24.54	7.10	63.8	48	14.1	8.7	416	2.25	10.8	0.7	5.5	2.4	82.1	0.17	0.43	0.12	43	0.62

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: February 21, 2012

CERTIFICATE OF ANALYSIS DAW11000339.2

	Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
	MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
CAG197062	Sediment	0.046	6.6	10.9	0.78	257.8	0.105	1	1.39	0.009	0.19	0.2	4.4	0.10	<0.02	15	<0.1	0.04	5.8
CAG197063	Sediment	0.073	8.1	10.4	0.90	271.1	0.115	<1	1.47	0.009	0.34	0.1	5.5	0.16	<0.02	14	<0.1	0.02	5.9
CAG197064	Sediment	0.089	7.1	9.0	0.70	183.6	0.090	1	1.15	0.009	0.26	0.1	4.9	0.12	<0.02	11	0.1	0.03	4.7
CAG197065	Sediment	0.086	7.2	11.5	0.72	208.4	0.089	<1	1.27	0.011	0.23	<0.1	4.8	0.10	<0.02	10	0.1	0.04	5.0
CAG197066	Sediment	0.068	7.0	11.2	0.55	174.2	0.074	1	1.06	0.012	0.12	0.1	3.4	0.07	<0.02	16	<0.1	0.03	3.9
CAG197067	Sediment	0.072	6.0	11.8	0.47	138.9	0.073	<1	0.94	0.011	0.08	0.2	2.8	0.05	<0.02	16	<0.1	0.03	3.8
CAG197068	Sediment	0.080	7.8	12.8	0.64	240.1	0.080	<1	1.17	0.018	0.19	0.1	3.8	0.08	0.06	12	0.4	0.07	4.3
CAG197069	Sediment	0.107	7.3	11.7	0.57	186.8	0.070	<1	1.07	0.014	0.14	0.1	3.6	0.07	0.04	23	0.4	0.03	3.8
CAG197070	Sediment	0.072	5.4	9.6	0.60	149.8	0.069	<1	1.11	0.013	0.12	<0.1	3.9	0.06	<0.02	13	0.2	0.02	4.3
CAG197071	Sediment	0.103	7.1	11.4	0.57	180.3	0.067	<1	1.05	0.015	0.13	0.1	3.7	0.06	0.03	11	0.2	0.04	4.0
CAG197072	Sediment	0.091	5.9	11.6	0.48	152.4	0.059	<1	0.91	0.016	0.12	0.1	3.3	0.06	0.03	10	0.2	0.05	3.4
CAG197073	Sediment	0.095	5.9	12.0	0.58	162.2	0.068	<1	0.97	0.018	0.12	<0.1	3.4	0.06	0.03	<5	0.2	0.04	3.8
CAG197074	Sediment	0.084	5.3	15.0	0.79	141.6	0.102	<1	1.29	0.017	0.14	<0.1	4.1	0.06	<0.02	6	<0.1	<0.02	5.6
CAG197075	Sediment	0.106	5.3	10.3	0.49	140.1	0.067	<1	0.89	0.016	0.09	<0.1	3.3	0.05	0.02	<5	<0.1	<0.02	4.5
CAG197076	Sediment	0.096	5.5	11.5	0.50	127.9	0.068	<1	0.91	0.018	0.10	0.1	3.4	0.05	0.02	9	0.2	0.04	4.5
CAG197077	Sediment	0.099	6.4	12.7	0.52	130.8	0.071	<1	0.93	0.020	0.09	0.1	3.5	0.05	<0.02	7	0.1	0.05	4.3
CAG197078	Sediment	0.074	6.1	10.7	0.44	129.4	0.045	2	0.85	0.028	0.06	0.1	4.9	0.03	<0.02	12	0.1	<0.02	4.0
CAG197079	Sediment	0.097	6.3	12.0	0.47	126.7	0.067	<1	0.89	0.019	0.08	0.2	3.3	0.04	<0.02	6	0.1	0.03	4.1
CAG197080	Sediment	0.087	6.3	12.8	0.52	119.3	0.070	<1	0.94	0.020	0.08	0.1	3.3	0.05	<0.02	24	0.2	0.03	4.0
CAG197213	Sediment	0.067	7.0	12.8	0.40	108.1	0.060	<1	0.85	0.024	0.06	0.2	3.2	0.04	<0.02	<5	0.1	0.02	3.4
CAG197214	Sediment	0.066	7.0	12.1	0.45	129.6	0.060	<1	0.90	0.020	0.08	0.1	3.8	0.05	0.02	20	0.1	0.03	3.7
CAG197215	Sediment	0.057	7.4	11.4	0.31	98.2	0.049	<1	0.75	0.018	0.04	0.2	3.1	0.04	<0.02	6	0.1	<0.02	3.5
CAG197216	Sediment	0.083	6.6	13.5	0.56	169.8	0.074	<1	0.99	0.025	0.13	<0.1	4.1	0.08	0.03	12	0.1	0.02	4.0
CAG197217	Sediment	0.057	4.7	7.4	0.37	147.6	0.039	<1	0.77	0.019	0.09	<0.1	5.4	0.05	0.03	21	0.2	0.05	3.6
CAG197218	Sediment	0.066	9.0	13.3	0.72	285.4	0.098	<1	1.51	0.018	0.26	<0.1	5.0	0.11	<0.02	20	0.1	0.05	5.4
CAG197219	Sediment	0.048	9.4	13.6	0.59	263.9	0.083	<1	1.43	0.017	0.17	0.1	4.7	0.09	<0.02	28	0.2	0.05	4.9
CAG197220	Sediment	0.049	12.1	12.9	0.47	225.7	0.071	<1	1.32	0.015	0.15	0.1	4.8	0.09	<0.02	31	0.2	0.08	4.6
CAG197221	Sediment	0.056	8.4	14.0	0.41	164.1	0.061	<1	1.07	0.015	0.09	<0.1	4.3	0.06	<0.02	19	0.2	0.03	4.6
CAG197222	Sediment	0.062	10.3	16.2	0.37	247.5	0.057	1	0.92	0.023	0.11	0.1	3.9	0.07	<0.02	26	0.2	0.04	3.9
CAG197223	Sediment	0.059	9.4	15.6	0.43	171.7	0.057	1	0.88	0.025	0.08	0.1	3.1	0.07	<0.02	21	0.3	0.03	3.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: February 21, 2012

CERTIFICATE OF ANALYSIS DAW11000339.2

	Method	DRY WT	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01
CAG197333	Sediment	2.31	0.63	8.45	4.60	66.1	43	6.3	7.0	419	2.78	2.7	1.2	1.0	1.7	18.7	0.13	0.11	0.07	48	0.32
CAG197334	Sediment	3.05	0.79	13.87	6.59	73.6	55	8.5	8.2	547	3.04	4.4	1.9	2.6	2.1	31.4	0.17	0.20	0.08	49	0.39
CAG197335	Sediment	2.84	1.36	14.88	4.90	65.4	31	7.3	7.6	1982	3.09	3.5	1.4	0.7	2.1	34.8	0.28	0.16	0.06	52	0.39
CAG197336	Sediment	2.65	0.80	16.06	6.20	129.9	34	8.2	9.0	1105	3.27	6.9	1.3	1.3	2.0	37.8	0.33	0.19	0.08	54	0.38
CAG197337	Sediment	2.37	0.50	19.20	7.17	73.0	28	8.1	8.9	607	3.37	5.7	1.3	4.5	2.1	48.5	0.27	0.32	0.13	68	0.34
CAG197338	Sediment	2.37	0.51	18.58	7.14	74.9	41	9.3	8.1	489	3.48	5.1	1.5	7.3	2.6	55.4	0.20	0.27	0.12	58	0.42
CAG197339	Sediment	2.39	0.34	17.42	6.13	71.2	42	8.8	7.3	346	2.68	3.1	2.4	1.1	2.3	68.3	0.19	0.21	0.09	46	0.44
CAG197340	Sediment	2.99	0.60	25.65	4.98	57.6	28	6.8	12.6	464	4.26	4.0	0.7	0.3	2.0	34.8	0.18	0.16	0.08	125	0.44
CAG197341	Sediment	3.49	0.53	32.97	3.86	42.5	37	5.9	13.7	483	4.32	3.0	0.9	1.2	1.7	32.4	0.16	0.13	0.06	114	0.57
CAG197342	Sediment	2.27	0.58	29.60	6.23	92.3	47	11.4	15.0	671	3.68	4.4	1.4	0.5	2.9	75.0	0.19	0.17	0.07	102	0.56
CAG197343	Sediment	2.91	0.63	24.09	6.59	91.2	31	12.5	16.5	905	3.96	6.3	0.9	<0.2	2.6	67.5	0.17	0.21	0.10	100	0.55
CAG197344	Sediment	2.81	0.67	29.70	6.39	83.7	32	9.5	17.4	1000	4.71	5.3	1.0	0.5	2.8	59.1	0.23	0.19	0.09	138	0.53
CAG197345	Sediment	2.22	0.74	23.95	6.76	80.6	106	8.3	12.3	569	3.18	4.4	0.6	0.9	2.3	23.5	0.17	0.13	0.11	80	0.36
CAG197346	Sediment	3.10	0.73	19.83	7.32	87.2	54	7.2	10.3	488	3.34	4.2	0.5	7.0	2.3	21.5	0.16	0.13	0.09	94	0.34
CAG197347	Sediment	1.02	0.78	22.21	7.13	77.8	232	11.0	10.6	575	2.68	4.8	1.0	0.6	2.6	29.2	0.22	0.20	0.11	67	0.43
CAG197348	Sediment	2.49	0.40	16.04	4.52	71.9	47	9.4	10.4	485	3.13	3.6	0.5	<0.2	2.5	28.3	0.14	0.15	0.06	77	0.46
CAG197349	Sediment	3.10	0.47	14.74	5.37	73.9	35	8.5	9.6	480	2.82	3.7	0.5	1.0	2.5	23.7	0.14	0.16	0.07	66	0.43

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: February 21, 2012

CERTIFICATE OF ANALYSIS DAW11000339.2

	Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
	MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
CAG197333	Sediment	0.048	8.0	9.8	0.33	108.9	0.063	<1	0.91	0.015	0.07	0.1	3.7	0.06	<0.02	12	0.2	<0.02	4.7
CAG197334	Sediment	0.053	10.5	12.5	0.38	150.5	0.061	<1	1.05	0.016	0.07	0.2	4.5	0.06	<0.02	26	<0.1	0.03	4.7
CAG197335	Sediment	0.050	7.8	8.5	0.34	134.5	0.063	<1	0.85	0.027	0.08	0.1	4.2	0.06	<0.02	6	<0.1	<0.02	4.1
CAG197336	Sediment	0.044	8.6	10.4	0.39	144.2	0.061	<1	0.94	0.021	0.08	<0.1	4.4	0.05	<0.02	12	0.2	0.02	4.7
CAG197337	Sediment	0.049	7.2	10.8	0.32	121.8	0.042	1	0.75	0.016	0.06	0.1	3.9	0.04	<0.02	14	0.2	0.03	3.3
CAG197338	Sediment	0.056	8.3	13.9	0.36	132.1	0.051	2	0.82	0.018	0.06	0.2	3.8	0.05	<0.02	17	0.2	0.02	4.1
CAG197339	Sediment	0.052	8.5	12.4	0.36	111.4	0.053	2	0.81	0.018	0.05	0.1	3.6	0.04	0.02	14	0.2	<0.02	3.6
CAG197340	Sediment	0.099	5.8	9.4	0.59	169.3	0.078	1	1.00	0.028	0.17	<0.1	4.7	0.08	0.07	11	0.2	<0.02	4.3
CAG197341	Sediment	0.102	6.2	8.2	0.67	172.1	0.119	<1	1.13	0.024	0.21	<0.1	4.3	0.11	0.03	11	0.1	<0.02	5.1
CAG197342	Sediment	0.101	9.4	22.8	1.08	337.9	0.148	1	1.62	0.016	0.47	0.1	6.6	0.18	<0.02	73	0.2	0.03	6.0
CAG197343	Sediment	0.095	8.4	22.8	1.07	287.8	0.138	1	1.62	0.018	0.38	<0.1	6.5	0.16	<0.02	10	0.1	0.03	5.8
CAG197344	Sediment	0.103	7.5	16.9	0.86	281.3	0.116	1	1.36	0.030	0.32	<0.1	6.4	0.13	0.09	7	0.4	0.03	5.8
CAG197345	Sediment	0.072	8.3	14.9	0.87	358.4	0.110	1	1.57	0.012	0.23	<0.1	5.1	0.11	<0.02	13	0.2	0.04	5.8
CAG197346	Sediment	0.061	7.7	13.4	1.03	272.2	0.137	<1	1.70	0.013	0.35	0.1	5.7	0.13	<0.02	9	0.2	0.06	6.6
CAG197347	Sediment	0.060	16.7	17.5	0.76	336.0	0.114	<1	1.59	0.012	0.18	0.1	5.5	0.12	0.02	30	0.3	<0.02	5.8
CAG197348	Sediment	0.106	9.1	14.2	0.80	213.9	0.105	<1	1.32	0.014	0.28	0.2	5.4	0.13	<0.02	11	0.1	0.02	5.0
CAG197349	Sediment	0.102	8.1	13.3	0.70	199.6	0.089	<1	1.26	0.015	0.22	0.2	4.6	0.09	<0.02	8	<0.1	0.04	4.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: February 21, 2012

QUALITY CONTROL REPORT DAW11000339.2

	Method	DRY WT	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01
Pulp Duplicates																					
CAG197068	Sediment	2.48	0.91	22.03	5.05	70.1	49	9.7	12.2	752	3.03	4.9	0.6	1.5	2.3	23.4	0.20	0.16	0.14	63	0.39
REP CAG197068	QC		0.87	23.30	5.42	74.8	53	9.7	12.8	762	3.08	5.3	0.6	1.2	2.5	24.2	0.18	0.16	0.12	65	0.40
CAG197333	Sediment	2.31	0.63	8.45	4.60	66.1	43	6.3	7.0	419	2.78	2.7	1.2	1.0	1.7	18.7	0.13	0.11	0.07	48	0.32
REP CAG197333	QC		0.59	7.91	4.24	60.3	34	5.9	6.4	380	2.64	2.6	1.1	0.3	1.7	17.4	0.13	0.11	0.06	46	0.31
Reference Materials																					
STD DS8	Standard		12.48	114.2	126.7	304.6	1763	37.5	7.4	621	2.45	25.6	3.0	109.8	7.5	66.5	2.50	5.99	7.41	44	0.70
STD DS8	Standard		12.43	100.3	117.4	293.0	1640	36.6	7.1	583	2.36	22.5	2.6	106.0	6.1	59.0	2.12	4.97	5.92	41	0.68
STD DS8 Expected			13.44	110	123	312	1690	38.1	7.5	615	2.46	26	2.8	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: February 21, 2012

QUALITY CONTROL REPORT DAW11000339.2

	Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
	MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
Pulp Duplicates																			
CAG197068	Sediment	0.080	7.8	12.8	0.64	240.1	0.080	<1	1.17	0.018	0.19	0.1	3.8	0.08	0.06	12	0.4	0.07	4.3
REP CAG197068	QC	0.082	7.9	13.1	0.65	247.7	0.083	<1	1.20	0.019	0.19	0.1	4.1	0.08	0.06	20	0.4	0.08	4.6
CAG197333	Sediment	0.048	8.0	9.8	0.33	108.9	0.063	<1	0.91	0.015	0.07	0.1	3.7	0.06	<0.02	12	0.2	<0.02	4.7
REP CAG197333	QC	0.046	7.4	9.3	0.32	101.0	0.060	<1	0.86	0.015	0.07	0.1	3.6	0.05	<0.02	11	<0.1	<0.02	4.3
Reference Materials																			
STD DS8	Standard	0.086	15.8	119.8	0.61	279.4	0.112	3	0.99	0.113	0.44	2.9	2.4	5.45	0.15	184	4.9	4.89	4.6
STD DS8	Standard	0.076	13.7	115.6	0.59	254.8	0.108	2	0.93	0.101	0.41	2.9	2.1	5.15	0.14	173	4.8	4.85	4.7
STD DS8 Expected		0.08	14.6	115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	2.3	5.4	0.1679	192	5.23	5	4.7
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.