Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Selene Holdings LP**
885 W. Georgia Street, Suite 1380
Vancouver BC V6C 3E8 Canada

Submitted By: Jean-Pierre Londero
Receiving Lab: Canada-Whitehorse
Received: August 20, 2011
Report Date: November 16, 2011

CERTIFICATE OF ANALYSIS WHI11001194.1

CLIENT JOB INFORMATION

Project: White Gold
Shipment ID: WG01072011
P.O. Number
Number of Samples: 71

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT-SOIL Store Soil Reject - RJSV Charges Apply

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	71	Dry at 60C sieve 100g to -80 mesh			WHI
Dry at 60C	71	Dry at 60C			WHI
RJSV	71	Saving all or part of Soil Reject			WHI
1F02	71	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Selene Holdings LP
885 W. Georgia Street, Suite 1380
Vancouver BC V6C 3E8
Canada

CC: Jean-Pierre Londero

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
885 W. Georgia Street, Suite 1380
Vancouver BC V6C 3E8 Canada

Project: White Gold
Report Date: November 16, 2011

CERTIFICATE OF ANALYSIS WHI11001194.1

	Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001
CAG196954	Sediment	2.62	35.04	9.27	149.3	130	40.4	19.6	1317	3.07	23.2	1.5	5.3	3.7	35.3	0.95	5.62	0.27	60	0.50	0.105
CAG196955	Sediment	1.23	37.86	6.62	76.4	120	34.5	16.0	685	2.73	6.0	1.0	4.8	3.8	25.7	0.21	0.72	0.09	60	0.43	0.074
G196956	Sediment	2.09	36.31	8.40	125.6	149	35.4	16.8	894	2.83	18.1	1.3	10.6	3.8	34.8	0.69	3.90	0.22	57	0.49	0.096
CAG196957	Sediment	1.48	27.61	6.22	88.7	100	30.7	11.4	474	2.31	10.6	1.0	3.5	3.2	29.4	0.43	1.73	0.14	49	0.43	0.106
CAG196958	Sediment	4.15	28.96	16.98	89.4	166	39.8	11.8	526	2.30	12.4	1.5	48.8	3.2	33.1	0.45	1.75	0.22	47	0.50	0.089
CAG196959	Sediment	0.68	25.67	4.52	60.9	79	52.3	11.0	301	2.03	14.5	1.1	6.1	2.6	38.8	0.18	0.57	0.08	45	0.57	0.069
CAG196960	Sediment	0.74	21.47	4.13	48.9	50	44.6	10.0	298	1.91	12.4	0.8	6.0	2.5	28.0	0.14	0.56	0.07	43	0.43	0.086
CAG196961	Sediment	0.69	24.22	4.37	59.2	88	30.5	8.7	313	1.94	19.1	1.0	11.0	2.7	37.1	0.15	0.69	0.08	41	0.54	0.074
CAG196962	Sediment	0.96	20.68	5.42	65.1	86	34.9	8.0	349	2.27	8.0	0.9	44.9	3.1	28.9	0.21	1.04	0.09	46	0.62	0.144
CAG196288	Sediment	0.75	15.35	9.37	77.6	45	10.0	9.0	375	2.40	8.4	0.5	<0.2	1.9	17.8	0.10	0.16	0.10	68	0.28	0.080
CAG196289	Sediment	0.67	17.91	7.29	107.1	95	14.1	12.2	483	3.01	6.3	0.5	0.6	1.8	26.5	0.12	0.20	0.10	76	0.38	0.071
CAG196290	Sediment	0.82	15.71	9.12	90.9	60	11.2	13.1	645	3.00	9.6	0.4	1.0	1.8	20.4	0.13	0.23	0.11	76	0.31	0.077
CAG196291	Sediment	0.56	17.30	6.97	66.1	89	12.7	10.7	618	2.48	5.1	0.7	0.6	2.0	34.6	0.12	0.20	0.10	57	0.59	0.057
CAG196292	Sediment	0.76	17.62	9.79	87.4	92	14.6	11.7	573	2.56	6.2	0.9	0.7	2.8	30.2	0.21	0.25	0.14	64	0.54	0.070
CAG196293	Sediment	0.60	16.25	13.13	70.0	110	15.1	10.4	534	2.47	6.1	1.5	7.8	4.0	29.5	0.15	0.25	0.19	60	0.53	0.066
CAG196294	Sediment	0.61	12.31	10.89	61.4	51	7.7	10.2	398	2.60	5.7	1.0	<0.2	2.7	23.1	0.08	0.14	0.14	58	0.29	0.056
CAG196295	Sediment	0.80	14.90	13.86	75.0	90	15.0	13.1	1062	2.98	7.5	1.8	16.6	4.1	29.6	0.22	0.27	0.22	62	0.49	0.078
CAG196296	Sediment	0.47	10.89	4.83	52.7	21	10.9	8.2	319	2.18	6.4	0.4	0.2	3.0	21.4	0.08	0.13	0.07	48	0.30	0.062
CAG196297	Sediment	0.49	12.30	5.97	54.7	25	11.8	10.1	390	2.46	7.3	0.5	8.4	3.1	23.5	0.07	0.16	0.08	54	0.38	0.077
CAG196298	Sediment	0.41	10.69	4.86	51.5	27	9.2	7.6	311	2.09	5.5	0.7	0.3	3.1	20.9	0.06	0.13	0.07	45	0.33	0.063
CAG196299	Sediment	0.68	12.91	5.90	59.5	29	11.6	10.9	527	2.68	9.9	1.0	0.5	3.8	21.6	0.09	0.17	0.09	51	0.32	0.068
CAG196300	Sediment	0.57	12.46	7.09	63.1	38	12.5	10.8	542	2.36	6.2	1.2	2.1	4.0	23.0	0.13	0.18	0.11	48	0.36	0.062
CAG196901	Sediment	0.83	14.97	8.27	68.3	59	17.7	10.6	556	2.37	5.5	2.2	0.3	4.1	28.2	0.16	0.20	0.11	50	0.49	0.073
CAG196902	Sediment	0.61	19.78	4.42	54.0	86	55.1	15.3	1082	2.39	9.4	0.7	0.6	3.0	28.7	0.22	0.18	0.06	41	0.36	0.073
CAG196903	Sediment	0.74	17.47	8.71	64.5	53	25.7	13.3	469	2.80	11.4	0.7	1.5	6.3	23.5	0.15	0.24	0.12	41	0.41	0.091
CAG196904	Sediment	0.49	13.87	6.27	52.9	51	23.3	10.8	481	2.21	8.3	0.8	1.3	4.6	25.1	0.14	0.20	0.08	38	0.38	0.083
CAG196905	Sediment	0.68	21.68	5.20	52.6	81	34.9	12.9	801	2.35	10.7	1.3	4.7	3.6	29.1	0.20	0.19	0.08	44	0.39	0.078
CAG196906	Sediment	0.62	31.08	5.69	57.0	55	18.2	10.4	389	2.34	7.0	0.6	1.3	3.7	21.7	0.11	0.14	0.07	54	0.36	0.101
CAG196907	Sediment	0.52	23.28	4.67	56.3	68	20.1	9.1	337	1.96	6.1	0.6	0.4	3.1	21.4	0.09	0.14	0.06	42	0.30	0.066
CAG196908	Sediment	0.58	22.48	5.12	52.3	63	22.1	11.6	940	1.96	6.4	0.9	1.5	3.2	24.9	0.20	0.31	0.07	40	0.35	0.073

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
885 W. Georgia Street, Suite 1380
Vancouver BC V6C 3E8 Canada

Project: White Gold
Report Date: November 16, 2011

CERTIFICATE OF ANALYSIS WHI11001194.1

	Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
	MDL	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
CAG196954	Sediment	14.1	37.7	0.48	573.6	0.052	1	1.11	0.008	0.16	0.5	3.3	0.16	0.05	39	1.2	0.08	3.4
CAG196955	Sediment	12.4	47.0	0.79	308.9	0.086	2	1.32	0.009	0.28	<0.1	3.1	0.17	0.03	30	0.7	0.07	4.2
G196956	Sediment	14.4	35.9	0.56	587.4	0.063	1	1.07	0.008	0.18	0.5	3.0	0.18	0.04	45	1.0	0.11	3.5
CAG196957	Sediment	11.1	32.9	0.49	458.4	0.065	<1	0.94	0.009	0.20	1.0	2.2	0.12	0.05	24	0.8	0.06	2.9
CAG196958	Sediment	12.7	44.4	0.55	419.7	0.061	1	0.99	0.011	0.15	0.4	2.7	0.14	0.04	25	0.7	0.12	3.0
CAG196959	Sediment	9.6	52.0	0.76	237.9	0.069	2	1.09	0.017	0.11	0.1	2.6	0.09	0.03	23	0.4	0.07	3.1
CAG196960	Sediment	8.1	53.1	0.65	200.2	0.048	1	0.85	0.013	0.09	0.1	2.1	0.06	0.02	11	0.5	0.06	2.2
CAG196961	Sediment	10.0	39.6	0.62	202.0	0.063	2	0.98	0.016	0.09	0.2	2.6	0.07	0.03	29	0.3	0.04	2.8
CAG196962	Sediment	11.9	39.4	0.43	361.6	0.056	2	0.84	0.010	0.16	0.2	2.4	0.09	0.02	24	0.3	0.06	2.6
CAG196288	Sediment	6.6	19.4	0.87	116.5	0.085	<1	1.32	0.010	0.08	0.3	3.9	0.05	0.02	6	0.2	<0.02	5.3
CAG196289	Sediment	6.8	23.9	1.06	157.6	0.096	1	1.77	0.010	0.06	0.1	4.7	0.05	0.03	20	0.2	<0.02	6.1
CAG196290	Sediment	6.1	20.6	0.92	128.6	0.082	<1	1.40	0.010	0.07	0.4	3.9	0.05	0.02	10	0.1	0.05	5.2
CAG196291	Sediment	7.4	27.5	0.79	179.7	0.087	1	1.45	0.014	0.06	0.3	4.3	0.04	0.03	24	0.2	0.04	5.2
CAG196292	Sediment	9.8	24.8	0.78	176.3	0.086	1	1.43	0.019	0.08	0.8	4.3	0.08	0.03	33	0.3	<0.02	4.6
CAG196293	Sediment	11.8	24.2	0.59	151.8	0.086	1	1.40	0.020	0.07	0.4	3.3	0.10	0.02	27	0.2	<0.02	4.0
CAG196294	Sediment	5.8	16.3	0.73	114.9	0.065	<1	1.23	0.015	0.07	0.3	3.7	0.08	<0.02	10	<0.1	<0.02	4.4
CAG196295	Sediment	11.5	22.9	0.63	167.1	0.080	<1	1.41	0.016	0.07	0.3	3.6	0.10	<0.02	28	0.1	<0.02	4.5
CAG196296	Sediment	7.8	18.6	0.64	139.9	0.081	<1	1.18	0.011	0.10	0.2	2.6	0.06	<0.02	11	<0.1	<0.02	4.0
CAG196297	Sediment	8.7	20.4	0.66	154.8	0.082	1	1.23	0.014	0.10	0.2	3.1	0.05	<0.02	28	<0.1	<0.02	4.2
CAG196298	Sediment	8.1	16.9	0.58	121.3	0.073	<1	1.09	0.011	0.09	0.1	2.5	0.05	<0.02	10	<0.1	<0.02	3.8
CAG196299	Sediment	9.6	20.0	0.64	135.1	0.076	<1	1.19	0.010	0.11	0.1	2.8	0.06	<0.02	6	<0.1	<0.02	4.2
CAG196300	Sediment	9.6	21.4	0.63	145.8	0.077	<1	1.16	0.012	0.10	0.2	2.7	0.06	<0.02	11	<0.1	<0.02	4.0
CAG196901	Sediment	12.5	29.0	0.65	184.6	0.083	1	1.34	0.015	0.09	0.3	2.8	0.06	<0.02	16	0.1	<0.02	4.1
CAG196902	Sediment	10.9	91.5	0.81	270.5	0.042	<1	1.30	0.005	0.05	<0.1	2.4	0.05	<0.02	12	0.3	<0.02	2.9
CAG196903	Sediment	14.9	44.1	0.68	135.7	0.066	1	1.52	0.005	0.07	0.1	2.3	0.10	<0.02	13	0.1	0.06	4.0
CAG196904	Sediment	12.6	37.8	0.62	138.1	0.052	<1	1.31	0.005	0.05	0.1	2.0	0.06	<0.02	11	<0.1	<0.02	3.3
CAG196905	Sediment	12.4	49.4	0.65	186.8	0.046	<1	1.26	0.006	0.05	<0.1	2.4	0.05	<0.02	20	0.4	<0.02	3.1
CAG196906	Sediment	10.7	28.5	0.76	201.0	0.061	<1	1.24	0.006	0.09	0.1	2.3	0.05	<0.02	9	<0.1	0.05	3.9
CAG196907	Sediment	9.7	31.9	0.67	160.3	0.053	<1	1.16	0.005	0.07	<0.1	1.9	0.04	<0.02	16	0.2	<0.02	3.1
CAG196908	Sediment	10.6	35.9	0.65	185.8	0.050	<1	1.13	0.005	0.06	<0.1	2.0	0.06	<0.02	14	0.1	<0.02	3.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
885 W. Georgia Street, Suite 1380
Vancouver BC V6C 3E8 Canada

Project: White Gold
Report Date: November 16, 2011

CERTIFICATE OF ANALYSIS WHI11001194.1

	Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001
CAG196909	Sediment	1.53	33.13	11.90	116.2	128	20.8	14.1	569	2.94	10.6	0.8	0.9	2.9	35.2	0.34	0.24	0.27	60	0.35	0.070
CAG196910	Sediment	0.64	23.69	6.21	57.2	107	23.9	10.8	518	2.07	7.2	1.1	6.0	3.1	28.4	0.18	0.13	0.10	42	0.39	0.072
CAG196911	Sediment	0.50	15.42	7.30	44.3	80	14.7	9.1	361	1.91	5.2	0.6	0.9	2.5	23.1	0.13	0.16	0.13	40	0.33	0.074
CAG196912	Sediment	0.56	25.34	5.45	48.1	51	18.5	8.7	318	2.17	7.0	0.6	0.4	2.2	22.0	0.12	0.16	0.08	50	0.34	0.073
CAG199078	Sediment	1.16	23.54	4.94	73.5	74	48.1	10.8	391	2.34	41.4	0.8	8.9	3.1	34.3	0.18	1.30	0.08	50	0.48	0.120
CAG199079	Sediment	0.85	22.19	4.14	65.1	69	32.1	9.9	329	2.06	29.2	0.9	6.9	2.5	31.9	0.16	0.93	0.08	44	0.49	0.094
CAG199080	Sediment	1.47	24.30	6.48	67.2	116	22.3	9.1	382	2.47	19.4	1.2	4.1	3.9	27.2	0.22	1.13	0.14	42	0.41	0.083
CAG199081	Sediment	1.05	19.62	5.90	62.7	106	20.0	7.3	279	2.07	6.9	0.8	12.4	3.1	21.3	0.24	0.74	0.11	41	0.34	0.072
CAG199082	Sediment	0.84	19.12	4.64	61.5	73	41.0	10.0	300	2.33	23.1	0.9	29.2	3.1	33.7	0.11	0.82	0.09	49	0.53	0.120
CAG199083	Sediment	0.99	19.38	4.95	58.4	65	40.5	10.3	440	2.34	23.2	1.1	19.1	3.1	26.1	0.15	0.77	0.10	45	0.42	0.102
CAG199084	Sediment	0.86	31.58	4.15	52.0	54	25.9	11.8	641	2.03	5.8	1.0	2.1	2.3	25.0	0.18	0.42	0.07	46	0.41	0.083
CAG199085	Sediment	0.79	20.89	4.55	57.3	56	35.2	9.9	333	2.23	20.1	0.8	5.5	2.6	25.3	0.15	0.72	0.08	45	0.40	0.089
CAG199086	Sediment	0.76	19.78	4.08	59.6	56	27.1	9.5	290	1.99	18.2	0.8	5.2	2.5	27.7	0.13	0.68	0.07	41	0.42	0.088
CAG199087	Sediment	0.98	23.94	6.35	71.4	90	34.1	8.9	373	2.42	8.1	0.8	7.5	3.1	30.7	0.23	1.16	0.09	45	0.66	0.148
CAG199088	Sediment	0.81	22.14	5.08	62.6	68	34.0	9.5	333	2.09	16.9	0.8	5.6	2.8	27.0	0.13	0.68	0.08	43	0.42	0.095
CAG199089	Sediment	0.69	15.60	5.58	65.2	44	15.5	11.7	453	2.41	6.4	0.4	0.3	3.2	14.4	0.09	0.16	0.07	51	0.31	0.053
CAG199090	Sediment	0.60	13.20	6.22	64.0	33	18.0	11.5	474	2.48	6.8	0.7	1.0	4.3	16.3	0.09	0.15	0.08	47	0.37	0.079
CAG199091	Sediment	0.63	13.05	5.78	60.2	38	13.3	10.5	354	2.50	5.7	0.5	0.9	3.7	18.3	0.09	0.19	0.09	45	0.33	0.067
CAG199092	Sediment	0.81	14.55	6.90	71.1	31	20.1	14.2	668	2.76	8.9	0.7	<0.2	4.7	15.0	0.10	0.17	0.09	50	0.31	0.068
CAG199093	Sediment	0.57	11.60	5.64	61.2	37	16.1	10.6	405	2.24	5.2	0.6	0.9	3.9	16.2	0.08	0.14	0.07	42	0.32	0.060
CAG199094	Sediment	0.98	19.33	10.13	85.5	53	26.2	13.4	513	2.79	6.9	1.0	0.5	6.0	38.9	0.24	0.22	0.13	58	0.65	0.078
CAG199095	Sediment	0.67	13.50	6.06	65.1	43	18.6	13.6	1186	2.43	7.3	1.1	0.6	4.0	22.9	0.12	0.17	0.11	44	0.39	0.066
CAG199096	Sediment	0.92	13.96	13.66	77.7	92	15.0	10.1	546	2.45	6.1	1.8	1.0	7.4	28.7	0.24	0.22	0.30	47	0.40	0.060
CAG199097	Sediment	0.57	11.77	6.32	60.9	37	17.2	11.8	510	2.29	6.0	0.9	0.3	3.7	19.3	0.07	0.14	0.07	42	0.33	0.063
CAG199098	Sediment	0.67	15.18	7.98	74.4	48	19.7	13.3	455	2.65	7.1	1.3	3.8	4.3	25.4	0.10	0.21	0.12	51	0.42	0.072
CAG199099	Sediment	0.48	18.63	9.24	65.4	77	24.0	9.4	473	2.28	5.6	0.8	0.9	3.4	31.4	0.18	0.38	0.16	51	0.64	0.071
CAG199100	Sediment	0.68	13.04	8.03	66.1	40	18.6	12.3	766	2.51	6.6	1.1	0.3	4.8	25.0	0.09	0.19	0.28	49	0.43	0.085
CAG199101	Sediment	0.81	21.21	5.00	80.8	41	12.6	13.1	440	3.04	6.5	0.6	1.0	3.2	18.0	0.12	0.16	0.07	56	0.39	0.091
CAG199102	Sediment	0.36	16.65	3.85	59.4	40	12.7	11.0	1146	2.43	4.2	0.5	0.7	3.7	27.4	0.11	0.14	0.04	45	0.57	0.165
CAG199103	Sediment	0.51	18.18	4.35	65.1	28	13.2	12.2	645	2.75	5.7	0.4	0.7	3.2	20.6	0.09	0.17	0.04	48	0.44	0.111

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
885 W. Georgia Street, Suite 1380
Vancouver BC V6C 3E8 Canada

Project: White Gold
Report Date: November 16, 2011

CERTIFICATE OF ANALYSIS WHI11001194.1

	Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
	MDL	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
CAG196909	Sediment	9.6	48.3	1.05	165.6	0.050	<1	1.53	0.011	0.09	<0.1	3.3	0.05	0.07	13	0.7	0.13	4.6
CAG196910	Sediment	11.4	37.1	0.68	176.3	0.054	<1	1.21	0.007	0.06	<0.1	2.3	0.05	0.02	17	0.3	<0.02	3.4
CAG196911	Sediment	9.8	26.8	0.54	138.0	0.045	<1	1.13	0.007	0.04	0.1	2.1	0.04	<0.02	20	<0.1	<0.02	3.2
CAG196912	Sediment	8.2	33.0	0.63	126.7	0.048	<1	1.23	0.008	0.06	<0.1	2.3	0.03	<0.02	14	0.1	0.05	3.7
CAG199078	Sediment	10.3	108.3	0.61	246.1	0.053	1	0.94	0.010	0.13	0.2	2.2	0.08	0.04	64	0.3	0.03	2.7
CAG199079	Sediment	8.9	57.4	0.66	192.9	0.055	1	0.96	0.010	0.11	0.1	2.4	0.08	0.03	21	0.3	0.04	2.9
CAG199080	Sediment	13.9	22.0	0.35	261.4	0.046	2	0.76	0.010	0.09	0.2	2.2	0.10	0.04	16	0.5	0.03	2.6
CAG199081	Sediment	11.6	21.3	0.32	260.4	0.051	2	0.78	0.008	0.08	0.2	2.0	0.07	0.03	26	0.3	<0.02	2.5
CAG199082	Sediment	10.0	101.9	0.65	232.5	0.053	1	0.92	0.011	0.10	0.2	2.5	0.07	0.03	20	0.2	0.02	3.4
CAG199083	Sediment	9.2	102.3	0.60	243.7	0.045	<1	0.83	0.007	0.10	0.3	2.4	0.08	0.02	18	0.3	<0.02	2.8
CAG199084	Sediment	7.1	40.7	0.65	295.1	0.056	1	0.87	0.011	0.10	0.1	2.4	0.07	0.02	19	0.2	<0.02	2.9
CAG199085	Sediment	8.2	79.2	0.62	214.6	0.048	2	0.84	0.007	0.10	0.1	2.3	0.07	0.02	22	0.2	<0.02	2.9
CAG199086	Sediment	8.7	41.5	0.62	204.5	0.049	1	0.88	0.011	0.10	0.1	2.5	0.07	0.02	20	0.1	<0.02	2.8
CAG199087	Sediment	11.8	45.1	0.49	440.1	0.056	2	0.91	0.009	0.18	0.1	3.0	0.11	0.02	26	0.3	0.02	3.1
CAG199088	Sediment	8.1	48.9	0.61	258.2	0.048	1	0.85	0.009	0.11	0.1	2.2	0.08	0.03	24	0.2	0.04	2.9
CAG199089	Sediment	9.1	32.5	0.78	148.1	0.065	<1	1.25	0.007	0.07	<0.1	2.9	0.05	<0.02	14	<0.1	<0.02	4.5
CAG199090	Sediment	12.8	32.9	0.75	226.7	0.066	<1	1.26	0.007	0.07	0.1	2.6	0.05	<0.02	12	<0.1	<0.02	4.7
CAG199091	Sediment	10.4	22.9	0.66	156.3	0.066	<1	1.19	0.007	0.06	0.1	2.8	0.04	<0.02	17	<0.1	<0.02	4.6
CAG199092	Sediment	13.2	34.6	0.79	238.6	0.066	<1	1.27	0.007	0.08	<0.1	2.7	0.05	<0.02	11	<0.1	<0.02	4.8
CAG199093	Sediment	10.9	29.1	0.69	196.4	0.059	<1	1.15	0.007	0.07	0.1	2.3	0.05	<0.02	9	<0.1	<0.02	3.9
CAG199094	Sediment	18.1	38.3	0.80	203.2	0.069	<1	1.34	0.010	0.15	0.2	3.2	0.09	<0.02	13	0.1	<0.02	5.8
CAG199095	Sediment	12.1	28.7	0.65	241.7	0.061	<1	1.13	0.009	0.07	0.1	2.4	0.04	<0.02	13	<0.1	<0.02	4.0
CAG199096	Sediment	22.8	28.2	0.52	188.2	0.062	<1	1.23	0.008	0.06	0.3	2.8	0.07	<0.02	18	<0.1	<0.02	5.3
CAG199097	Sediment	10.5	28.5	0.65	188.4	0.060	<1	1.10	0.007	0.07	0.2	2.2	0.04	<0.02	11	0.1	<0.02	4.0
CAG199098	Sediment	11.9	30.8	0.71	195.2	0.067	<1	1.28	0.011	0.08	0.2	2.7	0.06	<0.02	12	<0.1	<0.02	4.5
CAG199099	Sediment	10.2	31.9	0.62	239.2	0.071	1	1.18	0.023	0.06	0.3	2.8	0.06	0.03	28	<0.1	0.02	3.9
CAG199100	Sediment	12.3	29.5	0.61	199.9	0.064	<1	1.15	0.011	0.07	0.3	2.5	0.05	<0.02	16	<0.1	<0.02	4.2
CAG199101	Sediment	10.1	19.3	0.72	157.4	0.060	<1	1.29	0.012	0.09	<0.1	3.0	0.06	<0.02	9	0.2	0.02	4.8
CAG199102	Sediment	9.5	16.5	0.72	175.5	0.057	<1	1.16	0.011	0.11	0.1	2.8	0.06	<0.02	8	0.1	<0.02	4.0
CAG199103	Sediment	9.1	17.9	0.72	156.9	0.056	<1	1.16	0.013	0.10	<0.1	2.9	0.05	<0.02	8	<0.1	<0.02	4.0

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
885 W. Georgia Street, Suite 1380
Vancouver BC V6C 3E8 Canada

Project: White Gold
Report Date: November 16, 2011

CERTIFICATE OF ANALYSIS WHI11001194.1

	Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001
CAG199104	Sediment	0.60	23.38	4.39	73.4	33	14.5	15.1	762	2.93	5.9	0.5	2.8	2.8	24.1	0.12	0.17	0.05	55	0.51	0.125
CAG199105	Sediment	0.52	19.90	4.01	62.8	37	9.2	8.3	230	2.15	3.0	0.5	6.6	1.5	14.8	0.10	0.12	0.05	48	0.34	0.072
CAG199106	Sediment	0.76	27.74	4.81	89.5	37	14.7	16.1	672	3.05	6.0	0.6	0.9	2.5	19.6	0.13	0.18	0.06	61	0.42	0.092
CAG199107	Sediment	0.58	30.73	5.38	72.4	41	16.4	14.8	528	2.90	6.4	0.6	1.2	2.0	25.2	0.14	0.26	0.07	60	0.46	0.063
CAG199108	Sediment	0.76	24.86	6.04	89.8	43	13.2	16.3	587	2.75	6.0	0.3	0.5	1.5	17.2	0.14	0.18	0.07	63	0.34	0.068
CAG199109	Sediment	0.45	18.43	5.98	66.2	30	11.3	11.2	510	2.21	4.2	0.5	3.0	1.8	22.6	0.11	0.17	0.05	47	0.38	0.077
CAG199110	Sediment	0.49	18.20	4.87	62.8	37	13.9	11.1	381	2.64	5.7	0.6	1.6	2.1	24.4	0.12	0.23	0.07	62	0.47	0.089
CAG199111	Sediment	0.74	23.94	5.15	73.8	44	11.9	14.7	489	2.86	10.7	0.3	0.4	1.6	14.1	0.11	0.20	0.06	71	0.32	0.059
CAG199112	Sediment	0.58	20.01	4.85	70.6	38	13.1	13.9	752	2.89	7.2	0.5	6.6	1.8	22.3	0.17	0.22	0.06	64	0.43	0.085
CAG199113	Sediment	0.78	20.10	7.75	81.6	48	14.4	10.0	314	2.36	10.0	0.4	0.8	2.6	15.8	0.14	0.18	0.07	55	0.29	0.050
CAG199114	Sediment	0.57	18.50	5.07	68.8	38	13.4	12.4	584	2.54	6.7	0.5	0.3	2.1	24.1	0.14	0.25	0.07	58	0.45	0.086

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
885 W. Georgia Street, Suite 1380
Vancouver BC V6C 3E8 Canada

Project: White Gold
Report Date: November 16, 2011

CERTIFICATE OF ANALYSIS WHI11001194.1

	Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
	MDL	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
CAG199104	Sediment	8.6	19.3	0.80	208.2	0.073	<1	1.33	0.013	0.13	<0.1	2.9	0.06	<0.02	11	0.1	<0.02	4.6
CAG199105	Sediment	5.8	19.1	0.61	131.1	0.069	<1	1.06	0.012	0.10	<0.1	2.5	0.05	<0.02	12	0.2	<0.02	3.8
CAG199106	Sediment	8.2	24.1	0.83	193.8	0.078	<1	1.37	0.014	0.14	<0.1	3.2	0.06	<0.02	17	<0.1	0.03	4.9
CAG199107	Sediment	6.9	24.0	0.86	167.8	0.069	<1	1.39	0.013	0.10	<0.1	3.8	0.05	<0.02	14	<0.1	<0.02	4.7
CAG199108	Sediment	5.3	26.3	0.85	143.8	0.074	<1	1.34	0.014	0.08	<0.1	3.1	0.05	<0.02	9	<0.1	<0.02	4.8
CAG199109	Sediment	6.4	18.5	0.62	128.7	0.060	<1	1.08	0.012	0.07	<0.1	2.7	0.04	<0.02	18	<0.1	<0.02	3.6
CAG199110	Sediment	7.1	24.4	0.67	149.4	0.063	<1	1.11	0.014	0.06	0.3	2.9	0.03	<0.02	18	<0.1	<0.02	3.9
CAG199111	Sediment	5.6	26.1	0.87	208.1	0.072	<1	1.26	0.017	0.09	<0.1	3.9	0.04	0.02	10	0.2	0.05	5.0
CAG199112	Sediment	6.1	23.4	0.72	156.3	0.063	<1	1.12	0.016	0.07	0.1	3.3	0.03	<0.02	8	0.1	<0.02	4.0
CAG199113	Sediment	8.0	31.6	0.74	167.6	0.060	<1	1.16	0.008	0.07	<0.1	2.8	0.05	<0.02	11	<0.1	<0.02	4.5
CAG199114	Sediment	7.1	24.7	0.72	153.5	0.064	<1	1.16	0.016	0.07	0.2	3.2	0.04	<0.02	10	0.1	<0.02	4.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
885 W. Georgia Street, Suite 1380
Vancouver BC V6C 3E8 Canada

Project: White Gold
Report Date: November 16, 2011

QUALITY CONTROL REPORT WHI11001194.1

	Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001
Pulp Duplicates																					
G196956	Sediment	2.09	36.31	8.40	125.6	149	35.4	16.8	894	2.83	18.1	1.3	10.6	3.8	34.8	0.69	3.90	0.22	57	0.49	0.096
REP G196956	QC	2.08	35.60	8.51	119.3	132	35.1	16.7	913	2.84	18.0	1.3	4.7	3.7	34.9	0.72	3.84	0.23	58	0.50	0.100
CAG196298	Sediment	0.41	10.69	4.86	51.5	27	9.2	7.6	311	2.09	5.5	0.7	0.3	3.1	20.9	0.06	0.13	0.07	45	0.33	0.063
REP CAG196298	QC	0.47	10.07	5.13	50.3	25	10.6	7.8	316	2.09	5.5	0.7	0.3	3.0	20.1	0.10	0.14	0.06	45	0.30	0.064
CAG199081	Sediment	1.05	19.62	5.90	62.7	106	20.0	7.3	279	2.07	6.9	0.8	12.4	3.1	21.3	0.24	0.74	0.11	41	0.34	0.072
REP CAG199081	QC	0.94	19.22	6.24	61.5	102	20.5	7.5	282	2.12	7.0	0.8	2.5	3.1	22.1	0.28	0.73	0.12	41	0.35	0.073
CAG199097	Sediment	0.57	11.77	6.32	60.9	37	17.2	11.8	510	2.29	6.0	0.9	0.3	3.7	19.3	0.07	0.14	0.07	42	0.33	0.063
REP CAG199097	QC	0.63	11.93	6.84	65.8	29	17.3	12.3	541	2.37	6.3	0.9	0.5	4.1	20.7	0.11	0.16	0.08	42	0.34	0.065
Reference Materials																					
STD DS8	Standard	12.27	107.6	117.7	299.9	1693	38.1	7.2	602	2.39	23.6	2.7	104.2	6.7	64.1	2.11	5.34	6.61	41	0.67	0.075
STD DS8	Standard	12.65	105.2	129.5	311.3	1844	35.8	7.3	580	2.48	24.2	2.7	113.1	6.9	62.7	2.28	5.60	7.07	40	0.65	0.077
STD DS8 Expected		13.44	110	123	312	1690	38.1	7.5	615	2.46	26	2.8	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7	0.08
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
885 W. Georgia Street, Suite 1380
Vancouver BC V6C 3E8 Canada

Project: White Gold
Report Date: November 16, 2011

QUALITY CONTROL REPORT WHI11001194.1

	Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
	MDL	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
Pulp Duplicates																		
G196956	Sediment	14.4	35.9	0.56	587.4	0.063	1	1.07	0.008	0.18	0.5	3.0	0.18	0.04	45	1.0	0.11	3.5
REP G196956	QC	14.6	37.1	0.56	593.2	0.063	2	1.09	0.008	0.18	0.4	3.1	0.16	0.04	42	0.8	0.09	3.4
CAG196298	Sediment	8.1	16.9	0.58	121.3	0.073	<1	1.09	0.011	0.09	0.1	2.5	0.05	<0.02	10	<0.1	<0.02	3.8
REP CAG196298	QC	7.8	18.2	0.58	124.0	0.072	<1	1.07	0.010	0.09	<0.1	2.6	0.05	<0.02	8	<0.1	<0.02	3.5
CAG199081	Sediment	11.6	21.3	0.32	260.4	0.051	2	0.78	0.008	0.08	0.2	2.0	0.07	0.03	26	0.3	<0.02	2.5
REP CAG199081	QC	11.7	21.9	0.31	266.1	0.052	1	0.78	0.009	0.08	0.2	2.1	0.08	0.03	36	0.2	<0.02	2.6
CAG199097	Sediment	10.5	28.5	0.65	188.4	0.060	<1	1.10	0.007	0.07	0.2	2.2	0.04	<0.02	11	0.1	<0.02	4.0
REP CAG199097	QC	11.9	29.0	0.67	192.9	0.062	<1	1.12	0.007	0.07	<0.1	2.2	0.05	<0.02	20	<0.1	<0.02	4.2
Reference Materials																		
STD DS8	Standard	13.9	119.2	0.59	252.0	0.111	4	0.92	0.098	0.42	2.7	2.0	4.96	0.16	185	5.5	4.48	3.8
STD DS8	Standard	14.1	119.3	0.60	280.3	0.103	3	0.90	0.088	0.41	2.9	2.3	5.62	0.16	208	5.1	4.83	4.8
STD DS8 Expected		14.6	115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	2.3	5.4	0.1679	192	5.23	5	4.7
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.