Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Selene Holdings LP**
885 W. Georgia Street, Suite 1380
Vancouver BC V6C 3E8 Canada

Submitted By: Jean-Pierre Londero
Receiving Lab: Canada-Whitehorse
Received: August 20, 2011
Report Date: November 22, 2011

CERTIFICATE OF ANALYSIS WHI11001195.1

CLIENT JOB INFORMATION

Project: White Gold
Shipment ID: WG01122011
P.O. Number
Number of Samples: 44

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT-SOIL Store Soil Reject - RJSV Charges Apply

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	44	Dry at 60C sieve 100g to -80 mesh			WHI
Dry at 60C	44	Dry at 60C			WHI
RJSV	44	Saving all or part of Soil Reject			WHI
1F02	43	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Selene Holdings LP
885 W. Georgia Street, Suite 1380
Vancouver BC V6C 3E8
Canada

CC: Keith Fowlow

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
885 W. Georgia Street, Suite 1380
Vancouver BC V6C 3E8 Canada

Project: White Gold
Report Date: November 22, 2011

CERTIFICATE OF ANALYSIS WHI11001195.1

	Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001
CAG199141	Soil	1.68	28.33	8.10	92.6	103	31.9	11.5	565	2.68	25.4	1.1	10.9	4.3	30.2	0.39	0.86	0.14	47	0.41	0.085
CAG199142	Soil	0.89	23.59	4.79	54.7	50	21.5	9.3	329	2.12	7.3	0.9	11.6	3.1	29.3	0.14	0.35	0.07	50	0.48	0.112
CAG199143	Soil	0.84	22.40	4.32	58.6	50	23.0	8.9	303	2.01	7.6	1.1	4.4	2.7	26.7	0.14	0.34	0.07	45	0.37	0.073
CAG199144	Soil	2.12	29.61	7.45	99.9	122	155.4	21.5	778	2.78	11.0	0.9	7.2	2.9	24.8	0.58	0.63	0.13	51	0.34	0.077
CAG199145	Soil	0.92	23.81	4.75	63.8	60	28.0	10.0	323	2.15	7.7	1.2	4.2	3.0	29.1	0.18	0.35	0.08	48	0.42	0.082
CAG199146	Soil	1.73	25.62	7.43	90.2	203	27.3	8.5	364	2.42	12.6	1.2	76.7	3.5	33.9	0.50	0.88	0.12	53	0.49	0.103
CAG199147	Soil	1.47	25.90	5.90	82.7	88	29.8	9.8	349	2.31	11.1	1.2	5.5	3.4	29.9	0.28	0.62	0.09	47	0.38	0.085
CAG199148	Soil	1.83	27.08	7.36	93.7	190	37.6	11.0	448	2.41	12.2	1.4	167.4	3.5	32.4	0.38	0.76	0.10	49	0.41	0.094
CAG199149	Soil	1.67	26.32	6.18	88.8	94	33.8	10.3	391	2.31	11.6	1.2	14.8	3.2	29.4	0.34	0.75	0.09	47	0.36	0.097
CAG199150	Soil	1.12	20.66	5.57	56.8	54	39.2	9.3	268	1.94	11.5	0.9	8.3	2.6	26.8	0.13	0.61	0.07	45	0.41	0.081
CAG196973	Soil	0.53	19.68	5.20	40.3	80	11.4	9.8	492	1.87	2.4	0.6	1.5	2.6	87.3	0.13	0.10	0.05	40	0.59	0.063
CAG196974	Soil	0.40	9.03	3.91	31.3	16	6.9	9.1	459	2.20	2.4	0.3	1.5	2.2	71.3	0.05	0.08	0.03	43	0.50	0.069
CAG196975	Soil	0.62	18.22	6.53	48.9	32	13.9	9.9	351	2.59	4.3	0.7	0.6	4.0	199.8	0.11	0.18	0.08	58	0.60	0.065
CAG196976	Soil	0.44	15.27	5.47	43.5	38	13.5	8.2	299	2.16	3.7	0.8	2.4	3.3	109.9	0.11	0.20	0.07	51	0.59	0.071
CAG196977	Soil	0.44	11.53	5.20	35.3	15	8.6	8.2	301	2.05	3.1	0.6	0.4	3.3	107.6	0.08	0.13	0.05	43	0.51	0.073
CAG196978	Soil	0.54	21.23	6.87	55.8	28	14.3	10.6	420	2.94	4.3	0.7	1.1	2.4	127.8	0.13	0.17	0.07	71	0.75	0.081
CAG196979	Soil	0.42	14.14	5.17	44.8	30	12.6	7.8	244	1.95	3.1	0.8	0.7	2.8	81.8	0.10	0.16	0.07	50	0.58	0.069
CAG196980	Soil	0.43	18.82	6.44	48.5	44	17.3	8.9	373	2.12	2.8	1.3	2.4	4.4	61.6	0.11	0.16	0.07	47	0.58	0.094
CAG196981	Soil	0.39	17.55	5.61	43.6	39	15.4	8.2	242	2.20	3.4	0.8	0.8	4.4	58.1	0.07	0.15	0.06	42	0.49	0.096
CAG196982	Soil	0.46	17.06	5.80	47.7	49	15.2	7.8	245	1.99	3.1	1.1	3.7	3.4	70.8	0.10	0.20	0.11	48	0.57	0.078
CAG196983	Soil	0.42	16.01	5.56	44.8	34	13.8	8.4	267	2.20	4.1	0.8	0.7	3.6	72.6	0.08	0.19	0.08	50	0.56	0.078
CAG196984	Soil	0.46	15.72	6.05	44.5	37	14.5	8.6	390	2.58	4.2	0.8	1.1	3.5	73.3	0.13	0.21	0.07	57	0.63	0.086
CAG196985	Soil	0.49	14.32	7.23	44.5	24	12.8	9.3	417	2.19	4.2	0.8	0.7	4.3	41.6	0.07	0.13	0.07	41	0.43	0.077
CAG196986	Soil	0.44	17.38	6.44	54.9	35	7.5	8.3	390	2.47	3.8	0.8	1.0	2.3	27.3	0.10	0.10	0.06	57	0.38	0.059
CAG196987	Soil	0.47	11.96	5.45	53.8	43	9.3	9.7	524	1.97	4.5	0.8	1.4	2.4	39.9	0.17	0.19	0.06	53	0.37	0.035
CAG196988	Soil	0.44	16.81	7.07	59.0	51	10.2	8.6	413	2.18	3.7	0.9	0.8	2.3	37.5	0.16	0.16	0.07	58	0.43	0.056
CAG196989	Soil	0.38	24.22	7.32	56.4	48	8.8	10.6	381	2.64	2.9	3.2	0.8	2.3	51.6	0.14	0.11	0.06	71	0.45	0.052
CAG196990	Soil	0.56	24.05	8.87	61.5	47	10.8	13.4	968	2.72	4.5	1.8	1.0	2.1	46.9	0.18	0.17	0.08	69	0.49	0.058
CAG196991	Soil	0.47	13.64	14.75	43.6	33	15.0	8.1	388	2.59	3.9	0.9	21.4	4.1	61.9	0.08	0.19	0.07	62	0.61	0.097
CAG196992	Soil	0.41	13.26	5.49	44.1	26	12.7	8.6	327	2.06	3.7	0.7	1.6	3.5	61.9	0.09	0.16	0.06	46	0.49	0.078

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
885 W. Georgia Street, Suite 1380
Vancouver BC V6C 3E8 Canada

Project: White Gold
Report Date: November 22, 2011

CERTIFICATE OF ANALYSIS WHI11001195.1

	Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
	MDL	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
CAG199141	Soil	14.1	29.9	0.47	340.4	0.049	2	0.82	0.009	0.16	0.2	3.0	0.14	0.03	31	0.9	0.10	2.9
CAG199142	Soil	10.5	34.9	0.51	373.7	0.060	1	0.84	0.011	0.12	0.3	3.1	0.07	<0.02	14	0.4	0.04	3.1
CAG199143	Soil	9.7	32.9	0.51	322.5	0.057	1	0.83	0.009	0.13	<0.1	2.7	0.08	<0.02	16	0.5	0.06	2.9
CAG199144	Soil	11.3	116.6	1.03	396.1	0.052	2	0.89	0.005	0.15	<0.1	3.2	0.13	0.03	20	0.9	0.07	3.0
CAG199145	Soil	10.8	39.9	0.55	323.3	0.062	1	0.91	0.011	0.13	0.2	2.9	0.08	<0.02	18	0.5	0.05	3.0
CAG199146	Soil	13.7	30.6	0.42	378.0	0.061	2	0.79	0.013	0.12	0.3	2.6	0.10	0.05	41	0.8	0.04	2.9
CAG199147	Soil	11.5	34.5	0.50	338.2	0.059	1	0.85	0.009	0.15	0.1	2.8	0.10	0.03	14	0.8	0.04	2.9
CAG199148	Soil	12.5	42.0	0.49	414.9	0.058	2	0.83	0.009	0.15	0.2	2.8	0.10	0.04	15	0.8	0.07	3.0
CAG199149	Soil	11.9	39.1	0.50	388.2	0.058	1	0.82	0.008	0.15	0.1	2.7	0.11	0.04	14	0.7	0.06	2.8
CAG199150	Soil	9.3	50.4	0.62	245.4	0.061	1	0.84	0.013	0.10	0.1	2.6	0.07	0.02	35	0.4	0.07	2.9
CAG196973	Soil	14.5	21.7	0.50	171.3	0.096	1	1.05	0.019	0.09	0.1	3.1	0.05	0.02	34	0.2	<0.02	3.8
CAG196974	Soil	8.3	14.7	0.43	98.1	0.077	<1	0.79	0.025	0.06	<0.1	2.9	0.02	<0.02	10	0.1	<0.02	3.3
CAG196975	Soil	13.5	27.0	0.63	202.6	0.123	1	1.31	0.023	0.11	0.2	4.3	0.05	<0.02	26	0.3	0.03	5.3
CAG196976	Soil	13.1	23.6	0.49	166.3	0.096	1	1.09	0.025	0.06	0.2	3.5	0.04	<0.02	15	0.1	<0.02	4.1
CAG196977	Soil	10.5	17.2	0.47	113.5	0.085	1	0.86	0.025	0.08	0.1	3.4	0.03	<0.02	11	<0.1	<0.02	3.6
CAG196978	Soil	7.9	22.6	0.65	160.5	0.115	2	1.17	0.031	0.09	0.2	4.2	0.04	<0.02	8	0.1	0.03	4.7
CAG196979	Soil	10.5	21.2	0.50	138.0	0.093	<1	0.99	0.026	0.07	0.3	3.1	0.04	<0.02	14	0.2	0.03	3.6
CAG196980	Soil	17.6	27.9	0.59	191.2	0.119	1	1.19	0.021	0.22	0.2	3.6	0.10	<0.02	25	0.2	0.02	4.3
CAG196981	Soil	16.3	25.7	0.52	166.4	0.111	<1	1.06	0.019	0.20	0.1	3.3	0.09	<0.02	19	0.2	<0.02	3.8
CAG196982	Soil	14.0	25.9	0.52	155.7	0.096	<1	1.08	0.022	0.10	0.3	3.0	0.05	<0.02	22	0.2	<0.02	3.9
CAG196983	Soil	12.2	22.9	0.51	159.7	0.098	2	1.02	0.024	0.10	0.2	3.2	0.06	<0.02	21	0.2	<0.02	3.8
CAG196984	Soil	11.9	24.2	0.50	151.0	0.095	1	0.97	0.025	0.09	0.2	3.2	0.05	<0.02	11	0.2	<0.02	3.7
CAG196985	Soil	13.1	20.9	0.52	141.9	0.085	<1	0.98	0.013	0.19	<0.1	3.2	0.09	<0.02	11	0.2	<0.02	3.8
CAG196986	Soil	7.0	18.2	0.46	134.2	0.077	<1	1.03	0.024	0.13	<0.1	4.4	0.08	<0.02	19	0.2	<0.02	4.0
CAG196987	Soil	8.1	15.6	0.43	158.8	0.057	<1	0.95	0.014	0.04	0.1	3.2	0.04	<0.02	18	0.2	0.02	3.1
CAG196988	Soil	9.9	19.7	0.47	166.0	0.076	<1	1.14	0.020	0.08	0.2	4.0	0.07	<0.02	34	0.2	<0.02	4.0
CAG196989	Soil	7.9	15.0	0.58	147.6	0.089	<1	1.18	0.024	0.16	<0.1	4.4	0.09	<0.02	17	0.2	0.02	4.1
CAG196990	Soil	8.1	18.8	0.55	192.3	0.089	<1	1.14	0.025	0.13	0.1	4.4	0.08	<0.02	17	0.3	0.03	4.2
CAG196991	Soil	13.4	28.3	0.49	147.2	0.093	1	0.95	0.023	0.10	0.5	3.1	0.05	<0.02	16	0.2	<0.02	3.8
CAG196992	Soil	11.3	22.5	0.49	145.1	0.088	<1	0.96	0.020	0.11	0.2	2.8	0.06	<0.02	55	0.2	<0.02	3.6

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
885 W. Georgia Street, Suite 1380
Vancouver BC V6C 3E8 Canada

Project: White Gold
Report Date: November 22, 2011

CERTIFICATE OF ANALYSIS WHI11001195.1

	Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001
CAG196993	Soil	0.28	13.62	4.15	44.8	28	12.5	7.9	252	1.93	3.5	0.7	7.4	2.7	37.9	0.09	0.19	0.05	48	0.57	0.082
CAG196994	Soil	0.53	19.01	5.87	54.3	47	17.5	10.3	356	2.35	4.8	0.8	2.1	3.3	64.7	0.12	0.25	0.07	54	0.61	0.064
CAG196995	Soil	0.44	15.29	5.53	46.2	42	15.3	8.6	268	2.12	3.9	0.7	0.7	3.2	51.2	0.10	0.22	0.07	52	0.63	0.074
CAG197151	Soil	1.28	25.82	5.62	61.1	75	46.1	9.8	325	2.14	12.3	0.9	3.9	3.2	28.9	0.20	0.68	0.08	48	0.40	0.086
CAG197152	Soil	1.20	25.81	6.61	70.0	70	43.3	10.5	368	2.21	14.0	1.0	4.2	3.3	34.0	0.22	0.94	0.14	50	0.50	0.100
CAG197153	Soil	0.41	6.89	5.97	37.7	36	7.3	6.2	450	1.53	3.7	0.7	0.8	2.6	31.2	0.11	0.18	0.07	56	0.20	0.031
CAG197154	Soil	0.47	21.13	7.69	63.5	19	6.4	12.0	657	3.83	4.8	0.7	4.1	2.5	28.1	0.16	0.17	0.22	99	0.33	0.067
CAG197155	Soil	0.37	22.62	3.28	64.2	19	6.4	9.8	351	2.80	2.3	0.8	1.3	2.0	61.7	0.08	0.11	0.10	66	0.38	0.090
CAG197156	Soil	0.39	25.07	7.58	68.8	25	7.1	9.9	421	3.18	3.1	1.2	2.0	2.3	59.4	0.13	0.12	0.08	80	0.37	0.066
CAG197157	Soil	0.43	14.90	4.54	48.2	20	5.9	8.3	455	2.83	3.9	0.5	1.3	1.9	26.5	0.09	0.12	0.09	72	0.29	0.055
CAG197158	Soil	0.44	22.66	7.66	71.8	29	7.9	10.1	486	2.86	3.9	1.2	0.7	2.0	56.6	0.13	0.13	0.07	72	0.36	0.060
CAG197159	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAG197160	Soil	0.53	8.78	5.46	40.5	21	5.3	7.6	548	5.39	2.5	0.5	0.9	2.4	21.9	0.09	0.15	0.14	68	0.37	0.075
CAG197161	Soil	0.40	14.22	3.88	44.7	15	5.2	8.0	383	3.61	2.8	0.7	2.4	2.0	27.8	0.08	0.12	0.06	76	0.28	0.048

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
885 W. Georgia Street, Suite 1380
Vancouver BC V6C 3E8 Canada

Project: White Gold
Report Date: November 22, 2011

CERTIFICATE OF ANALYSIS WHI11001195.1

		Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
		Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
		Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
		MDL	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
CAG196993	Soil		9.8	20.5	0.47	149.6	0.084	2	0.97	0.025	0.08	0.3	3.2	0.04	<0.02	13	0.1	<0.02	3.4
CAG196994	Soil		11.8	26.3	0.63	189.0	0.106	<1	1.15	0.024	0.14	0.1	3.3	0.08	<0.02	18	0.3	<0.02	4.2
CAG196995	Soil		11.3	23.9	0.54	161.9	0.091	<1	1.04	0.028	0.09	0.1	3.1	0.05	<0.02	12	0.1	<0.02	3.6
CAG197151	Soil		10.2	62.9	0.60	344.1	0.058	1	0.81	0.011	0.12	0.2	2.6	0.08	0.03	13	0.5	0.04	2.8
CAG197152	Soil		11.3	59.1	0.60	407.8	0.067	<1	0.86	0.012	0.12	0.1	2.8	0.09	0.03	19	0.4	0.06	2.9
CAG197153	Soil		8.4	16.9	0.21	121.8	0.052	<1	0.76	0.011	0.02	0.1	2.1	0.03	<0.02	17	<0.1	0.02	2.8
CAG197154	Soil		6.3	11.9	0.54	163.9	0.082	<1	1.13	0.014	0.18	0.1	3.8	0.10	<0.02	<5	<0.1	0.05	4.8
CAG197155	Soil		7.2	9.7	0.56	162.7	0.090	<1	0.89	0.015	0.27	<0.1	3.4	0.13	0.06	9	<0.1	0.02	3.5
CAG197156	Soil		8.0	12.5	0.54	147.1	0.084	<1	1.08	0.017	0.20	<0.1	4.1	0.11	0.03	18	0.1	0.03	4.1
CAG197157	Soil		5.9	11.8	0.40	126.2	0.062	<1	0.92	0.016	0.11	<0.1	3.0	0.06	<0.02	<5	<0.1	0.02	3.8
CAG197158	Soil		7.8	13.6	0.55	160.2	0.083	<1	1.09	0.015	0.18	<0.1	3.8	0.11	0.02	11	<0.1	0.02	4.3
CAG197159	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAG197160	Soil		7.3	8.7	0.31	102.4	0.081	<1	0.84	0.011	0.12	<0.1	3.6	0.05	<0.02	<5	<0.1	0.05	4.8
CAG197161	Soil		5.9	8.8	0.32	97.9	0.064	<1	0.73	0.015	0.10	<0.1	3.1	0.06	<0.02	<5	<0.1	<0.02	3.6

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
885 W. Georgia Street, Suite 1380
Vancouver BC V6C 3E8 Canada

Project: White Gold
Report Date: November 22, 2011

QUALITY CONTROL REPORT WHI11001195.1

	Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001
Pulp Duplicates																					
CAG199150	Soil	1.12	20.66	5.57	56.8	54	39.2	9.3	268	1.94	11.5	0.9	8.3	2.6	26.8	0.13	0.61	0.07	45	0.41	0.081
REP CAG199150	QC	0.90	20.81	4.82	57.3	64	38.0	9.3	261	1.90	11.6	0.9	21.6	2.6	24.7	0.15	0.56	0.07	43	0.38	0.079
CAG196989	Soil	0.38	24.22	7.32	56.4	48	8.8	10.6	381	2.64	2.9	3.2	0.8	2.3	51.6	0.14	0.11	0.06	71	0.45	0.052
REP CAG196989	QC	0.36	23.12	7.53	56.2	46	9.1	10.6	380	2.57	3.2	3.2	1.3	2.0	51.3	0.13	0.12	0.07	69	0.46	0.055
CAG197157	Soil	0.43	14.90	4.54	48.2	20	5.9	8.3	455	2.83	3.9	0.5	1.3	1.9	26.5	0.09	0.12	0.09	72	0.29	0.055
REP CAG197157	QC	0.42	14.13	4.36	45.1	18	5.4	8.2	431	2.84	3.4	0.5	2.0	1.8	26.2	0.08	0.12	0.09	70	0.29	0.057
Reference Materials																					
STD DS8	Standard	13.68	107.8	125.5	321.3	1786	37.6	7.3	623	2.57	24.4	2.7	111.1	6.9	63.8	2.26	5.10	5.97	42	0.72	0.082
STD DS8	Standard	11.73	107.5	119.6	306.7	1675	37.6	7.4	593	2.42	29.7	2.6	102.4	6.2	59.9	2.23	4.97	6.21	40	0.66	0.079
STD DS8	Standard	13.10	110.5	123.3	298.7	1774	36.9	7.2	570	2.42	23.4	2.9	109.9	7.3	62.0	2.37	5.27	6.67	44	0.69	0.073
STD DS8 Expected		13.44	110	123	312	1690	38.1	7.5	615	2.46	26	2.8	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7	0.08
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
885 W. Georgia Street, Suite 1380
Vancouver BC V6C 3E8 Canada

Project: White Gold
Report Date: November 22, 2011

QUALITY CONTROL REPORT WHI11001195.1

	Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
	MDL	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
Pulp Duplicates																		
CAG199150	Soil	9.3	50.4	0.62	245.4	0.061	1	0.84	0.013	0.10	0.1	2.6	0.07	0.02	35	0.4	0.07	2.9
REP CAG199150	QC	8.9	47.9	0.61	230.7	0.054	<1	0.82	0.010	0.10	0.2	2.5	0.08	0.02	22	0.3	0.04	3.0
CAG196989	Soil	7.9	15.0	0.58	147.6	0.089	<1	1.18	0.024	0.16	<0.1	4.4	0.09	<0.02	17	0.2	0.02	4.1
REP CAG196989	QC	8.0	15.2	0.56	146.5	0.087	<1	1.15	0.024	0.15	<0.1	4.4	0.09	<0.02	21	0.2	0.03	4.2
CAG197157	Soil	5.9	11.8	0.40	126.2	0.062	<1	0.92	0.016	0.11	<0.1	3.0	0.06	<0.02	<5	<0.1	0.02	3.8
REP CAG197157	QC	5.9	11.1	0.39	118.2	0.063	<1	0.85	0.014	0.10	0.1	2.7	0.07	<0.02	10	<0.1	<0.02	3.7
Reference Materials																		
STD DS8	Standard	15.3	123.8	0.62	275.2	0.114	2	0.93	0.087	0.42	2.9	2.2	5.66	0.16	213	5.4	5.23	5.0
STD DS8	Standard	11.7	115.3	0.61	237.7	0.097	2	1.02	0.088	0.45	2.6	1.9	5.25	0.15	203	5.3	4.80	4.6
STD DS8	Standard	16.5	118.2	0.59	264.8	0.116	3	0.91	0.089	0.41	3.0	2.3	5.24	0.16	197	5.0	4.70	4.6
STD DS8 Expected		14.6	115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	2.3	5.4	0.1679	192	5.23	5	4.7
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.