Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Submitted By: Jean-Pierre Londero
Receiving Lab: Canada-Dawson City
Received: September 03, 2011
Report Date: February 21, 2012

CERTIFICATE OF ANALYSIS DAW11000358.2

CLIENT JOB INFORMATION

Project: White Gold
Shipment ID: WG01422011
P.O. Number
Number of Samples: 91

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
WGHT	91	Weight of sample after prep drying		Completed	VAN
RJSV	91	Saving all or part of Soil Reject			DAW
Dry at 60C	91	Dry at 60C			DAW
SS80	91	Dry at 60C sieve 100g to -80 mesh			DAW
1F02	91	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Version 2: Revised Sample ID's

Invoice To: Selene Holdings LP
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8
Canada

CC: Keith Fowlow

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: February 21, 2012

CERTIFICATE OF ANALYSIS DAW11000358.2

	Method	DRY WT	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01
CAG197224	Sediment	2.01	0.39	13.40	5.55	50.5	24	10.3	8.5	350	2.39	5.5	0.6	7.0	2.9	105.5	0.06	0.22	0.08	43	0.46
CAG197225	Sediment	2.23	0.66	23.23	6.77	68.4	43	14.3	9.8	438	3.12	13.6	1.0	1.3	3.3	104.8	0.17	0.48	0.11	56	0.54
CAG197226	Sediment	2.97	0.49	22.43	9.45	58.9	51	16.6	9.4	274	2.31	5.0	0.6	1.5	2.5	44.7	0.12	0.36	0.11	51	0.74
CAG197227	Sediment	2.31	0.56	21.20	9.11	56.9	35	13.8	11.5	366	2.79	6.4	0.5	7.7	2.5	31.5	0.10	0.30	0.09	60	0.66
CAG197228	Sediment	2.52	0.43	22.46	8.35	57.8	58	17.3	10.0	322	2.45	5.7	0.6	2.4	2.7	46.2	0.11	0.36	0.11	55	0.79
CAG197229	Sediment	3.03	0.35	14.54	5.48	53.5	27	12.9	8.8	298	2.10	4.7	0.6	1.1	2.6	102.0	0.08	0.23	0.07	42	0.53
CAG197230	Sediment	1.60	0.74	19.65	13.39	53.7	55	13.6	10.2	345	2.37	3.5	0.6	2.2	2.2	42.1	0.11	0.23	0.09	54	0.79
CAG197231	Sediment	3.26	0.58	18.35	6.38	57.6	31	13.0	9.2	456	2.68	8.0	0.8	1.2	3.3	126.4	0.10	0.34	0.09	50	0.54
CAG197232	Sediment	1.90	0.46	23.85	9.53	54.7	43	14.2	11.8	457	2.69	4.8	0.4	1.6	2.0	85.3	0.11	0.23	0.12	62	0.67
CAG197233	Sediment	2.73	0.32	12.37	4.87	48.4	31	11.6	7.6	283	2.71	4.9	0.8	21.1	3.5	76.9	0.09	0.26	0.08	52	0.60
CAG197234	Sediment	3.24	0.29	12.17	4.86	48.1	35	10.8	6.9	260	2.00	3.6	0.8	29.9	3.0	88.8	0.08	0.24	0.07	45	0.58
CAG197235	Sediment	2.18	0.70	44.19	3.96	76.0	57	7.2	11.1	362	3.57	5.6	0.4	13.2	1.5	30.8	0.14	0.17	0.07	75	0.49
CAG197236	Sediment	1.79	0.67	34.62	4.07	76.4	65	8.2	15.6	354	3.86	4.5	0.5	1.8	1.9	30.9	0.12	0.18	0.07	77	0.50
CAG197237	Sediment	2.53	0.65	32.66	3.83	73.3	55	9.4	13.4	388	2.88	4.5	0.4	1.1	1.7	29.4	0.11	0.17	0.07	60	0.46
CAG197238	Sediment	2.02	0.51	27.04	4.51	69.4	48	9.5	16.9	504	3.21	4.1	0.5	3.0	1.6	31.0	0.12	0.20	0.07	68	0.55
CAG197239	Sediment	2.21	0.42	21.75	3.94	58.7	34	8.4	11.7	378	2.57	3.9	0.5	<0.2	1.2	89.2	0.09	0.18	0.06	55	0.53
CAG197240	Sediment	2.85	0.53	25.85	4.51	65.4	38	8.7	14.6	693	2.82	5.9	0.6	48.1	1.4	63.3	0.11	0.21	0.06	59	0.53
CAG197241	Sediment	3.36	0.34	15.81	5.69	56.0	37	13.0	8.7	426	2.14	5.4	1.0	1.9	2.9	123.7	0.10	0.27	0.07	46	0.62
CAG197242	Sediment	2.33	0.24	15.84	2.46	27.0	19	5.6	6.2	185	1.76	1.5	0.2	1.8	1.0	16.5	0.05	0.08	0.03	51	0.55
CAG197243	Sediment	2.62	0.28	20.41	2.42	40.1	19	7.2	9.3	244	2.16	1.9	0.3	0.5	1.1	16.9	0.05	0.09	0.03	54	0.61
CAG197244	Sediment	2.19	0.39	24.95	3.10	46.6	57	9.3	11.4	435	2.32	2.4	0.5	0.7	1.6	25.7	0.10	0.12	0.05	59	0.62
CAG197245	Sediment	1.79	0.51	17.49	3.66	50.4	39	7.8	11.3	445	2.96	2.5	0.5	0.4	2.5	18.3	0.11	0.20	0.06	69	0.51
CAG197246	Sediment	1.79	0.49	18.32	4.07	60.8	28	9.3	12.6	438	3.10	3.3	0.5	15.5	2.1	34.5	0.14	0.20	0.05	73	0.61
CAG197247	Sediment	1.84	0.39	29.77	3.30	53.7	60	9.9	11.8	468	2.61	2.4	0.4	1.0	1.4	24.5	0.11	0.12	0.05	63	0.65
CAG197248	Sediment	1.75	0.40	19.76	4.18	60.7	33	9.8	11.8	528	3.27	3.5	0.6	1.8	1.7	32.9	0.12	0.20	0.05	81	0.71
CAG197249	Sediment	1.54	0.27	24.54	4.80	44.8	20	8.8	11.9	296	3.02	3.0	0.3	0.6	1.1	26.4	0.05	0.16	0.05	70	0.66
CAG197250	Sediment	2.09	0.24	19.91	4.01	38.8	16	7.2	10.5	308	2.40	2.5	0.3	1.4	1.0	26.5	0.05	0.15	0.05	60	0.64
CAG197401	Sediment	2.41	0.26	20.21	4.13	44.0	17	8.3	11.0	383	2.63	3.1	0.4	0.4	1.0	28.5	0.05	0.16	0.04	65	0.64
CAG197402	Sediment	1.22	0.69	20.65	6.32	65.5	53	24.2	12.2	710	2.05	6.6	1.0	0.4	3.2	29.9	0.25	0.23	0.09	46	0.52
CAG197403	Sediment	1.51	2.00	23.16	13.09	100.9	87	28.6	16.4	860	2.61	4.7	1.1	<0.2	5.6	31.1	0.57	0.23	0.18	53	0.37

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: February 21, 2012

CERTIFICATE OF ANALYSIS DAW11000358.2

	Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
	MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
CAG197224	Sediment	0.084	9.1	18.6	0.48	132.1	0.079	1	0.95	0.025	0.12	0.1	3.6	0.07	0.02	14	0.1	0.02	3.6
CAG197225	Sediment	0.086	11.4	22.3	0.47	233.1	0.084	1	0.96	0.029	0.13	0.2	4.2	0.09	0.03	21	0.3	0.03	3.8
CAG197226	Sediment	0.067	10.4	27.2	0.61	223.4	0.091	2	1.33	0.029	0.07	0.1	3.8	0.06	0.03	30	0.2	<0.02	4.3
CAG197227	Sediment	0.106	9.0	25.8	0.58	186.5	0.078	<1	1.14	0.027	0.06	0.2	3.8	0.05	<0.02	39	0.2	0.03	4.4
CAG197228	Sediment	0.080	11.8	28.9	0.60	233.0	0.096	2	1.38	0.031	0.07	0.2	4.2	0.06	0.03	35	0.2	0.03	4.3
CAG197229	Sediment	0.081	9.9	21.2	0.53	151.5	0.087	1	1.04	0.025	0.10	0.1	3.5	0.07	0.02	23	<0.1	<0.02	3.6
CAG197230	Sediment	0.100	10.7	27.8	0.60	232.4	0.075	2	1.17	0.027	0.07	0.3	4.6	0.06	0.03	28	0.2	0.03	3.9
CAG197231	Sediment	0.088	10.9	20.0	0.48	174.1	0.086	1	0.94	0.026	0.12	0.2	3.6	0.08	0.03	21	0.3	0.03	3.7
CAG197232	Sediment	0.086	8.1	25.9	0.62	260.0	0.087	1	1.07	0.035	0.09	0.2	4.4	0.05	0.02	14	0.2	<0.02	3.7
CAG197233	Sediment	0.118	11.4	22.8	0.42	111.3	0.083	1	0.88	0.030	0.07	0.6	3.5	0.06	<0.02	40	0.1	0.03	3.6
CAG197234	Sediment	0.102	11.6	21.6	0.43	123.4	0.087	1	0.92	0.028	0.07	0.4	3.4	0.06	<0.02	26	0.1	<0.02	3.4
CAG197235	Sediment	0.134	6.3	13.6	0.70	248.0	0.082	<1	1.24	0.033	0.22	<0.1	5.1	0.07	0.11	11	0.5	0.15	4.6
CAG197236	Sediment	0.137	9.2	14.4	0.62	250.9	0.088	<1	1.27	0.029	0.19	<0.1	5.1	0.07	0.09	28	0.5	0.09	4.5
CAG197237	Sediment	0.108	7.3	17.0	0.66	246.0	0.086	<1	1.27	0.030	0.19	<0.1	5.0	0.07	0.10	14	0.5	0.10	4.3
CAG197238	Sediment	0.104	6.4	18.3	0.65	203.8	0.095	<1	1.17	0.036	0.15	<0.1	5.1	0.06	0.07	12	0.3	0.07	4.3
CAG197239	Sediment	0.098	5.1	15.9	0.56	155.1	0.080	<1	1.01	0.036	0.12	<0.1	4.6	0.05	0.05	16	0.2	0.07	3.7
CAG197240	Sediment	0.082	5.8	16.3	0.60	197.7	0.083	1	1.09	0.036	0.13	<0.1	4.9	0.05	0.06	11	0.3	0.06	3.9
CAG197241	Sediment	0.085	11.7	23.2	0.51	160.1	0.094	2	1.08	0.030	0.09	0.3	4.0	0.06	0.03	26	0.2	<0.02	3.8
CAG197242	Sediment	0.134	3.2	13.7	0.42	84.6	0.069	<1	0.85	0.027	0.08	<0.1	3.6	0.04	<0.02	24	<0.1	<0.02	2.8
CAG197243	Sediment	0.172	3.9	15.2	0.65	148.8	0.085	<1	1.13	0.026	0.16	<0.1	4.0	0.06	<0.02	8	<0.1	<0.02	3.5
CAG197244	Sediment	0.139	6.1	19.4	0.69	191.7	0.110	<1	1.28	0.021	0.22	0.2	4.0	0.08	0.02	14	0.2	<0.02	3.9
CAG197245	Sediment	0.090	8.5	13.2	0.67	199.4	0.102	1	1.23	0.020	0.31	<0.1	4.8	0.12	<0.02	10	<0.1	<0.02	4.4
CAG197246	Sediment	0.121	6.5	17.0	0.79	125.9	0.090	1	1.26	0.025	0.17	0.1	4.9	0.07	<0.02	8	0.2	0.02	4.7
CAG197247	Sediment	0.128	5.7	19.6	0.72	178.1	0.113	<1	1.28	0.027	0.21	<0.1	4.4	0.08	0.03	17	0.1	0.02	4.1
CAG197248	Sediment	0.136	6.3	19.5	0.70	136.3	0.098	<1	1.22	0.033	0.10	0.2	4.8	0.04	<0.02	14	0.1	<0.02	4.4
CAG197249	Sediment	0.113	3.8	13.3	0.61	73.5	0.094	<1	0.99	0.044	0.07	0.1	4.4	0.04	<0.02	8	0.1	0.02	3.5
CAG197250	Sediment	0.110	3.5	11.4	0.53	67.7	0.082	<1	0.84	0.042	0.07	0.1	4.1	0.03	<0.02	<5	<0.1	<0.02	3.1
CAG197401	Sediment	0.106	3.7	12.5	0.58	81.6	0.085	<1	0.95	0.041	0.07	<0.1	4.5	0.03	<0.02	9	0.1	<0.02	3.6
CAG197402	Sediment	0.083	11.6	48.1	0.73	158.9	0.091	<1	1.12	0.014	0.13	0.1	2.5	0.12	0.02	13	0.4	0.03	3.6
CAG197403	Sediment	0.097	22.4	46.4	0.94	190.7	0.059	<1	1.33	0.006	0.17	<0.1	3.3	0.15	0.05	13	0.6	0.06	4.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: February 21, 2012

CERTIFICATE OF ANALYSIS DAW11000358.2

	Method	DRY WT	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01
CAG197404	Sediment	1.15	0.83	20.14	6.80	66.8	42	24.9	13.6	823	2.05	8.1	0.8	1.9	3.8	24.7	0.30	0.28	0.13	45	0.41
CAG197405	Sediment	1.41	0.64	22.01	6.46	64.1	53	26.0	11.5	435	2.08	6.5	1.0	1.7	3.5	31.0	0.20	0.27	0.12	48	0.49
CAG197406	Sediment	1.13	0.65	23.87	6.59	62.4	61	25.6	12.9	634	2.18	6.5	1.0	6.5	3.5	31.6	0.24	0.25	0.12	51	0.50
CAG197407	Sediment	1.44	0.62	21.43	5.82	56.1	41	24.1	12.1	473	2.19	6.3	0.9	0.7	3.5	27.7	0.15	0.25	0.13	49	0.41
CAG197408	Sediment	1.42	1.03	26.73	11.14	79.0	85	35.1	13.7	537	2.33	2.8	0.9	1.1	4.3	24.9	0.38	0.20	0.13	50	0.46
CAG197409	Sediment	1.47	0.63	22.65	6.06	62.4	54	24.1	12.0	527	2.14	6.0	1.0	0.6	3.4	32.0	0.20	0.25	0.11	49	0.53
CAG197410	Sediment	1.35	0.58	21.09	6.20	55.0	46	24.1	11.0	413	2.01	5.0	0.8	1.0	3.5	27.2	0.16	0.22	0.10	46	0.42
CAG197411	Sediment	1.36	0.62	21.91	5.91	58.6	39	23.5	12.6	514	2.17	5.4	0.9	0.9	3.5	27.9	0.18	0.23	0.12	49	0.43
CAG197451	Sediment	1.85	1.00	25.93	4.40	80.0	71	9.5	8.4	575	3.22	2.8	0.8	0.4	2.1	19.7	0.09	0.14	0.07	52	0.50
CAG197452	Sediment	1.62	0.50	15.32	3.27	61.4	97	8.4	8.0	428	2.26	2.1	0.6	0.7	1.4	29.5	0.12	0.13	0.06	46	0.51
CAG197453	Sediment	1.77	0.24	16.34	2.30	48.9	71	6.5	5.5	243	1.52	1.1	0.2	3.5	0.8	12.4	0.17	0.10	0.05	46	0.41
CAG197454	Sediment	2.06	0.61	35.78	5.20	74.2	38	11.0	17.6	469	3.77	5.2	0.4	0.3	1.8	34.1	0.12	0.34	0.05	107	0.80
CAG197455	Sediment	1.99	0.32	16.96	3.80	64.0	29	8.7	9.6	313	2.77	3.2	0.4	3.2	1.6	29.2	0.12	0.21	0.06	72	0.61
CAG197456	Sediment	1.64	0.47	20.17	3.98	77.0	33	10.0	12.1	500	3.00	3.5	0.4	0.4	1.7	30.6	0.17	0.20	0.07	71	0.57
CAG197457	Sediment	2.63	0.29	14.10	3.47	54.6	30	7.4	9.1	369	2.43	2.2	0.4	32.8	1.6	29.2	0.13	0.16	0.05	63	0.55
CAG197458	Sediment	2.55	0.27	14.53	4.21	51.8	29	7.6	9.1	366	2.87	2.9	0.4	0.9	1.6	28.5	0.14	0.16	0.05	77	0.59
CAG197459	Sediment	3.16	0.26	13.77	3.65	49.5	21	6.6	8.7	340	2.53	2.7	0.4	0.8	1.5	26.9	0.11	0.15	0.05	67	0.59
CAG197460	Sediment	2.03	0.53	19.99	5.94	81.1	32	11.6	14.7	623	3.16	5.2	0.2	1.3	1.0	16.4	0.17	0.17	0.05	86	0.49
CAG197461	Sediment	2.06	0.39	6.92	1.88	25.3	23	5.4	6.0	367	1.62	2.3	0.4	0.4	1.1	13.9	0.07	0.13	0.03	25	0.37
CAG197462	Sediment	2.21	0.39	12.24	3.60	70.2	29	9.1	9.1	340	2.52	2.8	0.4	0.5	1.2	18.2	0.14	0.14	0.04	54	0.53
CAG197463	Sediment	1.94	0.48	20.12	5.21	70.5	58	11.1	11.3	502	2.53	3.9	0.3	1.4	1.4	25.3	0.20	0.19	0.05	60	0.53
CAG197464	Sediment	2.00	0.54	17.47	4.37	81.0	30	9.5	12.6	589	3.14	3.3	0.3	1.1	1.6	24.5	0.12	0.17	0.04	78	0.54
CAG197465	Sediment	2.15	0.53	17.56	4.38	68.2	130	11.0	11.9	489	2.93	4.7	0.4	2336	1.4	26.7	0.14	0.23	0.06	73	0.52
CAG197466	Sediment	2.20	0.44	18.97	2.82	54.5	25	8.3	10.6	547	2.96	3.2	0.3	2.4	1.1	24.9	0.09	0.37	0.11	72	0.49
CAG197467	Sediment	2.07	0.36	14.74	2.87	56.7	26	8.0	10.4	462	2.54	3.0	0.3	1.5	1.0	23.6	0.11	0.23	0.04	60	0.49
CAG197468	Sediment	2.51	0.26	15.60	3.42	35.1	21	7.3	9.0	339	3.37	2.4	0.5	1.2	2.5	29.3	0.11	0.16	0.05	76	0.71
CAG197469	Sediment	1.84	0.29	15.86	2.92	39.5	23	7.6	9.0	356	2.08	2.4	0.3	1.5	2.1	25.2	0.10	0.15	0.04	50	0.49
CAG197470	Sediment	1.68	0.35	18.85	2.68	40.9	23	7.1	10.0	368	3.82	2.4	0.3	0.6	1.4	24.4	0.09	0.14	0.03	99	0.57
CAG197471	Sediment	2.01	0.30	14.63	3.18	40.2	32	4.9	5.9	231	2.68	1.2	0.3	0.8	1.3	25.7	0.09	0.12	0.03	78	0.55
CAG197472	Sediment	2.75	0.44	24.13	2.30	35.1	54	52.7	8.9	154	1.36	33.5	0.3	4.7	1.1	12.9	0.14	1.45	0.14	32	0.28

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: February 21, 2012

CERTIFICATE OF ANALYSIS DAW11000358.2

	Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
	MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
CAG197404	Sediment	0.080	12.0	45.3	0.74	174.2	0.075	1	1.01	0.009	0.18	<0.1	1.9	0.12	0.02	5	0.4	<0.02	3.2
CAG197405	Sediment	0.079	11.9	45.3	0.79	169.8	0.080	2	1.11	0.012	0.14	0.1	2.3	0.10	0.02	5	0.4	<0.02	3.8
CAG197406	Sediment	0.081	11.9	48.7	0.83	172.7	0.079	1	1.13	0.011	0.16	<0.1	2.3	0.11	0.02	8	0.4	<0.02	3.7
CAG197407	Sediment	0.088	11.2	45.5	0.79	160.0	0.075	<1	1.03	0.010	0.18	<0.1	2.1	0.09	<0.02	<5	0.2	<0.02	3.5
CAG197408	Sediment	0.097	14.3	69.1	0.94	292.8	0.085	<1	1.19	0.009	0.27	0.1	2.3	0.14	0.04	11	0.3	<0.02	3.8
CAG197409	Sediment	0.082	11.7	46.6	0.79	177.1	0.079	2	1.11	0.012	0.16	0.1	2.3	0.10	0.02	8	0.3	<0.02	3.6
CAG197410	Sediment	0.081	11.0	45.7	0.77	162.1	0.075	1	1.03	0.010	0.16	<0.1	2.0	0.09	0.02	8	0.2	0.02	3.2
CAG197411	Sediment	0.084	11.1	47.2	0.81	166.8	0.078	1	1.05	0.010	0.19	<0.1	2.0	0.10	0.02	<5	0.4	<0.02	3.4
CAG197451	Sediment	0.113	9.7	12.1	0.54	267.5	0.109	<1	1.36	0.016	0.32	<0.1	4.9	0.10	<0.02	8	0.3	<0.02	5.4
CAG197452	Sediment	0.067	10.6	11.2	0.46	212.2	0.078	<1	1.25	0.023	0.11	<0.1	4.7	0.05	<0.02	16	0.2	<0.02	4.1
CAG197453	Sediment	0.057	3.8	11.4	0.31	80.8	0.062	<1	0.68	0.032	0.03	<0.1	2.7	<0.02	<0.02	8	<0.1	<0.02	2.5
CAG197454	Sediment	0.078	6.4	14.1	1.01	154.6	0.143	1	1.66	0.046	0.08	<0.1	6.6	<0.02	<0.02	<5	0.3	<0.02	6.7
CAG197455	Sediment	0.086	6.2	13.2	0.62	86.3	0.083	1	1.09	0.033	0.05	0.2	3.8	<0.02	<0.02	<5	0.1	<0.02	3.9
CAG197456	Sediment	0.083	6.4	13.8	0.77	132.0	0.082	1	1.27	0.027	0.09	<0.1	4.2	0.02	<0.02	8	0.4	<0.02	4.4
CAG197457	Sediment	0.087	6.1	10.9	0.55	130.4	0.082	2	1.01	0.028	0.09	0.1	3.6	0.03	<0.02	<5	<0.1	<0.02	3.6
CAG197458	Sediment	0.113	5.8	12.7	0.57	127.3	0.082	1	1.01	0.028	0.12	<0.1	3.8	0.03	<0.02	<5	0.1	<0.02	3.8
CAG197459	Sediment	0.118	5.3	10.8	0.54	109.3	0.076	2	0.94	0.028	0.11	<0.1	3.7	0.03	<0.02	11	<0.1	<0.02	3.6
CAG197460	Sediment	0.083	4.4	16.3	0.68	143.8	0.061	<1	1.22	0.031	0.04	<0.1	4.0	<0.02	<0.02	15	0.2	<0.02	4.8
CAG197461	Sediment	0.069	4.8	9.2	0.24	86.2	0.042	1	0.59	0.017	0.03	<0.1	2.6	0.02	<0.02	7	<0.1	<0.02	2.6
CAG197462	Sediment	0.083	5.3	14.3	0.44	103.5	0.063	1	0.91	0.027	0.03	<0.1	3.4	<0.02	<0.02	15	0.3	<0.02	3.7
CAG197463	Sediment	0.061	7.3	16.4	0.49	131.4	0.058	<1	1.07	0.024	0.05	<0.1	3.5	0.03	<0.02	20	0.3	<0.02	3.9
CAG197464	Sediment	0.079	5.8	12.2	0.95	137.2	0.070	1	1.39	0.025	0.04	<0.1	4.1	<0.02	<0.02	6	0.1	<0.02	5.3
CAG197465	Sediment	0.055	6.0	15.7	0.73	137.9	0.063	2	1.20	0.024	0.05	<0.1	3.6	<0.02	<0.02	25	0.2	0.02	4.4
CAG197466	Sediment	0.074	4.9	11.0	0.56	118.3	0.061	<1	0.99	0.027	0.05	<0.1	3.9	<0.02	<0.02	<5	0.2	<0.02	3.9
CAG197467	Sediment	0.071	4.6	10.6	0.54	127.0	0.059	2	0.96	0.026	0.05	<0.1	3.3	<0.02	<0.02	8	0.2	<0.02	3.5
CAG197468	Sediment	0.202	5.2	11.0	0.54	110.7	0.068	<1	0.84	0.016	0.23	0.1	2.6	0.06	<0.02	<5	0.2	<0.02	3.8
CAG197469	Sediment	0.121	4.6	9.8	0.64	112.7	0.086	<1	0.92	0.016	0.28	<0.1	2.4	0.08	<0.02	<5	0.1	<0.02	3.4
CAG197470	Sediment	0.127	4.9	10.7	0.55	155.4	0.069	<1	0.83	0.025	0.14	0.1	3.1	0.02	0.02	<5	0.2	<0.02	3.7
CAG197471	Sediment	0.127	5.2	8.8	0.50	164.9	0.080	<1	0.92	0.018	0.17	<0.1	3.5	0.03	<0.02	<5	0.3	<0.02	3.9
CAG197472	Sediment	0.056	4.2	93.7	0.45	112.2	0.041	<1	0.53	0.009	0.04	1.2	1.6	0.03	<0.02	<5	0.2	<0.02	1.7

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: February 21, 2012

CERTIFICATE OF ANALYSIS DAW11000358.2

	Method	DRY WT	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01
CAG197473	Sediment	2.40	2.72	33.80	6.62	108.0	283	28.8	12.7	484	2.75	111.0	1.6	18.1	3.4	35.3	0.58	4.84	0.14	50	0.41
CAG197474	Sediment	2.13	1.21	29.82	3.54	71.4	99	59.4	10.7	278	1.83	71.4	0.7	7.7	2.2	19.3	0.32	2.74	0.07	32	0.31
CAG197475	Sediment	2.06	1.77	26.20	9.80	116.7	135	32.7	13.8	562	2.72	38.0	1.0	4.5	3.7	39.7	0.66	2.53	0.12	55	0.49
CAG197476	Sediment	2.03	1.61	28.81	5.36	93.7	111	44.2	10.5	340	2.08	72.5	0.9	26.4	3.0	25.6	0.42	3.04	0.08	37	0.38
CAG197477	Sediment	1.95	1.74	28.70	5.06	85.7	149	38.9	9.8	336	2.12	78.4	1.3	6.8	2.8	33.4	0.54	4.18	0.08	40	0.50
CAG197478	Sediment	2.65	0.47	10.82	5.23	63.5	22	16.0	13.9	456	2.96	3.6	0.4	9.3	2.3	26.1	0.08	0.20	0.72	61	0.54
CAG197479	Sediment	2.07	0.51	9.44	4.70	46.9	14	11.4	8.1	291	2.02	3.7	0.5	2.2	2.9	21.1	0.11	0.26	0.13	38	0.41
CAG197480	Sediment	2.35	0.50	9.95	4.91	60.5	13	14.3	12.8	449	2.69	3.6	0.4	1.6	2.6	22.8	0.10	0.21	0.24	50	0.45
CAG197481	Sediment	2.33	0.42	9.14	3.54	46.0	30	11.8	9.1	281	2.04	3.3	0.4	4.6	2.6	20.4	0.08	0.23	0.23	39	0.43
CAG197482	Sediment	2.54	0.44	22.60	3.62	54.8	17	11.5	15.0	580	3.24	4.0	0.4	2.6	2.1	38.5	0.07	0.27	0.09	67	0.71
CAG197483	Sediment	2.87	0.41	9.80	5.83	55.4	19	8.4	11.0	372	2.49	4.0	0.4	1.2	2.9	33.5	0.09	0.40	0.10	49	0.52
CAG197484	Sediment	2.10	0.49	15.72	6.45	56.5	30	11.8	12.2	522	2.72	5.3	0.6	7.9	3.1	33.4	0.14	0.51	0.12	55	0.62
CAG197485	Sediment	2.45	0.49	11.34	5.63	52.4	22	10.2	10.9	454	2.52	5.5	0.5	1.8	3.1	32.2	0.10	0.41	0.10	49	0.57
CAG197486	Sediment	3.19	0.72	17.56	11.73	55.7	35	15.3	11.4	378	2.69	7.9	0.6	2.1	3.0	31.0	0.12	0.42	0.13	56	0.59
CAG197487	Sediment	2.18	0.25	10.23	4.22	49.0	19	11.1	12.2	750	2.36	4.1	1.1	0.6	2.8	68.2	0.10	0.25	0.36	43	0.82
CAG197488	Sediment	2.27	0.34	10.60	4.54	57.4	16	10.6	10.9	338	2.39	3.7	0.5	1.4	2.6	29.3	0.08	0.28	0.11	44	0.53
CAG197489	Sediment	1.60	0.49	17.01	5.56	63.7	39	11.6	11.1	355	2.46	4.6	0.7	0.8	2.1	27.5	0.12	0.39	0.07	49	0.50
CAG197490	Sediment	2.30	0.42	12.88	4.24	54.6	26	9.7	10.5	412	2.53	3.7	0.4	1.0	2.0	26.0	0.08	0.40	0.07	53	0.58
CAG197491	Sediment	2.62	0.42	13.53	4.86	64.0	18	11.7	13.5	514	2.84	5.3	0.4	1.4	2.3	23.9	0.11	0.40	0.10	54	0.56
CAG197492	Sediment	2.62	0.40	11.99	4.59	47.3	14	10.3	10.6	415	2.35	4.7	0.5	1.1	2.7	39.0	0.08	0.27	0.07	45	0.52
CAG197493	Sediment	1.95	0.61	52.77	11.11	76.5	32	29.9	16.7	636	3.37	14.2	0.8	0.9	3.0	46.3	0.14	0.96	0.12	75	0.54
CAG197494	Sediment	2.04	0.52	45.10	10.32	71.1	33	35.2	14.9	583	2.75	10.9	0.8	1.1	3.3	50.8	0.17	0.67	0.11	63	0.52
CAG197495	Sediment	1.48	0.91	26.31	13.64	68.8	36	35.4	20.1	2904	3.83	33.4	1.0	1.9	8.4	51.6	0.29	0.77	0.14	47	0.45
CAG197496	Sediment	1.73	1.20	27.70	17.21	126.9	33	34.1	24.8	2440	4.52	39.4	1.0	1.0	9.0	42.3	0.33	1.33	0.16	83	0.57
CAG197497	Sediment	2.50	0.74	26.05	13.36	83.7	26	34.5	15.2	626	3.42	31.0	1.2	0.9	7.2	83.9	0.11	0.98	0.12	59	0.54
CAG197498	Sediment	1.51	0.97	29.62	14.78	82.2	36	38.4	15.9	841	3.42	40.4	1.2	0.5	8.1	85.7	0.16	1.33	0.14	56	0.59
CAG197499	Sediment	1.80	1.78	48.30	17.82	94.3	27	56.7	21.8	705	4.18	74.5	1.1	2.1	8.6	55.6	0.14	2.36	0.18	54	0.56
CAG197500	Sediment	2.16	1.38	39.67	18.44	94.6	43	51.8	20.1	907	3.97	57.3	1.4	0.7	9.2	96.4	0.17	1.84	0.18	58	0.63
CAG199151	Sediment	2.15	1.11	34.10	16.24	93.0	52	43.5	17.9	759	3.71	47.8	1.3	0.4	8.2	93.4	0.16	1.58	0.15	58	0.64
CAG199152	Sediment	1.93	1.01	31.84	16.79	93.7	40	34.0	17.2	804	3.61	32.0	1.1	0.5	7.0	38.6	0.23	1.09	0.18	59	0.59

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: February 21, 2012

CERTIFICATE OF ANALYSIS DAW11000358.2

	Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
	MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
CAG197473	Sediment	0.142	15.7	23.0	0.30	438.7	0.043	1	0.79	0.011	0.17	0.2	2.1	0.16	0.11	11	1.7	<0.02	2.3
CAG197474	Sediment	0.082	7.9	83.5	0.53	239.3	0.034	1	0.62	0.008	0.09	0.3	2.0	0.09	0.03	6	0.9	0.03	1.9
CAG197475	Sediment	0.138	14.4	29.1	0.49	351.0	0.055	2	0.99	0.017	0.11	0.2	2.8	0.11	0.03	14	1.4	0.04	3.1
CAG197476	Sediment	0.123	10.6	52.2	0.40	295.8	0.035	<1	0.64	0.009	0.10	0.3	2.0	0.12	0.04	11	1.0	<0.02	1.9
CAG197477	Sediment	0.166	12.1	41.1	0.35	294.7	0.040	1	0.63	0.010	0.10	0.8	2.2	0.13	0.04	14	1.1	<0.02	2.0
CAG197478	Sediment	0.104	6.9	33.2	1.10	138.9	0.046	<1	1.49	0.010	0.04	1.9	2.9	0.03	<0.02	17	0.2	<0.02	4.9
CAG197479	Sediment	0.106	8.8	28.6	0.57	145.6	0.042	2	0.99	0.007	0.04	0.3	2.2	0.06	<0.02	11	0.1	<0.02	3.5
CAG197480	Sediment	0.114	7.4	31.4	0.94	132.1	0.043	1	1.33	0.006	0.04	0.8	2.8	0.06	<0.02	<5	<0.1	<0.02	4.3
CAG197481	Sediment	0.107	8.1	26.0	0.60	128.0	0.042	1	1.00	0.008	0.04	0.6	2.5	0.04	<0.02	8	<0.1	<0.02	3.3
CAG197482	Sediment	0.098	6.0	16.8	0.91	167.5	0.076	2	1.59	0.006	0.05	0.1	5.3	0.04	<0.02	9	0.1	0.02	5.4
CAG197483	Sediment	0.126	7.8	15.2	0.75	177.4	0.086	1	1.35	0.007	0.13	0.1	2.5	0.11	<0.02	11	<0.1	<0.02	4.2
CAG197484	Sediment	0.150	9.4	20.4	0.73	235.7	0.090	2	1.33	0.008	0.20	0.3	3.0	0.13	<0.02	16	0.1	<0.02	3.9
CAG197485	Sediment	0.151	8.7	19.1	0.66	185.5	0.086	1	1.23	0.009	0.15	0.2	2.7	0.10	<0.02	20	0.1	<0.02	4.0
CAG197486	Sediment	0.118	10.6	25.6	0.66	197.5	0.076	1	1.33	0.013	0.09	0.2	3.1	0.08	<0.02	24	<0.1	0.03	4.1
CAG197487	Sediment	0.138	9.0	17.7	0.59	119.5	0.066	1	1.02	0.019	0.10	0.6	2.7	0.07	0.02	11	0.1	<0.02	3.3
CAG197488	Sediment	0.123	8.0	20.8	0.71	149.2	0.074	2	1.19	0.012	0.13	0.3	3.1	0.08	<0.02	15	<0.1	<0.02	4.0
CAG197489	Sediment	0.099	7.9	22.5	0.62	139.6	0.073	1	1.16	0.016	0.05	<0.1	3.8	0.06	<0.02	12	<0.1	0.03	3.9
CAG197490	Sediment	0.145	7.1	21.3	0.71	140.2	0.066	1	1.19	0.013	0.07	0.2	3.5	0.08	<0.02	19	<0.1	<0.02	3.9
CAG197491	Sediment	0.129	7.3	23.5	0.76	169.8	0.063	<1	1.24	0.014	0.09	0.1	3.7	0.08	<0.02	13	0.1	<0.02	4.3
CAG197492	Sediment	0.130	7.4	17.4	0.62	90.2	0.053	1	1.04	0.012	0.06	0.5	2.6	0.05	<0.02	9	<0.1	<0.02	3.3
CAG197493	Sediment	0.152	9.1	57.3	1.05	574.3	0.127	<1	1.41	0.009	0.36	<0.1	4.7	0.18	<0.02	22	0.2	<0.02	5.4
CAG197494	Sediment	0.145	9.5	66.8	0.91	483.2	0.118	<1	1.21	0.010	0.34	0.1	3.7	0.16	<0.02	12	0.2	<0.02	4.4
CAG197495	Sediment	0.116	22.6	39.4	0.62	733.1	0.114	1	1.26	0.005	0.37	0.1	3.4	0.27	<0.02	38	0.2	0.02	4.2
CAG197496	Sediment	0.173	29.4	34.8	0.61	372.6	0.133	1	1.17	0.008	0.23	<0.1	4.0	0.22	0.02	38	0.2	0.07	5.1
CAG197497	Sediment	0.170	23.0	45.7	0.76	295.7	0.121	1	1.23	0.009	0.32	<0.1	3.9	0.21	0.02	26	0.2	<0.02	4.6
CAG197498	Sediment	0.175	25.7	42.6	0.68	288.5	0.101	<1	1.11	0.009	0.28	<0.1	3.8	0.21	0.03	41	0.3	0.05	4.2
CAG197499	Sediment	0.143	26.7	47.1	0.65	254.8	0.065	1	0.98	0.007	0.28	<0.1	4.7	0.23	0.02	42	0.4	0.05	3.9
CAG197500	Sediment	0.171	28.9	50.7	0.77	286.3	0.098	<1	1.16	0.008	0.33	<0.1	4.7	0.24	0.04	29	0.3	0.03	4.4
CAG199151	Sediment	0.172	26.7	51.9	0.80	290.9	0.107	1	1.26	0.009	0.32	0.1	4.4	0.23	0.04	41	0.4	0.03	4.5
CAG199152	Sediment	0.116	19.5	51.9	0.94	294.2	0.114	1	1.40	0.006	0.37	<0.1	4.9	0.26	0.03	38	0.4	<0.02	5.0

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: February 21, 2012

CERTIFICATE OF ANALYSIS DAW11000358.2

	Method	DRY WT	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01
CAG197350	Sediment	2.37	0.29	27.94	4.26	44.5	46	11.3	10.1	282	2.36	7.0	0.2	1.7	0.9	22.6	0.07	1.03	0.05	52	0.48

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: February 21, 2012

CERTIFICATE OF ANALYSIS DAW11000358.2

	Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
	MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
CAG197350	Sediment	0.124	3.9	26.1	0.79	169.9	0.073	<1	1.19	0.006	0.28	0.1	3.7	0.12	<0.02	9	0.2	<0.02	3.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: February 21, 2012

QUALITY CONTROL REPORT DAW11000358.2

	Method	DRY WT	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01
Pulp Duplicates																					
CAG197245	Sediment	1.79	0.51	17.49	3.66	50.4	39	7.8	11.3	445	2.96	2.5	0.5	0.4	2.5	18.3	0.11	0.20	0.06	69	0.51
REP CAG197245	QC		0.50	17.77	3.49	49.7	39	7.8	11.1	445	2.95	2.4	0.5	<0.2	2.5	18.8	0.11	0.21	0.05	69	0.52
CAG197410	Sediment	1.35	0.58	21.09	6.20	55.0	46	24.1	11.0	413	2.01	5.0	0.8	1.0	3.5	27.2	0.16	0.22	0.10	46	0.42
REP CAG197410	QC		0.64	23.02	6.46	58.0	49	24.9	12.0	422	2.15	5.5	0.9	2.0	3.6	29.0	0.16	0.24	0.11	49	0.45
CAG197473	Sediment	2.40	2.72	33.80	6.62	108.0	283	28.8	12.7	484	2.75	111.0	1.6	18.1	3.4	35.3	0.58	4.84	0.14	50	0.41
REP CAG197473	QC		2.77	38.73	7.06	125.3	299	29.9	14.0	546	2.94	117.4	1.7	14.7	3.4	35.9	0.62	6.68	0.16	50	0.42
CAG197481	Sediment	2.33	0.42	9.14	3.54	46.0	30	11.8	9.1	281	2.04	3.3	0.4	4.6	2.6	20.4	0.08	0.23	0.23	39	0.43
REP CAG197481	QC		0.50	9.95	4.02	48.5	23	13.3	9.7	311	2.18	3.8	0.5	2.0	3.1	21.8	0.10	0.27	0.15	45	0.52
Reference Materials																					
STD DS8	Standard		13.45	109.8	118.0	304.4	1742	35.3	7.7	586	2.47	25.5	2.7	122.1	6.8	66.6	2.34	6.10	6.34	41	0.76
STD DS8	Standard		12.18	107.4	123.4	299.8	1704	35.5	6.7	578	2.35	23.6	2.7	117.3	6.4	64.0	2.30	5.55	6.44	38	0.67
STD DS8	Standard		12.60	104.3	114.9	298.1	1677	35.0	7.1	597	2.30	24.4	2.6	107.0	6.3	65.5	2.27	5.36	6.04	39	0.68
STD DS8 Expected			13.44	110	123	312	1690	38.1	7.5	615	2.46	26	2.8	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: February 21, 2012

QUALITY CONTROL REPORT DAW11000358.2

	Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
	MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
Pulp Duplicates																			
CAG197245	Sediment	0.090	8.5	13.2	0.67	199.4	0.102	1	1.23	0.020	0.31	<0.1	4.8	0.12	<0.02	10	<0.1	<0.02	4.4
REP CAG197245	QC	0.094	8.4	13.2	0.65	192.1	0.104	1	1.20	0.021	0.30	<0.1	4.9	0.11	<0.02	12	<0.1	<0.02	4.5
CAG197410	Sediment	0.081	11.0	45.7	0.77	162.1	0.075	1	1.03	0.010	0.16	<0.1	2.0	0.09	0.02	8	0.2	0.02	3.2
REP CAG197410	QC	0.085	11.8	46.0	0.80	176.2	0.080	<1	1.07	0.011	0.17	0.2	2.2	0.10	0.02	<5	0.3	0.03	3.5
CAG197473	Sediment	0.142	15.7	23.0	0.30	438.7	0.043	1	0.79	0.011	0.17	0.2	2.1	0.16	0.11	11	1.7	<0.02	2.3
REP CAG197473	QC	0.147	17.0	25.2	0.33	491.5	0.054	2	0.76	0.011	0.17	0.3	2.3	0.18	0.11	11	1.9	0.03	2.5
CAG197481	Sediment	0.107	8.1	26.0	0.60	128.0	0.042	1	1.00	0.008	0.04	0.6	2.5	0.04	<0.02	8	<0.1	<0.02	3.3
REP CAG197481	QC	0.127	9.4	28.0	0.69	143.8	0.049	1	1.14	0.009	0.04	1.3	2.9	0.07	<0.02	15	<0.1	<0.02	3.8
Reference Materials																			
STD DS8	Standard	0.090	17.0	116.7	0.62	282.3	0.118	3	1.07	0.130	0.46	2.8	2.8	5.16	0.17	189	4.9	4.67	4.7
STD DS8	Standard	0.089	14.1	113.5	0.57	251.5	0.115	3	0.87	0.090	0.39	3.0	2.2	5.22	0.15	205	4.8	4.69	4.3
STD DS8	Standard	0.077	14.8	113.7	0.56	257.6	0.116	3	0.94	0.108	0.42	2.7	2.1	4.87	0.15	182	4.7	4.45	4.3
STD DS8 Expected		0.08	14.6	115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	2.3	5.4	0.1679	192	5.23	5	4.7
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.