Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Submitted By:	Jean-Pierre Londero
Receiving Lab:	Canada-Dawson City
Received:	October 01, 2011
Report Date:	February 21, 2012
Page:	1 of 4

CERTIFICATE OF ANALYSIS DAW11000494.2

CLIENT JOB INFORMATION

Project:	White Gold
Shipment ID:	WG01592011
P.O. Number	NA
Number of Samples:	81

SAMPLE DISPOSAL

STOR-PLP	Store After 90 days Invoice for Storage
DISP-RJT	Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
WGHT	81	Weight of sample after prep drying			VAN
Dry at 60C	81	Dry at 60C			DAW
SS80	81	Dry at 60C sieve 100g to -80 mesh			DAW
RJSV	81	Saving all or part of Soil Reject			DAW
1F02	80	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Version 2: Revised Sample ID's

Invoice To: Selene Holdings LP
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8
Canada

CC: Keith Fowlow
Jean-Pierre Londero

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: February 21, 2012

CERTIFICATE OF ANALYSIS DAW11000494.2

	Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001
CAG199153	Sediment	0.42	12.06	4.47	40.1	23	11.4	9.1	951	2.56	7.7	0.3	3.5	1.8	18.8	0.08	0.21	0.07	46	0.34	0.068
CAG199154	Sediment	0.41	29.21	2.87	42.9	25	16.1	11.7	322	2.28	4.8	0.4	10.1	1.7	16.4	0.07	0.26	0.06	57	0.29	0.067
CAG199155	Sediment	0.36	22.43	3.45	38.8	36	13.8	10.0	537	2.10	4.2	0.5	120.6	2.0	19.4	0.07	0.22	0.06	51	0.36	0.071
CAG199156	Sediment	0.62	28.26	3.08	46.8	24	15.8	13.9	375	2.47	5.7	0.3	27.6	1.5	12.6	0.06	0.22	0.06	68	0.30	0.074
CAG199157	Sediment	0.36	23.32	3.68	39.5	26	13.6	9.9	414	2.04	4.1	0.6	2.1	2.1	20.2	0.08	0.22	0.05	51	0.36	0.071
CAG199158	Sediment	0.35	22.08	4.31	46.3	24	15.6	11.4	431	2.22	4.9	0.4	2.5	1.9	18.7	0.06	0.19	0.05	53	0.32	0.061
CAG199159	Sediment	0.51	34.68	3.90	56.1	26	20.0	13.7	340	2.75	4.7	0.4	2.0	2.6	14.9	0.06	0.15	0.06	68	0.37	0.081
CAG199160	Sediment	0.46	27.65	3.90	41.9	33	15.6	10.2	232	2.05	2.4	0.5	0.9	3.4	16.1	0.06	0.12	0.08	45	0.38	0.066
CAG199161	Sediment	0.37	27.61	6.83	56.7	30	21.1	12.1	346	2.53	2.7	1.1	0.3	5.2	22.8	0.09	0.11	0.12	49	0.44	0.068
CAG199162	Sediment	0.55	24.52	5.66	49.4	37	18.1	10.6	250	2.31	3.1	1.0	2.2	4.9	20.1	0.07	0.13	0.11	41	0.35	0.056
CAG199163	Sediment	0.52	23.39	5.84	48.0	26	16.3	12.0	296	2.54	4.9	0.8	0.9	4.7	20.9	0.04	0.18	0.10	48	0.38	0.067
CAG199164	Sediment	0.36	15.51	4.23	40.4	24	5.9	6.5	238	2.02	6.0	0.3	1.3	1.6	22.2	0.05	0.17	0.06	38	0.40	0.043
CAG199165	Sediment	0.61	22.91	13.40	57.2	60	17.6	11.8	365	2.78	7.3	0.6	6.6	2.7	42.5	0.14	0.31	0.10	62	0.57	0.069
CAG199166	Sediment	0.52	18.92	7.62	77.2	49	8.7	8.8	265	2.11	5.5	0.6	5.9	2.1	73.0	0.12	0.14	0.08	41	0.35	0.057
CAG199167	Sediment	0.47	17.57	7.41	73.0	47	8.2	8.0	236	2.18	5.1	0.6	1.4	1.9	72.8	0.15	0.15	0.08	43	0.35	0.057
CAG199168	Sediment	0.34	17.05	3.54	34.3	22	13.0	7.7	225	1.67	4.1	0.6	0.5	2.2	26.2	0.05	0.18	0.05	41	0.43	0.077
CAG199169	Sediment	0.65	17.78	4.22	50.8	60	20.1	8.2	282	1.86	6.5	1.3	2.3	2.7	32.8	0.09	0.40	0.08	41	0.62	0.090
CAG199170	Sediment	0.31	17.67	6.40	58.2	41	22.6	10.2	279	2.19	2.4	1.3	0.7	5.7	26.2	0.06	0.14	0.11	31	0.75	0.062
CAG199171	Sediment	0.27	18.24	2.05	21.9	18	9.7	5.5	130	1.15	1.1	0.4	4.4	1.9	12.8	0.04	0.08	0.03	31	0.31	0.079
CAG199172	Sediment	0.36	22.11	2.51	27.7	25	12.2	6.6	138	1.35	1.5	0.6	0.5	2.1	15.5	0.03	0.09	0.05	33	0.36	0.073
CAG199173	Sediment	0.39	15.37	2.01	33.3	42	16.1	6.8	167	1.46	2.9	0.4	0.4	2.3	21.8	0.06	0.19	0.05	37	0.46	0.100
CAG197097	Sediment	0.37	39.56	1.87	44.9	18	13.9	11.9	322	2.40	2.1	<0.1	1.3	0.4	17.5	0.04	0.13	0.03	74	0.43	0.083
CAG197098	Sediment	0.56	21.07	6.79	59.3	70	15.4	9.9	1012	2.38	4.0	0.7	7.8	2.1	32.2	0.14	0.20	0.07	47	0.64	0.076
CAG197099	Sediment	0.21	16.72	3.99	45.1	30	12.3	8.3	284	1.88	2.3	0.5	2.0	1.4	17.7	0.06	0.15	0.04	43	0.39	0.069
CAG197100	Sediment	0.31	17.15	3.29	52.7	20	13.5	12.1	525	2.62	2.6	0.2	7.8	1.0	23.5	0.04	0.16	0.03	66	0.45	0.067
CAG199316	Sediment	0.27	22.59	9.12	52.8	63	16.7	10.1	200	2.02	2.0	0.6	1.3	2.8	59.7	0.09	0.15	0.05	39	0.58	0.074
CAG199317	Sediment	0.51	17.80	9.75	51.7	38	15.6	11.7	466	2.54	4.5	0.4	1.8	3.1	69.2	0.05	0.17	0.06	46	0.63	0.076
CAG199318	Sediment	0.39	11.34	4.94	37.2	20	9.4	6.6	189	1.78	2.5	0.6	6.9	2.7	53.4	0.04	0.17	0.03	36	0.55	0.095
CAG199319	Sediment	0.27	12.49	5.76	41.7	28	16.5	8.7	170	1.87	3.0	0.4	2.7	4.1	40.3	0.06	0.12	0.04	30	0.48	0.093
CAG199320	Sediment	0.49	12.94	7.09	39.2	22	14.2	8.6	239	2.14	4.4	0.5	0.7	4.1	46.4	0.09	0.14	0.04	33	0.53	0.108

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: February 21, 2012

CERTIFICATE OF ANALYSIS DAW11000494.2

	Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
	MDL	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
CAG199153	Sediment	6.2	18.2	0.51	129.9	0.034	2	0.84	0.010	0.03	0.1	2.2	0.02	<0.02	14	0.3	<0.02	2.7
CAG199154	Sediment	5.4	27.4	0.61	112.9	0.033	2	0.89	0.008	0.04	<0.1	2.8	0.03	<0.02	18	0.2	0.02	3.1
CAG199155	Sediment	6.7	23.4	0.55	128.3	0.039	2	0.87	0.010	0.04	0.2	2.4	0.03	<0.02	24	0.1	0.02	2.9
CAG199156	Sediment	4.5	28.5	0.61	146.5	0.035	3	0.87	0.009	0.03	0.1	2.5	<0.02	<0.02	19	<0.1	<0.02	3.2
CAG199157	Sediment	7.0	22.9	0.49	124.1	0.040	2	0.88	0.010	0.04	0.2	2.5	0.03	<0.02	21	<0.1	<0.02	2.9
CAG199158	Sediment	6.6	27.1	0.58	113.4	0.033	1	0.87	0.009	0.04	<0.1	2.5	0.03	<0.02	18	0.1	0.03	3.0
CAG199159	Sediment	8.3	32.5	0.73	114.6	0.040	2	1.09	0.009	0.05	0.1	3.1	0.03	<0.02	14	0.2	<0.02	3.9
CAG199160	Sediment	10.9	24.4	0.57	102.5	0.068	2	1.03	0.011	0.05	0.1	2.3	0.05	<0.02	12	<0.1	<0.02	3.4
CAG199161	Sediment	18.2	28.0	0.70	87.1	0.069	2	1.19	0.012	0.11	0.1	3.1	0.08	<0.02	16	0.2	0.02	4.0
CAG199162	Sediment	16.7	23.4	0.61	60.7	0.055	1	1.05	0.014	0.08	<0.1	2.3	0.07	0.03	19	0.1	<0.02	3.4
CAG199163	Sediment	14.6	22.9	0.62	82.3	0.055	2	1.02	0.015	0.07	0.1	2.5	0.05	0.04	12	<0.1	0.03	3.3
CAG199164	Sediment	6.4	9.0	0.26	146.9	0.037	2	0.64	0.020	0.05	0.2	2.8	0.03	<0.02	14	0.1	0.04	2.5
CAG199165	Sediment	9.8	25.2	0.59	180.3	0.078	2	1.18	0.031	0.07	0.2	3.3	0.05	0.03	19	0.3	0.05	3.8
CAG199166	Sediment	7.3	15.0	0.43	147.6	0.066	1	0.86	0.018	0.09	0.2	2.6	0.05	0.03	17	0.1	0.03	3.1
CAG199167	Sediment	7.4	14.1	0.38	135.0	0.061	<1	0.77	0.017	0.07	0.1	2.4	0.04	0.03	15	0.2	0.03	3.0
CAG199168	Sediment	7.4	23.3	0.44	90.8	0.056	2	0.79	0.017	0.04	0.2	2.2	0.02	<0.02	6	<0.1	<0.02	2.5
CAG199169	Sediment	10.2	24.0	0.51	154.7	0.068	2	0.93	0.021	0.07	0.2	2.3	0.05	<0.02	23	0.2	0.04	2.9
CAG199170	Sediment	21.4	26.5	0.65	117.1	0.101	2	1.34	0.011	0.33	<0.1	2.5	0.21	0.04	18	0.3	0.04	4.2
CAG199171	Sediment	4.9	17.9	0.33	70.7	0.043	<1	0.55	0.013	0.05	0.1	1.5	0.03	<0.02	10	0.2	<0.02	1.8
CAG199172	Sediment	6.0	22.5	0.43	95.0	0.053	<1	0.72	0.013	0.07	<0.1	1.9	0.04	<0.02	44	<0.1	0.02	2.4
CAG199173	Sediment	7.5	31.7	0.48	158.3	0.061	<1	0.77	0.015	0.08	0.2	1.9	0.03	<0.02	12	<0.1	<0.02	2.4
CAG197097	Sediment	1.9	30.2	0.88	112.0	0.056	2	1.12	0.020	0.03	<0.1	3.7	<0.02	<0.02	9	<0.1	0.05	4.2
CAG197098	Sediment	11.4	23.5	0.56	155.7	0.055	2	1.14	0.018	0.05	0.1	3.6	0.03	0.02	30	0.3	0.04	3.9
CAG197099	Sediment	5.8	20.1	0.50	118.8	0.040	1	0.90	0.012	0.03	0.3	2.6	<0.02	0.02	13	0.1	0.03	2.9
CAG197100	Sediment	3.5	24.5	0.99	83.3	0.060	2	1.34	0.014	0.02	0.1	3.1	<0.02	<0.02	15	<0.1	<0.02	4.4
CAG199316	Sediment	12.6	29.3	0.74	163.5	0.094	2	1.32	0.017	0.21	<0.1	3.4	0.09	0.04	24	0.1	0.02	4.4
CAG199317	Sediment	11.3	27.8	0.75	222.5	0.088	2	1.29	0.016	0.20	<0.1	3.3	0.07	0.03	26	0.2	0.02	4.4
CAG199318	Sediment	7.9	16.4	0.49	149.3	0.078	1	0.81	0.020	0.10	0.2	2.3	0.03	<0.02	15	<0.1	<0.02	3.0
CAG199319	Sediment	12.4	23.8	0.54	182.4	0.071	1	1.00	0.014	0.16	0.1	2.4	0.08	0.03	15	<0.1	<0.02	3.2
CAG199320	Sediment	12.6	21.7	0.50	147.3	0.063	1	0.94	0.016	0.11	0.1	2.5	0.06	<0.02	11	0.2	0.02	3.3

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: February 21, 2012

CERTIFICATE OF ANALYSIS DAW11000494.2

	Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001
CAG199321	Sediment	0.24	11.40	5.18	42.2	26	12.8	7.2	172	1.64	2.7	0.4	3.9	2.7	43.8	0.03	0.16	0.04	34	0.52	0.080
CAG199219	Sediment	0.76	30.49	9.34	139.1	117	6.7	13.7	1237	2.48	4.8	0.5	4.9	1.7	13.3	0.21	0.18	0.08	45	0.25	0.059
CAG199220	Sediment	0.48	67.91	4.87	125.2	57	10.4	9.5	325	2.45	2.6	0.5	1.5	1.5	20.0	0.15	0.11	0.06	48	0.36	0.049
CAG199221	Sediment	0.96	24.98	6.78	42.3	52	2.5	3.1	124	1.34	1.9	0.2	2.3	0.8	8.5	0.04	0.07	0.07	27	0.17	0.022
CAG199222	Sediment	0.73	29.74	5.08	66.9	92	7.2	8.8	462	1.96	3.7	0.4	1.7	1.5	15.5	0.11	0.13	0.08	34	0.25	0.044
CAG199223	Sediment	0.61	28.72	5.15	72.7	71	5.8	5.5	270	1.88	3.0	1.0	7.6	1.6	21.6	0.10	0.10	0.07	30	0.25	0.035
CAG199224	Sediment	0.56	22.26	5.07	73.6	70	4.3	3.5	161	1.54	2.4	0.5	1.3	1.6	16.0	0.07	0.10	0.09	22	0.20	0.032
CAG199225	Sediment	0.65	24.61	8.65	90.5	84	5.2	4.3	243	2.03	4.3	0.5	1.6	1.8	18.8	0.08	0.15	0.13	23	0.23	0.045
CAG199226	Sediment	0.39	13.48	6.66	44.6	66	4.4	3.7	174	1.24	1.7	0.3	1.4	0.9	12.3	0.05	0.09	0.07	24	0.18	0.029
CAG199227	Sediment	0.43	15.16	6.07	56.0	36	8.0	6.5	261	1.51	2.0	0.2	0.5	0.8	13.8	0.05	0.08	0.06	28	0.24	0.043
CAG199228	Sediment	0.52	11.78	6.42	66.2	62	7.5	8.5	420	1.97	2.3	0.6	3.8	1.5	15.0	0.11	0.20	0.09	40	0.29	0.039
CAG199229	Sediment	0.50	22.88	10.85	64.5	110	6.2	6.8	396	1.85	2.7	0.7	2.7	1.5	20.6	0.15	0.18	0.10	33	0.31	0.040
CAG199230	Sediment	0.51	15.16	11.03	71.6	43	6.1	6.8	401	2.02	2.6	0.4	2.4	1.4	18.2	0.13	0.15	0.08	31	0.26	0.039
CAG199231	Sediment	0.37	26.11	16.25	36.7	39	5.6	8.6	255	2.02	1.5	0.6	<0.2	0.7	27.0	0.02	0.12	0.08	50	0.37	0.049
CAG199232	Sediment	0.51	16.98	11.81	71.2	44	7.6	6.8	379	2.27	3.2	0.4	3.9	1.8	19.5	0.14	0.18	0.09	39	0.29	0.051
CAG199233	Sediment	0.38	13.54	7.65	64.3	35	6.2	6.0	269	2.09	1.9	0.5	0.8	1.3	20.0	0.10	0.13	0.07	40	0.33	0.055
CAG199234	Sediment	0.46	18.79	4.95	61.1	48	7.8	10.5	355	2.39	2.3	0.3	1.5	1.0	16.3	0.09	0.16	0.05	63	0.40	0.057
CAG199235	Sediment	0.42	16.36	4.08	65.0	29	6.8	9.8	407	2.28	2.9	0.8	0.6	0.9	14.7	0.10	0.18	0.05	58	0.34	0.039
CAG199236	Sediment	0.51	18.26	5.42	62.1	43	6.2	8.0	297	2.00	2.8	0.5	2.5	1.0	15.3	0.07	0.16	0.06	46	0.31	0.041
CAG199237	Sediment	0.50	18.37	6.95	66.6	59	6.9	7.4	354	2.16	2.9	0.5	1.1	1.1	18.3	0.20	0.19	0.06	49	0.35	0.051
CAG199238	Sediment	0.48	40.71	11.81	86.3	154	5.2	4.3	219	1.78	2.1	0.4	3.8	1.6	15.5	0.09	0.09	0.11	26	0.20	0.037
CAG199239	Sediment	0.45	65.51	17.73	81.7	130	4.6	5.5	341	1.90	3.1	0.5	2.2	1.7	15.5	0.13	0.09	0.18	25	0.22	0.032
CAG199240	Sediment	0.66	18.57	9.46	67.8	37	8.7	6.8	317	2.27	2.2	0.5	3.4	2.8	11.4	0.02	0.17	0.08	40	0.19	0.048
CAG199241	Sediment	0.67	8.58	7.18	39.7	61	7.3	5.0	239	1.77	2.9	0.5	2.0	1.9	11.8	0.08	0.15	0.09	34	0.18	0.046
CAG199242	Sediment	0.65	54.26	17.47	226.4	90	17.4	12.6	667	3.13	3.2	0.4	1.1	1.6	19.7	0.25	0.09	0.13	67	0.34	0.057
CAG199243	Sediment	0.82	14.43	11.23	65.5	52	6.5	6.2	272	2.30	2.9	0.4	2.0	2.1	14.2	0.09	0.12	0.09	39	0.22	0.058
CAG199244	Sediment	0.74	35.98	14.40	145.7	40	12.5	11.5	712	3.48	3.3	0.4	5.7	1.8	15.8	0.21	0.10	0.11	59	0.31	0.065
CAG199245	Sediment	0.58	21.21	9.89	96.5	32	7.9	9.4	698	2.86	2.8	0.3	1.2	1.4	15.3	0.24	0.10	0.08	43	0.31	0.061
CAG199246	Sediment	0.57	21.37	11.10	95.6	55	10.7	8.0	499	2.14	2.9	0.6	2.3	1.9	16.6	0.20	0.12	0.09	38	0.31	0.050
CAG199247	Sediment	0.50	17.48	8.95	89.3	36	9.1	6.8	313	1.87	3.0	0.5	1.3	1.9	18.4	0.10	0.11	0.08	34	0.29	0.046

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: February 21, 2012

CERTIFICATE OF ANALYSIS DAW11000494.2

	Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
	MDL	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
CAG199321	Sediment	9.6	20.9	0.52	141.7	0.077	1	0.99	0.022	0.09	0.1	2.6	0.05	<0.02	21	0.1	<0.02	3.4
CAG199219	Sediment	8.3	11.0	0.41	195.0	0.049	1	0.98	0.010	0.13	<0.1	3.1	0.10	0.02	20	0.2	0.04	3.7
CAG199220	Sediment	5.9	27.4	0.50	132.2	0.068	<1	1.03	0.027	0.09	<0.1	3.6	0.04	0.02	8	<0.1	0.10	3.7
CAG199221	Sediment	3.7	4.7	0.19	49.8	0.043	<1	0.55	0.019	0.05	<0.1	1.6	0.03	<0.02	6	<0.1	0.08	2.4
CAG199222	Sediment	7.4	12.0	0.30	134.0	0.047	1	0.80	0.014	0.06	<0.1	2.2	0.04	0.03	22	0.2	0.10	2.9
CAG199223	Sediment	8.1	10.0	0.29	117.9	0.048	<1	0.76	0.014	0.06	<0.1	2.2	0.04	0.02	16	0.1	0.06	3.1
CAG199224	Sediment	8.0	7.0	0.23	116.5	0.042	1	0.61	0.009	0.07	<0.1	1.9	0.04	<0.02	8	<0.1	0.05	2.4
CAG199225	Sediment	8.1	8.0	0.25	127.1	0.045	1	0.63	0.015	0.10	<0.1	2.0	0.06	0.06	10	<0.1	0.02	2.5
CAG199226	Sediment	4.7	6.5	0.23	99.7	0.037	1	0.58	0.012	0.04	0.1	1.7	0.04	<0.02	15	<0.1	<0.02	2.1
CAG199227	Sediment	3.3	11.7	0.30	85.4	0.046	<1	0.57	0.013	0.05	<0.1	1.9	<0.02	<0.02	9	<0.1	<0.02	2.1
CAG199228	Sediment	8.8	11.4	0.39	230.6	0.048	1	1.02	0.013	0.08	<0.1	3.1	0.05	<0.02	22	<0.1	0.02	3.3
CAG199229	Sediment	10.2	10.4	0.35	194.3	0.050	<1	0.88	0.013	0.09	<0.1	2.3	0.06	0.04	19	<0.1	0.04	3.2
CAG199230	Sediment	6.4	9.0	0.35	154.8	0.052	1	0.83	0.011	0.10	<0.1	2.1	0.04	0.02	10	<0.1	0.06	3.7
CAG199231	Sediment	4.1	6.6	0.42	79.0	0.060	1	0.66	0.019	0.14	<0.1	2.7	0.05	<0.02	11	<0.1	<0.02	2.1
CAG199232	Sediment	5.7	11.2	0.44	121.7	0.068	1	0.89	0.013	0.13	0.1	2.4	0.06	<0.02	12	0.2	0.02	3.5
CAG199233	Sediment	5.3	9.0	0.35	98.0	0.055	<1	0.75	0.014	0.09	<0.1	2.6	0.04	<0.02	37	<0.1	0.03	2.7
CAG199234	Sediment	5.5	13.8	0.68	155.4	0.075	1	1.16	0.018	0.15	<0.1	3.7	0.06	<0.02	27	<0.1	0.04	4.1
CAG199235	Sediment	4.5	10.5	0.60	145.9	0.066	<1	0.97	0.016	0.13	<0.1	3.3	0.04	<0.02	14	<0.1	<0.02	3.5
CAG199236	Sediment	4.7	10.3	0.56	132.0	0.065	1	0.95	0.016	0.12	<0.1	3.1	0.05	0.02	15	<0.1	0.03	3.4
CAG199237	Sediment	6.0	12.6	0.53	149.0	0.064	<1	0.95	0.016	0.11	<0.1	2.9	0.05	0.03	16	0.1	0.02	3.4
CAG199238	Sediment	8.3	9.2	0.23	124.6	0.050	<1	0.71	0.009	0.07	<0.1	2.2	0.06	<0.02	14	0.2	0.02	2.7
CAG199239	Sediment	9.3	6.9	0.25	198.0	0.050	<1	0.73	0.008	0.11	<0.1	2.5	0.08	<0.02	25	<0.1	0.10	2.9
CAG199240	Sediment	8.4	18.2	0.51	130.9	0.063	<1	0.87	0.009	0.15	<0.1	3.0	0.06	0.07	6	<0.1	<0.02	3.6
CAG199241	Sediment	7.9	13.5	0.26	103.9	0.050	1	0.83	0.006	0.04	0.1	2.3	0.05	<0.02	20	0.1	0.04	3.3
CAG199242	Sediment	6.9	50.7	1.04	266.2	0.109	<1	1.30	0.009	0.49	<0.1	5.4	0.19	0.10	25	0.2	0.02	5.1
CAG199243	Sediment	7.0	12.7	0.36	74.5	0.061	<1	0.82	0.012	0.09	0.1	2.8	0.04	0.04	10	0.1	<0.02	3.5
CAG199244	Sediment	6.4	30.7	0.67	164.0	0.081	<1	1.02	0.012	0.29	<0.1	3.9	0.11	0.06	8	0.2	<0.02	4.3
CAG199245	Sediment	5.6	17.9	0.40	126.4	0.063	1	0.77	0.013	0.14	0.1	3.0	0.06	0.03	8	<0.1	0.02	3.4
CAG199246	Sediment	8.2	24.0	0.49	178.0	0.068	<1	0.89	0.009	0.15	0.1	3.3	0.08	0.03	20	<0.1	0.03	3.7
CAG199247	Sediment	7.4	19.1	0.45	172.3	0.065	<1	0.83	0.011	0.12	<0.1	3.0	0.06	0.02	11	<0.1	<0.02	3.4

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: February 21, 2012

CERTIFICATE OF ANALYSIS DAW11000494.2

	Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001
CAG199248	Sediment	0.51	18.49	9.26	84.4	39	9.4	7.4	399	2.05	2.9	0.5	1.2	1.8	22.1	0.13	0.12	0.08	38	0.35	0.056
CAG199249	Sediment	0.59	15.80	7.16	68.2	35	6.8	10.9	568	2.42	5.6	0.3	1.0	1.6	20.3	0.12	0.12	0.08	46	0.31	0.057
CAG199250	Sediment	0.41	14.86	14.81	54.9	54	11.3	6.3	264	1.97	3.6	0.6	13.2	2.9	24.4	0.08	0.20	0.09	42	0.35	0.060
CAG199251	Sediment	0.84	12.36	7.65	54.7	26	18.8	9.2	281	2.22	4.2	0.7	0.3	5.2	8.1	<0.01	0.06	0.18	33	0.18	0.053
CAG199252	Sediment	0.38	11.55	7.03	68.0	13	15.6	11.0	377	2.51	4.3	0.5	<0.2	4.3	32.0	0.10	0.09	0.11	38	0.32	0.071
CAG199253	Sediment	0.43	23.40	2.57	41.6	18	9.3	9.6	377	1.99	1.9	4.0	6.6	1.1	16.6	0.05	0.09	0.04	58	0.37	0.059
CAG199254	Sediment	0.50	20.55	4.34	39.9	16	14.3	9.9	359	2.23	2.8	0.9	<0.2	2.7	20.2	0.06	0.08	0.07	55	0.45	0.072
CAG199255	Sediment	0.49	18.38	5.13	51.1	38	16.1	10.0	275	2.70	5.4	0.8	9.8	3.5	42.8	0.09	0.23	0.08	64	0.65	0.078
CAG199256	Sediment	0.51	19.07	4.62	48.6	40	19.4	9.7	362	2.25	5.2	0.6	3.4	2.7	40.5	0.09	0.26	0.08	51	0.73	0.071
CAG199257	Sediment	0.37	9.36	4.68	29.9	10	10.0	7.7	316	2.02	9.6	0.3	1.8	3.5	27.2	0.05	0.10	0.05	33	0.39	0.049
CAG199258	Sediment	0.41	18.63	4.81	46.8	52	14.6	9.6	322	2.30	5.7	0.5	50.5	3.0	32.8	0.08	0.18	0.07	49	0.56	0.068
CAG199259	Sediment	0.49	13.82	5.73	43.5	24	18.8	9.8	291	2.44	15.4	0.8	2.0	8.6	30.2	0.05	0.09	0.05	31	0.64	0.055
CAG199260	Sediment	0.43	27.28	2.43	31.8	31	13.8	9.5	383	1.88	4.1	0.5	13.1	1.5	21.4	0.07	0.16	0.06	49	0.36	0.075
CAG199261	Sediment	0.42	23.77	2.29	37.6	28	12.4	7.8	283	1.65	3.0	0.3	0.8	1.4	15.0	0.06	0.12	0.05	43	0.34	0.053
CAG199262	Sediment	0.50	25.18	2.25	37.1	11	13.2	8.3	295	1.77	3.2	0.2	<0.2	1.6	13.7	0.04	0.12	0.04	46	0.33	0.060
CAG199263	Sediment	0.42	22.00	2.98	34.9	18	14.4	8.2	237	1.74	3.7	0.3	0.9	1.4	15.7	0.08	0.12	0.07	45	0.37	0.055
CAG199264	Sediment	0.65	12.15	3.99	39.5	16	7.3	8.0	329	2.26	4.5	0.3	0.8	1.4	15.7	0.05	0.13	0.06	50	0.34	0.065
CAG199265	Sediment	0.84	22.67	4.92	52.8	25	7.7	8.9	374	2.76	6.0	0.3	17.2	1.6	14.4	0.09	0.19	0.06	52	0.35	0.061
CAG199266	Sediment	0.76	13.56	6.81	50.5	28	9.1	8.6	272	2.53	4.0	0.4	10.8	2.1	22.1	0.04	0.16	0.08	53	0.42	0.101
CAG199267	Sediment	0.88	10.82	7.22	41.2	33	7.8	9.6	396	2.55	4.8	0.3	<0.2	1.9	18.3	0.05	0.16	0.08	54	0.38	0.090
CAG199268	Sediment	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: February 21, 2012

CERTIFICATE OF ANALYSIS DAW11000494.2

	Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
	MDL	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
CAG199248	Sediment	7.7	19.3	0.45	176.9	0.066	<1	0.85	0.013	0.12	0.1	3.1	0.06	0.03	17	<0.1	<0.02	3.2
CAG199249	Sediment	6.5	9.5	0.34	178.9	0.049	1	0.79	0.016	0.06	0.1	3.0	0.03	<0.02	12	<0.1	0.05	3.0
CAG199250	Sediment	11.9	18.0	0.41	232.6	0.076	2	0.93	0.015	0.08	0.2	2.7	0.04	<0.02	16	<0.1	<0.02	3.4
CAG199251	Sediment	13.5	26.1	0.51	48.5	0.075	<1	0.90	0.005	0.17	<0.1	1.7	0.17	0.02	5	<0.1	<0.02	3.8
CAG199252	Sediment	10.6	20.2	0.52	67.2	0.048	<1	0.95	0.007	0.09	<0.1	2.4	0.06	<0.02	<5	<0.1	<0.02	3.4
CAG199253	Sediment	3.9	16.7	0.56	68.5	0.071	<1	0.84	0.015	0.03	<0.1	2.7	0.02	<0.02	8	<0.1	<0.02	3.0
CAG199254	Sediment	7.4	20.6	0.57	75.7	0.068	1	0.85	0.019	0.05	<0.1	2.4	0.02	0.02	6	0.1	0.03	3.2
CAG199255	Sediment	10.8	24.7	0.54	157.9	0.077	2	0.91	0.021	0.08	0.4	2.9	0.04	0.03	18	<0.1	<0.02	3.2
CAG199256	Sediment	9.5	26.2	0.61	130.7	0.074	2	0.97	0.024	0.07	0.2	2.9	0.04	0.02	11	0.1	0.03	3.0
CAG199257	Sediment	10.8	16.6	0.38	77.7	0.056	<1	0.81	0.019	0.12	<0.1	2.6	0.07	<0.02	6	<0.1	0.06	2.6
CAG199258	Sediment	10.5	22.4	0.56	125.2	0.072	2	0.96	0.022	0.09	0.1	2.9	0.05	0.03	19	0.1	0.03	3.1
CAG199259	Sediment	29.2	26.8	0.53	122.8	0.072	2	1.12	0.010	0.27	<0.1	3.0	0.16	0.02	16	<0.1	0.03	3.5
CAG199260	Sediment	4.9	25.7	0.53	89.1	0.044	<1	0.72	0.012	0.04	0.2	2.2	<0.02	<0.02	40	<0.1	<0.02	2.6
CAG199261	Sediment	5.0	25.8	0.50	109.3	0.035	1	0.72	0.009	0.03	0.1	2.1	<0.02	<0.02	13	0.4	<0.02	2.5
CAG199262	Sediment	4.3	25.6	0.54	89.0	0.032	<1	0.73	0.010	0.03	<0.1	2.0	<0.02	<0.02	12	0.2	<0.02	2.6
CAG199263	Sediment	4.1	28.2	0.56	120.3	0.042	<1	0.83	0.011	0.03	<0.1	2.2	0.02	<0.02	17	<0.1	<0.02	2.9
CAG199264	Sediment	4.8	12.4	0.35	198.7	0.050	<1	0.70	0.014	0.06	0.1	2.3	0.03	<0.02	20	<0.1	<0.02	2.8
CAG199265	Sediment	5.4	10.0	0.40	159.9	0.052	<1	0.73	0.013	0.12	0.1	3.3	0.06	<0.02	11	0.2	<0.02	3.2
CAG199266	Sediment	7.7	18.8	0.49	150.7	0.073	<1	1.00	0.019	0.09	0.1	3.0	0.06	<0.02	23	0.1	<0.02	3.8
CAG199267	Sediment	6.5	15.1	0.44	117.6	0.063	<1	0.82	0.018	0.08	0.1	2.6	0.06	<0.02	26	0.2	<0.02	3.1
CAG199268	Sediment	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: February 21, 2012

QUALITY CONTROL REPORT DAW11000494.2

	Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001
Pulp Duplicates																					
CAG199162	Sediment	0.55	24.52	5.66	49.4	37	18.1	10.6	250	2.31	3.1	1.0	2.2	4.9	20.1	0.07	0.13	0.11	41	0.35	0.056
REP CAG199162	QC	0.52	24.61	5.88	48.6	38	18.0	10.6	249	2.28	3.0	0.9	0.5	4.9	20.6	0.05	0.13	0.11	41	0.34	0.054
CAG199316	Sediment	0.27	22.59	9.12	52.8	63	16.7	10.1	200	2.02	2.0	0.6	1.3	2.8	59.7	0.09	0.15	0.05	39	0.58	0.074
REP CAG199316	QC	0.24	22.34	8.84	50.2	62	16.6	9.7	200	1.98	1.8	0.6	1.1	2.9	57.2	0.06	0.12	0.05	38	0.57	0.073
CAG199240	Sediment	0.66	18.57	9.46	67.8	37	8.7	6.8	317	2.27	2.2	0.5	3.4	2.8	11.4	0.02	0.17	0.08	40	0.19	0.048
REP CAG199240	QC	0.67	18.61	9.59	67.7	29	10.0	6.8	311	2.26	2.4	0.5	0.7	2.8	11.2	0.06	0.18	0.08	41	0.19	0.048
CAG199254	Sediment	0.50	20.55	4.34	39.9	16	14.3	9.9	359	2.23	2.8	0.9	<0.2	2.7	20.2	0.06	0.08	0.07	55	0.45	0.072
REP CAG199254	QC	0.50	20.57	4.09	42.4	14	12.8	10.7	352	2.20	2.9	0.8	1.8	2.7	19.1	0.06	0.08	0.08	54	0.42	0.070
CAG199263	Sediment	0.42	22.00	2.98	34.9	18	14.4	8.2	237	1.74	3.7	0.3	0.9	1.4	15.7	0.08	0.12	0.07	45	0.37	0.055
REP CAG199263	QC	0.40	22.22	2.89	35.5	23	13.7	8.2	241	1.71	3.3	0.2	0.6	1.4	14.8	0.09	0.13	0.05	45	0.35	0.053
Reference Materials																					
STD DS8	Standard	11.71	106.3	114.2	320.0	2219	37.5	7.6	583	2.40	23.7	2.5	110.0	5.8	53.7	2.25	4.38	6.08	40	0.66	0.071
STD DS8	Standard	12.52	110.1	115.7	300.6	1652	38.7	7.4	597	2.35	24.8	2.6	104.8	6.4	59.4	2.22	5.33	6.36	38	0.69	0.076
STD DS8	Standard	11.62	95.50	105.6	279.7	1503	32.6	6.5	544	2.15	21.5	2.4	95.7	5.8	57.9	1.86	4.65	5.48	35	0.60	0.070
STD DS8	Standard	11.74	106.0	121.5	296.3	1681	37.9	7.3	581	2.30	22.1	2.7	107.7	6.5	60.0	2.09	5.18	6.68	37	0.64	0.076
STD DS8 Expected		13.44	110	123	312	1690	38.1	7.5	615	2.46	26	2.8	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7	0.08
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: February 21, 2012

QUALITY CONTROL REPORT DAW11000494.2

	Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
	MDL	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
Pulp Duplicates																		
CAG199162	Sediment	16.7	23.4	0.61	60.7	0.055	1	1.05	0.014	0.08	<0.1	2.3	0.07	0.03	19	0.1	<0.02	3.4
REP CAG199162	QC	16.9	23.2	0.61	64.0	0.056	2	1.05	0.014	0.08	<0.1	2.3	0.07	0.03	21	0.1	<0.02	3.4
CAG199316	Sediment	12.6	29.3	0.74	163.5	0.094	2	1.32	0.017	0.21	<0.1	3.4	0.09	0.04	24	0.1	0.02	4.4
REP CAG199316	QC	12.8	28.5	0.72	159.5	0.091	2	1.26	0.017	0.20	0.1	3.3	0.08	0.04	33	0.1	0.04	4.1
CAG199240	Sediment	8.4	18.2	0.51	130.9	0.063	<1	0.87	0.009	0.15	<0.1	3.0	0.06	0.07	6	<0.1	<0.02	3.6
REP CAG199240	QC	8.8	18.4	0.49	129.7	0.062	<1	0.89	0.009	0.15	<0.1	2.9	0.06	0.07	<5	<0.1	0.02	3.5
CAG199254	Sediment	7.4	20.6	0.57	75.7	0.068	1	0.85	0.019	0.05	<0.1	2.4	0.02	0.02	6	0.1	0.03	3.2
REP CAG199254	QC	7.2	21.2	0.59	73.2	0.066	1	0.84	0.018	0.05	<0.1	2.3	0.03	0.02	6	<0.1	0.03	3.0
CAG199263	Sediment	4.1	28.2	0.56	120.3	0.042	<1	0.83	0.011	0.03	<0.1	2.2	0.02	<0.02	17	<0.1	<0.02	2.9
REP CAG199263	QC	4.1	26.2	0.55	119.0	0.041	<1	0.81	0.011	0.02	0.1	2.0	<0.02	<0.02	13	0.3	<0.02	2.5
Reference Materials																		
STD DS8	Standard	11.0	113.9	0.57	237.0	0.095	2	0.84	0.084	0.41	2.8	1.8	5.15	0.16	205	4.9	4.62	4.2
STD DS8	Standard	14.3	116.9	0.60	254.2	0.109	3	0.96	0.109	0.43	2.7	2.3	5.03	0.15	190	4.6	4.73	4.4
STD DS8	Standard	12.7	100.1	0.53	238.1	0.099	2	0.81	0.091	0.37	2.6	1.8	4.53	0.14	160	4.1	4.13	4.3
STD DS8	Standard	13.3	114.8	0.57	241.5	0.106	3	0.83	0.081	0.38	2.9	1.7	5.07	0.15	194	4.3	4.01	3.9
STD DS8 Expected		14.6	115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	2.3	5.4	0.1679	192	5.23	5	4.7
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.