Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Submitted By: Jean-Pierre Londero
Receiving Lab: Canada-Dawson City
Received: September 17, 2011
Report Date: February 21, 2012

CERTIFICATE OF ANALYSIS DAW11000359.2

CLIENT JOB INFORMATION

Project: White Gold
Shipment ID: WG01482011
P.O. Number
Number of Samples: 59

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
WGHT	59	Weight of sample after prep drying		Completed	VAN
RJSV	59	Saving all or part of Soil Reject			DAW
Dry at 60C	59	Dry at 60C		Completed	DAW
SS80	59	Dry at 60C sieve 100g to -80 mesh			DAW
1F02	57	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Version 2: Revised Sample ID's

Invoice To: Selene Holdings LP
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8
Canada

CC: Keith Fowlow

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
“*” asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: February 21, 2012

CERTIFICATE OF ANALYSIS DAW11000359.2

	Method	DRY WT	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01
CAG197351	Soil	1.52	0.31	24.92	10.27	47.0	61	27.8	10.8	319	2.12	9.0	0.9	1.5	3.3	29.1	0.08	0.39	0.11	45	0.47
CAG197352	Soil	1.10	0.41	26.43	4.11	46.8	34	18.1	9.8	460	2.26	7.4	0.7	0.8	2.3	41.5	0.06	0.46	0.25	49	0.55
CAG197353	Soil	1.72	0.59	23.96	6.38	56.9	49	24.5	11.2	388	2.22	5.2	0.8	1.2	3.6	30.0	0.17	0.22	0.11	47	0.45
CAG197354	Soil	2.07	0.58	20.70	6.87	46.3	24	20.5	10.8	383	2.45	6.7	0.9	1.2	3.5	45.9	0.08	0.59	0.22	44	0.40
CAG197355	Soil	1.79	0.65	22.18	6.05	58.3	32	23.2	11.9	433	2.25	5.2	0.9	1.6	3.8	28.8	0.13	0.26	0.11	47	0.40
CAG197356	Soil	1.25	0.61	21.71	5.98	54.8	33	22.3	11.0	378	2.30	5.3	0.9	0.9	3.5	31.5	0.14	0.28	0.13	47	0.42
CAG197357	Soil	2.39	0.55	20.17	5.79	51.7	27	19.8	10.1	351	2.09	4.5	0.8	0.2	3.4	27.8	0.10	0.27	0.12	41	0.39
CAG197358	Soil	2.50	1.02	21.22	11.40	77.6	68	25.0	10.0	514	2.18	6.4	1.0	1.1	5.0	29.1	0.23	0.37	0.13	38	0.38
CAG197359	Soil	2.13	0.78	20.58	7.93	60.5	50	22.5	10.2	381	2.16	5.6	0.9	2.4	4.2	26.5	0.15	0.29	0.12	40	0.36
CAG197360	Soil	1.94	0.69	19.75	7.41	57.5	45	21.2	10.0	510	2.16	5.2	0.9	0.8	3.7	29.9	0.16	0.30	0.13	41	0.39
CAG197361	Soil	2.22	0.71	18.87	7.01	52.9	38	20.1	9.3	373	2.05	6.3	0.9	5.6	3.9	28.3	0.14	0.35	0.12	39	0.37
CAG197362	Soil	2.38	0.38	35.45	6.00	57.2	59	26.6	14.0	399	2.93	7.6	0.7	4.8	1.9	46.3	0.14	0.55	0.10	68	0.55
CAG197363	Soil	1.57	0.72	24.26	7.21	48.0	53	19.6	9.7	402	2.33	6.2	1.0	2.4	3.4	52.1	0.15	0.52	0.29	45	0.65
CAG197364	Soil	2.55	0.42	22.73	5.41	46.9	20	15.3	10.3	296	2.30	6.4	0.6	2.4	2.1	73.3	0.09	0.50	0.12	51	0.57
CAG197365	Soil	2.17	0.41	40.88	4.98	63.8	48	23.9	13.2	503	2.93	6.1	0.9	3.3	2.0	100.7	0.11	0.49	0.15	65	0.77
CAG197366	Soil	1.99	0.79	18.12	6.73	55.2	27	21.0	9.7	631	2.10	5.7	0.9	2.0	3.7	30.8	0.18	0.28	0.10	40	0.39
CAG197367	Soil	2.54	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAG197368	Soil	2.69	0.81	18.02	7.47	54.8	31	20.6	9.4	980	2.08	5.7	0.9	8.9	3.8	30.5	0.21	0.32	0.09	40	0.41
CAG197369	Soil	1.21	0.51	19.33	5.51	53.6	34	17.0	8.5	227	2.14	5.1	1.0	3.7	2.9	51.4	0.11	0.41	0.09	49	0.67
CAG197370	Soil	1.44	0.37	22.51	4.80	74.0	53	10.5	13.1	542	3.17	3.2	0.8	3.2	1.2	35.6	0.14	0.21	<0.02	75	0.77
CAG197371	Soil	1.39	0.40	22.87	4.55	55.6	72	8.7	9.2	231	2.59	2.7	0.5	8.1	1.5	31.7	0.06	0.19	<0.02	67	0.63
CAG197372	Soil	3.16	0.35	19.57	4.99	59.6	32	8.9	10.7	349	2.78	3.8	0.5	10.6	1.8	24.4	0.06	0.25	<0.02	71	0.62
CAG197373	Soil	1.62	0.54	13.50	3.55	37.6	49	8.0	6.1	153	1.78	3.4	0.3	3.8	0.9	18.0	0.05	0.16	<0.02	50	0.28
CAG197374	Soil	3.47	0.38	14.49	5.43	57.7	9	12.3	12.7	483	2.83	5.7	0.4	1.8	2.2	34.3	0.09	0.27	<0.02	67	0.63
CAG197375	Soil	1.63	0.37	14.76	4.62	56.9	16	13.2	11.9	389	2.66	4.9	0.5	2.1	2.0	33.8	0.09	0.32	0.03	59	0.57
CAG197376	Soil	1.35	0.41	16.71	6.20	57.0	81	13.5	9.0	331	2.38	5.5	0.7	6.6	3.0	34.8	0.11	1.14	0.09	52	0.64
CAG197377	Soil	2.14	0.37	15.66	5.18	59.4	29	14.8	11.7	482	2.55	4.9	0.6	2.3	2.7	41.8	0.08	0.33	0.11	58	0.67
CAG197378	Soil	2.16	0.33	14.79	4.95	54.8	30	15.0	10.3	335	2.32	4.3	0.7	7.5	2.8	45.0	0.10	0.38	0.04	50	0.63
CAG197379	Soil	2.46	0.44	16.64	3.86	59.6	34	8.6	13.0	612	2.72	5.4	0.3	1.4	1.6	25.9	0.08	0.40	<0.02	63	0.57
CAG197380	Soil	3.52	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: February 21, 2012

CERTIFICATE OF ANALYSIS DAW11000359.2

	Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
	MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
CAG197351	Soil	0.101	11.4	59.0	0.87	371.4	0.111	<1	1.24	0.005	0.33	<0.1	2.6	0.15	<0.02	13	0.2	<0.02	4.0
CAG197352	Soil	0.078	8.7	41.3	0.88	230.5	0.081	<1	1.18	0.010	0.22	0.1	3.3	0.11	0.03	8	0.2	0.08	3.8
CAG197353	Soil	0.106	11.3	48.4	0.83	197.7	0.085	<1	1.09	0.007	0.21	0.2	2.4	0.11	0.02	11	0.4	0.02	3.4
CAG197354	Soil	0.090	9.8	40.4	0.79	208.9	0.071	<1	1.02	0.008	0.28	<0.1	3.1	0.12	0.03	12	0.3	0.06	3.5
CAG197355	Soil	0.101	11.2	46.3	0.83	190.8	0.087	<1	1.07	0.007	0.22	<0.1	2.4	0.11	0.02	5	0.4	0.03	3.3
CAG197356	Soil	0.101	10.7	43.5	0.81	187.6	0.077	<1	1.05	0.007	0.20	0.2	2.4	0.11	0.02	10	0.3	0.05	3.4
CAG197357	Soil	0.101	9.9	38.5	0.75	167.1	0.071	<1	0.96	0.007	0.20	0.1	2.2	0.10	0.02	11	0.4	0.05	3.0
CAG197358	Soil	0.108	14.0	36.5	0.70	175.2	0.074	<1	0.96	0.006	0.21	0.1	2.0	0.15	0.04	<5	0.5	0.03	3.0
CAG197359	Soil	0.105	11.8	37.2	0.72	166.6	0.071	<1	0.95	0.006	0.21	0.1	2.0	0.12	0.03	9	0.5	0.05	3.1
CAG197360	Soil	0.106	10.9	36.0	0.68	184.4	0.068	<1	0.90	0.007	0.18	0.1	2.1	0.10	0.03	<5	0.4	0.03	3.0
CAG197361	Soil	0.111	10.8	32.5	0.64	173.9	0.060	<1	0.85	0.006	0.17	<0.1	2.0	0.10	0.03	<5	0.3	<0.02	2.7
CAG197362	Soil	0.058	7.1	71.0	1.18	345.0	0.112	<1	1.41	<0.001	0.43	0.3	3.8	0.21	<0.02	22	0.3	0.03	4.9
CAG197363	Soil	0.077	12.3	41.4	0.72	362.4	0.069	2	1.01	<0.001	0.28	0.2	2.9	0.13	<0.02	19	0.6	0.06	3.4
CAG197364	Soil	0.075	6.9	30.4	0.75	163.6	0.078	1	1.08	0.015	0.25	0.2	3.1	0.12	<0.02	9	0.2	0.04	3.3
CAG197365	Soil	0.075	7.9	54.2	1.18	246.1	0.099	2	1.55	0.017	0.37	0.1	4.2	0.17	0.03	39	0.2	0.04	4.7
CAG197366	Soil	0.092	11.3	38.9	0.72	181.3	0.067	<1	0.93	0.009	0.19	0.2	2.1	0.12	0.02	8	0.4	0.03	3.1
CAG197367	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAG197368	Soil	0.090	12.1	34.2	0.68	193.1	0.063	1	0.92	0.010	0.18	0.1	1.9	0.12	0.03	10	0.3	0.03	2.8
CAG197369	Soil	0.093	10.8	26.3	0.57	172.2	0.065	1	0.93	0.023	0.09	0.4	2.7	0.06	0.02	22	0.2	0.02	2.8
CAG197370	Soil	0.103	8.3	20.1	1.09	281.9	0.060	2	1.69	0.019	0.15	<0.1	6.1	0.07	0.04	27	0.3	0.03	5.6
CAG197371	Soil	0.127	8.3	16.2	0.84	283.2	0.097	<1	1.49	0.021	0.18	0.2	4.9	0.08	<0.02	36	0.2	<0.02	5.3
CAG197372	Soil	0.148	7.7	17.7	0.88	219.8	0.085	1	1.48	0.021	0.17	0.2	5.3	0.08	<0.02	22	0.1	<0.02	5.5
CAG197373	Soil	0.045	5.5	16.5	0.56	110.6	0.067	1	1.10	0.020	0.04	0.1	2.9	0.07	0.02	33	0.2	<0.02	4.3
CAG197374	Soil	0.129	7.5	21.1	0.75	136.7	0.078	<1	1.27	0.026	0.07	0.3	3.7	0.04	<0.02	14	0.2	0.03	4.1
CAG197375	Soil	0.091	7.4	23.2	0.80	136.0	0.078	1	1.31	0.020	0.06	0.2	3.7	0.04	<0.02	51	0.2	<0.02	4.4
CAG197376	Soil	0.096	12.6	24.5	0.63	210.9	0.075	1	1.40	0.024	0.08	0.2	3.9	0.07	<0.02	31	0.2	<0.02	4.3
CAG197377	Soil	0.104	9.3	26.2	0.74	152.3	0.078	1	1.32	0.025	0.06	0.3	3.8	0.05	<0.02	16	0.2	0.04	4.3
CAG197378	Soil	0.088	10.6	23.7	0.65	152.2	0.076	1	1.26	0.025	0.06	0.3	3.3	0.05	0.02	14	0.2	<0.02	4.0
CAG197379	Soil	0.121	5.2	14.2	0.69	186.2	0.074	<1	1.40	0.027	0.07	<0.1	4.2	0.07	<0.02	23	0.2	<0.02	4.7
CAG197380	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: February 21, 2012

CERTIFICATE OF ANALYSIS DAW11000359.2

	Method	DRY WT	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01
CAG197381	Soil	2.61	0.55	16.70	5.34	58.5	48	10.8	11.2	394	2.62	4.0	0.4	68.9	2.0	31.4	0.09	0.28	0.06	61	0.56
CAG197382	Soil	2.98	0.50	15.00	4.42	46.0	25	9.5	10.9	377	2.64	4.2	0.4	0.7	1.7	21.0	0.06	0.28	0.05	56	0.52
CAG197412	Soil	1.63	0.51	22.75	7.27	59.3	34	25.2	10.8	319	2.69	13.5	0.5	10.2	2.8	45.0	0.07	0.75	0.09	67	0.57
CAG197413	Soil	2.02	0.89	22.72	7.40	57.9	36	21.2	11.3	410	2.63	13.0	0.8	1.5	3.0	49.5	0.11	0.87	0.22	64	0.58
CAG197414	Soil	1.60	0.52	21.59	6.40	65.2	34	26.3	12.9	458	2.92	14.5	0.6	2.9	2.5	69.7	0.12	0.71	0.07	58	0.72
CAG197415	Soil	1.92	0.50	21.15	6.36	61.8	32	26.5	13.3	438	2.92	15.0	0.6	1.9	2.6	65.5	0.12	0.68	0.05	58	0.69
CAG197416	Soil	1.60	0.71	21.79	6.25	59.8	27	24.4	11.0	367	2.63	12.2	1.0	2.8	2.6	54.9	0.09	0.69	0.12	63	0.57
CAG197417	Soil	1.54	0.55	21.69	5.53	55.0	21	23.3	10.6	351	2.57	10.0	0.8	1.5	2.4	111.0	0.09	0.54	0.09	61	0.66
CAG197418	Soil	2.19	0.68	22.15	6.38	57.6	40	27.0	10.8	382	2.63	16.3	0.7	1.9	3.0	100.0	0.14	0.91	0.09	58	0.99
CAG197419	Soil	1.93	0.68	19.63	6.69	52.9	37	26.7	11.4	546	2.49	22.2	0.6	1.5	2.9	76.0	0.12	1.11	0.11	50	0.60
CAG197420	Soil	1.92	0.82	23.91	8.94	74.5	50	54.2	14.1	426	3.31	71.2	0.8	7.2	5.7	44.9	0.20	2.03	0.16	54	0.52
CAG197421	Soil	1.46	0.94	27.75	9.07	67.4	54	32.3	12.4	535	2.93	23.6	1.0	18.7	5.8	102.0	0.14	1.00	0.16	51	0.81
CAG197422	Soil	1.90	0.40	27.61	6.03	52.6	42	20.5	9.8	322	2.33	7.3	0.9	3.9	1.9	135.6	0.13	0.43	0.06	56	0.58
CAG197423	Soil	1.83	0.49	20.39	8.54	47.8	34	16.0	8.4	283	2.14	5.4	1.1	5.6	3.1	50.0	0.10	0.34	0.08	49	0.56
CAG197424	Soil	1.58	0.53	17.95	8.71	42.9	32	16.5	8.0	279	2.06	6.0	1.0	5.2	3.0	190.3	0.08	0.41	0.14	42	0.85
CAG197425	Soil	2.12	0.55	19.79	9.70	59.8	39	20.0	9.9	330	2.65	11.9	0.9	8.7	3.2	155.3	0.08	0.66	0.12	57	0.83
CAG197426	Soil	2.22	0.46	16.70	6.34	48.1	33	14.1	8.1	277	2.07	10.9	1.0	2.4	3.0	91.7	0.08	0.38	0.12	45	0.56
CAG197427	Soil	2.56	0.54	17.07	8.31	56.8	27	16.5	9.5	319	2.41	11.2	0.7	2.6	3.2	152.5	0.11	0.55	0.20	51	0.91
CAG197428	Soil	1.92	0.49	24.93	8.60	63.8	61	20.9	12.1	994	2.72	12.2	1.5	10.7	3.2	344.4	0.22	0.57	0.17	52	1.96
CAG197429	Soil	1.74	0.54	22.04	7.40	59.4	58	22.5	10.0	393	2.35	9.1	1.0	1.5	3.1	158.5	0.16	0.53	0.15	47	1.06
CAG197430	Soil	1.54	0.86	19.68	8.23	61.2	135	13.2	12.3	435	2.47	2.9	0.5	17.3	1.1	24.1	0.10	0.34	0.11	58	0.35
CAG197431	Soil	2.04	0.62	13.29	7.69	59.7	53	16.5	13.5	510	2.69	6.5	0.6	3.6	4.0	17.5	0.10	0.29	0.07	47	0.31
CAG197432	Soil	2.66	0.37	8.21	5.74	38.9	25	10.7	6.7	208	1.52	3.3	0.4	7.2	3.6	15.9	0.09	0.18	0.05	28	0.35
CAG197433	Soil	3.92	0.44	10.89	6.08	52.3	33	12.8	8.4	229	1.98	3.5	0.4	5.5	3.5	14.7	0.07	0.19	0.06	36	0.28
CAG197434	Soil	2.39	0.79	17.14	6.96	65.6	61	19.1	10.5	347	2.57	14.0	0.7	76.3	4.6	22.6	0.12	0.29	0.08	48	0.42
CAG197435	Soil	2.36	0.45	21.76	7.12	81.7	64	22.5	16.2	643	3.35	7.7	0.6	16.3	2.6	40.6	0.18	0.33	0.07	67	0.59
CAG197436	Soil	3.34	0.60	24.01	8.46	90.7	46	25.6	19.8	650	4.10	12.0	0.5	3.0	3.0	38.8	0.21	0.40	0.07	83	0.53
CAG197437	Soil	2.56	0.48	16.97	6.17	77.9	52	21.1	16.2	705	3.15	10.0	0.6	18.7	3.1	31.4	0.16	0.29	0.07	53	0.48
CAG197438	Soil	2.54	0.55	27.84	7.19	57.6	42	15.8	13.1	521	2.68	7.2	1.0	15.6	3.5	34.0	0.17	0.26	0.05	51	0.48

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: February 21, 2012

CERTIFICATE OF ANALYSIS DAW11000359.2

	Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
	MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
CAG197381	Soil	0.114	6.9	19.6	0.73	155.1	0.072	<1	1.32	<0.001	0.06	0.1	3.5	0.03	<0.02	<5	0.3	<0.02	4.7
CAG197382	Soil	0.094	6.0	17.1	0.51	140.0	0.051	1	0.97	<0.001	0.03	<0.1	3.6	<0.02	<0.02	13	0.3	<0.02	3.7
CAG197412	Soil	0.130	9.1	57.0	0.59	433.8	0.059	<1	0.87	<0.001	0.14	0.3	3.4	0.09	<0.02	21	0.4	<0.02	3.4
CAG197413	Soil	0.093	9.8	42.7	0.62	411.7	0.064	<1	0.99	<0.001	0.15	0.2	3.5	0.09	<0.02	31	0.4	0.08	3.9
CAG197414	Soil	0.083	9.9	40.2	0.74	260.6	0.068	1	1.16	0.019	0.14	0.2	3.8	0.09	<0.02	42	0.3	0.02	3.7
CAG197415	Soil	0.085	9.6	41.2	0.74	258.9	0.065	1	1.15	0.017	0.15	0.2	4.0	0.09	<0.02	33	0.3	<0.02	3.5
CAG197416	Soil	0.105	9.4	46.9	0.60	330.2	0.064	<1	0.98	0.016	0.14	0.2	3.4	0.10	0.03	29	0.2	0.03	3.4
CAG197417	Soil	0.120	8.9	46.3	0.65	308.5	0.066	<1	0.91	0.015	0.13	0.3	3.0	0.09	0.02	31	0.3	0.03	3.2
CAG197418	Soil	0.097	10.4	38.3	0.71	316.2	0.063	1	0.98	0.021	0.12	0.4	3.1	0.09	0.02	264	0.3	<0.02	3.3
CAG197419	Soil	0.087	8.8	34.0	0.58	294.9	0.048	<1	0.77	<0.001	0.11	0.2	2.9	0.07	<0.02	46	0.4	0.03	2.8
CAG197420	Soil	0.110	15.4	95.5	0.61	477.8	0.040	1	0.86	<0.001	0.12	0.3	3.3	0.11	<0.02	71	0.6	0.05	3.0
CAG197421	Soil	0.131	19.3	41.6	0.77	271.2	0.056	<1	1.04	0.017	0.20	0.2	3.3	0.14	0.05	42	0.5	0.05	3.8
CAG197422	Soil	0.071	8.6	50.6	0.75	228.1	0.076	1	1.08	0.015	0.20	0.2	3.5	0.13	0.03	29	0.5	<0.02	3.7
CAG197423	Soil	0.079	12.5	35.4	0.61	303.1	0.072	<1	1.04	0.014	0.15	0.3	2.9	0.11	0.02	29	0.2	<0.02	3.5
CAG197424	Soil	0.069	10.2	34.4	0.58	261.4	0.061	1	0.95	0.015	0.16	0.2	2.9	0.11	0.03	26	0.4	0.03	3.0
CAG197425	Soil	0.129	12.6	37.4	0.66	254.2	0.071	1	1.01	0.016	0.19	0.2	3.3	0.13	0.03	20	0.4	<0.02	3.6
CAG197426	Soil	0.082	12.1	26.1	0.57	198.9	0.070	1	1.06	0.019	0.15	0.3	2.9	0.11	0.03	32	0.3	0.03	3.3
CAG197427	Soil	0.098	10.9	29.5	0.60	213.3	0.066	2	0.89	0.013	0.17	0.2	2.6	0.11	<0.02	18	0.4	<0.02	3.2
CAG197428	Soil	0.100	12.2	34.7	0.74	296.6	0.064	4	1.12	0.017	0.18	0.2	3.2	0.12	0.08	37	1.0	<0.02	3.4
CAG197429	Soil	0.088	11.3	33.2	0.73	263.0	0.064	3	1.05	0.019	0.15	0.2	3.0	0.10	0.05	30	0.6	<0.02	3.3
CAG197430	Soil	0.083	8.4	28.5	0.74	326.2	0.072	1	1.46	0.013	0.08	<0.1	3.9	0.12	0.05	85	0.2	<0.02	5.5
CAG197431	Soil	0.080	18.1	27.0	0.69	259.4	0.078	2	1.50	0.009	0.11	0.1	2.9	0.14	0.03	51	0.2	0.03	4.6
CAG197432	Soil	0.118	14.1	17.1	0.41	151.5	0.056	1	0.87	0.009	0.08	0.1	2.0	0.09	<0.02	26	0.2	<0.02	3.0
CAG197433	Soil	0.080	13.7	21.1	0.54	182.1	0.066	<1	1.12	0.010	0.10	<0.1	2.4	0.11	<0.02	30	0.1	<0.02	3.9
CAG197434	Soil	0.094	18.6	30.5	0.60	221.2	0.070	1	1.24	0.012	0.12	0.1	3.2	0.11	0.03	40	0.2	0.03	4.3
CAG197435	Soil	0.078	11.8	44.6	1.15	236.6	0.043	1	1.79	0.009	0.04	<0.1	5.2	0.05	0.03	29	0.2	0.02	6.5
CAG197436	Soil	0.091	11.7	54.1	1.31	213.1	0.041	2	1.87	0.009	0.04	<0.1	5.5	0.04	<0.02	21	0.3	0.04	7.2
CAG197437	Soil	0.077	14.3	36.3	0.89	233.3	0.062	<1	1.53	0.010	0.08	<0.1	4.1	0.08	0.02	39	0.2	<0.02	5.4
CAG197438	Soil	0.109	11.0	25.8	0.70	161.1	0.051	<1	1.11	0.015	0.07	<0.1	4.1	0.04	<0.02	9	0.3	0.02	4.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: February 21, 2012

QUALITY CONTROL REPORT DAW11000359.2

	Method	DRY WT	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01
Pulp Duplicates																					
CAG197355	Soil	1.79	0.65	22.18	6.05	58.3	32	23.2	11.9	433	2.25	5.2	0.9	1.6	3.8	28.8	0.13	0.26	0.11	47	0.40
REP CAG197355	QC		0.63	21.87	6.03	56.3	28	22.9	11.3	426	2.23	5.2	0.9	1.3	3.7	28.0	0.13	0.26	0.11	47	0.40
CAG197413	Soil	2.02	0.89	22.72	7.40	57.9	36	21.2	11.3	410	2.63	13.0	0.8	1.5	3.0	49.5	0.11	0.87	0.22	64	0.58
REP CAG197413	QC		0.87	22.65	7.47	59.5	40	22.3	11.6	428	2.80	12.7	0.8	1.3	3.0	48.3	0.12	0.71	0.20	65	0.56
Reference Materials																					
STD DS8	Standard		12.53	107.5	124.4	318.1	1699	37.2	7.1	605	2.45	24.5	2.6	103.2	6.8	65.5	2.25	5.47	6.44	40	0.71
STD DS8	Standard		12.12	111.2	125.6	314.5	1706	35.1	7.0	583	2.44	24.7	2.9	113.6	6.2	65.5	2.28	5.66	7.03	40	0.71
STD DS8	Standard		12.18	107.4	123.4	299.8	1704	35.5	6.7	578	2.35	23.6	2.7	117.3	6.4	64.0	2.30	5.55	6.44	38	0.67
STD DS8	Standard		14.18	109.6	134.1	325.4	1982	38.5	7.6	632	2.58	25.7	2.9	121.7	7.1	69.6	2.48	6.12	6.81	43	0.75
STD DS8 Expected			13.44	110	123	312	1690	38.1	7.5	615	2.46	26	2.8	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: February 21, 2012

QUALITY CONTROL REPORT DAW11000359.2

	Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
	MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
Pulp Duplicates																			
CAG197355	Soil	0.101	11.2	46.3	0.83	190.8	0.087	<1	1.07	0.007	0.22	<0.1	2.4	0.11	0.02	5	0.4	0.03	3.3
REP CAG197355	QC	0.104	10.8	46.2	0.80	181.6	0.083	<1	1.04	0.007	0.21	0.1	2.3	0.11	0.02	9	0.4	0.02	3.2
CAG197413	Soil	0.093	9.8	42.7	0.62	411.7	0.064	<1	0.99	<0.001	0.15	0.2	3.5	0.09	<0.02	31	0.4	0.08	3.9
REP CAG197413	QC	0.096	10.1	43.4	0.61	412.8	0.062	<1	0.98	0.016	0.14	0.2	3.4	0.09	<0.02	32	0.3	0.05	3.9
Reference Materials																			
STD DS8	Standard	0.084	14.7	119.0	0.60	279.7	0.110	3	0.91	0.090	0.41	3.1	2.2	5.33	0.17	213	5.3	4.90	4.4
STD DS8	Standard	0.078	14.4	113.6	0.61	261.7	0.109	3	1.07	0.090	0.48	3.0	2.2	5.33	0.16	201	5.3	4.85	4.4
STD DS8	Standard	0.089	14.1	113.5	0.57	251.5	0.115	3	0.87	0.090	0.39	3.0	2.2	5.22	0.15	205	4.8	4.69	4.3
STD DS8	Standard	0.084	16.4	127.5	0.66	295.9	0.113	3	0.98	0.098	0.44	3.1	2.4	5.99	0.18	208	5.3	5.23	5.0
STD DS8 Expected		0.08	14.6	115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	2.3	5.4	0.1679	192	5.23	5	4.7
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.