Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Submitted By: Jean-Pierre Londero
Receiving Lab: Canada-Dawson City
Received: August 29, 2011
Report Date: February 21, 2012

CERTIFICATE OF ANALYSIS DAW11000337.2

CLIENT JOB INFORMATION

Project: White Gold
Shipment ID: WG01102011
P.O. Number
Number of Samples: 76

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
WGHT	76	Weight of sample after prep drying		Completed	VAN
RJSV	76	Saving all or part of Soil Reject			DAW
Dry at 60C	76	Dry at 60C			DAW
SS80	76	Dry at 60C sieve 100g to -80 mesh			DAW
1F02	76	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Version 2: Revised Sample ID's

Invoice To: Selene Holdings LP
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8
Canada

CC: Keith Fowlow

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: February 21, 2012

CERTIFICATE OF ANALYSIS DAW11000337.2

	Method	DRY WT	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01
CAG199115	Sediment	1.26	0.70	11.09	5.16	53.4	29	13.4	9.8	284	2.30	3.6	0.6	<0.2	4.6	14.3	0.08	0.13	0.09	47	0.33
CAG199116	Sediment	2.05	0.62	13.19	6.39	59.3	54	16.3	8.7	322	1.93	4.3	0.8	0.6	3.9	18.8	0.09	0.14	0.08	40	0.36
CAG199117	Sediment	1.80	0.37	10.02	4.74	46.3	20	9.4	7.5	278	1.94	3.5	0.5	2.3	2.7	21.2	0.09	0.17	0.10	44	0.37
CAG199118	Sediment	1.29	0.37	9.78	4.58	44.7	28	9.9	6.8	228	1.69	3.1	0.5	1.9	2.9	19.0	0.09	0.15	0.09	38	0.34
CAG199119	Sediment	1.54	0.37	9.53	4.65	46.0	24	10.7	6.6	231	1.68	3.3	0.5	1.4	3.2	20.8	0.08	0.16	0.08	37	0.35
CAG199120	Sediment	1.47	0.57	13.65	5.44	63.3	24	12.0	11.6	466	2.69	5.6	0.4	0.5	3.6	17.8	0.10	0.17	0.11	55	0.30
CAG199121	Sediment	2.07	0.36	9.59	4.70	49.5	97	11.9	7.6	234	1.87	3.2	0.6	136.8	3.1	20.2	0.07	0.11	0.07	40	0.33
CAG199122	Sediment	1.36	0.44	11.26	4.84	50.2	35	11.9	7.7	266	1.90	3.6	0.7	1.0	3.0	23.4	0.08	0.15	0.07	40	0.36
CAG199123	Sediment	2.58	0.35	9.86	4.45	47.4	26	11.1	7.2	256	1.79	3.3	0.6	0.9	3.0	20.2	0.09	0.12	0.06	37	0.33
CAG199124	Sediment	1.55	0.47	12.48	5.24	49.4	42	16.4	8.4	275	1.76	3.3	1.2	1.9	3.6	26.1	0.09	0.13	0.07	32	0.40
CAG199125	Sediment	1.59	0.34	8.36	4.08	41.5	19	9.4	6.4	248	1.55	2.9	0.5	0.4	2.6	18.3	0.07	0.10	0.06	31	0.31
CAG199126	Sediment	1.61	0.26	15.85	1.80	25.3	24	21.3	6.7	184	1.46	2.3	0.2	8.6	1.0	11.8	0.04	0.21	0.03	29	0.38
CAG199127	Sediment	2.11	0.38	15.67	2.25	46.8	54	139.6	11.7	222	1.62	10.4	0.4	2.3	1.7	16.2	0.11	0.86	0.04	28	0.33
CAG199128	Sediment	1.81	0.95	21.12	3.33	65.4	105	61.0	9.7	310	1.96	17.7	0.6	19.8	2.2	24.3	0.26	1.02	0.06	35	0.44
CAG199129	Sediment	1.44	1.60	27.44	4.19	89.3	121	44.8	9.3	310	2.32	15.1	0.9	3.0	3.3	27.1	0.31	1.06	0.08	41	0.46
CAG199130	Sediment	1.83	2.04	33.23	4.78	98.8	134	47.8	10.5	392	2.55	15.6	1.0	2.8	3.5	27.6	0.44	1.64	0.09	42	0.45
CAG199131	Sediment	1.20	0.40	19.59	2.82	32.9	48	13.0	6.4	164	1.47	2.7	0.3	23.7	1.6	17.6	0.05	0.14	0.04	40	0.31
CAG199132	Sediment	1.78	0.65	34.43	3.21	37.3	43	24.6	9.4	292	2.15	3.4	1.2	9.1	2.5	19.9	0.09	0.22	0.06	54	0.42
CAG199133	Sediment	2.02	0.26	21.27	2.29	24.1	92	12.8	5.7	147	1.42	2.1	0.3	236.7	1.6	17.4	0.05	0.15	0.03	42	0.35
CAG199134	Sediment	2.08	0.26	30.05	2.29	36.2	56	20.9	9.0	259	1.63	2.3	0.6	2.3	2.0	23.2	0.11	0.14	0.04	35	0.41
CAG199135	Sediment	2.21	0.35	28.43	2.75	38.8	38	18.5	8.7	278	1.96	2.9	0.5	32.5	1.9	20.6	0.06	0.18	0.04	49	0.33
CAG199136	Sediment	1.89	0.33	23.11	2.16	27.5	20	13.7	7.3	224	1.44	2.4	0.3	3.6	1.3	15.9	0.06	0.14	0.03	39	0.32
CAG199137	Sediment	2.41	0.29	21.44	2.27	28.8	23	13.9	6.1	146	1.42	2.1	0.4	8.6	1.3	16.9	0.05	0.14	0.03	38	0.32
CAG199138	Sediment	1.64	0.58	21.50	2.95	45.7	40	19.2	7.5	249	1.94	3.9	0.7	3.1	2.4	24.6	0.07	0.23	0.11	46	0.41
CAG199139	Sediment	1.32	1.55	21.81	4.94	75.0	70	22.3	9.2	488	2.48	15.0	0.7	6.7	2.8	24.4	0.24	0.51	0.10	50	0.39
CAG199140	Sediment	1.93	0.79	23.59	4.19	56.7	53	21.8	9.4	356	2.28	7.0	1.0	3.3	2.4	29.6	0.18	0.32	0.07	50	0.47
CAG197051	Sediment	1.21	0.60	15.04	8.80	71.6	85	15.1	11.2	872	2.53	5.0	1.7	6.1	3.2	40.4	0.25	0.28	0.14	48	0.61
CAG197052	Sediment	1.28	0.32	13.51	5.86	43.6	44	12.1	7.5	287	2.16	4.5	2.9	8.1	2.7	32.0	0.09	0.28	0.09	48	0.63
CAG197053	Sediment	1.14	0.54	13.57	9.45	71.7	87	13.3	10.4	797	2.67	7.4	10.2	1.8	3.6	38.6	0.16	0.25	0.16	57	0.66
CAG197054	Sediment	1.07	0.43	11.39	6.58	61.7	47	11.8	7.1	309	1.98	3.4	9.9	1.3	2.9	33.1	0.14	0.21	0.09	44	0.60

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: February 21, 2012

CERTIFICATE OF ANALYSIS DAW11000337.2

	Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
	MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
CAG199115	Sediment	0.057	11.0	25.6	0.62	81.7	0.079	<1	1.14	0.009	0.09	0.1	2.5	0.06	<0.02	<5	0.2	<0.02	4.5
CAG199116	Sediment	0.063	10.8	28.3	0.55	104.4	0.072	<1	0.99	0.010	0.09	0.1	2.1	0.07	<0.02	7	0.3	<0.02	3.5
CAG199117	Sediment	0.072	7.3	17.9	0.53	77.3	0.065	<1	0.93	0.008	0.04	0.1	2.2	0.04	<0.02	13	0.1	<0.02	3.5
CAG199118	Sediment	0.064	7.6	18.5	0.46	72.7	0.063	<1	0.84	0.007	0.05	0.2	2.0	0.04	<0.02	6	0.2	<0.02	3.1
CAG199119	Sediment	0.069	7.9	18.8	0.48	70.4	0.062	<1	0.84	0.007	0.05	0.1	2.1	0.04	<0.02	6	0.2	<0.02	3.0
CAG199120	Sediment	0.060	8.1	22.5	0.74	89.5	0.064	<1	1.15	0.006	0.07	0.1	2.7	0.04	<0.02	<5	0.2	<0.02	4.7
CAG199121	Sediment	0.058	8.3	20.1	0.48	73.2	0.063	<1	0.90	0.007	0.06	0.2	2.1	0.05	<0.02	10	0.1	<0.02	3.5
CAG199122	Sediment	0.058	8.3	20.5	0.53	94.2	0.066	<1	0.99	0.009	0.06	0.2	2.3	0.05	<0.02	<5	0.2	0.02	3.6
CAG199123	Sediment	0.060	7.9	19.4	0.48	77.4	0.059	<1	0.88	0.007	0.05	<0.1	2.0	0.04	<0.02	11	0.1	<0.02	3.2
CAG199124	Sediment	0.077	10.3	23.2	0.54	94.1	0.057	<1	0.96	0.007	0.07	0.2	1.7	0.06	<0.02	7	0.3	0.03	3.0
CAG199125	Sediment	0.062	6.9	16.1	0.43	66.8	0.048	<1	0.75	0.006	0.05	<0.1	1.7	0.04	<0.02	<5	0.2	<0.02	2.8
CAG199126	Sediment	0.061	3.9	39.9	0.52	111.9	0.040	<1	0.85	0.012	0.07	<0.1	2.4	0.05	<0.02	<5	0.2	0.03	2.6
CAG199127	Sediment	0.065	5.6	128.6	1.46	222.4	0.037	2	0.86	0.006	0.09	<0.1	2.1	0.13	<0.02	<5	0.3	<0.02	2.7
CAG199128	Sediment	0.120	8.6	61.5	0.77	439.2	0.047	<1	0.85	0.006	0.15	0.1	2.2	0.14	0.04	12	0.6	0.05	2.5
CAG199129	Sediment	0.167	11.0	40.5	0.57	435.9	0.050	<1	0.83	0.005	0.21	0.1	2.4	0.15	0.05	8	0.9	0.04	2.7
CAG199130	Sediment	0.164	11.4	38.3	0.55	361.7	0.042	<1	0.78	0.005	0.21	<0.1	2.4	0.15	0.05	<5	1.2	0.08	2.6
CAG199131	Sediment	0.062	6.1	30.8	0.44	235.5	0.058	<1	0.83	0.009	0.08	0.1	1.9	0.05	<0.02	6	0.1	0.02	2.8
CAG199132	Sediment	0.051	8.7	54.9	0.72	355.4	0.058	<1	1.10	0.012	0.12	<0.1	3.4	0.08	<0.02	9	0.1	0.03	3.8
CAG199133	Sediment	0.075	4.3	29.0	0.39	234.8	0.047	<1	0.65	0.013	0.05	0.2	2.0	0.04	<0.02	6	<0.1	<0.02	2.3
CAG199134	Sediment	0.048	10.3	43.6	0.68	231.4	0.077	<1	1.00	0.008	0.23	<0.1	2.0	0.11	<0.02	12	0.3	<0.02	3.0
CAG199135	Sediment	0.063	6.3	37.9	0.72	230.8	0.069	<1	0.94	0.007	0.21	<0.1	2.3	0.10	<0.02	6	0.2	<0.02	3.3
CAG199136	Sediment	0.061	4.5	31.5	0.48	242.9	0.047	<1	0.74	0.013	0.07	<0.1	2.1	0.04	<0.02	<5	<0.1	<0.02	2.5
CAG199137	Sediment	0.056	4.6	32.9	0.46	204.7	0.048	<1	0.76	0.012	0.08	0.1	2.0	0.04	<0.02	<5	0.1	0.03	2.4
CAG199138	Sediment	0.096	7.7	33.5	0.54	287.7	0.052	<1	0.84	0.009	0.12	0.2	2.3	0.07	<0.02	8	0.3	<0.02	2.9
CAG199139	Sediment	0.102	9.0	29.4	0.47	371.2	0.054	<1	0.89	0.005	0.16	<0.1	2.5	0.13	0.02	5	0.6	0.09	3.1
CAG199140	Sediment	0.089	9.1	36.5	0.63	301.1	0.062	<1	1.01	0.010	0.14	0.1	2.7	0.09	0.02	10	0.4	0.04	3.3
CAG197051	Sediment	0.067	13.0	22.6	0.57	203.1	0.079	<1	1.42	0.021	0.06	0.2	3.2	0.08	0.04	36	0.2	0.03	4.7
CAG197052	Sediment	0.101	9.7	17.7	0.49	136.9	0.085	<1	1.11	0.025	0.09	0.3	3.2	0.09	<0.02	9	0.2	0.02	4.0
CAG197053	Sediment	0.096	13.0	20.7	0.54	159.8	0.076	<1	1.22	0.019	0.07	0.4	3.3	0.08	0.02	29	0.3	<0.02	4.5
CAG197054	Sediment	0.080	9.5	17.2	0.52	116.9	0.077	<1	1.14	0.020	0.07	0.3	2.8	0.07	<0.02	19	0.2	<0.02	4.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: February 21, 2012

CERTIFICATE OF ANALYSIS DAW11000337.2

	Method	DRY WT	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01
CAG197055	Sediment	1.67	0.33	12.43	4.67	49.1	48	11.4	7.0	368	2.04	3.9	0.6	5.7	2.0	30.8	0.11	0.22	0.07	49	0.64
CAG197056	Sediment	1.16	0.36	10.91	5.09	53.9	33	9.5	7.5	347	2.45	3.6	4.9	0.7	2.8	28.9	0.09	0.18	0.07	50	0.63
CAG197057	Sediment	1.33	0.28	8.99	4.57	54.5	23	9.8	7.0	302	2.09	3.0	3.1	0.6	3.0	28.5	0.08	0.15	0.06	45	0.63
CAG197058	Sediment	1.41	0.36	10.80	4.99	61.0	28	11.0	8.1	404	2.35	3.8	3.7	1.7	3.5	33.8	0.09	0.17	0.07	48	0.66
CAG197059	Sediment	0.97	0.43	11.55	5.18	67.1	31	10.3	9.0	398	2.41	4.0	3.1	1.3	3.8	33.7	0.09	0.19	0.07	47	0.62
CAG197060	Sediment	1.82	0.47	14.33	4.84	40.7	37	12.0	6.7	229	1.96	4.1	0.5	2.4	2.7	31.2	0.05	0.24	0.07	48	0.55
CAG197061	Sediment	1.68	0.39	10.79	5.11	61.2	28	10.5	8.5	353	2.34	3.5	3.0	1.0	3.8	33.6	0.08	0.16	0.06	46	0.66
CAG196913	Sediment	1.92	0.69	14.13	5.87	65.7	56	17.7	7.4	274	1.81	4.9	1.5	14.3	3.6	21.1	0.15	0.13	0.07	32	0.31
CAG196914	Sediment	2.13	0.93	18.97	7.56	62.6	79	24.7	15.3	687	2.32	7.3	0.8	4.0	4.0	22.0	0.23	0.22	0.53	42	0.30
CAG196915	Sediment	1.70	0.80	16.79	6.70	68.4	56	23.9	11.4	388	2.08	5.7	1.5	2.0	3.9	21.0	0.21	0.18	0.37	37	0.28
CAG196916	Sediment	1.21	0.90	18.68	6.59	65.1	73	24.5	11.7	371	2.01	5.4	2.3	1.0	3.7	21.9	0.20	0.15	0.19	36	0.31
CAG196917	Sediment	1.05	0.71	16.13	5.95	66.6	66	23.3	10.6	337	1.88	4.7	1.3	1.4	3.8	24.5	0.23	0.14	0.14	33	0.36
CAG196918	Sediment	1.64	0.70	17.44	5.72	58.4	60	22.9	10.8	414	1.85	4.4	1.2	0.9	4.0	23.4	0.19	0.13	0.11	34	0.32
CAG196919	Sediment	1.19	0.71	20.16	5.66	58.2	69	23.2	10.4	396	1.91	4.6	1.6	1.6	3.5	25.6	0.18	0.14	0.10	35	0.36
CAG196920	Sediment	1.25	0.48	14.13	4.65	49.7	34	16.8	9.9	346	1.86	3.8	1.1	5.2	3.6	20.8	0.12	0.12	0.08	36	0.35
CAG196921	Sediment	1.14	0.58	20.70	6.09	63.5	63	22.2	12.5	428	2.09	5.0	1.6	1.2	3.8	31.3	0.18	0.19	0.10	41	0.47
CAG196922	Sediment	0.83	0.73	19.86	5.93	59.3	40	24.1	11.8	367	2.28	5.2	1.2	0.7	4.1	25.9	0.13	0.15	0.10	42	0.39
CAG196923	Sediment	1.27	0.59	15.69	4.83	48.8	39	19.0	9.8	373	1.79	3.6	1.0	0.6	3.8	23.5	0.14	0.12	0.08	33	0.34
CAG196924	Sediment	0.82	0.43	12.19	3.90	40.8	26	16.5	8.1	217	1.59	3.1	1.0	0.4	3.4	20.9	0.08	0.09	0.06	29	0.33
CAG196925	Sediment	746	0.59	12.30	5.82	48.0	25	19.8	10.5	368	1.91	3.7	1.4	1.6	4.9	25.6	0.09	0.11	0.09	32	0.37
CAG196926	Sediment	1.22	0.45	12.55	4.61	46.1	28	17.3	8.7	258	1.72	3.2	1.1	0.6	3.5	21.9	0.09	0.11	0.07	32	0.35
CAG196927	Sediment	0.76	0.30	22.08	2.30	29.4	25	8.1	6.8	200	1.41	1.3	0.3	1.3	0.9	14.6	0.04	0.05	0.04	41	0.29
CAG196928	Sediment	0.78	0.93	42.76	6.36	63.5	86	37.9	13.4	517	2.40	3.6	0.6	1.2	2.2	37.6	0.17	0.22	0.09	63	0.63
CAG196929	Sediment	1.62	0.34	21.49	2.14	29.9	33	10.3	7.0	207	1.43	1.2	0.6	1.2	1.0	17.6	0.05	0.06	0.04	42	0.31
CAG196930	Sediment	1.02	0.36	22.59	2.40	29.8	22	24.6	8.1	194	1.37	1.4	0.4	1.0	1.3	18.6	0.05	0.09	0.04	35	0.32
CAG196931	Sediment	0.68	0.45	21.67	2.08	29.6	30	23.4	7.7	228	1.14	1.6	0.3	6.1	0.7	12.3	0.06	0.08	0.04	35	0.26
CAG196932	Sediment	3.40	0.36	22.23	2.71	34.6	30	23.9	7.6	218	1.44	1.9	0.5	1.2	1.5	20.3	0.07	0.11	0.05	37	0.34
CAG196933	Sediment	0.83	0.42	29.29	2.79	41.8	35	22.8	9.4	250	1.61	2.4	0.4	1.3	1.2	22.4	0.09	0.14	0.04	44	0.38
CAG196934	Sediment	2.92	0.42	28.85	2.87	39.0	35	23.4	9.2	276	1.59	2.3	0.4	1.2	1.3	22.9	0.10	0.14	0.04	44	0.38
CAG196935	Sediment	5.92	0.42	53.10	2.96	59.7	37	22.9	15.8	579	2.18	2.5	0.9	2.3	1.0	21.8	0.15	0.21	0.04	65	0.47

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: February 21, 2012

CERTIFICATE OF ANALYSIS DAW11000337.2

	Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
	MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
CAG197055	Sediment	0.094	7.9	17.4	0.55	127.4	0.079	<1	1.04	0.020	0.09	0.3	2.9	0.08	<0.02	15	0.2	<0.02	3.7
CAG197056	Sediment	0.116	9.4	16.0	0.54	84.9	0.072	<1	1.05	0.016	0.07	0.2	3.2	0.07	<0.02	<5	0.1	<0.02	4.4
CAG197057	Sediment	0.124	9.8	15.8	0.51	85.8	0.071	<1	0.98	0.017	0.06	0.2	2.7	0.06	<0.02	5	0.1	<0.02	4.1
CAG197058	Sediment	0.130	10.8	16.5	0.58	98.4	0.072	<1	1.06	0.017	0.06	0.3	3.2	0.06	<0.02	8	0.2	<0.02	4.6
CAG197059	Sediment	0.114	10.1	17.1	0.63	105.5	0.079	<1	1.21	0.016	0.07	0.2	3.3	0.05	<0.02	15	0.1	<0.02	5.1
CAG197060	Sediment	0.074	8.9	19.6	0.46	114.1	0.078	<1	1.12	0.021	0.04	0.3	2.8	0.04	<0.02	8	0.3	<0.02	3.9
CAG197061	Sediment	0.133	10.6	17.4	0.60	103.2	0.075	<1	1.18	0.018	0.06	0.2	3.0	0.05	<0.02	9	0.2	<0.02	4.6
CAG196913	Sediment	0.047	11.6	23.0	0.48	70.3	0.052	<1	1.06	0.003	0.07	<0.1	1.6	0.08	<0.02	<5	0.3	0.03	3.3
CAG196914	Sediment	0.078	12.2	32.5	0.61	126.9	0.060	2	1.16	0.006	0.08	0.2	1.8	0.09	0.04	15	0.2	0.03	3.5
CAG196915	Sediment	0.056	11.3	30.4	0.57	101.7	0.055	<1	1.12	0.006	0.07	<0.1	1.6	0.08	0.02	10	0.2	<0.02	3.3
CAG196916	Sediment	0.056	12.6	30.7	0.56	91.8	0.060	1	1.05	0.006	0.07	0.1	1.6	0.08	<0.02	11	0.4	0.02	2.9
CAG196917	Sediment	0.075	13.7	25.5	0.48	94.6	0.058	1	1.04	0.006	0.06	0.2	1.5	0.06	<0.02	18	0.4	0.03	2.8
CAG196918	Sediment	0.070	12.0	28.7	0.54	98.2	0.056	<1	0.95	0.006	0.06	0.1	1.5	0.06	<0.02	15	0.3	<0.02	2.8
CAG196919	Sediment	0.064	12.1	29.1	0.53	106.8	0.054	<1	1.01	0.007	0.06	0.1	1.6	0.06	<0.02	16	0.5	<0.02	2.9
CAG196920	Sediment	0.081	9.4	23.1	0.56	100.6	0.062	<1	0.98	0.009	0.08	0.1	1.5	0.06	<0.02	<5	0.2	<0.02	2.9
CAG196921	Sediment	0.075	13.2	27.6	0.60	133.7	0.075	2	1.14	0.011	0.08	0.1	2.0	0.08	<0.02	20	0.4	<0.02	3.5
CAG196922	Sediment	0.080	10.5	32.6	0.73	126.7	0.067	1	1.14	0.009	0.10	0.1	1.6	0.07	<0.02	15	0.2	<0.02	3.2
CAG196923	Sediment	0.084	10.1	25.3	0.55	106.2	0.057	1	0.91	0.008	0.07	0.1	1.5	0.06	<0.02	10	0.4	<0.02	2.7
CAG196924	Sediment	0.088	8.2	23.1	0.49	79.6	0.051	<1	0.81	0.007	0.06	0.1	1.3	0.04	<0.02	<5	0.2	<0.02	2.4
CAG196925	Sediment	0.087	13.0	27.9	0.54	76.0	0.067	<1	0.98	0.007	0.08	<0.1	1.5	0.07	0.02	<5	0.1	<0.02	3.2
CAG196926	Sediment	0.069	9.4	23.3	0.53	87.0	0.061	<1	0.94	0.009	0.07	<0.1	1.4	0.06	<0.02	16	0.1	<0.02	3.0
CAG196927	Sediment	0.059	3.8	18.3	0.54	122.9	0.084	<1	0.81	0.013	0.09	<0.1	1.5	0.05	<0.02	<5	<0.1	<0.02	2.8
CAG196928	Sediment	0.081	10.5	56.9	0.81	385.0	0.083	1	1.16	0.015	0.10	0.2	3.4	0.07	0.03	16	0.4	0.02	3.9
CAG196929	Sediment	0.068	4.0	20.8	0.50	115.3	0.075	<1	0.75	0.014	0.07	<0.1	1.5	0.04	<0.02	8	<0.1	<0.02	2.6
CAG196930	Sediment	0.070	4.6	32.9	0.53	132.9	0.068	<1	0.74	0.013	0.08	<0.1	1.7	0.05	<0.02	9	<0.1	<0.02	2.5
CAG196931	Sediment	0.046	3.6	31.2	0.46	111.2	0.063	<1	0.60	0.015	0.04	<0.1	1.5	0.04	<0.02	6	0.1	<0.02	2.3
CAG196932	Sediment	0.056	5.9	32.9	0.52	126.1	0.067	<1	0.76	0.015	0.07	0.1	1.7	0.06	<0.02	9	0.2	<0.02	2.7
CAG196933	Sediment	0.066	5.0	30.2	0.58	156.4	0.067	<1	0.80	0.016	0.07	<0.1	1.8	0.05	<0.02	7	0.1	<0.02	2.7
CAG196934	Sediment	0.077	5.3	29.8	0.53	159.3	0.065	<1	0.75	0.017	0.06	0.1	1.8	0.05	<0.02	12	0.1	<0.02	2.5
CAG196935	Sediment	0.074	4.7	35.1	0.81	209.4	0.085	2	1.05	0.016	0.08	<0.1	2.8	0.06	<0.02	14	0.2	<0.02	3.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: February 21, 2012

CERTIFICATE OF ANALYSIS DAW11000337.2

	Method	DRY WT	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01
CAG196936	Sediment	3.03	0.43	32.80	3.00	42.4	46	24.6	9.8	330	1.61	2.5	0.6	1.1	1.3	23.4	0.11	0.14	0.05	42	0.38
CAG196937	Sediment	3.01	0.24	27.90	2.56	31.4	25	16.1	8.9	222	1.42	2.0	0.3	0.7	1.2	12.5	0.07	0.19	0.03	40	0.29
CAG196938	Sediment	1.78	0.43	34.19	3.01	41.8	38	25.9	10.4	314	1.73	2.6	0.6	1.4	1.2	22.5	0.11	0.16	0.05	46	0.39
CAG196939	Sediment	2.06	0.53	35.74	3.78	46.6	53	26.3	10.8	316	1.78	3.1	0.9	3.7	1.8	30.1	0.13	0.21	0.06	46	0.48
CAG196940	Sediment	3.81	0.42	31.07	2.85	39.2	47	21.8	9.2	270	1.66	2.6	1.0	2.6	1.4	24.6	0.10	0.18	0.04	44	0.40
CAG196941	Sediment	1.95	0.53	27.58	3.05	46.2	54	22.4	9.8	453	1.79	3.5	0.7	4.0	1.8	23.4	0.15	0.20	0.10	45	0.38
CAG196963	Sediment	1.10	0.78	18.41	3.78	39.3	95	15.5	6.5	276	1.64	3.7	0.6	2.1	2.6	20.7	0.10	0.17	0.07	37	0.35
CAG196964	Sediment	1.04	1.15	24.49	4.80	68.8	138	22.8	10.6	509	2.24	5.6	1.4	3.1	2.9	29.1	0.23	0.26	0.08	49	0.49
CAG196965	Sediment	2.16	0.97	20.57	3.94	72.9	110	23.8	8.3	298	1.98	4.2	1.2	2.1	2.8	29.1	0.24	0.24	0.06	42	0.54
CAG196966	Sediment	1.66	1.32	23.78	5.25	74.3	94	32.1	8.2	300	2.05	8.3	0.9	2.9	2.8	27.0	0.22	0.48	0.08	38	0.40
CAG196967	Sediment	1.88	0.77	16.86	3.03	45.1	65	16.1	6.3	275	1.67	4.0	0.7	1.2	2.3	22.6	0.15	0.19	0.06	40	0.42
CAG196968	Sediment	1.75	1.30	20.69	4.64	64.3	119	25.4	11.2	481	2.14	5.2	0.7	1.8	3.0	22.9	0.18	0.25	0.07	50	0.44
CAG196969	Sediment	2.07	1.13	24.78	4.24	69.4	104	26.1	9.2	396	2.17	6.5	1.2	2.3	2.7	30.6	0.30	0.24	0.07	51	0.49
CAG196970	Sediment	3.21	1.27	24.70	5.63	79.8	108	34.1	8.9	330	2.21	8.7	1.0	2.9	2.8	29.5	0.26	0.46	0.08	44	0.45
CAG196971	Sediment	1.75	1.10	22.36	5.12	70.2	84	29.0	9.7	359	2.10	5.7	1.3	6.4	2.9	32.3	0.27	0.40	0.15	43	0.54
CAG196972	Sediment	1.64	1.68	26.01	5.18	82.0	76	31.6	12.9	508	2.41	5.0	1.0	3.4	3.5	32.9	0.26	0.26	0.12	53	0.53

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: February 21, 2012

CERTIFICATE OF ANALYSIS DAW11000337.2

	Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
	MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
CAG196936	Sediment	0.065	5.5	32.4	0.58	158.8	0.063	<1	0.81	0.015	0.07	<0.1	1.9	0.05	<0.02	13	0.2	<0.02	2.7
CAG196937	Sediment	0.036	3.7	30.0	0.53	75.0	0.042	1	0.71	0.010	0.04	<0.1	2.0	0.03	<0.02	8	0.2	<0.02	2.4
CAG196938	Sediment	0.052	5.5	35.4	0.66	162.4	0.066	1	0.91	0.015	0.07	0.1	2.1	0.05	0.02	12	0.2	<0.02	3.0
CAG196939	Sediment	0.065	7.4	36.8	0.64	202.6	0.072	2	0.93	0.017	0.08	0.1	2.4	0.07	0.02	16	0.2	<0.02	3.2
CAG196940	Sediment	0.069	6.1	35.1	0.56	186.7	0.059	2	0.80	0.014	0.07	0.1	2.0	0.05	0.02	13	0.2	<0.02	2.6
CAG196941	Sediment	0.079	6.3	34.7	0.59	222.9	0.057	2	0.84	0.014	0.09	<0.1	2.1	0.05	0.02	10	0.3	<0.02	2.6
CAG196963	Sediment	0.076	14.4	26.7	0.39	274.3	0.058	<1	0.87	0.012	0.14	0.1	2.3	0.09	<0.02	24	0.2	<0.02	2.9
CAG196964	Sediment	0.087	18.4	38.4	0.53	372.1	0.074	1	1.17	0.011	0.17	0.2	2.9	0.13	0.03	39	0.6	0.05	4.0
CAG196965	Sediment	0.118	13.6	33.0	0.51	382.4	0.071	1	1.03	0.010	0.20	0.1	2.4	0.13	0.03	21	0.7	0.04	3.4
CAG196966	Sediment	0.107	10.5	37.3	0.41	323.8	0.046	1	0.73	0.010	0.14	0.1	2.0	0.11	0.03	19	0.7	0.04	2.3
CAG196967	Sediment	0.116	10.5	31.7	0.43	271.6	0.061	<1	0.89	0.010	0.19	0.2	2.2	0.09	<0.02	9	0.3	<0.02	2.9
CAG196968	Sediment	0.133	9.6	55.1	0.59	373.8	0.061	<1	0.93	0.008	0.20	0.1	2.4	0.11	<0.02	11	0.4	0.05	3.1
CAG196969	Sediment	0.108	13.3	40.7	0.59	419.5	0.074	<1	1.08	0.011	0.25	0.1	2.7	0.14	0.03	25	0.8	0.04	3.6
CAG196970	Sediment	0.109	11.9	40.0	0.48	351.4	0.051	1	0.84	0.011	0.17	0.1	2.4	0.12	0.03	18	0.8	0.03	2.8
CAG196971	Sediment	0.113	10.9	37.6	0.54	336.5	0.055	2	0.89	0.008	0.16	0.2	2.4	0.13	0.03	27	0.5	0.06	3.0
CAG196972	Sediment	0.145	11.7	48.6	0.64	310.1	0.066	1	1.03	0.005	0.25	0.1	2.6	0.15	0.03	18	0.7	0.07	3.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: February 21, 2012

QUALITY CONTROL REPORT DAW11000337.2

	Method	DRY WT	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01
Pulp Duplicates																					
CAG199120	Sediment	1.47	0.57	13.65	5.44	63.3	24	12.0	11.6	466	2.69	5.6	0.4	0.5	3.6	17.8	0.10	0.17	0.11	55	0.30
REP CAG199120	QC		0.63	14.63	5.38	69.9	24	12.6	12.1	506	2.76	5.8	0.4	1.5	3.7	19.4	0.11	0.20	0.12	58	0.31
CAG199137	Sediment	2.41	0.29	21.44	2.27	28.8	23	13.9	6.1	146	1.42	2.1	0.4	8.6	1.3	16.9	0.05	0.14	0.03	38	0.32
REP CAG199137	QC		0.33	21.63	2.25	30.3	25	13.1	6.0	142	1.40	2.2	0.4	10.2	1.3	17.3	0.06	0.15	0.03	38	0.33
CAG196917	Sediment	1.05	0.71	16.13	5.95	66.6	66	23.3	10.6	337	1.88	4.7	1.3	1.4	3.8	24.5	0.23	0.14	0.14	33	0.36
REP CAG196917	QC		0.66	16.64	6.20	70.4	63	24.0	10.7	349	1.93	4.8	1.4	1.0	3.9	23.8	0.24	0.13	0.12	34	0.36
CAG196937	Sediment	3.01	0.24	27.90	2.56	31.4	25	16.1	8.9	222	1.42	2.0	0.3	0.7	1.2	12.5	0.07	0.19	0.03	40	0.29
REP CAG196937	QC		0.25	25.64	2.39	30.6	30	14.6	8.6	219	1.42	1.9	0.3	4.8	1.0	12.6	0.06	0.17	0.03	41	0.28
Reference Materials																					
STD DS8	Standard		12.95	107.3	124.2	310.0	1816	37.6	7.3	598	2.51	24.5	2.8	120.4	6.5	60.6	2.18	5.43	6.31	41	0.70
STD DS8	Standard		12.43	100.3	117.4	293.0	1640	36.6	7.1	583	2.36	22.5	2.6	106.0	6.1	59.0	2.12	4.97	5.92	41	0.68
STD DS8	Standard		11.44	96.64	114.7	287.6	1560	33.1	6.3	541	2.17	23.1	2.5	102.7	6.5	60.9	2.16	5.09	6.11	36	0.63
STD DS8	Standard		12.31	104.6	115.4	291.1	1613	35.7	7.0	569	2.27	23.3	2.5	105.1	6.6	64.2	2.20	5.27	6.23	39	0.67
STD DS8 Expected			13.44	110	123	312	1690	38.1	7.5	615	2.46	26	2.8	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: February 21, 2012

QUALITY CONTROL REPORT DAW11000337.2

	Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
	MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
Pulp Duplicates																			
CAG199120	Sediment	0.060	8.1	22.5	0.74	89.5	0.064	<1	1.15	0.006	0.07	0.1	2.7	0.04	<0.02	<5	0.2	<0.02	4.7
REP CAG199120	QC	0.060	8.9	24.9	0.77	98.1	0.077	<1	1.21	0.006	0.08	<0.1	3.0	0.05	<0.02	<5	0.3	0.04	5.4
CAG199137	Sediment	0.056	4.6	32.9	0.46	204.7	0.048	<1	0.76	0.012	0.08	0.1	2.0	0.04	<0.02	<5	0.1	0.03	2.4
REP CAG199137	QC	0.061	4.7	32.3	0.47	213.3	0.050	<1	0.76	0.011	0.08	<0.1	2.1	0.05	<0.02	7	0.1	<0.02	2.5
CAG196917	Sediment	0.075	13.7	25.5	0.48	94.6	0.058	1	1.04	0.006	0.06	0.2	1.5	0.06	<0.02	18	0.4	0.03	2.8
REP CAG196917	QC	0.073	13.9	25.4	0.49	94.4	0.058	1	1.05	0.006	0.06	0.1	1.6	0.07	<0.02	13	0.4	0.03	2.9
CAG196937	Sediment	0.036	3.7	30.0	0.53	75.0	0.042	1	0.71	0.010	0.04	<0.1	2.0	0.03	<0.02	8	0.2	<0.02	2.4
REP CAG196937	QC	0.034	3.5	31.0	0.53	72.0	0.041	1	0.74	0.011	0.04	<0.1	1.9	0.03	<0.02	9	0.1	<0.02	2.2
Reference Materials																			
STD DS8	Standard	0.080	14.2	121.0	0.61	265.2	0.107	3	0.90	0.088	0.41	3.3	2.2	5.47	0.17	212	5.0	5.02	4.7
STD DS8	Standard	0.076	13.7	115.6	0.59	254.8	0.108	2	0.93	0.101	0.41	2.9	2.1	5.15	0.14	173	4.8	4.85	4.7
STD DS8	Standard	0.076	13.8	107.4	0.55	264.9	0.101	2	0.82	0.090	0.38	2.7	1.9	4.83	0.14	171	4.6	4.45	4.1
STD DS8	Standard	0.083	13.9	112.7	0.56	263.2	0.108	2	0.87	0.089	0.39	2.7	2.0	4.96	0.15	175	4.9	4.55	4.1
STD DS8 Expected		0.08	14.6	115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	2.3	5.4	0.1679	192	5.23	5	4.7
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.