Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Submitted By: Jean-Pierre Londero
Receiving Lab: Canada-Dawson City
Received: September 17, 2011
Report Date: February 21, 2012

CERTIFICATE OF ANALYSIS DAW11000362.2

CLIENT JOB INFORMATION

Project: White Gold
Shipment ID: WG01502011
P.O. Number
Number of Samples: 64

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	64	Dry at 60C			DAW
SS80	64	Dry at 60C sieve 100g to -80 mesh			DAW
RJSV	64	Saving all or part of Soil Reject			DAW
1F02	64	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Version 2: Revised Sample ID's

Invoice To: Selene Holdings LP
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8
Canada

CC: Keith Fowlow

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: February 21, 2012

CERTIFICATE OF ANALYSIS DAW11000362.2

	Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001
CAG197383	Sediment	0.68	22.91	4.96	64.8	61	10.9	13.0	449	3.66	4.8	0.5	2.7	1.9	48.6	0.16	0.36	0.07	78	0.81	0.115
CAG197384	Sediment	0.68	33.71	6.53	105.9	94	11.5	17.2	648	4.09	3.9	0.4	183.9	2.0	41.4	0.33	0.24	0.07	87	0.68	0.116
CAG197385	Sediment	0.44	19.34	2.98	63.3	38	6.9	10.5	331	2.67	3.0	0.3	0.5	1.2	16.3	0.09	0.23	0.05	69	0.56	0.136
CAG197386	Sediment	0.21	19.12	2.82	46.7	65	6.7	9.3	228	2.39	1.2	0.4	3.2	1.6	26.0	0.11	0.10	0.04	61	0.69	0.155
CAG197387	Sediment	0.46	31.93	3.78	68.9	73	9.3	13.4	624	3.06	3.1	0.5	1.5	1.4	55.9	0.14	0.23	0.06	79	0.73	0.071
CAG197388	Sediment	0.37	30.67	4.23	58.8	87	9.7	12.2	764	2.67	2.5	0.5	1.6	1.5	55.3	0.18	0.20	0.06	68	0.76	0.090
CAG197389	Sediment	0.33	19.74	2.77	47.6	25	7.4	10.7	365	2.58	2.3	0.3	0.5	1.1	29.8	0.07	0.12	0.03	66	0.61	0.117
CAG197390	Sediment	0.78	32.34	6.76	56.6	63	11.2	12.1	322	2.90	5.6	0.5	0.7	3.1	33.2	0.11	0.21	0.06	65	0.54	0.088
CAG197391	Sediment	0.42	31.42	3.97	62.8	106	10.7	13.0	389	2.95	3.3	0.4	1.5	1.7	30.7	0.12	0.21	0.05	75	0.61	0.099
CAG197392	Sediment	0.19	6.04	2.43	22.9	44	5.2	3.3	122	1.39	1.8	0.3	<0.2	1.3	11.3	0.05	0.15	0.09	26	0.32	0.068
CAG197393	Sediment	0.36	11.45	3.92	37.7	35	6.7	7.8	352	2.21	4.5	0.3	1.2	1.1	13.6	0.06	0.17	0.08	52	0.33	0.063
CAG197394	Sediment	0.29	10.79	3.47	38.6	38	7.2	8.4	479	1.92	3.3	0.3	8.3	1.1	13.8	0.08	0.17	0.06	43	0.36	0.066
CAG197395	Sediment	0.27	9.57	3.62	32.5	29	6.4	6.1	240	1.75	3.1	0.2	3.3	1.0	12.0	0.07	0.17	0.05	41	0.36	0.067
CAG197396	Sediment	0.38	15.52	24.46	62.9	87	16.4	14.9	601	2.96	3.6	0.7	1.3	2.6	39.6	0.17	0.19	0.19	58	0.70	0.098
CAG197397	Sediment	0.50	16.75	9.21	45.2	18	10.8	12.7	435	2.71	3.6	0.5	0.4	2.3	26.0	0.08	0.11	0.08	66	0.53	0.096
CAG197398	Sediment	0.49	14.30	8.45	41.9	18	9.4	11.1	376	2.34	3.2	0.4	0.7	2.0	25.4	0.07	0.11	0.08	61	0.45	0.075
CAG197399	Sediment	0.27	11.48	3.46	29.2	14	5.8	5.9	147	1.55	1.8	0.2	0.8	0.6	21.2	0.05	0.05	0.06	50	0.40	0.071
CAG197400	Sediment	0.35	25.64	3.13	43.2	91	10.6	11.9	360	2.40	2.4	0.3	1.7	0.9	24.1	0.08	0.09	0.06	75	0.42	0.061
CAG197439	Sediment	0.43	21.63	4.21	50.0	51	9.7	8.5	368	2.33	3.1	0.6	3.2	2.1	12.9	0.07	0.13	0.09	51	0.29	0.079
CAG197440	Sediment	0.31	15.62	3.58	47.4	55	8.9	6.3	204	2.12	2.7	0.4	1.3	1.7	11.7	0.05	0.09	0.08	45	0.30	0.088
CAG197441	Sediment	0.36	8.27	3.83	32.3	40	6.1	5.0	218	1.53	5.2	0.5	1.8	1.7	7.8	0.04	0.10	0.06	36	0.19	0.058
CAG197442	Sediment	0.48	10.57	3.74	39.0	32	7.2	5.8	172	1.73	3.6	0.3	2.0	1.5	15.3	0.07	0.11	0.07	43	0.34	0.074
CAG197443	Sediment	0.60	14.01	3.19	50.1	170	6.0	8.8	408	1.93	3.7	0.4	1052	1.0	19.7	0.15	0.12	0.06	41	0.32	0.048
CAG197444	Sediment	0.31	6.40	2.59	26.2	36	4.7	3.9	112	1.21	2.2	0.2	140.7	0.7	10.4	0.04	0.09	0.05	31	0.22	0.037
CAG197445	Sediment	0.60	14.59	4.20	55.8	30	7.7	12.2	522	2.06	3.7	0.5	2.1	1.1	21.1	0.16	0.13	0.06	47	0.35	0.045
CAG197446	Sediment	0.52	10.75	4.51	48.2	29	8.6	8.1	296	1.90	3.4	0.5	4.1	1.0	21.5	0.11	0.15	0.07	43	0.38	0.049
CAG197447	Sediment	0.79	25.40	6.49	59.0	112	28.2	11.2	386	2.10	5.7	3.1	5.6	3.1	29.7	0.18	0.22	0.10	43	0.52	0.092
CAG197448	Sediment	0.87	28.34	7.58	66.4	58	12.4	19.0	397	3.19	3.6	0.3	4.0	1.5	18.1	0.13	0.15	0.07	77	0.52	0.117
CAG197449	Sediment	0.72	22.05	6.24	59.4	54	10.9	15.5	361	2.65	3.0	0.3	4.6	1.4	17.8	0.10	0.12	0.07	63	0.46	0.106
CAG197450	Sediment	0.68	15.40	5.43	48.7	76	23.1	9.6	308	1.93	4.7	1.3	72.0	3.8	22.5	0.14	0.15	0.08	36	0.40	0.085

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: February 21, 2012

CERTIFICATE OF ANALYSIS DAW11000362.2

	Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
	MDL	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
CAG197383	Sediment	7.8	18.1	0.76	154.5	0.068	2	1.45	0.027	0.06	<0.1	4.6	0.05	0.03	24	0.3	0.02	5.0
CAG197384	Sediment	7.1	19.9	1.02	132.3	0.079	2	1.58	0.025	0.08	<0.1	5.5	0.04	0.03	10	0.4	0.05	5.9
CAG197385	Sediment	4.4	14.3	0.75	206.5	0.080	1	1.28	0.022	0.19	<0.1	4.3	0.09	<0.02	14	<0.1	0.03	4.8
CAG197386	Sediment	5.3	13.4	0.77	284.1	0.098	1	1.19	0.015	0.26	<0.1	3.4	0.07	0.04	10	<0.1	<0.02	4.4
CAG197387	Sediment	6.7	16.5	0.97	287.9	0.100	2	1.66	0.019	0.19	<0.1	5.3	0.08	0.04	26	0.4	<0.02	6.0
CAG197388	Sediment	7.3	16.7	0.81	290.0	0.086	2	1.44	0.020	0.16	0.1	4.8	0.07	0.04	22	0.5	0.03	4.8
CAG197389	Sediment	4.0	13.7	0.75	177.5	0.074	<1	1.13	0.030	0.12	<0.1	3.8	0.04	<0.02	<5	0.1	<0.02	3.9
CAG197390	Sediment	10.2	22.7	0.71	207.7	0.090	1	1.32	0.021	0.21	<0.1	3.8	0.11	0.10	22	0.4	0.05	4.6
CAG197391	Sediment	6.9	20.0	0.91	259.1	0.098	<1	1.53	0.020	0.28	<0.1	5.0	0.12	0.04	15	0.3	<0.02	5.2
CAG197392	Sediment	5.7	10.4	0.22	128.0	0.047	<1	0.82	0.018	0.03	<0.1	2.7	0.02	<0.02	28	<0.1	<0.02	3.0
CAG197393	Sediment	4.7	13.5	0.34	134.0	0.051	<1	1.00	0.021	0.02	<0.1	2.9	0.05	0.02	18	<0.1	<0.02	3.5
CAG197394	Sediment	4.6	12.7	0.31	132.3	0.046	<1	0.89	0.021	0.03	<0.1	2.7	0.04	<0.02	20	<0.1	<0.02	3.2
CAG197395	Sediment	4.1	12.5	0.31	100.8	0.047	<1	0.83	0.022	0.03	<0.1	2.7	0.03	<0.02	16	<0.1	0.02	3.1
CAG197396	Sediment	10.4	34.4	0.81	268.8	0.059	1	1.49	0.015	0.05	0.1	3.9	0.07	0.03	22	0.2	<0.02	5.1
CAG197397	Sediment	5.5	22.2	0.70	112.8	0.072	<1	1.10	0.031	0.07	<0.1	3.3	0.04	<0.02	<5	<0.1	0.03	4.3
CAG197398	Sediment	5.4	19.7	0.66	99.7	0.071	<1	1.08	0.025	0.07	<0.1	3.1	0.04	<0.02	<5	<0.1	<0.02	4.1
CAG197399	Sediment	2.7	12.1	0.56	51.4	0.080	<1	0.98	0.025	0.06	<0.1	2.5	0.03	<0.02	14	<0.1	<0.02	3.7
CAG197400	Sediment	4.5	20.9	0.80	148.7	0.100	<1	1.44	0.024	0.12	<0.1	3.3	0.09	<0.02	17	0.2	0.03	4.3
CAG197439	Sediment	9.1	17.5	0.61	227.0	0.085	<1	1.27	0.008	0.23	<0.1	3.4	0.10	<0.02	15	0.2	0.04	4.3
CAG197440	Sediment	6.7	16.7	0.62	226.2	0.089	<1	1.18	0.008	0.28	<0.1	3.1	0.10	<0.02	18	<0.1	0.03	3.8
CAG197441	Sediment	6.4	12.2	0.34	146.8	0.064	<1	0.80	0.005	0.11	<0.1	2.3	0.07	<0.02	10	<0.1	<0.02	2.6
CAG197442	Sediment	6.2	15.6	0.42	150.3	0.068	<1	0.88	0.012	0.10	0.2	2.4	0.06	<0.02	11	0.2	<0.02	3.4
CAG197443	Sediment	4.5	11.4	0.42	144.6	0.057	<1	0.85	0.012	0.07	0.1	2.3	0.05	<0.02	7	<0.1	<0.02	3.0
CAG197444	Sediment	3.2	8.3	0.29	47.8	0.040	<1	0.64	0.018	0.03	0.1	1.8	0.04	<0.02	12	<0.1	<0.02	2.6
CAG197445	Sediment	4.9	12.8	0.45	166.9	0.054	<1	0.98	0.014	0.06	<0.1	2.4	0.05	<0.02	10	<0.1	0.03	3.3
CAG197446	Sediment	5.1	14.9	0.47	137.9	0.054	1	0.95	0.017	0.05	0.1	2.6	0.05	<0.02	13	0.2	<0.02	3.9
CAG197447	Sediment	19.6	42.3	0.76	390.4	0.076	<1	1.26	0.005	0.15	0.1	2.5	0.16	0.03	33	0.1	<0.02	4.1
CAG197448	Sediment	6.0	24.7	0.83	225.3	0.073	<1	1.37	0.033	0.11	<0.1	4.1	0.07	<0.02	30	0.2	0.03	5.2
CAG197449	Sediment	5.8	22.3	0.73	198.5	0.070	<1	1.23	0.028	0.10	<0.1	3.6	0.07	<0.02	16	<0.1	<0.02	4.7
CAG197450	Sediment	16.1	33.4	0.62	243.7	0.073	<1	1.07	0.005	0.15	0.2	2.0	0.14	<0.02	13	<0.1	<0.02	3.6

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: February 21, 2012

CERTIFICATE OF ANALYSIS DAW11000362.2

	Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001
CAG197081	Sediment	0.67	17.37	5.50	49.7	67	18.4	11.9	387	2.03	4.0	1.0	2.3	2.9	22.0	0.15	0.16	0.08	43	0.44	0.095
CAG197082	Sediment	0.62	12.86	4.21	46.0	56	17.5	9.5	245	1.90	4.2	1.2	2.3	5.6	12.9	0.08	0.12	0.16	27	0.33	0.094
CAG197083	Sediment	0.92	12.94	4.58	50.3	45	17.3	9.9	246	2.01	3.8	1.0	1.4	5.6	11.2	0.06	0.11	0.18	26	0.26	0.077
CAG197084	Sediment	0.75	10.49	4.32	43.9	55	14.8	11.3	378	1.85	3.2	0.8	1.3	4.1	11.3	0.06	0.10	0.17	32	0.23	0.060
CAG197085	Sediment	0.58	16.89	4.35	49.3	53	15.5	10.4	308	2.00	2.9	0.8	1.9	3.4	15.3	0.10	0.13	0.13	41	0.34	0.066
CAG197086	Sediment	0.50	28.30	7.46	78.3	101	20.0	11.7	572	2.28	3.6	1.6	1.6	2.5	37.8	0.32	0.20	0.11	49	0.63	0.082
CAG197087	Sediment	0.25	10.36	4.38	36.1	25	11.0	6.2	204	1.59	1.9	0.8	0.5	2.5	28.1	0.11	0.11	0.06	43	0.57	0.127
CAG197088	Sediment	0.26	18.99	3.25	53.4	33	19.9	13.1	313	2.77	2.2	0.5	3.2	1.7	21.9	0.08	0.14	0.07	61	0.46	0.075
CAG197089	Sediment	0.21	10.98	2.76	34.7	19	11.7	7.0	193	1.61	1.2	0.5	0.9	1.7	23.4	0.07	0.10	0.04	44	0.46	0.082
CAG197090	Sediment	0.53	9.97	2.26	32.4	19	8.2	6.5	254	1.56	1.9	0.5	0.7	2.1	12.7	0.07	0.08	0.08	37	0.29	0.048
CAG197091	Sediment	0.59	9.60	3.25	39.2	25	10.0	7.3	294	1.68	3.1	0.6	2.7	2.5	15.2	0.08	0.10	0.10	38	0.32	0.055
CAG197092	Sediment	0.65	16.78	4.41	55.6	36	16.0	9.7	328	2.29	3.8	0.9	35.3	3.9	23.9	0.15	0.19	0.11	50	0.44	0.087
CAG197093	Sediment	0.45	12.67	3.52	49.1	26	11.7	8.6	323	1.92	2.8	0.6	10.2	2.4	23.2	0.13	0.10	0.07	45	0.43	0.083
CAG197094	Sediment	0.53	16.60	3.54	49.2	28	14.3	9.9	313	2.13	2.9	0.7	3.4	2.9	19.9	0.10	0.11	0.09	47	0.39	0.073
CAG197095	Sediment	0.44	17.72	3.30	51.6	30	13.9	9.6	320	2.09	2.8	0.6	1.5	2.5	25.5	0.11	0.12	0.08	48	0.43	0.076
CAG197096	Sediment	0.44	20.46	3.55	41.6	27	14.1	9.2	297	1.87	2.3	0.4	0.5	2.3	16.1	0.07	0.19	0.07	48	0.36	0.054
CAG199201	Sediment	0.35	14.72	4.20	38.4	19	7.7	7.8	183	1.92	2.5	0.2	1.2	0.8	25.4	0.05	0.07	0.05	62	0.46	0.071
CAG199202	Sediment	0.38	15.67	6.58	45.6	17	9.9	12.2	409	2.47	3.4	0.4	0.9	1.6	29.4	0.08	0.20	0.06	69	0.58	0.093
CAG199203	Sediment	0.53	19.93	7.04	56.4	17	11.0	14.9	456	2.86	3.7	0.3	1.7	1.5	17.9	0.08	0.18	0.15	78	0.42	0.070
CAG199204	Sediment	0.23	18.02	2.87	34.2	50	7.7	10.6	331	1.99	1.7	0.2	1.8	0.7	29.2	0.07	0.07	0.04	65	0.57	0.071
CAG199205	Sediment	0.29	16.90	3.77	41.2	26	8.7	10.6	297	2.16	2.2	0.2	0.2	0.9	26.5	0.06	0.11	0.04	65	0.53	0.064
CAG199206	Sediment	0.28	16.70	4.25	39.3	21	8.8	11.8	329	2.39	2.1	0.2	0.3	0.8	28.0	0.06	0.11	0.05	69	0.56	0.081
CAG199207	Sediment	0.49	25.10	9.19	61.3	43	10.8	13.9	412	2.73	3.2	0.4	0.5	1.1	36.0	0.12	0.16	0.06	71	0.52	0.069
CAG199208	Sediment	0.42	12.55	3.01	40.3	24	7.5	7.6	256	2.13	2.3	0.3	0.3	0.9	16.9	0.04	0.07	0.11	67	0.40	0.047
CAG199209	Sediment	0.37	20.84	3.61	50.3	53	8.5	13.7	534	2.66	2.2	0.3	2.3	1.0	33.6	0.07	0.10	0.07	84	0.64	0.103
CAG199210	Sediment	0.17	6.47	1.96	22.1	14	3.6	4.0	151	1.25	0.7	0.2	29.6	0.7	19.7	0.03	0.05	0.04	40	0.37	0.016
CAG199211	Sediment	0.39	27.98	3.54	46.1	54	12.9	10.8	219	2.05	1.5	0.3	0.7	1.1	23.5	0.07	0.08	0.04	58	0.47	0.075
CAG199212	Sediment	0.40	21.38	3.23	36.5	30	10.2	11.1	254	1.99	1.5	0.2	1.4	0.7	22.0	0.06	0.05	0.04	59	0.47	0.068
CAG199213	Sediment	0.24	15.70	2.96	38.4	30	6.8	10.7	330	2.25	1.6	0.2	240.8	0.7	32.4	0.05	0.07	0.03	73	0.64	0.085
CAG199214	Sediment	0.40	21.62	3.08	39.3	30	10.6	10.0	221	1.97	1.6	0.2	1.2	0.7	20.4	0.05	0.06	0.03	60	0.43	0.058

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: February 21, 2012

CERTIFICATE OF ANALYSIS DAW11000362.2

	Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
	MDL	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
CAG197081	Sediment	12.2	28.3	0.60	226.2	0.067	<1	1.07	0.012	0.12	0.1	2.4	0.11	0.02	20	0.2	<0.02	3.5
CAG197082	Sediment	21.9	17.4	0.54	80.0	0.059	1	1.03	0.006	0.12	<0.1	2.2	0.15	<0.02	10	0.1	0.02	3.3
CAG197083	Sediment	19.4	17.8	0.55	82.1	0.059	<1	0.99	0.006	0.14	<0.1	1.9	0.15	<0.02	7	0.1	<0.02	3.5
CAG197084	Sediment	15.9	17.7	0.48	79.3	0.058	1	1.02	0.006	0.09	<0.1	2.1	0.12	<0.02	10	0.2	<0.02	3.5
CAG197085	Sediment	15.0	22.3	0.58	118.3	0.066	1	1.15	0.010	0.07	0.1	2.7	0.11	<0.02	15	0.1	<0.02	4.0
CAG197086	Sediment	19.1	33.0	0.71	268.5	0.066	2	1.43	0.014	0.07	<0.1	3.8	0.09	0.03	40	0.4	<0.02	4.3
CAG197087	Sediment	8.5	24.1	0.45	106.9	0.061	<1	0.84	0.017	0.04	0.2	2.7	0.04	<0.02	17	<0.1	<0.02	2.9
CAG197088	Sediment	6.2	55.4	1.15	119.5	0.062	2	1.63	0.012	0.06	<0.1	5.0	0.05	<0.02	16	0.1	<0.02	5.0
CAG197089	Sediment	5.9	33.2	0.56	88.1	0.065	1	0.98	0.018	0.05	0.1	2.9	0.05	<0.02	<5	<0.1	<0.02	3.2
CAG197090	Sediment	7.8	15.6	0.40	92.7	0.052	<1	0.81	0.011	0.04	<0.1	2.5	0.05	<0.02	<5	<0.1	<0.02	3.1
CAG197091	Sediment	9.8	18.6	0.45	105.8	0.058	<1	0.96	0.011	0.06	0.1	2.5	0.07	<0.02	15	<0.1	0.02	3.6
CAG197092	Sediment	13.0	25.5	0.58	117.4	0.071	1	1.13	0.016	0.08	0.2	3.1	0.09	<0.02	10	0.1	0.02	3.7
CAG197093	Sediment	9.1	20.2	0.55	115.4	0.062	<1	1.01	0.015	0.06	<0.1	2.9	0.05	<0.02	12	0.2	<0.02	3.4
CAG197094	Sediment	11.1	22.2	0.65	120.1	0.068	<1	1.09	0.015	0.07	0.1	3.0	0.08	<0.02	7	<0.1	<0.02	4.0
CAG197095	Sediment	10.9	21.6	0.65	122.4	0.068	1	1.18	0.018	0.06	<0.1	3.0	0.07	<0.02	21	0.1	<0.02	3.8
CAG197096	Sediment	8.4	24.4	0.57	134.1	0.067	1	0.99	0.014	0.06	0.1	2.7	0.06	<0.02	11	0.1	<0.02	3.5
CAG199201	Sediment	3.7	15.5	0.73	71.8	0.103	<1	1.28	0.029	0.08	<0.1	3.4	0.04	<0.02	9	<0.1	<0.02	4.6
CAG199202	Sediment	5.1	18.5	0.76	100.4	0.081	<1	1.20	0.037	0.07	<0.1	4.5	0.04	<0.02	<5	<0.1	<0.02	4.3
CAG199203	Sediment	4.2	19.9	0.95	138.0	0.081	<1	1.39	0.019	0.11	<0.1	3.6	0.05	<0.02	5	0.2	0.03	5.2
CAG199204	Sediment	3.0	15.1	0.68	95.3	0.092	<1	1.23	0.032	0.12	<0.1	3.8	0.07	<0.02	10	0.1	<0.02	3.6
CAG199205	Sediment	3.6	16.5	0.79	112.6	0.088	<1	1.28	0.030	0.12	<0.1	3.9	0.06	<0.02	<5	<0.1	<0.02	4.2
CAG199206	Sediment	2.9	16.4	0.86	96.5	0.087	<1	1.26	0.032	0.15	<0.1	4.0	0.06	<0.02	<5	0.1	<0.02	3.9
CAG199207	Sediment	4.5	17.9	0.87	126.8	0.081	1	1.39	0.030	0.14	<0.1	4.7	0.07	0.04	5	0.4	0.05	4.3
CAG199208	Sediment	4.0	15.1	0.70	70.2	0.087	<1	1.21	0.035	0.04	<0.1	4.4	<0.02	<0.02	7	<0.1	<0.02	4.3
CAG199209	Sediment	4.5	15.9	0.84	133.3	0.123	<1	1.50	0.029	0.16	<0.1	4.4	0.08	<0.02	16	<0.1	<0.02	4.9
CAG199210	Sediment	3.6	8.4	0.43	46.1	0.085	<1	0.78	0.050	0.04	<0.1	3.1	0.03	<0.02	<5	<0.1	<0.02	2.9
CAG199211	Sediment	4.4	32.3	0.92	158.7	0.106	<1	1.49	0.026	0.26	<0.1	4.4	0.09	<0.02	14	0.1	0.03	4.4
CAG199212	Sediment	2.9	25.3	0.83	104.3	0.086	<1	1.26	0.031	0.18	<0.1	4.3	0.05	<0.02	<5	0.1	0.03	3.8
CAG199213	Sediment	2.9	12.8	0.80	93.5	0.106	<1	1.27	0.042	0.14	<0.1	4.2	0.04	<0.02	9	<0.1	<0.02	4.2
CAG199214	Sediment	2.9	25.9	0.89	120.2	0.093	<1	1.35	0.029	0.21	<0.1	4.1	0.06	<0.02	<5	0.1	0.03	4.0

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: February 21, 2012

CERTIFICATE OF ANALYSIS DAW11000362.2

	Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001
CAG199215	Sediment	0.40	23.20	3.28	42.4	27	11.2	12.5	307	2.30	1.6	0.2	1.0	0.7	24.2	0.04	0.06	0.03	73	0.52	0.064
CAG199216	Sediment	0.42	23.31	3.45	46.9	29	10.1	14.0	417	2.37	1.6	0.2	15.4	0.8	24.4	0.06	0.07	0.04	68	0.50	0.059
CAG199217	Sediment	0.38	20.93	3.49	43.8	24	9.9	11.4	350	2.23	1.7	0.4	0.9	0.9	27.7	0.07	0.08	0.04	65	0.49	0.063
CAG199218	Sediment	0.23	14.03	3.80	39.2	25	12.0	9.2	249	1.90	2.9	0.5	0.7	0.7	27.8	0.07	0.19	0.05	53	0.57	0.045

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: February 21, 2012

CERTIFICATE OF ANALYSIS DAW11000362.2

	Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
	MDL	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
CAG199215	Sediment	2.7	24.9	0.98	121.7	0.108	<1	1.45	0.033	0.23	<0.1	4.5	0.06	<0.02	<5	0.2	0.02	4.3
CAG199216	Sediment	3.0	20.7	0.84	131.6	0.089	<1	1.29	0.036	0.18	<0.1	4.6	0.05	0.02	<5	0.3	0.04	4.0
CAG199217	Sediment	3.4	19.7	0.76	113.0	0.082	<1	1.18	0.037	0.15	<0.1	4.3	0.05	0.02	<5	0.2	0.03	3.7
CAG199218	Sediment	2.9	24.8	0.66	72.1	0.080	<1	1.06	0.049	0.06	<0.1	3.8	0.03	<0.02	7	<0.1	<0.02	3.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: February 21, 2012

QUALITY CONTROL REPORT DAW11000362.2

	Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001
Pulp Duplicates																					
CAG197387	Sediment	0.46	31.93	3.78	68.9	73	9.3	13.4	624	3.06	3.1	0.5	1.5	1.4	55.9	0.14	0.23	0.06	79	0.73	0.071
REP CAG197387	QC	0.48	31.46	3.81	67.5	75	8.6	13.1	620	3.02	3.1	0.5	1.8	1.4	54.3	0.15	0.24	0.07	77	0.73	0.076
CAG197441	Sediment	0.36	8.27	3.83	32.3	40	6.1	5.0	218	1.53	5.2	0.5	1.8	1.7	7.8	0.04	0.10	0.06	36	0.19	0.058
REP CAG197441	QC	0.34	8.12	3.74	31.4	43	6.0	4.9	218	1.53	5.1	0.5	1.3	1.7	7.9	0.05	0.10	0.07	36	0.19	0.060
CAG197088	Sediment	0.26	18.99	3.25	53.4	33	19.9	13.1	313	2.77	2.2	0.5	3.2	1.7	21.9	0.08	0.14	0.07	61	0.46	0.075
REP CAG197088	QC	0.25	18.20	3.05	51.5	34	19.2	12.8	294	2.73	2.1	0.5	1.0	1.7	20.5	0.08	0.14	0.04	60	0.45	0.077
CAG199206	Sediment	0.28	16.70	4.25	39.3	21	8.8	11.8	329	2.39	2.1	0.2	0.3	0.8	28.0	0.06	0.11	0.05	69	0.56	0.081
REP CAG199206	QC	0.28	17.86	4.77	42.4	22	9.1	11.9	353	2.43	2.3	0.2	0.3	0.8	28.8	0.07	0.12	0.05	72	0.58	0.084
Reference Materials																					
STD DS8	Standard	12.90	105.7	122.3	304.7	1751	36.6	7.3	587	2.45	23.3	2.8	124.6	7.1	64.3	2.24	5.60	6.58	41	0.72	0.080
STD DS8	Standard	13.44	105.3	120.7	296.4	1707	37.3	7.5	607	2.46	23.9	2.8	109.2	7.2	68.9	2.20	5.52	6.65	41	0.75	0.078
STD DS8	Standard	12.54	108.7	122.2	312.7	1797	39.0	8.0	606	2.47	23.6	2.5	106.2	6.1	55.9	2.26	5.12	6.16	42	0.69	0.076
STD DS8 Expected		13.44	110	123	312	1690	38.1	7.5	615	2.46	26	2.8	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7	0.08
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: February 21, 2012

QUALITY CONTROL REPORT DAW11000362.2

	Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
	MDL	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
Pulp Duplicates																		
CAG197387	Sediment	6.7	16.5	0.97	287.9	0.100	2	1.66	0.019	0.19	<0.1	5.3	0.08	0.04	26	0.4	<0.02	6.0
REP CAG197387	QC	6.7	16.8	0.95	278.7	0.097	1	1.60	0.019	0.18	0.1	5.3	0.08	0.03	18	0.3	0.03	5.9
CAG197441	Sediment	6.4	12.2	0.34	146.8	0.064	<1	0.80	0.005	0.11	<0.1	2.3	0.07	<0.02	10	<0.1	<0.02	2.6
REP CAG197441	QC	6.7	12.3	0.33	145.0	0.063	<1	0.80	0.005	0.11	<0.1	2.3	0.07	<0.02	21	<0.1	0.02	2.6
CAG197088	Sediment	6.2	55.4	1.15	119.5	0.062	2	1.63	0.012	0.06	<0.1	5.0	0.05	<0.02	16	0.1	<0.02	5.0
REP CAG197088	QC	6.1	52.8	1.15	117.8	0.058	1	1.63	0.011	0.05	<0.1	4.8	0.05	<0.02	9	<0.1	<0.02	4.9
CAG199206	Sediment	2.9	16.4	0.86	96.5	0.087	<1	1.26	0.032	0.15	<0.1	4.0	0.06	<0.02	<5	0.1	<0.02	3.9
REP CAG199206	QC	3.0	17.2	0.87	100.5	0.089	<1	1.30	0.033	0.16	<0.1	4.0	0.06	<0.02	<5	<0.1	<0.02	4.0
Reference Materials																		
STD DS8	Standard	15.0	118.7	0.60	266.5	0.113	3	0.96	0.104	0.43	3.1	2.2	5.50	0.16	201	4.9	4.92	4.6
STD DS8	Standard	17.8	119.3	0.62	269.8	0.120	3	0.98	0.102	0.44	2.8	2.5	5.29	0.16	193	5.0	4.86	4.7
STD DS8	Standard	12.7	122.5	0.60	251.6	0.103	2	0.92	0.095	0.43	3.0	2.0	5.53	0.17	217	5.1	5.05	4.7
STD DS8 Expected		14.6	115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	2.3	5.4	0.1679	192	5.23	5	4.7
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.