Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Selene Holdings LP**
885 W. Georgia Street, Suite 1380
Vancouver BC V6C 3E8 Canada

Submitted By: Jean-Pierre Londero
Receiving Lab: Canada-Whitehorse
Received: August 20, 2011
Report Date: October 01, 2011

CERTIFICATE OF ANALYSIS WHI11001196.1

CLIENT JOB INFORMATION

Project: White Gold
Shipment ID: WG01032011
P.O. Number
Number of Samples: 73

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT-SOIL Store Soil Reject - RJSV Charges Apply

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	73	Dry at 60C sieve 100g to -80 mesh			WHI
Dry at 60C	73	Dry at 60C			WHI
RJSV	73	Saving all or part of Soil Reject			WHI
1F02	73	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Selene Holdings LP
885 W. Georgia Street, Suite 1380
Vancouver BC V6C 3E8
Canada

CC: Keith Fowlow

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
885 W. Georgia Street, Suite 1380
Vancouver BC V6C 3E8 Canada

Project: White Gold
Report Date: October 01, 2011

CERTIFICATE OF ANALYSIS WHI11001196.1

	Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001
CAG196271	Sediment	0.15	16.09	1.90	26.5	12	6.4	6.0	217	1.37	1.6	0.2	1.0	0.8	10.5	0.06	0.14	0.04	37	0.34	0.082
CAG196272	Sediment	0.17	25.51	1.54	26.0	20	18.3	7.3	176	1.18	3.6	0.2	1.2	0.8	10.3	0.06	0.18	0.04	31	0.29	0.053
CAG196273	Sediment	0.34	16.14	2.13	31.9	10	8.3	9.0	328	2.23	1.9	0.5	0.8	1.9	13.6	0.06	0.26	0.11	57	0.41	0.088
CAG196274	Sediment	0.22	20.61	1.63	29.4	15	14.3	8.6	274	1.73	2.3	0.3	1.1	1.2	11.0	0.08	0.21	0.06	45	0.33	0.070
CAG196275	Sediment	0.35	22.96	2.10	33.9	13	22.2	10.8	307	2.06	6.4	0.3	0.5	1.3	11.0	0.07	0.28	0.06	51	0.36	0.069
CAG196276	Sediment	0.36	23.16	1.99	31.3	16	27.2	9.7	273	1.79	6.1	0.3	0.3	1.2	11.4	0.08	0.28	0.05	43	0.37	0.069
CAG196277	Sediment	0.27	22.10	2.27	31.5	14	23.8	8.5	250	1.67	5.8	0.3	<0.2	1.3	12.2	0.07	0.27	0.06	40	0.39	0.077
CAG196278	Sediment	0.32	23.08	2.38	42.5	13	10.5	11.1	394	2.41	2.3	0.4	0.5	1.5	16.7	0.06	0.24	0.07	58	0.43	0.094
CAG196279	Sediment	0.29	13.41	2.22	27.2	20	6.5	5.7	185	1.43	1.9	0.4	0.4	1.7	17.0	0.05	0.11	0.05	38	0.35	0.095
CAG196280	Sediment	0.22	14.93	1.86	26.9	16	6.8	6.2	184	1.51	1.8	0.3	<0.2	1.4	15.9	0.04	0.12	0.04	39	0.39	0.099
CAG196281	Sediment	0.27	24.09	2.16	35.0	19	11.5	8.9	226	1.99	2.4	0.4	1.1	1.5	16.7	0.05	0.28	0.05	51	0.44	0.101
CAG196282	Sediment	0.19	24.02	1.46	22.6	13	7.8	6.2	197	1.38	1.6	0.2	0.3	1.0	15.7	0.04	0.13	0.04	37	0.31	0.063
CAG196283	Sediment	0.21	24.77	2.04	22.5	18	14.4	9.7	229	1.10	1.8	0.3	<0.2	1.3	24.7	0.06	0.16	0.04	29	0.29	0.048
CAG196284	Sediment	0.64	22.37	2.66	38.2	38	16.3	9.3	311	1.41	8.0	1.0	1.2	3.3	27.0	0.12	0.32	0.06	35	0.30	0.063
CAG196285	Sediment	0.81	25.42	2.95	46.1	85	19.1	8.8	290	1.58	13.5	1.1	43.4	3.1	27.4	0.19	0.49	0.07	38	0.36	0.079
CAG196286	Sediment	1.05	23.93	4.20	61.6	61	24.8	8.9	407	1.93	20.3	1.0	52.1	4.2	31.3	0.25	0.71	0.13	41	0.37	0.093
CAG196287	Sediment	0.58	32.28	4.02	35.3	42	28.2	12.2	340	1.63	2.8	1.1	2.1	5.2	32.7	0.07	0.14	0.08	39	0.31	0.061
CAG199041	Sediment	0.56	30.69	2.93	33.5	23	14.5	9.0	266	1.62	2.7	0.5	1.0	3.4	14.0	0.07	0.23	0.09	36	0.32	0.089
CAG199042	Sediment	0.15	14.99	1.64	5.7	9	11.0	3.9	57	0.39	1.0	<0.1	0.3	0.4	7.8	<0.01	0.04	0.02	11	0.13	0.010
CAG199043	Sediment	0.31	24.47	1.93	18.5	12	11.9	8.3	180	0.93	1.7	0.3	0.4	1.7	11.3	0.02	0.13	0.05	22	0.25	0.054
CAG199044	Sediment	0.40	18.88	4.18	32.9	30	73.0	9.7	253	2.11	3.9	0.5	0.6	2.4	24.2	0.07	0.19	0.05	42	0.39	0.093
CAG199045	Sediment	0.38	17.01	3.12	30.6	25	65.2	8.9	231	1.94	3.5	0.4	<0.2	2.1	20.2	0.05	0.16	0.04	38	0.32	0.077
CAG199046	Sediment	1.80	31.49	5.19	71.8	112	31.0	13.9	631	2.46	24.0	1.0	2.0	3.1	30.5	0.26	1.22	0.09	64	0.39	0.127
CAG199047	Sediment	0.40	16.82	3.19	33.0	30	53.1	8.3	214	1.82	5.1	0.5	1.1	2.6	23.9	0.07	0.25	0.05	39	0.40	0.087
CAG199048	Sediment	0.33	15.99	3.11	29.9	28	92.5	9.6	210	2.41	4.0	0.5	3.0	2.6	22.8	0.03	0.20	0.42	46	0.37	0.098
CAG199049	Sediment	0.43	19.65	3.63	37.5	39	43.4	8.4	253	1.60	4.9	0.5	4.7	2.2	26.5	0.11	0.23	0.05	34	0.36	0.068
CAG199050	Sediment	0.18	29.76	2.22	16.9	37	22.2	5.9	84	0.78	1.9	0.2	0.8	0.7	15.1	0.02	0.09	0.04	19	0.22	0.028
CAG199051	Sediment	0.20	20.59	1.71	15.4	16	14.5	7.0	213	0.99	2.6	0.2	0.4	0.9	11.7	0.03	0.15	0.03	23	0.26	0.035
CAG199052	Sediment	0.50	20.71	2.58	31.8	22	15.5	7.9	233	1.29	4.9	0.5	0.8	2.9	16.5	0.04	0.31	0.05	30	0.34	0.082
CAG199053	Sediment	0.32	15.57	2.05	23.1	13	12.2	5.8	155	1.00	3.2	0.4	1.2	1.8	14.4	0.02	0.19	0.04	24	0.33	0.083

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
885 W. Georgia Street, Suite 1380
Vancouver BC V6C 3E8 Canada

Project: White Gold
Report Date: October 01, 2011

CERTIFICATE OF ANALYSIS WHI11001196.1

	Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
	MDL	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
CAG196271	Sediment	2.8	17.0	0.44	87.1	0.043	<1	0.63	0.008	0.04	0.1	2.1	<0.02	<0.02	15	<0.1	<0.02	2.1
CAG196272	Sediment	2.8	28.4	0.47	105.8	0.047	<1	0.58	0.009	0.04	<0.1	1.6	<0.02	<0.02	6	<0.1	0.02	1.9
CAG196273	Sediment	6.0	17.3	0.50	132.9	0.043	1	0.75	0.007	0.08	0.1	3.1	0.04	<0.02	11	<0.1	<0.02	2.7
CAG196274	Sediment	4.0	26.9	0.58	113.3	0.048	<1	0.70	0.009	0.06	<0.1	2.5	0.02	<0.02	<5	<0.1	<0.02	2.4
CAG196275	Sediment	4.3	43.4	0.69	129.9	0.049	<1	0.80	0.010	0.07	<0.1	2.9	0.03	<0.02	7	<0.1	<0.02	2.6
CAG196276	Sediment	4.3	50.3	0.68	122.2	0.047	<1	0.70	0.010	0.06	<0.1	2.5	0.03	<0.02	6	<0.1	<0.02	2.3
CAG196277	Sediment	4.5	45.8	0.58	118.8	0.044	<1	0.67	0.009	0.06	0.1	2.5	0.03	<0.02	6	0.2	<0.02	2.3
CAG196278	Sediment	5.3	26.5	0.68	179.2	0.061	<1	0.97	0.009	0.12	<0.1	3.5	0.04	<0.02	6	<0.1	<0.02	3.2
CAG196279	Sediment	5.7	16.2	0.43	123.3	0.068	<1	0.72	0.010	0.08	0.2	2.0	0.03	<0.02	12	<0.1	0.03	2.8
CAG196280	Sediment	4.3	17.5	0.46	123.5	0.067	<1	0.69	0.010	0.11	<0.1	2.1	0.04	<0.02	7	<0.1	<0.02	2.4
CAG196281	Sediment	5.1	25.0	0.56	132.1	0.055	1	0.77	0.011	0.09	0.2	2.9	0.03	<0.02	9	<0.1	<0.02	2.6
CAG196282	Sediment	3.6	16.1	0.36	99.7	0.062	<1	0.56	0.010	0.05	<0.1	1.8	0.02	<0.02	<5	<0.1	0.04	2.1
CAG196283	Sediment	4.4	24.9	0.34	94.0	0.053	1	0.58	0.010	0.04	0.1	1.5	0.03	<0.02	<5	<0.1	<0.02	1.9
CAG196284	Sediment	8.1	26.2	0.40	151.1	0.061	<1	0.67	0.008	0.12	0.2	1.6	0.07	<0.02	12	0.2	<0.02	2.5
CAG196285	Sediment	8.9	27.0	0.42	164.9	0.062	1	0.71	0.009	0.13	0.3	1.9	0.08	<0.02	10	0.3	0.02	2.4
CAG196286	Sediment	12.6	32.9	0.48	314.5	0.070	<1	0.84	0.006	0.24	0.3	2.4	0.11	0.02	12	0.4	0.02	3.2
CAG196287	Sediment	11.7	48.0	0.54	196.0	0.069	<1	0.88	0.009	0.11	0.2	2.1	0.08	<0.02	11	0.2	0.02	3.2
CAG199041	Sediment	9.5	24.7	0.43	142.1	0.056	<1	0.73	0.010	0.13	0.1	2.0	0.07	<0.02	11	<0.1	0.04	2.5
CAG199042	Sediment	1.1	22.3	0.18	16.1	0.017	<1	0.30	0.004	<0.01	<0.1	0.8	<0.02	<0.02	<5	<0.1	<0.02	0.8
CAG199043	Sediment	4.6	23.6	0.28	61.5	0.038	<1	0.49	0.008	0.06	0.1	1.4	0.04	<0.02	6	<0.1	0.02	1.6
CAG199044	Sediment	7.4	241.9	0.44	190.5	0.055	<1	0.60	0.012	0.07	0.2	1.9	0.04	<0.02	10	0.2	<0.02	2.2
CAG199045	Sediment	6.0	221.8	0.42	166.9	0.051	<1	0.53	0.011	0.07	<0.1	1.6	0.03	<0.02	<5	0.1	<0.02	1.8
CAG199046	Sediment	13.3	41.6	0.48	295.7	0.077	<1	0.91	0.007	0.22	0.5	2.6	0.11	0.05	<5	0.5	0.05	3.4
CAG199047	Sediment	7.5	161.5	0.40	169.1	0.053	<1	0.60	0.013	0.07	0.2	1.8	0.03	<0.02	16	<0.1	<0.02	2.1
CAG199048	Sediment	7.4	371.2	0.37	191.8	0.054	<1	0.50	0.011	0.05	0.3	1.6	0.03	<0.02	<5	0.3	0.03	2.0
CAG199049	Sediment	7.3	86.1	0.49	161.9	0.054	<1	0.69	0.012	0.08	<0.1	1.9	0.05	<0.02	10	<0.1	<0.02	2.2
CAG199050	Sediment	2.9	39.8	0.37	44.9	0.035	<1	0.62	0.007	0.01	<0.1	1.6	0.03	<0.02	8	<0.1	0.03	2.1
CAG199051	Sediment	3.0	29.2	0.28	53.7	0.036	<1	0.52	0.009	0.02	<0.1	1.5	<0.02	<0.02	6	<0.1	<0.02	1.5
CAG199052	Sediment	6.4	28.5	0.37	109.7	0.053	<1	0.72	0.010	0.10	0.1	1.9	0.05	<0.02	<5	<0.1	0.02	2.3
CAG199053	Sediment	4.5	22.1	0.32	83.5	0.042	<1	0.55	0.009	0.06	<0.1	1.5	0.04	<0.02	7	0.1	0.04	1.7

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
885 W. Georgia Street, Suite 1380
Vancouver BC V6C 3E8 Canada

Project: White Gold
Report Date: October 01, 2011

CERTIFICATE OF ANALYSIS WHI11001196.1

	Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001
CAG199054	Sediment	0.44	16.83	3.93	34.1	56	32.5	7.9	224	1.41	7.3	0.5	110.4	2.6	19.9	0.05	0.97	0.05	31	0.39	0.085
CAG199055	Sediment	0.59	19.72	3.60	43.0	42	28.3	8.5	295	1.60	10.8	0.8	1.0	3.1	20.9	0.12	1.10	0.09	34	0.41	0.082
CAG199056	Sediment	0.51	17.35	3.40	35.1	31	26.6	7.5	223	1.44	11.5	0.6	1.6	2.9	21.5	0.10	1.07	0.07	32	0.42	0.095
CAG199057	Sediment	0.55	19.15	2.87	36.7	25	26.6	7.2	220	1.38	11.7	0.6	1.1	3.1	18.1	0.10	1.04	0.06	30	0.36	0.088
CAG199058	Sediment	0.63	18.75	1.94	31.6	47	15.9	6.0	213	1.46	5.7	0.6	5.5	8.2	19.7	0.11	0.38	0.74	34	0.52	0.147
CAG199059	Sediment	0.54	21.22	1.71	40.0	28	21.4	8.9	282	1.54	3.5	0.5	0.8	3.6	16.6	0.07	0.32	0.15	35	0.39	0.092
CAG199060	Sediment	0.43	14.93	1.62	33.9	31	15.5	6.2	214	1.26	3.6	0.5	1.1	3.4	16.7	0.04	0.29	0.09	28	0.37	0.099
CAG199061	Sediment	0.46	15.60	1.72	33.7	31	16.4	6.6	218	1.29	3.4	0.5	0.7	3.2	16.6	0.02	0.30	0.07	29	0.36	0.098
CAG199062	Sediment	0.62	17.48	2.69	48.3	69	34.7	9.4	287	1.72	54.7	0.6	5.4	2.8	23.1	0.09	1.59	0.07	34	0.46	0.120
CAG199063	Sediment	0.51	14.38	2.26	40.7	64	25.8	7.3	189	1.52	46.8	0.5	3.4	2.4	19.7	0.06	1.50	0.04	30	0.38	0.102
CAG199064	Sediment	0.69	17.03	2.13	51.9	101	30.0	9.2	267	1.75	61.2	0.6	6.8	3.0	21.4	0.04	2.28	0.40	32	0.41	0.107
CAG199065	Sediment	0.69	16.49	2.75	49.9	69	26.8	8.0	242	1.73	50.4	0.7	6.2	3.0	23.5	0.10	1.42	0.06	33	0.40	0.102
CAG199066	Sediment	0.59	16.74	2.59	47.8	79	25.4	7.7	219	1.62	39.9	1.0	4.1	3.4	26.4	0.09	1.30	0.05	35	0.47	0.128
CAG199067	Sediment	0.70	15.32	2.42	50.7	61	24.9	7.3	293	1.71	47.5	0.6	63.2	3.0	22.1	0.08	1.86	0.04	31	0.37	0.108
CAG199068	Sediment	0.60	13.99	2.34	45.9	54	24.2	7.1	247	1.57	39.2	0.6	3.9	3.1	23.9	0.06	1.49	<0.02	31	0.43	0.119
CAG199069	Sediment	0.78	38.67	3.46	62.6	107	39.8	14.0	434	2.87	22.7	0.6	162.3	3.3	24.1	0.12	1.42	0.03	71	0.78	0.156
CAG199070	Sediment	0.85	34.05	3.39	66.1	77	42.5	13.7	397	2.71	18.0	0.6	12.9	3.6	25.9	0.10	1.04	<0.02	64	0.72	0.156
CAG199071	Sediment	0.26	24.26	1.82	33.8	24	37.1	10.8	255	1.87	4.3	0.4	1.7	2.3	23.0	0.01	0.27	<0.02	45	0.45	0.063
CAG199072	Sediment	0.63	36.90	2.75	50.7	41	34.6	13.2	588	2.46	13.2	0.5	2.7	2.7	24.4	0.03	0.76	<0.02	58	0.58	0.103
CAG199073	Sediment	2.26	27.45	5.91	95.0	125	27.7	9.8	441	2.37	93.5	1.1	12.1	4.3	25.8	0.49	2.70	0.07	35	0.27	0.086
CAG199074	Sediment	2.20	29.59	6.15	74.7	102	24.9	11.2	555	2.52	59.0	1.0	14.8	5.2	25.2	0.14	2.12	0.10	34	0.30	0.098
CAG199075	Sediment	1.55	23.91	4.56	64.3	99	24.5	9.2	424	2.17	93.6	0.8	30.2	3.2	25.8	0.21	2.26	0.13	40	0.41	0.099
CAG199076	Sediment	1.05	21.69	4.19	69.6	90	24.9	8.5	230	1.94	49.4	0.7	12.8	3.2	29.0	0.27	1.39	0.14	42	0.54	0.093
CAG199077	Sediment	0.86	22.96	2.89	53.8	49	54.0	10.9	389	2.46	4.7	0.8	1.3	3.3	33.9	0.11	0.27	0.08	55	0.46	0.100
CAG196951	Sediment	0.36	22.42	2.81	38.7	29	55.2	12.0	317	2.30	3.5	0.8	1.6	2.6	35.4	0.11	0.26	0.07	51	0.57	0.058
CAG196952	Sediment	0.63	25.01	4.99	57.0	53	28.3	13.0	892	2.67	6.0	0.7	1.0	6.3	29.1	0.14	0.35	0.11	55	0.68	0.137
CAG196953	Sediment	0.45	21.04	4.18	46.6	38	34.3	11.8	373	2.57	5.8	0.7	<0.2	3.6	32.0	0.11	0.41	0.10	55	0.58	0.096
CAG196485	Sediment	0.23	43.13	0.81	19.7	57	38.2	9.5	174	1.14	1.5	0.2	0.5	0.9	18.6	<0.01	0.12	0.07	25	0.37	0.043
CAG196486	Sediment	0.33	21.00	2.04	28.2	28	21.1	7.8	189	1.52	2.2	0.5	3.2	2.7	18.1	0.03	0.33	0.05	34	0.41	0.101
CAG196487	Sediment	0.35	20.26	1.62	31.9	24	21.6	8.6	222	1.65	2.7	0.5	2.6	2.6	16.8	0.05	0.34	0.05	36	0.40	0.087

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
885 W. Georgia Street, Suite 1380
Vancouver BC V6C 3E8 Canada

Project: White Gold
Report Date: October 01, 2011

CERTIFICATE OF ANALYSIS WHI11001196.1

	Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
	MDL	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
CAG199054	Sediment	7.4	38.2	0.51	126.4	0.051	<1	0.70	0.011	0.08	0.1	1.8	0.05	<0.02	<5	0.2	0.04	2.3
CAG199055	Sediment	9.7	30.1	0.48	155.7	0.053	1	0.76	0.010	0.09	0.1	1.9	0.06	<0.02	9	0.1	<0.02	2.5
CAG199056	Sediment	9.3	30.6	0.43	133.7	0.050	<1	0.72	0.011	0.07	0.4	1.9	0.06	<0.02	11	0.1	<0.02	2.3
CAG199057	Sediment	8.0	31.4	0.43	146.6	0.047	<1	0.65	0.009	0.10	<0.1	1.6	0.07	<0.02	<5	0.2	<0.02	2.1
CAG199058	Sediment	11.5	28.1	0.39	146.1	0.058	3	0.73	0.010	0.11	0.4	2.0	0.10	<0.02	20	0.2	0.04	2.5
CAG199059	Sediment	7.1	36.6	0.48	181.6	0.057	1	0.85	0.009	0.15	<0.1	1.7	0.09	<0.02	<5	0.3	0.03	2.7
CAG199060	Sediment	8.3	25.6	0.37	138.1	0.044	1	0.66	0.008	0.11	<0.1	1.6	0.06	<0.02	<5	0.2	<0.02	2.1
CAG199061	Sediment	8.2	26.5	0.36	136.4	0.044	1	0.68	0.008	0.11	<0.1	1.6	0.06	<0.02	6	0.2	<0.02	2.1
CAG199062	Sediment	7.2	56.1	0.48	155.3	0.037	2	0.70	0.010	0.07	0.4	2.1	0.10	0.02	16	0.4	0.03	2.4
CAG199063	Sediment	6.4	42.0	0.41	129.1	0.031	1	0.65	0.009	0.06	0.2	1.9	0.08	<0.02	10	0.3	0.03	1.9
CAG199064	Sediment	8.0	43.3	0.49	199.7	0.041	2	0.67	0.009	0.09	0.2	2.2	0.08	<0.02	<5	0.5	0.10	2.3
CAG199065	Sediment	8.2	39.8	0.45	184.3	0.039	1	0.71	0.009	0.10	0.2	1.9	0.10	0.03	8	0.4	0.05	2.3
CAG199066	Sediment	9.6	41.2	0.45	212.9	0.045	2	0.71	0.011	0.08	0.6	2.1	0.09	0.03	9	0.4	0.03	2.5
CAG199067	Sediment	8.9	34.8	0.36	423.7	0.033	<1	0.61	0.008	0.09	0.9	1.7	0.08	0.02	<5	0.3	0.04	2.0
CAG199068	Sediment	8.6	35.1	0.35	333.6	0.034	<1	0.63	0.010	0.07	0.4	2.0	0.08	0.02	6	0.3	<0.02	2.0
CAG199069	Sediment	9.3	64.2	0.90	483.3	0.045	1	1.18	0.010	0.14	0.2	4.3	0.08	0.02	14	0.3	0.03	4.1
CAG199070	Sediment	9.4	74.8	0.90	402.2	0.058	1	1.19	0.009	0.19	0.2	3.4	0.11	<0.02	6	0.4	0.07	3.9
CAG199071	Sediment	6.1	69.1	0.81	199.8	0.048	2	0.96	0.011	0.06	0.2	2.6	0.03	<0.02	137	0.2	0.03	3.0
CAG199072	Sediment	6.6	63.6	0.88	302.6	0.053	3	1.08	0.015	0.11	0.1	3.3	0.06	<0.02	15	0.2	0.03	3.8
CAG199073	Sediment	11.4	17.9	0.33	333.7	0.035	1	0.70	0.006	0.14	0.2	2.0	0.15	0.04	19	1.2	0.04	2.3
CAG199074	Sediment	13.9	18.6	0.37	234.4	0.036	1	0.72	0.005	0.16	<0.1	2.1	0.15	0.04	10	0.7	0.07	2.6
CAG199075	Sediment	9.0	30.5	0.45	240.8	0.038	2	0.78	0.009	0.09	0.2	2.2	0.09	0.03	17	0.5	0.03	2.5
CAG199076	Sediment	10.0	33.3	0.52	216.0	0.058	2	0.94	0.017	0.08	0.2	2.4	0.10	0.03	23	0.4	0.04	3.0
CAG199077	Sediment	8.4	150.5	0.80	251.4	0.069	1	1.01	0.009	0.23	0.1	2.4	0.10	0.03	<5	0.3	0.05	3.5
CAG196951	Sediment	6.4	144.8	0.86	130.6	0.064	2	1.01	0.015	0.08	0.2	2.9	0.05	<0.02	879	0.2	<0.02	3.1
CAG196952	Sediment	16.3	51.5	0.89	562.0	0.055	2	1.26	0.010	0.17	<0.1	3.8	0.11	<0.02	16	0.3	0.02	4.5
CAG196953	Sediment	11.1	76.6	0.86	237.4	0.066	2	1.10	0.013	0.11	0.2	3.3	0.07	<0.02	<5	0.1	<0.02	3.8
CAG196485	Sediment	2.0	46.2	0.62	63.5	0.039	<1	0.83	0.010	0.04	0.3	1.9	0.04	<0.02	7	0.2	<0.02	2.2
CAG196486	Sediment	6.6	41.6	0.48	102.9	0.049	<1	0.78	0.011	0.08	0.3	2.1	0.06	<0.02	15	0.1	<0.02	2.7
CAG196487	Sediment	6.2	38.7	0.56	113.7	0.055	<1	0.86	0.011	0.09	0.1	2.1	0.06	<0.02	12	0.1	0.02	3.0

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
885 W. Georgia Street, Suite 1380
Vancouver BC V6C 3E8 Canada

Project: White Gold
Report Date: October 01, 2011

CERTIFICATE OF ANALYSIS WHI11001196.1

	Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001
CAG196488	Sediment	0.83	23.40	1.86	31.4	39	55.9	12.3	298	1.76	10.5	0.3	3.1	1.5	12.4	0.07	0.45	0.04	37	0.29	0.070
CAG196489	Sediment	0.92	23.81	1.58	43.7	44	55.7	18.8	492	1.99	21.0	0.3	0.9	2.0	12.2	0.06	1.17	<0.02	41	0.33	0.086
CAG196490	Sediment	0.59	20.37	1.78	40.2	45	55.9	12.9	316	1.98	14.0	0.3	2.2	1.9	14.2	0.08	0.75	0.03	42	0.37	0.059
CAG196491	Sediment	0.37	20.88	1.69	35.7	36	21.8	8.8	170	1.71	4.3	0.8	4.9	2.6	18.8	0.05	0.34	0.03	37	0.39	0.064
CAG196492	Sediment	0.53	19.34	2.79	38.2	33	46.2	11.0	278	1.85	12.7	1.0	1.4	1.8	15.4	0.06	0.72	0.03	39	0.34	0.064
CAG196493	Sediment	0.82	20.41	2.42	46.2	59	43.7	11.8	273	2.03	35.0	0.5	3.0	2.1	19.0	0.10	1.38	0.02	38	0.37	0.073
CAG196494	Sediment	0.32	37.81	3.15	49.0	31	18.9	13.4	482	2.75	3.5	0.4	1.1	2.4	34.0	0.05	0.24	0.08	77	0.66	0.083
CAG196495	Sediment	0.63	31.73	3.87	61.3	39	62.0	17.5	594	3.25	4.4	0.5	2.1	2.8	28.2	0.07	0.17	0.06	84	0.61	0.069
CAG196496	Sediment	0.32	35.00	2.10	60.9	34	46.6	17.5	555	3.06	3.1	0.4	2.5	1.6	18.1	0.06	0.43	<0.02	82	0.45	0.063
CAG196497	Sediment	1.01	15.49	4.55	46.1	19	20.7	10.6	452	2.56	3.4	1.2	<0.2	6.7	25.3	0.02	0.10	0.11	48	0.54	0.104
CAG196498	Sediment	0.77	27.02	5.58	54.8	13	39.8	14.6	505	2.73	2.4	1.0	5.3	4.4	25.1	0.14	0.36	0.14	60	0.44	0.074
CAG196499	Sediment	0.21	13.70	3.23	18.7	<2	32.5	8.0	160	1.13	1.3	0.4	3.0	0.7	14.6	0.05	0.10	<0.02	28	0.23	0.019
CAG196500	Sediment	0.70	25.95	4.32	59.8	21	24.4	12.6	376	2.49	2.4	0.7	1.7	3.9	18.2	0.10	0.26	0.09	55	0.50	0.118

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
885 W. Georgia Street, Suite 1380
Vancouver BC V6C 3E8 Canada

Project: White Gold
Report Date: October 01, 2011

CERTIFICATE OF ANALYSIS WHI11001196.1

	Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
	MDL	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
CAG196488	Sediment	4.6	117.0	0.60	185.3	0.051	<1	0.75	0.010	0.07	<0.1	1.9	0.06	0.03	<5	0.2	0.05	2.7
CAG196489	Sediment	5.0	86.1	0.68	217.0	0.043	1	0.87	0.010	0.10	<0.1	2.4	0.07	<0.02	<5	0.3	0.05	2.8
CAG196490	Sediment	5.6	90.3	0.80	184.2	0.056	<1	1.03	0.012	0.07	<0.1	2.7	0.06	<0.02	6	0.2	0.02	3.5
CAG196491	Sediment	8.7	38.3	0.59	99.6	0.054	<1	0.92	0.012	0.09	0.1	2.2	0.06	<0.02	17	0.1	<0.02	2.9
CAG196492	Sediment	5.4	75.2	0.70	125.1	0.048	<1	0.93	0.009	0.07	<0.1	2.3	0.06	<0.02	7	0.2	0.02	2.9
CAG196493	Sediment	6.3	61.6	0.67	141.6	0.040	1	0.88	0.009	0.07	<0.1	2.3	0.12	<0.02	7	0.2	<0.02	2.8
CAG196494	Sediment	6.5	35.8	0.90	196.7	0.071	1	1.35	0.018	0.04	<0.1	4.7	0.03	<0.02	<5	0.1	0.03	5.1
CAG196495	Sediment	8.0	110.5	1.27	163.7	0.067	1	1.49	0.018	0.07	0.2	5.1	0.05	<0.02	25	0.2	0.03	5.3
CAG196496	Sediment	5.2	90.6	1.27	152.8	0.049	2	1.46	0.011	0.05	0.1	4.7	0.04	<0.02	25	<0.1	0.03	5.0
CAG196497	Sediment	15.2	30.4	0.68	220.9	0.067	1	1.06	0.012	0.13	0.2	2.7	0.09	<0.02	<5	<0.1	0.03	4.1
CAG196498	Sediment	11.6	81.7	1.08	192.6	0.069	2	1.32	0.012	0.10	0.2	3.6	0.08	<0.02	14	0.2	<0.02	4.6
CAG196499	Sediment	2.5	66.6	0.63	40.5	0.023	<1	0.67	0.005	0.02	0.1	1.9	0.02	<0.02	<5	0.1	<0.02	1.9
CAG196500	Sediment	10.7	44.2	0.93	243.9	0.077	<1	1.22	0.008	0.21	0.1	2.9	0.15	<0.02	19	0.2	0.03	4.4

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
885 W. Georgia Street, Suite 1380
Vancouver BC V6C 3E8 Canada

Project: White Gold
Report Date: October 01, 2011

QUALITY CONTROL REPORT WHI11001196.1

	Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001
Pulp Duplicates																					
CAG196276	Sediment	0.36	23.16	1.99	31.3	16	27.2	9.7	273	1.79	6.1	0.3	0.3	1.2	11.4	0.08	0.28	0.05	43	0.37	0.069
REP CAG196276	QC	0.33	23.81	1.93	33.2	18	26.6	9.4	270	1.70	6.7	0.3	<0.2	1.3	11.8	0.05	0.33	0.06	41	0.38	0.071
CAG199053	Sediment	0.32	15.57	2.05	23.1	13	12.2	5.8	155	1.00	3.2	0.4	1.2	1.8	14.4	0.02	0.19	0.04	24	0.33	0.083
REP CAG199053	QC	0.31	15.37	2.09	23.0	16	11.2	5.7	154	1.04	3.4	0.4	0.3	1.9	14.1	0.04	0.19	0.04	25	0.34	0.082
CAG199071	Sediment	0.26	24.26	1.82	33.8	24	37.1	10.8	255	1.87	4.3	0.4	1.7	2.3	23.0	0.01	0.27	<0.02	45	0.45	0.063
REP CAG199071	QC	0.30	24.79	1.98	36.3	27	39.2	11.1	267	1.95	4.4	0.5	4.4	2.6	23.4	0.01	0.31	<0.02	47	0.47	0.065
CAG196953	Sediment	0.45	21.04	4.18	46.6	38	34.3	11.8	373	2.57	5.8	0.7	<0.2	3.6	32.0	0.11	0.41	0.10	55	0.58	0.096
REP CAG196953	QC	0.42	20.92	4.91	47.2	40	36.7	12.0	364	2.61	5.6	0.7	0.3	4.2	34.0	0.09	0.37	0.10	57	0.60	0.100
CAG196498	Sediment	0.77	27.02	5.58	54.8	13	39.8	14.6	505	2.73	2.4	1.0	5.3	4.4	25.1	0.14	0.36	0.14	60	0.44	0.074
REP CAG196498	QC	0.69	26.77	5.79	53.2	12	39.9	14.4	492	2.74	3.1	1.0	4.0	4.3	25.4	0.14	0.32	0.09	60	0.48	0.074
Reference Materials																					
STD DS8	Standard	13.56	110.8	124.2	310.3	1743	36.4	7.3	594	2.44	25.1	2.9	110.0	7.5	65.4	2.33	5.65	7.15	41	0.71	0.080
STD DS8	Standard	11.61	115.3	130.1	312.9	1846	38.9	7.7	605	2.42	24.0	2.9	105.9	6.5	58.7	2.35	5.56	6.88	40	0.72	0.078
STD DS8	Standard	13.73	111.8	123.5	320.0	1803	39.0	7.7	623	2.49	25.0	2.6	114.5	7.9	68.7	2.30	5.55	6.41	41	0.75	0.077
STD DS8 Expected		13.44	110	123	312	1690	38.1	7.5	615	2.46	26	2.8	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7	0.08
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
885 W. Georgia Street, Suite 1380
Vancouver BC V6C 3E8 Canada

Project: White Gold
Report Date: October 01, 2011

QUALITY CONTROL REPORT WHI11001196.1

	Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
	MDL	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
Pulp Duplicates																		
CAG196276	Sediment	4.3	50.3	0.68	122.2	0.047	<1	0.70	0.010	0.06	<0.1	2.5	0.03	<0.02	6	<0.1	<0.02	2.3
REP CAG196276	QC	4.2	49.4	0.62	126.7	0.051	<1	0.66	0.008	0.06	<0.1	2.5	0.03	<0.02	15	<0.1	<0.02	2.5
CAG199053	Sediment	4.5	22.1	0.32	83.5	0.042	<1	0.55	0.009	0.06	<0.1	1.5	0.04	<0.02	7	0.1	0.04	1.7
REP CAG199053	QC	4.6	23.2	0.32	84.6	0.043	<1	0.59	0.009	0.06	<0.1	1.5	0.04	<0.02	<5	<0.1	<0.02	1.8
CAG199071	Sediment	6.1	69.1	0.81	199.8	0.048	2	0.96	0.011	0.06	0.2	2.6	0.03	<0.02	137	0.2	0.03	3.0
REP CAG199071	QC	6.6	73.4	0.83	206.3	0.051	1	0.99	0.012	0.06	0.2	2.7	0.04	<0.02	84	0.2	0.03	3.3
CAG196953	Sediment	11.1	76.6	0.86	237.4	0.066	2	1.10	0.013	0.11	0.2	3.3	0.07	<0.02	<5	0.1	<0.02	3.8
REP CAG196953	QC	11.7	78.7	0.86	249.5	0.069	1	1.11	0.014	0.11	0.3	3.3	0.08	<0.02	<5	0.2	<0.02	4.1
CAG196498	Sediment	11.6	81.7	1.08	192.6	0.069	2	1.32	0.012	0.10	0.2	3.6	0.08	<0.02	14	0.2	<0.02	4.6
REP CAG196498	QC	11.2	84.2	1.06	190.2	0.069	<1	1.32	0.013	0.10	0.2	3.7	0.06	<0.02	22	0.1	0.08	4.5
Reference Materials																		
STD DS8	Standard	15.4	120.4	0.60	281.7	0.116	2	0.93	0.098	0.42	3.2	2.2	5.17	0.16	194	5.3	5.00	4.6
STD DS8	Standard	12.9	120.9	0.61	244.7	0.101	2	0.83	0.079	0.39	2.9	2.3	5.50	0.16	219	5.2	4.97	4.5
STD DS8	Standard	15.0	121.8	0.61	279.9	0.112	3	1.07	0.100	0.43	3.0	2.5	5.56	0.16	185	5.5	5.12	4.7
STD DS8 Expected		14.6	115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	2.3	5.4	0.1679	192	5.23	5	4.7
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.