Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Selene Holdings LP**
885 W. Georgia Street, Suite 1380
Vancouver BC V6C 3E8 Canada

Submitted By: Jean-Pierre Londero
Receiving Lab: Canada-Whitehorse
Received: August 11, 2011
Report Date: October 06, 2011

CERTIFICATE OF ANALYSIS WHI11001041.1

CLIENT JOB INFORMATION

Project: White Gold
Shipment ID: WG00972011
P.O. Number
Number of Samples: 77

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT-SOIL Store Soil Reject - RJSV Charges Apply

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	77	Dry at 60C			WHI
SS80	77	Dry at 60C sieve 100g to -80 mesh			WHI
RJSV	77	Saving all or part of Soil Reject			WHI
1F02	77	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Selene Holdings LP
885 W. Georgia Street, Suite 1380
Vancouver BC V6C 3E8
Canada

CC: Keith Fowlow

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
885 W. Georgia Street, Suite 1380
Vancouver BC V6C 3E8 Canada

Project: White Gold
Report Date: October 06, 2011

CERTIFICATE OF ANALYSIS WHI11001041.1

	Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001
CA199001	Sediment	1.12	24.39	18.49	91.5	86	41.0	13.6	482	2.87	4.1	1.1	0.5	5.5	77.9	0.32	0.17	0.14	54	0.64	0.130
CA199002	Sediment	0.79	17.33	14.45	63.4	49	30.1	13.9	468	2.78	3.9	0.9	4.7	6.9	53.0	0.16	0.22	0.14	47	0.59	0.137
CA199003	Sediment	1.37	23.28	17.77	74.2	66	33.2	13.0	462	2.85	4.4	1.1	2.5	6.9	55.8	0.26	0.25	0.22	49	0.55	0.130
CA199004	Sediment	2.06	19.65	9.41	62.2	85	31.9	12.5	514	1.83	3.1	0.8	1.4	2.0	25.1	0.27	0.25	0.09	50	0.37	0.056
CA199005	Sediment	1.81	22.72	13.61	75.5	81	38.5	13.1	449	2.66	5.2	0.9	1.7	4.7	52.1	0.29	0.32	0.15	56	0.56	0.118
CA199006	Sediment	1.60	20.81	12.02	77.7	70	36.1	11.7	383	2.50	4.2	0.8	1.1	3.9	46.3	0.19	0.34	0.11	49	0.44	0.095
CA199007	Sediment	1.09	20.34	11.85	61.0	54	30.4	9.6	258	2.10	3.1	0.6	1.6	3.2	41.5	0.14	0.22	0.09	45	0.45	0.091
CA199008	Sediment	0.99	29.28	10.66	66.8	64	31.2	11.7	362	2.34	3.4	0.7	0.9	3.4	53.5	0.13	0.21	0.10	53	0.55	0.104
CA199009	Sediment	0.56	13.94	3.35	32.0	38	8.9	5.4	159	1.67	1.8	0.5	3.4	2.0	16.3	0.04	0.12	0.09	44	0.24	0.033
CA199010	Sediment	0.85	24.00	9.91	53.7	53	26.2	9.9	316	2.06	2.9	0.6	2.6	3.0	44.8	0.12	0.19	0.08	48	0.49	0.100
CA199011	Sediment	0.93	21.35	8.97	52.7	43	24.6	10.1	332	2.10	2.7	0.6	0.6	3.1	40.4	0.11	0.19	0.08	48	0.43	0.087
CA199012	Sediment	0.84	19.08	8.19	50.4	54	22.7	9.2	315	1.97	2.8	0.6	2.0	2.8	39.0	0.10	0.18	0.13	47	0.43	0.087
CA199013	Sediment	1.70	23.56	10.07	84.0	150	27.8	11.2	500	2.79	7.5	0.9	1.8	3.5	24.0	0.34	0.30	0.13	58	0.34	0.075
CA199014	Sediment	1.12	12.71	8.48	50.2	71	17.9	5.7	261	1.75	4.9	0.6	1.0	2.6	21.4	0.09	0.32	0.09	39	0.26	0.059
CA199015	Sediment	1.08	16.89	7.79	52.2	74	32.3	8.4	416	1.82	4.8	0.5	0.6	2.2	20.5	0.11	0.27	0.08	40	0.28	0.048
CA199016	Sediment	0.79	22.22	7.41	43.6	61	41.3	9.9	429	1.82	3.6	0.5	1.5	1.9	20.1	0.12	0.18	0.07	43	0.32	0.043
CA199017	Sediment	0.61	17.16	5.19	36.9	35	30.4	8.7	363	1.70	3.1	0.4	0.7	2.1	17.3	0.09	0.15	0.06	40	0.34	0.057
CA199018	Sediment	0.74	19.16	7.33	47.1	50	25.2	8.8	312	1.83	2.9	0.6	0.7	2.6	36.3	0.11	0.19	0.07	43	0.44	0.072
CA199019	Sediment	1.01	9.25	4.38	44.7	29	8.1	8.6	616	2.33	2.8	1.2	1.2	5.9	19.7	0.12	0.12	0.40	39	0.38	0.069
CA199020	Sediment	0.80	19.76	7.45	49.2	47	26.8	9.5	325	2.16	3.0	0.6	0.3	3.0	36.8	0.11	0.19	0.08	53	0.45	0.086
CA199021	Sediment	0.78	17.57	7.85	47.7	36	26.8	10.2	281	2.44	3.1	0.7	0.4	3.3	32.0	0.08	0.19	0.08	56	0.47	0.099
CA199022	Sediment	0.45	28.40	2.81	34.9	43	13.5	9.3	286	1.92	2.1	0.5	116.2	2.1	21.0	0.08	0.10	0.07	47	0.46	0.076
CA199023	Sediment	0.69	10.16	3.42	34.9	44	13.3	6.9	321	1.94	2.4	0.8	182.7	4.1	18.5	0.08	0.18	0.11	39	0.43	0.088
CA199024	Sediment	0.31	27.48	2.19	27.9	29	11.4	7.1	200	1.60	1.6	0.3	1.4	1.5	18.3	0.05	0.09	0.05	44	0.39	0.069
CA199025	Sediment	0.71	15.75	6.38	42.1	27	22.2	8.8	224	1.87	2.6	0.5	0.8	2.8	26.8	0.06	0.16	0.07	42	0.37	0.085
CA199026	Sediment	0.61	14.62	5.85	36.5	29	21.3	7.7	218	1.78	2.5	0.5	0.6	2.6	28.2	0.06	0.15	0.07	41	0.41	0.085
CA199027	Sediment	0.24	25.98	1.69	27.9	24	9.6	8.0	207	1.46	1.8	0.2	4.9	0.9	13.3	0.04	0.08	0.03	43	0.35	0.060
CA199028	Sediment	0.16	22.42	1.43	21.0	16	7.1	6.6	184	1.31	1.3	0.2	0.7	0.8	10.6	0.02	0.05	0.03	38	0.34	0.070
CA199029	Sediment	0.56	16.55	5.99	42.6	41	23.4	8.1	216	1.80	2.7	0.6	2.7	2.7	31.1	0.09	0.17	0.07	42	0.44	0.073
CA199030	Sediment	0.55	15.48	5.30	40.1	34	28.0	7.9	222	1.69	2.5	0.5	1.2	2.4	26.7	0.08	0.15	0.07	38	0.37	0.065

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
885 W. Georgia Street, Suite 1380
Vancouver BC V6C 3E8 Canada

Project: White Gold
Report Date: October 06, 2011

CERTIFICATE OF ANALYSIS WHI11001041.1

	Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
	MDL	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
CA199001	Sediment	18.8	48.3	0.72	208.0	0.121	1	1.42	0.015	0.23	0.1	3.1	0.18	0.03	15	0.3	0.03	5.6
CA199002	Sediment	21.8	36.1	0.61	172.7	0.105	1	1.34	0.011	0.21	<0.1	2.5	0.17	<0.02	17	0.2	<0.02	4.7
CA199003	Sediment	19.2	38.5	0.64	229.1	0.104	1	1.26	0.010	0.24	0.1	2.7	0.19	0.03	11	0.3	0.04	4.7
CA199004	Sediment	7.2	37.7	0.65	236.3	0.060	1	0.87	0.015	0.08	0.2	2.5	0.09	0.03	8	0.4	0.02	3.1
CA199005	Sediment	14.9	49.3	0.80	224.1	0.079	1	1.20	0.012	0.14	0.2	3.1	0.13	0.03	24	0.3	0.03	4.3
CA199006	Sediment	12.5	40.4	0.68	259.5	0.079	<1	1.07	0.011	0.14	0.1	2.5	0.12	0.04	13	0.3	0.02	3.6
CA199007	Sediment	10.6	35.2	0.61	188.9	0.078	<1	0.99	0.014	0.13	<0.1	2.4	0.11	0.03	9	0.2	<0.02	3.5
CA199008	Sediment	11.8	38.6	0.75	260.6	0.105	<1	1.18	0.013	0.17	0.2	2.8	0.12	0.02	11	0.2	<0.02	4.4
CA199009	Sediment	7.8	17.9	0.52	73.2	0.074	1	1.02	0.011	0.05	0.1	2.3	0.06	<0.02	12	0.1	<0.02	4.6
CA199010	Sediment	10.3	33.2	0.62	225.7	0.088	<1	1.00	0.013	0.14	0.1	2.4	0.10	0.02	10	0.2	0.02	3.4
CA199011	Sediment	9.8	31.7	0.66	203.0	0.089	<1	1.01	0.012	0.14	0.1	2.4	0.10	0.02	13	0.2	<0.02	3.7
CA199012	Sediment	9.7	28.7	0.59	181.3	0.080	<1	0.97	0.014	0.12	0.1	2.4	0.08	0.02	6	0.2	<0.02	3.2
CA199013	Sediment	12.6	38.5	0.57	328.5	0.080	<1	1.16	0.011	0.20	0.2	2.7	0.17	0.03	24	0.5	0.03	3.9
CA199014	Sediment	10.3	24.2	0.40	277.6	0.063	<1	0.87	0.008	0.12	0.1	2.0	0.10	0.03	18	0.3	<0.02	2.8
CA199015	Sediment	8.7	34.6	0.54	237.1	0.063	<1	0.91	0.011	0.10	<0.1	2.1	0.09	0.03	16	0.3	0.02	3.0
CA199016	Sediment	7.3	49.9	0.63	225.9	0.072	<1	0.93	0.011	0.14	<0.1	2.3	0.09	0.02	9	0.2	<0.02	3.1
CA199017	Sediment	6.2	40.7	0.56	176.5	0.071	<1	0.80	0.013	0.13	<0.1	2.1	0.08	<0.02	<5	0.2	<0.02	2.7
CA199018	Sediment	9.3	33.4	0.56	179.5	0.078	<1	0.92	0.013	0.11	0.1	2.3	0.08	<0.02	7	0.2	<0.02	3.2
CA199019	Sediment	18.8	16.0	0.43	193.6	0.066	<1	1.12	0.006	0.12	0.2	2.3	0.10	<0.02	12	0.2	0.03	4.8
CA199020	Sediment	9.6	40.8	0.61	189.1	0.085	<1	1.00	0.014	0.12	0.1	2.5	0.08	<0.02	10	0.2	0.02	3.5
CA199021	Sediment	9.7	47.0	0.64	189.8	0.085	<1	0.97	0.013	0.12	0.2	2.6	0.09	<0.02	6	0.2	0.02	3.7
CA199022	Sediment	7.5	27.8	0.58	138.4	0.068	<1	0.97	0.016	0.10	0.1	2.6	0.06	<0.02	7	0.1	0.02	3.4
CA199023	Sediment	12.7	21.8	0.45	145.4	0.062	<1	0.92	0.008	0.09	0.2	2.1	0.07	<0.02	6	0.1	0.03	3.4
CA199024	Sediment	5.4	24.0	0.45	96.6	0.059	<1	0.79	0.015	0.07	0.1	2.2	0.04	<0.02	6	<0.1	0.02	2.8
CA199025	Sediment	8.1	31.6	0.57	133.7	0.069	<1	0.85	0.011	0.10	<0.1	2.3	0.07	<0.02	<5	0.1	<0.02	3.2
CA199026	Sediment	8.1	31.6	0.47	130.1	0.065	<1	0.80	0.013	0.09	0.1	2.2	0.06	<0.02	<5	0.2	<0.02	2.9
CA199027	Sediment	3.0	20.0	0.56	108.6	0.071	<1	0.86	0.013	0.11	<0.1	1.8	0.04	<0.02	<5	0.1	<0.02	2.7
CA199028	Sediment	2.4	19.0	0.48	84.6	0.061	<1	0.75	0.013	0.12	<0.1	1.8	0.04	<0.02	<5	<0.1	<0.02	2.4
CA199029	Sediment	9.0	30.5	0.56	136.4	0.074	<1	0.97	0.015	0.09	0.1	2.4	0.07	<0.02	8	0.2	<0.02	3.2
CA199030	Sediment	7.7	52.2	0.53	122.5	0.069	<1	0.86	0.013	0.09	0.1	2.1	0.07	<0.02	7	0.2	<0.02	3.0

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
885 W. Georgia Street, Suite 1380
Vancouver BC V6C 3E8 Canada

Project: White Gold
Report Date: October 06, 2011

CERTIFICATE OF ANALYSIS WHI11001041.1

	Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001
CA199031	Sediment	0.14	26.07	1.12	12.5	14	10.8	4.2	67	0.72	0.7	<0.1	0.6	0.2	9.8	0.02	0.05	<0.02	21	0.20	0.025
CA199032	Sediment	0.13	31.47	1.18	12.6	15	9.5	5.8	103	0.76	0.7	<0.1	1.9	0.3	10.0	0.02	0.04	<0.02	24	0.24	0.036
CA199033	Sediment	0.52	19.12	5.03	47.3	44	48.6	9.8	266	2.06	4.3	0.6	0.9	2.5	30.1	0.09	0.20	0.06	43	0.42	0.058
CA199034	Sediment	0.40	17.34	3.57	34.4	32	90.3	10.4	249	2.52	3.8	0.5	2.3	2.2	23.1	0.07	0.17	0.05	48	0.38	0.073
CA199035	Sediment	0.45	18.01	3.85	36.4	35	49.3	9.0	250	1.85	4.2	0.5	0.4	2.4	22.9	0.07	0.18	0.05	40	0.36	0.070
CA199036	Sediment	0.34	22.98	2.56	17.0	14	14.2	10.3	236	0.98	1.7	0.2	0.9	1.5	10.1	0.04	0.10	0.04	24	0.24	0.041
CA199037	Sediment	0.34	17.58	3.38	31.3	30	59.0	8.2	175	1.89	2.9	0.6	4.7	2.2	25.0	0.07	0.15	0.05	41	0.38	0.068
CA199038	Sediment	0.40	18.05	3.36	31.6	29	60.2	9.1	227	1.84	3.6	0.4	5.8	1.9	19.4	0.09	0.19	0.16	37	0.33	0.070
CA199039	Sediment	0.43	19.34	3.86	36.5	37	68.4	9.8	249	2.11	3.6	0.6	10.8	2.3	21.8	0.08	0.17	0.14	44	0.38	0.076
CA199040	Sediment	1.26	27.35	4.89	105.1	91	36.7	37.5	3650	2.01	8.6	1.0	3.1	4.2	17.8	0.89	0.61	0.24	43	0.40	0.108
CA196732	Sediment	1.60	27.95	12.56	77.0	213	27.0	11.3	458	2.40	13.4	0.9	4.8	3.4	17.3	0.19	0.51	0.19	51	0.22	0.051
CA196733	Sediment	2.99	32.35	12.66	108.5	200	37.4	14.5	699	2.78	15.9	1.0	3.0	3.4	24.5	0.34	1.17	0.21	54	0.27	0.063
CA196734	Sediment	1.22	26.17	8.71	64.2	99	73.3	13.6	363	2.12	5.9	0.5	2.0	2.0	15.6	0.17	0.35	0.11	49	0.27	0.049
CA196735	Sediment	1.01	22.26	6.66	60.1	84	51.5	10.4	287	2.03	8.8	0.5	1.0	2.5	17.1	0.19	0.40	0.09	45	0.30	0.052
CA196736	Sediment	0.84	23.14	11.29	79.5	44	31.3	14.1	491	2.71	24.2	1.0	<0.2	7.7	46.5	0.12	0.61	0.11	44	0.38	0.081
CA196737	Sediment	0.62	19.71	9.70	58.2	31	28.0	14.6	443	2.70	3.3	0.8	1.5	7.9	36.2	0.05	0.11	0.10	46	0.26	0.058
CA196738	Sediment	1.10	23.62	9.26	79.4	84	42.0	11.9	425	2.39	11.2	0.9	1.5	4.9	39.9	0.23	0.46	0.12	44	0.35	0.070
CA196739	Sediment	0.85	18.32	11.84	67.9	87	33.7	11.5	631	2.56	21.3	1.0	3.0	4.3	42.8	0.21	0.36	0.11	42	0.38	0.063
CA196740	Sediment	0.26	14.20	2.19	19.7	17	30.0	5.6	121	1.05	3.5	0.2	0.4	1.3	12.9	0.03	0.13	0.04	24	0.22	0.030
CA196741	Sediment	0.40	17.65	3.49	28.9	27	60.3	9.3	254	1.64	3.3	0.3	2.5	1.5	13.1	0.08	0.13	0.06	37	0.31	0.048
CA196742	Sediment	0.64	15.01	4.43	43.5	44	69.7	9.8	238	2.03	8.4	0.6	31.2	3.7	19.6	0.08	0.31	0.06	39	0.26	0.050
CA196743	Sediment	1.15	29.45	6.70	68.1	85	41.3	13.3	595	2.87	37.1	0.8	6.1	6.9	23.8	0.11	0.92	0.10	55	0.44	0.089
CA196744	Sediment	1.12	26.08	6.44	67.1	71	47.3	10.4	359	2.51	23.5	0.7	4.3	5.0	19.4	0.18	0.56	0.09	52	0.34	0.063
CA196745	Sediment	0.97	23.24	6.24	62.9	79	44.2	11.3	439	2.46	31.5	0.6	2.3	4.0	21.7	0.14	0.66	0.08	49	0.41	0.058
CA196746	Sediment	0.45	15.80	4.31	44.7	43	55.1	9.5	227	1.82	7.4	0.6	1.7	3.1	23.6	0.07	0.29	0.06	35	0.32	0.048
CA196747	Sediment	0.73	23.70	6.75	60.0	88	71.9	12.5	372	2.23	10.7	1.0	0.8	3.2	41.4	0.14	0.36	0.08	42	0.53	0.053
CA196748	Sediment	0.50	19.42	4.99	27.9	45	53.7	9.5	385	1.81	7.1	0.5	1.4	2.3	23.4	0.08	0.28	0.09	41	0.38	0.028
CA196749	Sediment	0.48	15.12	6.16	43.2	45	72.4	10.0	239	1.98	6.7	0.6	<0.2	3.2	24.4	0.07	0.29	0.06	39	0.37	0.053
CA196252	Sediment	0.45	15.84	4.30	44.3	40	60.1	9.4	245	2.00	5.4	0.6	<0.2	3.0	30.8	0.07	0.25	0.07	43	0.47	0.060
CA196253	Sediment	0.49	19.37	5.13	44.8	53	51.6	10.1	281	2.00	4.2	0.7	0.8	2.6	29.6	0.08	0.18	0.09	42	0.41	0.057

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
885 W. Georgia Street, Suite 1380
Vancouver BC V6C 3E8 Canada

Project: White Gold
Report Date: October 06, 2011

CERTIFICATE OF ANALYSIS WHI11001041.1

	Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
	MDL	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
CA199031	Sediment	1.0	18.7	0.30	33.6	0.042	<1	0.46	0.010	0.03	<0.1	1.1	<0.02	<0.02	<5	<0.1	<0.02	1.6
CA199032	Sediment	1.0	16.5	0.27	40.8	0.040	<1	0.44	0.011	0.04	<0.1	1.2	<0.02	<0.02	<5	<0.1	<0.02	1.5
CA199033	Sediment	8.3	100.6	0.65	185.7	0.073	<1	0.99	0.014	0.10	0.1	2.4	0.08	<0.02	12	0.2	<0.02	3.3
CA199034	Sediment	7.0	319.7	0.52	205.5	0.057	<1	0.70	0.011	0.08	0.1	1.9	0.05	<0.02	<5	0.2	<0.02	2.3
CA199035	Sediment	6.8	108.3	0.59	175.1	0.058	<1	0.77	0.012	0.10	0.1	2.1	0.06	<0.02	<5	0.2	<0.02	2.6
CA199036	Sediment	4.4	25.5	0.28	57.0	0.037	<1	0.48	0.007	0.06	0.1	1.3	0.04	<0.02	<5	<0.1	<0.02	1.6
CA199037	Sediment	7.0	179.6	0.48	182.6	0.058	<1	0.72	0.013	0.06	0.3	2.0	0.05	<0.02	7	0.2	<0.02	2.3
CA199038	Sediment	6.2	171.9	0.46	151.8	0.048	<1	0.59	0.012	0.07	0.1	1.7	0.05	<0.02	5	0.2	0.02	2.1
CA199039	Sediment	6.9	212.5	0.49	162.9	0.054	<1	0.67	0.013	0.08	0.1	1.9	0.06	0.02	12	0.2	0.03	2.4
CA199040	Sediment	15.0	29.9	0.43	355.7	0.073	<1	0.88	0.008	0.21	0.2	2.1	0.19	0.03	11	0.4	0.04	3.5
CA196732	Sediment	13.5	32.6	0.46	273.5	0.073	1	1.08	0.009	0.13	0.1	2.6	0.15	0.04	41	0.4	0.05	4.0
CA196733	Sediment	13.5	36.8	0.55	391.8	0.064	<1	0.93	0.010	0.17	<0.1	2.8	0.16	0.07	9	1.2	0.09	3.8
CA196734	Sediment	7.6	84.1	0.81	264.1	0.061	<1	0.97	0.012	0.13	<0.1	2.8	0.11	0.03	19	0.4	<0.02	3.3
CA196735	Sediment	9.3	52.0	0.64	235.4	0.054	<1	0.88	0.011	0.09	<0.1	2.3	0.08	0.03	15	0.3	<0.02	2.9
CA196736	Sediment	24.6	35.9	0.56	169.5	0.098	<1	1.12	0.008	0.28	<0.1	2.7	0.23	0.03	14	0.3	0.03	3.9
CA196737	Sediment	25.9	42.5	0.64	175.4	0.127	<1	1.44	0.009	0.35	0.1	2.9	0.26	<0.02	11	0.2	0.03	5.2
CA196738	Sediment	17.2	44.7	0.59	220.9	0.077	<1	1.01	0.010	0.18	0.1	2.6	0.15	0.03	16	0.6	0.07	3.2
CA196739	Sediment	14.0	34.9	0.49	265.6	0.058	<1	0.83	0.010	0.12	0.2	2.4	0.11	0.04	22	0.5	0.05	2.5
CA196740	Sediment	3.9	42.7	0.35	86.9	0.043	<1	0.51	0.011	0.04	<0.1	1.4	0.03	<0.02	8	<0.1	<0.02	1.5
CA196741	Sediment	5.6	89.2	0.55	127.4	0.045	<1	0.71	0.014	0.04	<0.1	1.9	0.05	<0.02	8	<0.1	0.02	2.1
CA196742	Sediment	9.9	178.2	0.45	200.2	0.047	<1	0.61	0.009	0.08	0.2	2.0	0.07	0.02	<5	0.3	0.03	2.2
CA196743	Sediment	22.3	53.3	0.72	355.3	0.067	<1	1.14	0.009	0.26	<0.1	3.8	0.22	0.02	40	0.6	0.03	3.9
CA196744	Sediment	13.9	55.5	0.66	295.8	0.062	<1	1.07	0.010	0.18	<0.1	3.3	0.13	0.02	20	0.3	0.04	3.6
CA196745	Sediment	13.4	52.7	0.69	310.5	0.058	<1	1.09	0.010	0.18	<0.1	3.4	0.14	0.03	27	0.4	0.04	3.5
CA196746	Sediment	9.4	91.5	0.53	174.3	0.057	<1	0.77	0.012	0.09	0.2	2.1	0.08	0.02	5	0.3	<0.02	2.4
CA196747	Sediment	11.1	73.6	0.72	220.4	0.067	<1	1.01	0.013	0.12	0.1	2.9	0.10	0.03	17	0.3	<0.02	3.2
CA196748	Sediment	7.8	79.4	0.45	141.6	0.049	<1	0.81	0.014	0.05	0.1	2.1	0.05	<0.02	<5	0.3	0.05	2.4
CA196749	Sediment	9.6	159.0	0.55	187.8	0.057	<1	0.74	0.014	0.08	0.2	2.1	0.08	0.02	5	0.2	<0.02	2.5
CA196252	Sediment	10.2	106.8	0.63	191.5	0.067	<1	0.89	0.019	0.08	0.2	2.4	0.07	0.02	26	0.3	<0.02	2.8
CA196253	Sediment	8.9	100.0	0.62	168.1	0.068	<1	0.89	0.017	0.10	0.1	2.3	0.08	0.02	14	0.2	<0.02	3.0

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
885 W. Georgia Street, Suite 1380
Vancouver BC V6C 3E8 Canada

Project: White Gold
Report Date: October 06, 2011

CERTIFICATE OF ANALYSIS WHI11001041.1

	Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001
CA196254	Sediment	0.53	19.55	5.29	45.1	35	69.6	10.6	265	2.12	4.4	0.7	1.6	2.5	30.3	0.08	0.19	0.06	43	0.41	0.053
CA196255	Sediment	0.26	24.48	1.98	26.6	25	9.9	7.6	192	1.40	1.4	0.2	1.1	0.9	12.5	0.03	0.06	0.05	38	0.33	0.053
CA196256	Sediment	0.21	27.51	2.34	23.6	27	8.6	7.6	212	1.19	1.2	0.2	4.3	0.8	13.1	0.04	0.06	0.04	36	0.34	0.050
CA196257	Sediment	0.83	21.49	5.31	50.3	39	84.7	16.0	429	2.21	18.1	0.4	0.3	2.6	15.5	0.11	0.45	0.06	49	0.33	0.038
CA196258	Sediment	1.10	27.49	6.87	72.8	61	82.8	17.1	539	2.51	39.1	0.7	1.5	3.8	24.3	0.23	0.79	0.07	52	0.41	0.058
CA196259	Sediment	1.71	35.53	19.80	117.9	176	58.8	13.0	521	2.65	128.1	0.9	1.0	3.1	27.2	0.45	2.92	0.34	50	0.36	0.054
CA196260	Sediment	1.49	28.28	8.69	76.7	76	83.9	20.3	2629	2.63	56.8	0.8	2.3	4.3	27.7	0.41	1.11	0.15	52	0.39	0.063
CA196261	Sediment	1.29	31.98	11.69	82.0	89	80.3	16.7	1676	2.75	68.4	1.2	5.7	4.8	35.8	0.35	1.38	0.16	52	0.46	0.075
CA196262	Sediment	1.61	32.83	15.88	84.3	79	75.1	17.6	4263	2.89	83.5	1.1	3.7	5.2	69.7	0.47	1.60	0.13	50	0.43	0.072
CA196263	Sediment	0.88	19.37	5.23	41.7	96	36.1	11.0	362	1.63	10.4	0.5	3.3	2.1	11.8	0.09	0.27	0.07	41	0.19	0.034
CA196264	Sediment	5.54	28.69	10.65	79.1	86	108.3	25.8	6693	3.35	156.3	1.8	2.9	4.6	46.0	1.17	2.01	0.10	45	0.49	0.076
CA196265	Sediment	0.84	21.50	9.40	59.6	99	39.4	11.6	668	2.42	22.7	0.8	186.2	6.3	55.1	0.24	0.67	0.10	46	0.79	0.078
CA196266	Sediment	0.66	18.28	5.09	51.6	68	39.2	9.8	880	1.96	12.7	0.7	4.4	3.1	45.7	0.15	0.41	0.09	43	0.90	0.061
CA196267	Sediment	0.65	22.97	6.28	56.9	66	55.3	11.1	699	2.14	18.4	0.7	3.2	3.6	49.0	0.15	0.55	0.13	42	0.74	0.070
CA196268	Sediment	0.58	25.34	5.57	49.2	57	49.6	10.9	485	2.04	19.5	0.6	1.4	2.9	36.7	0.18	0.54	0.09	41	0.51	0.066
CA196269	Sediment	0.59	23.79	5.41	47.7	52	45.7	10.5	407	2.03	18.0	0.6	17.8	2.8	33.6	0.12	0.51	0.08	43	0.46	0.072
CA196270	Sediment	0.99	24.91	7.28	54.6	79	44.5	11.9	306	2.32	32.3	0.8	188.7	3.3	34.8	0.12	0.87	0.09	44	0.43	0.075

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
885 W. Georgia Street, Suite 1380
Vancouver BC V6C 3E8 Canada

Project: White Gold
Report Date: October 06, 2011

CERTIFICATE OF ANALYSIS WHI11001041.1

	Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
	MDL	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
CA196254	Sediment	8.2	159.1	0.69	185.5	0.066	<1	0.89	0.015	0.09	0.2	2.2	0.08	0.02	10	0.2	0.02	2.9
CA196255	Sediment	3.3	23.4	0.50	93.6	0.065	<1	0.77	0.015	0.05	<0.1	1.9	0.03	<0.02	<5	0.1	<0.02	2.7
CA196256	Sediment	3.2	19.2	0.38	83.1	0.058	<1	0.72	0.015	0.04	<0.1	1.8	0.04	<0.02	6	0.1	<0.02	2.3
CA196257	Sediment	9.6	94.6	1.06	188.6	0.064	<1	1.08	0.012	0.11	<0.1	3.1	0.13	0.02	12	0.3	0.05	3.6
CA196258	Sediment	14.6	94.2	1.06	316.6	0.069	<1	1.23	0.013	0.17	<0.1	3.4	0.20	0.04	31	0.4	0.02	4.3
CA196259	Sediment	9.3	47.6	0.60	389.3	0.046	3	0.92	0.008	0.18	0.1	3.8	0.33	0.10	110	1.1	0.03	3.2
CA196260	Sediment	15.7	85.2	0.96	558.2	0.074	<1	1.15	0.012	0.17	<0.1	3.3	0.28	0.04	36	0.7	0.04	4.0
CA196261	Sediment	17.7	81.6	0.83	438.1	0.068	<1	1.10	0.011	0.19	<0.1	3.7	0.26	0.04	54	0.7	0.02	3.7
CA196262	Sediment	16.6	63.2	0.78	384.3	0.059	<1	1.05	0.011	0.22	<0.1	3.5	0.26	0.04	45	0.5	0.05	3.7
CA196263	Sediment	8.0	47.3	0.55	165.4	0.051	<1	0.76	0.011	0.09	0.2	1.9	0.08	0.05	30	0.3	0.04	2.6
CA196264	Sediment	17.0	75.3	0.82	342.3	0.057	<1	1.08	0.011	0.17	0.1	3.2	0.32	0.04	70	0.5	0.03	3.5
CA196265	Sediment	18.6	43.6	0.56	239.2	0.067	<1	0.92	0.013	0.19	0.2	2.9	0.16	0.03	31	0.3	0.06	3.0
CA196266	Sediment	10.7	39.7	0.65	211.0	0.062	<1	0.85	0.020	0.10	0.2	2.4	0.10	0.03	14	0.3	0.04	2.9
CA196267	Sediment	11.6	46.8	0.70	209.3	0.062	4	0.87	0.012	0.14	0.3	2.3	0.13	0.03	24	0.3	0.06	3.0
CA196268	Sediment	9.6	54.4	0.71	196.8	0.059	3	0.85	0.010	0.11	0.1	2.1	0.10	0.03	23	<0.1	<0.02	2.6
CA196269	Sediment	9.5	62.2	0.67	201.3	0.058	2	0.80	0.010	0.10	0.1	2.1	0.09	0.02	30	<0.1	<0.02	2.5
CA196270	Sediment	11.0	48.0	0.72	219.1	0.061	2	0.93	0.009	0.11	0.1	2.5	0.12	0.02	21	<0.1	<0.02	3.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
885 W. Georgia Street, Suite 1380
Vancouver BC V6C 3E8 Canada

Project: White Gold
Report Date: October 06, 2011

QUALITY CONTROL REPORT WHI11001041.1

	Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001
Pulp Duplicates																					
CA199001	Sediment	1.12	24.39	18.49	91.5	86	41.0	13.6	482	2.87	4.1	1.1	0.5	5.5	77.9	0.32	0.17	0.14	54	0.64	0.130
REP CA199001	QC	1.16	24.09	18.40	86.2	85	40.4	13.9	500	2.88	4.4	1.2	1.0	5.4	79.2	0.33	0.18	0.13	54	0.64	0.124
CA199018	Sediment	0.74	19.16	7.33	47.1	50	25.2	8.8	312	1.83	2.9	0.6	0.7	2.6	36.3	0.11	0.19	0.07	43	0.44	0.072
REP CA199018	QC	0.77	20.44	7.60	48.7	49	27.4	9.3	330	1.97	3.1	0.6	7.0	2.6	36.3	0.11	0.19	0.08	46	0.45	0.077
CA199028	Sediment	0.16	22.42	1.43	21.0	16	7.1	6.6	184	1.31	1.3	0.2	0.7	0.8	10.6	0.02	0.05	0.03	38	0.34	0.070
REP CA199028	QC	0.15	21.29	1.44	19.9	15	6.8	6.3	176	1.23	1.3	0.1	0.6	0.7	10.7	0.02	0.05	0.03	36	0.34	0.071
CA196732	Sediment	1.60	27.95	12.56	77.0	213	27.0	11.3	458	2.40	13.4	0.9	4.8	3.4	17.3	0.19	0.51	0.19	51	0.22	0.051
REP CA196732	QC	1.59	28.27	12.36	77.9	204	26.6	11.4	463	2.43	13.5	0.9	2.5	3.5	16.6	0.19	0.46	0.16	53	0.21	0.048
CA196257	Sediment	0.83	21.49	5.31	50.3	39	84.7	16.0	429	2.21	18.1	0.4	0.3	2.6	15.5	0.11	0.45	0.06	49	0.33	0.038
REP CA196257	QC	0.82	22.59	5.41	53.9	40	89.9	17.3	452	2.30	18.8	0.4	2.7	2.5	15.5	0.12	0.48	0.06	49	0.33	0.035
Reference Materials																					
STD DS8	Standard	12.44	106.5	115.6	298.2	1724	38.0	7.5	602	2.42	26.1	2.5	115.8	6.2	60.8	2.23	5.18	6.15	40	0.68	0.074
STD DS8	Standard	14.02	110.3	118.8	302.7	1696	42.5	8.0	633	2.50	24.2	2.4	103.9	6.3	67.8	2.28	5.31	5.95	42	0.73	0.080
STD DS8	Standard	12.88	103.5	117.0	294.0	1681	36.3	7.1	573	2.34	22.7	2.8	121.7	6.8	60.8	2.17	5.16	6.52	40	0.69	0.073
STD DS8	Standard	12.40	103.0	115.7	289.9	1646	34.0	6.9	560	2.23	21.4	2.7	106.2	6.5	57.2	2.07	4.81	5.41	37	0.67	0.070
STD DS8 Expected		13.44	110	123	312	1690	38.1	7.5	615	2.46	26	2.8	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7	0.08
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
885 W. Georgia Street, Suite 1380
Vancouver BC V6C 3E8 Canada

Project: White Gold
Report Date: October 06, 2011

QUALITY CONTROL REPORT WHI11001041.1

	Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
	MDL	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
Pulp Duplicates																		
CA199001	Sediment	18.8	48.3	0.72	208.0	0.121	1	1.42	0.015	0.23	0.1	3.1	0.18	0.03	15	0.3	0.03	5.6
REP CA199001	QC	18.9	47.5	0.73	210.2	0.125	<1	1.42	0.015	0.23	0.1	3.2	0.19	0.03	6	0.5	0.04	5.5
CA199018	Sediment	9.3	33.4	0.56	179.5	0.078	<1	0.92	0.013	0.11	0.1	2.3	0.08	<0.02	7	0.2	<0.02	3.2
REP CA199018	QC	9.4	34.7	0.60	186.6	0.078	<1	0.97	0.013	0.11	0.1	2.3	0.08	0.02	10	0.2	<0.02	3.3
CA199028	Sediment	2.4	19.0	0.48	84.6	0.061	<1	0.75	0.013	0.12	<0.1	1.8	0.04	<0.02	<5	<0.1	<0.02	2.4
REP CA199028	QC	2.3	17.6	0.44	79.9	0.056	<1	0.71	0.012	0.11	<0.1	1.7	0.03	<0.02	<5	<0.1	<0.02	2.2
CA196732	Sediment	13.5	32.6	0.46	273.5	0.073	1	1.08	0.009	0.13	0.1	2.6	0.15	0.04	41	0.4	0.05	4.0
REP CA196732	QC	13.2	33.6	0.48	267.5	0.074	<1	1.10	0.009	0.13	0.1	2.6	0.15	0.04	32	0.4	<0.02	4.0
CA196257	Sediment	9.6	94.6	1.06	188.6	0.064	<1	1.08	0.012	0.11	<0.1	3.1	0.13	0.02	12	0.3	0.05	3.6
REP CA196257	QC	8.9	102.1	1.11	187.0	0.067	<1	1.14	0.012	0.12	<0.1	3.2	0.13	0.02	23	0.2	0.04	3.8
Reference Materials																		
STD DS8	Standard	12.9	115.0	0.59	245.2	0.108	2	0.93	0.099	0.42	2.8	2.1	5.02	0.15	181	4.9	4.81	4.4
STD DS8	Standard	15.7	122.8	0.61	243.4	0.118	2	0.95	0.098	0.42	2.9	2.3	5.05	0.16	197	4.9	4.98	4.9
STD DS8	Standard	15.1	111.3	0.59	265.2	0.110	3	0.96	0.103	0.42	3.1	2.1	5.23	0.15	197	4.9	4.82	4.5
STD DS8	Standard	14.2	112.4	0.54	242.3	0.108	2	0.91	0.111	0.41	2.7	2.2	5.16	0.15	190	4.7	4.66	4.5
STD DS8 Expected		14.6	115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	2.3	5.4	0.1679	192	5.23	5	4.7
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.