Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Submitted By: Jean-Pierre Londero
Receiving Lab: Canada-Dawson City
Received: September 14, 2011
Report Date: February 21, 2012

CERTIFICATE OF ANALYSIS DAW11000332.2

CLIENT JOB INFORMATION

Project: White Gold
Shipment ID: WG01202011
P.O. Number
Number of Samples: 59

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
WGHT	59	Weight of sample after prep drying		Completed	VAN
RJSV	59	Saving all or part of Soil Reject			DAW
Dry at 60C	59	Dry at 60C			DAW
SS80	59	Dry at 60C sieve 100g to -80 mesh			DAW
1F02	59	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Version 2: Revised Sample ID's

Invoice To: Selene Holdings LP
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8
Canada

CC: Keith Fowlow

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: February 21, 2012

CERTIFICATE OF ANALYSIS DAW11000332.2

	Method	DRY WT	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01
CAG197162	Sediment	1.97	0.40	17.98	20.37	59.6	40	9.9	10.4	502	3.20	6.1	0.7	<0.2	3.6	182.7	0.09	0.16	0.29	63	0.66
CAG197163	Sediment	1.50	0.31	18.28	6.55	50.9	25	9.5	8.5	441	2.64	3.9	0.6	0.9	2.9	166.7	0.07	0.13	0.10	58	0.64
CAG197164	Sediment	1.58	0.50	17.76	12.81	53.1	32	11.5	11.6	1106	3.29	6.9	0.7	0.9	4.2	158.1	0.10	0.13	0.14	63	0.62
CAG197165	Sediment	1.86	0.46	16.55	9.58	47.8	22	11.4	11.3	528	3.09	4.9	0.7	<0.2	4.2	116.6	0.09	0.11	0.14	56	0.56
CAG197166	Sediment	1.60	0.48	18.16	14.85	44.0	32	12.3	9.5	404	2.50	5.7	0.7	0.5	3.2	125.0	0.09	0.21	0.14	52	0.62
CAG197167	Sediment	1.54	0.42	14.18	14.80	49.3	21	10.1	9.4	651	2.59	4.6	0.6	0.4	3.7	147.0	0.08	0.12	0.11	52	0.62
CAG197168	Sediment	1.92	0.43	14.17	12.87	42.4	15	10.0	9.1	505	2.54	4.2	0.6	<0.2	3.0	140.6	0.09	0.12	0.10	50	0.62
CAG197169	Sediment	2.77	0.33	14.24	5.02	33.7	21	11.7	7.9	211	1.68	2.7	0.4	1.6	1.7	116.1	0.08	0.11	0.06	37	0.63
CAG197170	Sediment	1.39	0.29	10.82	11.39	39.3	24	12.0	8.1	342	2.01	2.8	0.5	0.8	3.7	259.3	0.05	0.10	0.07	41	0.77
CAG197171	Sediment	2.40	0.61	11.96	7.37	35.4	17	10.5	8.7	1377	1.98	4.1	0.5	<0.2	2.2	139.8	0.10	0.11	0.06	40	0.63
CAG197172	Sediment	1.38	0.55	14.43	9.16	54.9	30	23.1	10.1	326	2.34	4.5	0.8	3.0	5.9	125.3	0.09	0.21	0.09	50	0.71
CAG197173	Sediment	1.74	0.51	12.56	7.89	42.5	22	17.6	8.4	653	2.07	3.7	0.6	0.4	4.2	123.3	0.09	0.14	0.07	42	0.64
CAG197174	Sediment	1.75	0.50	18.31	5.56	58.7	33	11.5	9.5	431	2.89	4.0	0.5	1.5	1.9	25.8	0.11	0.13	0.07	65	0.60
CAG197175	Sediment	1.42	0.69	26.43	4.80	46.9	37	10.5	10.5	406	2.39	2.5	0.5	6.4	1.5	20.1	0.10	0.15	0.06	52	0.49
CAG197176	Sediment	1.74	0.44	14.78	4.25	42.8	32	9.2	8.2	357	2.80	2.9	0.4	1.7	1.8	17.7	0.10	0.13	0.06	65	0.42
CAG197177	Sediment	1.19	0.44	18.23	6.16	47.8	69	11.0	8.3	403	3.43	3.7	0.4	30.1	1.7	22.2	0.13	0.18	0.09	91	0.66
CAG197178	Sediment	1.78	0.34	13.12	4.59	42.5	46	10.6	7.8	329	2.90	3.4	0.4	0.8	2.2	21.7	0.09	0.21	0.07	69	0.64
CAG197179	Sediment	1.35	0.42	14.37	5.19	44.0	53	13.8	8.2	297	2.45	4.2	0.4	5.7	2.4	24.6	0.18	0.27	0.15	60	0.62
CAG197180	Sediment	1.58	0.29	9.14	3.46	33.0	34	10.6	6.7	258	1.91	3.7	0.5	2.2	2.5	23.4	0.05	0.24	0.09	41	0.52
CAG197181	Sediment	2.49	0.47	13.03	4.70	42.4	25	6.1	8.1	408	3.80	3.0	0.6	2.2	2.3	26.9	0.11	0.15	0.08	88	0.34
CAG197182	Sediment	1.68	0.57	21.22	4.94	34.5	63	21.4	7.7	224	1.90	5.1	0.5	1.9	1.9	17.7	0.05	0.10	0.19	54	0.42
CAG197183	Sediment	1.19	1.97	25.14	13.14	77.3	59	54.7	17.4	645	3.01	3.0	1.0	1.8	7.5	57.4	0.21	0.14	0.11	59	0.53
CAG197184	Sediment	1.75	0.32	26.39	17.20	36.7	70	9.7	11.1	406	2.74	5.2	0.5	1.3	4.5	189.3	0.04	0.11	0.11	57	0.86
CAG197185	Sediment	1.88	0.45	13.72	8.71	51.8	20	16.8	11.6	303	2.62	3.3	0.6	0.8	6.8	163.2	0.05	0.11	0.06	50	0.83
CAG197186	Sediment	1.76	0.90	16.62	9.14	60.3	41	28.4	14.2	1168	3.17	5.6	0.9	1.0	8.8	109.3	0.11	0.18	0.09	62	0.77
CAG197187	Sediment	1.84	2.23	29.45	15.81	82.0	131	64.5	15.1	536	2.45	11.3	0.7	1.8	2.8	28.6	0.36	0.42	0.41	63	0.44
CAG197188	Sediment	2.04	0.61	11.70	7.55	43.8	35	22.2	8.9	269	2.10	3.1	0.6	2.2	4.9	102.8	0.09	0.14	0.08	47	0.68
CAG197189	Sediment	1.77	0.25	12.51	22.90	32.8	35	9.3	8.5	335	2.01	2.6	0.6	17.7	3.1	253.5	0.07	0.13	0.12	46	0.82
CAG197190	Sediment	1.94	0.68	12.76	8.35	49.7	35	24.0	9.9	332	2.23	3.4	0.7	0.6	5.6	138.3	0.09	0.16	0.08	48	0.74
CAG197191	Sediment	1.55	1.08	16.03	9.56	57.7	36	28.2	11.1	384	2.41	4.4	0.8	1.4	6.1	127.0	0.10	0.17	0.09	51	0.65

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: February 21, 2012

CERTIFICATE OF ANALYSIS DAW11000332.2

	Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
	MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
CAG197162	Sediment	0.087	10.4	22.7	0.86	223.6	0.112	2	1.28	0.028	0.20	0.1	4.9	0.08	0.02	14	0.2	<0.02	5.4
CAG197163	Sediment	0.083	9.3	18.0	0.66	138.8	0.090	1	0.99	0.030	0.13	<0.1	3.8	0.09	0.02	16	<0.1	<0.02	4.6
CAG197164	Sediment	0.100	10.4	23.7	0.69	172.6	0.100	1	1.05	0.032	0.15	<0.1	4.0	0.08	0.03	11	<0.1	<0.02	4.8
CAG197165	Sediment	0.084	12.4	24.8	0.73	194.2	0.126	2	1.10	0.023	0.19	<0.1	3.7	0.09	0.03	<5	<0.1	0.03	5.2
CAG197166	Sediment	0.089	11.5	21.2	0.56	180.0	0.094	2	1.06	0.025	0.09	0.2	3.2	0.05	<0.02	14	0.2	<0.02	4.3
CAG197167	Sediment	0.107	10.7	20.1	0.59	168.1	0.092	<1	0.96	0.029	0.11	<0.1	3.9	0.06	0.02	10	0.1	<0.02	4.2
CAG197168	Sediment	0.105	9.9	20.5	0.56	141.1	0.088	1	0.96	0.028	0.10	0.1	3.5	0.05	0.02	11	0.1	<0.02	4.1
CAG197169	Sediment	0.092	6.7	22.6	0.47	90.3	0.075	1	1.04	0.022	0.05	0.1	2.5	0.03	<0.02	13	0.1	<0.02	3.3
CAG197170	Sediment	0.074	12.9	24.2	0.60	137.9	0.107	1	1.24	0.031	0.11	<0.1	3.6	0.06	0.02	10	<0.1	<0.02	4.4
CAG197171	Sediment	0.096	8.4	19.9	0.48	124.4	0.080	1	0.93	0.023	0.07	0.2	2.9	0.03	<0.02	9	0.2	<0.02	3.5
CAG197172	Sediment	0.101	17.7	40.9	0.66	203.2	0.131	2	1.36	0.023	0.18	0.4	3.7	0.12	0.03	16	0.1	<0.02	4.8
CAG197173	Sediment	0.095	13.4	30.2	0.54	175.4	0.097	2	1.05	0.022	0.12	0.2	3.1	0.08	0.02	10	0.2	<0.02	3.9
CAG197174	Sediment	0.111	6.8	22.3	0.56	137.2	0.095	1	1.01	0.030	0.13	0.1	3.6	0.06	0.03	13	0.1	<0.02	4.0
CAG197175	Sediment	0.085	5.6	24.3	0.52	142.1	0.083	1	0.94	0.027	0.11	0.1	3.1	0.05	0.05	8	0.3	0.04	3.3
CAG197176	Sediment	0.081	6.1	17.4	0.40	129.9	0.066	<1	0.74	0.022	0.08	0.2	2.5	0.04	0.03	<5	0.1	<0.02	2.9
CAG197177	Sediment	0.092	6.9	17.2	0.45	173.2	0.077	1	0.93	0.029	0.08	0.2	3.1	0.04	0.03	17	0.3	0.03	3.9
CAG197178	Sediment	0.117	8.0	17.7	0.48	166.4	0.077	1	0.95	0.028	0.08	0.2	3.2	0.04	0.02	18	0.2	<0.02	3.9
CAG197179	Sediment	0.076	8.1	20.3	0.44	205.7	0.072	3	1.01	0.027	0.08	0.2	3.0	0.05	<0.02	16	0.1	0.02	3.6
CAG197180	Sediment	0.074	9.0	15.5	0.37	140.1	0.061	2	0.87	0.022	0.05	0.2	2.5	0.04	<0.02	11	<0.1	<0.02	3.2
CAG197181	Sediment	0.060	6.7	11.0	0.32	100.5	0.062	1	0.81	0.016	0.09	0.1	3.1	0.06	<0.02	5	0.1	<0.02	3.9
CAG197182	Sediment	0.108	6.7	42.1	0.69	256.5	0.075	1	1.00	0.011	0.13	<0.1	2.6	0.10	<0.02	7	0.3	0.03	3.9
CAG197183	Sediment	0.092	19.1	110.2	0.81	294.2	0.107	2	1.29	0.011	0.24	<0.1	3.7	0.16	0.02	<5	0.2	<0.02	5.3
CAG197184	Sediment	0.065	15.6	24.4	0.82	92.7	0.064	6	1.57	0.016	0.08	<0.1	5.9	0.05	<0.02	32	0.2	<0.02	6.1
CAG197185	Sediment	0.076	15.6	33.2	0.74	114.6	0.140	2	1.65	0.021	0.25	0.1	4.3	0.14	<0.02	<5	0.1	<0.02	6.0
CAG197186	Sediment	0.087	20.2	48.0	0.74	190.4	0.143	2	1.67	0.016	0.27	0.2	4.1	0.14	<0.02	9	0.3	<0.02	6.2
CAG197187	Sediment	0.078	10.6	72.1	0.82	319.8	0.069	1	1.15	0.015	0.11	0.3	3.3	0.11	0.03	24	0.5	0.07	4.0
CAG197188	Sediment	0.082	13.2	45.4	0.63	139.8	0.104	2	1.23	0.023	0.12	0.7	3.7	0.08	<0.02	10	0.1	<0.02	4.4
CAG197189	Sediment	0.087	10.0	18.2	0.54	108.9	0.085	2	1.09	0.038	0.05	0.1	3.8	0.03	<0.02	16	0.1	<0.02	3.7
CAG197190	Sediment	0.087	15.3	40.9	0.66	159.4	0.114	2	1.33	0.023	0.15	0.4	3.8	0.10	<0.02	7	0.3	<0.02	4.7
CAG197191	Sediment	0.083	16.0	44.7	0.68	217.3	0.117	2	1.35	0.018	0.20	0.2	3.6	0.13	<0.02	13	0.3	0.03	4.9

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: February 21, 2012

CERTIFICATE OF ANALYSIS DAW11000332.2

	Method	DRY WT	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01
CAG197192	Sediment	1.55	0.54	14.92	9.33	42.5	46	10.6	9.9	405	2.10	3.5	0.5	0.5	2.6	76.3	0.09	0.14	0.09	48	0.49
CAG197193	Sediment	2.12	0.59	13.64	6.92	47.7	28	15.4	10.7	329	2.32	4.8	0.6	7.4	3.9	51.7	0.10	0.14	0.07	47	0.50
CAG197194	Sediment	2.27	0.64	12.79	7.73	41.1	20	20.1	9.2	443	2.43	3.5	1.0	0.7	6.0	103.1	0.09	0.14	0.07	49	0.61
CAG197195	Sediment	1.49	0.74	17.78	6.60	55.6	27	31.4	13.1	422	2.82	7.8	0.7	0.7	5.8	44.5	0.13	0.29	0.10	52	0.62
CAG197196	Sediment	1.28	0.74	18.31	8.33	66.9	48	21.8	13.0	462	2.76	5.1	0.9	1.4	5.2	49.4	0.14	0.24	0.09	58	0.62
CAG197197	Sediment	1.81	0.66	16.77	7.93	62.3	17	16.8	12.7	482	3.13	4.7	0.6	<0.2	4.9	56.6	0.08	0.21	0.08	65	0.63
CAG197198	Sediment	1.61	1.23	23.30	8.94	77.1	45	31.0	16.9	522	3.45	7.9	0.9	1.9	8.1	35.7	0.14	0.23	0.10	68	0.54
CAG197199	Sediment	1.82	0.73	14.88	7.83	50.1	36	25.0	10.9	409	2.34	4.7	0.8	0.5	5.3	101.1	0.09	0.15	0.08	48	0.60
CAG197200	Sediment	1.20	0.83	19.26	5.44	45.5	55	67.5	11.5	375	2.50	3.2	0.8	1.3	2.6	30.6	0.16	0.16	0.07	63	0.55
CAG197201	Sediment	2.08	0.35	11.54	4.06	38.1	31	10.4	8.4	344	2.54	3.0	0.6	1.5	2.7	40.5	0.08	0.15	0.05	61	0.56
CAG197202	Sediment	3.48	0.45	14.31	4.36	45.6	33	11.4	10.1	397	2.30	3.5	0.6	2.9	2.4	43.6	0.09	0.15	0.06	54	0.55
CAG197203	Sediment	1.63	0.30	8.74	3.60	35.0	32	9.6	7.0	233	2.36	2.7	0.4	4.6	2.1	17.5	0.06	0.15	0.05	62	0.55
CAG197204	Sediment	2.55	0.29	7.68	2.88	25.4	14	6.3	6.4	234	3.59	2.3	0.4	0.5	1.8	22.2	0.05	0.11	0.05	93	0.43
CAG197205	Sediment	1.05	0.44	11.21	5.46	52.8	39	8.4	7.6	777	2.66	4.0	2.1	0.4	2.6	63.8	0.16	0.22	0.39	60	0.33
CAG197206	Sediment	2.01	0.48	8.21	4.44	41.2	31	5.8	8.3	504	3.76	3.7	0.8	0.7	2.7	40.4	0.11	0.15	0.12	71	0.43
CAG197207	Sediment	1.00	0.71	11.87	3.79	39.8	28	6.1	9.9	625	3.60	3.5	0.6	0.4	2.3	33.7	0.10	0.13	0.08	91	0.53
CAG197208	Sediment	1.68	1.53	17.39	3.46	74.2	44	6.2	12.8	951	3.92	3.4	0.4	2.1	1.6	39.0	0.21	0.13	0.11	97	0.68
CAG197209	Sediment	1.40	0.68	13.88	4.02	50.9	43	9.3	8.8	650	2.63	3.9	0.6	0.5	2.2	40.5	0.19	0.17	0.08	61	0.68
CAG197210	Sediment	1.36	0.36	9.48	4.37	40.7	27	10.5	6.9	298	3.30	3.0	0.6	0.8	2.8	35.6	0.09	0.18	0.07	69	0.57
CAG197211	Sediment	1.77	0.35	8.73	3.40	35.2	26	7.2	6.7	261	3.44	2.7	0.6	1.3	2.8	28.3	0.07	0.15	0.05	73	0.54
CAG197212	Sediment	1.63	0.34	7.71	3.05	31.4	18	6.4	6.6	323	4.45	2.5	0.5	5.2	2.2	27.6	0.07	0.14	0.05	103	0.55
CAG196996	Sediment	1.02	0.38	23.04	6.89	62.9	43	6.0	13.2	736	3.51	3.4	1.1	<0.2	1.6	37.6	0.19	0.12	0.07	98	0.58
CAG196997	Sediment	1.63	0.53	39.83	4.49	53.1	47	3.9	11.3	456	4.77	2.1	0.7	0.3	0.9	25.1	0.12	0.06	0.09	109	0.40
CAG196998	Sediment	1.48	0.55	28.29	4.35	59.5	34	7.3	24.9	624	3.48	3.6	0.5	2.7	1.2	23.4	0.19	0.16	0.13	89	0.55
CAG196999	Sediment	1.52	0.41	13.46	4.42	44.2	29	10.1	8.8	322	3.05	3.2	0.5	22.2	2.3	40.1	0.09	0.17	0.10	69	0.54
CAG197000	Sediment	1.69	0.60	22.76	5.05	54.6	56	11.3	11.7	790	3.74	3.9	0.5	1.6	1.9	23.7	0.16	0.18	0.10	88	0.53
CAG197251	Sediment	1.57	0.58	28.99	4.98	46.4	58	187.2	26.8	1281	2.92	3.3	1.0	4.7	2.3	30.3	0.16	0.13	0.08	69	0.57
CAG197252	Sediment	1.61	0.34	20.73	4.76	40.2	30	21.3	10.9	321	1.96	1.8	1.2	1.4	4.1	40.8	0.06	0.10	0.07	49	0.63
CAG197253	Sediment	1.79	0.71	23.14	5.39	49.0	47	61.9	14.1	420	2.47	3.4	1.4	0.7	3.3	37.6	0.09	0.16	0.09	58	0.63

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: February 21, 2012

CERTIFICATE OF ANALYSIS DAW11000332.2

	Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
	MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
CAG197192	Sediment	0.059	9.8	21.0	0.50	177.2	0.091	1	1.10	0.018	0.08	0.1	2.9	0.06	<0.02	18	0.2	<0.02	4.3
CAG197193	Sediment	0.071	12.7	28.5	0.59	150.1	0.087	2	1.18	0.018	0.12	0.1	3.1	0.08	<0.02	21	0.1	<0.02	4.1
CAG197194	Sediment	0.110	16.4	45.6	0.49	196.4	0.099	2	0.97	0.021	0.12	0.3	3.3	0.08	<0.02	<5	0.2	<0.02	3.9
CAG197195	Sediment	0.113	17.4	37.8	0.69	221.0	0.092	1	1.19	0.017	0.17	0.2	2.8	0.12	<0.02	10	0.2	<0.02	4.2
CAG197196	Sediment	0.073	16.8	35.3	0.76	239.4	0.105	2	1.47	0.020	0.18	0.1	4.0	0.12	<0.02	18	0.2	0.03	5.5
CAG197197	Sediment	0.094	11.8	33.3	0.89	160.9	0.120	1	1.43	0.022	0.22	0.1	4.7	0.10	<0.02	<5	0.2	0.02	5.8
CAG197198	Sediment	0.083	22.2	43.8	0.85	416.3	0.116	2	1.70	0.016	0.24	<0.1	4.2	0.16	<0.02	13	0.5	0.04	6.5
CAG197199	Sediment	0.097	15.2	39.7	0.63	197.3	0.096	1	1.13	0.019	0.17	0.2	3.3	0.10	<0.02	6	0.2	<0.02	4.2
CAG197200	Sediment	0.081	9.4	169.2	0.70	288.0	0.076	1	0.97	0.021	0.08	0.2	2.7	0.07	<0.02	10	0.3	<0.02	3.3
CAG197201	Sediment	0.087	8.2	17.8	0.41	109.2	0.074	1	0.83	0.028	0.07	0.2	2.9	0.05	<0.02	<5	0.2	<0.02	3.4
CAG197202	Sediment	0.072	8.2	17.9	0.49	127.6	0.079	1	0.94	0.028	0.09	0.2	3.2	0.06	<0.02	9	0.1	<0.02	3.6
CAG197203	Sediment	0.081	7.2	16.5	0.37	112.3	0.070	1	0.78	0.032	0.05	0.4	3.0	0.03	<0.02	9	0.1	<0.02	3.1
CAG197204	Sediment	0.074	5.3	11.3	0.27	67.4	0.059	<1	0.59	0.028	0.04	0.1	2.4	0.02	<0.02	<5	<0.1	<0.02	3.2
CAG197205	Sediment	0.039	9.1	13.2	0.25	193.2	0.032	2	0.93	0.010	0.05	<0.1	3.9	0.05	<0.02	12	0.1	0.09	3.6
CAG197206	Sediment	0.055	7.8	10.3	0.29	113.2	0.060	1	1.00	0.016	0.06	<0.1	4.0	0.03	<0.02	<5	<0.1	<0.02	4.8
CAG197207	Sediment	0.067	6.9	12.3	0.37	99.9	0.068	1	0.93	0.030	0.05	0.1	3.9	0.03	0.02	9	0.1	0.02	4.6
CAG197208	Sediment	0.078	6.3	10.5	0.74	116.6	0.099	1	1.36	0.022	0.12	0.1	4.4	0.06	0.02	<5	0.2	0.05	5.7
CAG197209	Sediment	0.076	8.2	13.0	0.47	107.9	0.078	<1	1.17	0.026	0.06	<0.1	3.9	0.04	<0.02	15	0.1	<0.02	4.5
CAG197210	Sediment	0.071	9.6	17.5	0.37	124.1	0.078	1	1.01	0.023	0.05	0.2	3.2	0.04	<0.02	11	0.1	<0.02	4.5
CAG197211	Sediment	0.086	7.9	12.3	0.32	95.3	0.064	<1	0.88	0.022	0.05	0.2	3.3	0.03	<0.02	6	<0.1	<0.02	4.2
CAG197212	Sediment	0.090	6.8	11.3	0.28	87.5	0.065	<1	0.76	0.023	0.05	0.2	3.1	0.02	<0.02	8	0.1	<0.02	4.6
CAG196996	Sediment	0.068	6.6	8.8	0.58	140.6	0.077	1	1.17	0.029	0.18	<0.1	5.6	0.12	<0.02	16	0.1	<0.02	4.6
CAG196997	Sediment	0.067	3.9	5.0	0.61	138.4	0.094	<1	1.16	0.037	0.19	<0.1	4.3	0.09	0.12	<5	0.3	<0.02	6.1
CAG196998	Sediment	0.074	5.4	10.2	0.48	128.2	0.110	1	1.04	0.037	0.13	0.1	4.2	0.08	0.03	15	0.2	0.03	4.6
CAG196999	Sediment	0.096	8.3	19.3	0.43	128.3	0.080	<1	0.83	0.027	0.08	0.2	3.1	0.06	0.03	14	0.1	<0.02	3.4
CAG197000	Sediment	0.093	7.2	19.3	0.46	202.9	0.087	2	0.97	0.029	0.11	0.1	3.7	0.06	0.03	11	0.2	0.03	3.9
CAG197251	Sediment	0.074	10.6	281.6	1.55	340.2	0.092	1	1.40	0.021	0.09	0.1	3.9	0.11	0.02	29	0.3	<0.02	4.2
CAG197252	Sediment	0.160	11.8	49.4	0.73	267.0	0.113	1	1.00	0.015	0.19	0.1	2.6	0.10	<0.02	7	0.1	<0.02	3.8
CAG197253	Sediment	0.103	11.7	103.7	0.97	326.5	0.104	<1	1.15	0.020	0.14	0.1	3.2	0.10	0.04	15	0.2	<0.02	4.0

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: February 21, 2012

QUALITY CONTROL REPORT DAW11000332.2

	Method	DRY WT	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01
Pulp Duplicates																					
CAG197176	Sediment	1.74	0.44	14.78	4.25	42.8	32	9.2	8.2	357	2.80	2.9	0.4	1.7	1.8	17.7	0.10	0.13	0.06	65	0.42
REP CAG197176	QC		0.52	15.53	4.80	46.0	27	10.4	9.1	407	3.24	3.3	0.4	0.6	1.9	19.9	0.10	0.15	0.08	76	0.51
CAG197194	Sediment	2.27	0.64	12.79	7.73	41.1	20	20.1	9.2	443	2.43	3.5	1.0	0.7	6.0	103.1	0.09	0.14	0.07	49	0.61
REP CAG197194	QC		0.64	12.56	7.91	41.3	25	20.4	9.1	463	2.60	3.5	0.8	0.4	6.2	107.6	0.08	0.13	0.07	54	0.67
CAG197199	Sediment	1.82	0.73	14.88	7.83	50.1	36	25.0	10.9	409	2.34	4.7	0.8	0.5	5.3	101.1	0.09	0.15	0.08	48	0.60
REP CAG197199	QC		0.74	15.38	7.82	51.4	40	25.7	10.9	427	2.38	4.8	0.8	0.6	5.2	107.0	0.10	0.15	0.08	49	0.61
CAG197000	Sediment	1.69	0.60	22.76	5.05	54.6	56	11.3	11.7	790	3.74	3.9	0.5	1.6	1.9	23.7	0.16	0.18	0.10	88	0.53
REP CAG197000	QC		0.65	25.25	5.49	61.8	68	12.7	12.7	897	3.90	4.0	0.6	1.8	2.0	25.4	0.18	0.19	0.10	90	0.56
Reference Materials																					
STD DS8	Standard		13.01	99.29	116.1	293.0	1711	35.8	7.3	582	2.37	22.7	2.6	103.9	6.5	60.6	2.15	4.91	5.94	42	0.70
STD DS8	Standard		12.78	104.5	128.4	314.3	1759	35.4	7.0	620	2.50	26.3	2.8	117.8	6.8	71.8	2.52	5.72	6.86	42	0.73
STD DS8	Standard		13.45	109.8	118.0	304.4	1742	35.3	7.7	586	2.47	25.5	2.7	122.1	6.8	66.6	2.34	6.10	6.34	41	0.76
STD DS8 Expected			13.44	110	123	312	1690	38.1	7.5	615	2.46	26	2.8	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: February 21, 2012

QUALITY CONTROL REPORT DAW11000332.2

	Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
	MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
Pulp Duplicates																			
CAG197176	Sediment	0.081	6.1	17.4	0.40	129.9	0.066	<1	0.74	0.022	0.08	0.2	2.5	0.04	0.03	<5	0.1	<0.02	2.9
REP CAG197176	QC	0.090	6.9	20.0	0.47	139.2	0.042	2	0.80	0.026	0.09	0.3	2.8	0.04	0.03	<5	0.2	<0.02	3.3
CAG197194	Sediment	0.110	16.4	45.6	0.49	196.4	0.099	2	0.97	0.021	0.12	0.3	3.3	0.08	<0.02	<5	0.2	<0.02	3.9
REP CAG197194	QC	0.119	17.1	49.6	0.50	299.1	0.103	2	1.00	0.023	0.12	0.5	3.3	0.08	<0.02	<5	0.1	0.03	3.8
CAG197199	Sediment	0.097	15.2	39.7	0.63	197.3	0.096	1	1.13	0.019	0.17	0.2	3.3	0.10	<0.02	6	0.2	<0.02	4.2
REP CAG197199	QC	0.096	15.3	39.7	0.64	207.7	0.100	1	1.16	0.019	0.17	0.3	3.4	0.11	<0.02	12	0.2	0.03	4.3
CAG197000	Sediment	0.093	7.2	19.3	0.46	202.9	0.087	2	0.97	0.029	0.11	0.1	3.7	0.06	0.03	11	0.2	0.03	3.9
REP CAG197000	QC	0.093	7.6	20.6	0.50	223.1	0.092	1	1.05	0.030	0.12	0.1	3.9	0.07	0.04	11	0.2	0.03	4.3
Reference Materials																			
STD DS8	Standard	0.076	15.3	116.1	0.59	254.7	0.106	3	0.95	0.102	0.41	2.7	2.2	5.18	0.15	183	5.1	4.77	4.7
STD DS8	Standard	0.083	15.4	121.0	0.61	286.1	0.113	3	0.95	0.096	0.42	2.9	2.2	5.54	0.17	217	5.2	5.33	4.7
STD DS8	Standard	0.090	17.0	116.7	0.62	282.3	0.118	3	1.07	0.130	0.46	2.8	2.8	5.16	0.17	189	4.9	4.67	4.7
STD DS8 Expected		0.08	14.6	115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	2.3	5.4	0.1679	192	5.23	5	4.7
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.