Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Submitted By:	Jean-Pierre Londero
Receiving Lab:	Canada-Dawson City
Received:	October 01, 2011
Report Date:	February 21, 2012
Page:	1 of 3

CERTIFICATE OF ANALYSIS DAW11000495.2

CLIENT JOB INFORMATION

Project:	White Gold
Shipment ID:	WG01602011
P.O. Number	NA
Number of Samples:	43

SAMPLE DISPOSAL

STOR-PLP	Store After 90 days Invoice for Storage
DISP-RJT	Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
WGHT	43	Weight of sample after prep drying		Completed	VAN
Dry at 60C	43	Dry at 60C			DAW
SS80	43	Dry at 60C sieve 100g to -80 mesh			DAW
RJSV	43	Saving all or part of Soil Reject			DAW
1F02	43	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Version 2: Revised Sample ID's

Invoice To: Selene Holdings LP
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8
Canada

CC: Keith Fowlow
Jean-Pierre Londero

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: February 21, 2012

CERTIFICATE OF ANALYSIS DAW11000495.2

	Method	DRY WT	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01
CAG199269	Sediment	1.97	0.79	15.95	5.67	47.7	31	9.9	9.9	351	2.55	6.9	0.4	3.0	2.0	20.8	0.09	0.21	0.07	50	0.41
CAG199270	Sediment	1.64	0.46	12.13	4.35	43.5	20	10.0	6.3	203	1.66	3.6	0.4	3.9	2.0	22.2	0.04	0.18	0.06	36	0.40
CAG199271	Sediment	2.05	0.51	14.13	4.07	40.3	30	12.1	7.8	350	2.46	6.4	0.4	6.8	2.7	22.3	0.05	0.22	0.05	50	0.42
CAG199272	Sediment	1.84	0.46	13.32	3.05	35.1	21	6.3	9.8	333	2.26	3.1	0.2	3.7	1.0	17.8	0.06	0.12	0.04	51	0.31
CAG199273	Sediment	1.64	0.53	19.66	7.06	51.2	32	11.6	10.8	491	2.45	4.6	0.4	4.2	1.9	23.8	0.07	0.19	0.11	53	0.50
CAG199274	Sediment	1.87	0.46	16.88	6.10	49.9	32	11.8	10.0	511	2.37	4.8	0.4	2.4	2.0	27.9	0.10	0.18	0.07	50	0.52
CAG199275	Sediment	1.28	0.39	11.00	3.85	28.9	22	8.2	6.6	239	1.72	2.9	0.3	1.1	1.2	14.2	0.07	0.15	0.05	42	0.28
CAG199276	Sediment	1.32	0.36	12.79	4.66	35.8	20	10.5	7.8	253	1.75	3.0	0.3	1.0	1.7	18.9	0.06	0.18	0.05	40	0.37
CAG199277	Sediment	1.37	0.35	12.92	4.14	31.7	21	10.8	6.8	283	1.71	3.1	0.3	1.2	1.6	18.5	0.06	0.15	0.04	38	0.36
CAG199278	Sediment	1.53	0.55	15.17	5.20	49.1	36	23.2	12.3	397	2.25	5.6	0.6	<0.2	2.9	29.5	0.10	0.19	0.07	51	0.51
CAG199279	Sediment	1.82	0.71	18.03	5.86	49.6	34	25.7	14.2	483	2.56	8.8	0.6	2.4	3.8	32.2	0.05	0.16	0.16	58	0.55
CAG199280	Sediment	1.36	0.42	14.58	4.85	41.2	37	9.7	6.4	254	1.88	2.3	0.5	1.4	2.1	18.6	0.07	0.10	0.07	33	0.31
CAG199281	Sediment	2.25	0.47	17.06	6.18	48.3	17	8.7	8.5	381	1.91	2.3	0.5	2.6	2.2	15.9	0.08	0.10	0.06	34	0.28
CAG199282	Sediment	1.39	0.45	14.65	2.87	33.4	42	8.1	6.1	152	1.47	1.4	0.2	2.8	0.6	17.9	0.03	0.07	0.04	45	0.29
CAG199283	Sediment	2.70	0.56	42.96	4.39	63.2	33	10.5	14.6	480	2.71	1.4	0.3	<0.2	1.1	24.1	0.13	0.08	0.05	69	0.38
CAG199284	Sediment	2.52	0.45	29.82	4.42	52.4	24	9.9	13.3	427	2.46	1.9	0.3	1.1	1.1	26.3	0.08	0.12	0.05	63	0.45
CAG199285	Sediment	1.17	0.84	26.20	6.26	77.0	41	16.1	16.8	594	3.23	4.8	0.5	1.3	2.1	26.2	0.11	0.36	0.07	67	0.45
CAG199286	Sediment	1.72	0.69	20.50	6.35	81.2	24	13.0	16.9	602	3.45	4.6	0.4	<0.2	2.0	26.0	0.12	0.31	0.06	72	0.51
CAG199287	Sediment	1.96	1.28	18.37	8.48	58.7	76	28.4	11.9	453	2.18	2.3	1.8	0.9	7.0	20.3	0.18	0.08	0.15	44	0.42
CAG199288	Sediment	1.16	1.13	15.14	5.83	55.8	37	21.8	10.6	374	2.22	3.5	1.3	0.8	8.1	17.3	0.10	0.15	0.29	38	0.43
CAG199289	Sediment	2.09	0.53	31.20	2.63	41.0	26	23.5	10.3	311	2.07	1.7	1.1	2.4	2.4	16.8	0.05	0.10	0.05	51	0.49
CAG199290	Sediment	1.67	0.52	26.02	2.58	32.4	30	15.9	12.7	481	2.12	1.9	0.9	4.3	2.1	16.1	0.06	0.13	0.04	56	0.45
CAG199291	Sediment	2.21	0.63	45.33	3.32	42.6	34	18.6	10.5	322	2.12	3.9	0.6	2.5	1.6	28.7	0.06	0.13	0.04	56	0.44
CAG199292	Sediment	1.81	0.14	35.05	2.08	27.6	9	14.3	7.5	256	1.51	0.9	0.1	1.1	0.5	11.3	0.02	0.08	0.02	45	0.35
CAG199293	Sediment	1.48	0.82	16.29	5.26	49.1	55	19.6	14.9	799	2.72	4.5	0.6	1.1	4.2	38.9	0.09	0.16	0.06	48	0.51
CAG199294	Sediment	1.78	0.91	21.06	13.69	62.9	35	23.9	17.1	665	2.90	4.5	0.7	0.3	5.8	47.3	0.12	0.16	0.08	60	0.43
CAG199295	Sediment	1.71	0.69	17.75	10.57	52.3	53	22.3	11.2	424	2.37	3.3	0.7	0.4	5.4	49.3	0.06	0.12	0.08	49	0.46
CAG199296	Sediment	2.21	0.49	11.81	5.73	37.0	12	12.3	9.9	433	2.05	2.7	0.4	<0.2	3.5	38.4	0.08	0.12	0.03	38	0.37
CAG199301	Sediment	0.83	0.37	11.11	8.23	45.8	23	8.0	5.5	228	1.59	2.9	0.4	2.9	1.9	24.6	0.10	0.15	0.10	35	0.28
CAG199302	Sediment	2.31	0.30	4.73	5.06	32.7	14	4.1	2.5	105	1.34	1.9	0.4	1.6	1.6	7.3	0.05	0.09	0.06	25	0.16

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: February 21, 2012

CERTIFICATE OF ANALYSIS DAW11000495.2

	Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
	MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
CAG199269	Sediment	0.078	6.9	16.8	0.49	142.0	0.059	<1	0.86	0.018	0.09	0.1	2.6	0.05	<0.02	20	<0.1	<0.02	3.2
CAG199270	Sediment	0.071	7.7	16.9	0.44	130.1	0.063	<1	0.87	0.018	0.06	0.2	2.2	0.04	<0.02	24	<0.1	<0.02	2.8
CAG199271	Sediment	0.083	8.0	16.8	0.39	163.7	0.057	1	0.68	0.018	0.08	0.3	2.2	0.04	<0.02	14	<0.1	<0.02	2.6
CAG199272	Sediment	0.054	3.4	13.2	0.35	123.6	0.060	<1	0.71	0.013	0.05	0.1	2.0	0.02	<0.02	13	<0.1	<0.02	2.8
CAG199273	Sediment	0.081	6.7	17.8	0.56	182.9	0.074	<1	0.99	0.018	0.11	0.1	3.1	0.05	<0.02	25	<0.1	0.15	3.8
CAG199274	Sediment	0.083	7.2	19.8	0.52	177.2	0.067	<1	0.95	0.018	0.09	0.2	2.9	0.04	<0.02	25	0.4	0.03	3.2
CAG199275	Sediment	0.058	4.4	14.0	0.29	79.1	0.053	<1	0.61	0.014	0.04	0.1	1.8	0.02	<0.02	14	<0.1	0.03	2.2
CAG199276	Sediment	0.065	6.6	17.6	0.38	122.9	0.062	<1	0.76	0.017	0.06	0.3	2.2	0.03	<0.02	28	<0.1	<0.02	2.6
CAG199277	Sediment	0.072	5.9	27.1	0.35	85.9	0.054	<1	0.62	0.019	0.06	0.2	1.9	0.02	<0.02	16	<0.1	<0.02	2.1
CAG199278	Sediment	0.090	10.0	38.6	0.75	309.4	0.092	<1	1.16	0.013	0.14	0.2	2.0	0.06	<0.02	28	0.2	<0.02	3.9
CAG199279	Sediment	0.116	10.9	47.1	0.93	404.7	0.114	<1	1.31	0.011	0.23	0.2	2.3	0.09	<0.02	12	0.1	<0.02	4.6
CAG199280	Sediment	0.051	8.7	17.1	0.43	125.3	0.061	<1	0.82	0.010	0.06	0.1	2.7	0.05	<0.02	20	0.3	<0.02	3.4
CAG199281	Sediment	0.056	7.4	15.3	0.37	106.8	0.060	<1	0.73	0.010	0.07	<0.1	2.0	0.03	0.02	16	<0.1	<0.02	3.3
CAG199282	Sediment	0.029	3.0	15.5	0.60	71.7	0.076	<1	0.99	0.017	0.06	<0.1	2.2	0.03	<0.02	19	<0.1	<0.02	3.6
CAG199283	Sediment	0.078	3.9	18.1	0.88	189.7	0.084	<1	1.23	0.024	0.28	<0.1	4.1	0.08	0.14	11	1.1	0.07	4.3
CAG199284	Sediment	0.085	4.0	16.4	0.69	157.9	0.072	<1	1.04	0.026	0.16	<0.1	3.9	0.05	0.10	<5	0.6	0.06	3.8
CAG199285	Sediment	0.075	7.5	28.8	0.94	199.5	0.075	<1	1.47	0.014	0.11	0.1	3.7	0.07	0.05	16	0.4	0.06	5.4
CAG199286	Sediment	0.112	6.6	23.6	0.99	175.0	0.066	<1	1.43	0.016	0.11	0.2	3.8	0.04	0.03	25	0.2	0.05	5.3
CAG199287	Sediment	0.086	21.6	43.9	0.68	282.0	0.088	<1	1.21	0.008	0.21	0.2	2.6	0.17	<0.02	30	<0.1	<0.02	5.0
CAG199288	Sediment	0.110	19.8	35.3	0.56	192.1	0.080	<1	1.03	0.008	0.20	0.2	2.3	0.15	<0.02	17	<0.1	<0.02	4.3
CAG199289	Sediment	0.106	7.7	44.2	0.66	171.8	0.076	<1	0.95	0.020	0.17	<0.1	2.7	0.06	<0.02	18	<0.1	<0.02	3.5
CAG199290	Sediment	0.096	4.7	29.0	0.50	109.6	0.055	<1	0.74	0.019	0.09	0.2	2.5	0.03	<0.02	7	<0.1	<0.02	2.7
CAG199291	Sediment	0.065	5.7	27.8	0.69	135.8	0.068	2	1.04	0.017	0.15	0.1	3.3	0.06	<0.02	18	<0.1	<0.02	3.8
CAG199292	Sediment	0.055	1.9	27.4	0.49	102.9	0.045	<1	0.73	0.014	0.07	<0.1	3.0	0.03	<0.02	<5	<0.1	<0.02	2.6
CAG199293	Sediment	0.097	15.5	28.0	0.63	195.3	0.118	<1	1.29	0.015	0.22	0.1	2.6	0.11	<0.02	35	<0.1	<0.02	4.0
CAG199294	Sediment	0.099	17.1	40.7	0.76	319.1	0.147	<1	1.38	0.015	0.43	<0.1	2.9	0.18	0.04	10	<0.1	0.03	5.5
CAG199295	Sediment	0.084	17.6	37.6	0.61	253.2	0.126	<1	1.15	0.013	0.25	0.1	2.7	0.14	0.03	15	<0.1	0.05	4.5
CAG199296	Sediment	0.079	10.0	20.6	0.48	145.0	0.085	<1	0.79	0.016	0.16	<0.1	2.1	0.06	<0.02	5	0.4	<0.02	3.3
CAG199301	Sediment	0.058	8.0	12.7	0.35	180.9	0.047	<1	0.75	0.013	0.05	0.2	2.3	0.06	<0.02	18	0.2	<0.02	2.8
CAG199302	Sediment	0.059	5.1	8.2	0.21	70.0	0.052	<1	0.57	0.004	0.06	<0.1	1.9	0.05	<0.02	11	<0.1	<0.02	2.9

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: February 21, 2012

CERTIFICATE OF ANALYSIS DAW11000495.2

	Method	DRY WT	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01
CAG199303	Sediment	1.46	0.50	15.20	7.41	50.2	40	5.3	5.2	159	1.93	2.8	0.4	1.1	1.5	13.7	0.08	0.10	0.08	40	0.17
CAG199304	Sediment	1.83	0.43	12.03	5.07	33.5	22	3.9	4.9	120	2.38	2.2	0.3	2.0	1.2	12.3	0.05	0.07	0.06	47	0.21
CAG199305	Sediment	2.65	0.45	13.24	5.30	33.4	33	4.6	4.4	118	2.13	2.0	0.3	0.9	1.1	13.0	0.05	0.08	0.07	45	0.22
CAG199306	Sediment	2.75	0.54	15.12	4.91	33.7	25	4.6	5.4	149	2.25	2.6	0.3	1.1	1.1	14.1	0.05	0.09	0.07	50	0.21
CAG199307	Sediment	1.58	0.36	5.61	2.98	13.3	18	3.6	3.1	66	1.43	1.4	0.2	1.0	0.5	8.6	0.02	0.10	0.03	34	0.15
CAG199308	Sediment	1.22	0.50	22.54	4.89	29.9	49	6.7	5.2	107	1.52	2.3	0.3	2.7	0.9	15.5	0.05	0.08	0.05	39	0.26
CAG199309	Sediment	3.36	0.58	16.88	5.65	34.8	24	5.6	5.4	125	1.70	2.2	0.2	0.8	0.8	14.1	0.05	0.07	0.04	49	0.25
CAG199310	Sediment	2.45	0.55	14.98	5.76	32.4	22	5.9	6.6	174	2.04	2.5	0.2	4.4	1.1	14.7	0.05	0.09	0.03	53	0.28
CAG199311	Sediment	1.38	0.46	20.64	4.91	60.3	73	8.3	8.8	382	2.66	4.2	0.7	1.0	1.9	19.6	0.14	0.24	0.15	49	0.50
CAG199312	Sediment	1.69	0.50	50.99	3.76	76.3	50	6.1	13.2	274	3.83	6.0	0.4	1.5	1.2	22.7	0.12	0.13	0.06	96	0.40
CAG199313	Sediment	2.28	0.51	44.55	5.19	89.2	63	10.2	12.4	404	2.87	6.0	0.4	5.0	1.6	28.1	0.18	0.22	0.07	72	0.59
CAG199314	Sediment	1.50	0.40	13.50	20.56	58.9	44	6.2	5.1	224	2.18	2.8	0.4	22.8	1.2	17.2	0.08	0.12	0.05	35	0.30
CAG199315	Sediment	2.86	0.47	15.12	20.23	72.8	35	10.2	7.3	351	2.07	2.5	0.3	3.6	1.2	16.4	0.08	0.10	0.07	42	0.31

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: February 21, 2012

CERTIFICATE OF ANALYSIS DAW11000495.2

	Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
	MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
CAG199303	Sediment	0.056	5.5	9.8	0.32	120.4	0.057	<1	0.73	0.007	0.11	0.1	2.1	0.08	<0.02	18	0.2	0.02	3.2
CAG199304	Sediment	0.059	3.7	7.3	0.27	79.3	0.054	<1	0.57	0.013	0.08	<0.1	2.1	0.05	<0.02	9	0.1	<0.02	2.8
CAG199305	Sediment	0.060	4.5	8.2	0.29	96.2	0.055	<1	0.66	0.016	0.08	<0.1	2.3	0.05	0.03	10	<0.1	<0.02	2.8
CAG199306	Sediment	0.055	3.9	7.9	0.30	113.5	0.055	<1	0.65	0.019	0.09	0.1	2.3	0.05	0.05	10	0.1	0.03	2.8
CAG199307	Sediment	0.022	2.5	9.4	0.21	34.9	0.040	<1	0.51	0.018	0.03	<0.1	1.9	0.03	<0.02	10	<0.1	0.02	2.4
CAG199308	Sediment	0.039	4.9	14.9	0.38	146.5	0.060	<1	0.74	0.019	0.07	<0.1	2.3	0.05	<0.02	10	<0.1	<0.02	2.9
CAG199309	Sediment	0.040	3.3	10.4	0.37	102.1	0.069	<1	0.71	0.024	0.10	<0.1	2.5	0.05	<0.02	<5	<0.1	<0.02	2.9
CAG199310	Sediment	0.049	3.9	10.4	0.34	95.6	0.065	<1	0.65	0.025	0.08	<0.1	2.6	0.04	<0.02	5	0.1	0.02	2.8
CAG199311	Sediment	0.063	10.5	13.3	0.47	184.9	0.060	<1	1.04	0.012	0.11	0.1	3.4	0.05	<0.02	21	0.2	<0.02	3.6
CAG199312	Sediment	0.070	5.2	7.7	0.58	177.1	0.068	<1	1.02	0.027	0.22	<0.1	4.6	0.10	0.11	17	0.3	0.07	4.1
CAG199313	Sediment	0.064	6.9	12.3	0.63	212.2	0.073	<1	1.16	0.021	0.18	0.1	4.1	0.09	0.05	28	0.3	0.05	4.0
CAG199314	Sediment	0.090	5.4	11.4	0.39	129.8	0.090	<1	0.97	0.010	0.16	0.2	2.5	0.06	<0.02	17	<0.1	0.04	4.8
CAG199315	Sediment	0.058	5.1	22.9	0.59	174.0	0.076	<1	0.98	0.013	0.13	<0.1	2.8	0.07	<0.02	12	<0.1	0.04	4.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: February 21, 2012

QUALITY CONTROL REPORT DAW11000495.2

	Method	DRY WT	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01
Pulp Duplicates																					
CAG199282	Sediment	1.39	0.45	14.65	2.87	33.4	42	8.1	6.1	152	1.47	1.4	0.2	2.8	0.6	17.9	0.03	0.07	0.04	45	0.29
REP CAG199282	QC		0.42	15.12	3.01	34.8	37	8.9	6.7	160	1.53	1.4	0.2	4.1	0.6	18.5	0.03	0.09	0.05	47	0.28
CAG199308	Sediment	1.22	0.50	22.54	4.89	29.9	49	6.7	5.2	107	1.52	2.3	0.3	2.7	0.9	15.5	0.05	0.08	0.05	39	0.26
REP CAG199308	QC		0.50	22.15	4.79	29.3	49	6.7	5.4	103	1.50	2.4	0.3	1.4	0.9	15.2	0.04	0.09	0.05	39	0.26
Reference Materials																					
STD DS8	Standard		12.33	108.9	125.3	312.5	1808	36.4	7.2	594	2.48	24.0	2.8	119.7	6.7	60.8	2.25	5.22	6.70	44	0.69
STD DS8	Standard		11.62	95.50	105.6	279.7	1503	32.6	6.5	544	2.15	21.5	2.4	95.7	5.8	57.9	1.86	4.65	5.48	35	0.60
STD DS8 Expected			13.44	110	123	312	1690	38.1	7.5	615	2.46	26	2.8	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: February 21, 2012

QUALITY CONTROL REPORT DAW11000495.2

	Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
	MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
Pulp Duplicates																			
CAG199282	Sediment	0.029	3.0	15.5	0.60	71.7	0.076	<1	0.99	0.017	0.06	<0.1	2.2	0.03	<0.02	19	<0.1	<0.02	3.6
REP CAG199282	QC	0.031	3.0	16.5	0.61	73.1	0.077	<1	1.00	0.018	0.07	<0.1	2.3	0.03	<0.02	14	0.2	0.05	3.8
CAG199308	Sediment	0.039	4.9	14.9	0.38	146.5	0.060	<1	0.74	0.019	0.07	<0.1	2.3	0.05	<0.02	10	<0.1	<0.02	2.9
REP CAG199308	QC	0.039	4.8	14.3	0.37	144.4	0.057	<1	0.73	0.019	0.06	<0.1	2.3	0.04	<0.02	14	0.1	<0.02	2.8
Reference Materials																			
STD DS8	Standard	0.081	13.4	121.8	0.61	250.9	0.104	2	0.93	0.096	0.42	2.8	2.3	5.47	0.16	206	5.0	4.97	4.6
STD DS8	Standard	0.070	12.7	100.1	0.53	238.1	0.099	2	0.81	0.091	0.37	2.6	1.8	4.53	0.14	160	4.1	4.13	4.3
STD DS8 Expected		0.08	14.6	115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	2.3	5.4	0.1679	192	5.23	5	4.7
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.