Geochemical Report
On The
Fifty Mile Creek Property

Dawson Mining Division
Yukon Territory

Kam1 to Kam68	**(Grants YE39701 to YE39768)**
Kam69 to Kam82	**(Grants YE39769 to YE39782)**
Kam83 to Kam825	**(Grants YE39783 to YE40525)**
Kam826 to Kam845	**(Grants YE40526 to YE40545)**
Kam846 to Kam2500	**(Grants YE40546 to YE40999)**
	(Grants YE44000 to YE45000)
	(Grants YE70001 to YE70200)

(Work Performed Sept 21 to Oct 10, 2011)

NTS: 116C/01, 116C/02, 115N/15 and 115N/16
Centered at approximately
Latitude 64^0 00′ N, Longitude 140^0 33′ W

Prepared By:

Roger MacDonald,
B.Sc., P .Geo. (BC & ON)

For Owner:

0908937 B.C. Ltd.
Suite 701 - 675 Hastings Street
Vancouver, BC
Canada
V6B 1N2

TABLE OF CONTENTS

1.0 SUMMARY **3**

2.0 INTRODUCTION **4**

2.1 PROPERTY LOCATION 4
2.2 PROPERTY DESCRIPTION 6
2.3 ACCESSIBILITY 12
2.4 CLIMATE 12
2.5 PHYSIOGRAPHY 13

3.0 HISTORY **14**

3.1 PLACER 14
3.2 HARD ROCK 16

4.0 REGIONAL GEOLOGY **17**

5.0 PROPERTY GEOLOGY **22**

6.0 SOIL GEOCHEMISTRY **26**

7.0 CONCLUSIONS AND RECOMMENDATIONS **32**

8.0 STATEMENT OF COSTS **33**

9.0 REFERENCES **34**

10.0 AUTHOR'S STATEMENT OF QUALIFICATIONS **35**

APPENDIX 1 – CLAIM STATUS **36**

APPENDIX 2 – ASSAY CERTIFICATES **91**

LIST OF FIGURES

FIGURE 1 - LOCATION MAP 5
FIGURE 2 - CLAIMS MAP 8
FIGURE 3 - REGIONAL GEOLOGY 19
FIGURE 4 - PROPERTY GEOLOGY 24
FIGURE 5 - SOIL INDEX MAP 116C01 28
FIGURE 6 - SOIL INDEX MAP 116C02 29
FIGURE 7 - SOIL INDEX MAP 115N15 30
FIGURE 8 - SOIL INDEX MAP 115N16 31

LIST OF TABLES

TABLE 1- STATEMENT OF COSTS 33

1.0 SUMMARY

This Report describes geochemical program performed- on the Fifty Mile Creek Property within the Dawson Mining Division of Yukon Territory. 0908937 BC Ltd. (the "Company") owns the Fifty Mile Creek Property, located approximately 55 kilometres due west of Dawson City, Yukon Territory. The claim block compromises 2,500 quartz claims, covering approximately 50,207.35 hectares. The property is accessed by the Top of the Word Highway from Dawson City to kilometre 80, then 12 kilometres south by summer dirt roads to the field camp located roughly at the centre of the property.

The property lies within the Sixty Mile River placer gold district. The area has produced over 800,000 ounce of gold since its discovery in 1892. Bedrock sources for much of the placer gold is unknown, although both mesothermal and epithermal vein systems have been found in the district. The claims are underlain by rocks of the Yukon-Tanana Terrain which includes the lower Devonian/Mississippian Pelly Gneiss; Devonian/Mississippian (or older) Nasina Assemblage siliciclastics; Carboniferous/Permian Klondike Schist; Upper Cretaceous Camacks Volcanics and early Jurassic intrusives of the Long Lake Suite. These rock units are host to past producers, sub-economic deposits and occurrences, some of which, lie in close proximity to the property.

The 2012 geochemical survey was successful in defining seventeen anomalies within the claim boundaries. Of those 17 anomalies, five were single elevated gold anomalies not associated with watercourses; five elevated gold with coincident trace element and/or base metal; six elevated silver with coincident trace element and/or base metal and one elevated base metals. These geochemical anomalies indicate the presence of one or more mineralized systems that warrant follow up work.

A work program of soil geochemistry, geological mapping and trenching is recommended. Reconnaissance scale soil geochemistry should be carried out on the west side of the property to fill in gaps in the existing reconnaissance scale grid. Each of the anomalies


defined by the 2012 geochemical program should be gridded on 50 metre lines and 25 metres stations, soil sampled and geologically mapped in detail. Trenching is recommended contingent upon results of sampling and mapping.

2.0 INTRODUCTION

The purpose of the report is to fulfill the work assessment requirements of the Quartz Mining Act on the Kam1 to Kam2500 claims. This report is a summary of exploration work conducted during the 2011 field season from September 21 to October 10, which consisted of the collection of 1873 soil samples. It also describes the location, access, geologic setting and outlines a proposed exploration program to follow up on the geochemical anomalies defined by this program.

2.1 Property Location

The Fifty Mile Creek Property consists of 2,500 quartz claims covering an area of approximately 50,207.35 hectares and lies within the Dawson Mining Division, Yukon Territory. The Property is located approximately 58 km due West of Dawson city, centered at roughly Latitude 64^0 00′ N, Longitude 140^0 33′ W on NTS map sheets 115N15, 115N16, 116C01 and 116C02**,** as shown on Figure 1.



0908937 BC Ltd.

50 Mile Creek Project
Yukon Territory

Location Map

Author: RM	April 15, 2012	**Figure 1**
Drafted: JT	UTM NAD83 Zone 7	

2.2 Property Description

In The Yukon Territory, Crown lands are available to licensed prospectors for the purposes of mineral exploration. Claim staking is governed by the Quartz Mining Act and is administered through the Provincial Mining Recorder and Mining Lands offices of the Yukon Energy Mines and Resources. Surface rights are not included as part of mineral claim ownership under Yukon Territory mining regulations. To keep the claim valid, the owner must incur approved expenditures of $100 (one hundred dollars) per claim within fourteen days after the expiration of the first year and each following year. The owner may also pay "cash in lieu" of work if sufficient work has not been performed on the ground.


Claim information including claim name, grant number, status and good-to dates were reviewed on the Government of Yukon Ministry of Energy, Mines and Resources Mineral Titles Online website (http://apps.gov.yk.ca/pls/apex40p/f?p=116:1:2977433417123859 on February 6, 2012. Claims within Fifty Mile Creek Property consist of 2,500 quartz claims. Claim information is listed in Appendix 1 and individual claim outlines are shown in Figure 2. The Kam69 to Kam82 claims (Grant Numbers YE39769 to YE39782) are valid and in good standing to April 19, 2012; Kam826 to Kam845 claims (Grant Numbers YE40526 to YE40545) are valid and in good standing to April 24, 2012 and the remaining claims, Kam1 to Kam68 (Grant Numbers YE39701 to YE39768), Kam83 to Kam825 (Grant Numbers YE39783 to YE40525) and Kam846 to Kam2500 (Grant Numbers YE40546 to YE40999, YE44000 to YE45000 and YE70001 to YE70200) are valid and in good standing to May 9, 2012.

As stated above, the property owner has until fourteen days after the expiration date of the claims to submit the approved expenditures for application against the claims. The first year expenditures totalled $167,338.74.

The Company commissioned a claim staking contractor to stake the block between April 19 to May 9, 2012. As of May 9, 2012, the Company retains 100% ownership of the claims. To the

author's knowledge, there are no royalties, back-in rights, payments, or other agreements and encumbrances to which the property is subject.

The claims are located within the traditional territory of the Tr'ondëk Hwëch'in First Nation. To the best of the Author's knowledge the Tr'ondëk Hwëch'in First Nation have settled their land claims in the area and there are no environmental liabilities to which the Fifty Mile Creek Property is subject nor any significant factors or risks that may affect access, title, or the right or ability to perform work on the property. No permitting is presently required for the proposed exploration programs.


Yukon Plateau
Yukon Plateau
Sixtymile
Mount Nolan
White River
Boulder Creek
Mosquito Creek
Butler Gulch
Hunt Gulch
Granite Canyon
Stone Axe River
Kilometers
0
1
2
3
4
5
N
Legend
Outline of 50 Mile Creek Property
0908937 BC Ltd.
50 Mile Creek Project
Yukon Territory
North Claims Map
Author: RM
April 15, 2012
Drafted: JT
UTM NAD83 Zone 7
Figure 2

Yukon Plateau

Yukon Plateau

Sixtymile

Mount Nolan

White River

Beaver Creek

Mangusten Creek

Hunt Gulch

Granite Mountain

Butler Gulch

Sixty Mile River

Ogilvie River

N

Legend

Outline of 50 Mile Creek Property

0 1 2 3 4 5 Kilometers


0908937 BC Ltd.

50 Mile Creek Project
Yukon Territory

North Claims Map

Author: RM | April 15, 2012 | **Figure 2**

Drafted: JT | UTM NAD83 Zone 7


Mount Nolan
Mount Hart
Crag Mountain
Sixty Mile River
Bedrock Creek
Measuring Creek
Fifty Mile Creek
Hud Gulch
Granite Gulch
Butler Gulch
Legend
Outline of 50 Mile Creek Property
0908937 BC Ltd.
50 Mile Creek Project
Yukon Territory
South Claims Map
Author: RM
April 15, 2012
Drafted: JT
UTM NAD83 Zone 7
Figure 2
Kilometers
0
1
2
3
4
5
N

N

Mount Nolan

Mount Hart

Crag Mountain

Bedrock Creek

Sixty Mile River

Measuring Creek

Hud Gulch

Granite Gulch

Butler Gulch

Forty Mile Creek

Ash Creek

Legend

Outline of 50 Mile Creek Property

0908937 BC Ltd.

50 Mile Creek Project
Yukon Territory

South Claims Map

Author: RM | April 15, 2012

Drafted: JT | UTM NAD83 Zone 7

Figure 2

0 1 2 3 4 5 Kilometers

2.3 Accessibility

The Property is accessed by way of the Top of the World Highway, which heads west from Dawson City. The highway enters the northern boundary of the claims at kilometre 75 and road access to the field camp remains within the claim block. At approximately the 80 kilometre post on the highway, an old mining road leaves the highway and heads south about 12km into the valley bottom. Finally, 500m of trail leads to the field camp that is roughly centered inside of the sampling block.

A network of roads connects many of the placer workings of the Sixty Mile River and its tributaries. The location of these roads changes as required by the placer miners. The South-West portion of the claim block can be accessed by way of the Sixty Mile road to a ford on the Sixty Mile River, which joins the Matson Creek road. A ford on the Sixty Mile River a few hundred meters east of the field camp provides limited access to the claims south of the river and the California Creek road skirts the North-west boundaries of the property.

Roads are accessible by two wheel drive vehicle from early June to late September. Farther reaches of the property require helicopter access from the field camp. Fording the Sixty Mile River is best attempted later in the dry summer months. The ferry connecting the Top of the World Highway to Dawson City is a free service that runs continuously 24 hours a day from May to October with shutdowns from 5:00 AM to 7:00 AM on Wednesday mornings for scheduled maintenance. Neither the ferry nor the highway is maintained during winter months.

2.4 Climate

Climate is typical of the Boreal/Taiga Cordillera and is characterized by short warm summers, long cold winters, low precipitation and a wide temperature range. Average annual temperature is -4.4˚C and. Winters are cold and temperatures of -30˚C to -45˚C are common.

Summers are moderately cool with daily highs of 10˚C to 25˚C. Annual precipitation rarely exceeds 200mm of rain and 160cm of snow. Thunders showers are a common occurrence during the summer months. Smoke from forest fires can be thick at certain times. The seasonal window for prospecting is from June to mid-September (Hulstein 2009). Water is available from several of the larger creeks that feed into the Sixty Mile River including Five mile Creek, California Creek, Boucher Creek and Fifty Mile Creek.

2.5 Physiography

Topography in the region is typical of an incised peneplain with steep hillsides and rounded crests. The area was beyond the limits of the last two continental glacial events and evidence of glaciations in the region is a result of localized alpine glaciers. Alluvium in the valleys is mostly locally derived. Hill slopes are covered with a veneer of colluvium, also locally derived. Elevation ranges from 2,100 feet in the Sixty Mile valley to approximately 3,800 feet on nearby ridges. In the valley bottom permafrost is not a consideration except near the well vegetated hillsides. On the hillsides and ridge spurs, particularly northerly facing slopes and poorly drained areas, permafrost is a serious hindrance to exploration.

Rock outcrop in the area is restricted to ridges, small cliffs, creek bottoms and along road and trench cuts. Often bedrock type can be determined by angular boulders, of consistent type, piled (by placer miner activity) on top of the more typical rounded mixed lithologies of river gravel and boulders.

Vegetation in the valley bottoms consists of alder, dwarf birch, balsam fir, white and black spruce. Ground cover in areas of thin tree cover consists of alpine plants, tag alder, dwarf willow and moss. Beaver dams in the numerous side channels and placer drainages result in ponds that restrict and hinder access. Hillsides and ridges are covered with pine, spruce, birch and poplar on well drained slopes and stunted black spruce in areas of permafrost. Treeline is at approximately 4,000 feet. Vegetation is generally more abundant on east and south facing slopes. Grizzly and black bears as well as moose frequent the valley bottom, attracted by young vegetation on the placer tailings (Hulstein 2009).

Although there do not appear to be any topographic or physiographic limitations, and suitable lands appear to be available for a potential mine, including mill, tailings storage, heap leach and waste disposal sites, engineering studies have not been undertaken and there is no guarantee that areas for potential mine waste disposal, heap leach pads, or areas for processing plants will be available within the subject property.

3.0 HISTORY

The region now covered by the property, has been actively explored at various times since the 1800s. The area has been dominantly explored for placer gold and more recently, hard rock poly-metallic and gold veins. Below is a summary of exploration activities on the Fifty Mile Creek Property and is based on a review of reports and documents available from various sources including the Yukon Ministry of Energy, Mine and Resources Library and MINFILE databases.

3.1 Placer

The discovery of the Sixty Mile goldfields precedes the Klondike discovery by four years. The discovery of the Forty Mile goldfields, predominantly in Alaska, led to prospecting over the divide to the Sixty Mile drainage. Mr. C. Miller is usually credited with the discovery, on the creek bearing his name. Early production was interrupted by the staking rush which followed the Klondike discoveries. The Klondike gold rush curtailed exploration and development in the Sixty Mile; and the rush to the sands of Nome emptied the Klondike, so the Sixty Mile area was all but forgotten. Little exploration was carried out after the first few years (1892 - 1896). Nevertheless, production continued at a moderate rate from the region. The principal creeks mined were Miller, Glacier, Big Gold, Little Gold and Bedrock Creeks.

Prospectors soon extended the discoveries down the Sixty Mile River to California, Boucher and Matson Creeks, where minor amounts of gold were recovered. No records were kept in the early days and it is likely that much of the gold was exported through Alaska unrecorded. Since 1906, the royalty has been the basis for production estimates, and therefore accuracy may be questioned. The estimated production to 1917 was approximately 2.5 million dollars, gold values being approximately 20 dollars per ounce.

Because of the success of the hand mining activities, the North American Trading and Transportation Company built a dredge near the mouth of Miller Creek and worked there for the 1915 and 1916 seasons. Presumably due to the pressures of the First World War, the operation was suspended. During the war, mining continued at a reduced rate in the district.

The Holbrook Dredging Company refitted the dredge built by North American Trading and Transportation Company and operated in the valley of the Sixty Mile River below Miller Creek from 1929 to 1941. During this period hydraulic methods were used for removal of overburden. Evidence for this is to be seen on the ground and from discussions with long-time residents. Other mining operations continued during this depression period on the established creeks of the district.

After the war period of the 1940's the production again increased with the construction of a dredge by Yukon Explorations. The dredge operated in the lower reaches of Glacier and Big Gold Creeks from 1947 to 1959. During this period bulldozer mining was introduced by the Yukon Placer Mining Company which operated along Big Gold and Glacier Creeks and the Sixty Mile River. These two companies were allied in their operation. The bulldozers prepared ground for the dredge as well as operating a sluicing plant. The operation is within the memory of many local residents. Some of the buildings and the steel hulled dredge remain on Glacier Creek. All these operations used hydraulic mining methods for removal of overburden wherever possible.

Small operations have continued along these creeks to the present day. Miller and Glacier Creeks have been the most consistent producers along with the bench areas adjacent to the Sixty Mile River between the two creeks, with additional production coming from the lower grade, high volume gravels of the Sixty Mile River. (Hakonson, 1992)

Total production for the goldfield from discovery to 1965 is about 213,000 ounces of fine gold. One hundred and twenty –three thousand ounces were produced up to 1917 (Cockfield, 1921) and 72,984 ounces for Yukon Explorations Ltd. from 1948 to 1961 (L.H. Green 1972). A reasonable estimate for the years from 1965 to 1977 would be 10,000 ounces. Gold production from 1978 to 1990 was about 344,738 ounces of crude gold. From 1990 to 2009, approximately 238,000 ounces of gold was produced from the Sixty Mile River and its tributaries. This brings the total production estimate from the Sixty Mile area to approximately 806,000 ounces of crude gold.

3.2 Hard Rock

There are three recorded Minfile Occurences located within the claim block. Occurrence 115N 115, which lies within present claim Kam1881 (YE44581), was originally staked as the "The" claim in 1969 by Klondike Exploration Ltd. Bulldozer trenching was done in 1969-71, the property was transferred to E. Fuacher, L. Grimard and J. Trottier who trenched in 1973, 1976 and 1980. The claims were re-staked in 1984 as the "Aime"by M. Grimard; trenching performed in 1986 and geochemistry mapping and mapping performed in 1987. No results or work records are available in the online Yukon Government Libraries. Mineralization is hosted in the same Yukon-Tanana Terrane rocks that host high grade Au-Ag-Pb-Zn-Cu on ATAC/Klondike Silver showings 1850 metres to the south.

On the eastern boundary of the property on present claims Kam105 and Kam106 (YE39805 and YE39806), lies the Minfile Occurrence 116C017. Staked as the Anacortes claim in 2002, little is recorded about this occurrence other than it was likely staked on quartz veins hosted in Yukon-Tanana Terrain rocks.

On the northern boundary of the property, on claim Kam1710 (YE44410) is the Hamburger Occurrence (Minfile 116C080). Originally staked by Alf Burger in 1973 as the Tony claim, it was re-staked in 1992 as the Big Gold 20-24 by B. MacDonald. The claim is underlain by Tertiary(?) and Quaternary basalts with minor sediments that un-conformably overlay Yukon-

Tanana Terrane rocks, which are exposed directly downslope. No information regarding the type of occurrence is recorded.

In 1991, Greg Hakonson carried out a 24 hole, auger drill program for Sixty Mile Placers Ltd. Of the 24 holes drilled, six were drilled within the current claim boundaries. Methodology included an average 4.5 foot penetration into bedrock. That sample was then screened, sluiced and "clean bedrock" was picked from the tails and bagged for assay (G. Hakonson, 1992). These procedures would not conform to NI43-101 practices and data should be viewed in that context. Only one sample from drill hole EP-90 returned an anomalous gold value of 19ppb. For all other samples, gold values were below detection limits.

There are no historical mineral resource estimates or mineral reserve estimates for any mineralized zones on the Fifty Mile Creek Property. No known mineral production has occurred on the Fifty Mile Creek Property.

4.0 REGIONAL GEOLOGY

Geology in the vicinity of the Fifty Mile Creek Property was most recently mapped by Mortensen (1996) and put into broader context by Gordey and Makepeace (1999). The Yukon Tanana Terrane has been recently examined and compiled as a whole (Colpron, 2006).

The property lies between the Tintina and Denali Faults within a part of Yukon that is primarily underlain by Yukon-Tanana Terrane. That tectonic terrane is composed of continental margin sediments, island arc volcanics and coeval intrusions, which were metamorphosed and deformed during accretion to the North American continent in Mesozoic times. In the Sixtymile district, the Yukon-Tanana Terrane is subdivided into two stratigraphic elements (the Nasina and Klondike Schist Assemblages) and a metaplutonic package (the South Fiftymile Batholith). The Yukon-Tanana units are intruded by undeformed, Late Cretaceous plugs and stocks.

The geology can be divided into two main domains. The south-eastern domain is mostly underlain by the South Fiftymile Batholith while the north-western domain contains supracrustal rocks of the Nasina and Klondike Schist Assemblages (Figure 3). The major lithological units are briefly summarized in the following paragraphs.


The Nasina Assemblage comprises Late Devonian to Mid-Mississippian fine grained, moderately to non-carbonaceous, quartz-muscovite-chlorite schist and quartzite with locally abundant interlayered mafic schist and amphibolite. In the Sixtymile River area, some higher grade metamorphic equivalent rocks are also present including coarse grained, locally garnetiferous biotite-quartz-muscovite schist and amphibolite. Recent regional compilations have considered this unit to be volcanic lithofacies of the Finlayson Assemblage.

The Klondike Schist Assemblage comprises a variety of Middle to Upper Permian felsic schists of volcanic affinity. Micaceous quartzite and quartz-feldspar-muscovite-biotite schist are commonly interlayered with the felsic schist. This assemblage forms a klippe that has sits atop the Nasina Assemblage.

The South Fiftymile Batholith is an Early Mississippian granitic orthogneiss that contains coarse potassium feldspar augen. These rocks are believed to be separated from Nasina Assemblage strata by a shallow north-easterly dipping normal fault. This unit is considered to be part of the Late Devonian to Early Mississippian Grass Lakes Suite (ca. 357 – 365 Ma).

A string of Late Cretaceous Plugs and Stocks of the Seagull Suite (ca. 95 – 98 Ma) intrude the Nasina Assemblage and South Fiftymile Batholith in the southern and eastern parts of the project area. These plutons consist of fine to medium grained, equigranular biotite-hornblende quartz monzonite and granodiorite. The dominant foliation in the metamorphic sequences strikes 150° and dips 31° to the northeast (Cholach, 1969).

A number of large-scale, north-easterly trending normal faults are present in the region. The Sixtymile River valley bottom may mark the centre of a graben. Fifteen major vein structures have been identified in the vicinity of the property. These veins form two sets: one striking east-north-easterly and the other north-northeasterly (Hulstein 2009).


500000
510000
520000
530000
540000
550000
560000
570000
580000
590000
600000
610000
620000
7140000
7130000
7120000
7110000
7100000
7090000
7080000
7070000
7060000
7050000
CPA
uTrA
mKgW
ITR3
PCH
PCH3
JB1
CSM5
CSM1
DMN2
DMN1
Q
CPA1
ITR4
ITR1
PPa
LKgP
DMgPW
uKC3
EJqL
DMqPW
PqS
uJKT
CPA4
uKC1
TQS
DMN3
CPK1
uKC2
ETqN
Kilometers
0
5
10
15
20
N
Legend
Faults
DEXTRAL
assumed
extrapolated
NORMAL / REVERSE
defined
approximate
assumed
THRUST UPRIGHT
defined
approximate
assumed
extrapolated
MOVEMENT UNDEFINED
defined
approximate
assumed
Contacts
INTRUSIVE
defined
approximate
assumed
STRATIGRAPHIC
defined
approximate
assumed
extrapolated
SURFICIAL
approximate
UNKNOWN
defined
approximate
assumed
extrapolated
0908937 BC Ltd.
50 Mile Creek Project
Yukon Territory
Regional Geology
Author: RM
April 15, 2012
Drafted: JT
UTM NAD83 Zone 7
Figure 3

Geological Units

QUATERNARY

Q: QUATERNARY: unconsolidated glacial, glaciofluvial and glaciolacustrine deposits; fluviatile silt, sand, and gravel, and local volcanic ash, in part with cover of soil and organic deposits

TERTIARY(?) AND QUATERNARY

TQS: SELKIRK: resistant, brown weathering, columnar jointed, vesicular to massive basalt flows; minor pillow basalt; basaltic tuff and breccia (Selkirk Volcanics)

EARLY TERTIARY

ETqN: NISLING RANGE SUITE: leucocratic, biotite granite; miarolitic alaskite; saccharoidal textured, mafic-poor biotite granite; biotite-hornblende granite to leucocratic granodiorite with sparse, white, alkali feldspar phenocrysts; biotite quartz monzonite (Nisling Range Suite, Nisling Range Alaskite, Coffee Creek Granite, Annie Ned Granite)

LOWER TERTIARY, MOSTLY(?) EOCENE

ITR1: ROSS: locally amygdaloidal, dark grey-green olivine basalt necks and flows; subaerial and subaqueous (locally pillowed); volcaniclastic rocks; minor olivine gabbro; locally plagioclase-phyric basalt and diabase dykes; minor shale and conglomerate

ITR3: ROSS: brown, thin bedded, claystone, siltstone, shale and coal; arkosic or chert rich, thick bedded micaceous sandstone; thick bedded to massive pebble to boulder, chert-quartz conglomerate

ITR4: ROSS: light coloured felsic quartz feldspar porphyry and rhyolite; minor acid tuff breccia, crystal lithic tuff and ignimbrite; quartz-feldspar porphyry stocks and dykes

LATE CRETACEOUS TO TERTIARY

LKgP: PROSPECTOR MOUNTAIN SUITE: hornblende-biotite granodiorite, hornblende diorite, quartz diorite (Wheaton Valley Granodiorite)

MID-CRETACEOUS

mKgW: WHITEHORSE SUITE: biotite-hornblende granodiorite, hornblende quartz diorite and hornblende diorite; leucocratic, biotite hornblende granodiorite locally with sparse grey and pink potassium feldspar phenocrysts (Whitehorse Suite, Casino granodiorite, McClintock granodiodrite, Nisling Range granodiorite)

mKyT: TOMBSTONE SUITE: medium- to coarse-grained biotite-hornblende-clinopyroxene syenite, quartz syenite; tourmaline orbicular granite; hornblende biotite alkali-feldspar syenite; hornblende-biotite monzogranite; clinopyroxenite, diorite, and pseudoleucite tinguaite (Tombstone Suite)

UPPER CRETACEOUS

uKC1: CARMACKS: augite olivine basalt and breccia; hornblende feldspar porphyry andesite and dacite flows; vesicular, augite phyric andesite and trachyte; minor sandy tuff, granite boulder conglomerate, agglomerate and associated epiclastic rocks (Carmacks Gp., Little Ridge Volcanics, Casino Volcanics)

uKC2: CARMACKS: acid vitric crystal tuff, lapilli tuff and welded tuff including feeder plugs and necks; felsic volcanic flow rocks and quartz feldspar porphyries; green and purple massive tuff-breccia with feldspar phyric fragments (Carmacks Gp., Donjek Volcanics, some rocks formerly mapped as Mt. Nansen Gp.; the felsic part of the Carmacks Gp. is difficult to distinguish from similar Tertiary and mid-Cretaceous (Mt. Nansen) felsic volcanic strata)

uKC3: CARMACKS: medium-bedded, poorly sorted, coarse- to fine-grained sandstone, pebble conglomerate, shale, tuff, and coal; massive to thick bedded locally derived granite or quartzite pebble to boulder conglomerate (Carmacks Gp.)

UPPER JURASSIC AND LOWER CRETACEOUS

uJKT: TANTALUS: massive to thickly bedded chert pebble conglomerate and gritty quartz-chert-feldspar sandstone; interbedded dark grey shale, argillite, siltstone, arkose and coal; at one locality includes red-weathering dacite to andesite flows at base (Tantalus)

JURASSIC

JB1: BUG CREEK: dark grey argillite, slate, and phyllite, commonly graphitic, thin-bedded dark grey quartzite, platy to phyllitic quartzite; minor phyllite and limy quartzite (Lower Schist)

EARLY JURASSIC

EJqL: LONG LAKE SUITE: massive to weakly foliated, fine to coarse grained biotite, biotite-muscovite and biotite-hornblende quartz monzonite to granite, including abundant pegmatite and aplite phases; commonly K-feldspar megacrystic (Long Lake Suite)

MIDDLE TO UPPER TRIASSIC

TrJ: JONES LAKE: brown to buff weathering, calcareous fine grained sandstone, argillite and shale; extensive ripple cross-lamination and bioturbation; massive,light grey weathering, fine crystalline, dark grey limestone; minor orange weathering platy limestone (Jones Lake)

TRIASSIC

TrG: GALENA SUITE: massive, medium-grained hornblende diorite and gabbro sills; massive chloritic and locally serpentinized greenstone (diorite, gabbro, and altered equivalents) sills; minor occurrences of possible mid- to Late Paleozoic age

uTrA: ANVIL: weakly deformed, thin bedded argillite, fine grained quartz sandstone and argillaceous limestone

LOWER AND MIDDLE PERMIAN

PJC3: JUNGLE CREEK: rusty to light grey weathering, grey to white, crystalline skeletal limestone; partially silicified and dolomitized (upper part); interbedded black chert (middle part); calcitic sandstone, chert-pebble conglomerate, and sandy limestone (basal part) (Tahkandit)

Geological Units

CARBONIFEROUS AND PERMIAN

CPK1: KLONDIKE SCHIST: tan to rusty and black weathering muscovitic and/or chloritic quartzite and quartz-muscovite-chlorite schist; quartz and/or feldspar augen-bearing quartz-muscovite (chlorite) schist; includes augen gneiss and amphibolite (Klondike Schist)

CPK2: KLONDIKE SCHIST: resistant, white weathering, white sugary marble with a ductile flow fabric; crystalline marble (Klondike Schist)

PROTEROZOIC AND PALEOZOIC

PPa: AMPHIBOLITE: metamorphosed mafic rocks including amphibolite (1) and ultramafic rocks (2) of unknown association; i.e.) may belong in part or entirely to Nisling, Nasina, and Slide Mountain assemblages and (3), mafic-ultramafic intrusions within Nasina assemblage

LATE DEVONIAN TO MISSISSIPPIAN

DMqPW: PELLY GNEISS SUITE - SOUTHWEST: foliated equigranular medium-grained muscovite quartz monzonite; moderately to strongly foliated K-feldspar augen-bearing quartz monzonitic to granitic gneiss (S. Fiftymile Batholith, Mt. Burnham Orthogneiss,)

DMgPW: PELLY GNEISS SUITE - SOUTHWEST: foliated medium grained, homogeneous biotite granite gneiss to biotite or hornblende granodiorite gneiss; massive to strongly foliated dioritic to granodioritic gneiss; includes interfoliated amphibolite, quartz-mica schist and phyllite (Selwyn Gneiss, Pelly Gneiss, N. Fiftymile Batholith, Moose Creek Orthogneiss)

DEVONIAN, MISSISSIPPIAN AND(?) OLDER

DMN1: NASINA: dark grey to black, fine grained graphitic and non-graphitic quartzite, grey micaceous quartzite and quartz muscovite (chlorite; feldspar augen) schist, locally garnetiferous; minor graphitic stretched metaconglomerate and metagrit (Nasina assem.)

DMN2: NASINA: marble (Nasina assem.)

DMN3: NASINA: quartzite, micaceous quartzite, quartz muscovite (chlorite; feldspar augen) schist, and minor metaconglomerate and metagrit as in (1), but may locally include significant Nisling Assemblage

DMN4: NASINA: quartzite, micaceous quartzite, quartz muscovite (chlorite; feldspar augen) schist, and minor metaconglomerate and metagrit as in (1), but may locally include significant Klondike Schist Assemblage

CARBONIFEROUS TO PERMIAN

CPA: ANVIL: dominantly oceanic assemblage of mafic volcanics (1), ultramafics (4), chert and pelite (2), limestone (3) and gabbroic rocks (5)

CPA1: ANVIL: variably altered and foliated, locally augite-phyric basalt (local pillows), diorite and gabbro, chloritic greenstone, amphibolitic greenstone and amphibolite; minor metachert, siliceous argillite or siltstone, greywacke, tuff, and siliceous limestone

CPA4: ANVIL: dunite, peridotite, gabbro, pyroxenite, harzburgite and minor diorite, hornblendite and diabase; serpentinite, orange weathering quartz carbonate rock with minor green chromian muscovite, talc-carbonate schist and carbonatized ultramafic rocks

CPMC: MOUNT CHRISTIE: burrowed, interbedded greenish grey cherty shale and green shale; thin to medium bedded, light grey-green to black chert; black siliceous slate and siltstone; minor quartzite, limestone and dolostone; locally abundant, large grey barite nodules (Mount Christie)

MISSISSIPPIAN

MK: KENO HILL: massive to thick bedded quartz arenite; thin to medium bedded quartz arenite interstratified with black shale or carbonaceous phyllite; local scour surfaces and shale intraclasts; locally foliated and lineated (Keno Hill Quartzite)

ORDOVICIAN TO LOWER DEVONIAN

ODR: ROAD RIVER - SELWYN: black shale and chert (1) overlain by orange siltstone (2) or buff platy limestone (3); locally contains beds as old as Middle Cambrian (4); correlations with basinal strata in Richardson Mountains include: ODR1 with CDR2 (upper part) and ODR2 with CDR4 (Road River Gp.)

CAMBRIAN TO SILURIAN

CSM5: MARMOT: massive brown to green, basic lapilli tuff, breccias, flows, sills, and dykes; intraclast breccia and conglomerate; brown weathering, green to grey, medium to very thick bedded volcaniclastic sandstone

CSM1: MARMOT: resistant, dark grey weathering, massive, locally pillowed, dark grey-green basalt, tuff and breccia (Menzie)

UPPER CAMBRIAN AND ORDOVICIAN

COR1: RABBITKETTLE: thin bedded, wavy banded, silty limestone and grey lustrous calcareous phyllite; limestone intraclast breccia and conglomerate; massive to laminated, grey quartzose siltstone and chert and rare black slate; local mafic flows, breccia, and tuff (Rabbitkettle)

UPPER PROTEROZOIC TO LOWER CAMBRIAN

PCH: HYLAND: consists upwards of coarse turbiditic clastics (1), limestone (2) and fine clastics typified by maroon and green shale (3); may include younger (4) units; includes scattered mafic volcanic rocks (5) (Hyland Gp.)

PCH2: HYLAND: grey weathering, dark grey to grey white, thin to thick bedded, very fine crystalline limestone, locally sandy; calc-silicate and marble; may locally include carbonate members within (1) or (4) (Hyland Gp., Algae Lake , limestone member of Yusezyu)

PCH3: HYLAND: distinctive, recessive, maroon weathering, interbedded maroon and apple-green slate; "Oldhamia" trace fossils; rare grey chert; locally basal member and interbeds of quartz siltstone, sandstone and quartz-pebble conglomerate (Hyland Gp., Narchilla , Senoah , Arrowhead Lake)

PCH4: HYLAND: quartzose clastic rocks as described in (1); mostly(?) equivalent to (1) but may include younger units (Hyland Gp., mostly(?) Yusezyu)

5.0 PROPERTY GEOLOGY

The property has not been mapped in detail. Geology in the vicinity of the Fifty Mile Creek Property was most recently mapped by Mortensen (1996) and put into broader context by Gordey and Makepeace (1999). The Yukon Tanana Terrane has been recently examined and compiled as a whole (Colpron, 2006). The description of the property geology is based upon these previous works. The property can be divided into four geologic/geographic domains. Refer to Figure 4 for reference.

The north zone lies directly south of the Top of the World Highway and is bounded by the east zone by a northeast/ southwest line that roughly follows the contact between the Nasina Assemblage and the Pelly Gniess. The central zone occupies the area between the Radius gold property to the north, Ryan Gold claims to the east and the ATAC/Klondike Silver JV property to the south. The southwest zone is all claims to the southwest of the central zone.


The east zone is dominated by the late Devonian/Mississippian Pelly Gneiss. The contact between the Pelly Gneiss and the Devonian/Mississippian (or older) Nasina Assemblage trends roughly east-west and turns southwestward as one moves west. The Anacortes gold in quartz vein occurrence (Minfile 116C017) is located in the north-easternmost corner of the east zone and is underlain by Nasina Assemblage quartzites and schist.

Moving west, the contact between the Pelly gneiss and the Nasina Assemblage moves southward leaving the north zone underlain primarily by Nasina Assemblage rocks. The Nasina is overlain by upper Cretaceous Carmacs Group volcanics and basal sediments. Nearing the western boundary of the north zone, Nasina Assemblage rocks come into contact with the Carboniferous and Permian Klondike Schist. The overlying Carmacks Group rocks are juxtaposed against the Klondike Schist by northeast trending normal faults. The Hamburger showing (Minfile 116C080) is located near the north claim boundary and is underlain by Tertiary Basalts.

The central zone in underlain by Proterozoic/Paleozoic, metamorphosed mafic rocks (amphibolite) of Nasina(?) Assemblage affinity (possibly Slide Mtn. or Nisling), which hosts the

"The" gold in quartz vein (Minfile 115N115) occurrence within the claim block, as well as polymetallic silver veins of the old Connaught Mine and the Lerner Vein.

The southwest zone transitions from Nasina amplibolite in the north to Pelly Gneiss in the south. The Pelly Gneiss is intruded by early Jurassic mica-mica/horneblende quartz monzonites to granites.


500000
510000
520000
530000
540000
550000
560000
7110000
7100000
7090000
7080000
7070000
N
Legend
Claims
Faults
NORMAL / REVERSE
assumed
THRUST UPRIGHT
approximate
assumed
MOVEMENT UNDEFINED
approximate
Contacts
INTRUSIVE
approximate
assumed
STRATIGRAPHIC
defined
approximate
assumed
UNKNOWN
defined
approximate
assumed
Kilometers
0
5
10
15
20
0908937 BC Ltd.
50 Mile Creek Project
Yukon Territory
Property Geology
Author: RM
April 15, 2012
Drafted: JT
UTM NAD83 Zone 7
Figure 4

Geological Units

TERTIARY(?) AND QUATERNARY

TQS: SELKIRK: resistant, brown weathering, columnar jointed, vesicular to massive basalt flows; minor pillow basalt; basaltic tuff and breccia (Selkirk Volcanics)

LATE CRETACEOUS TO TERTIARY

LKgP: PROSPECTOR MOUNTAIN SUITE: hornblende-biotite granodiorite, hornblende diorite, quartz diorite (Wheaton Valley Granodiorite)

UPPER CRETACEOUS

uKC1: CARMACKS: augite olivine basalt and breccia; hornblende feldspar porphyry andesite and dacite flows; vesicular, augite phyric andesite and trachyte; minor sandy tuff, granite boulder conglomerate, agglomerate and associated epiclastic rocks (Carmacks Gp., Little Ridge Volcanics, Casino Volcanics)

uKC2: CARMACKS: acid vitric crystal tuff, lapilli tuff and welded tuff including feeder plugs and necks; felsic volcanic flow rocks and quartz feldspar porphyries; green and purple massive tuff-breccia with feldspar phyric fragments (Carmacks Gp., Donjek Volcanics, some rocks formerly mapped as Mt. Nansen Gp.; the felsic part of the Carmacks Gp. is difficult to distinguish from similar Tertiary and mid-Cretaceous (Mt. Nansen) felsic volcanic strata)

uKC3: CARMACKS: medium-bedded, poorly sorted, coarse- to fine-grained sandstone, pebble conglomerate, shale, tuff, and coal; massive to thick bedded locally derived granite or quartzite pebble to boulder conglomerate (Carmacks Gp.)

EARLY JURASSIC

EJqL: LONG LAKE SUITE: massive to weakly foliated, fine to coarse grained biotite, biotite-muscovite and biotite-hornblende quartz monzonite to granite, including abundant pegmatite and aplite phases; commonly K-feldspar megacrystic (Long Lake Suite)

CARBONIFEROUS AND PERMIAN

CPK1: KLONDIKE SCHIST: tan to rusty and black weathering muscovitic and/or chloritic quartzite and quartz-muscovite-chlorite schist; quartz and/or feldspar augen-bearing quartz-muscovite (chlorite) schist; includes augen gneiss and amphibolite (Klondike Schist)

PROTEROZOIC AND PALEOZOIC

PPa: AMPHIBOLITE: metamorphosed mafic rocks including amphibolite (1) and ultramafic rocks (2) of unknown association; i.e.) may belong in part or entirely to Nisling, Nasina, and Slide Mountain assemblages and (3), mafic-ultramafic intrusions within Nasina assemblage

LATE DEVONIAN TO MISSISSIPPIAN

DMqPW: PELLY GNEISS SUITE - SOUTHWEST: foliated equigranular medium-grained muscovite quartz monzonite; moderately to strongly foliated K-feldspar augen-bearing quartz monzonitic to granitic gneiss (S. Fiftymile Batholith, Mt. Burnham Orthogneiss,)

DMgPW: PELLY GNEISS SUITE - SOUTHWEST: foliated medium grained, homogeneous biotite granite gneiss to biotite or hornblende granodiorite gneiss; massive to strongly foliated dioritic to granodioritic gneiss; includes interfoliated amphibolite, quartz-mica schist and phyllite (Selwyn Gneiss, Pelly Gneiss, N. Fiftymile Batholith, Moose Creek Orthogneiss)

DEVONIAN, MISSISSIPPIAN AND(?) OLDER

DMN1: NASINA: dark grey to black, fine grained graphitic and non-graphitic quartzite, grey micaceous quartzite and quartz muscovite (chlorite; feldspar augen) schist, locally garnetiferous; minor graphitic stretched metaconglomerate and metagrit (Nasina assem.)

DMN2: NASINA: marble (Nasina assem.)

DMN3: NASINA: quartzite, micaceous quartzite, quartz muscovite (chlorite; feldspar augen) schist, and minor metaconglomerate and metagrit as in (1), but may locally include significant Nisling Assemblage

CARBONIFEROUS TO PERMIAN

CPA4: ANVIL: dunite, peridotite, gabbro, pyroxenite, harzburgite and minor diorite, hornblendite and diabase; serpentinite, orange weathering quartz carbonate rock with minor green chromian muscovite, talc-carbonate schist and carbonatized ultramafic rocks

6.0 SOIL GEOCHEMISTRY

This section describes work performed by and on behalf of the issuer, 0908937 BC Ltd. The soil geochemistry program consisted of the collection of 1873 soil samples on 186.5 kilometres of line. GPS was used as control for establishing of the lines. Lines were not cut, but flagged only at the soil sample locations.

In the field, soil samples were placed in individual pre numbered Kraft bags after coarse material and organic matter was removed by hand. The Kraft bags are then put into a 12 x 16 ore bag for transportation to the field camp. At camp, samples are laid out on a polypropylene utility tarp in a canvass tent for air drying. The air dried samples are batched into rice bags and labelled appropriately with client identification, sample number sequences and destination.


Samples were transported by Andrew MacPhail from the Fifty Mile Creek camp to a secure storage container at the All-In Facility in Whitehorse on October 8th, 2011. The samples were then sorted by Andrew MacPhail on October 10th, 2011 at the same location and taken by Andrew to Acme's preparation lab located at 77 Collins Lane Whitehorse, YT. At no time did the samples leave the possession of Andrew McPhail until they were dropped off at the Acme Preparation Lab in Whitehorse. No sample preparation was conducted by an employee, officer, director or associate of the issuers.


Upon receipt at the Acme prep lab in Whitehorse, the shipment is inspected for completeness. They are then sorted and inspected for quantity and condition. Wet or damp samples are dried at 60°C. One hundred grams are then passed through a -80 mesh with sieves being cleaned by brush and compressed air between samples. The prepped samples were then sent to Vancouver via Air North where they were met by an Acme lab designate and transported to the analytical lab located at 852 East Hastings Street, Vancouver, BC. Fifteen grams were split from the 100 grams of prepped material and digested in hot (95°C) Aqua Regia. Samples were then analysed by ICP-MS methods for a suite of 36 elements.

Acme Analytical Laboratory is independent of the issuer and ISO 9001/17025 accredited. Acme maintains internal QA/QC protocols and inserts laboratory standards, blanks

and pulp duplicate materials into the sample stream. On average, one blank, one standard and two pulp duplicates are entered into the sample stream every 38 client samples. Additionally, the Company's contractor inserted a field duplicate at a rate of one per fifty samples for the soil geochemistry program.

It is the Author's opinion that the sampling procedures, security measures, sample preparations and analytical methods applied to the all samples were diligently followed and are adequate to meet industry standards commonly accepted for this level of exploration. The writer has relied upon the adequacy and accuracy of the analytical results and has not independently verified those results.


116C02
116C01
N
0908937 BC Ltd.
50 Mile Creek Project
Yukon Territory
Soils Index Map 116C01
Author: RM
April 15, 2012
Drafted: JT
UTM NAD83 Zone 7
Figure 5
Legend
Soil Sample
Claims
Kilometers
0
1
2
3
4
5
522000
523000
524000
525000
526000
527000
528000
529000
530000
531000
532000
533000
534000
535000
536000
537000
538000
7108000
7107000
7106000
7105000
7104000
7103000
7102000
7101000
7100000
7099000
7098000



0908937 BC Ltd.


50 Mile Creek Project
Yukon Territory

Soils Index Map 116C02

Author: RM	April 15, 2012	**Figure 6**
Drafted: JT	UTM NAD83 Zone 7	

Legend

- Soil Sample
- Claims


500000
501000
502000
503000
504000
505000
506000
507000
508000
509000
510000
511000
512000
513000
514000
515000
516000
517000
518000
519000
7096000
7095000
7094000
7093000
7092000
7091000
7090000
7089000
7088000
7087000
7086000
7085000
7084000
N
115N15
Kilometers
0
1
2
3
4
5
Legend
Soil Sample
Claims
0908937 BC Ltd.
50 Mile Creek Project
Yukon Territory
Soils Index Map 115N15
Author: RM
April 15, 2012
Drafted: JT
UTM NAD83 Zone 7
Figure 7

116C02

116C01

115N15

115N16

0908937 BC Ltd.

50 Mile Creek Project
Yukon Territory

Soils Index Map 1165N16

Author: RM	April 15, 2012
Drafted: JT	UTM NAD83 Zone 7

Figure 8

Legend

- Soil Sample
- Claims

0 1 2 3 4 5 Kilometers

N

7.0 CONCLUSIONS AND RECOMMENDATIONS

The 2012 geochemical survey was successful in defining seventeen anomalies within the claim boundaries. Of those 17 anomalies, five were single elevated gold anomalies not associated with watercourses; five elevated gold with coincident trace element and/or base metal; six elevated silver with coincident trace element and/or base metal and one elevated base metals. These geochemical anomalies indicate the presence of one or more mineralized systems that warrant follow up work.

A work program of soil geochemistry, geological mapping and trenching is recommended. Reconnaissance scale soil geochemistry should be carried out on the west side of the property to fill in gaps in the existing grid. Each of the anomalies defined by the 2012 geochemical program should be gridded on 50 metre lines and 25 metres stations, soil sampled and geologically mapped in detail. Trenching is recommended contingent upon results of sampling and mapping.

8.0 STATEMENT OF COSTS

Peak Helicopter				
Helicopter Support				$50,547.91
			Subtotal	$50,547.91
All-In Exploration Solutions Inc				
Personnel	95	mandays	$472.50	$44,887.50
Mobe (fixed cost)				$2,835.00
Camp (fixed cost)				$3,307.50
Food	105	mandays	$42.00	$4,410.00
Vehicle km	4480	km	$0.63	$2,822.40
Vehicle stand-by	13	days	$21.00	$273.00
Vehicle day rate	5	days	$105.00	$525.00
Fuel	10	200l drums	$520.80	$5,208.00
			Subtotal	$64,268.40
Acme Analytical Laboratories				
1873 soil samples returned				$42,090.43
			Subtotal	$42,090.43
Geologist R. MacDonald				
Meals				$210.90
Hotel				$296.10
Taxi				$13.00
Site Visit	4	mandays	$672.00	$2,688.00
Report Writing (NI43-101)	10.75	mandays	$672.00	$7,224.00
			Subtotal	$10,432.00
			Total	**$167,338.74**

TABLE 1- STATEMENT OF COSTS

9.0 REFERENCES

Cockfield, W.E. 1921: Sixtymile and Ladue Rivers Area Yukon, Geol. Surv. Can. Mem. 123 p;

Cholach, M.S., 1969: Report on the 1969 Exploration Program in the Sixty Mile River Area, Yukon Territory. For Connaught Mines Ltd. dated Dec 15, 1969, D.I.A.N.D. Assessment Report No. 061130;

Colpron, M., 2006: Tectonic Assemblage Map of Yukon-Tanana and related terrains in Yukon and Northern British Columbia, Yukon Geological Survey, Open File 2006-1, scale 1:1,000,000;

Green, L.H. 1972: Geology of Nash Creek, Larsen Creek and Dawson Map areas, Yukon Territory, Geol. Surv. Can. Mem 364 p;

Hakonson, G. 1992: Hard Rock Exploration Report Sixty Mile River Property

Hulstein, R.W. 2009: 2008 Geological and Geochemical Report on the Toni 9-32 Claims. Yukon Energy, Mines and Resources Library, YEIP 2008-012;

LaBarge, W.P. and Welsh, C.S. (compilers) 2007: Yukon Placer Mining Industry 2003-2006. Yukon Geological Survey, 235 p.

LaBarge, W.P. and Nordling, M.G. (compilers) 2011: Yukon Placer Mining Industry 2007-2009. Yukon Geological Survey, 151 p.

Mining Inspection Division, 2003. Yukon Placer Industry 1998 – 2002. Mineral Resources Directorate, Yukon Region, Indian and Northern Affairs Canada, 214 p.

Placer Mining Section 1991. Yukon Placer Industry 1989 to 1990. Mineral Resources Directorate, Yukon, Indian and Northern Affairs Canada.

Placer Mining Section 1996: Yukon Placer Industry 1993 to 1994. Mineral Resources Directorate, Yukon, Indian Affairs and Northern Development Canada.

Placer Mining Section 1998: Yukon Placer Industry 1995 to 1997. Mineral Resources Directorate, Yukon, Indian Affairs and Northern Development Canada.

Thompson, R.F. and Van Kalsbeek, L.P. (compilers) 1993: Yukon Placer Mining Industry 1991-1992 Annual Report, Indian and Northern Affairs Canada, Yukon Region;

10.0 AUTHOR'S STATEMENT OF QUALIFICATIONS

I, Roger C. MacDonald P.Geo., do hereby certify that,

1.) I currently reside at 8191 River Road, Richmond, BC, Canada, V6X 1X8 and I am self employed as a consulting geologist.
2.) This certificate applies to the Geochemical Report on the Fifty Mile Creek Property, dated August 16, 2012.
3.) I graduated with a Bachelors Degree of Science (Department of Geology) from the University of British Columbia in 1988. I have worked twenty years as a geologist, throughout the BC/Yukon Cordillera, NWT/Nunavut, the Guiana Shield, SA and the Canadian Shield in Ontario since my graduation. I am a member in good standing with the Association of Professional Engineers and Geoscientists of BC and the Association of Professional Geoscientists of Ontario. By reason of my education, experience and affiliation with professional associations, I fulfill the requirements to be a "qualified person" for the purposes of NI 43-101
4.) I most recently inspected the property described in the assessment report on September 27 and September 28, 2011.
5.) I am responsible for and have reviewed and approved the material presented in this report.
6.) I am an "Independent Qualified Person" as defined in section 1.5 of NI 43-101

Sealed and Signed at Vancouver, British Columbia, on August 16, 2012



Roger C. MacDonald P.Geo.

APPENDIX 1 – CLAIM STATUS

Property	Owner	Grant Number	Claim Type	Claim Name	Good to Date	Mining District	Area (ha)
Fifty Mile Creek	0908937 BC LTD	YE39701	Quartz	Kam 1	2012-05-09	Dawson	21.47
Fifty Mile Creek	0908937 BC LTD	YE39702	Quartz	Kam 2	2012-05-09	Dawson	21.69
Fifty Mile Creek	0908937 BC LTD	YE39703	Quartz	Kam 3	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39704	Quartz	Kam 4	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39705	Quartz	Kam 5	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39706	Quartz	Kam 6	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39707	Quartz	Kam 7	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39708	Quartz	Kam 8	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39709	Quartz	Kam 9	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39710	Quartz	Kam 10	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39711	Quartz	Kam 11	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39712	Quartz	Kam 12	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39713	Quartz	Kam 13	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39714	Quartz	Kam 14	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39715	Quartz	Kam 15	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39716	Quartz	Kam 16	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39717	Quartz	Kam 17	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39718	Quartz	Kam 18	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39719	Quartz	Kam 19	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39720	Quartz	Kam 20	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39721	Quartz	Kam 21	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39722	Quartz	Kam 22	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39723	Quartz	Kam 23	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39724	Quartz	Kam 24	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39725	Quartz	Kam 25	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39726	Quartz	Kam 26	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39727	Quartz	Kam 27	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39728	Quartz	Kam 28	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39729	Quartz	Kam 29	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39730	Quartz	Kam 30	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39731	Quartz	Kam 31	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39732	Quartz	Kam 32	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39733	Quartz	Kam 33	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39734	Quartz	Kam 34	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39735	Quartz	Kam 35	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39736	Quartz	Kam 36	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39737	Quartz	Kam 37	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39738	Quartz	Kam 38	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39739	Quartz	Kam 39	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39740	Quartz	Kam 40	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39741	Quartz	Kam 41	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE39742	Quartz	Kam 42	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE39743	Quartz	Kam 43	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE39744	Quartz	Kam 44	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE39745	Quartz	Kam 45	2012-05-09	Dawson	20.25

Fifty Mile Creek	0908937 BC LTD	YE39746	Quartz	Kam 46	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE39747	Quartz	Kam 47	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE39748	Quartz	Kam 48	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE39749	Quartz	Kam 49	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE39750	Quartz	Kam 50	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE39751	Quartz	Kam 51	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE39752	Quartz	Kam 52	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE39753	Quartz	Kam 53	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE39754	Quartz	Kam 54	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE39755	Quartz	Kam 55	2012-05-09	Dawson	21.20
Fifty Mile Creek	0908937 BC LTD	YE39756	Quartz	Kam 56	2012-05-09	Dawson	21.34
Fifty Mile Creek	0908937 BC LTD	YE39757	Quartz	Kam 57	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39758	Quartz	Kam 58	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39759	Quartz	Kam 59	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39760	Quartz	Kam 60	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39761	Quartz	Kam 61	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39762	Quartz	Kam 62	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39763	Quartz	Kam 63	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39764	Quartz	Kam 64	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39765	Quartz	Kam 65	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39766	Quartz	Kam 66	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39767	Quartz	Kam 67	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39768	Quartz	Kam 68	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39769	Quartz	Kam 69	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39770	Quartz	Kam 70	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39771	Quartz	Kam 71	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39772	Quartz	Kam 72	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39773	Quartz	Kam 73	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39774	Quartz	Kam 74	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39775	Quartz	Kam 75	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39776	Quartz	Kam 76	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39777	Quartz	Kam 77	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39778	Quartz	Kam 78	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39779	Quartz	Kam 79	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39780	Quartz	Kam 80	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39781	Quartz	Kam 81	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39782	Quartz	Kam 82	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39783	Quartz	Kam 83	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39784	Quartz	Kam 84	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39785	Quartz	Kam 85	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39786	Quartz	Kam 86	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39787	Quartz	Kam 87	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39788	Quartz	Kam 88	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39789	Quartz	Kam 89	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39790	Quartz	Kam 90	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39791	Quartz	Kam 91	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39792	Quartz	Kam 92	2012-05-09	Dawson	20.57

Fifty Mile Creek	0908937 BC LTD	YE39793	Quartz	Kam 93	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39794	Quartz	Kam 94	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39795	Quartz	Kam 95	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE39796	Quartz	Kam 96	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE39797	Quartz	Kam 97	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE39798	Quartz	Kam 98	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE39799	Quartz	Kam 99	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE39800	Quartz	Kam 100	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE39801	Quartz	Kam 101	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE39802	Quartz	Kam 102	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE39803	Quartz	Kam 103	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE39804	Quartz	Kam 104	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE39805	Quartz	Kam 105	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE39806	Quartz	Kam 106	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE39807	Quartz	Kam 107	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE39808	Quartz	Kam 108	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE39809	Quartz	Kam 109	2012-05-09	Dawson	21.26
Fifty Mile Creek	0908937 BC LTD	YE39810	Quartz	Kam 110	2012-05-09	Dawson	21.06
Fifty Mile Creek	0908937 BC LTD	YE39811	Quartz	Kam 111	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39812	Quartz	Kam 112	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39813	Quartz	Kam 113	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39814	Quartz	Kam 114	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39815	Quartz	Kam 115	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39816	Quartz	Kam 116	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39817	Quartz	Kam 117	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39818	Quartz	Kam 118	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39819	Quartz	Kam 119	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39820	Quartz	Kam 120	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39821	Quartz	Kam 121	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39822	Quartz	Kam 122	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39823	Quartz	Kam 123	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39824	Quartz	Kam 124	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39825	Quartz	Kam 125	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39826	Quartz	Kam 126	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39827	Quartz	Kam 127	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39828	Quartz	Kam 128	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39829	Quartz	Kam 129	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39830	Quartz	Kam 130	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39831	Quartz	Kam 131	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39832	Quartz	Kam 132	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39833	Quartz	Kam 133	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39834	Quartz	Kam 134	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39835	Quartz	Kam 135	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39836	Quartz	Kam 136	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39837	Quartz	Kam 137	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39838	Quartz	Kam 138	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39839	Quartz	Kam 139	2012-05-09	Dawson	20.90

Fifty Mile Creek	0908937 BC LTD	YE39840	Quartz	Kam 140	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39841	Quartz	Kam 141	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39842	Quartz	Kam 142	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39843	Quartz	Kam 143	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39844	Quartz	Kam 144	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39845	Quartz	Kam 145	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39846	Quartz	Kam 146	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39847	Quartz	Kam 147	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39848	Quartz	Kam 148	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39849	Quartz	Kam 149	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39850	Quartz	Kam 150	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE39851	Quartz	Kam 151	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39852	Quartz	Kam 152	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE39853	Quartz	Kam 153	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39854	Quartz	Kam 154	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE39855	Quartz	Kam 155	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39856	Quartz	Kam 156	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE39857	Quartz	Kam 157	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39858	Quartz	Kam 158	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE39859	Quartz	Kam 159	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39860	Quartz	Kam 160	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE39861	Quartz	Kam 161	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39862	Quartz	Kam 162	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE39863	Quartz	Kam 163	2012-05-09	Dawson	20.98
Fifty Mile Creek	0908937 BC LTD	YE39864	Quartz	Kam 164	2012-05-09	Dawson	21.12
Fifty Mile Creek	0908937 BC LTD	YE39865	Quartz	Kam 165	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39866	Quartz	Kam 166	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39867	Quartz	Kam 167	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39868	Quartz	Kam 168	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39869	Quartz	Kam 169	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39870	Quartz	Kam 170	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39871	Quartz	Kam 171	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39872	Quartz	Kam 172	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39873	Quartz	Kam 173	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39874	Quartz	Kam 174	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39875	Quartz	Kam 175	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39876	Quartz	Kam 176	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39877	Quartz	Kam 177	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39878	Quartz	Kam 178	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39879	Quartz	Kam 179	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39880	Quartz	Kam 180	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39881	Quartz	Kam 181	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39882	Quartz	Kam 182	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39883	Quartz	Kam 183	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39884	Quartz	Kam 184	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39885	Quartz	Kam 185	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39886	Quartz	Kam 186	2012-05-09	Dawson	20.90

Fifty Mile Creek	0908937 BC LTD	YE39887	Quartz	Kam 187	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39888	Quartz	Kam 188	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39889	Quartz	Kam 189	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39890	Quartz	Kam 190	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39891	Quartz	Kam 191	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39892	Quartz	Kam 192	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39893	Quartz	Kam 193	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39894	Quartz	Kam 194	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39895	Quartz	Kam 195	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39896	Quartz	Kam 196	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39897	Quartz	Kam 197	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39898	Quartz	Kam 198	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39899	Quartz	Kam 199	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39900	Quartz	Kam 200	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39901	Quartz	Kam 201	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39902	Quartz	Kam 202	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39903	Quartz	Kam 203	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39904	Quartz	Kam 204	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39905	Quartz	Kam 205	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39906	Quartz	Kam 206	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39907	Quartz	Kam 207	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39908	Quartz	Kam 208	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39909	Quartz	Kam 209	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39910	Quartz	Kam 210	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39911	Quartz	Kam 211	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39912	Quartz	Kam 212	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39913	Quartz	Kam 213	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39914	Quartz	Kam 214	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39915	Quartz	Kam 215	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39916	Quartz	Kam 216	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39917	Quartz	Kam 217	2012-05-09	Dawson	20.70
Fifty Mile Creek	0908937 BC LTD	YE39918	Quartz	Kam 218	2012-05-09	Dawson	20.84
Fifty Mile Creek	0908937 BC LTD	YE39919	Quartz	Kam 219	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39920	Quartz	Kam 220	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39921	Quartz	Kam 221	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39922	Quartz	Kam 222	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39923	Quartz	Kam 223	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39924	Quartz	Kam 224	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39925	Quartz	Kam 225	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39926	Quartz	Kam 226	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39927	Quartz	Kam 227	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39928	Quartz	Kam 228	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39929	Quartz	Kam 229	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39930	Quartz	Kam 230	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39931	Quartz	Kam 231	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39932	Quartz	Kam 232	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39933	Quartz	Kam 233	2012-05-09	Dawson	20.90

Fifty Mile Creek	0908937 BC LTD	YE39934	Quartz	Kam 234	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39935	Quartz	Kam 235	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39936	Quartz	Kam 236	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39937	Quartz	Kam 237	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39938	Quartz	Kam 238	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39939	Quartz	Kam 239	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39940	Quartz	Kam 240	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39941	Quartz	Kam 241	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39942	Quartz	Kam 242	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39943	Quartz	Kam 243	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39944	Quartz	Kam 244	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39945	Quartz	Kam 245	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39946	Quartz	Kam 246	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39947	Quartz	Kam 247	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39948	Quartz	Kam 248	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39949	Quartz	Kam 249	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39950	Quartz	Kam 250	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39951	Quartz	Kam 251	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39952	Quartz	Kam 252	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39953	Quartz	Kam 253	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39954	Quartz	Kam 254	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39955	Quartz	Kam 255	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39956	Quartz	Kam 256	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39957	Quartz	Kam 257	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39958	Quartz	Kam 258	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39959	Quartz	Kam 259	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39960	Quartz	Kam 260	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39961	Quartz	Kam 261	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39962	Quartz	Kam 262	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39963	Quartz	Kam 263	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39964	Quartz	Kam 264	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39965	Quartz	Kam 265	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39966	Quartz	Kam 266	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39967	Quartz	Kam 267	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39968	Quartz	Kam 268	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39969	Quartz	Kam 269	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39970	Quartz	Kam 270	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39971	Quartz	Kam 271	2012-05-09	Dawson	20.10
Fifty Mile Creek	0908937 BC LTD	YE39972	Quartz	Kam 272	2012-05-09	Dawson	20.56
Fifty Mile Creek	0908937 BC LTD	YE39973	Quartz	Kam 273	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39974	Quartz	Kam 274	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39975	Quartz	Kam 275	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39976	Quartz	Kam 276	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39977	Quartz	Kam 277	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39978	Quartz	Kam 278	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39979	Quartz	Kam 279	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39980	Quartz	Kam 280	2012-05-09	Dawson	20.90

Fifty Mile Creek	0908937 BC LTD	YE39981	Quartz	Kam 281	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39982	Quartz	Kam 282	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39983	Quartz	Kam 283	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39984	Quartz	Kam 284	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39985	Quartz	Kam 285	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39986	Quartz	Kam 286	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39987	Quartz	Kam 287	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39988	Quartz	Kam 288	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39989	Quartz	Kam 289	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39990	Quartz	Kam 290	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39991	Quartz	Kam 291	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39992	Quartz	Kam 292	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39993	Quartz	Kam 293	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39994	Quartz	Kam 294	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39995	Quartz	Kam 295	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39996	Quartz	Kam 296	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39997	Quartz	Kam 297	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE39998	Quartz	Kam 298	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE39999	Quartz	Kam 299	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40000	Quartz	Kam 300	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40001	Quartz	Kam 301	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40002	Quartz	Kam 302	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40003	Quartz	Kam 303	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40004	Quartz	Kam 304	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40005	Quartz	Kam 305	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40006	Quartz	Kam 306	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40007	Quartz	Kam 307	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40008	Quartz	Kam 308	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40009	Quartz	Kam 309	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40010	Quartz	Kam 310	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40011	Quartz	Kam 311	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40012	Quartz	Kam 312	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40013	Quartz	Kam 313	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40014	Quartz	Kam 314	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40015	Quartz	Kam 315	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40016	Quartz	Kam 316	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40017	Quartz	Kam 317	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40018	Quartz	Kam 318	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40019	Quartz	Kam 319	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40020	Quartz	Kam 320	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40021	Quartz	Kam 321	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40022	Quartz	Kam 322	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40023	Quartz	Kam 323	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40024	Quartz	Kam 324	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40025	Quartz	Kam 325	2012-05-09	Dawson	19.83
Fifty Mile Creek	0908937 BC LTD	YE40026	Quartz	Kam 326	2012-05-09	Dawson	19.96
Fifty Mile Creek	0908937 BC LTD	YE40027	Quartz	Kam 327	2012-05-09	Dawson	20.57

Fifty Mile Creek	0908937 BC LTD	YE40028	Quartz	Kam 328	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40029	Quartz	Kam 329	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40030	Quartz	Kam 330	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40031	Quartz	Kam 331	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40032	Quartz	Kam 332	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40033	Quartz	Kam 333	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40034	Quartz	Kam 334	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40035	Quartz	Kam 335	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40036	Quartz	Kam 336	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40037	Quartz	Kam 337	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40038	Quartz	Kam 338	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40039	Quartz	Kam 339	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40040	Quartz	Kam 340	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40041	Quartz	Kam 341	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40042	Quartz	Kam 342	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40043	Quartz	Kam 343	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40044	Quartz	Kam 344	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40045	Quartz	Kam 345	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40046	Quartz	Kam 346	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40047	Quartz	Kam 347	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40048	Quartz	Kam 348	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40049	Quartz	Kam 349	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40050	Quartz	Kam 350	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40051	Quartz	Kam 351	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40052	Quartz	Kam 352	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40053	Quartz	Kam 353	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40054	Quartz	Kam 354	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40055	Quartz	Kam 355	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40056	Quartz	Kam 356	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40057	Quartz	Kam 357	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40058	Quartz	Kam 358	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40059	Quartz	Kam 359	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40060	Quartz	Kam 360	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40061	Quartz	Kam 361	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40062	Quartz	Kam 362	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40063	Quartz	Kam 363	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40064	Quartz	Kam 364	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40065	Quartz	Kam 365	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40066	Quartz	Kam 366	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40067	Quartz	Kam 367	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40068	Quartz	Kam 368	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40069	Quartz	Kam 369	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40070	Quartz	Kam 370	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40071	Quartz	Kam 371	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40072	Quartz	Kam 372	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40073	Quartz	Kam 373	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40074	Quartz	Kam 374	2012-05-09	Dawson	20.25

Fifty Mile Creek	0908937 BC LTD	YE40075	Quartz	Kam 375	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40076	Quartz	Kam 376	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40077	Quartz	Kam 377	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40078	Quartz	Kam 378	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40079	Quartz	Kam 379	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40080	Quartz	Kam 380	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40081	Quartz	Kam 381	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40082	Quartz	Kam 382	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40083	Quartz	Kam 383	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40084	Quartz	Kam 384	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40085	Quartz	Kam 385	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40086	Quartz	Kam 386	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40087	Quartz	Kam 387	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40088	Quartz	Kam 388	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40089	Quartz	Kam 389	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40090	Quartz	Kam 390	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40091	Quartz	Kam 391	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40092	Quartz	Kam 392	2012-05-09	Dawson	19.69
Fifty Mile Creek	0908937 BC LTD	YE40093	Quartz	Kam 393	2012-05-09	Dawson	19.86
Fifty Mile Creek	0908937 BC LTD	YE40094	Quartz	Kam 394	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40095	Quartz	Kam 395	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40096	Quartz	Kam 396	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40097	Quartz	Kam 397	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40098	Quartz	Kam 398	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40099	Quartz	Kam 399	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40100	Quartz	Kam 400	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40101	Quartz	Kam 401	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40102	Quartz	Kam 402	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40103	Quartz	Kam 403	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40104	Quartz	Kam 404	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40105	Quartz	Kam 405	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40106	Quartz	Kam 406	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40107	Quartz	Kam 407	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40108	Quartz	Kam 408	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40109	Quartz	Kam 409	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40110	Quartz	Kam 410	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40111	Quartz	Kam 411	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40112	Quartz	Kam 412	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40113	Quartz	Kam 413	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40114	Quartz	Kam 414	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40115	Quartz	Kam 415	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40116	Quartz	Kam 416	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40117	Quartz	Kam 417	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40118	Quartz	Kam 418	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40119	Quartz	Kam 419	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40120	Quartz	Kam 420	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40121	Quartz	Kam 421	2012-05-09	Dawson	20.90

Fifty Mile Creek	0908937 BC LTD	YE40122	Quartz	Kam 422	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40123	Quartz	Kam 423	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40124	Quartz	Kam 424	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40125	Quartz	Kam 425	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40126	Quartz	Kam 426	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40127	Quartz	Kam 427	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40128	Quartz	Kam 428	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40129	Quartz	Kam 429	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40130	Quartz	Kam 430	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40131	Quartz	Kam 431	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40132	Quartz	Kam 432	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40133	Quartz	Kam 433	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40134	Quartz	Kam 434	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40135	Quartz	Kam 435	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40136	Quartz	Kam 436	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40137	Quartz	Kam 437	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40138	Quartz	Kam 438	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40139	Quartz	Kam 439	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40140	Quartz	Kam 440	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40141	Quartz	Kam 441	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40142	Quartz	Kam 442	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40143	Quartz	Kam 443	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40144	Quartz	Kam 444	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40145	Quartz	Kam 445	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40146	Quartz	Kam 446	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40147	Quartz	Kam 447	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40148	Quartz	Kam 448	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40149	Quartz	Kam 449	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40150	Quartz	Kam 450	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40151	Quartz	Kam 451	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40152	Quartz	Kam 452	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40153	Quartz	Kam 453	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40154	Quartz	Kam 454	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40155	Quartz	Kam 455	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40156	Quartz	Kam 456	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40157	Quartz	Kam 457	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40158	Quartz	Kam 458	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40159	Quartz	Kam 459	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40160	Quartz	Kam 460	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40161	Quartz	Kam 461	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40162	Quartz	Kam 462	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40163	Quartz	Kam 463	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40164	Quartz	Kam 464	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40165	Quartz	Kam 465	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40166	Quartz	Kam 466	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40167	Quartz	Kam 467	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40168	Quartz	Kam 468	2012-05-09	Dawson	20.25

Fifty Mile Creek	0908937 BC LTD	YE40169	Quartz	Kam 469	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40170	Quartz	Kam 470	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40171	Quartz	Kam 471	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40172	Quartz	Kam 472	2012-05-09	Dawson	19.72
Fifty Mile Creek	0908937 BC LTD	YE40173	Quartz	Kam 473	2012-05-09	Dawson	19.58
Fifty Mile Creek	0908937 BC LTD	YE40174	Quartz	Kam 474	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40175	Quartz	Kam 475	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40176	Quartz	Kam 476	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40177	Quartz	Kam 477	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40178	Quartz	Kam 478	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40179	Quartz	Kam 479	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40180	Quartz	Kam 480	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40181	Quartz	Kam 481	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40182	Quartz	Kam 482	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40183	Quartz	Kam 483	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40184	Quartz	Kam 484	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40185	Quartz	Kam 485	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40186	Quartz	Kam 486	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40187	Quartz	Kam 487	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40188	Quartz	Kam 488	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40189	Quartz	Kam 489	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40190	Quartz	Kam 490	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40191	Quartz	Kam 491	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40192	Quartz	Kam 492	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40193	Quartz	Kam 493	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40194	Quartz	Kam 494	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40195	Quartz	Kam 495	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40196	Quartz	Kam 496	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40197	Quartz	Kam 497	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40198	Quartz	Kam 498	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40199	Quartz	Kam 499	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40200	Quartz	Kam 500	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40201	Quartz	Kam 501	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40202	Quartz	Kam 502	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40203	Quartz	Kam 503	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40204	Quartz	Kam 504	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40205	Quartz	Kam 505	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40206	Quartz	Kam 506	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40207	Quartz	Kam 507	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40208	Quartz	Kam 508	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40209	Quartz	Kam 509	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40210	Quartz	Kam 510	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40211	Quartz	Kam 511	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40212	Quartz	Kam 512	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40213	Quartz	Kam 513	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40214	Quartz	Kam 514	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40215	Quartz	Kam 515	2012-05-09	Dawson	20.57

Fifty Mile Creek	0908937 BC LTD	YE40216	Quartz	Kam 516	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40217	Quartz	Kam 517	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40218	Quartz	Kam 518	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40219	Quartz	Kam 519	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40220	Quartz	Kam 520	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40221	Quartz	Kam 521	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40222	Quartz	Kam 522	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40223	Quartz	Kam 523	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40224	Quartz	Kam 524	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40225	Quartz	Kam 525	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40226	Quartz	Kam 526	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40227	Quartz	Kam 527	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40228	Quartz	Kam 528	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40229	Quartz	Kam 529	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40230	Quartz	Kam 530	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40231	Quartz	Kam 531	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40232	Quartz	Kam 532	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40233	Quartz	Kam 533	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40234	Quartz	Kam 534	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40235	Quartz	Kam 535	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40236	Quartz	Kam 536	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40237	Quartz	Kam 537	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40238	Quartz	Kam 538	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40239	Quartz	Kam 539	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40240	Quartz	Kam 540	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40241	Quartz	Kam 541	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40242	Quartz	Kam 542	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40243	Quartz	Kam 543	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40244	Quartz	Kam 544	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40245	Quartz	Kam 545	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40246	Quartz	Kam 546	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40247	Quartz	Kam 547	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40248	Quartz	Kam 548	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40249	Quartz	Kam 549	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40250	Quartz	Kam 550	2012-05-09	Dawson	18.09
Fifty Mile Creek	0908937 BC LTD	YE40251	Quartz	Kam 551	2012-05-09	Dawson	17.65
Fifty Mile Creek	0908937 BC LTD	YE40252	Quartz	Kam 552	2012-05-09	Dawson	19.31
Fifty Mile Creek	0908937 BC LTD	YE40253	Quartz	Kam 553	2012-05-09	Dawson	18.82
Fifty Mile Creek	0908937 BC LTD	YE40254	Quartz	Kam 554	2012-05-09	Dawson	19.31
Fifty Mile Creek	0908937 BC LTD	YE40255	Quartz	Kam 555	2012-05-09	Dawson	18.68
Fifty Mile Creek	0908937 BC LTD	YE40256	Quartz	Kam 556	2012-05-09	Dawson	19.31
Fifty Mile Creek	0908937 BC LTD	YE40257	Quartz	Kam 557	2012-05-09	Dawson	18.54
Fifty Mile Creek	0908937 BC LTD	YE40258	Quartz	Kam 558	2012-05-09	Dawson	19.31
Fifty Mile Creek	0908937 BC LTD	YE40259	Quartz	Kam 559	2012-05-09	Dawson	18.40
Fifty Mile Creek	0908937 BC LTD	YE40260	Quartz	Kam 560	2012-05-09	Dawson	19.31
Fifty Mile Creek	0908937 BC LTD	YE40261	Quartz	Kam 561	2012-05-09	Dawson	18.26
Fifty Mile Creek	0908937 BC LTD	YE40262	Quartz	Kam 562	2012-05-09	Dawson	19.31

Fifty Mile Creek	0908937 BC LTD	YE40263	Quartz	Kam 563	2012-05-09	Dawson	18.12
Fifty Mile Creek	0908937 BC LTD	YE40264	Quartz	Kam 564	2012-05-09	Dawson	19.31
Fifty Mile Creek	0908937 BC LTD	YE40265	Quartz	Kam 565	2012-05-09	Dawson	18.11
Fifty Mile Creek	0908937 BC LTD	YE40266	Quartz	Kam 566	2012-05-09	Dawson	19.31
Fifty Mile Creek	0908937 BC LTD	YE40267	Quartz	Kam 567	2012-05-09	Dawson	18.11
Fifty Mile Creek	0908937 BC LTD	YE40268	Quartz	Kam 568	2012-05-09	Dawson	19.31
Fifty Mile Creek	0908937 BC LTD	YE40269	Quartz	Kam 569	2012-05-09	Dawson	18.11
Fifty Mile Creek	0908937 BC LTD	YE40270	Quartz	Kam 570	2012-05-09	Dawson	19.31
Fifty Mile Creek	0908937 BC LTD	YE40271	Quartz	Kam 571	2012-05-09	Dawson	18.11
Fifty Mile Creek	0908937 BC LTD	YE40272	Quartz	Kam 572	2012-05-09	Dawson	19.31
Fifty Mile Creek	0908937 BC LTD	YE40273	Quartz	Kam 573	2012-05-09	Dawson	18.11
Fifty Mile Creek	0908937 BC LTD	YE40274	Quartz	Kam 574	2012-05-09	Dawson	19.31
Fifty Mile Creek	0908937 BC LTD	YE40275	Quartz	Kam 575	2012-05-09	Dawson	18.11
Fifty Mile Creek	0908937 BC LTD	YE40276	Quartz	Kam 576	2012-05-09	Dawson	18.11
Fifty Mile Creek	0908937 BC LTD	YE40277	Quartz	Kam 577	2012-05-09	Dawson	19.31
Fifty Mile Creek	0908937 BC LTD	YE40278	Quartz	Kam 578	2012-05-09	Dawson	18.11
Fifty Mile Creek	0908937 BC LTD	YE40279	Quartz	Kam 579	2012-05-09	Dawson	19.31
Fifty Mile Creek	0908937 BC LTD	YE40280	Quartz	Kam 580	2012-05-09	Dawson	18.11
Fifty Mile Creek	0908937 BC LTD	YE40281	Quartz	Kam 581	2012-05-09	Dawson	19.31
Fifty Mile Creek	0908937 BC LTD	YE40282	Quartz	Kam 582	2012-05-09	Dawson	18.11
Fifty Mile Creek	0908937 BC LTD	YE40283	Quartz	Kam 583	2012-05-09	Dawson	19.31
Fifty Mile Creek	0908937 BC LTD	YE40284	Quartz	Kam 584	2012-05-09	Dawson	18.11
Fifty Mile Creek	0908937 BC LTD	YE40285	Quartz	Kam 585	2012-05-09	Dawson	19.31
Fifty Mile Creek	0908937 BC LTD	YE40286	Quartz	Kam 586	2012-05-09	Dawson	18.11
Fifty Mile Creek	0908937 BC LTD	YE40287	Quartz	Kam 587	2012-05-09	Dawson	19.31
Fifty Mile Creek	0908937 BC LTD	YE40288	Quartz	Kam 588	2012-05-09	Dawson	18.11
Fifty Mile Creek	0908937 BC LTD	YE40289	Quartz	Kam 589	2012-05-09	Dawson	19.31
Fifty Mile Creek	0908937 BC LTD	YE40290	Quartz	Kam 590	2012-05-09	Dawson	17.82
Fifty Mile Creek	0908937 BC LTD	YE40291	Quartz	Kam 591	2012-05-09	Dawson	19.00
Fifty Mile Creek	0908937 BC LTD	YE40292	Quartz	Kam 592	2012-05-09	Dawson	17.82
Fifty Mile Creek	0908937 BC LTD	YE40293	Quartz	Kam 593	2012-05-09	Dawson	19.00
Fifty Mile Creek	0908937 BC LTD	YE40294	Quartz	Kam 594	2012-05-09	Dawson	17.82
Fifty Mile Creek	0908937 BC LTD	YE40295	Quartz	Kam 595	2012-05-09	Dawson	19.00
Fifty Mile Creek	0908937 BC LTD	YE40296	Quartz	Kam 596	2012-05-09	Dawson	17.82
Fifty Mile Creek	0908937 BC LTD	YE40297	Quartz	Kam 597	2012-05-09	Dawson	19.00
Fifty Mile Creek	0908937 BC LTD	YE40298	Quartz	Kam 598	2012-05-09	Dawson	17.82
Fifty Mile Creek	0908937 BC LTD	YE40299	Quartz	Kam 599	2012-05-09	Dawson	19.00
Fifty Mile Creek	0908937 BC LTD	YE40300	Quartz	Kam 600	2012-05-09	Dawson	17.82
Fifty Mile Creek	0908937 BC LTD	YE40301	Quartz	Kam 601	2012-05-09	Dawson	19.00
Fifty Mile Creek	0908937 BC LTD	YE40302	Quartz	Kam 602	2012-05-09	Dawson	17.82
Fifty Mile Creek	0908937 BC LTD	YE40303	Quartz	Kam 603	2012-05-09	Dawson	19.00
Fifty Mile Creek	0908937 BC LTD	YE40304	Quartz	Kam 604	2012-05-09	Dawson	17.82
Fifty Mile Creek	0908937 BC LTD	YE40305	Quartz	Kam 605	2012-05-09	Dawson	19.00
Fifty Mile Creek	0908937 BC LTD	YE40306	Quartz	Kam 606	2012-05-09	Dawson	17.82
Fifty Mile Creek	0908937 BC LTD	YE40307	Quartz	Kam 607	2012-05-09	Dawson	19.00
Fifty Mile Creek	0908937 BC LTD	YE40308	Quartz	Kam 608	2012-05-09	Dawson	17.82
Fifty Mile Creek	0908937 BC LTD	YE40309	Quartz	Kam 609	2012-05-09	Dawson	19.00

Fifty Mile Creek	0908937 BC LTD	YE40310	Quartz	Kam 610	2012-05-09	Dawson	17.82
Fifty Mile Creek	0908937 BC LTD	YE40311	Quartz	Kam 611	2012-05-09	Dawson	19.00
Fifty Mile Creek	0908937 BC LTD	YE40312	Quartz	Kam 612	2012-05-09	Dawson	17.82
Fifty Mile Creek	0908937 BC LTD	YE40313	Quartz	Kam 613	2012-05-09	Dawson	19.00
Fifty Mile Creek	0908937 BC LTD	YE40314	Quartz	Kam 614	2012-05-09	Dawson	17.82
Fifty Mile Creek	0908937 BC LTD	YE40315	Quartz	Kam 615	2012-05-09	Dawson	19.00
Fifty Mile Creek	0908937 BC LTD	YE40316	Quartz	Kam 616	2012-05-09	Dawson	17.82
Fifty Mile Creek	0908937 BC LTD	YE40317	Quartz	Kam 617	2012-05-09	Dawson	19.00
Fifty Mile Creek	0908937 BC LTD	YE40318	Quartz	Kam 618	2012-05-09	Dawson	17.82
Fifty Mile Creek	0908937 BC LTD	YE40319	Quartz	Kam 619	2012-05-09	Dawson	19.00
Fifty Mile Creek	0908937 BC LTD	YE40320	Quartz	Kam 620	2012-05-09	Dawson	17.82
Fifty Mile Creek	0908937 BC LTD	YE40321	Quartz	Kam 621	2012-05-09	Dawson	19.00
Fifty Mile Creek	0908937 BC LTD	YE40322	Quartz	Kam 622	2012-05-09	Dawson	17.82
Fifty Mile Creek	0908937 BC LTD	YE40323	Quartz	Kam 623	2012-05-09	Dawson	19.00
Fifty Mile Creek	0908937 BC LTD	YE40324	Quartz	Kam 624	2012-05-09	Dawson	17.82
Fifty Mile Creek	0908937 BC LTD	YE40325	Quartz	Kam 625	2012-05-09	Dawson	19.00
Fifty Mile Creek	0908937 BC LTD	YE40326	Quartz	Kam 626	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40327	Quartz	Kam 627	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40328	Quartz	Kam 628	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40329	Quartz	Kam 629	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40330	Quartz	Kam 630	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40331	Quartz	Kam 631	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40332	Quartz	Kam 632	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40333	Quartz	Kam 633	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40334	Quartz	Kam 634	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40335	Quartz	Kam 635	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40336	Quartz	Kam 636	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40337	Quartz	Kam 637	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40338	Quartz	Kam 638	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40339	Quartz	Kam 639	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40340	Quartz	Kam 640	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40341	Quartz	Kam 641	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40342	Quartz	Kam 642	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40343	Quartz	Kam 643	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40344	Quartz	Kam 644	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40345	Quartz	Kam 645	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40346	Quartz	Kam 646	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40347	Quartz	Kam 647	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40348	Quartz	Kam 648	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40349	Quartz	Kam 649	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40350	Quartz	Kam 650	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40351	Quartz	Kam 651	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40352	Quartz	Kam 652	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40353	Quartz	Kam 653	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40354	Quartz	Kam 654	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40355	Quartz	Kam 655	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40356	Quartz	Kam 656	2012-05-09	Dawson	20.25

Fifty Mile Creek	0908937 BC LTD	YE40357	Quartz	Kam 657	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40358	Quartz	Kam 658	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40359	Quartz	Kam 659	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40360	Quartz	Kam 660	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40361	Quartz	Kam 661	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40362	Quartz	Kam 662	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40363	Quartz	Kam 663	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40364	Quartz	Kam 664	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40365	Quartz	Kam 665	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40366	Quartz	Kam 666	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40367	Quartz	Kam 667	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40368	Quartz	Kam 668	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40369	Quartz	Kam 669	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40370	Quartz	Kam 670	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40371	Quartz	Kam 671	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40372	Quartz	Kam 672	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40373	Quartz	Kam 673	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40374	Quartz	Kam 674	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40375	Quartz	Kam 675	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40376	Quartz	Kam 676	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40377	Quartz	Kam 677	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40378	Quartz	Kam 678	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40379	Quartz	Kam 679	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40380	Quartz	Kam 680	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40381	Quartz	Kam 681	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40382	Quartz	Kam 682	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40383	Quartz	Kam 683	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40384	Quartz	Kam 684	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40385	Quartz	Kam 685	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40386	Quartz	Kam 686	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40387	Quartz	Kam 687	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40388	Quartz	Kam 688	2012-05-09	Dawson	20.55
Fifty Mile Creek	0908937 BC LTD	YE40389	Quartz	Kam 689	2012-05-09	Dawson	20.42
Fifty Mile Creek	0908937 BC LTD	YE40390	Quartz	Kam 690	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40391	Quartz	Kam 691	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40392	Quartz	Kam 692	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40393	Quartz	Kam 693	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40394	Quartz	Kam 694	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40395	Quartz	Kam 695	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40396	Quartz	Kam 696	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40397	Quartz	Kam 697	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40398	Quartz	Kam 698	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40399	Quartz	Kam 699	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40400	Quartz	Kam 700	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40401	Quartz	Kam 701	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40402	Quartz	Kam 702	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40403	Quartz	Kam 703	2012-05-09	Dawson	20.57

Fifty Mile Creek	0908937 BC LTD	YE40404	Quartz	Kam 704	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40405	Quartz	Kam 705	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40406	Quartz	Kam 706	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40407	Quartz	Kam 707	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40408	Quartz	Kam 708	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40409	Quartz	Kam 709	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40410	Quartz	Kam 710	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40411	Quartz	Kam 711	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40412	Quartz	Kam 712	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40413	Quartz	Kam 713	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40414	Quartz	Kam 714	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40415	Quartz	Kam 715	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40416	Quartz	Kam 716	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40417	Quartz	Kam 717	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40418	Quartz	Kam 718	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40419	Quartz	Kam 719	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40420	Quartz	Kam 720	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40421	Quartz	Kam 721	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40422	Quartz	Kam 722	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40423	Quartz	Kam 723	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40424	Quartz	Kam 724	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40425	Quartz	Kam 725	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40426	Quartz	Kam 726	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40427	Quartz	Kam 727	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40428	Quartz	Kam 728	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40429	Quartz	Kam 729	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40430	Quartz	Kam 730	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40431	Quartz	Kam 731	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40432	Quartz	Kam 732	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40433	Quartz	Kam 733	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40434	Quartz	Kam 734	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40435	Quartz	Kam 735	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40436	Quartz	Kam 736	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40437	Quartz	Kam 737	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40438	Quartz	Kam 738	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40439	Quartz	Kam 739	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40440	Quartz	Kam 740	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40441	Quartz	Kam 741	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40442	Quartz	Kam 742	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40443	Quartz	Kam 743	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40444	Quartz	Kam 744	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40445	Quartz	Kam 745	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40446	Quartz	Kam 746	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40447	Quartz	Kam 747	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40448	Quartz	Kam 748	2012-05-09	Dawson	20.29
Fifty Mile Creek	0908937 BC LTD	YE40449	Quartz	Kam 749	2012-05-09	Dawson	20.15
Fifty Mile Creek	0908937 BC LTD	YE40450	Quartz	Kam 750	2012-05-09	Dawson	20.57

Fifty Mile Creek	0908937 BC LTD	YE40451	Quartz	Kam 751	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40452	Quartz	Kam 752	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40453	Quartz	Kam 753	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40454	Quartz	Kam 754	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40455	Quartz	Kam 755	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40456	Quartz	Kam 756	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40457	Quartz	Kam 757	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40458	Quartz	Kam 758	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40459	Quartz	Kam 759	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40460	Quartz	Kam 760	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40461	Quartz	Kam 761	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40462	Quartz	Kam 762	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40463	Quartz	Kam 763	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40464	Quartz	Kam 764	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40465	Quartz	Kam 765	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40466	Quartz	Kam 766	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40467	Quartz	Kam 767	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40468	Quartz	Kam 768	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40469	Quartz	Kam 769	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40470	Quartz	Kam 770	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40471	Quartz	Kam 771	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40472	Quartz	Kam 772	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40473	Quartz	Kam 773	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40474	Quartz	Kam 774	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40475	Quartz	Kam 775	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40476	Quartz	Kam 776	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40477	Quartz	Kam 777	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40478	Quartz	Kam 778	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40479	Quartz	Kam 779	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40480	Quartz	Kam 780	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40481	Quartz	Kam 781	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40482	Quartz	Kam 782	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40483	Quartz	Kam 783	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40484	Quartz	Kam 784	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40485	Quartz	Kam 785	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40486	Quartz	Kam 786	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40487	Quartz	Kam 787	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40488	Quartz	Kam 788	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40489	Quartz	Kam 789	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40490	Quartz	Kam 790	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40491	Quartz	Kam 791	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40492	Quartz	Kam 792	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40493	Quartz	Kam 793	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40494	Quartz	Kam 794	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40495	Quartz	Kam 795	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40496	Quartz	Kam 796	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40497	Quartz	Kam 797	2012-05-09	Dawson	20.25

Fifty Mile Creek	0908937 BC LTD	YE40498	Quartz	Kam 798	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40499	Quartz	Kam 799	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40500	Quartz	Kam 800	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40501	Quartz	Kam 801	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40502	Quartz	Kam 802	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40503	Quartz	Kam 803	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40504	Quartz	Kam 804	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40505	Quartz	Kam 805	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40506	Quartz	Kam 806	2012-05-09	Dawson	20.01
Fifty Mile Creek	0908937 BC LTD	YE40507	Quartz	Kam 807	2012-05-09	Dawson	19.75
Fifty Mile Creek	0908937 BC LTD	YE40508	Quartz	Kam 808	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40509	Quartz	Kam 809	2012-05-09	Dawson	20.30
Fifty Mile Creek	0908937 BC LTD	YE40510	Quartz	Kam 810	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40511	Quartz	Kam 811	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40512	Quartz	Kam 812	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40513	Quartz	Kam 813	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40514	Quartz	Kam 814	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40515	Quartz	Kam 815	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40516	Quartz	Kam 816	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40517	Quartz	Kam 817	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40518	Quartz	Kam 818	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40519	Quartz	Kam 819	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40520	Quartz	Kam 820	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40521	Quartz	Kam 821	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40522	Quartz	Kam 822	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40523	Quartz	Kam 823	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40524	Quartz	Kam 824	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40525	Quartz	Kam 825	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40526	Quartz	Kam 826	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40527	Quartz	Kam 827	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40528	Quartz	Kam 828	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40529	Quartz	Kam 829	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40530	Quartz	Kam 830	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40531	Quartz	Kam 831	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40532	Quartz	Kam 832	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40533	Quartz	Kam 833	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40534	Quartz	Kam 834	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40535	Quartz	Kam 835	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40536	Quartz	Kam 836	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40537	Quartz	Kam 837	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40538	Quartz	Kam 838	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40539	Quartz	Kam 839	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40540	Quartz	Kam 840	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40541	Quartz	Kam 841	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40542	Quartz	Kam 842	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40543	Quartz	Kam 843	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40544	Quartz	Kam 844	2012-05-09	Dawson	20.25

Fifty Mile Creek	0908937 BC LTD	YE40545	Quartz	Kam 845	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40546	Quartz	Kam 846	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40547	Quartz	Kam 847	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40548	Quartz	Kam 848	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40549	Quartz	Kam 849	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40550	Quartz	Kam 850	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40551	Quartz	Kam 851	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40552	Quartz	Kam 852	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40553	Quartz	Kam 853	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40554	Quartz	Kam 854	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40555	Quartz	Kam 855	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40556	Quartz	Kam 856	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40557	Quartz	Kam 857	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40558	Quartz	Kam 858	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40559	Quartz	Kam 859	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40560	Quartz	Kam 860	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40561	Quartz	Kam 861	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40562	Quartz	Kam 862	2012-05-09	Dawson	18.23
Fifty Mile Creek	0908937 BC LTD	YE40563	Quartz	Kam 863	2012-05-09	Dawson	20.27
Fifty Mile Creek	0908937 BC LTD	YE40564	Quartz	Kam 864	2012-05-09	Dawson	18.39
Fifty Mile Creek	0908937 BC LTD	YE40565	Quartz	Kam 865	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40566	Quartz	Kam 866	2012-05-09	Dawson	18.39
Fifty Mile Creek	0908937 BC LTD	YE40567	Quartz	Kam 867	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40568	Quartz	Kam 868	2012-05-09	Dawson	18.39
Fifty Mile Creek	0908937 BC LTD	YE40569	Quartz	Kam 869	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40570	Quartz	Kam 870	2012-05-09	Dawson	18.39
Fifty Mile Creek	0908937 BC LTD	YE40571	Quartz	Kam 871	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40572	Quartz	Kam 872	2012-05-09	Dawson	18.39
Fifty Mile Creek	0908937 BC LTD	YE40573	Quartz	Kam 873	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40574	Quartz	Kam 874	2012-05-09	Dawson	18.39
Fifty Mile Creek	0908937 BC LTD	YE40575	Quartz	Kam 875	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40576	Quartz	Kam 876	2012-05-09	Dawson	18.39
Fifty Mile Creek	0908937 BC LTD	YE40577	Quartz	Kam 877	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40578	Quartz	Kam 878	2012-05-09	Dawson	18.39
Fifty Mile Creek	0908937 BC LTD	YE40579	Quartz	Kam 879	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40580	Quartz	Kam 880	2012-05-09	Dawson	18.39
Fifty Mile Creek	0908937 BC LTD	YE40581	Quartz	Kam 881	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40582	Quartz	Kam 882	2012-05-09	Dawson	18.39
Fifty Mile Creek	0908937 BC LTD	YE40583	Quartz	Kam 883	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40584	Quartz	Kam 884	2012-05-09	Dawson	18.10
Fifty Mile Creek	0908937 BC LTD	YE40585	Quartz	Kam 885	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40586	Quartz	Kam 886	2012-05-09	Dawson	18.10
Fifty Mile Creek	0908937 BC LTD	YE40587	Quartz	Kam 887	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40588	Quartz	Kam 888	2012-05-09	Dawson	18.10
Fifty Mile Creek	0908937 BC LTD	YE40589	Quartz	Kam 889	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40590	Quartz	Kam 890	2012-05-09	Dawson	18.10
Fifty Mile Creek	0908937 BC LTD	YE40591	Quartz	Kam 891	2012-05-09	Dawson	20.25

Fifty Mile Creek	0908937 BC LTD	YE40592	Quartz	Kam 892	2012-05-09	Dawson	18.10
Fifty Mile Creek	0908937 BC LTD	YE40593	Quartz	Kam 893	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40594	Quartz	Kam 894	2012-05-09	Dawson	18.10
Fifty Mile Creek	0908937 BC LTD	YE40595	Quartz	Kam 895	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40596	Quartz	Kam 896	2012-05-09	Dawson	18.10
Fifty Mile Creek	0908937 BC LTD	YE40597	Quartz	Kam 897	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40598	Quartz	Kam 898	2012-05-09	Dawson	18.10
Fifty Mile Creek	0908937 BC LTD	YE40599	Quartz	Kam 899	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40600	Quartz	Kam 900	2012-05-09	Dawson	18.10
Fifty Mile Creek	0908937 BC LTD	YE40601	Quartz	Kam 901	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40602	Quartz	Kam 902	2012-05-09	Dawson	18.10
Fifty Mile Creek	0908937 BC LTD	YE40603	Quartz	Kam 903	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40604	Quartz	Kam 904	2012-05-09	Dawson	18.10
Fifty Mile Creek	0908937 BC LTD	YE40605	Quartz	Kam 905	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40606	Quartz	Kam 906	2012-05-09	Dawson	18.10
Fifty Mile Creek	0908937 BC LTD	YE40607	Quartz	Kam 907	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40608	Quartz	Kam 908	2012-05-09	Dawson	18.10
Fifty Mile Creek	0908937 BC LTD	YE40609	Quartz	Kam 909	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40610	Quartz	Kam 910	2012-05-09	Dawson	18.10
Fifty Mile Creek	0908937 BC LTD	YE40611	Quartz	Kam 911	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40612	Quartz	Kam 912	2012-05-09	Dawson	20.13
Fifty Mile Creek	0908937 BC LTD	YE40613	Quartz	Kam 913	2012-05-09	Dawson	19.99
Fifty Mile Creek	0908937 BC LTD	YE40614	Quartz	Kam 914	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40615	Quartz	Kam 915	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40616	Quartz	Kam 916	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40617	Quartz	Kam 917	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40618	Quartz	Kam 918	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40619	Quartz	Kam 919	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40620	Quartz	Kam 920	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40621	Quartz	Kam 921	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40622	Quartz	Kam 922	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40623	Quartz	Kam 923	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40624	Quartz	Kam 924	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40625	Quartz	Kam 925	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40626	Quartz	Kam 926	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40627	Quartz	Kam 927	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40628	Quartz	Kam 928	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40629	Quartz	Kam 929	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40630	Quartz	Kam 930	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40631	Quartz	Kam 931	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40632	Quartz	Kam 932	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40633	Quartz	Kam 933	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40634	Quartz	Kam 934	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40635	Quartz	Kam 935	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40636	Quartz	Kam 936	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40637	Quartz	Kam 937	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40638	Quartz	Kam 938	2012-05-09	Dawson	20.25

Fifty Mile Creek	0908937 BC LTD	YE40639	Quartz	Kam 939	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40640	Quartz	Kam 940	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40641	Quartz	Kam 941	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40642	Quartz	Kam 942	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40643	Quartz	Kam 943	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40644	Quartz	Kam 944	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40645	Quartz	Kam 945	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40646	Quartz	Kam 946	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40647	Quartz	Kam 947	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40648	Quartz	Kam 948	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40649	Quartz	Kam 949	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40650	Quartz	Kam 950	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40651	Quartz	Kam 951	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40652	Quartz	Kam 952	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40653	Quartz	Kam 953	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40654	Quartz	Kam 954	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40655	Quartz	Kam 955	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40656	Quartz	Kam 956	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40657	Quartz	Kam 957	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40658	Quartz	Kam 958	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40659	Quartz	Kam 959	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40660	Quartz	Kam 960	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40661	Quartz	Kam 961	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40662	Quartz	Kam 962	2012-05-09	Dawson	20.17
Fifty Mile Creek	0908937 BC LTD	YE40663	Quartz	Kam 963	2012-05-09	Dawson	19.98
Fifty Mile Creek	0908937 BC LTD	YE40664	Quartz	Kam 964	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40665	Quartz	Kam 965	2012-05-09	Dawson	20.70
Fifty Mile Creek	0908937 BC LTD	YE40666	Quartz	Kam 966	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40667	Quartz	Kam 967	2012-05-09	Dawson	20.55
Fifty Mile Creek	0908937 BC LTD	YE40668	Quartz	Kam 968	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40669	Quartz	Kam 969	2012-05-09	Dawson	20.40
Fifty Mile Creek	0908937 BC LTD	YE40670	Quartz	Kam 970	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40671	Quartz	Kam 971	2012-05-09	Dawson	20.26
Fifty Mile Creek	0908937 BC LTD	YE40672	Quartz	Kam 972	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40673	Quartz	Kam 973	2012-05-09	Dawson	20.11
Fifty Mile Creek	0908937 BC LTD	YE40674	Quartz	Kam 974	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40675	Quartz	Kam 975	2012-05-09	Dawson	19.96
Fifty Mile Creek	0908937 BC LTD	YE40676	Quartz	Kam 976	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40677	Quartz	Kam 977	2012-05-09	Dawson	19.81
Fifty Mile Creek	0908937 BC LTD	YE40678	Quartz	Kam 978	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40679	Quartz	Kam 979	2012-05-09	Dawson	19.66
Fifty Mile Creek	0908937 BC LTD	YE40680	Quartz	Kam 980	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40681	Quartz	Kam 981	2012-05-09	Dawson	19.51
Fifty Mile Creek	0908937 BC LTD	YE40682	Quartz	Kam 982	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40683	Quartz	Kam 983	2012-05-09	Dawson	19.36
Fifty Mile Creek	0908937 BC LTD	YE40684	Quartz	Kam 984	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40685	Quartz	Kam 985	2012-05-09	Dawson	18.91

Fifty Mile Creek	0908937 BC LTD	YE40686	Quartz	Kam 986	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40687	Quartz	Kam 987	2012-05-09	Dawson	18.77
Fifty Mile Creek	0908937 BC LTD	YE40688	Quartz	Kam 988	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40689	Quartz	Kam 989	2012-05-09	Dawson	18.63
Fifty Mile Creek	0908937 BC LTD	YE40690	Quartz	Kam 990	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40691	Quartz	Kam 991	2012-05-09	Dawson	18.48
Fifty Mile Creek	0908937 BC LTD	YE40692	Quartz	Kam 992	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40693	Quartz	Kam 993	2012-05-09	Dawson	18.34
Fifty Mile Creek	0908937 BC LTD	YE40694	Quartz	Kam 994	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40695	Quartz	Kam 995	2012-05-09	Dawson	18.19
Fifty Mile Creek	0908937 BC LTD	YE40696	Quartz	Kam 996	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40697	Quartz	Kam 997	2012-05-09	Dawson	18.05
Fifty Mile Creek	0908937 BC LTD	YE40698	Quartz	Kam 998	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40699	Quartz	Kam 999	2012-05-09	Dawson	17.91
Fifty Mile Creek	0908937 BC LTD	YE40700	Quartz	Kam 1000	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40701	Quartz	Kam 1001	2012-05-09	Dawson	17.76
Fifty Mile Creek	0908937 BC LTD	YE40702	Quartz	Kam 1002	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40703	Quartz	Kam 1003	2012-05-09	Dawson	17.62
Fifty Mile Creek	0908937 BC LTD	YE40704	Quartz	Kam 1004	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40705	Quartz	Kam 1005	2012-05-09	Dawson	17.47
Fifty Mile Creek	0908937 BC LTD	YE40706	Quartz	Kam 1006	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40707	Quartz	Kam 1007	2012-05-09	Dawson	17.33
Fifty Mile Creek	0908937 BC LTD	YE40708	Quartz	Kam 1008	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40709	Quartz	Kam 1009	2012-05-09	Dawson	17.19
Fifty Mile Creek	0908937 BC LTD	YE40710	Quartz	Kam 1010	2012-05-09	Dawson	20.10
Fifty Mile Creek	0908937 BC LTD	YE40711	Quartz	Kam 1011	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40712	Quartz	Kam 1012	2012-05-09	Dawson	20.11
Fifty Mile Creek	0908937 BC LTD	YE40713	Quartz	Kam 1013	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40714	Quartz	Kam 1014	2012-05-09	Dawson	20.12
Fifty Mile Creek	0908937 BC LTD	YE40715	Quartz	Kam 1015	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40716	Quartz	Kam 1016	2012-05-09	Dawson	21.34
Fifty Mile Creek	0908937 BC LTD	YE40717	Quartz	Kam 1017	2012-05-09	Dawson	21.94
Fifty Mile Creek	0908937 BC LTD	YE40718	Quartz	Kam 1018	2012-05-09	Dawson	19.82
Fifty Mile Creek	0908937 BC LTD	YE40719	Quartz	Kam 1019	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40720	Quartz	Kam 1020	2012-05-09	Dawson	19.83
Fifty Mile Creek	0908937 BC LTD	YE40721	Quartz	Kam 1021	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40722	Quartz	Kam 1022	2012-05-09	Dawson	19.83
Fifty Mile Creek	0908937 BC LTD	YE40723	Quartz	Kam 1023	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40724	Quartz	Kam 1024	2012-05-09	Dawson	19.84
Fifty Mile Creek	0908937 BC LTD	YE40725	Quartz	Kam 1025	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40726	Quartz	Kam 1026	2012-05-09	Dawson	19.85
Fifty Mile Creek	0908937 BC LTD	YE40727	Quartz	Kam 1027	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40728	Quartz	Kam 1028	2012-05-09	Dawson	19.86
Fifty Mile Creek	0908937 BC LTD	YE40729	Quartz	Kam 1029	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40730	Quartz	Kam 1030	2012-05-09	Dawson	19.87
Fifty Mile Creek	0908937 BC LTD	YE40731	Quartz	Kam 1031	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40732	Quartz	Kam 1032	2012-05-09	Dawson	19.87

Fifty Mile Creek	0908937 BC LTD	YE40733	Quartz	Kam 1033	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40734	Quartz	Kam 1034	2012-05-09	Dawson	19.88
Fifty Mile Creek	0908937 BC LTD	YE40735	Quartz	Kam 1035	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40736	Quartz	Kam 1036	2012-05-09	Dawson	19.89
Fifty Mile Creek	0908937 BC LTD	YE40737	Quartz	Kam 1037	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40738	Quartz	Kam 1038	2012-05-09	Dawson	19.90
Fifty Mile Creek	0908937 BC LTD	YE40739	Quartz	Kam 1039	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40740	Quartz	Kam 1040	2012-05-09	Dawson	19.90
Fifty Mile Creek	0908937 BC LTD	YE40741	Quartz	Kam 1041	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40742	Quartz	Kam 1042	2012-05-09	Dawson	19.91
Fifty Mile Creek	0908937 BC LTD	YE40743	Quartz	Kam 1043	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40744	Quartz	Kam 1044	2012-05-09	Dawson	19.92
Fifty Mile Creek	0908937 BC LTD	YE40745	Quartz	Kam 1045	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40746	Quartz	Kam 1046	2012-05-09	Dawson	19.93
Fifty Mile Creek	0908937 BC LTD	YE40747	Quartz	Kam 1047	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40748	Quartz	Kam 1048	2012-05-09	Dawson	19.94
Fifty Mile Creek	0908937 BC LTD	YE40749	Quartz	Kam 1049	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40750	Quartz	Kam 1050	2012-05-09	Dawson	19.94
Fifty Mile Creek	0908937 BC LTD	YE40751	Quartz	Kam 1051	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40752	Quartz	Kam 1052	2012-05-09	Dawson	19.95
Fifty Mile Creek	0908937 BC LTD	YE40753	Quartz	Kam 1053	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40754	Quartz	Kam 1054	2012-05-09	Dawson	19.96
Fifty Mile Creek	0908937 BC LTD	YE40755	Quartz	Kam 1055	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40756	Quartz	Kam 1056	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40757	Quartz	Kam 1057	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40758	Quartz	Kam 1058	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40759	Quartz	Kam 1059	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40760	Quartz	Kam 1060	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40761	Quartz	Kam 1061	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40762	Quartz	Kam 1062	2012-05-09	Dawson	21.72
Fifty Mile Creek	0908937 BC LTD	YE40763	Quartz	Kam 1063	2012-05-09	Dawson	21.49
Fifty Mile Creek	0908937 BC LTD	YE40764	Quartz	Kam 1064	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40765	Quartz	Kam 1065	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40766	Quartz	Kam 1066	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40767	Quartz	Kam 1067	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40768	Quartz	Kam 1068	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40769	Quartz	Kam 1069	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40770	Quartz	Kam 1070	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40771	Quartz	Kam 1071	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40772	Quartz	Kam 1072	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40773	Quartz	Kam 1073	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40774	Quartz	Kam 1074	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40775	Quartz	Kam 1075	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40776	Quartz	Kam 1076	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40777	Quartz	Kam 1077	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40778	Quartz	Kam 1078	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40779	Quartz	Kam 1079	2012-05-09	Dawson	20.57

Fifty Mile Creek	0908937 BC LTD	YE40780	Quartz	Kam 1080	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40781	Quartz	Kam 1081	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40782	Quartz	Kam 1082	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40783	Quartz	Kam 1083	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40784	Quartz	Kam 1084	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40785	Quartz	Kam 1085	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40786	Quartz	Kam 1086	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40787	Quartz	Kam 1087	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40788	Quartz	Kam 1088	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40789	Quartz	Kam 1089	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40790	Quartz	Kam 1090	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40791	Quartz	Kam 1091	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40792	Quartz	Kam 1092	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40793	Quartz	Kam 1093	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40794	Quartz	Kam 1094	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40795	Quartz	Kam 1095	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40796	Quartz	Kam 1096	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40797	Quartz	Kam 1097	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40798	Quartz	Kam 1098	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40799	Quartz	Kam 1099	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40800	Quartz	Kam 1100	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40801	Quartz	Kam 1101	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40802	Quartz	Kam 1102	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40803	Quartz	Kam 1103	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40804	Quartz	Kam 1104	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40805	Quartz	Kam 1105	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40806	Quartz	Kam 1106	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40807	Quartz	Kam 1107	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40808	Quartz	Kam 1108	2012-05-09	Dawson	21.27
Fifty Mile Creek	0908937 BC LTD	YE40809	Quartz	Kam 1109	2012-05-09	Dawson	21.04
Fifty Mile Creek	0908937 BC LTD	YE40810	Quartz	Kam 1110	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40811	Quartz	Kam 1111	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40812	Quartz	Kam 1112	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40813	Quartz	Kam 1113	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40814	Quartz	Kam 1114	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40815	Quartz	Kam 1115	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40816	Quartz	Kam 1116	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40817	Quartz	Kam 1117	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40818	Quartz	Kam 1118	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40819	Quartz	Kam 1119	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40820	Quartz	Kam 1120	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40821	Quartz	Kam 1121	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40822	Quartz	Kam 1122	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40823	Quartz	Kam 1123	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40824	Quartz	Kam 1124	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40825	Quartz	Kam 1125	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40826	Quartz	Kam 1126	2012-05-09	Dawson	20.57

Fifty Mile Creek	0908937 BC LTD	YE40827	Quartz	Kam 1127	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40828	Quartz	Kam 1128	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40829	Quartz	Kam 1129	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40830	Quartz	Kam 1130	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40831	Quartz	Kam 1131	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40832	Quartz	Kam 1132	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40833	Quartz	Kam 1133	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40834	Quartz	Kam 1134	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40835	Quartz	Kam 1135	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40836	Quartz	Kam 1136	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40837	Quartz	Kam 1137	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40838	Quartz	Kam 1138	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40839	Quartz	Kam 1139	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40840	Quartz	Kam 1140	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40841	Quartz	Kam 1141	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40842	Quartz	Kam 1142	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40843	Quartz	Kam 1143	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40844	Quartz	Kam 1144	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40845	Quartz	Kam 1145	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40846	Quartz	Kam 1146	2012-05-09	Dawson	4.99
Fifty Mile Creek	0908937 BC LTD	YE40847	Quartz	Kam 1147	2012-05-09	Dawson	20.32
Fifty Mile Creek	0908937 BC LTD	YE40848	Quartz	Kam 1148	2012-05-09	Dawson	6.80
Fifty Mile Creek	0908937 BC LTD	YE40849	Quartz	Kam 1149	2012-05-09	Dawson	13.84
Fifty Mile Creek	0908937 BC LTD	YE40850	Quartz	Kam 1150	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40851	Quartz	Kam 1151	2012-05-09	Dawson	6.37
Fifty Mile Creek	0908937 BC LTD	YE40852	Quartz	Kam 1152	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40853	Quartz	Kam 1153	2012-05-09	Dawson	6.39
Fifty Mile Creek	0908937 BC LTD	YE40854	Quartz	Kam 1154	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40855	Quartz	Kam 1155	2012-05-09	Dawson	16.70
Fifty Mile Creek	0908937 BC LTD	YE40856	Quartz	Kam 1156	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40857	Quartz	Kam 1157	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40858	Quartz	Kam 1158	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40859	Quartz	Kam 1159	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40860	Quartz	Kam 1160	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40861	Quartz	Kam 1161	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40862	Quartz	Kam 1162	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40863	Quartz	Kam 1163	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40864	Quartz	Kam 1164	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40865	Quartz	Kam 1165	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40866	Quartz	Kam 1166	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40867	Quartz	Kam 1167	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40868	Quartz	Kam 1168	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40869	Quartz	Kam 1169	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40870	Quartz	Kam 1170	2012-05-09	Dawson	19.51
Fifty Mile Creek	0908937 BC LTD	YE40871	Quartz	Kam 1171	2012-05-09	Dawson	19.51
Fifty Mile Creek	0908937 BC LTD	YE40872	Quartz	Kam 1172	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40873	Quartz	Kam 1173	2012-05-09	Dawson	20.90

Fifty Mile Creek	0908937 BC LTD	YE40874	Quartz	Kam 1174	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40875	Quartz	Kam 1175	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40876	Quartz	Kam 1176	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40877	Quartz	Kam 1177	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40878	Quartz	Kam 1178	2012-05-09	Dawson	19.01
Fifty Mile Creek	0908937 BC LTD	YE40879	Quartz	Kam 1179	2012-05-09	Dawson	19.01
Fifty Mile Creek	0908937 BC LTD	YE40880	Quartz	Kam 1180	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40881	Quartz	Kam 1181	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40882	Quartz	Kam 1182	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40883	Quartz	Kam 1183	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40884	Quartz	Kam 1184	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40885	Quartz	Kam 1185	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40886	Quartz	Kam 1186	2012-05-09	Dawson	20.82
Fifty Mile Creek	0908937 BC LTD	YE40887	Quartz	Kam 1187	2012-05-09	Dawson	20.59
Fifty Mile Creek	0908937 BC LTD	YE40888	Quartz	Kam 1188	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40889	Quartz	Kam 1189	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40890	Quartz	Kam 1190	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40891	Quartz	Kam 1191	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40892	Quartz	Kam 1192	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40893	Quartz	Kam 1193	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40894	Quartz	Kam 1194	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40895	Quartz	Kam 1195	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40896	Quartz	Kam 1196	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40897	Quartz	Kam 1197	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40898	Quartz	Kam 1198	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40899	Quartz	Kam 1199	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40900	Quartz	Kam 1200	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40901	Quartz	Kam 1201	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40902	Quartz	Kam 1202	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40903	Quartz	Kam 1203	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40904	Quartz	Kam 1204	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40905	Quartz	Kam 1205	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40906	Quartz	Kam 1206	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40907	Quartz	Kam 1207	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40908	Quartz	Kam 1208	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40909	Quartz	Kam 1209	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40910	Quartz	Kam 1210	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40911	Quartz	Kam 1211	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40912	Quartz	Kam 1212	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40913	Quartz	Kam 1213	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40914	Quartz	Kam 1214	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40915	Quartz	Kam 1215	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40916	Quartz	Kam 1216	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40917	Quartz	Kam 1217	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40918	Quartz	Kam 1218	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40919	Quartz	Kam 1219	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40920	Quartz	Kam 1220	2012-05-09	Dawson	20.57

Fifty Mile Creek	0908937 BC LTD	YE40921	Quartz	Kam 1221	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40922	Quartz	Kam 1222	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40923	Quartz	Kam 1223	2012-05-09	Dawson	14.86
Fifty Mile Creek	0908937 BC LTD	YE40924	Quartz	Kam 1224	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40925	Quartz	Kam 1225	2012-05-09	Dawson	14.87
Fifty Mile Creek	0908937 BC LTD	YE40926	Quartz	Kam 1226	2012-05-09	Dawson	19.64
Fifty Mile Creek	0908937 BC LTD	YE40927	Quartz	Kam 1227	2012-05-09	Dawson	13.99
Fifty Mile Creek	0908937 BC LTD	YE40928	Quartz	Kam 1228	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40929	Quartz	Kam 1229	2012-05-09	Dawson	6.04
Fifty Mile Creek	0908937 BC LTD	YE40930	Quartz	Kam 1230	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40931	Quartz	Kam 1231	2012-05-09	Dawson	4.01
Fifty Mile Creek	0908937 BC LTD	YE40932	Quartz	Kam 1232	2012-05-09	Dawson	20.21
Fifty Mile Creek	0908937 BC LTD	YE40933	Quartz	Kam 1233	2012-05-09	Dawson	4.00
Fifty Mile Creek	0908937 BC LTD	YE40934	Quartz	Kam 1234	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40935	Quartz	Kam 1235	2012-05-09	Dawson	4.25
Fifty Mile Creek	0908937 BC LTD	YE40936	Quartz	Kam 1236	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40937	Quartz	Kam 1237	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40938	Quartz	Kam 1238	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40939	Quartz	Kam 1239	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40940	Quartz	Kam 1240	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40941	Quartz	Kam 1241	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40942	Quartz	Kam 1242	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40943	Quartz	Kam 1243	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40944	Quartz	Kam 1244	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40945	Quartz	Kam 1245	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40946	Quartz	Kam 1246	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40947	Quartz	Kam 1247	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40948	Quartz	Kam 1248	2012-05-09	Dawson	19.51
Fifty Mile Creek	0908937 BC LTD	YE40949	Quartz	Kam 1249	2012-05-09	Dawson	19.51
Fifty Mile Creek	0908937 BC LTD	YE40950	Quartz	Kam 1250	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40951	Quartz	Kam 1251	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40952	Quartz	Kam 1252	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40953	Quartz	Kam 1253	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40954	Quartz	Kam 1254	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40955	Quartz	Kam 1255	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40956	Quartz	Kam 1256	2012-05-09	Dawson	19.01
Fifty Mile Creek	0908937 BC LTD	YE40957	Quartz	Kam 1257	2012-05-09	Dawson	19.01
Fifty Mile Creek	0908937 BC LTD	YE40958	Quartz	Kam 1258	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40959	Quartz	Kam 1259	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40960	Quartz	Kam 1260	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40961	Quartz	Kam 1261	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40962	Quartz	Kam 1262	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40963	Quartz	Kam 1263	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE40964	Quartz	Kam 1264	2012-05-09	Dawson	20.37
Fifty Mile Creek	0908937 BC LTD	YE40965	Quartz	Kam 1265	2012-05-09	Dawson	19.84
Fifty Mile Creek	0908937 BC LTD	YE40966	Quartz	Kam 1266	2012-05-09	Dawson	19.48
Fifty Mile Creek	0908937 BC LTD	YE40967	Quartz	Kam 1267	2012-05-09	Dawson	13.84

Fifty Mile Creek	0908937 BC LTD	YE40968	Quartz	Kam 1268	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40969	Quartz	Kam 1269	2012-05-09	Dawson	9.42
Fifty Mile Creek	0908937 BC LTD	YE40970	Quartz	Kam 1270	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40971	Quartz	Kam 1271	2012-05-09	Dawson	20.38
Fifty Mile Creek	0908937 BC LTD	YE40972	Quartz	Kam 1272	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40973	Quartz	Kam 1273	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40974	Quartz	Kam 1274	2012-05-09	Dawson	14.95
Fifty Mile Creek	0908937 BC LTD	YE40975	Quartz	Kam 1275	2012-05-09	Dawson	18.65
Fifty Mile Creek	0908937 BC LTD	YE40976	Quartz	Kam 1276	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40977	Quartz	Kam 1277	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40978	Quartz	Kam 1278	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40979	Quartz	Kam 1279	2012-05-09	Dawson	12.91
Fifty Mile Creek	0908937 BC LTD	YE40980	Quartz	Kam 1280	2012-05-09	Dawson	14.19
Fifty Mile Creek	0908937 BC LTD	YE40981	Quartz	Kam 1281	2012-05-09	Dawson	20.14
Fifty Mile Creek	0908937 BC LTD	YE40982	Quartz	Kam 1282	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40983	Quartz	Kam 1283	2012-05-09	Dawson	19.00
Fifty Mile Creek	0908937 BC LTD	YE40984	Quartz	Kam 1284	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40985	Quartz	Kam 1285	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40986	Quartz	Kam 1286	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40987	Quartz	Kam 1287	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40988	Quartz	Kam 1288	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40989	Quartz	Kam 1289	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40990	Quartz	Kam 1290	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40991	Quartz	Kam 1291	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40992	Quartz	Kam 1292	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40993	Quartz	Kam 1293	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40994	Quartz	Kam 1294	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40995	Quartz	Kam 1295	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE40996	Quartz	Kam 1296	2012-05-09	Dawson	19.33
Fifty Mile Creek	0908937 BC LTD	YE40997	Quartz	Kam 1297	2012-05-09	Dawson	16.67
Fifty Mile Creek	0908937 BC LTD	YE40998	Quartz	Kam 1298	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE40999	Quartz	Kam 1299	2012-05-09	Dawson	9.53
Fifty Mile Creek	0908937 BC LTD	YE44000	Quartz	Kam 1300	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44001	Quartz	Kam 1301	2012-05-09	Dawson	8.19
Fifty Mile Creek	0908937 BC LTD	YE44002	Quartz	Kam 1302	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44003	Quartz	Kam 1303	2012-05-09	Dawson	8.04
Fifty Mile Creek	0908937 BC LTD	YE44004	Quartz	Kam 1304	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44005	Quartz	Kam 1305	2012-05-09	Dawson	7.89
Fifty Mile Creek	0908937 BC LTD	YE44006	Quartz	Kam 1306	2012-05-09	Dawson	19.33
Fifty Mile Creek	0908937 BC LTD	YE44007	Quartz	Kam 1307	2012-05-09	Dawson	19.33
Fifty Mile Creek	0908937 BC LTD	YE44008	Quartz	Kam 1308	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44009	Quartz	Kam 1309	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44010	Quartz	Kam 1310	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44011	Quartz	Kam 1311	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44012	Quartz	Kam 1312	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44013	Quartz	Kam 1313	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44014	Quartz	Kam 1314	2012-05-09	Dawson	20.25

Fifty Mile Creek	0908937 BC LTD	YE44015	Quartz	Kam 1315	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44016	Quartz	Kam 1316	2012-05-09	Dawson	19.33
Fifty Mile Creek	0908937 BC LTD	YE44017	Quartz	Kam 1317	2012-05-09	Dawson	19.33
Fifty Mile Creek	0908937 BC LTD	YE44018	Quartz	Kam 1318	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44019	Quartz	Kam 1319	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44020	Quartz	Kam 1320	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44021	Quartz	Kam 1321	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44022	Quartz	Kam 1322	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44023	Quartz	Kam 1323	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44024	Quartz	Kam 1324	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44025	Quartz	Kam 1325	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44026	Quartz	Kam 1326	2012-05-09	Dawson	19.64
Fifty Mile Creek	0908937 BC LTD	YE44027	Quartz	Kam 1327	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44028	Quartz	Kam 1328	2012-05-09	Dawson	19.64
Fifty Mile Creek	0908937 BC LTD	YE44029	Quartz	Kam 1329	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44030	Quartz	Kam 1330	2012-05-09	Dawson	19.64
Fifty Mile Creek	0908937 BC LTD	YE44031	Quartz	Kam 1331	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44032	Quartz	Kam 1332	2012-05-09	Dawson	19.64
Fifty Mile Creek	0908937 BC LTD	YE44033	Quartz	Kam 1333	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44034	Quartz	Kam 1334	2012-05-09	Dawson	19.64
Fifty Mile Creek	0908937 BC LTD	YE44035	Quartz	Kam 1335	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44036	Quartz	Kam 1336	2012-05-09	Dawson	19.64
Fifty Mile Creek	0908937 BC LTD	YE44037	Quartz	Kam 1337	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44038	Quartz	Kam 1338	2012-05-09	Dawson	18.33
Fifty Mile Creek	0908937 BC LTD	YE44039	Quartz	Kam 1339	2012-05-09	Dawson	19.51
Fifty Mile Creek	0908937 BC LTD	YE44040	Quartz	Kam 1340	2012-05-09	Dawson	19.64
Fifty Mile Creek	0908937 BC LTD	YE44041	Quartz	Kam 1341	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44042	Quartz	Kam 1342	2012-05-09	Dawson	19.64
Fifty Mile Creek	0908937 BC LTD	YE44043	Quartz	Kam 1343	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44044	Quartz	Kam 1344	2012-05-09	Dawson	19.64
Fifty Mile Creek	0908937 BC LTD	YE44045	Quartz	Kam 1345	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44046	Quartz	Kam 1346	2012-05-09	Dawson	17.86
Fifty Mile Creek	0908937 BC LTD	YE44047	Quartz	Kam 1347	2012-05-09	Dawson	19.01
Fifty Mile Creek	0908937 BC LTD	YE44048	Quartz	Kam 1348	2012-05-09	Dawson	19.64
Fifty Mile Creek	0908937 BC LTD	YE44049	Quartz	Kam 1349	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44050	Quartz	Kam 1350	2012-05-09	Dawson	19.64
Fifty Mile Creek	0908937 BC LTD	YE44051	Quartz	Kam 1351	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44052	Quartz	Kam 1352	2012-05-09	Dawson	19.64
Fifty Mile Creek	0908937 BC LTD	YE44053	Quartz	Kam 1353	2012-05-09	Dawson	12.92
Fifty Mile Creek	0908937 BC LTD	YE44054	Quartz	Kam 1354	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44055	Quartz	Kam 1355	2012-05-09	Dawson	20.21
Fifty Mile Creek	0908937 BC LTD	YE44056	Quartz	Kam 1356	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44057	Quartz	Kam 1357	2012-05-09	Dawson	20.21
Fifty Mile Creek	0908937 BC LTD	YE44058	Quartz	Kam 1358	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44059	Quartz	Kam 1359	2012-05-09	Dawson	20.21
Fifty Mile Creek	0908937 BC LTD	YE44060	Quartz	Kam 1360	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44061	Quartz	Kam 1361	2012-05-09	Dawson	20.21

Fifty Mile Creek	0908937 BC LTD	YE44062	Quartz	Kam 1362	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44063	Quartz	Kam 1363	2012-05-09	Dawson	20.21
Fifty Mile Creek	0908937 BC LTD	YE44064	Quartz	Kam 1364	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44065	Quartz	Kam 1365	2012-05-09	Dawson	20.21
Fifty Mile Creek	0908937 BC LTD	YE44066	Quartz	Kam 1366	2012-05-09	Dawson	19.51
Fifty Mile Creek	0908937 BC LTD	YE44067	Quartz	Kam 1367	2012-05-09	Dawson	18.86
Fifty Mile Creek	0908937 BC LTD	YE44068	Quartz	Kam 1368	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44069	Quartz	Kam 1369	2012-05-09	Dawson	20.21
Fifty Mile Creek	0908937 BC LTD	YE44070	Quartz	Kam 1370	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44071	Quartz	Kam 1371	2012-05-09	Dawson	20.21
Fifty Mile Creek	0908937 BC LTD	YE44072	Quartz	Kam 1372	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44073	Quartz	Kam 1373	2012-05-09	Dawson	20.21
Fifty Mile Creek	0908937 BC LTD	YE44074	Quartz	Kam 1374	2012-05-09	Dawson	19.01
Fifty Mile Creek	0908937 BC LTD	YE44075	Quartz	Kam 1375	2012-05-09	Dawson	18.37
Fifty Mile Creek	0908937 BC LTD	YE44076	Quartz	Kam 1376	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44077	Quartz	Kam 1377	2012-05-09	Dawson	18.09
Fifty Mile Creek	0908937 BC LTD	YE44078	Quartz	Kam 1378	2012-05-09	Dawson	15.62
Fifty Mile Creek	0908937 BC LTD	YE44079	Quartz	Kam 1379	2012-05-09	Dawson	4.99
Fifty Mile Creek	0908937 BC LTD	YE44080	Quartz	Kam 1380	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44081	Quartz	Kam 1381	2012-05-09	Dawson	8.42
Fifty Mile Creek	0908937 BC LTD	YE44082	Quartz	Kam 1382	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44083	Quartz	Kam 1383	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44084	Quartz	Kam 1384	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44085	Quartz	Kam 1385	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44086	Quartz	Kam 1386	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44087	Quartz	Kam 1387	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44088	Quartz	Kam 1388	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44089	Quartz	Kam 1389	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44090	Quartz	Kam 1390	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44091	Quartz	Kam 1391	2012-05-09	Dawson	19.51
Fifty Mile Creek	0908937 BC LTD	YE44092	Quartz	Kam 1392	2012-05-09	Dawson	19.51
Fifty Mile Creek	0908937 BC LTD	YE44093	Quartz	Kam 1393	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44094	Quartz	Kam 1394	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44095	Quartz	Kam 1395	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44096	Quartz	Kam 1396	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44097	Quartz	Kam 1397	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44098	Quartz	Kam 1398	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44099	Quartz	Kam 1399	2012-05-09	Dawson	19.01
Fifty Mile Creek	0908937 BC LTD	YE44100	Quartz	Kam 1400	2012-05-09	Dawson	19.01
Fifty Mile Creek	0908937 BC LTD	YE44101	Quartz	Kam 1401	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44102	Quartz	Kam 1402	2012-05-09	Dawson	20.79
Fifty Mile Creek	0908937 BC LTD	YE44103	Quartz	Kam 1403	2012-05-09	Dawson	14.03
Fifty Mile Creek	0908937 BC LTD	YE44104	Quartz	Kam 1404	2012-05-09	Dawson	10.03
Fifty Mile Creek	0908937 BC LTD	YE44105	Quartz	Kam 1405	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44106	Quartz	Kam 1406	2012-05-09	Dawson	19.55
Fifty Mile Creek	0908937 BC LTD	YE44107	Quartz	Kam 1407	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44108	Quartz	Kam 1408	2012-05-09	Dawson	19.55

Fifty Mile Creek	0908937 BC LTD	YE44109	Quartz	Kam 1409	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44110	Quartz	Kam 1410	2012-05-09	Dawson	19.55
Fifty Mile Creek	0908937 BC LTD	YE44111	Quartz	Kam 1411	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44112	Quartz	Kam 1412	2012-05-09	Dawson	19.55
Fifty Mile Creek	0908937 BC LTD	YE44113	Quartz	Kam 1413	2012-05-09	Dawson	19.20
Fifty Mile Creek	0908937 BC LTD	YE44114	Quartz	Kam 1414	2012-05-09	Dawson	18.25
Fifty Mile Creek	0908937 BC LTD	YE44115	Quartz	Kam 1415	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44116	Quartz	Kam 1416	2012-05-09	Dawson	19.55
Fifty Mile Creek	0908937 BC LTD	YE44117	Quartz	Kam 1417	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44118	Quartz	Kam 1418	2012-05-09	Dawson	19.55
Fifty Mile Creek	0908937 BC LTD	YE44119	Quartz	Kam 1419	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44120	Quartz	Kam 1420	2012-05-09	Dawson	19.55
Fifty Mile Creek	0908937 BC LTD	YE44121	Quartz	Kam 1421	2012-05-09	Dawson	15.12
Fifty Mile Creek	0908937 BC LTD	YE44122	Quartz	Kam 1422	2012-05-09	Dawson	17.78
Fifty Mile Creek	0908937 BC LTD	YE44123	Quartz	Kam 1423	2012-05-09	Dawson	14.80
Fifty Mile Creek	0908937 BC LTD	YE44124	Quartz	Kam 1424	2012-05-09	Dawson	20.20
Fifty Mile Creek	0908937 BC LTD	YE44125	Quartz	Kam 1425	2012-05-09	Dawson	9.93
Fifty Mile Creek	0908937 BC LTD	YE44126	Quartz	Kam 1426	2012-05-09	Dawson	20.20
Fifty Mile Creek	0908937 BC LTD	YE44127	Quartz	Kam 1427	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44128	Quartz	Kam 1428	2012-05-09	Dawson	20.20
Fifty Mile Creek	0908937 BC LTD	YE44129	Quartz	Kam 1429	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44130	Quartz	Kam 1430	2012-05-09	Dawson	20.20
Fifty Mile Creek	0908937 BC LTD	YE44131	Quartz	Kam 1431	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44132	Quartz	Kam 1432	2012-05-09	Dawson	18.86
Fifty Mile Creek	0908937 BC LTD	YE44133	Quartz	Kam 1433	2012-05-09	Dawson	19.20
Fifty Mile Creek	0908937 BC LTD	YE44134	Quartz	Kam 1434	2012-05-09	Dawson	20.20
Fifty Mile Creek	0908937 BC LTD	YE44135	Quartz	Kam 1435	2012-05-09	Dawson	20.48
Fifty Mile Creek	0908937 BC LTD	YE44136	Quartz	Kam 1436	2012-05-09	Dawson	19.84
Fifty Mile Creek	0908937 BC LTD	YE44137	Quartz	Kam 1437	2012-05-09	Dawson	7.60
Fifty Mile Creek	0908937 BC LTD	YE44138	Quartz	Kam 1438	2012-05-09	Dawson	11.79
Fifty Mile Creek	0908937 BC LTD	YE44139	Quartz	Kam 1439	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44140	Quartz	Kam 1440	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44141	Quartz	Kam 1441	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44142	Quartz	Kam 1442	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44143	Quartz	Kam 1443	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44144	Quartz	Kam 1444	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44145	Quartz	Kam 1445	2012-05-09	Dawson	9.80
Fifty Mile Creek	0908937 BC LTD	YE44146	Quartz	Kam 1446	2012-05-09	Dawson	19.20
Fifty Mile Creek	0908937 BC LTD	YE44147	Quartz	Kam 1447	2012-05-09	Dawson	9.34
Fifty Mile Creek	0908937 BC LTD	YE44148	Quartz	Kam 1448	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44149	Quartz	Kam 1449	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44150	Quartz	Kam 1450	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44151	Quartz	Kam 1451	2012-05-09	Dawson	15.86
Fifty Mile Creek	0908937 BC LTD	YE44152	Quartz	Kam 1452	2012-05-09	Dawson	11.63
Fifty Mile Creek	0908937 BC LTD	YE44153	Quartz	Kam 1453	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44154	Quartz	Kam 1454	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44155	Quartz	Kam 1455	2012-05-09	Dawson	20.25

Fifty Mile Creek	0908937 BC LTD	YE44156	Quartz	Kam 1456	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44157	Quartz	Kam 1457	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44158	Quartz	Kam 1458	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44159	Quartz	Kam 1459	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44160	Quartz	Kam 1460	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44161	Quartz	Kam 1461	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44162	Quartz	Kam 1462	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44163	Quartz	Kam 1463	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44164	Quartz	Kam 1464	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44165	Quartz	Kam 1465	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44166	Quartz	Kam 1466	2012-05-09	Dawson	17.37
Fifty Mile Creek	0908937 BC LTD	YE44167	Quartz	Kam 1467	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44168	Quartz	Kam 1468	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44169	Quartz	Kam 1469	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44170	Quartz	Kam 1470	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44171	Quartz	Kam 1471	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44172	Quartz	Kam 1472	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44173	Quartz	Kam 1473	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44174	Quartz	Kam 1474	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44175	Quartz	Kam 1475	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44176	Quartz	Kam 1476	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44177	Quartz	Kam 1477	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44178	Quartz	Kam 1478	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44179	Quartz	Kam 1479	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44180	Quartz	Kam 1480	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44181	Quartz	Kam 1481	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44182	Quartz	Kam 1482	2012-05-09	Dawson	19.97
Fifty Mile Creek	0908937 BC LTD	YE44183	Quartz	Kam 1483	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44184	Quartz	Kam 1484	2012-05-09	Dawson	19.97
Fifty Mile Creek	0908937 BC LTD	YE44185	Quartz	Kam 1485	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44186	Quartz	Kam 1486	2012-05-09	Dawson	19.98
Fifty Mile Creek	0908937 BC LTD	YE44187	Quartz	Kam 1487	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44188	Quartz	Kam 1488	2012-05-09	Dawson	19.99
Fifty Mile Creek	0908937 BC LTD	YE44189	Quartz	Kam 1489	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44190	Quartz	Kam 1490	2012-05-09	Dawson	20.00
Fifty Mile Creek	0908937 BC LTD	YE44191	Quartz	Kam 1491	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44192	Quartz	Kam 1492	2012-05-09	Dawson	20.01
Fifty Mile Creek	0908937 BC LTD	YE44193	Quartz	Kam 1493	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44194	Quartz	Kam 1494	2012-05-09	Dawson	20.01
Fifty Mile Creek	0908937 BC LTD	YE44195	Quartz	Kam 1495	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44196	Quartz	Kam 1496	2012-05-09	Dawson	20.02
Fifty Mile Creek	0908937 BC LTD	YE44197	Quartz	Kam 1497	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44198	Quartz	Kam 1498	2012-05-09	Dawson	20.03
Fifty Mile Creek	0908937 BC LTD	YE44199	Quartz	Kam 1499	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44200	Quartz	Kam 1500	2012-05-09	Dawson	20.04
Fifty Mile Creek	0908937 BC LTD	YE44201	Quartz	Kam 1501	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44202	Quartz	Kam 1502	2012-05-09	Dawson	20.04

Fifty Mile Creek	0908937 BC LTD	YE44203	Quartz	Kam 1503	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44204	Quartz	Kam 1504	2012-05-09	Dawson	20.05
Fifty Mile Creek	0908937 BC LTD	YE44205	Quartz	Kam 1505	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44206	Quartz	Kam 1506	2012-05-09	Dawson	20.06
Fifty Mile Creek	0908937 BC LTD	YE44207	Quartz	Kam 1507	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44208	Quartz	Kam 1508	2012-05-09	Dawson	20.07
Fifty Mile Creek	0908937 BC LTD	YE44209	Quartz	Kam 1509	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44210	Quartz	Kam 1510	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44211	Quartz	Kam 1511	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44212	Quartz	Kam 1512	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44213	Quartz	Kam 1513	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44214	Quartz	Kam 1514	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44215	Quartz	Kam 1515	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44216	Quartz	Kam 1516	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44217	Quartz	Kam 1517	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44218	Quartz	Kam 1518	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44219	Quartz	Kam 1519	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44220	Quartz	Kam 1520	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44221	Quartz	Kam 1521	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44222	Quartz	Kam 1522	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44223	Quartz	Kam 1523	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44224	Quartz	Kam 1524	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44225	Quartz	Kam 1525	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44226	Quartz	Kam 1526	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44227	Quartz	Kam 1527	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44228	Quartz	Kam 1528	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44229	Quartz	Kam 1529	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44230	Quartz	Kam 1530	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44231	Quartz	Kam 1531	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44232	Quartz	Kam 1532	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44233	Quartz	Kam 1533	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44234	Quartz	Kam 1534	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44235	Quartz	Kam 1535	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44236	Quartz	Kam 1536	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44237	Quartz	Kam 1537	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44238	Quartz	Kam 1538	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44239	Quartz	Kam 1539	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44240	Quartz	Kam 1540	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44241	Quartz	Kam 1541	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44242	Quartz	Kam 1542	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44243	Quartz	Kam 1543	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44244	Quartz	Kam 1544	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44245	Quartz	Kam 1545	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44246	Quartz	Kam 1546	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44247	Quartz	Kam 1547	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44248	Quartz	Kam 1548	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44249	Quartz	Kam 1549	2012-05-09	Dawson	20.57

Fifty Mile Creek	0908937 BC LTD	YE44250	Quartz	Kam 1550	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44251	Quartz	Kam 1551	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44252	Quartz	Kam 1552	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44253	Quartz	Kam 1553	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44254	Quartz	Kam 1554	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44255	Quartz	Kam 1555	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44256	Quartz	Kam 1556	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44257	Quartz	Kam 1557	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44258	Quartz	Kam 1558	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44259	Quartz	Kam 1559	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44260	Quartz	Kam 1560	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44261	Quartz	Kam 1561	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44262	Quartz	Kam 1562	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44263	Quartz	Kam 1563	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44264	Quartz	Kam 1564	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44265	Quartz	Kam 1565	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44266	Quartz	Kam 1566	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44267	Quartz	Kam 1567	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44268	Quartz	Kam 1568	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44269	Quartz	Kam 1569	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44270	Quartz	Kam 1570	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44271	Quartz	Kam 1571	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44272	Quartz	Kam 1572	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44273	Quartz	Kam 1573	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44274	Quartz	Kam 1574	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44275	Quartz	Kam 1575	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44276	Quartz	Kam 1576	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44277	Quartz	Kam 1577	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44278	Quartz	Kam 1578	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44279	Quartz	Kam 1579	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44280	Quartz	Kam 1580	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44281	Quartz	Kam 1581	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44282	Quartz	Kam 1582	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44283	Quartz	Kam 1583	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44284	Quartz	Kam 1584	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44285	Quartz	Kam 1585	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44286	Quartz	Kam 1586	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44287	Quartz	Kam 1587	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44288	Quartz	Kam 1588	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44289	Quartz	Kam 1589	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44290	Quartz	Kam 1590	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44291	Quartz	Kam 1591	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44292	Quartz	Kam 1592	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44293	Quartz	Kam 1593	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44294	Quartz	Kam 1594	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44295	Quartz	Kam 1595	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44296	Quartz	Kam 1596	2012-05-09	Dawson	20.57

Fifty Mile Creek	0908937 BC LTD	YE44297	Quartz	Kam 1597	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44298	Quartz	Kam 1598	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44299	Quartz	Kam 1599	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44300	Quartz	Kam 1600	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44301	Quartz	Kam 1601	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44302	Quartz	Kam 1602	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44303	Quartz	Kam 1603	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44304	Quartz	Kam 1604	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44305	Quartz	Kam 1605	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44306	Quartz	Kam 1606	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44307	Quartz	Kam 1607	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44308	Quartz	Kam 1608	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44309	Quartz	Kam 1609	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44310	Quartz	Kam 1610	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44311	Quartz	Kam 1611	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44312	Quartz	Kam 1612	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44313	Quartz	Kam 1613	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44314	Quartz	Kam 1614	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44315	Quartz	Kam 1615	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44316	Quartz	Kam 1616	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44317	Quartz	Kam 1617	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44318	Quartz	Kam 1618	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44319	Quartz	Kam 1619	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44320	Quartz	Kam 1620	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44321	Quartz	Kam 1621	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44322	Quartz	Kam 1622	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44323	Quartz	Kam 1623	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44324	Quartz	Kam 1624	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44325	Quartz	Kam 1625	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44326	Quartz	Kam 1626	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44327	Quartz	Kam 1627	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44328	Quartz	Kam 1628	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44329	Quartz	Kam 1629	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44330	Quartz	Kam 1630	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44331	Quartz	Kam 1631	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44332	Quartz	Kam 1632	2012-05-09	Dawson	19.33
Fifty Mile Creek	0908937 BC LTD	YE44333	Quartz	Kam 1633	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44334	Quartz	Kam 1634	2012-05-09	Dawson	19.33
Fifty Mile Creek	0908937 BC LTD	YE44335	Quartz	Kam 1635	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44336	Quartz	Kam 1636	2012-05-09	Dawson	19.33
Fifty Mile Creek	0908937 BC LTD	YE44337	Quartz	Kam 1637	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44338	Quartz	Kam 1638	2012-05-09	Dawson	19.33
Fifty Mile Creek	0908937 BC LTD	YE44339	Quartz	Kam 1639	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44340	Quartz	Kam 1640	2012-05-09	Dawson	19.33
Fifty Mile Creek	0908937 BC LTD	YE44341	Quartz	Kam 1641	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44342	Quartz	Kam 1642	2012-05-09	Dawson	19.33
Fifty Mile Creek	0908937 BC LTD	YE44343	Quartz	Kam 1643	2012-05-09	Dawson	20.25

Fifty Mile Creek	0908937 BC LTD	YE44344	Quartz	Kam 1644	2012-05-09	Dawson	19.33
Fifty Mile Creek	0908937 BC LTD	YE44345	Quartz	Kam 1645	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44346	Quartz	Kam 1646	2012-05-09	Dawson	19.33
Fifty Mile Creek	0908937 BC LTD	YE44347	Quartz	Kam 1647	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44348	Quartz	Kam 1648	2012-05-09	Dawson	19.33
Fifty Mile Creek	0908937 BC LTD	YE44349	Quartz	Kam 1649	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44350	Quartz	Kam 1650	2012-05-09	Dawson	19.33
Fifty Mile Creek	0908937 BC LTD	YE44351	Quartz	Kam 1651	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44352	Quartz	Kam 1652	2012-05-09	Dawson	19.33
Fifty Mile Creek	0908937 BC LTD	YE44353	Quartz	Kam 1653	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44354	Quartz	Kam 1654	2012-05-09	Dawson	19.33
Fifty Mile Creek	0908937 BC LTD	YE44355	Quartz	Kam 1655	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44356	Quartz	Kam 1656	2012-05-09	Dawson	19.33
Fifty Mile Creek	0908937 BC LTD	YE44357	Quartz	Kam 1657	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44358	Quartz	Kam 1658	2012-05-09	Dawson	19.33
Fifty Mile Creek	0908937 BC LTD	YE44359	Quartz	Kam 1659	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44360	Quartz	Kam 1660	2012-05-09	Dawson	19.33
Fifty Mile Creek	0908937 BC LTD	YE44361	Quartz	Kam 1661	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44362	Quartz	Kam 1662	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44363	Quartz	Kam 1663	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44364	Quartz	Kam 1664	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44365	Quartz	Kam 1665	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44366	Quartz	Kam 1666	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44367	Quartz	Kam 1667	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44368	Quartz	Kam 1668	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44369	Quartz	Kam 1669	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44370	Quartz	Kam 1670	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44371	Quartz	Kam 1671	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44372	Quartz	Kam 1672	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44373	Quartz	Kam 1673	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44374	Quartz	Kam 1674	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44375	Quartz	Kam 1675	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44376	Quartz	Kam 1676	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44377	Quartz	Kam 1677	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44378	Quartz	Kam 1678	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44379	Quartz	Kam 1679	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44380	Quartz	Kam 1680	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44381	Quartz	Kam 1681	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44382	Quartz	Kam 1682	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44383	Quartz	Kam 1683	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44384	Quartz	Kam 1684	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44385	Quartz	Kam 1685	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44386	Quartz	Kam 1686	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44387	Quartz	Kam 1687	2012-05-09	Dawson	11.63
Fifty Mile Creek	0908937 BC LTD	YE44388	Quartz	Kam 1688	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44389	Quartz	Kam 1689	2012-05-09	Dawson	11.51
Fifty Mile Creek	0908937 BC LTD	YE44390	Quartz	Kam 1690	2012-05-09	Dawson	20.25

Fifty Mile Creek	0908937 BC LTD	YE44391	Quartz	Kam 1691	2012-05-09	Dawson	11.39
Fifty Mile Creek	0908937 BC LTD	YE44392	Quartz	Kam 1692	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44393	Quartz	Kam 1693	2012-05-09	Dawson	13.31
Fifty Mile Creek	0908937 BC LTD	YE44394	Quartz	Kam 1694	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44395	Quartz	Kam 1695	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44396	Quartz	Kam 1696	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44397	Quartz	Kam 1697	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44398	Quartz	Kam 1698	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44399	Quartz	Kam 1699	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44400	Quartz	Kam 1700	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44401	Quartz	Kam 1701	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44402	Quartz	Kam 1702	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44403	Quartz	Kam 1703	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44404	Quartz	Kam 1704	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44405	Quartz	Kam 1705	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44406	Quartz	Kam 1706	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44407	Quartz	Kam 1707	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44408	Quartz	Kam 1708	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44409	Quartz	Kam 1709	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44410	Quartz	Kam 1710	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44411	Quartz	Kam 1711	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44412	Quartz	Kam 1712	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44413	Quartz	Kam 1713	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44414	Quartz	Kam 1714	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44415	Quartz	Kam 1715	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44416	Quartz	Kam 1716	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44417	Quartz	Kam 1717	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44418	Quartz	Kam 1718	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44419	Quartz	Kam 1719	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44420	Quartz	Kam 1720	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44421	Quartz	Kam 1721	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44422	Quartz	Kam 1722	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44423	Quartz	Kam 1723	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44424	Quartz	Kam 1724	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44425	Quartz	Kam 1725	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44426	Quartz	Kam 1726	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44427	Quartz	Kam 1727	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44428	Quartz	Kam 1728	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44429	Quartz	Kam 1729	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44430	Quartz	Kam 1730	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44431	Quartz	Kam 1731	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44432	Quartz	Kam 1732	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44433	Quartz	Kam 1733	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44434	Quartz	Kam 1734	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44435	Quartz	Kam 1735	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44436	Quartz	Kam 1736	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44437	Quartz	Kam 1737	2012-05-09	Dawson	20.25

Fifty Mile Creek	0908937 BC LTD	YE44438	Quartz	Kam 1738	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44439	Quartz	Kam 1739	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44440	Quartz	Kam 1740	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44441	Quartz	Kam 1741	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44442	Quartz	Kam 1742	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44443	Quartz	Kam 1743	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44444	Quartz	Kam 1744	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44445	Quartz	Kam 1745	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44446	Quartz	Kam 1746	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44447	Quartz	Kam 1747	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44448	Quartz	Kam 1748	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44449	Quartz	Kam 1749	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44450	Quartz	Kam 1750	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44451	Quartz	Kam 1751	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44452	Quartz	Kam 1752	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44453	Quartz	Kam 1753	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44454	Quartz	Kam 1754	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44455	Quartz	Kam 1755	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44456	Quartz	Kam 1756	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44457	Quartz	Kam 1757	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44458	Quartz	Kam 1758	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44459	Quartz	Kam 1759	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44460	Quartz	Kam 1760	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44461	Quartz	Kam 1761	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44462	Quartz	Kam 1762	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44463	Quartz	Kam 1763	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44464	Quartz	Kam 1764	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44465	Quartz	Kam 1765	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44466	Quartz	Kam 1766	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44467	Quartz	Kam 1767	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44468	Quartz	Kam 1768	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44469	Quartz	Kam 1769	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44470	Quartz	Kam 1770	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44471	Quartz	Kam 1771	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44472	Quartz	Kam 1772	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44473	Quartz	Kam 1773	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44474	Quartz	Kam 1774	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44475	Quartz	Kam 1775	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44476	Quartz	Kam 1776	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44477	Quartz	Kam 1777	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44478	Quartz	Kam 1778	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44479	Quartz	Kam 1779	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44480	Quartz	Kam 1780	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44481	Quartz	Kam 1781	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44482	Quartz	Kam 1782	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44483	Quartz	Kam 1783	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44484	Quartz	Kam 1784	2012-05-09	Dawson	20.25

Fifty Mile Creek	0908937 BC LTD	YE44485	Quartz	Kam 1785	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44486	Quartz	Kam 1786	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44487	Quartz	Kam 1787	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44488	Quartz	Kam 1788	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44489	Quartz	Kam 1789	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44490	Quartz	Kam 1790	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44491	Quartz	Kam 1791	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44492	Quartz	Kam 1792	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44493	Quartz	Kam 1793	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44494	Quartz	Kam 1794	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44495	Quartz	Kam 1795	2012-05-09	Dawson	7.32
Fifty Mile Creek	0908937 BC LTD	YE44496	Quartz	Kam 1796	2012-05-09	Dawson	19.16
Fifty Mile Creek	0908937 BC LTD	YE44497	Quartz	Kam 1797	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44498	Quartz	Kam 1798	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44499	Quartz	Kam 1799	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44500	Quartz	Kam 1800	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44501	Quartz	Kam 1801	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44502	Quartz	Kam 1802	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44503	Quartz	Kam 1803	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44504	Quartz	Kam 1804	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44505	Quartz	Kam 1805	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44506	Quartz	Kam 1806	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44507	Quartz	Kam 1807	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44508	Quartz	Kam 1808	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44509	Quartz	Kam 1809	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44510	Quartz	Kam 1810	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44511	Quartz	Kam 1811	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44512	Quartz	Kam 1812	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44513	Quartz	Kam 1813	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44514	Quartz	Kam 1814	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44515	Quartz	Kam 1815	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44516	Quartz	Kam 1816	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44517	Quartz	Kam 1817	2012-05-09	Dawson	12.99
Fifty Mile Creek	0908937 BC LTD	YE44518	Quartz	Kam 1818	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44519	Quartz	Kam 1819	2012-05-09	Dawson	17.54
Fifty Mile Creek	0908937 BC LTD	YE44520	Quartz	Kam 1820	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44521	Quartz	Kam 1821	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44522	Quartz	Kam 1822	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44523	Quartz	Kam 1823	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44524	Quartz	Kam 1824	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44525	Quartz	Kam 1825	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44526	Quartz	Kam 1826	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44527	Quartz	Kam 1827	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44528	Quartz	Kam 1828	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44529	Quartz	Kam 1829	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44530	Quartz	Kam 1830	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44531	Quartz	Kam 1831	2012-05-09	Dawson	20.25

Fifty Mile Creek	0908937 BC LTD	YE44532	Quartz	Kam 1832	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44533	Quartz	Kam 1833	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44534	Quartz	Kam 1834	2012-05-09	Dawson	4.43
Fifty Mile Creek	0908937 BC LTD	YE44535	Quartz	Kam 1835	2012-05-09	Dawson	9.74
Fifty Mile Creek	0908937 BC LTD	YE44536	Quartz	Kam 1836	2012-05-09	Dawson	19.90
Fifty Mile Creek	0908937 BC LTD	YE44537	Quartz	Kam 1837	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44538	Quartz	Kam 1838	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44539	Quartz	Kam 1839	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44540	Quartz	Kam 1840	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44541	Quartz	Kam 1841	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44542	Quartz	Kam 1842	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44543	Quartz	Kam 1843	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44544	Quartz	Kam 1844	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44545	Quartz	Kam 1845	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44546	Quartz	Kam 1846	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44547	Quartz	Kam 1847	2012-05-09	Dawson	20.73
Fifty Mile Creek	0908937 BC LTD	YE44548	Quartz	Kam 1848	2012-05-09	Dawson	20.71
Fifty Mile Creek	0908937 BC LTD	YE44549	Quartz	Kam 1849	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44550	Quartz	Kam 1850	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44551	Quartz	Kam 1851	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44552	Quartz	Kam 1852	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44553	Quartz	Kam 1853	2012-05-09	Dawson	17.78
Fifty Mile Creek	0908937 BC LTD	YE44554	Quartz	Kam 1854	2012-05-09	Dawson	17.61
Fifty Mile Creek	0908937 BC LTD	YE44555	Quartz	Kam 1855	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44556	Quartz	Kam 1856	2012-05-09	Dawson	13.28
Fifty Mile Creek	0908937 BC LTD	YE44557	Quartz	Kam 1857	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44558	Quartz	Kam 1858	2012-05-09	Dawson	7.90
Fifty Mile Creek	0908937 BC LTD	YE44559	Quartz	Kam 1859	2012-05-09	Dawson	16.62
Fifty Mile Creek	0908937 BC LTD	YE44560	Quartz	Kam 1860	2012-05-09	Dawson	20.76
Fifty Mile Creek	0908937 BC LTD	YE44561	Quartz	Kam 1861	2012-05-09	Dawson	20.78
Fifty Mile Creek	0908937 BC LTD	YE44562	Quartz	Kam 1862	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44563	Quartz	Kam 1863	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44564	Quartz	Kam 1864	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44565	Quartz	Kam 1865	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44566	Quartz	Kam 1866	2012-05-09	Dawson	17.95
Fifty Mile Creek	0908937 BC LTD	YE44567	Quartz	Kam 1867	2012-05-09	Dawson	18.13
Fifty Mile Creek	0908937 BC LTD	YE44568	Quartz	Kam 1868	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44569	Quartz	Kam 1869	2012-05-09	Dawson	12.27
Fifty Mile Creek	0908937 BC LTD	YE44570	Quartz	Kam 1870	2012-05-09	Dawson	15.09
Fifty Mile Creek	0908937 BC LTD	YE44571	Quartz	Kam 1871	2012-05-09	Dawson	20.82
Fifty Mile Creek	0908937 BC LTD	YE44572	Quartz	Kam 1872	2012-05-09	Dawson	20.80
Fifty Mile Creek	0908937 BC LTD	YE44573	Quartz	Kam 1873	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44574	Quartz	Kam 1874	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44575	Quartz	Kam 1875	2012-05-09	Dawson	14.16
Fifty Mile Creek	0908937 BC LTD	YE44576	Quartz	Kam 1876	2012-05-09	Dawson	20.19
Fifty Mile Creek	0908937 BC LTD	YE44577	Quartz	Kam 1877	2012-05-09	Dawson	20.04
Fifty Mile Creek	0908937 BC LTD	YE44578	Quartz	Kam 1878	2012-05-09	Dawson	20.85

Fifty Mile Creek	0908937 BC LTD	YE44579	Quartz	Kam 1879	2012-05-09	Dawson	20.10
Fifty Mile Creek	0908937 BC LTD	YE44580	Quartz	Kam 1880	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44581	Quartz	Kam 1881	2012-05-09	Dawson	20.14
Fifty Mile Creek	0908937 BC LTD	YE44582	Quartz	Kam 1882	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44583	Quartz	Kam 1883	2012-05-09	Dawson	18.68
Fifty Mile Creek	0908937 BC LTD	YE44584	Quartz	Kam 1884	2012-05-09	Dawson	10.41
Fifty Mile Creek	0908937 BC LTD	YE44585	Quartz	Kam 1885	2012-05-09	Dawson	20.75
Fifty Mile Creek	0908937 BC LTD	YE44586	Quartz	Kam 1886	2012-05-09	Dawson	8.61
Fifty Mile Creek	0908937 BC LTD	YE44587	Quartz	Kam 1887	2012-05-09	Dawson	7.95
Fifty Mile Creek	0908937 BC LTD	YE44588	Quartz	Kam 1888	2012-05-09	Dawson	18.68
Fifty Mile Creek	0908937 BC LTD	YE44589	Quartz	Kam 1889	2012-05-09	Dawson	18.85
Fifty Mile Creek	0908937 BC LTD	YE44590	Quartz	Kam 1890	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44591	Quartz	Kam 1891	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44592	Quartz	Kam 1892	2012-05-09	Dawson	20.10
Fifty Mile Creek	0908937 BC LTD	YE44593	Quartz	Kam 1893	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44594	Quartz	Kam 1894	2012-05-09	Dawson	14.20
Fifty Mile Creek	0908937 BC LTD	YE44595	Quartz	Kam 1895	2012-05-09	Dawson	13.41
Fifty Mile Creek	0908937 BC LTD	YE44596	Quartz	Kam 1896	2012-05-09	Dawson	15.08
Fifty Mile Creek	0908937 BC LTD	YE44597	Quartz	Kam 1897	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44598	Quartz	Kam 1898	2012-05-09	Dawson	12.28
Fifty Mile Creek	0908937 BC LTD	YE44599	Quartz	Kam 1899	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44600	Quartz	Kam 1900	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44601	Quartz	Kam 1901	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44602	Quartz	Kam 1902	2012-05-09	Dawson	18.77
Fifty Mile Creek	0908937 BC LTD	YE44603	Quartz	Kam 1903	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44604	Quartz	Kam 1904	2012-05-09	Dawson	17.60
Fifty Mile Creek	0908937 BC LTD	YE44605	Quartz	Kam 1905	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44606	Quartz	Kam 1906	2012-05-09	Dawson	17.43
Fifty Mile Creek	0908937 BC LTD	YE44607	Quartz	Kam 1907	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44608	Quartz	Kam 1908	2012-05-09	Dawson	17.53
Fifty Mile Creek	0908937 BC LTD	YE44609	Quartz	Kam 1909	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44610	Quartz	Kam 1910	2012-05-09	Dawson	17.36
Fifty Mile Creek	0908937 BC LTD	YE44611	Quartz	Kam 1911	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44612	Quartz	Kam 1912	2012-05-09	Dawson	19.41
Fifty Mile Creek	0908937 BC LTD	YE44613	Quartz	Kam 1913	2012-05-09	Dawson	18.96
Fifty Mile Creek	0908937 BC LTD	YE44614	Quartz	Kam 1914	2012-05-09	Dawson	17.31
Fifty Mile Creek	0908937 BC LTD	YE44615	Quartz	Kam 1915	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44616	Quartz	Kam 1916	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44617	Quartz	Kam 1917	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44618	Quartz	Kam 1918	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44619	Quartz	Kam 1919	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44620	Quartz	Kam 1920	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44621	Quartz	Kam 1921	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44622	Quartz	Kam 1922	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44623	Quartz	Kam 1923	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44624	Quartz	Kam 1924	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44625	Quartz	Kam 1925	2012-05-09	Dawson	20.57

Fifty Mile Creek	0908937 BC LTD	YE44626	Quartz	Kam 1926	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44627	Quartz	Kam 1927	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44628	Quartz	Kam 1928	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44629	Quartz	Kam 1929	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44630	Quartz	Kam 1930	2012-05-09	Dawson	19.87
Fifty Mile Creek	0908937 BC LTD	YE44631	Quartz	Kam 1931	2012-05-09	Dawson	18.52
Fifty Mile Creek	0908937 BC LTD	YE44632	Quartz	Kam 1932	2012-05-09	Dawson	11.56
Fifty Mile Creek	0908937 BC LTD	YE44633	Quartz	Kam 1933	2012-05-09	Dawson	19.18
Fifty Mile Creek	0908937 BC LTD	YE44634	Quartz	Kam 1934	2012-05-09	Dawson	7.57
Fifty Mile Creek	0908937 BC LTD	YE44635	Quartz	Kam 1935	2012-05-09	Dawson	19.32
Fifty Mile Creek	0908937 BC LTD	YE44636	Quartz	Kam 1936	2012-05-09	Dawson	20.03
Fifty Mile Creek	0908937 BC LTD	YE44637	Quartz	Kam 1937	2012-05-09	Dawson	19.51
Fifty Mile Creek	0908937 BC LTD	YE44638	Quartz	Kam 1938	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44639	Quartz	Kam 1939	2012-05-09	Dawson	19.68
Fifty Mile Creek	0908937 BC LTD	YE44640	Quartz	Kam 1940	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44641	Quartz	Kam 1941	2012-05-09	Dawson	19.84
Fifty Mile Creek	0908937 BC LTD	YE44642	Quartz	Kam 1942	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44643	Quartz	Kam 1943	2012-05-09	Dawson	20.01
Fifty Mile Creek	0908937 BC LTD	YE44644	Quartz	Kam 1944	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44645	Quartz	Kam 1945	2012-05-09	Dawson	20.18
Fifty Mile Creek	0908937 BC LTD	YE44646	Quartz	Kam 1946	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44647	Quartz	Kam 1947	2012-05-09	Dawson	20.34
Fifty Mile Creek	0908937 BC LTD	YE44648	Quartz	Kam 1948	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44649	Quartz	Kam 1949	2012-05-09	Dawson	20.51
Fifty Mile Creek	0908937 BC LTD	YE44650	Quartz	Kam 1950	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44651	Quartz	Kam 1951	2012-05-09	Dawson	20.68
Fifty Mile Creek	0908937 BC LTD	YE44652	Quartz	Kam 1952	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44653	Quartz	Kam 1953	2012-05-09	Dawson	20.84
Fifty Mile Creek	0908937 BC LTD	YE44654	Quartz	Kam 1954	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44655	Quartz	Kam 1955	2012-05-09	Dawson	21.35
Fifty Mile Creek	0908937 BC LTD	YE44656	Quartz	Kam 1956	2012-05-09	Dawson	20.18
Fifty Mile Creek	0908937 BC LTD	YE44657	Quartz	Kam 1957	2012-05-09	Dawson	20.32
Fifty Mile Creek	0908937 BC LTD	YE44658	Quartz	Kam 1958	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44659	Quartz	Kam 1959	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44660	Quartz	Kam 1960	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44661	Quartz	Kam 1961	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44662	Quartz	Kam 1962	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44663	Quartz	Kam 1963	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44664	Quartz	Kam 1964	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44665	Quartz	Kam 1965	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44666	Quartz	Kam 1966	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44667	Quartz	Kam 1967	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44668	Quartz	Kam 1968	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44669	Quartz	Kam 1969	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44670	Quartz	Kam 1970	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44671	Quartz	Kam 1971	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44672	Quartz	Kam 1972	2012-05-09	Dawson	20.57

Fifty Mile Creek	0908937 BC LTD	YE44673	Quartz	Kam 1973	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44674	Quartz	Kam 1974	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44675	Quartz	Kam 1975	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44676	Quartz	Kam 1976	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44677	Quartz	Kam 1977	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44678	Quartz	Kam 1978	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44679	Quartz	Kam 1979	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44680	Quartz	Kam 1980	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44681	Quartz	Kam 1981	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44682	Quartz	Kam 1982	2012-05-09	Dawson	20.45
Fifty Mile Creek	0908937 BC LTD	YE44683	Quartz	Kam 1983	2012-05-09	Dawson	22.15
Fifty Mile Creek	0908937 BC LTD	YE44684	Quartz	Kam 1984	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44685	Quartz	Kam 1985	2012-05-09	Dawson	21.97
Fifty Mile Creek	0908937 BC LTD	YE44686	Quartz	Kam 1986	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44687	Quartz	Kam 1987	2012-05-09	Dawson	21.80
Fifty Mile Creek	0908937 BC LTD	YE44688	Quartz	Kam 1988	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44689	Quartz	Kam 1989	2012-05-09	Dawson	21.63
Fifty Mile Creek	0908937 BC LTD	YE44690	Quartz	Kam 1990	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44691	Quartz	Kam 1991	2012-05-09	Dawson	21.47
Fifty Mile Creek	0908937 BC LTD	YE44692	Quartz	Kam 1992	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44693	Quartz	Kam 1993	2012-05-09	Dawson	21.30
Fifty Mile Creek	0908937 BC LTD	YE44694	Quartz	Kam 1994	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44695	Quartz	Kam 1995	2012-05-09	Dawson	21.13
Fifty Mile Creek	0908937 BC LTD	YE44696	Quartz	Kam 1996	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44697	Quartz	Kam 1997	2012-05-09	Dawson	20.97
Fifty Mile Creek	0908937 BC LTD	YE44698	Quartz	Kam 1998	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44699	Quartz	Kam 1999	2012-05-09	Dawson	20.80
Fifty Mile Creek	0908937 BC LTD	YE44700	Quartz	Kam 2000	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44701	Quartz	Kam 2001	2012-05-09	Dawson	20.64
Fifty Mile Creek	0908937 BC LTD	YE44702	Quartz	Kam 2002	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44703	Quartz	Kam 2003	2012-05-09	Dawson	20.47
Fifty Mile Creek	0908937 BC LTD	YE44704	Quartz	Kam 2004	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44705	Quartz	Kam 2005	2012-05-09	Dawson	20.30
Fifty Mile Creek	0908937 BC LTD	YE44706	Quartz	Kam 2006	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44707	Quartz	Kam 2007	2012-05-09	Dawson	20.46
Fifty Mile Creek	0908937 BC LTD	YE44708	Quartz	Kam 2008	2012-05-09	Dawson	17.21
Fifty Mile Creek	0908937 BC LTD	YE44709	Quartz	Kam 2009	2012-05-09	Dawson	17.37
Fifty Mile Creek	0908937 BC LTD	YE44710	Quartz	Kam 2010	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44711	Quartz	Kam 2011	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44712	Quartz	Kam 2012	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44713	Quartz	Kam 2013	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44714	Quartz	Kam 2014	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44715	Quartz	Kam 2015	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44716	Quartz	Kam 2016	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44717	Quartz	Kam 2017	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44718	Quartz	Kam 2018	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44719	Quartz	Kam 2019	2012-05-09	Dawson	20.90

Fifty Mile Creek	0908937 BC LTD	YE44720	Quartz	Kam 2020	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44721	Quartz	Kam 2021	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44722	Quartz	Kam 2022	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44723	Quartz	Kam 2023	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44724	Quartz	Kam 2024	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44725	Quartz	Kam 2025	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44726	Quartz	Kam 2026	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44727	Quartz	Kam 2027	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44728	Quartz	Kam 2028	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44729	Quartz	Kam 2029	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44730	Quartz	Kam 2030	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44731	Quartz	Kam 2031	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44732	Quartz	Kam 2032	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44733	Quartz	Kam 2033	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44734	Quartz	Kam 2034	2012-05-09	Dawson	17.53
Fifty Mile Creek	0908937 BC LTD	YE44735	Quartz	Kam 2035	2012-05-09	Dawson	17.68
Fifty Mile Creek	0908937 BC LTD	YE44736	Quartz	Kam 2036	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44737	Quartz	Kam 2037	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44738	Quartz	Kam 2038	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44739	Quartz	Kam 2039	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44740	Quartz	Kam 2040	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44741	Quartz	Kam 2041	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44742	Quartz	Kam 2042	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44743	Quartz	Kam 2043	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44744	Quartz	Kam 2044	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44745	Quartz	Kam 2045	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44746	Quartz	Kam 2046	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44747	Quartz	Kam 2047	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44748	Quartz	Kam 2048	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44749	Quartz	Kam 2049	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44750	Quartz	Kam 2050	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44751	Quartz	Kam 2051	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44752	Quartz	Kam 2052	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44753	Quartz	Kam 2053	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44754	Quartz	Kam 2054	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44755	Quartz	Kam 2055	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44756	Quartz	Kam 2056	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44757	Quartz	Kam 2057	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44758	Quartz	Kam 2058	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44759	Quartz	Kam 2059	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44760	Quartz	Kam 2060	2012-05-09	Dawson	17.84
Fifty Mile Creek	0908937 BC LTD	YE44761	Quartz	Kam 2061	2012-05-09	Dawson	18.00
Fifty Mile Creek	0908937 BC LTD	YE44762	Quartz	Kam 2062	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44763	Quartz	Kam 2063	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44764	Quartz	Kam 2064	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44765	Quartz	Kam 2065	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44766	Quartz	Kam 2066	2012-05-09	Dawson	20.90

Fifty Mile Creek	0908937 BC LTD	YE44767	Quartz	Kam 2067	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44768	Quartz	Kam 2068	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44769	Quartz	Kam 2069	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44770	Quartz	Kam 2070	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44771	Quartz	Kam 2071	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44772	Quartz	Kam 2072	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44773	Quartz	Kam 2073	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44774	Quartz	Kam 2074	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44775	Quartz	Kam 2075	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44776	Quartz	Kam 2076	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44777	Quartz	Kam 2077	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44778	Quartz	Kam 2078	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44779	Quartz	Kam 2079	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44780	Quartz	Kam 2080	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44781	Quartz	Kam 2081	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44782	Quartz	Kam 2082	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44783	Quartz	Kam 2083	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44784	Quartz	Kam 2084	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44785	Quartz	Kam 2085	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44786	Quartz	Kam 2086	2012-05-09	Dawson	18.15
Fifty Mile Creek	0908937 BC LTD	YE44787	Quartz	Kam 2087	2012-05-09	Dawson	18.31
Fifty Mile Creek	0908937 BC LTD	YE44788	Quartz	Kam 2088	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44789	Quartz	Kam 2089	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44790	Quartz	Kam 2090	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44791	Quartz	Kam 2091	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44792	Quartz	Kam 2092	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44793	Quartz	Kam 2093	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44794	Quartz	Kam 2094	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44795	Quartz	Kam 2095	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44796	Quartz	Kam 2096	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44797	Quartz	Kam 2097	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44798	Quartz	Kam 2098	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44799	Quartz	Kam 2099	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44800	Quartz	Kam 2100	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44801	Quartz	Kam 2101	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44802	Quartz	Kam 2102	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44803	Quartz	Kam 2103	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44804	Quartz	Kam 2104	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44805	Quartz	Kam 2105	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44806	Quartz	Kam 2106	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44807	Quartz	Kam 2107	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44808	Quartz	Kam 2108	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44809	Quartz	Kam 2109	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44810	Quartz	Kam 2110	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44811	Quartz	Kam 2111	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44812	Quartz	Kam 2112	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44813	Quartz	Kam 2113	2012-05-09	Dawson	18.42

Fifty Mile Creek	0908937 BC LTD	YE44814	Quartz	Kam 2114	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44815	Quartz	Kam 2115	2012-05-09	Dawson	18.48
Fifty Mile Creek	0908937 BC LTD	YE44816	Quartz	Kam 2116	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44817	Quartz	Kam 2117	2012-05-09	Dawson	18.55
Fifty Mile Creek	0908937 BC LTD	YE44818	Quartz	Kam 2118	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44819	Quartz	Kam 2119	2012-05-09	Dawson	18.62
Fifty Mile Creek	0908937 BC LTD	YE44820	Quartz	Kam 2120	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44821	Quartz	Kam 2121	2012-05-09	Dawson	18.68
Fifty Mile Creek	0908937 BC LTD	YE44822	Quartz	Kam 2122	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44823	Quartz	Kam 2123	2012-05-09	Dawson	18.75
Fifty Mile Creek	0908937 BC LTD	YE44824	Quartz	Kam 2124	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44825	Quartz	Kam 2125	2012-05-09	Dawson	18.82
Fifty Mile Creek	0908937 BC LTD	YE44826	Quartz	Kam 2126	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44827	Quartz	Kam 2127	2012-05-09	Dawson	18.89
Fifty Mile Creek	0908937 BC LTD	YE44828	Quartz	Kam 2128	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44829	Quartz	Kam 2129	2012-05-09	Dawson	18.95
Fifty Mile Creek	0908937 BC LTD	YE44830	Quartz	Kam 2130	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44831	Quartz	Kam 2131	2012-05-09	Dawson	19.02
Fifty Mile Creek	0908937 BC LTD	YE44832	Quartz	Kam 2132	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44833	Quartz	Kam 2133	2012-05-09	Dawson	19.09
Fifty Mile Creek	0908937 BC LTD	YE44834	Quartz	Kam 2134	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44835	Quartz	Kam 2135	2012-05-09	Dawson	19.15
Fifty Mile Creek	0908937 BC LTD	YE44836	Quartz	Kam 2136	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44837	Quartz	Kam 2137	2012-05-09	Dawson	19.22
Fifty Mile Creek	0908937 BC LTD	YE44838	Quartz	Kam 2138	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44839	Quartz	Kam 2139	2012-05-09	Dawson	19.29
Fifty Mile Creek	0908937 BC LTD	YE44840	Quartz	Kam 2140	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44841	Quartz	Kam 2141	2012-05-09	Dawson	19.35
Fifty Mile Creek	0908937 BC LTD	YE44842	Quartz	Kam 2142	2012-05-09	Dawson	20.90
Fifty Mile Creek	0908937 BC LTD	YE44843	Quartz	Kam 2143	2012-05-09	Dawson	19.42
Fifty Mile Creek	0908937 BC LTD	YE44844	Quartz	Kam 2144	2012-05-09	Dawson	18.90
Fifty Mile Creek	0908937 BC LTD	YE44845	Quartz	Kam 2145	2012-05-09	Dawson	6.26
Fifty Mile Creek	0908937 BC LTD	YE44846	Quartz	Kam 2146	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44847	Quartz	Kam 2147	2012-05-09	Dawson	20.53
Fifty Mile Creek	0908937 BC LTD	YE44848	Quartz	Kam 2148	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44849	Quartz	Kam 2149	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44850	Quartz	Kam 2150	2012-05-09	Dawson	17.29
Fifty Mile Creek	0908937 BC LTD	YE44851	Quartz	Kam 2151	2012-05-09	Dawson	17.29
Fifty Mile Creek	0908937 BC LTD	YE44852	Quartz	Kam 2152	2012-05-09	Dawson	19.80
Fifty Mile Creek	0908937 BC LTD	YE44853	Quartz	Kam 2153	2012-05-09	Dawson	19.80
Fifty Mile Creek	0908937 BC LTD	YE44854	Quartz	Kam 2154	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44855	Quartz	Kam 2155	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44856	Quartz	Kam 2156	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44857	Quartz	Kam 2157	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44858	Quartz	Kam 2158	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44859	Quartz	Kam 2159	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44860	Quartz	Kam 2160	2012-05-09	Dawson	20.57

Fifty Mile Creek	0908937 BC LTD	YE44861	Quartz	Kam 2161	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44862	Quartz	Kam 2162	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44863	Quartz	Kam 2163	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44864	Quartz	Kam 2164	2012-05-09	Dawson	12.12
Fifty Mile Creek	0908937 BC LTD	YE44865	Quartz	Kam 2165	2012-05-09	Dawson	17.24
Fifty Mile Creek	0908937 BC LTD	YE44866	Quartz	Kam 2166	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44867	Quartz	Kam 2167	2012-05-09	Dawson	17.29
Fifty Mile Creek	0908937 BC LTD	YE44868	Quartz	Kam 2168	2012-05-09	Dawson	17.29
Fifty Mile Creek	0908937 BC LTD	YE44869	Quartz	Kam 2169	2012-05-09	Dawson	19.80
Fifty Mile Creek	0908937 BC LTD	YE44870	Quartz	Kam 2170	2012-05-09	Dawson	19.80
Fifty Mile Creek	0908937 BC LTD	YE44871	Quartz	Kam 2171	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44872	Quartz	Kam 2172	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44873	Quartz	Kam 2173	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44874	Quartz	Kam 2174	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44875	Quartz	Kam 2175	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44876	Quartz	Kam 2176	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44877	Quartz	Kam 2177	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44878	Quartz	Kam 2178	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44879	Quartz	Kam 2179	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44880	Quartz	Kam 2180	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44881	Quartz	Kam 2181	2012-05-09	Dawson	6.02
Fifty Mile Creek	0908937 BC LTD	YE44882	Quartz	Kam 2182	2012-05-09	Dawson	16.75
Fifty Mile Creek	0908937 BC LTD	YE44883	Quartz	Kam 2183	2012-05-09	Dawson	19.73
Fifty Mile Creek	0908937 BC LTD	YE44884	Quartz	Kam 2184	2012-05-09	Dawson	19.80
Fifty Mile Creek	0908937 BC LTD	YE44885	Quartz	Kam 2185	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44886	Quartz	Kam 2186	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44887	Quartz	Kam 2187	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44888	Quartz	Kam 2188	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44889	Quartz	Kam 2189	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44890	Quartz	Kam 2190	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44891	Quartz	Kam 2191	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44892	Quartz	Kam 2192	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44893	Quartz	Kam 2193	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44894	Quartz	Kam 2194	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44895	Quartz	Kam 2195	2012-05-09	Dawson	11.08
Fifty Mile Creek	0908937 BC LTD	YE44896	Quartz	Kam 2196	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44897	Quartz	Kam 2197	2012-05-09	Dawson	16.17
Fifty Mile Creek	0908937 BC LTD	YE44898	Quartz	Kam 2198	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44899	Quartz	Kam 2199	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44900	Quartz	Kam 2200	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44901	Quartz	Kam 2201	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44902	Quartz	Kam 2202	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44903	Quartz	Kam 2203	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44904	Quartz	Kam 2204	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44905	Quartz	Kam 2205	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44906	Quartz	Kam 2206	2012-05-09	Dawson	19.27
Fifty Mile Creek	0908937 BC LTD	YE44907	Quartz	Kam 2207	2012-05-09	Dawson	7.55

Fifty Mile Creek	0908937 BC LTD	YE44908	Quartz	Kam 2208	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44909	Quartz	Kam 2209	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE44910	Quartz	Kam 2210	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44911	Quartz	Kam 2211	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44912	Quartz	Kam 2212	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44913	Quartz	Kam 2213	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44914	Quartz	Kam 2214	2012-05-09	Dawson	13.12
Fifty Mile Creek	0908937 BC LTD	YE44915	Quartz	Kam 2215	2012-05-09	Dawson	17.88
Fifty Mile Creek	0908937 BC LTD	YE44916	Quartz	Kam 2216	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44917	Quartz	Kam 2217	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44918	Quartz	Kam 2218	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44919	Quartz	Kam 2219	2012-05-09	Dawson	20.27
Fifty Mile Creek	0908937 BC LTD	YE44920	Quartz	Kam 2220	2012-05-09	Dawson	15.85
Fifty Mile Creek	0908937 BC LTD	YE44921	Quartz	Kam 2221	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44922	Quartz	Kam 2222	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44923	Quartz	Kam 2223	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44924	Quartz	Kam 2224	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44925	Quartz	Kam 2225	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44926	Quartz	Kam 2226	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44927	Quartz	Kam 2227	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44928	Quartz	Kam 2228	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44929	Quartz	Kam 2229	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44930	Quartz	Kam 2230	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44931	Quartz	Kam 2231	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44932	Quartz	Kam 2232	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44933	Quartz	Kam 2233	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44934	Quartz	Kam 2234	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44935	Quartz	Kam 2235	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44936	Quartz	Kam 2236	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44937	Quartz	Kam 2237	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44938	Quartz	Kam 2238	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44939	Quartz	Kam 2239	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44940	Quartz	Kam 2240	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44941	Quartz	Kam 2241	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44942	Quartz	Kam 2242	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44943	Quartz	Kam 2243	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44944	Quartz	Kam 2244	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44945	Quartz	Kam 2245	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44946	Quartz	Kam 2246	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44947	Quartz	Kam 2247	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44948	Quartz	Kam 2248	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44949	Quartz	Kam 2249	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44950	Quartz	Kam 2250	2012-05-09	Dawson	16.55
Fifty Mile Creek	0908937 BC LTD	YE44951	Quartz	Kam 2251	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44952	Quartz	Kam 2252	2012-05-09	Dawson	15.89
Fifty Mile Creek	0908937 BC LTD	YE44953	Quartz	Kam 2253	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44954	Quartz	Kam 2254	2012-05-09	Dawson	20.57

Fifty Mile Creek	0908937 BC LTD	YE44955	Quartz	Kam 2255	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44956	Quartz	Kam 2256	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44957	Quartz	Kam 2257	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44958	Quartz	Kam 2258	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44959	Quartz	Kam 2259	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44960	Quartz	Kam 2260	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44961	Quartz	Kam 2261	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44962	Quartz	Kam 2262	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44963	Quartz	Kam 2263	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44964	Quartz	Kam 2264	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44965	Quartz	Kam 2265	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44966	Quartz	Kam 2266	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44967	Quartz	Kam 2267	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44968	Quartz	Kam 2268	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44969	Quartz	Kam 2269	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44970	Quartz	Kam 2270	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44971	Quartz	Kam 2271	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44972	Quartz	Kam 2272	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44973	Quartz	Kam 2273	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44974	Quartz	Kam 2274	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44975	Quartz	Kam 2275	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44976	Quartz	Kam 2276	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44977	Quartz	Kam 2277	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44978	Quartz	Kam 2278	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44979	Quartz	Kam 2279	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44980	Quartz	Kam 2280	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44981	Quartz	Kam 2281	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44982	Quartz	Kam 2282	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44983	Quartz	Kam 2283	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44984	Quartz	Kam 2284	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44985	Quartz	Kam 2285	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44986	Quartz	Kam 2286	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44987	Quartz	Kam 2287	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44988	Quartz	Kam 2288	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44989	Quartz	Kam 2289	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44990	Quartz	Kam 2290	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44991	Quartz	Kam 2291	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44992	Quartz	Kam 2292	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44993	Quartz	Kam 2293	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44994	Quartz	Kam 2294	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44995	Quartz	Kam 2295	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44996	Quartz	Kam 2296	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44997	Quartz	Kam 2297	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44998	Quartz	Kam 2298	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE44999	Quartz	Kam 2299	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE45000	Quartz	Kam 2300	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70001	Quartz	Kam 2301	2012-05-09	Dawson	20.57

Fifty Mile Creek	0908937 BC LTD	YE70002	Quartz	Kam 2302	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70003	Quartz	Kam 2303	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70004	Quartz	Kam 2304	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70005	Quartz	Kam 2305	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70006	Quartz	Kam 2306	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70007	Quartz	Kam 2307	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70008	Quartz	Kam 2308	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70009	Quartz	Kam 2309	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70010	Quartz	Kam 2310	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70011	Quartz	Kam 2311	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70012	Quartz	Kam 2312	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70013	Quartz	Kam 2313	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70014	Quartz	Kam 2314	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70015	Quartz	Kam 2315	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70016	Quartz	Kam 2316	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70017	Quartz	Kam 2317	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70018	Quartz	Kam 2318	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70019	Quartz	Kam 2319	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70020	Quartz	Kam 2320	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70021	Quartz	Kam 2321	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70022	Quartz	Kam 2322	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70023	Quartz	Kam 2323	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70024	Quartz	Kam 2324	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70025	Quartz	Kam 2325	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70026	Quartz	Kam 2326	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70027	Quartz	Kam 2327	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70028	Quartz	Kam 2328	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70029	Quartz	Kam 2329	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70030	Quartz	Kam 2330	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70031	Quartz	Kam 2331	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70032	Quartz	Kam 2332	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70033	Quartz	Kam 2333	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70034	Quartz	Kam 2334	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70035	Quartz	Kam 2335	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70036	Quartz	Kam 2336	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70037	Quartz	Kam 2337	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70038	Quartz	Kam 2338	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70039	Quartz	Kam 2339	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70040	Quartz	Kam 2340	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70041	Quartz	Kam 2341	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70042	Quartz	Kam 2342	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70043	Quartz	Kam 2343	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70044	Quartz	Kam 2344	2012-05-09	Dawson	18.17
Fifty Mile Creek	0908937 BC LTD	YE70045	Quartz	Kam 2345	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70046	Quartz	Kam 2346	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70047	Quartz	Kam 2347	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70048	Quartz	Kam 2348	2012-05-09	Dawson	20.57

Fifty Mile Creek	0908937 BC LTD	YE70049	Quartz	Kam 2349	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70050	Quartz	Kam 2350	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70051	Quartz	Kam 2351	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70052	Quartz	Kam 2352	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70053	Quartz	Kam 2353	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70054	Quartz	Kam 2354	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70055	Quartz	Kam 2355	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70056	Quartz	Kam 2356	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70057	Quartz	Kam 2357	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70058	Quartz	Kam 2358	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70059	Quartz	Kam 2359	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70060	Quartz	Kam 2360	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70061	Quartz	Kam 2361	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70062	Quartz	Kam 2362	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70063	Quartz	Kam 2363	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70064	Quartz	Kam 2364	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70065	Quartz	Kam 2365	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70066	Quartz	Kam 2366	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70067	Quartz	Kam 2367	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70068	Quartz	Kam 2368	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70069	Quartz	Kam 2369	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70070	Quartz	Kam 2370	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70071	Quartz	Kam 2371	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70072	Quartz	Kam 2372	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70073	Quartz	Kam 2373	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70074	Quartz	Kam 2374	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70075	Quartz	Kam 2375	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70076	Quartz	Kam 2376	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70077	Quartz	Kam 2377	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70078	Quartz	Kam 2378	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70079	Quartz	Kam 2379	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70080	Quartz	Kam 2380	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70081	Quartz	Kam 2381	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70082	Quartz	Kam 2382	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70083	Quartz	Kam 2383	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70084	Quartz	Kam 2384	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70085	Quartz	Kam 2385	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70086	Quartz	Kam 2386	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70087	Quartz	Kam 2387	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70088	Quartz	Kam 2388	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70089	Quartz	Kam 2389	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70090	Quartz	Kam 2390	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70091	Quartz	Kam 2391	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70092	Quartz	Kam 2392	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70093	Quartz	Kam 2393	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70094	Quartz	Kam 2394	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70095	Quartz	Kam 2395	2012-05-09	Dawson	20.57

Fifty Mile Creek	0908937 BC LTD	YE70096	Quartz	Kam 2396	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70097	Quartz	Kam 2397	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70098	Quartz	Kam 2398	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70099	Quartz	Kam 2399	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70100	Quartz	Kam 2400	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70101	Quartz	Kam 2401	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70102	Quartz	Kam 2402	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70103	Quartz	Kam 2403	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70104	Quartz	Kam 2404	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70105	Quartz	Kam 2405	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70106	Quartz	Kam 2406	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70107	Quartz	Kam 2407	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70108	Quartz	Kam 2408	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70109	Quartz	Kam 2409	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70110	Quartz	Kam 2410	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70111	Quartz	Kam 2411	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70112	Quartz	Kam 2412	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70113	Quartz	Kam 2413	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70114	Quartz	Kam 2414	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70115	Quartz	Kam 2415	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70116	Quartz	Kam 2416	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70117	Quartz	Kam 2417	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70118	Quartz	Kam 2418	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70119	Quartz	Kam 2419	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70120	Quartz	Kam 2420	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70121	Quartz	Kam 2421	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70122	Quartz	Kam 2422	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70123	Quartz	Kam 2423	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE70124	Quartz	Kam 2424	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70125	Quartz	Kam 2425	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE70126	Quartz	Kam 2426	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70127	Quartz	Kam 2427	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE70128	Quartz	Kam 2428	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70129	Quartz	Kam 2429	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE70130	Quartz	Kam 2430	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70131	Quartz	Kam 2431	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE70132	Quartz	Kam 2432	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70133	Quartz	Kam 2433	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE70134	Quartz	Kam 2434	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70135	Quartz	Kam 2435	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE70136	Quartz	Kam 2436	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70137	Quartz	Kam 2437	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE70138	Quartz	Kam 2438	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70139	Quartz	Kam 2439	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE70140	Quartz	Kam 2440	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70141	Quartz	Kam 2441	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE70142	Quartz	Kam 2442	2012-05-09	Dawson	20.57

Fifty Mile Creek	0908937 BC LTD	YE70143	Quartz	Kam 2443	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE70144	Quartz	Kam 2444	2012-05-09	Dawson	20.57
Fifty Mile Creek	0908937 BC LTD	YE70145	Quartz	Kam 2445	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE70146	Quartz	Kam 2446	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE70147	Quartz	Kam 2447	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE70148	Quartz	Kam 2448	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE70149	Quartz	Kam 2449	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE70150	Quartz	Kam 2450	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE70151	Quartz	Kam 2451	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE70152	Quartz	Kam 2452	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE70153	Quartz	Kam 2453	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE70154	Quartz	Kam 2454	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE70155	Quartz	Kam 2455	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE70156	Quartz	Kam 2456	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE70157	Quartz	Kam 2457	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE70158	Quartz	Kam 2458	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE70159	Quartz	Kam 2459	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE70160	Quartz	Kam 2460	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE70161	Quartz	Kam 2461	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE70162	Quartz	Kam 2462	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE70163	Quartz	Kam 2463	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE70164	Quartz	Kam 2464	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE70165	Quartz	Kam 2465	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE70166	Quartz	Kam 2466	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE70167	Quartz	Kam 2467	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE70168	Quartz	Kam 2468	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE70169	Quartz	Kam 2469	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE70170	Quartz	Kam 2470	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE70171	Quartz	Kam 2471	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE70172	Quartz	Kam 2472	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE70173	Quartz	Kam 2473	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE70174	Quartz	Kam 2474	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE70175	Quartz	Kam 2475	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE70176	Quartz	Kam 2476	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE70177	Quartz	Kam 2477	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE70178	Quartz	Kam 2478	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE70179	Quartz	Kam 2479	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE70180	Quartz	Kam 2480	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE70181	Quartz	Kam 2481	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE70182	Quartz	Kam 2482	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE70183	Quartz	Kam 2483	2012-05-09	Dawson	19.51
Fifty Mile Creek	0908937 BC LTD	YE70184	Quartz	Kam 2484	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE70185	Quartz	Kam 2485	2012-05-09	Dawson	19.58
Fifty Mile Creek	0908937 BC LTD	YE70186	Quartz	Kam 2486	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE70187	Quartz	Kam 2487	2012-05-09	Dawson	19.64
Fifty Mile Creek	0908937 BC LTD	YE70188	Quartz	Kam 2488	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE70189	Quartz	Kam 2489	2012-05-09	Dawson	19.71

Fifty Mile Creek	0908937 BC LTD	YE70190	Quartz	Kam 2490	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE70191	Quartz	Kam 2491	2012-05-09	Dawson	19.77
Fifty Mile Creek	0908937 BC LTD	YE70192	Quartz	Kam 2492	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE70193	Quartz	Kam 2493	2012-05-09	Dawson	19.83
Fifty Mile Creek	0908937 BC LTD	YE70194	Quartz	Kam 2494	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE70195	Quartz	Kam 2495	2012-05-09	Dawson	19.89
Fifty Mile Creek	0908937 BC LTD	YE70196	Quartz	Kam 2496	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE70197	Quartz	Kam 2497	2012-05-09	Dawson	19.95
Fifty Mile Creek	0908937 BC LTD	YE70198	Quartz	Kam 2498	2012-05-09	Dawson	20.25
Fifty Mile Creek	0908937 BC LTD	YE70199	Quartz	Kam 2499	2012-05-09	Dawson	20.01
Fifty Mile Creek	0908937 BC LTD	YE70200	Quartz	Kam 2500	2012-05-09	Dawson	20.25
						Total	50,207.35

APPENDIX 2 – ASSAY CERTIFICATES

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **0908937 BC Ltd.**

Submitted By: Rasool Mohammad
Receiving Lab: Canada-Whitehorse
Received: October 24, 2011
Report Date: July 30, 2012
Page: 1 of 9

CERTIFICATE OF ANALYSIS WHI11001858.2

CLIENT JOB INFORMATION

Project: 50 Mile (YK)
Shipment ID:
P.O. Number
Number of Samples: 237

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	237	Dry at 60C			VAN
SS80	237	Dry at 60C sieve 100g to -80 mesh			VAN
1DX2	237	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Version 2: 0908937 BC Ltd.

Invoice To: 0908937 BC Ltd.

CC:

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**

Project: 50 Mile (YK)
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI11001858.2

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
50MI11AM0001	Soil	0.5	35.2	8.5	73	<0.1	46.1	12.4	360	3.30	4.9	1.9	3.2	25	0.1	0.3	0.2	69	0.38	0.074	16
50MI11AM0002	Soil	0.6	40.9	6.6	92	<0.1	33.7	14.1	402	3.54	5.1	4.6	2.4	26	0.1	0.2	0.2	72	0.43	0.083	11
50MI11AM0003	Soil	0.5	59.0	6.5	120	<0.1	25.8	15.6	346	3.30	4.5	3.0	2.1	25	0.2	0.3	0.1	74	0.36	0.079	8
50MI11AM0004	Soil	0.6	46.0	11.6	86	0.1	17.1	12.0	403	3.25	3.4	3.7	2.6	18	0.2	0.2	0.1	70	0.22	0.037	14
50MI11AM0005	Soil	0.5	31.7	21.1	96	<0.1	26.5	13.9	366	3.71	6.9	4.4	12.0	17	0.2	0.2	0.2	52	0.25	0.052	37
50MI11AM0006	Soil	1.4	60.8	15.5	193	<0.1	72.1	27.3	789	5.94	6.7	2.2	11.5	21	0.4	0.1	0.3	129	0.43	0.117	33
50MI11AM0007	Soil	0.6	17.0	13.3	88	0.1	22.5	12.0	256	2.90	7.3	1.6	5.4	20	0.2	0.3	0.2	58	0.30	0.063	25
50MI11AM0008	Soil	0.4	10.9	11.6	47	<0.1	12.1	5.4	113	2.06	5.4	3.7	5.1	18	0.1	0.4	0.4	44	0.19	0.046	25
50MI11AM0009	Soil	0.8	13.3	8.6	50	<0.1	13.8	6.3	129	2.38	7.8	1.7	2.3	19	0.2	0.4	0.2	47	0.22	0.060	13
50MI11AM0010	Soil	0.7	27.5	9.2	61	0.1	22.6	10.2	274	2.51	8.7	4.4	4.0	33	0.2	0.6	0.2	53	0.43	0.069	15
50MI11AM0011	Soil	0.6	15.3	8.1	42	0.1	12.8	5.2	119	2.18	6.4	<0.5	1.9	16	0.1	0.4	0.2	41	0.17	0.060	14
50MI11AM0012	Soil	0.5	21.9	8.8	56	<0.1	18.5	7.2	195	2.36	7.1	3.7	4.9	26	0.2	0.5	0.2	45	0.30	0.064	17
50MI11AM0013	Soil	0.6	14.4	8.9	46	<0.1	12.0	5.8	180	2.02	5.5	2.1	3.7	19	0.1	0.3	0.2	35	0.23	0.070	19
50MI11AM0014	Soil	0.7	11.3	9.0	45	<0.1	11.3	5.0	133	2.00	6.2	1.3	2.5	14	<0.1	0.3	0.3	36	0.17	0.058	16
50MI11AM0015	Soil	0.4	9.1	7.1	27	<0.1	6.9	2.6	62	1.35	3.4	<0.5	1.5	12	<0.1	0.2	0.2	23	0.13	0.054	13
50MI11AM0016	Soil	1.6	10.5	9.0	45	<0.1	8.6	8.2	238	1.80	6.2	0.5	6.3	20	0.1	0.2	0.2	24	0.25	0.080	28
50MI11AM0017	Soil	0.8	22.8	9.9	64	<0.1	23.8	11.1	326	2.84	5.2	4.2	4.4	26	0.2	0.3	0.2	57	0.31	0.051	19
50MI11AM0018	Soil	0.5	31.2	10.8	96	<0.1	40.6	15.8	264	3.79	2.5	1.8	13.3	20	0.1	0.2	0.3	53	0.35	0.080	30
50MI11AM0019	Soil	0.6	28.8	8.1	65	<0.1	32.4	10.9	231	2.88	3.8	2.5	8.0	20	0.1	0.3	0.2	51	0.28	0.053	24
50MI11AM0020	Soil	0.6	34.7	11.1	73	<0.1	47.1	15.0	340	3.37	4.2	<0.5	11.0	22	<0.1	0.2	0.3	61	0.37	0.059	36
50MI11AM0021	Soil	0.6	16.5	36.6	67	<0.1	19.6	12.2	417	2.63	4.6	2.3	5.2	31	0.3	0.3	0.1	53	0.60	0.057	15
50MI11AM0022	Soil	0.6	31.2	27.0	119	<0.1	33.1	17.4	437	3.68	2.6	<0.5	4.6	18	0.2	0.6	0.4	80	0.26	0.029	3
50MI11AM0023	Soil	0.7	21.5	8.7	60	<0.1	26.3	13.9	346	3.10	4.9	1.0	5.8	26	<0.1	0.5	0.2	66	0.29	0.014	15
50MI11AM0024	Soil	0.8	29.6	9.5	66	<0.1	27.9	11.5	354	2.86	9.0	1.1	5.4	28	<0.1	0.8	0.2	58	0.40	0.053	15
50MI11AM0025	Soil	0.6	23.0	7.7	62	<0.1	20.8	7.8	272	2.13	6.4	3.8	3.9	39	0.2	0.6	0.1	45	0.80	0.062	14
50MI11AM0026	Soil	1.0	26.8	9.6	54	0.1	21.8	9.6	458	2.35	7.7	<0.5	2.6	44	0.2	0.6	0.1	52	0.80	0.050	14
50MI11AM0027	Soil	0.9	24.8	8.5	54	<0.1	24.0	9.3	399	2.39	8.2	2.2	3.1	37	<0.1	0.5	0.1	56	0.64	0.042	14
50MI11AM0028	Soil	0.5	25.4	10.0	71	0.1	22.4	9.7	436	2.45	8.0	2.4	4.0	35	0.3	0.7	0.1	56	0.66	0.064	14
50MI11AM0029	Soil	0.5	98.1	57.6	232	1.9	35.9	19.8	965	4.70	222.6	17.8	5.4	28	1.3	2.7	3.0	111	0.81	0.031	9
50MI11AM0030	Soil	0.7	43.6	56.8	169	0.8	32.4	17.7	757	3.97	60.3	4.6	4.2	31	0.4	3.8	0.9	87	0.55	0.025	11

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**

Project: 50 Mile (YK)
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI11001858.2

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
50MI11AM0001	Soil		82	1.08	315	0.091	1	2.13	0.013	0.16	<0.1	0.03	5.3	0.1	<0.05	7	<0.5	<0.2
50MI11AM0002	Soil		60	1.11	367	0.116	2	2.17	0.015	0.23	0.1	0.03	4.6	0.1	<0.05	6	<0.5	<0.2
50MI11AM0003	Soil		47	0.90	365	0.067	1	1.92	0.012	0.08	<0.1	0.02	5.0	0.1	<0.05	6	<0.5	<0.2
50MI11AM0004	Soil		40	0.89	325	0.089	<1	1.95	0.014	0.29	0.1	0.04	5.6	0.2	<0.05	7	<0.5	<0.2
50MI11AM0005	Soil		46	1.15	222	0.116	<1	2.44	0.010	0.48	<0.1	0.02	4.4	0.4	<0.05	7	<0.5	<0.2
50MI11AM0006	Soil		128	2.17	563	0.131	2	3.55	0.010	0.59	<0.1	0.02	10.2	0.4	<0.05	12	<0.5	<0.2
50MI11AM0007	Soil		47	0.80	282	0.052	<1	1.87	0.010	0.16	0.2	0.06	4.8	0.2	0.08	6	<0.5	<0.2
50MI11AM0008	Soil		21	0.41	148	0.059	1	1.61	0.013	0.11	0.2	0.04	2.7	0.2	0.05	5	<0.5	<0.2
50MI11AM0009	Soil		24	0.42	147	0.053	<1	1.47	0.019	0.05	0.2	0.04	2.4	<0.1	0.08	4	<0.5	<0.2
50MI11AM0010	Soil		27	0.50	250	0.078	<1	1.56	0.022	0.06	0.2	0.06	3.4	0.1	<0.05	5	<0.5	<0.2
50MI11AM0011	Soil		23	0.38	142	0.048	<1	1.46	0.012	0.05	0.2	0.05	2.2	0.1	<0.05	5	<0.5	<0.2
50MI11AM0012	Soil		28	0.48	209	0.073	<1	1.65	0.014	0.07	0.2	0.03	3.6	0.1	<0.05	5	<0.5	<0.2
50MI11AM0013	Soil		19	0.33	122	0.057	<1	1.48	0.013	0.08	0.2	0.04	2.2	0.1	<0.05	5	<0.5	<0.2
50MI11AM0014	Soil		18	0.34	102	0.049	<1	1.46	0.012	0.07	0.2	0.04	1.7	0.1	<0.05	5	<0.5	<0.2
50MI11AM0015	Soil		13	0.24	77	0.036	<1	1.08	0.016	0.06	0.1	0.03	1.3	0.1	<0.05	4	<0.5	<0.2
50MI11AM0016	Soil		13	0.31	137	0.040	1	1.41	0.013	0.11	2.0	0.03	2.2	0.1	0.05	5	<0.5	<0.2
50MI11AM0017	Soil		40	0.68	213	0.091	<1	1.97	0.017	0.13	0.1	0.04	3.7	0.1	<0.05	6	<0.5	<0.2
50MI11AM0018	Soil		53	1.11	176	0.173	<1	2.30	0.013	0.76	0.2	<0.01	4.5	0.5	<0.05	8	<0.5	<0.2
50MI11AM0019	Soil		42	0.84	143	0.112	<1	1.79	0.012	0.28	0.1	0.02	3.6	0.3	<0.05	6	0.5	<0.2
50MI11AM0020	Soil		69	1.01	188	0.148	1	2.11	0.015	0.44	0.1	0.01	4.5	0.4	<0.05	7	<0.5	<0.2
50MI11AM0021	Soil		50	0.73	307	0.097	1	1.37	0.014	0.24	0.2	0.03	4.1	0.2	0.08	4	<0.5	<0.2
50MI11AM0022	Soil		136	1.44	151	0.241	<1	2.76	0.011	0.51	0.2	0.01	1.7	0.3	<0.05	8	<0.5	<0.2
50MI11AM0023	Soil		76	1.04	283	0.154	<1	2.01	0.013	0.12	0.2	0.02	2.9	0.2	<0.05	6	<0.5	<0.2
50MI11AM0024	Soil		43	0.75	286	0.105	<1	1.67	0.027	0.13	0.2	0.04	3.9	0.1	0.09	5	<0.5	<0.2
50MI11AM0025	Soil		29	0.59	251	0.075	2	1.21	0.024	0.11	0.2	0.04	2.8	0.1	<0.05	4	<0.5	<0.2
50MI11AM0026	Soil		27	0.57	354	0.061	1	1.45	0.029	0.06	0.2	0.03	3.2	<0.1	<0.05	4	<0.5	<0.2
50MI11AM0027	Soil		29	0.55	329	0.073	<1	1.42	0.025	0.06	0.2	0.04	3.2	<0.1	0.09	4	<0.5	<0.2
50MI11AM0028	Soil		32	0.57	312	0.080	2	1.50	0.023	0.09	0.1	0.03	3.8	<0.1	0.06	4	<0.5	<0.2
50MI11AM0029	Soil		154	1.64	97	0.234	1	3.20	0.020	0.40	2.0	0.03	8.4	0.5	<0.05	10	<0.5	<0.2
50MI11AM0030	Soil		108	1.52	196	0.189	<1	2.89	0.018	0.19	0.4	0.03	5.2	0.2	0.06	9	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**

Project: 50 Mile (YK)
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI11001858.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
50MI11AM0031	Soil	0.4	21.5	124.8	277	0.3	35.8	18.6	973	4.48	30.5	<0.5	4.6	31	0.8	2.7	1.4	93	0.43	0.025	5
50MI11AM0032	Soil	0.9	45.1	20.0	125	0.3	24.8	14.1	594	3.33	16.6	<0.5	2.7	25	0.2	0.7	1.3	75	0.31	0.023	6
50MI11AM0033	Soil	0.6	34.1	15.8	88	0.1	28.6	13.3	650	3.33	23.5	3.3	6.7	32	0.3	1.1	0.4	64	0.48	0.069	20
50MI11AM0034	Soil	0.6	8.7	8.9	36	<0.1	7.8	4.6	185	1.94	3.4	<0.5	5.0	17	0.1	0.4	0.1	34	0.17	0.019	18
50MI11AM0035	Soil	0.5	16.2	10.3	71	<0.1	14.5	7.4	498	2.48	5.4	6.2	7.9	22	0.1	0.5	<0.1	52	0.30	0.056	25
50MI11AM0036	Soil	0.8	31.5	9.3	63	0.2	19.4	16.1	609	2.92	6.4	<0.5	2.5	27	<0.1	0.3	0.1	60	0.26	0.048	11
50MI11CL0001	Soil	0.9	15.3	14.3	71	<0.1	11.6	5.9	251	2.30	5.1	1.0	4.8	16	0.2	0.7	0.3	38	0.14	0.052	26
50MI11CL0002	Soil	0.9	20.3	19.0	82	0.1	19.0	8.2	245	2.76	7.2	1.3	4.9	18	0.1	0.6	0.3	52	0.25	0.066	30
50MI11CL0003	Soil	0.9	20.7	18.4	85	0.2	20.1	8.8	325	3.04	7.6	1.6	3.5	21	0.2	0.6	0.3	57	0.23	0.063	22
50MI11CL0004	Soil	1.0	13.2	10.7	60	<0.1	13.0	7.8	423	2.34	5.4	0.8	5.4	18	<0.1	0.5	0.3	41	0.18	0.052	31
50MI11CL0005	Soil	1.0	15.4	11.2	73	0.1	17.8	9.1	322	2.79	6.0	1.1	6.5	20	0.2	0.6	0.3	50	0.26	0.073	30
50MI11CL0006	Soil	0.8	14.2	13.1	64	0.2	15.3	7.8	263	2.60	7.2	1.4	4.7	20	0.2	0.5	0.3	46	0.24	0.082	30
50MI11CL0007	Soil	0.8	14.4	23.6	78	0.3	16.1	9.3	390	2.70	5.7	1.4	7.5	20	0.2	0.6	0.3	49	0.26	0.077	26
50MI11CL0008	Soil	0.6	14.1	17.0	84	0.3	17.2	10.3	694	2.59	4.2	0.8	5.0	23	0.2	0.6	0.3	52	0.29	0.066	21
50MI11CL0009	Soil	0.9	13.0	10.6	59	0.2	15.2	8.6	309	2.63	3.7	3.1	8.6	19	0.2	0.5	0.2	61	0.37	0.083	25
50MI11CL0010	Soil	0.9	17.7	12.1	57	0.1	17.0	9.7	220	3.01	5.0	2.6	16.2	21	0.1	0.5	0.2	58	0.35	0.071	36
50MI11CL0011	Soil	0.8	16.0	11.0	62	0.2	14.4	8.3	233	2.89	7.3	1.0	15.3	24	0.2	0.5	0.2	50	0.33	0.064	43
50MI11CL0012	Soil	1.1	19.8	10.9	58	0.1	17.3	10.6	286	3.03	9.7	1.2	16.8	26	0.2	0.5	0.2	56	0.42	0.084	40
50MI11CL0013	Soil	0.9	17.8	10.9	48	0.2	14.4	8.5	262	2.86	8.1	4.2	10.0	21	0.2	0.5	0.2	52	0.31	0.076	33
50MI11CL0014	Soil	0.6	22.3	11.7	63	0.1	18.3	9.6	304	2.76	6.8	2.4	10.2	33	0.2	0.5	0.2	55	0.44	0.062	26
50MI11CL0015	Soil	0.4	15.9	11.0	53	0.1	13.8	6.3	137	2.14	5.9	2.0	5.7	25	0.1	0.5	0.2	46	0.32	0.054	19
50MI11CL0016	Soil	2.1	54.8	13.4	114	0.5	43.9	15.2	418	3.48	4.6	2.1	8.5	33	0.8	0.3	0.3	72	0.44	0.076	46
50MI11CL0017	Soil	2.1	49.2	19.4	111	0.3	23.5	6.7	255	3.69	2.5	0.9	9.8	23	0.3	0.1	0.4	53	0.24	0.058	31
50MI11CL0018	Soil	0.7	33.9	9.8	44	<0.1	14.4	6.4	203	2.57	2.1	<0.5	3.9	11	<0.1	0.1	0.4	33	0.07	0.042	15
50MI11CL0019	Soil	0.8	25.2	10.5	49	<0.1	22.5	10.7	342	2.93	9.7	<0.5	7.2	19	0.1	0.5	0.2	61	0.16	0.031	24
50MI11CL0020	Soil	0.2	295.4	1.7	68	<0.1	109.8	35.7	355	3.47	1.7	1.1	0.5	22	0.1	<0.1	<0.1	103	0.54	0.129	5
50MI11CL0021	Soil	1.4	18.5	7.4	58	<0.1	20.5	10.3	346	2.72	5.2	3.8	8.4	18	0.1	0.9	0.2	59	0.32	0.070	37
50MI11CL0022	Soil	1.8	14.5	9.7	56	0.1	17.7	12.2	551	2.81	5.1	<0.5	7.3	20	0.2	0.7	0.2	62	0.33	0.063	32
50MI11CL0023	Soil	1.1	14.8	7.3	42	0.2	12.9	6.7	265	2.18	3.5	0.9	3.8	21	0.3	0.4	0.2	52	0.27	0.082	44
50MI11CL0024	Soil	0.8	15.5	8.7	69	<0.1	20.3	14.6	538	3.27	4.2	<0.5	6.5	19	0.2	0.4	0.2	72	0.35	0.078	21

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**

Project: 50 Mile (YK)
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI11001858.2

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
50MI11AM0031	Soil	126	2.33	202	0.219	1	3.15	0.008	0.21	0.4	0.01	5.7	0.1	<0.05	10	<0.5	<0.2
50MI11AM0032	Soil	84	1.27	208	0.138	<1	2.58	0.015	0.08	0.2	0.02	3.2	0.1	<0.05	7	<0.5	<0.2
50MI11AM0033	Soil	72	1.10	191	0.062	1	1.85	0.019	0.18	0.2	0.03	4.7	<0.1	<0.05	6	<0.5	<0.2
50MI11AM0034	Soil	14	0.38	588	0.030	<1	1.35	0.009	0.11	0.1	0.03	2.1	0.1	<0.05	4	<0.5	<0.2
50MI11AM0035	Soil	22	0.44	375	0.053	<1	1.24	0.011	0.13	0.2	0.05	3.5	<0.1	<0.05	5	<0.5	<0.2
50MI11AM0036	Soil	38	0.65	229	0.078	<1	2.00	0.014	0.08	<0.1	0.04	3.4	<0.1	<0.05	6	<0.5	<0.2
50MI11CL0001	Soil	20	0.36	116	0.051	2	1.66	0.017	0.09	0.1	0.01	2.2	0.2	<0.05	5	<0.5	<0.2
50MI11CL0002	Soil	31	0.55	173	0.063	2	2.07	0.012	0.10	0.1	0.03	3.5	0.2	<0.05	6	<0.5	<0.2
50MI11CL0003	Soil	34	0.56	166	0.068	1	2.30	0.012	0.10	0.1	0.04	3.3	0.2	<0.05	7	<0.5	<0.2
50MI11CL0004	Soil	23	0.39	142	0.052	2	1.69	0.014	0.07	0.1	0.03	2.7	0.1	<0.05	5	<0.5	<0.2
50MI11CL0005	Soil	31	0.51	184	0.059	<1	2.11	0.012	0.10	0.2	0.04	3.7	0.1	0.05	6	<0.5	<0.2
50MI11CL0006	Soil	28	0.41	190	0.045	2	2.12	0.013	0.09	0.2	0.08	3.6	0.1	0.06	6	<0.5	<0.2
50MI11CL0007	Soil	28	0.48	198	0.066	2	1.83	0.016	0.08	0.1	0.05	3.5	0.2	<0.05	6	<0.5	<0.2
50MI11CL0008	Soil	34	0.53	199	0.079	<1	1.79	0.018	0.09	0.1	0.05	4.2	0.1	0.06	6	<0.5	<0.2
50MI11CL0009	Soil	31	0.60	183	0.115	1	1.77	0.023	0.12	0.3	0.05	4.3	0.1	0.07	7	<0.5	<0.2
50MI11CL0010	Soil	31	0.61	177	0.127	1	1.99	0.020	0.13	0.2	0.03	4.4	0.1	<0.05	7	<0.5	<0.2
50MI11CL0011	Soil	27	0.56	184	0.093	<1	1.91	0.017	0.11	0.2	0.06	4.5	0.2	0.06	8	<0.5	<0.2
50MI11CL0012	Soil	30	0.61	215	0.115	1	1.76	0.019	0.12	0.2	0.02	4.9	0.1	<0.05	7	<0.5	<0.2
50MI11CL0013	Soil	26	0.39	206	0.065	<1	1.66	0.018	0.05	<0.1	0.07	4.3	0.1	0.06	5	<0.5	<0.2
50MI11CL0014	Soil	30	0.52	235	0.089	1	1.76	0.019	0.06	0.2	0.05	4.4	<0.1	0.06	6	<0.5	<0.2
50MI11CL0015	Soil	26	0.39	179	0.066	<1	1.61	0.018	0.05	0.1	0.04	3.0	<0.1	0.06	5	<0.5	<0.2
50MI11CL0016	Soil	44	0.96	400	0.104	1	2.02	0.018	0.34	0.1	0.06	5.2	0.2	0.08	6	0.9	<0.2
50MI11CL0017	Soil	33	0.89	245	0.109	<1	2.08	0.018	0.45	0.1	<0.01	3.1	0.3	0.18	7	0.7	<0.2
50MI11CL0018	Soil	23	0.55	107	0.099	<1	1.67	0.020	0.43	<0.1	0.01	1.9	0.2	0.09	6	<0.5	<0.2
50MI11CL0019	Soil	31	0.52	215	0.080	1	2.25	0.015	0.07	0.1	0.04	3.4	0.1	<0.05	6	<0.5	<0.2
50MI11CL0020	Soil	142	1.93	288	0.293	<1	2.44	0.018	0.71	<0.1	<0.01	3.8	0.3	<0.05	7	<0.5	<0.2
50MI11CL0021	Soil	30	0.69	91	0.133	<1	1.46	0.015	0.20	0.8	0.03	2.9	0.2	<0.05	6	<0.5	<0.2
50MI11CL0022	Soil	31	0.66	146	0.121	<1	1.43	0.016	0.18	0.9	0.05	3.5	0.2	0.07	6	<0.5	<0.2
50MI11CL0023	Soil	27	0.49	147	0.085	1	1.17	0.018	0.10	0.5	0.07	2.8	<0.1	0.15	5	<0.5	<0.2
50MI11CL0024	Soil	43	0.98	165	0.150	<1	1.84	0.020	0.28	0.9	0.04	3.9	0.1	0.07	8	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**

Project: 50 Mile (YK)
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI11001858.2

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
50MI11CL0025	Soil		0.5	15.5	23.9	67	0.6	20.6	11.3	337	2.46	4.1	4.3	6.4	21	0.2	1.2	0.2	56	0.43	0.076	21
50MI11CL0026	Soil		0.8	14.6	9.0	63	0.1	21.7	16.3	977	3.15	4.1	<0.5	9.2	22	0.1	0.3	0.3	68	0.39	0.061	25
50MI11CL0027	Soil		0.7	21.0	8.6	64	<0.1	25.2	13.9	305	3.31	5.1	0.8	7.1	21	0.1	0.3	0.2	74	0.34	0.066	21
50MI11CL0028	Soil		1.9	24.4	7.4	40	<0.1	23.0	12.2	287	3.04	5.5	<0.5	1.9	22	0.1	0.4	0.2	77	0.35	0.070	15
50MI11CL0029	Soil		0.3	8.7	1.6	15	<0.1	2.2	2.4	55	0.91	0.7	<0.5	0.5	11	<0.1	<0.1	<0.1	23	0.11	0.026	8
50MI11CL0030	Soil		1.1	9.7	9.4	16	<0.1	8.0	4.1	103	1.60	3.8	0.5	1.1	14	<0.1	0.3	0.2	67	0.17	0.028	9
50MI11CL0031	Soil		1.3	25.8	7.4	54	<0.1	23.6	12.8	370	3.10	7.1	3.7	5.4	23	<0.1	0.3	0.2	77	0.40	0.054	20
50MI11CL0032	Soil		1.3	29.2	8.5	64	<0.1	29.4	15.3	441	3.61	8.5	0.9	6.6	21	0.2	0.4	0.2	81	0.35	0.059	17
50MI11CL0033	Soil		0.3	4.2	1.9	13	<0.1	2.2	2.0	74	0.63	0.9	<0.5	0.6	9	<0.1	<0.1	<0.1	15	0.08	0.026	4
50MI11CL0034	Soil		1.0	20.1	5.1	56	<0.1	27.2	16.4	396	3.60	3.1	2.3	6.6	18	0.1	0.2	0.1	79	0.33	0.075	25
50MI11CL0035	Soil		1.5	19.0	8.1	62	<0.1	23.5	12.2	429	3.29	5.8	2.4	7.1	21	<0.1	0.3	0.2	74	0.28	0.048	24
50MI11CL0036	Soil		1.3	17.2	19.1	64	<0.1	23.8	12.8	327	3.48	3.3	1.5	11.5	20	<0.1	0.3	0.2	65	0.38	0.086	31
50MI11YM0001	Soil		0.8	26.5	11.2	58	<0.1	23.9	10.7	475	2.72	6.8	3.4	6.1	16	0.1	0.5	0.3	61	0.24	0.060	19
50MI11YM0002	Soil		1.3	18.7	16.5	56	<0.1	17.5	8.7	400	2.90	7.6	1.2	3.0	11	0.2	0.5	0.4	68	0.11	0.051	13
50MI11YM0003	Soil		0.8	11.3	9.3	42	0.1	13.1	5.4	250	2.09	4.2	1.8	3.1	11	<0.1	0.3	0.2	46	0.12	0.033	10
50MI11YM0004	Soil		0.7	19.0	11.4	57	<0.1	22.5	9.4	425	2.42	5.3	2.2	4.8	16	0.3	0.4	0.3	55	0.21	0.059	17
50MI11YM0005	Soil		0.6	19.8	12.4	32	<0.1	14.4	3.9	120	1.58	3.4	0.8	0.6	16	<0.1	0.3	0.5	38	0.16	0.058	5
50MI11YM0006	Soil		<0.1	3.2	4.2	11	<0.1	1.9	1.5	65	0.63	<0.5	<0.5	<0.1	7	<0.1	<0.1	0.2	16	0.05	0.020	2
50MI11YM0007	Soil		0.6	12.9	23.4	57	0.3	20.9	10.8	653	2.34	5.1	2.9	1.2	19	<0.1	0.7	1.3	52	0.22	0.062	10
50MI11YM0008	Soil		1.0	16.0	13.0	56	0.1	17.8	8.3	659	2.51	7.6	1.1	9.7	21	0.3	0.6	0.6	53	0.32	0.053	37
50MI11YM0009	Soil		0.7	22.7	11.2	63	0.1	23.8	8.2	709	2.70	6.6	8.2	10.0	16	0.1	0.7	0.7	51	0.25	0.066	33
50MI11YM0010	Soil		0.5	21.2	14.4	63	0.2	24.0	10.7	528	2.89	5.5	4.0	5.7	20	0.2	0.6	0.8	60	0.33	0.082	19
50MI11YM0011	Soil		0.5	22.8	15.3	67	0.2	25.1	14.4	501	3.62	8.5	5.1	8.1	23	0.2	0.6	0.9	71	0.39	0.086	18
50MI11YM0012	Soil		0.9	7.9	7.6	22	0.1	4.1	5.5	2479	1.63	3.8	0.8	0.2	12	<0.1	0.3	0.4	38	0.09	0.056	3
50MI11YM0013	Soil		0.5	10.5	9.5	55	<0.1	14.5	5.3	235	1.83	3.8	<0.5	1.6	17	0.1	0.3	0.5	41	0.20	0.050	9
50MI11YM0014	Soil		0.8	20.9	11.9	94	<0.1	24.1	13.1	731	3.22	5.5	1.6	11.5	26	0.2	0.4	0.4	66	0.40	0.058	49
50MI11YM0015	Soil		0.8	20.3	10.2	88	0.1	24.6	12.3	486	3.20	6.6	2.8	17.0	25	0.1	0.4	0.4	71	0.47	0.061	62
50MI11YM0016	Soil		0.7	19.9	9.0	67	<0.1	21.3	11.1	360	2.86	5.1	2.0	5.7	16	0.2	0.3	0.3	64	0.23	0.053	27
50MI11YM0017	Soil		0.9	14.5	11.2	67	0.1	20.2	8.3	214	2.83	11.1	1.5	10.2	15	0.1	0.4	0.3	69	0.18	0.040	33
50MI11YM0018	Soil		1.0	20.3	12.7	103	<0.1	24.0	14.8	498	4.18	14.5	3.3	10.7	20	0.1	0.4	0.4	79	0.39	0.096	49

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**

Project: 50 Mile (YK)
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI11001858.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
50MI11CL0025	Soil	36	0.85	180	0.134	1	1.61	0.020	0.22	0.3	0.03	3.7	0.1	<0.05	6	<0.5	<0.2
50MI11CL0026	Soil	42	0.95	212	0.144	1	1.76	0.016	0.31	0.8	0.03	5.1	0.2	0.07	8	0.5	<0.2
50MI11CL0027	Soil	43	1.03	175	0.175	1	1.81	0.020	0.30	0.2	0.04	4.3	0.2	0.05	7	<0.5	<0.2
50MI11CL0028	Soil	45	0.64	230	0.142	<1	1.57	0.016	0.12	0.3	0.05	3.1	0.1	0.08	7	<0.5	<0.2
50MI11CL0029	Soil	5	0.09	49	0.043	<1	0.30	0.024	0.03	<0.1	0.01	0.6	<0.1	0.06	2	<0.5	<0.2
50MI11CL0030	Soil	25	0.27	91	0.118	1	0.99	0.011	0.05	<0.1	0.03	1.6	<0.1	0.11	7	<0.5	<0.2
50MI11CL0031	Soil	41	0.76	230	0.152	1	1.85	0.013	0.18	0.1	0.03	4.3	0.2	0.05	8	<0.5	<0.2
50MI11CL0032	Soil	48	0.92	245	0.165	2	2.27	0.014	0.23	0.1	0.01	4.4	0.1	0.06	8	<0.5	<0.2
50MI11CL0033	Soil	6	0.13	35	0.037	<1	0.35	0.022	0.04	<0.1	0.02	0.5	<0.1	0.07	2	<0.5	<0.2
50MI11CL0034	Soil	53	1.05	196	0.176	1	1.99	0.019	0.36	0.3	0.02	4.6	0.1	<0.05	9	<0.5	<0.2
50MI11CL0035	Soil	42	0.89	183	0.152	<1	2.08	0.014	0.18	0.2	0.01	3.9	0.1	0.06	8	<0.5	<0.2
50MI11CL0036	Soil	42	0.95	188	0.157	1	1.83	0.016	0.38	0.2	0.01	4.2	0.3	0.06	7	<0.5	<0.2
50MI11YM0001	Soil	32	0.55	145	0.088	3	1.88	0.013	0.09	0.4	0.05	3.8	0.2	<0.05	5	<0.5	<0.2
50MI11YM0002	Soil	29	0.39	85	0.056	2	2.09	0.009	0.08	0.2	0.07	2.4	0.2	<0.05	7	<0.5	<0.2
50MI11YM0003	Soil	19	0.31	70	0.074	2	1.20	0.015	0.07	0.2	0.04	1.9	0.1	<0.05	5	<0.5	<0.2
50MI11YM0004	Soil	27	0.49	174	0.078	3	1.70	0.012	0.07	0.3	0.04	3.5	0.2	<0.05	6	<0.5	<0.2
50MI11YM0005	Soil	19	0.25	67	0.040	3	1.18	0.024	0.04	0.1	0.04	1.6	<0.1	<0.05	4	<0.5	<0.2
50MI11YM0006	Soil	4	0.05	31	0.023	<1	0.39	0.017	0.02	<0.1	0.02	0.4	<0.1	<0.05	2	<0.5	<0.2
50MI11YM0007	Soil	32	0.52	153	0.030	2	1.80	0.010	0.06	0.1	0.05	2.2	0.2	<0.05	6	<0.5	<0.2
50MI11YM0008	Soil	27	0.45	153	0.051	2	1.73	0.018	0.08	0.1	0.04	3.0	0.1	<0.05	6	<0.5	<0.2
50MI11YM0009	Soil	34	0.58	130	0.069	3	1.64	0.010	0.12	0.2	0.03	3.9	0.1	<0.05	5	<0.5	<0.2
50MI11YM0010	Soil	38	0.66	218	0.068	2	2.00	0.012	0.11	0.2	0.06	4.7	0.2	<0.05	6	<0.5	<0.2
50MI11YM0011	Soil	46	0.75	239	0.097	3	2.21	0.015	0.12	0.2	0.04	5.4	0.1	<0.05	7	<0.5	<0.2
50MI11YM0012	Soil	12	0.11	85	0.034	1	0.56	0.017	0.03	<0.1	0.02	0.9	<0.1	<0.05	4	<0.5	<0.2
50MI11YM0013	Soil	23	0.40	116	0.057	2	1.41	0.011	0.05	0.1	0.03	2.0	0.1	<0.05	5	<0.5	<0.2
50MI11YM0014	Soil	35	0.61	221	0.088	3	1.93	0.017	0.11	0.2	0.06	5.1	0.1	<0.05	8	<0.5	<0.2
50MI11YM0015	Soil	39	0.76	451	0.105	2	2.04	0.021	0.15	0.5	0.05	5.4	0.2	<0.05	8	<0.5	<0.2
50MI11YM0016	Soil	34	0.62	125	0.085	3	1.89	0.015	0.09	0.2	0.05	3.6	0.1	<0.05	7	<0.5	<0.2
50MI11YM0017	Soil	37	0.59	154	0.085	2	2.32	0.015	0.08	0.2	0.04	4.1	0.1	<0.05	9	<0.5	<0.2
50MI11YM0018	Soil	36	0.90	187	0.113	1	2.37	0.012	0.19	0.2	0.04	6.7	0.2	<0.05	10	0.9	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**

Project: 50 Mile (YK)
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI11001858.2

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
50MI11YM0019	Soil		1.0	19.9	11.2	100	<0.1	24.5	12.7	535	3.54	10.7	5.6	9.5	19	0.2	0.3	0.5	68	0.39	0.108	56
50MI11YM0020	Soil		1.5	19.0	13.0	83	0.1	23.8	11.9	532	3.69	13.7	6.0	5.0	21	0.2	0.4	0.7	81	0.32	0.078	17
50MI11YM0021	Soil		0.7	89.1	5.8	52	0.1	14.5	11.1	509	3.04	14.0	<0.5	4.5	21	0.2	0.9	0.3	68	0.43	0.051	13
50MI11YM0022	Soil		0.7	28.8	6.0	64	<0.1	15.9	10.8	348	3.58	12.5	<0.5	5.1	16	<0.1	0.5	0.2	97	0.23	0.028	11
50MI11YM0023	Soil		0.5	21.8	4.9	52	<0.1	12.4	9.8	419	2.81	64.9	1.0	5.1	20	<0.1	0.5	0.1	72	0.42	0.042	14
50MI11YM0024	Soil		0.9	25.9	8.5	69	0.1	22.6	10.2	405	2.46	12.1	3.5	3.0	47	0.3	0.7	0.2	51	0.84	0.069	13
50MI11YM0025	Soil		0.8	30.7	8.9	74	<0.1	26.9	9.8	450	2.55	9.9	2.0	4.1	40	0.2	0.7	0.2	50	0.86	0.073	14
50MI11YM0026	Soil		0.9	16.9	8.0	60	<0.1	17.6	8.3	381	2.81	13.5	0.9	4.0	22	<0.1	0.6	0.1	56	0.25	0.016	13
50MI11YM0027	Soil		0.5	16.7	8.9	76	0.1	17.6	8.5	650	3.23	102.0	4.2	4.2	26	<0.1	1.1	0.2	55	0.40	0.038	14
50MI11YM0028	Soil		0.3	11.3	7.1	59	<0.1	6.7	6.5	389	3.13	19.1	0.8	4.0	15	<0.1	0.9	0.1	51	0.19	0.016	13
50MI11YM0029	Soil		0.7	11.5	8.6	42	<0.1	13.7	6.4	234	2.18	8.0	6.3	3.4	15	0.1	0.4	0.1	48	0.18	0.013	12
50MI11YM0030	Soil		0.5	12.2	7.1	55	<0.1	12.2	6.4	281	2.58	13.2	1.9	3.7	13	<0.1	0.6	0.1	47	0.15	0.016	13
50MI11YM0031	Soil		0.5	11.0	6.8	51	<0.1	9.1	6.0	218	2.42	4.3	1.6	3.3	16	<0.1	0.6	0.1	42	0.17	0.018	12
50MI11YM0032	Soil		0.3	10.6	3.9	75	<0.1	7.9	7.8	514	4.20	64.6	<0.5	3.8	19	<0.1	0.6	0.1	59	0.37	0.089	14
50MI11YM0033	Soil		0.8	22.4	7.1	58	<0.1	17.8	9.1	312	2.55	18.9	4.0	3.4	33	0.1	0.6	0.3	47	0.49	0.076	13
50MI11YM0034	Soil		0.5	34.5	9.7	66	0.1	19.8	8.3	222	2.94	10.0	2.5	5.2	27	0.2	0.9	0.2	58	0.34	0.049	20
50MI11YM0035	Soil		0.8	24.1	9.1	76	0.1	27.9	14.3	471	2.68	5.8	3.5	5.3	32	0.3	0.3	0.2	45	0.38	0.056	20
50MI11YM0036	Soil		0.9	33.0	6.2	53	<0.1	19.6	6.4	221	2.06	3.4	3.2	4.9	18	<0.1	0.4	0.1	38	0.22	0.025	11
50MI11AN0001	Soil		1.2	6.7	6.9	32	<0.1	6.9	4.0	168	2.26	3.6	1.3	9.0	7	<0.1	0.3	0.3	37	0.08	0.034	19
50MI11AN0002	Soil		2.5	22.4	9.5	71	<0.1	24.7	11.1	388	3.41	9.4	3.0	36.6	17	0.1	0.5	0.5	62	0.22	0.041	99
50MI11AN0003	Soil		2.0	15.9	9.2	60	<0.1	19.3	9.1	397	3.05	4.1	3.2	28.9	20	0.1	0.3	0.5	50	0.27	0.069	236
50MI11AN0004	Soil		8.9	16.2	14.6	52	0.2	14.7	17.9	626	3.21	14.2	5.2	18.9	21	0.1	0.6	0.8	44	0.25	0.079	90
50MI11AN0005	Soil		0.7	11.3	8.0	43	<0.1	14.7	5.6	111	1.71	4.4	2.2	3.1	17	<0.1	0.3	0.3	31	0.26	0.049	18
50MI11AN0006	Soil		1.7	11.3	15.2	65	0.2	14.9	10.1	378	2.64	22.0	3.5	7.1	13	0.1	0.6	0.5	34	0.24	0.070	24
50MI11AN0007	Soil		1.0	17.4	14.6	59	0.2	21.1	8.8	223	2.34	65.7	4.3	4.6	15	0.1	0.9	0.3	36	0.24	0.068	38
50MI11AN0008	Soil		1.2	12.0	23.6	58	<0.1	14.4	7.8	465	2.39	15.5	3.7	6.1	13	0.1	0.4	0.3	43	0.20	0.043	23
50MI11AN0009	Soil		0.6	16.5	12.8	57	0.1	20.6	8.0	166	2.63	8.2	1.8	8.1	15	<0.1	0.4	0.3	39	0.26	0.064	38
50MI11AN0010	Soil		0.7	46.3	6.8	57	0.1	25.3	13.4	607	2.53	2.6	1.5	3.1	68	0.1	0.3	0.2	37	0.80	0.053	58
50MI11AN0011	Soil		0.4	12.5	14.4	69	<0.1	20.1	8.6	703	2.33	5.8	3.3	4.8	47	0.2	0.3	1.4	43	0.72	0.053	17
50MI11AN0012	Soil		0.5	11.1	10.1	58	<0.1	17.6	7.4	244	2.41	5.4	6.6	2.7	24	0.1	0.3	0.8	58	0.41	0.055	13

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**

Project: 50 Mile (YK)
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI11001858.2

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
50MI11YM0019	Soil		37	0.84	149	0.132	2	2.03	0.014	0.26	0.2	0.03	5.1	0.2	<0.05	8	1.0	<0.2
50MI11YM0020	Soil		43	0.78	180	0.098	2	2.47	0.009	0.16	0.2	0.03	5.5	0.3	<0.05	9	<0.5	<0.2
50MI11YM0021	Soil		18	0.68	433	0.059	1	1.50	0.014	0.12	0.1	0.04	6.0	<0.1	<0.05	5	<0.5	<0.2
50MI11YM0022	Soil		24	0.84	208	0.090	<1	2.16	0.010	0.16	<0.1	0.02	5.7	0.1	<0.05	8	<0.5	<0.2
50MI11YM0023	Soil		23	0.78	274	0.134	1	1.53	0.016	0.30	0.2	0.07	5.8	0.2	<0.05	7	1.3	<0.2
50MI11YM0024	Soil		25	0.58	314	0.063	2	1.39	0.027	0.06	0.2	0.04	3.9	<0.1	<0.05	4	1.0	<0.2
50MI11YM0025	Soil		26	0.71	343	0.074	2	1.37	0.025	0.10	0.2	0.04	3.9	<0.1	<0.05	5	1.5	<0.2
50MI11YM0026	Soil		27	0.63	437	0.080	<1	1.54	0.011	0.13	0.1	0.02	4.5	<0.1	<0.05	5	<0.5	<0.2
50MI11YM0027	Soil		37	0.80	835	0.096	2	1.88	0.011	0.39	0.1	0.16	7.4	0.4	<0.05	7	<0.5	<0.2
50MI11YM0028	Soil		12	0.66	549	0.045	<1	1.45	0.008	0.22	0.1	0.02	4.9	<0.1	<0.05	6	0.5	<0.2
50MI11YM0029	Soil		21	0.44	442	0.050	<1	1.26	0.009	0.09	0.1	0.02	2.5	<0.1	<0.05	4	<0.5	<0.2
50MI11YM0030	Soil		19	0.55	360	0.067	<1	1.35	0.008	0.13	0.1	0.03	4.1	<0.1	<0.05	5	<0.5	<0.2
50MI11YM0031	Soil		13	0.44	315	0.050	<1	1.48	0.008	0.12	0.1	0.02	4.0	0.1	<0.05	6	<0.5	<0.2
50MI11YM0032	Soil		13	1.07	511	0.175	<1	2.14	0.010	0.61	<0.1	0.05	9.2	0.2	<0.05	9	0.8	<0.2
50MI11YM0033	Soil		20	0.50	342	0.073	2	1.26	0.021	0.10	0.2	0.06	3.9	<0.1	<0.05	4	0.8	<0.2
50MI11YM0034	Soil		28	0.49	335	0.084	<1	1.68	0.013	0.11	0.1	0.08	6.6	<0.1	<0.05	6	0.7	<0.2
50MI11YM0035	Soil		29	0.57	260	0.094	1	1.51	0.013	0.17	0.2	0.04	3.6	0.1	<0.05	4	1.4	<0.2
50MI11YM0036	Soil		25	0.42	172	0.097	<1	1.35	0.007	0.18	<0.1	0.02	2.8	0.2	<0.05	4	0.7	<0.2
50MI11AN0001	Soil		12	0.19	58	0.039	<1	1.21	0.009	0.11	0.1	0.03	1.4	0.2	<0.05	6	<0.5	<0.2
50MI11AN0002	Soil		33	0.47	223	0.056	<1	2.56	0.010	0.11	0.2	0.04	4.6	0.2	<0.05	8	<0.5	<0.2
50MI11AN0003	Soil		30	0.47	162	0.065	1	2.25	0.015	0.16	0.3	0.05	5.5	0.2	0.05	8	<0.5	<0.2
50MI11AN0004	Soil		23	0.30	158	0.023	1	1.87	0.014	0.09	0.4	0.05	4.3	0.2	0.09	6	<0.5	<0.2
50MI11AN0005	Soil		22	0.41	142	0.042	<1	1.62	0.010	0.06	0.2	0.04	2.2	0.2	0.05	5	<0.5	<0.2
50MI11AN0006	Soil		19	0.37	88	0.018	<1	1.46	0.008	0.10	0.2	0.02	2.1	0.2	<0.05	5	<0.5	<0.2
50MI11AN0007	Soil		30	0.39	104	0.016	<1	1.73	0.008	0.11	0.2	0.04	2.5	0.2	<0.05	5	<0.5	<0.2
50MI11AN0008	Soil		21	0.40	79	0.036	<1	1.56	0.007	0.09	0.2	0.03	1.8	0.1	<0.05	5	<0.5	<0.2
50MI11AN0009	Soil		26	0.77	87	0.039	<1	2.03	0.010	0.11	<0.1	0.04	2.6	0.2	<0.05	6	<0.5	<0.2
50MI11AN0010	Soil		23	0.57	114	0.035	<1	1.68	0.020	0.07	<0.1	0.05	2.4	0.1	0.11	5	<0.5	<0.2
50MI11AN0011	Soil		29	0.60	121	0.048	1	1.80	0.014	0.07	0.9	0.03	3.0	0.1	0.07	5	<0.5	<0.2
50MI11AN0012	Soil		35	0.56	145	0.051	<1	1.86	0.015	0.06	0.2	0.04	3.2	0.1	0.07	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**

Project: 50 Mile (YK)
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI11001858.2

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
50MI11AN0013	Soil		0.4	9.0	7.8	53	<0.1	18.9	8.9	242	2.36	5.1	4.7	2.4	20	<0.1	0.3	0.3	59	0.40	0.052	11
50MI11AN0014	Soil		0.9	14.8	10.4	71	0.1	17.9	10.5	747	2.36	10.9	2.1	2.4	31	0.4	0.3	0.5	46	0.50	0.083	16
50MI11AN0015	Soil		0.7	16.0	9.5	56	<0.1	18.7	10.8	317	2.92	8.4	2.7	5.4	19	0.1	0.3	0.6	59	0.36	0.045	15
50MI11AN0016	Soil		0.9	16.6	10.1	69	0.2	23.0	11.8	575	2.72	8.4	2.6	4.0	25	0.1	0.3	0.6	54	0.43	0.058	16
50MI11AN0017	Soil		0.5	8.2	4.4	25	<0.1	8.4	4.7	162	1.29	3.8	1.0	0.7	10	<0.1	0.1	0.1	27	0.12	0.023	6
50MI11AN0018	Soil		1.0	15.7	7.9	63	0.1	21.3	10.2	322	2.44	5.9	24.7	2.2	17	<0.1	0.2	0.2	51	0.24	0.046	12
50MI11AN0019	Soil		1.0	13.2	8.7	76	<0.1	20.9	10.6	370	2.76	5.4	0.9	3.3	20	0.1	0.2	0.4	66	0.38	0.052	13
50MI11AN0020	Soil		1.0	14.0	7.3	63	<0.1	20.3	10.4	361	3.14	7.8	1.9	3.3	22	0.1	0.3	0.3	69	0.48	0.084	13
50MI11AN0021	Soil		3.6	20.1	40.7	88	0.6	20.4	10.6	783	3.31	28.1	2.4	6.4	15	0.2	4.5	0.3	64	0.23	0.071	31
50MI11AN0022	Soil		1.2	17.9	11.7	65	0.2	18.1	8.6	673	2.83	6.1	0.9	3.3	16	0.3	1.2	0.2	59	0.22	0.064	33
50MI11AN0023	Soil		0.7	12.3	3.7	23	<0.1	6.4	3.0	98	1.20	1.8	<0.5	0.3	21	0.1	0.3	0.1	30	0.32	0.049	29
50MI11AN0024	Soil		1.0	23.3	14.6	60	0.2	18.5	11.4	1048	2.77	5.5	1.8	4.8	14	0.2	1.1	0.2	57	0.22	0.055	25
50MI11AN0025	Soil		1.0	18.8	29.0	63	0.4	16.7	11.0	881	2.51	4.8	1.9	3.3	14	0.1	1.8	0.2	56	0.19	0.060	20
50MI11AN0026	Soil		0.3	4.3	2.6	16	<0.1	2.6	2.1	71	0.81	0.7	<0.5	0.2	7	<0.1	<0.1	<0.1	22	0.07	0.025	6
50MI11AN0027	Soil		1.5	17.5	16.9	71	0.3	16.7	8.9	660	2.58	6.9	3.3	4.6	15	0.1	0.5	0.4	50	0.26	0.072	27
50MI11AN0028	Soil		1.9	14.5	17.1	61	0.2	17.6	7.6	378	2.32	5.7	1.9	4.9	17	0.1	0.4	0.6	45	0.28	0.056	33
50MI11AN0029	Soil		1.3	41.0	33.8	162	0.7	44.3	11.4	571	2.59	26.5	0.9	3.0	97	0.4	0.9	0.9	51	1.11	0.061	22
50MI11AN0030	Soil		1.3	41.9	62.8	85	1.0	35.7	23.2	815	3.93	58.1	1.3	2.1	29	0.2	1.0	1.8	54	0.34	0.069	20
50MI11AN0031	Soil		0.8	14.1	5.5	32	0.2	10.7	5.2	141	1.98	2.5	1.7	0.8	9	<0.1	0.2	0.2	42	0.07	0.031	8
50MI11AN0032	Soil		0.9	20.6	9.6	55	<0.1	36.2	15.3	396	3.09	8.2	1.5	5.2	18	0.1	0.4	0.4	55	0.19	0.040	19
50MI11AN0033	Soil		1.0	19.6	9.9	50	0.1	25.3	9.6	203	2.93	8.8	1.3	4.0	18	0.2	0.2	0.4	60	0.19	0.043	15
50MI11AN0034	Soil		1.2	12.0	6.1	29	0.4	11.8	3.9	66	1.62	3.9	1.8	1.8	9	0.1	0.2	0.4	47	0.06	0.035	14
50MI11AN0035	Soil		0.9	35.2	16.8	87	0.2	44.7	17.5	458	3.61	13.8	1.0	5.7	37	0.2	0.4	1.4	61	0.32	0.058	26
50MI11AN0036	Soil		1.0	25.2	15.3	53	0.3	28.0	15.2	467	2.94	12.5	<0.5	3.1	26	0.2	0.3	0.9	54	0.23	0.050	48
50MI11AM0037	Soil		1.0	45.5	9.4	66	0.4	19.1	10.5	387	3.03	6.5	1.8	2.3	21	<0.1	0.3	0.2	65	0.21	0.040	12
50MI11AM0038	Soil		0.6	49.3	5.5	109	<0.1	24.4	19.2	787	5.16	2.0	<0.5	3.7	16	<0.1	0.2	<0.1	74	0.24	0.046	15
50MI11AM0039	Soil		0.8	66.8	8.9	116	0.1	33.3	14.8	459	4.44	5.5	1.1	7.5	23	0.1	0.4	0.2	72	0.28	0.030	31
50MI11AM0040	Soil		0.4	57.2	5.8	93	<0.1	28.0	16.7	387	3.86	3.7	0.7	1.1	19	0.1	0.2	<0.1	89	0.24	0.025	3
50MI11AM0041	Soil		0.8	36.9	8.3	63	0.2	21.8	10.7	269	3.33	5.8	1.7	1.6	24	0.2	0.3	0.1	79	0.29	0.025	6
50MI11AM0042	Soil		1.0	24.5	8.7	58	0.1	19.0	9.4	310	2.86	10.6	4.1	3.0	24	<0.1	0.5	0.1	63	0.33	0.030	11

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**

Project: 50 Mile (YK)
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI11001858.2

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
50MI11AN0013	Soil	34	0.57	132	0.057	<1	1.72	0.016	0.05	0.2	0.03	3.0	0.1	<0.05	6	<0.5	<0.2
50MI11AN0014	Soil	27	0.42	190	0.044	<1	1.71	0.018	0.08	0.3	0.04	2.7	0.2	0.06	6	<0.5	<0.2
50MI11AN0015	Soil	33	0.52	162	0.088	<1	2.16	0.018	0.11	0.7	0.04	3.9	0.2	<0.05	7	<0.5	<0.2
50MI11AN0016	Soil	35	0.58	166	0.088	1	2.18	0.019	0.15	0.8	0.04	3.9	0.2	<0.05	7	<0.5	<0.2
50MI11AN0017	Soil	13	0.21	58	0.047	<1	1.00	0.026	0.06	0.2	<0.01	1.2	<0.1	<0.05	3	<0.5	<0.2
50MI11AN0018	Soil	32	0.48	122	0.081	<1	1.57	0.020	0.16	0.2	0.01	2.5	0.2	<0.05	6	<0.5	<0.2
50MI11AN0019	Soil	39	0.66	147	0.089	<1	1.66	0.017	0.12	0.1	0.01	3.2	0.2	<0.05	7	<0.5	<0.2
50MI11AN0020	Soil	36	0.72	141	0.105	1	1.84	0.015	0.17	0.4	0.03	3.5	0.2	0.07	8	<0.5	<0.2
50MI11AN0021	Soil	34	0.64	131	0.085	1	1.82	0.015	0.19	0.3	0.11	3.3	0.2	0.07	7	<0.5	<0.2
50MI11AN0022	Soil	29	0.47	130	0.069	1	1.60	0.012	0.12	0.1	0.09	2.5	0.2	0.11	6	<0.5	<0.2
50MI11AN0023	Soil	12	0.15	143	0.035	<1	0.59	0.020	0.05	<0.1	0.06	0.7	<0.1	0.13	3	<0.5	<0.2
50MI11AN0024	Soil	31	0.56	147	0.073	<1	1.74	0.011	0.12	0.1	0.05	2.9	0.2	<0.05	6	<0.5	<0.2
50MI11AN0025	Soil	31	0.52	142	0.066	1	1.79	0.012	0.08	0.2	0.05	2.8	0.2	0.06	6	<0.5	<0.2
50MI11AN0026	Soil	6	0.08	35	0.034	<1	0.35	0.026	0.02	<0.1	0.01	0.4	<0.1	<0.05	2	<0.5	<0.2
50MI11AN0027	Soil	28	0.48	128	0.054	<1	1.60	0.011	0.11	0.2	0.04	2.6	0.2	0.06	6	<0.5	<0.2
50MI11AN0028	Soil	27	0.47	173	0.047	<1	1.55	0.010	0.08	0.3	0.04	2.7	0.2	<0.05	5	<0.5	<0.2
50MI11AN0029	Soil	34	0.71	148	0.049	1	1.81	0.014	0.14	0.1	0.04	3.3	0.2	0.15	6	0.7	<0.2
50MI11AN0030	Soil	37	0.68	150	0.052	1	2.26	0.016	0.21	0.2	0.06	3.5	0.4	0.18	7	<0.5	<0.2
50MI11AN0031	Soil	13	0.24	49	0.056	<1	0.89	0.014	0.07	<0.1	0.03	1.1	0.1	<0.05	5	<0.5	<0.2
50MI11AN0032	Soil	35	0.73	92	0.092	<1	1.84	0.009	0.10	0.1	0.02	2.9	0.2	<0.05	7	<0.5	<0.2
50MI11AN0033	Soil	31	0.55	77	0.099	<1	1.37	0.010	0.17	0.1	0.03	2.5	0.2	<0.05	8	<0.5	<0.2
50MI11AN0034	Soil	20	0.21	60	0.060	<1	0.91	0.007	0.10	0.2	0.05	1.4	0.2	0.06	6	<0.5	<0.2
50MI11AN0035	Soil	40	0.85	163	0.103	<1	2.26	0.014	0.24	0.1	0.02	3.8	0.3	0.06	8	<0.5	<0.2
50MI11AN0036	Soil	29	0.49	191	0.054	<1	2.05	0.011	0.07	0.1	0.05	3.2	0.2	0.05	6	<0.5	<0.2
50MI11AM0037	Soil	34	0.66	316	0.106	<1	2.14	0.016	0.10	<0.1	0.04	3.2	<0.1	<0.05	7	<0.5	<0.2
50MI11AM0038	Soil	53	2.03	395	0.236	<1	3.43	0.008	0.84	<0.1	0.02	2.0	0.3	<0.05	7	<0.5	<0.2
50MI11AM0039	Soil	57	1.20	300	0.176	<1	2.96	0.010	0.26	<0.1	0.02	3.2	0.3	<0.05	8	<0.5	<0.2
50MI11AM0040	Soil	56	1.12	247	0.149	<1	2.17	0.017	0.04	<0.1	0.01	4.6	<0.1	<0.05	6	<0.5	<0.2
50MI11AM0041	Soil	43	0.73	180	0.113	<1	2.02	0.020	0.06	<0.1	0.02	3.8	<0.1	<0.05	7	<0.5	<0.2
50MI11AM0042	Soil	32	0.70	212	0.091	<1	1.91	0.012	0.09	<0.1	0.01	2.6	0.1	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**

Project: 50 Mile (YK)
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI11001858.2

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
50MI11AM0043	Soil		0.9	53.8	6.8	83	0.1	24.8	13.6	390	3.29	4.8	2.1	4.2	26	<0.1	0.3	0.1	67	0.46	0.073	16
50MI11AM0044	Soil		0.7	30.5	8.0	67	0.1	20.8	10.1	272	2.81	5.8	2.6	3.1	25	<0.1	0.4	0.1	60	0.34	0.037	11
50MI11AM0045	Soil		0.9	53.8	8.3	61	0.6	17.6	6.5	176	2.37	3.9	1.6	0.7	35	0.2	0.2	0.1	44	0.44	0.062	11
50MI11AM0046	Soil		0.5	56.7	5.2	57	0.1	21.3	12.0	304	2.36	3.1	1.4	2.1	23	<0.1	0.2	<0.1	53	0.38	0.033	10
50MI11AM0047	Soil		0.4	38.0	2.8	60	<0.1	15.4	16.8	388	3.01	3.2	1.5	1.6	21	<0.1	0.2	<0.1	70	0.54	0.081	5
50MI11AM0048	Soil		0.6	23.3	5.4	49	0.1	12.7	10.7	274	2.44	3.8	1.3	1.6	24	<0.1	0.2	<0.1	58	0.40	0.039	6
50MI11AM0049	Soil		0.5	13.3	4.9	40	<0.1	10.5	13.7	423	1.73	3.3	1.5	1.1	20	<0.1	0.3	<0.1	40	0.29	0.042	6
50MI11AM0050	Soil		0.4	30.4	6.5	62	0.1	15.9	10.6	288	2.30	2.6	2.4	1.7	28	0.2	0.3	<0.1	52	0.45	0.044	9
50MI11AM0051	Soil		0.5	50.6	6.9	59	0.2	25.5	14.1	410	3.04	4.9	2.1	2.2	39	0.1	0.5	0.1	72	0.64	0.052	11
50MI11AM0052	Soil		0.4	39.7	4.5	57	<0.1	17.3	13.3	340	2.96	3.1	2.0	1.6	36	<0.1	0.3	<0.1	73	0.59	0.045	7
50MI11AM0053	Soil		0.5	37.7	6.4	65	0.1	18.2	12.4	386	2.77	5.1	4.9	2.3	42	0.2	0.4	<0.1	69	0.81	0.061	10
50MI11AM0054	Soil		0.7	15.0	9.6	70	<0.1	17.1	10.2	566	2.17	5.0	2.2	6.1	31	0.2	0.3	0.2	40	0.41	0.075	20
50MI11AM0055	Soil		0.9	7.8	9.4	45	<0.1	10.0	4.2	149	1.69	3.7	1.0	1.3	20	<0.1	0.3	0.2	37	0.26	0.044	10
50MI11AM0056	Soil		<0.1	6.0	1.2	5	<0.1	1.9	0.5	8	0.08	<0.5	<0.5	<0.1	20	<0.1	<0.1	<0.1	3	0.18	0.018	1
50MI11AM0057	Soil		0.3	24.6	8.1	37	<0.1	12.0	5.5	219	1.34	2.6	2.5	1.8	35	0.3	0.5	0.1	32	0.50	0.058	9
50MI11AM0058	Soil		0.3	19.4	10.7	59	0.1	16.2	7.8	193	2.37	6.2	2.5	3.7	24	0.1	0.6	0.2	53	0.30	0.055	14
50MI11AM0059	Soil		0.4	25.5	10.6	64	0.1	21.6	8.3	210	2.31	8.4	2.9	4.2	33	0.2	0.6	0.2	55	0.44	0.067	16
50MI11AM0060	Soil		0.8	16.3	11.2	61	0.1	16.2	12.1	472	3.12	9.4	2.3	3.7	29	0.1	0.5	0.2	59	0.36	0.068	12
50MI11AM0061	Soil		0.6	23.6	9.7	56	0.1	16.1	10.6	284	2.45	6.1	2.1	2.7	36	0.1	0.5	0.2	55	0.50	0.059	13
50MI11AM0062	Soil		0.5	17.9	9.4	60	<0.1	15.2	7.9	243	2.38	6.0	1.8	3.1	32	0.1	0.4	0.2	52	0.40	0.053	12
50MI11AM0063	Soil		0.3	21.4	10.4	61	0.1	15.7	9.7	202	2.58	7.6	1.7	4.2	28	0.1	0.5	0.2	61	0.37	0.057	14
50MI11AM0064	Soil		0.3	2.8	1.3	13	<0.1	1.3	1.1	31	0.50	<0.5	<0.5	<0.1	7	<0.1	<0.1	<0.1	15	0.05	0.031	3
50MI11AM0065	Soil		1.0	20.1	28.7	73	<0.1	22.4	10.4	560	2.61	8.6	6.9	12.0	17	0.3	0.4	0.2	53	0.19	0.052	43
50MI11AM0066	Soil		1.7	17.2	8.9	90	<0.1	18.1	8.4	489	2.90	6.8	0.8	22.4	11	0.1	0.5	0.3	47	0.12	0.035	29
50MI11AM0067	Soil		0.8	15.7	10.6	48	<0.1	15.4	6.4	198	2.55	6.6	2.0	5.1	16	<0.1	0.5	0.2	58	0.17	0.038	28
50MI11AM0068	Soil		1.3	24.1	9.8	66	<0.1	21.0	7.9	289	2.56	7.3	3.4	9.3	25	0.1	0.5	0.2	50	0.33	0.057	60
50MI11AM0069	Soil		0.3	4.2	1.8	11	<0.1	2.1	1.4	36	0.58	<0.5	<0.5	0.2	7	<0.1	<0.1	<0.1	17	0.05	0.021	3
50MI11AM0070	Soil		1.0	14.6	11.2	53	0.1	18.8	12.5	539	2.46	3.4	1.4	7.2	22	<0.1	0.2	0.3	61	0.34	0.061	25
50MI11CL0037	Soil		1.2	18.0	8.8	60	0.1	19.5	14.5	652	2.84	4.2	1.9	7.4	25	<0.1	0.3	0.2	58	0.32	0.059	26
50MI11CL0038	Soil		0.8	17.5	8.4	59	0.2	19.6	11.0	310	2.73	3.5	1.4	8.7	21	<0.1	0.4	0.2	56	0.29	0.063	22

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**

Project: 50 Mile (YK)
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI11001858.2

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
50MI11AM0043	Soil	46	0.94	236	0.120	<1	2.08	0.019	0.20	0.1	0.03	4.4	0.1	<0.05	6	<0.5	<0.2
50MI11AM0044	Soil	37	0.73	200	0.105	<1	2.07	0.016	0.08	0.1	0.02	3.2	<0.1	<0.05	6	<0.5	<0.2
50MI11AM0045	Soil	31	0.44	265	0.044	<1	1.67	0.018	0.06	<0.1	0.06	3.3	<0.1	<0.05	5	<0.5	<0.2
50MI11AM0046	Soil	39	0.83	180	0.082	<1	1.75	0.018	0.05	<0.1	0.02	4.4	<0.1	<0.05	5	<0.5	<0.2
50MI11AM0047	Soil	28	1.16	170	0.093	<1	1.72	0.020	0.12	<0.1	0.01	3.7	<0.1	<0.05	4	<0.5	<0.2
50MI11AM0048	Soil	24	0.76	162	0.098	<1	1.67	0.017	0.06	0.1	0.03	2.7	<0.1	<0.05	5	<0.5	<0.2
50MI11AM0049	Soil	20	0.48	126	0.064	<1	1.21	0.018	0.05	<0.1	0.03	2.1	<0.1	<0.05	4	<0.5	<0.2
50MI11AM0050	Soil	33	0.78	213	0.080	<1	1.95	0.022	0.06	<0.1	0.04	4.5	<0.1	<0.05	6	<0.5	<0.2
50MI11AM0051	Soil	38	0.92	257	0.096	1	2.20	0.022	0.05	<0.1	0.04	5.7	<0.1	<0.05	6	<0.5	<0.2
50MI11AM0052	Soil	32	1.06	174	0.116	<1	2.20	0.027	0.07	<0.1	0.03	4.6	<0.1	<0.05	6	<0.5	<0.2
50MI11AM0053	Soil	28	0.91	228	0.097	1	1.90	0.024	0.11	0.1	0.04	4.9	<0.1	<0.05	5	<0.5	<0.2
50MI11AM0054	Soil	25	0.53	164	0.071	<1	1.37	0.017	0.10	0.3	0.03	3.1	0.1	<0.05	4	<0.5	<0.2
50MI11AM0055	Soil	23	0.37	72	0.067	<1	1.07	0.009	0.07	0.2	0.02	1.5	<0.1	<0.05	5	<0.5	<0.2
50MI11AM0056	Soil	2	0.04	44	0.008	<1	0.21	0.031	0.02	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
50MI11AM0057	Soil	20	0.35	211	0.046	2	1.16	0.020	0.04	0.1	0.05	2.7	<0.1	<0.05	4	0.5	<0.2
50MI11AM0058	Soil	28	0.49	199	0.067	2	1.72	0.015	0.06	0.2	0.04	3.4	<0.1	<0.05	5	<0.5	<0.2
50MI11AM0059	Soil	28	0.52	270	0.073	<1	1.63	0.019	0.07	0.2	0.05	3.7	<0.1	<0.05	5	<0.5	<0.2
50MI11AM0060	Soil	27	0.48	197	0.059	<1	1.57	0.017	0.06	0.1	0.04	3.3	<0.1	<0.05	5	0.5	<0.2
50MI11AM0061	Soil	26	0.51	260	0.069	1	1.85	0.016	0.06	0.2	0.05	4.0	<0.1	<0.05	5	<0.5	<0.2
50MI11AM0062	Soil	26	0.47	202	0.074	<1	1.70	0.016	0.06	0.2	0.05	3.5	<0.1	<0.05	5	0.6	<0.2
50MI11AM0063	Soil	28	0.49	226	0.077	<1	1.95	0.016	0.06	0.1	0.05	4.2	<0.1	<0.05	5	<0.5	<0.2
50MI11AM0064	Soil	3	0.03	19	0.027	<1	0.19	0.020	0.02	<0.1	0.03	0.3	<0.1	<0.05	1	<0.5	<0.2
50MI11AM0065	Soil	28	0.50	138	0.079	1	2.04	0.015	0.08	0.4	0.04	2.7	0.1	<0.05	6	<0.5	<0.2
50MI11AM0066	Soil	24	0.42	90	0.067	<1	1.88	0.008	0.11	0.4	0.03	2.2	0.1	<0.05	9	<0.5	<0.2
50MI11AM0067	Soil	28	0.45	107	0.068	<1	1.84	0.008	0.05	0.1	0.03	2.6	0.1	<0.05	7	<0.5	<0.2
50MI11AM0068	Soil	29	0.54	195	0.077	<1	1.70	0.014	0.07	0.4	0.02	3.7	<0.1	<0.05	6	<0.5	<0.2
50MI11AM0069	Soil	5	0.04	35	0.028	<1	0.25	0.019	0.03	<0.1	0.02	0.3	<0.1	<0.05	2	<0.5	<0.2
50MI11AM0070	Soil	33	0.72	226	0.099	1	1.70	0.019	0.09	2.7	0.05	3.4	0.2	<0.05	8	0.6	<0.2
50MI11CL0037	Soil	33	0.79	225	0.122	1	1.95	0.022	0.17	0.2	0.04	4.4	0.2	<0.05	7	<0.5	<0.2
50MI11CL0038	Soil	34	0.82	208	0.127	<1	2.02	0.016	0.17	0.2	0.04	4.3	0.1	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**

Project: 50 Mile (YK)
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI11001858.2

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
50MI11CL0039	Soil		1.0	16.9	8.1	63	<0.1	20.9	12.9	438	2.88	7.4	1.9	8.1	19	0.2	0.3	0.2	61	0.31	0.074	22
50MI11CL0040	Soil		0.8	17.1	9.2	58	0.1	19.0	11.5	300	3.05	5.7	2.0	8.4	19	0.1	0.3	0.2	63	0.31	0.078	24
50MI11CL0041	Soil		0.6	17.1	9.1	56	<0.1	20.7	11.6	284	2.90	5.3	2.8	10.0	20	<0.1	0.3	0.2	61	0.38	0.077	24
50MI11CL0042	Soil		1.8	18.6	8.8	74	0.1	20.3	11.4	629	3.33	6.5	2.6	10.1	26	0.2	0.3	0.3	66	0.37	0.055	43
50MI11CL0043	Soil		1.3	14.8	11.1	66	0.1	17.3	9.1	408	2.60	5.6	1.7	6.1	19	0.2	0.3	0.3	51	0.25	0.056	34
50MI11CL0044	Soil		1.1	15.3	12.2	59	0.1	17.2	8.7	355	2.63	6.3	1.7	3.7	17	0.1	0.4	0.4	54	0.17	0.056	25
50MI11CL0045	Soil		0.3	3.5	3.6	15	<0.1	2.6	1.7	61	0.89	2.2	<0.5	0.9	8	<0.1	<0.1	<0.1	23	0.05	0.013	4
50MI11CL0046	Soil		1.2	13.4	16.6	71	<0.1	13.3	7.8	413	2.95	7.8	1.9	5.1	11	0.1	0.6	0.4	57	0.11	0.043	17
50MI11CL0047	Soil		0.2	3.9	2.8	16	<0.1	1.2	1.2	46	0.60	0.9	0.6	<0.1	9	<0.1	<0.1	<0.1	17	0.06	0.022	1
50MI11CL0048	Soil		1.0	13.5	13.1	63	<0.1	18.5	8.1	242	3.02	9.9	2.4	6.4	14	0.2	0.7	0.3	56	0.16	0.048	16
50MI11CL0049	Soil		0.7	22.5	7.0	65	<0.1	26.0	13.4	327	2.99	6.3	1.7	2.8	29	0.1	0.5	<0.1	73	0.36	0.033	8
50MI11CL0050	Soil		0.5	28.5	6.8	65	<0.1	28.8	14.7	379	3.22	5.2	1.3	2.8	28	<0.1	0.5	<0.1	79	0.37	0.026	7
50MI11CL0051	Soil		0.6	44.8	5.7	92	<0.1	46.4	25.0	700	4.75	6.1	<0.5	2.8	29	0.1	0.3	<0.1	123	0.31	0.034	3
50MI11CL0052	Soil		0.6	22.0	7.3	58	<0.1	23.6	12.0	307	2.77	5.3	0.6	3.1	37	<0.1	0.4	<0.1	67	0.37	0.019	9
50MI11CL0053	Soil		0.5	37.5	7.5	70	<0.1	31.8	16.1	407	3.39	6.8	1.1	4.2	44	<0.1	0.6	0.1	82	0.52	0.024	13
50MI11CL0054	Soil		0.5	40.4	6.3	82	<0.1	44.8	23.2	538	4.47	4.9	<0.5	4.5	45	<0.1	0.7	<0.1	99	0.70	0.047	7
50MI11CL0055	Soil		0.9	28.9	10.0	71	0.2	25.5	11.9	458	2.91	9.1	4.3	4.1	34	0.1	0.8	0.1	64	0.53	0.052	14
50MI11CL0056	Soil		0.8	25.5	8.4	54	<0.1	22.8	9.5	232	2.61	12.2	2.8	3.3	33	0.2	0.6	0.1	54	0.57	0.064	13
50MI11CL0057	Soil		0.8	24.1	9.0	57	0.1	19.8	10.0	268	2.38	8.4	3.4	2.7	47	0.2	0.7	0.1	51	0.76	0.069	13
50MI11CL0058	Soil		0.8	25.4	8.1	54	0.2	21.7	9.4	490	2.12	6.5	1.6	2.7	47	0.3	0.6	0.1	44	0.79	0.057	13
50MI11CL0059	Soil		0.7	38.0	4.8	55	<0.1	13.7	11.9	516	3.27	4.5	5.0	3.2	19	0.1	0.4	0.4	77	0.30	0.020	14
50MI11CL0060	Soil		1.0	22.7	7.5	59	<0.1	13.1	12.0	349	3.38	4.5	2.6	5.0	16	<0.1	0.4	0.2	75	0.30	0.014	16
50MI11CL0061	Soil		0.5	20.6	10.2	64	<0.1	17.2	11.5	331	3.60	4.8	1.1	7.0	20	<0.1	0.2	0.2	73	0.50	0.033	17
50MI11CL0062	Soil		0.3	26.4	15.6	71	<0.1	43.7	13.7	373	3.63	4.1	1.1	17.8	19	<0.1	0.2	0.3	71	0.39	0.025	78
50MI11CL0063	Soil		0.5	23.4	14.0	75	0.1	24.4	13.1	441	3.58	4.2	1.1	12.8	23	<0.1	0.2	0.2	62	0.56	0.040	48
50MI11CL0064	Soil		0.4	26.3	9.9	77	<0.1	24.1	12.3	418	3.21	2.5	1.9	13.5	28	0.2	0.2	0.3	54	0.76	0.062	77
50MI11CL0065	Soil		0.8	27.0	14.8	85	<0.1	22.7	13.4	498	3.81	2.7	0.7	14.6	34	<0.1	0.1	0.3	47	0.86	0.067	50
50MI11CL0066	Soil		0.7	23.8	8.6	54	<0.1	19.6	10.3	382	2.58	4.5	2.6	4.0	62	<0.1	0.3	0.2	50	1.51	0.050	24
50MI11CL0067	Soil		0.9	35.8	10.3	79	<0.1	27.2	10.2	245	2.95	4.5	1.7	8.8	17	0.1	0.5	0.2	54	0.20	0.034	25
50MI11CL0068	Soil		1.2	22.9	9.1	79	<0.1	18.9	8.1	434	2.85	7.2	3.1	10.8	13	0.3	0.5	0.3	61	0.16	0.054	33

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**

Project: 50 Mile (YK)
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI11001858.2

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
50MI11CL0039	Soil	37	0.84	191	0.120	<1	1.79	0.011	0.16	0.2	0.03	3.7	0.1	<0.05	7	<0.5	<0.2
50MI11CL0040	Soil	36	0.76	197	0.112	1	1.77	0.012	0.13	0.2	0.03	4.1	0.1	<0.05	7	<0.5	<0.2
50MI11CL0041	Soil	39	0.90	185	0.134	1	1.92	0.014	0.16	0.2	0.04	4.2	0.1	<0.05	8	<0.5	<0.2
50MI11CL0042	Soil	33	0.70	204	0.087	<1	2.17	0.013	0.19	0.2	0.03	4.1	0.2	<0.05	9	<0.5	<0.2
50MI11CL0043	Soil	28	0.53	186	0.054	1	1.79	0.011	0.12	0.2	0.04	3.5	0.2	<0.05	6	<0.5	<0.2
50MI11CL0044	Soil	30	0.49	152	0.056	<1	1.92	0.012	0.11	0.2	0.04	2.8	0.2	<0.05	7	<0.5	<0.2
50MI11CL0045	Soil	5	0.10	26	0.049	<1	0.49	0.021	0.03	<0.1	0.01	0.6	<0.1	<0.05	3	<0.5	<0.2
50MI11CL0046	Soil	24	0.40	81	0.055	1	1.80	0.006	0.08	0.2	0.04	2.1	0.1	<0.05	7	<0.5	<0.2
50MI11CL0047	Soil	3	0.05	26	0.028	<1	0.36	0.018	0.02	<0.1	0.01	0.2	<0.1	<0.05	3	<0.5	<0.2
50MI11CL0048	Soil	28	0.48	117	0.062	1	2.18	0.009	0.07	0.2	0.02	2.9	0.1	<0.05	5	<0.5	<0.2
50MI11CL0049	Soil	72	1.10	209	0.175	<1	2.08	0.011	0.16	0.1	0.02	2.6	0.1	<0.05	7	<0.5	<0.2
50MI11CL0050	Soil	87	1.43	167	0.216	<1	2.30	0.012	0.11	0.1	0.01	2.6	<0.1	<0.05	7	<0.5	<0.2
50MI11CL0051	Soil	163	2.91	223	0.371	<1	4.06	0.009	0.51	0.2	0.01	2.4	0.2	<0.05	10	<0.5	<0.2
50MI11CL0052	Soil	65	1.14	143	0.163	<1	1.98	0.013	0.06	0.1	0.01	2.9	<0.1	<0.05	6	<0.5	<0.2
50MI11CL0053	Soil	88	1.39	309	0.211	<1	2.46	0.015	0.10	0.1	0.01	5.1	<0.1	<0.05	7	<0.5	<0.2
50MI11CL0054	Soil	156	1.87	211	0.303	1	3.15	0.011	0.12	0.1	<0.01	3.8	<0.1	<0.05	9	<0.5	<0.2
50MI11CL0055	Soil	49	0.73	306	0.097	<1	1.80	0.017	0.05	0.2	0.04	4.4	<0.1	<0.05	5	<0.5	<0.2
50MI11CL0056	Soil	30	0.52	318	0.073	1	1.35	0.019	0.05	0.2	0.02	3.6	<0.1	<0.05	4	0.5	<0.2
50MI11CL0057	Soil	26	0.48	310	0.057	1	1.29	0.020	0.05	0.2	0.03	3.4	<0.1	<0.05	4	<0.5	<0.2
50MI11CL0058	Soil	24	0.48	424	0.064	1	1.32	0.025	0.05	0.2	0.04	3.5	<0.1	<0.05	4	0.6	<0.2
50MI11CL0059	Soil	23	0.57	306	0.086	<1	1.38	0.012	0.21	<0.1	0.02	6.8	<0.1	<0.05	5	<0.5	<0.2
50MI11CL0060	Soil	26	0.49	291	0.095	<1	1.59	0.009	0.15	<0.1	0.03	7.5	<0.1	<0.05	6	<0.5	<0.2
50MI11CL0061	Soil	27	0.71	284	0.056	<1	1.82	0.010	0.12	<0.1	0.03	6.7	0.1	<0.05	6	<0.5	<0.2
50MI11CL0062	Soil	107	1.25	209	0.155	16	2.63	0.012	0.22	0.1	0.01	7.5	0.1	<0.05	9	<0.5	<0.2
50MI11CL0063	Soil	49	0.85	222	0.123	<1	2.08	0.013	0.25	0.1	0.03	6.3	0.2	<0.05	8	<0.5	<0.2
50MI11CL0064	Soil	41	0.80	194	0.085	<1	1.87	0.011	0.29	<0.1	0.06	6.8	0.2	<0.05	7	<0.5	<0.2
50MI11CL0065	Soil	32	0.66	159	0.100	1	1.46	0.009	0.46	0.1	0.02	5.9	0.3	<0.05	7	<0.5	<0.2
50MI11CL0066	Soil	27	0.59	280	0.076	2	1.56	0.017	0.19	<0.1	0.06	4.2	0.1	0.05	5	0.7	<0.2
50MI11CL0067	Soil	36	0.62	221	0.114	<1	1.66	0.008	0.38	<0.1	0.03	4.7	0.2	<0.05	6	<0.5	<0.2
50MI11CL0068	Soil	30	0.43	181	0.068	1	1.84	0.009	0.05	0.3	0.03	2.6	0.1	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**

Project: 50 Mile (YK)
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI11001858.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
50MI11CL0069	Soil	1.6	31.8	10.2	98	<0.1	18.1	6.9	326	3.13	6.8	3.0	9.0	15	0.3	0.7	0.4	71	0.15	0.038	48
50MI11CL0070	Soil	2.0	31.7	7.3	73	<0.1	18.8	7.6	1109	2.78	5.8	1.5	19.0	13	0.2	0.7	0.3	53	0.16	0.049	89
50MI11YM0037	Soil	2.6	44.5	10.3	147	0.1	68.8	24.8	1092	5.17	4.6	1.3	7.6	23	0.7	0.1	0.2	159	0.63	0.114	22
50MI11YM0038	Soil	6.9	68.9	8.0	106	<0.1	76.2	16.7	784	3.78	3.6	1.7	9.6	24	0.2	0.2	1.5	134	0.53	0.082	25
50MI11YM0039	Soil	11.5	67.9	24.7	156	<0.1	73.3	23.4	1342	4.21	14.9	1.0	9.6	22	0.6	1.3	1.1	133	0.47	0.105	23
50MI11YM0040	Soil	2.6	23.9	33.7	68	0.2	17.2	7.4	413	2.21	6.4	1.5	17.9	17	0.1	0.9	0.7	43	0.24	0.027	35
50MI11YM0041	Soil	1.2	19.4	30.2	82	<0.1	8.8	3.9	260	2.46	4.1	<0.5	23.0	8	0.2	0.6	0.5	32	0.06	0.015	25
50MI11YM0042	Soil	0.4	66.8	13.7	73	0.2	37.0	19.0	650	4.13	3.6	3.3	7.8	27	<0.1	0.3	0.2	111	0.58	0.045	22
50MI11YM0043	Soil	0.5	11.9	31.8	77	0.1	7.1	5.2	559	1.92	1.6	0.6	34.6	15	0.1	0.2	0.2	15	0.30	0.034	81
50MI11YM0044	Soil	1.0	30.7	32.8	71	0.2	13.0	10.0	441	2.46	5.7	1.7	19.4	28	0.2	0.5	0.5	39	0.44	0.043	57
50MI11YM0045	Soil	1.1	16.2	25.3	60	0.2	12.5	5.7	253	2.27	5.5	2.5	19.0	20	<0.1	0.3	0.3	39	0.28	0.025	38
50MI11YM0046	Soil	0.4	19.5	27.8	61	0.2	12.2	4.6	208	1.83	3.9	1.2	26.0	21	0.1	0.3	0.4	29	0.28	0.033	60
50MI11YM0047	Soil	0.6	22.6	26.1	69	0.1	17.3	8.4	279	2.37	6.5	1.7	15.5	31	0.2	0.5	0.4	47	0.37	0.045	34
50MI11YM0048	Soil	0.6	16.5	28.5	87	0.1	15.5	7.3	171	1.91	5.7	1.5	7.2	31	0.3	0.5	0.3	44	0.49	0.050	29
50MI11YM0049	Soil	1.6	23.8	46.6	65	1.2	16.4	7.6	197	2.69	11.7	6.4	5.5	28	0.2	1.4	0.2	52	0.26	0.060	18
50MI11YM0050	Soil	1.1	16.4	14.4	71	0.2	18.1	5.9	154	2.42	6.0	2.4	3.0	20	0.2	0.3	0.2	55	0.21	0.056	14
50MI11YM0051	Soil	1.0	21.2	12.2	73	0.1	25.8	8.7	202	2.77	6.0	2.9	3.5	22	0.2	0.4	0.2	64	0.21	0.044	15
50MI11YM0052	Soil	0.4	24.6	12.4	70	0.1	25.4	6.9	143	2.55	6.4	3.3	3.5	27	0.3	0.4	0.2	61	0.25	0.051	14
50MI11YM0053	Soil	0.8	17.2	12.0	63	0.1	15.2	6.3	160	2.31	5.1	2.6	1.8	20	0.2	0.3	0.2	51	0.17	0.054	13
50MI11YM0054	Soil	0.8	13.5	10.4	61	<0.1	12.8	7.8	374	2.21	3.8	1.7	3.4	25	0.2	0.3	0.2	51	0.25	0.054	15
50MI11YM0055	Soil	0.3	10.1	10.4	39	<0.1	8.8	3.5	78	1.50	2.4	1.2	0.8	21	<0.1	0.3	0.2	30	0.19	0.039	10
50MI11YM0056	Soil	0.8	10.6	8.7	59	<0.1	9.0	8.8	343	2.61	3.2	1.7	2.5	29	0.2	0.2	0.1	63	0.31	0.069	11
50MI11YM0057	Soil	1.6	45.2	45.9	242	0.6	35.0	19.5	760	5.31	7.0	7.0	14.2	31	0.5	0.2	0.2	94	0.57	0.087	35
50MI11YM0058	Soil	1.2	47.7	12.5	79	<0.1	34.0	12.1	415	3.43	5.2	1.3	9.3	18	0.2	0.5	0.2	61	0.22	0.060	26
50MI11YM0059	Soil	0.8	39.1	11.6	68	<0.1	26.2	14.8	418	3.48	4.8	2.0	6.0	28	0.1	0.2	0.3	71	0.51	0.033	15
50MI11YM0060	Soil	0.7	50.0	7.1	75	0.2	23.8	15.8	527	3.74	3.8	1.8	3.6	34	0.2	0.4	0.1	79	0.67	0.069	16
50MI11YM0061	Soil	0.6	54.8	7.0	77	0.1	25.3	16.0	561	3.84	3.6	3.0	4.1	34	0.2	0.4	0.2	80	0.68	0.078	16

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**

Project: 50 Mile (YK)
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI11001858.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
50MI11CL0069	Soil	31	0.48	402	0.092	1	1.68	0.009	0.07	0.4	0.04	3.0	0.1	<0.05	8	<0.5	<0.2
50MI11CL0070	Soil	27	0.36	304	0.068	<1	1.71	0.009	0.07	0.5	0.03	3.6	0.1	<0.05	5	<0.5	<0.2
50MI11YM0037	Soil	199	3.02	1056	0.277	<1	4.42	0.017	0.51	0.1	0.02	14.9	0.5	<0.05	13	<0.5	<0.2
50MI11YM0038	Soil	110	2.89	692	0.136	<1	3.35	0.012	0.46	0.1	<0.01	7.8	0.6	<0.05	10	0.9	<0.2
50MI11YM0039	Soil	83	1.88	868	0.116	<1	2.94	0.013	0.53	0.2	0.01	6.4	0.6	<0.05	9	1.7	<0.2
50MI11YM0040	Soil	27	0.48	187	0.049	<1	1.36	0.009	0.09	0.2	0.02	2.7	0.2	<0.05	4	<0.5	<0.2
50MI11YM0041	Soil	14	0.40	92	0.041	<1	1.56	0.006	0.12	<0.1	0.01	2.0	0.2	<0.05	5	<0.5	<0.2
50MI11YM0042	Soil	75	1.92	300	0.156	<1	2.96	0.016	0.50	<0.1	0.06	9.3	0.3	<0.05	8	<0.5	<0.2
50MI11YM0043	Soil	9	1.31	128	0.097	<1	1.68	0.010	0.58	<0.1	0.02	1.9	0.5	<0.05	5	<0.5	<0.2
50MI11YM0044	Soil	20	0.62	158	0.080	1	1.79	0.013	0.18	0.1	0.06	3.9	0.2	<0.05	5	<0.5	<0.2
50MI11YM0045	Soil	22	0.50	123	0.077	1	1.59	0.010	0.12	0.1	0.04	3.4	0.1	<0.05	5	<0.5	<0.2
50MI11YM0046	Soil	19	0.50	126	0.072	<1	1.43	0.011	0.18	0.1	0.04	3.6	0.2	<0.05	4	<0.5	<0.2
50MI11YM0047	Soil	26	0.54	207	0.093	1	1.81	0.015	0.11	0.2	0.04	4.5	0.1	<0.05	5	<0.5	<0.2
50MI11YM0048	Soil	28	0.71	239	0.070	1	1.95	0.016	0.13	0.1	0.05	4.0	0.2	0.09	6	<0.5	<0.2
50MI11YM0049	Soil	27	0.46	198	0.081	<1	1.66	0.017	0.06	0.2	0.13	3.4	0.1	<0.05	5	<0.5	<0.2
50MI11YM0050	Soil	40	0.61	174	0.077	<1	1.77	0.013	0.07	0.2	0.04	4.1	<0.1	<0.05	6	<0.5	<0.2
50MI11YM0051	Soil	56	0.81	211	0.112	1	2.21	0.015	0.09	0.2	0.04	6.0	0.1	<0.05	7	<0.5	<0.2
50MI11YM0052	Soil	50	0.59	231	0.096	1	2.00	0.016	0.07	0.3	0.05	5.4	0.1	<0.05	6	<0.5	<0.2
50MI11YM0053	Soil	32	0.39	183	0.034	1	1.72	0.012	0.06	0.4	0.05	3.6	0.1	<0.05	5	<0.5	<0.2
50MI11YM0054	Soil	25	0.45	204	0.066	1	1.77	0.013	0.06	0.1	0.02	4.0	<0.1	<0.05	6	<0.5	<0.2
50MI11YM0055	Soil	24	0.26	136	0.044	<1	1.57	0.012	0.04	<0.1	0.05	2.6	<0.1	<0.05	5	<0.5	<0.2
50MI11YM0056	Soil	22	0.33	170	0.026	<1	1.60	0.014	0.05	0.1	0.02	4.8	<0.1	<0.05	5	<0.5	<0.2
50MI11YM0057	Soil	88	2.20	276	0.142	1	3.05	0.010	0.27	0.1	0.02	10.1	0.3	<0.05	13	0.6	<0.2
50MI11YM0058	Soil	44	0.40	174	0.055	<1	1.66	0.011	0.08	0.8	0.02	6.3	<0.1	<0.05	5	<0.5	<0.2
50MI11YM0059	Soil	32	0.55	216	0.062	1	1.79	0.011	0.10	0.5	0.02	6.3	0.1	<0.05	6	<0.5	<0.2
50MI11YM0060	Soil	36	0.88	317	0.075	<1	1.95	0.024	0.15	0.3	0.03	9.5	<0.1	<0.05	6	<0.5	<0.2
50MI11YM0061	Soil	35	0.86	305	0.078	<1	1.86	0.025	0.16	0.3	0.03	9.1	<0.1	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**

Project: 50 Mile (YK)
Report Date: July 30, 2012

QUALITY CONTROL REPORT WHI11001858.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
Pulp Duplicates																					
50MI11AM0009	Soil	0.8	13.3	8.6	50	<0.1	13.8	6.3	129	2.38	7.8	1.7	2.3	19	0.2	0.4	0.2	47	0.22	0.060	13
REP 50MI11AM0009	QC	0.8	12.5	8.5	49	<0.1	14.1	6.5	129	2.33	7.5	3.5	2.4	20	<0.1	0.4	0.2	49	0.23	0.058	13
50MI11AM0026	Soil	1.0	26.8	9.6	54	0.1	21.8	9.6	458	2.35	7.7	<0.5	2.6	44	0.2	0.6	0.1	52	0.80	0.050	14
REP 50MI11AM0026	QC	1.0	27.5	8.9	53	0.1	21.8	10.0	452	2.39	7.9	2.3	2.7	45	0.2	0.5	0.1	54	0.83	0.050	14
50MI11CL0014	Soil	0.6	22.3	11.7	63	0.1	18.3	9.6	304	2.76	6.8	2.4	10.2	33	0.2	0.5	0.2	55	0.44	0.062	26
REP 50MI11CL0014	QC	0.7	22.5	11.8	65	0.1	18.6	9.9	308	2.84	7.1	<0.5	9.9	34	0.3	0.5	0.2	55	0.44	0.064	26
50MI11CL0029	Soil	0.3	8.7	1.6	15	<0.1	2.2	2.4	55	0.91	0.7	<0.5	0.5	11	<0.1	<0.1	<0.1	23	0.11	0.026	8
REP 50MI11CL0029	QC	0.2	8.1	1.7	14	<0.1	2.2	2.3	56	0.89	0.6	<0.5	0.5	11	<0.1	<0.1	<0.1	24	0.09	0.026	9
50MI11YM0006	Soil	<0.1	3.2	4.2	11	<0.1	1.9	1.5	65	0.63	<0.5	<0.5	<0.1	7	<0.1	<0.1	0.2	16	0.05	0.020	2
REP 50MI11YM0006	QC	0.2	2.9	4.2	11	<0.1	2.1	1.5	64	0.59	<0.5	<0.5	<0.1	7	<0.1	0.1	0.2	16	0.04	0.021	2
50MI11YM0024	Soil	0.9	25.9	8.5	69	0.1	22.6	10.2	405	2.46	12.1	3.5	3.0	47	0.3	0.7	0.2	51	0.84	0.069	13
REP 50MI11YM0024	QC	0.9	26.1	8.5	69	0.1	22.0	9.6	407	2.50	12.1	3.1	3.1	47	0.3	0.7	0.2	50	0.85	0.071	13
50MI11AN0007	Soil	1.0	17.4	14.6	59	0.2	21.1	8.8	223	2.34	65.7	4.3	4.6	15	0.1	0.9	0.3	36	0.24	0.068	38
REP 50MI11AN0007	QC	0.8	17.0	14.7	59	0.2	17.6	8.4	221	2.33	65.9	5.2	4.6	15	0.1	1.0	0.3	35	0.25	0.068	38
50MI11AN0033	Soil	1.0	19.6	9.9	50	0.1	25.3	9.6	203	2.93	8.8	1.3	4.0	18	0.2	0.2	0.4	60	0.19	0.043	15
REP 50MI11AN0033	QC	1.0	20.2	9.9	52	0.1	26.7	10.0	208	2.95	9.1	2.7	4.1	19	0.2	0.3	0.4	64	0.20	0.045	16
50MI11AM0053	Soil	0.5	37.7	6.4	65	0.1	18.2	12.4	386	2.77	5.1	4.9	2.3	42	0.2	0.4	<0.1	69	0.81	0.061	10
REP 50MI11AM0053	QC	0.5	36.1	6.3	62	0.1	17.7	12.3	373	2.65	4.8	2.5	2.1	42	0.2	0.4	0.1	65	0.77	0.056	9
50MI11AM0059	Soil	0.4	25.5	10.6	64	0.1	21.6	8.3	210	2.31	8.4	2.9	4.2	33	0.2	0.6	0.2	55	0.44	0.067	16
REP 50MI11AM0059	QC	0.4	26.4	11.0	66	0.1	22.7	8.5	217	2.43	8.6	4.9	4.2	34	0.3	0.6	0.2	56	0.44	0.071	15
50MI11CL0044	Soil	1.1	15.3	12.2	59	0.1	17.2	8.7	355	2.63	6.3	1.7	3.7	17	0.1	0.4	0.4	54	0.17	0.056	25
REP 50MI11CL0044	QC	1.2	14.9	12.1	60	0.1	16.5	8.4	352	2.57	6.3	2.6	3.8	17	0.1	0.4	0.4	53	0.17	0.057	26
50MI11CL0058	Soil	0.8	25.4	8.1	54	0.2	21.7	9.4	490	2.12	6.5	1.6	2.7	47	0.3	0.6	0.1	44	0.79	0.057	13
REP 50MI11CL0058	QC	0.7	26.1	8.4	56	0.2	22.5	9.3	496	2.11	6.5	3.1	2.8	46	0.3	0.7	0.1	46	0.82	0.057	13
50MI11YM0051	Soil	1.0	21.2	12.2	73	0.1	25.8	8.7	202	2.77	6.0	2.9	3.5	22	0.2	0.4	0.2	64	0.21	0.044	15
REP 50MI11YM0051	QC	0.9	21.0	12.2	73	<0.1	26.2	8.7	201	2.79	6.1	2.5	3.4	22	0.2	0.4	0.2	63	0.21	0.045	14
Reference Materials																					
STD DS8	Standard	13.9	111.1	125.8	313	1.7	37.7	7.4	613	2.42	26.9	113.4	7.2	70	2.3	5.7	6.7	45	0.68	0.077	16

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**

Project: 50 Mile (YK)
Report Date: July 30, 2012

QUALITY CONTROL REPORT WHI11001858.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																	
50MI11AM0009	Soil	24	0.42	147	0.053	<1	1.47	0.019	0.05	0.2	0.04	2.4	<0.1	0.08	4	<0.5	<0.2
REP 50MI11AM0009	QC	24	0.41	149	0.055	<1	1.47	0.012	0.05	0.2	0.04	2.3	<0.1	0.06	5	<0.5	<0.2
50MI11AM0026	Soil	27	0.57	354	0.061	1	1.45	0.029	0.06	0.2	0.03	3.2	<0.1	<0.05	4	<0.5	<0.2
REP 50MI11AM0026	QC	28	0.54	350	0.068	1	1.42	0.026	0.06	0.2	0.03	3.3	<0.1	0.06	4	<0.5	<0.2
50MI11CL0014	Soil	30	0.52	235	0.089	1	1.76	0.019	0.06	0.2	0.05	4.4	<0.1	0.06	6	<0.5	<0.2
REP 50MI11CL0014	QC	31	0.50	225	0.096	<1	1.86	0.019	0.07	0.1	0.04	4.4	<0.1	0.10	6	<0.5	<0.2
50MI11CL0029	Soil	5	0.09	49	0.043	<1	0.30	0.024	0.03	<0.1	0.01	0.6	<0.1	0.06	2	<0.5	<0.2
REP 50MI11CL0029	QC	5	0.09	50	0.043	<1	0.31	0.023	0.03	<0.1	0.01	0.7	<0.1	0.09	2	<0.5	<0.2
50MI11YM0006	Soil	4	0.05	31	0.023	<1	0.39	0.017	0.02	<0.1	0.02	0.4	<0.1	<0.05	2	<0.5	<0.2
REP 50MI11YM0006	QC	5	0.05	31	0.021	<1	0.39	0.018	0.02	<0.1	0.02	0.5	<0.1	<0.05	2	<0.5	<0.2
50MI11YM0024	Soil	25	0.58	314	0.063	2	1.39	0.027	0.06	0.2	0.04	3.9	<0.1	<0.05	4	1.0	<0.2
REP 50MI11YM0024	QC	25	0.59	317	0.061	3	1.41	0.027	0.06	0.1	0.04	3.8	<0.1	<0.05	4	<0.5	<0.2
50MI11AN0007	Soil	30	0.39	104	0.016	<1	1.73	0.008	0.11	0.2	0.04	2.5	0.2	<0.05	5	<0.5	<0.2
REP 50MI11AN0007	QC	24	0.39	103	0.015	<1	1.71	0.008	0.12	0.1	0.05	2.6	0.2	<0.05	5	<0.5	<0.2
50MI11AN0033	Soil	31	0.55	77	0.099	<1	1.37	0.010	0.17	0.1	0.03	2.5	0.2	<0.05	8	<0.5	<0.2
REP 50MI11AN0033	QC	33	0.57	77	0.107	<1	1.46	0.013	0.21	0.1	0.03	2.7	0.2	0.06	8	<0.5	<0.2
50MI11AM0053	Soil	28	0.91	228	0.097	1	1.90	0.024	0.11	0.1	0.04	4.9	<0.1	<0.05	5	<0.5	<0.2
REP 50MI11AM0053	QC	27	0.88	222	0.089	<1	1.80	0.022	0.11	<0.1	0.03	4.8	<0.1	<0.05	5	0.5	<0.2
50MI11AM0059	Soil	28	0.52	270	0.073	<1	1.63	0.019	0.07	0.2	0.05	3.7	<0.1	<0.05	5	<0.5	<0.2
REP 50MI11AM0059	QC	28	0.53	259	0.063	<1	1.69	0.018	0.06	0.2	0.03	3.7	<0.1	<0.05	5	<0.5	<0.2
50MI11CL0044	Soil	30	0.49	152	0.056	<1	1.92	0.012	0.11	0.2	0.04	2.8	0.2	<0.05	7	<0.5	<0.2
REP 50MI11CL0044	QC	29	0.51	151	0.055	1	1.95	0.012	0.10	0.2	0.04	3.0	0.1	<0.05	7	<0.5	<0.2
50MI11CL0058	Soil	24	0.48	424	0.064	1	1.32	0.025	0.05	0.2	0.04	3.5	<0.1	<0.05	4	0.6	<0.2
REP 50MI11CL0058	QC	25	0.49	432	0.065	1	1.31	0.025	0.05	0.2	0.04	3.4	<0.1	<0.05	4	<0.5	<0.2
50MI11YM0051	Soil	56	0.81	211	0.112	1	2.21	0.015	0.09	0.2	0.04	6.0	0.1	<0.05	7	<0.5	<0.2
REP 50MI11YM0051	QC	56	0.81	204	0.110	<1	2.16	0.013	0.10	0.2	0.04	5.7	0.1	<0.05	7	<0.5	<0.2
Reference Materials																	
STD DS8	Standard	119	0.61	280	0.126	2	0.94	0.094	0.41	3.0	0.19	2.6	5.3	0.13	4	5.2	4.7

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**

Project: 50 Mile (YK)
Report Date: July 30, 2012

QUALITY CONTROL REPORT WHI11001858.2

		1DX15 Mo ppm 0.1	1DX15 Cu ppm 0.1	1DX15 Pb ppm 0.1	1DX15 Zn ppm 1	1DX15 Ag ppm 0.1	1DX15 Ni ppm 0.1	1DX15 Co ppm 0.1	1DX15 Mn ppm 1	1DX15 Fe % 0.01	1DX15 As ppm 0.5	1DX15 Au ppb 0.5	1DX15 Th ppm 0.1	1DX15 Sr ppm 1	1DX15 Cd ppm 0.1	1DX15 Sb ppm 0.1	1DX15 Bi ppm 0.1	1DX15 V ppm 2	1DX15 Ca % 0.01	1DX15 P % 0.001	1DX15 La ppm 1
STD DS8	Standard	14.1	108.9	122.6	321	1.8	38.3	7.5	638	2.53	27.0	114.6	7.1	73	2.3	6.1	7.3	41	0.72	0.082	17
STD DS8	Standard	13.1	105.6	120.1	311	1.8	36.8	7.3	602	2.38	25.5	122.8	7.7	77	2.3	6.0	7.1	41	0.71	0.076	17
STD DS8	Standard	13.6	111.7	123.9	313	1.9	38.9	8.0	632	2.54	27.1	101.4	6.4	74	2.1	5.7	6.3	43	0.71	0.075	16
STD DS8	Standard	12.8	104.6	125.3	300	1.7	37.4	7.4	581	2.42	25.3	110.0	6.3	70	2.0	5.6	6.1	41	0.67	0.073	15
STD DS8	Standard	13.8	119.7	128.6	322	1.8	42.3	7.8	643	2.52	25.9	110.1	7.3	69	2.4	5.4	6.3	45	0.73	0.080	15
STD DS8	Standard	13.3	98.4	107.5	287	1.7	37.8	7.3	598	2.38	23.8	141.7	5.8	54	1.8	4.3	5.0	42	0.68	0.064	15
STD DS8 Expected		13.44	110	123	312	1.69	38.1	7.5	615	2.46	26	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7	0.08	14.6
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**

Project: 50 Mile (YK)
Report Date: July 30, 2012

QUALITY CONTROL REPORT WHI11001858.2

		1DX15 Cr ppm 1	1DX15 Mg % 0.01	1DX15 Ba ppm 1	1DX15 Ti % 0.001	1DX15 B ppm 1	1DX15 Al % 0.01	1DX15 Na % 0.001	1DX15 K % 0.01	1DX15 W ppm 0.1	1DX15 Hg ppm 0.01	1DX15 Sc ppm 0.1	1DX15 Tl ppm 0.1	1DX15 S % 0.05	1DX15 Ga ppm 1	1DX15 Se ppm 0.5	1DX15 Te ppm 0.2
STD DS8	Standard	120	0.64	299	0.128	3	0.99	0.105	0.45	3.2	0.19	2.4	5.4	0.14	5	5.4	5.0
STD DS8	Standard	114	0.60	274	0.134	2	0.93	0.103	0.42	3.1	0.18	3.3	5.3	0.12	5	5.1	5.2
STD DS8	Standard	122	0.61	277	0.133	2	0.94	0.112	0.45	2.9	0.18	2.2	5.3	0.23	5	4.3	4.7
STD DS8	Standard	116	0.57	278	0.119	2	0.89	0.097	0.41	3.0	0.18	2.2	5.2	0.23	4	5.0	5.0
STD DS8	Standard	126	0.65	269	0.121	3	0.95	0.081	0.41	2.9	0.22	2.4	5.6	0.14	5	6.4	4.9
STD DS8	Standard	122	0.60	256	0.111	2	0.91	0.090	0.38	2.7	0.20	2.1	5.1	0.19	5	4.5	4.8
STD DS8 Expected		115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	2.3	5.4	0.1679	4.7	5.23	5
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **0908937 BC Ltd.**

Submitted By: Rasool Mohammad
Receiving Lab: Canada-Whitehorse
Received: October 24, 2011
Report Date: July 30, 2012
Page: 1 of 10

CERTIFICATE OF ANALYSIS WHI11001929.2

CLIENT JOB INFORMATION

Project: 50 Mile (YK)
Shipment ID:
P.O. Number
Number of Samples: 248

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	248	Dry at 60C			VAN
SS80	248	Dry at 60C sieve 100g to -80 mesh			VAN
1DX2	248	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Version 2: 0908937 BC Ltd.

Invoice To: 0908937 BC Ltd.

CC:

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**

Project: 50 Mile (YK)
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI11001929.2

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
50MI11AN0037	Soil		0.9	18.3	10.8	57	0.2	24.0	9.2	244	2.23	8.7	2.9	3.0	19	0.2	0.3	0.6	46	0.22	0.058	15
50MI11AN0038	Soil		1.2	33.9	16.1	77	0.2	32.2	13.5	397	2.97	21.1	1.9	5.0	19	0.3	0.5	0.9	62	0.23	0.071	17
50MI11AN0039	Soil		1.2	32.7	12.8	93	0.1	27.8	10.3	270	2.85	30.4	2.6	3.7	17	0.3	0.5	1.0	61	0.25	0.072	14
50MI11AN0040	Soil		1.9	31.0	20.3	102	0.3	25.7	9.4	303	2.83	26.3	4.8	3.4	15	0.3	0.5	0.8	62	0.17	0.060	16
50MI11AN0041	Soil		2.7	33.4	24.6	97	0.3	22.5	6.9	206	2.68	18.6	2.6	2.1	14	0.4	0.5	0.8	65	0.15	0.062	14
50MI11AN0042	Soil		1.9	19.6	14.5	53	0.2	12.1	3.6	90	1.72	8.5	2.5	0.5	10	0.3	0.3	0.3	48	0.09	0.035	9
50MI11AN0043	Soil		3.0	44.1	18.5	167	0.3	33.6	11.0	393	2.66	12.3	2.5	5.1	22	0.9	0.4	0.3	74	0.29	0.066	18
50MI11AN0044	Soil		1.8	20.7	17.8	68	0.2	15.3	5.7	213	2.30	10.0	1.7	0.9	15	0.3	0.4	0.4	54	0.16	0.067	20
50MI11AN0045	Soil		1.7	19.6	10.9	59	0.2	15.1	5.6	150	2.41	8.2	2.6	1.1	14	0.2	0.4	0.3	50	0.15	0.064	21
50MI11AN0046	Soil		0.4	4.8	3.7	16	<0.1	3.1	1.7	44	0.82	1.2	1.1	0.4	5	<0.1	<0.1	0.1	22	0.03	0.026	4
50MI11AN0047	Soil		0.4	2.7	1.8	10	<0.1	0.9	1.0	30	0.49	<0.5	1.2	0.2	5	<0.1	<0.1	<0.1	15	0.04	0.012	2
50MI11AN0048	Soil		0.4	4.6	2.3	19	<0.1	2.2	1.9	30	0.50	0.6	<0.5	0.4	7	0.3	0.1	<0.1	17	0.06	0.033	27
50MI11AN0049	Soil		1.4	29.1	9.7	95	<0.1	22.7	11.3	778	3.42	7.8	4.6	10.0	17	0.1	0.5	0.3	71	0.27	0.062	70
50MI11AN0050	Soil		1.1	14.6	7.7	68	<0.1	17.1	7.5	442	2.71	6.7	1.8	8.0	13	0.2	0.4	0.3	59	0.16	0.042	29
50MI11AN0051	Soil		1.1	13.5	7.3	55	<0.1	14.6	5.8	284	2.51	6.2	1.1	2.3	10	0.2	0.3	0.2	57	0.12	0.048	22
50MI11AN0052	Soil		1.3	15.8	6.9	52	<0.1	16.7	7.7	462	2.60	6.1	1.7	17.6	10	0.1	0.3	0.5	53	0.15	0.047	30
50MI11AN0053	Soil		0.6	6.7	6.8	20	<0.1	2.5	2.0	72	0.91	2.4	3.3	1.8	6	0.1	0.2	0.2	37	0.05	0.023	6
50MI11AN0054	Soil		1.1	23.9	9.1	64	<0.1	23.5	11.8	725	3.07	6.7	1.3	27.9	13	0.1	0.3	0.7	57	0.19	0.062	85
50MI11AN0055	Soil		0.8	20.3	7.1	57	<0.1	21.8	10.7	426	2.67	6.7	3.0	19.9	12	0.3	0.4	0.4	53	0.18	0.053	71
50MI11AN0056	Soil		0.8	13.8	6.1	52	<0.1	18.8	9.2	241	3.34	5.2	1.0	12.3	10	0.1	0.3	0.4	67	0.15	0.041	16
50MI11AN0057	Soil		1.2	20.5	7.9	44	<0.1	11.8	4.9	172	2.51	6.3	2.0	1.7	10	<0.1	0.5	0.3	59	0.09	0.053	11
50MI11AN0058	Soil		0.5	5.5	3.2	20	<0.1	4.3	2.3	51	0.75	1.4	1.5	1.1	7	<0.1	0.1	0.2	21	0.06	0.036	10
50MI11AN0059	Soil		1.1	14.6	9.3	52	<0.1	16.9	7.3	288	2.72	6.6	1.9	8.3	11	<0.1	0.4	0.3	59	0.14	0.048	31
50MI11AN0060	Soil		0.8	18.5	7.6	52	<0.1	16.9	7.9	390	2.56	5.3	1.5	8.2	16	<0.1	0.4	0.3	50	0.23	0.057	23
50MI11AN0061	Soil		3.0	26.9	13.5	82	0.3	25.0	11.4	1088	3.82	10.8	1.6	10.3	20	0.2	0.5	0.4	70	0.24	0.109	71
50MI11AN0062	Soil		2.4	10.6	27.0	55	0.3	11.1	4.8	246	2.84	12.0	1.7	6.7	9	0.2	0.4	0.4	64	0.08	0.044	12
50MI11AN0063	Soil		2.0	20.2	17.2	73	0.3	18.1	8.2	797	2.59	12.3	1.9	12.1	22	0.4	0.7	0.6	45	0.28	0.085	85
50MI11AN0064	Soil		1.8	22.4	20.1	92	0.2	25.4	10.2	706	3.11	10.8	3.1	18.3	19	0.3	0.5	0.7	53	0.32	0.059	114
50MI11AN0065	Soil		0.8	27.8	8.9	59	<0.1	31.5	11.6	424	2.76	9.4	2.8	21.1	12	0.2	0.5	0.2	56	0.14	0.025	17
50MI11AN0066	Soil		1.8	33.6	9.2	113	0.1	36.6	18.0	1006	3.87	7.7	7.2	30.5	21	0.2	0.4	0.4	80	0.43	0.099	101

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**

Project: 50 Mile (YK)
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI11001929.2

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
50MI11AN0037	Soil	24	0.42	114	0.064	<1	1.35	0.012	0.12	0.2	0.02	2.3	0.1	<0.05	5	<0.5	<0.2
50MI11AN0038	Soil	31	0.70	163	0.089	2	1.86	0.008	0.15	0.2	0.01	3.4	0.2	<0.05	6	<0.5	<0.2
50MI11AN0039	Soil	32	0.70	131	0.087	1	1.72	0.007	0.16	0.2	0.01	3.3	0.2	<0.05	6	<0.5	<0.2
50MI11AN0040	Soil	31	0.65	144	0.075	<1	1.70	0.007	0.13	0.2	0.02	2.9	0.2	<0.05	7	<0.5	<0.2
50MI11AN0041	Soil	28	0.59	166	0.058	<1	1.72	0.006	0.10	0.1	0.02	2.4	0.2	<0.05	6	0.8	<0.2
50MI11AN0042	Soil	20	0.35	162	0.042	<1	1.36	0.007	0.06	<0.1	0.03	1.3	0.2	<0.05	6	0.8	<0.2
50MI11AN0043	Soil	32	0.71	290	0.094	<1	1.56	0.009	0.10	0.1	0.01	4.2	0.2	<0.05	5	1.0	<0.2
50MI11AN0044	Soil	24	0.41	125	0.049	1	1.56	0.008	0.10	0.2	0.02	1.7	0.2	<0.05	7	<0.5	<0.2
50MI11AN0045	Soil	24	0.39	108	0.042	1	1.58	0.007	0.08	0.3	0.03	1.4	0.1	<0.05	6	<0.5	<0.2
50MI11AN0046	Soil	7	0.07	28	0.034	<1	0.42	0.011	0.02	<0.1	<0.01	0.4	<0.1	<0.05	2	<0.5	<0.2
50MI11AN0047	Soil	3	0.04	17	0.028	<1	0.36	0.016	0.01	<0.1	<0.01	0.4	<0.1	<0.05	2	<0.5	<0.2
50MI11AN0048	Soil	5	0.03	29	0.027	<1	0.26	0.013	0.02	0.1	0.02	0.5	<0.1	<0.05	2	<0.5	<0.2
50MI11AN0049	Soil	35	0.62	891	0.069	1	2.07	0.010	0.11	0.9	0.02	4.4	0.2	<0.05	8	<0.5	<0.2
50MI11AN0050	Soil	26	0.41	668	0.075	1	1.45	0.009	0.07	0.6	0.02	2.7	<0.1	<0.05	7	<0.5	<0.2
50MI11AN0051	Soil	26	0.37	598	0.045	1	1.56	0.008	0.05	0.4	0.02	1.9	<0.1	<0.05	6	<0.5	<0.2
50MI11AN0052	Soil	24	0.39	163	0.069	2	1.59	0.009	0.09	0.6	0.02	2.6	<0.1	<0.05	6	<0.5	<0.2
50MI11AN0053	Soil	7	0.07	42	0.049	<1	0.66	0.010	0.02	0.2	0.01	0.7	<0.1	<0.05	5	<0.5	<0.2
50MI11AN0054	Soil	32	0.67	352	0.081	1	2.17	0.012	0.12	0.5	0.01	4.3	0.2	<0.05	7	<0.5	<0.2
50MI11AN0055	Soil	28	0.61	198	0.078	1	1.92	0.008	0.13	0.2	0.03	3.6	0.1	<0.05	6	<0.5	<0.2
50MI11AN0056	Soil	33	0.79	230	0.128	1	1.88	0.007	0.13	0.3	0.01	3.4	0.1	<0.05	9	0.6	<0.2
50MI11AN0057	Soil	23	0.27	81	0.037	<1	1.57	0.006	0.03	0.1	0.04	1.3	<0.1	<0.05	7	<0.5	<0.2
50MI11AN0058	Soil	9	0.10	121	0.027	<1	0.53	0.007	0.03	0.1	0.04	0.8	<0.1	<0.05	4	<0.5	<0.2
50MI11AN0059	Soil	30	0.52	201	0.059	1	1.75	0.006	0.06	0.3	0.03	2.7	0.1	<0.05	7	<0.5	<0.2
50MI11AN0060	Soil	29	0.53	165	0.075	<1	1.59	0.007	0.08	1.2	0.01	3.7	0.1	<0.05	6	<0.5	<0.2
50MI11AN0061	Soil	43	0.56	637	0.039	1	2.45	0.008	0.10	0.4	0.05	4.0	0.2	<0.05	8	<0.5	<0.2
50MI11AN0062	Soil	20	0.23	99	0.056	1	1.09	0.006	0.07	0.3	0.04	1.7	0.1	<0.05	7	<0.5	<0.2
50MI11AN0063	Soil	21	0.33	435	0.041	1	1.49	0.012	0.11	0.2	0.03	3.4	0.1	<0.05	5	<0.5	<0.2
50MI11AN0064	Soil	33	0.47	716	0.056	1	1.66	0.012	0.13	0.4	0.04	4.2	0.2	<0.05	6	<0.5	<0.2
50MI11AN0065	Soil	31	0.56	196	0.079	1	2.36	0.010	0.06	0.2	0.03	3.8	0.1	<0.05	5	<0.5	<0.2
50MI11AN0066	Soil	41	1.15	447	0.136	1	2.23	0.019	0.31	0.4	0.03	7.1	0.3	<0.05	8	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**

Project: 50 Mile (YK)
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI11001929.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
50MI11AN0067	Soil	1.2	21.7	6.8	70	<0.1	16.9	8.4	546	2.30	5.2	4.0	9.7	11	0.2	0.3	0.2	48	0.18	0.052	48
50MI11AN0068	Soil	1.0	19.6	6.8	68	<0.1	23.7	10.0	456	2.61	7.1	7.8	11.5	13	0.2	0.4	0.2	57	0.19	0.042	16
50MI11AN0069	Soil	1.0	17.7	10.3	46	<0.1	16.1	6.6	179	2.76	7.9	2.8	2.8	9	<0.1	0.4	0.3	56	0.09	0.029	11
50MI11AN0070	Soil	3.9	70.9	8.6	218	0.5	76.0	20.6	716	4.12	87.4	4.1	3.7	37	1.2	0.3	0.6	123	0.36	0.126	15
50MI11AN0071	Soil	1.1	19.1	8.6	44	<0.1	15.0	5.9	141	2.46	7.0	2.8	2.4	9	0.2	0.4	0.2	64	0.09	0.027	12
50MI11AN0072	Soil	0.8	13.5	8.9	24	0.1	5.7	2.2	49	0.86	2.2	3.3	0.3	7	<0.1	0.2	0.1	31	0.05	0.027	6
50MI11AN0073	Soil	0.9	26.3	13.5	59	0.1	21.9	9.4	278	2.57	6.3	2.1	4.6	20	0.1	0.3	0.3	42	0.19	0.055	22
50MI11AN0074	Soil	0.7	26.7	17.9	55	<0.1	20.9	8.5	233	2.37	5.5	2.8	3.6	18	0.1	0.3	0.3	39	0.18	0.048	25
50MI11AN0075	Soil	1.4	24.7	12.6	66	0.1	25.1	10.2	266	2.36	5.4	2.5	4.3	20	0.2	0.2	0.2	37	0.28	0.053	29
50MI11AN0076	Soil	1.2	23.2	12.1	61	0.2	24.3	9.8	332	2.40	6.3	2.2	3.8	27	0.2	0.3	0.2	44	0.47	0.062	22
50MI11AN0077	Soil	0.7	16.3	12.8	53	0.2	19.1	7.5	179	2.10	5.6	5.2	3.5	31	0.1	0.2	0.3	41	0.47	0.050	16
50MI11AN0078	Soil	1.2	41.0	9.4	51	0.6	32.9	7.4	203	2.22	10.8	1.2	0.6	29	0.2	0.5	0.2	48	0.42	0.043	22
50MI11AN0079	Soil	1.2	39.1	8.2	56	<0.1	23.5	9.6	308	2.80	10.8	1.8	2.3	11	0.2	0.4	0.2	63	0.12	0.025	8
50MI11AN0080	Soil	0.6	28.3	8.2	55	<0.1	27.7	9.2	323	2.34	10.6	1.3	4.1	14	0.1	0.5	0.1	47	0.15	0.024	15
50MI11AN0081	Soil	0.6	21.3	9.7	51	0.2	10.6	5.8	416	2.27	5.1	<0.5	3.8	10	0.1	0.2	0.2	42	0.08	0.064	13
50MI11AN0082	Soil	0.5	21.3	9.8	56	0.1	13.0	6.4	310	2.12	8.3	1.0	5.9	18	<0.1	0.2	0.2	38	0.18	0.032	19
50MI11AN0083	Soil	0.4	35.3	10.2	72	<0.1	14.5	7.1	407	2.52	6.3	<0.5	7.3	11	0.2	0.1	0.2	50	0.11	0.028	19
50MI11AN0084	Soil	0.7	25.4	14.6	64	<0.1	16.7	7.3	303	2.61	8.4	0.7	7.3	11	0.1	0.3	0.2	48	0.09	0.024	17
50MI11AN0085	Soil	0.5	27.4	8.4	54	0.1	30.9	10.8	405	2.32	11.6	1.1	4.0	20	0.1	0.5	0.2	47	0.24	0.032	16
50MI11AN0086	Soil	0.8	35.1	7.9	52	<0.1	37.5	11.6	316	2.64	10.7	2.7	4.0	18	<0.1	0.5	0.1	57	0.21	0.014	14
50MI11AN0087	Soil	0.8	31.8	10.3	60	<0.1	25.8	11.7	400	2.46	10.2	1.4	6.5	18	0.1	0.6	0.2	42	0.19	0.042	21
50MI11AN0088	Soil	1.0	20.2	10.1	63	<0.1	23.7	9.5	324	2.42	10.9	3.0	4.0	14	0.2	0.5	0.2	50	0.16	0.041	13
50MI11AN0089	Soil	3.6	90.5	16.7	109	1.2	43.4	12.3	303	2.99	8.9	5.2	4.6	45	1.1	0.5	0.3	62	0.36	0.087	26
50MI11AN0090	Soil	0.8	25.7	13.9	70	0.2	22.3	9.3	229	2.69	7.1	1.7	5.5	20	0.2	0.4	0.2	44	0.22	0.053	23
50MI11AN0091	Soil	0.8	23.0	13.0	63	<0.1	21.7	8.6	229	2.53	5.6	1.5	8.3	17	0.1	0.4	0.2	38	0.17	0.045	28
50MI11AN0092	Soil	1.9	32.6	72.3	206	0.4	27.4	10.4	557	2.28	42.6	1.9	6.2	34	2.1	1.1	0.4	42	0.44	0.061	25
50MI11AN0093	Soil	3.2	39.9	9.7	104	1.0	26.5	6.4	202	2.09	10.0	4.2	1.6	23	0.6	0.5	0.2	58	0.30	0.090	13
50MI11AN0094	Soil	4.7	49.4	15.3	185	1.2	42.5	25.0	2359	3.40	4.2	2.6	3.2	22	1.0	0.6	0.3	76	0.23	0.108	17
50MI11AN0095	Soil	0.8	24.8	2.7	33	0.2	27.4	6.5	265	1.29	5.1	2.0	0.4	75	0.2	0.2	0.2	36	1.56	0.073	6
50MI11AN0096	Soil	1.1	34.1	9.4	65	<0.1	34.0	12.5	389	3.34	9.5	2.9	3.7	17	0.1	0.4	0.2	77	0.18	0.039	10

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**

Project: 50 Mile (YK)
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI11001929.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
50MI11AN0067	Soil	22	0.40	188	0.069	1	1.44	0.012	0.09	2.4	0.04	2.7	0.1	<0.05	5	<0.5	<0.2
50MI11AN0068	Soil	28	0.43	255	0.070	1	1.64	0.009	0.06	0.4	0.04	3.0	<0.1	<0.05	5	<0.5	<0.2
50MI11AN0069	Soil	26	0.34	65	0.057	1	1.77	0.005	0.06	0.2	0.05	2.1	0.1	<0.05	6	0.5	<0.2
50MI11AN0070	Soil	75	1.35	430	0.142	<1	2.48	0.009	0.44	0.1	0.01	5.3	0.2	0.10	8	1.6	<0.2
50MI11AN0071	Soil	21	0.26	89	0.069	<1	1.27	0.005	0.07	0.2	0.03	1.8	0.1	<0.05	7	<0.5	<0.2
50MI11AN0072	Soil	9	0.07	50	0.038	<1	0.78	0.009	0.03	<0.1	0.01	0.8	<0.1	<0.05	5	<0.5	<0.2
50MI11AN0073	Soil	25	0.48	126	0.060	2	1.60	0.010	0.09	0.1	0.02	2.3	0.1	0.06	5	<0.5	<0.2
50MI11AN0074	Soil	23	0.46	115	0.058	2	1.35	0.009	0.13	<0.1	0.03	2.1	0.2	<0.05	5	<0.5	<0.2
50MI11AN0075	Soil	26	0.53	154	0.057	<1	1.61	0.010	0.10	0.1	0.02	2.3	0.1	<0.05	5	<0.5	<0.2
50MI11AN0076	Soil	27	0.52	193	0.059	2	1.55	0.011	0.07	<0.1	0.03	2.8	0.1	0.06	5	<0.5	<0.2
50MI11AN0077	Soil	27	0.49	178	0.053	1	1.44	0.010	0.06	0.1	0.03	2.4	0.1	<0.05	5	<0.5	<0.2
50MI11AN0078	Soil	46	0.54	273	0.043	2	1.52	0.013	0.07	<0.1	0.04	1.9	0.1	<0.05	6	<0.5	<0.2
50MI11AN0079	Soil	36	0.61	159	0.072	1	1.85	0.009	0.09	0.1	<0.01	2.4	0.1	<0.05	7	<0.5	<0.2
50MI11AN0080	Soil	44	0.67	272	0.063	1	1.52	0.008	0.08	<0.1	0.02	3.0	<0.1	<0.05	4	<0.5	<0.2
50MI11AN0081	Soil	19	0.50	167	0.076	<1	1.51	0.010	0.16	<0.1	<0.01	2.3	0.2	<0.05	6	<0.5	<0.2
50MI11AN0082	Soil	21	0.60	270	0.051	1	1.40	0.007	0.10	<0.1	<0.01	3.1	0.1	<0.05	5	<0.5	<0.2
50MI11AN0083	Soil	35	0.90	384	0.079	<1	1.77	0.008	0.33	<0.1	<0.01	3.6	0.2	<0.05	6	<0.5	<0.2
50MI11AN0084	Soil	31	0.65	201	0.071	1	2.00	0.007	0.16	<0.1	<0.01	3.1	0.2	<0.05	7	<0.5	<0.2
50MI11AN0085	Soil	47	0.70	277	0.056	1	1.51	0.010	0.07	<0.1	<0.01	3.0	<0.1	<0.05	5	<0.5	<0.2
50MI11AN0086	Soil	61	0.80	210	0.069	<1	1.82	0.013	0.05	<0.1	0.01	4.3	<0.1	<0.05	5	<0.5	<0.2
50MI11AN0087	Soil	35	0.62	180	0.053	<1	1.39	0.008	0.09	<0.1	<0.01	2.8	0.1	<0.05	4	<0.5	<0.2
50MI11AN0088	Soil	34	0.54	188	0.052	1	1.33	0.008	0.05	0.1	<0.01	2.4	<0.1	<0.05	4	<0.5	<0.2
50MI11AN0089	Soil	38	0.62	300	0.039	1	2.15	0.013	0.12	0.1	0.05	4.2	0.2	<0.05	6	5.0	<0.2
50MI11AN0090	Soil	30	0.54	250	0.051	<1	1.64	0.011	0.08	0.2	0.02	3.4	0.1	<0.05	5	<0.5	<0.2
50MI11AN0091	Soil	30	0.56	145	0.057	<1	1.51	0.008	0.09	<0.1	<0.01	2.5	0.1	<0.05	5	<0.5	<0.2
50MI11AN0092	Soil	32	0.63	222	0.050	<1	1.48	0.011	0.07	<0.1	0.03	2.7	0.2	<0.05	4	1.0	<0.2
50MI11AN0093	Soil	36	0.56	169	0.044	1	1.16	0.016	0.14	<0.1	0.03	2.3	0.1	0.06	4	2.0	<0.2
50MI11AN0094	Soil	44	0.83	131	0.032	<1	1.87	0.009	0.10	0.1	0.03	3.4	0.2	<0.05	7	1.4	<0.2
50MI11AN0095	Soil	51	0.55	185	0.032	2	0.74	0.014	0.11	<0.1	0.05	1.9	0.1	0.15	3	0.5	<0.2
50MI11AN0096	Soil	60	0.82	154	0.074	1	2.40	0.011	0.06	0.1	0.02	4.0	0.1	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**

Project: 50 Mile (YK)
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI11001929.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
50MI11AN0097	Soil	0.5	26.9	6.2	53	<0.1	23.1	9.8	269	2.63	5.8	1.2	3.1	23	<0.1	0.3	0.1	67	0.25	0.030	10
50MI11AN0098	Soil	0.9	31.5	9.8	61	<0.1	31.6	13.3	377	3.19	8.6	1.2	3.9	22	0.2	0.4	0.2	74	0.23	0.032	13
50MI11AN0099	Soil	0.6	21.8	6.8	50	0.1	15.7	7.6	234	2.54	5.4	4.1	1.5	19	<0.1	0.3	0.1	65	0.19	0.035	11
50MI11AN0100	Soil	0.7	23.0	7.4	50	<0.1	16.8	9.1	256	2.83	6.3	1.4	2.4	19	0.1	0.3	0.1	72	0.19	0.034	10
50MI11AN0101	Soil	0.7	22.5	7.4	49	<0.1	16.1	8.1	239	2.64	6.0	0.9	2.3	18	0.1	0.3	0.1	66	0.18	0.034	10
50MI11AN0102	Soil	0.8	23.2	7.9	49	<0.1	23.1	9.4	257	2.62	6.3	1.2	3.1	24	<0.1	0.3	0.1	69	0.25	0.026	13
50MI11MGB0001	Soil	0.6	15.7	13.0	56	<0.1	18.5	9.1	269	2.59	5.7	2.1	4.9	16	0.1	0.8	0.2	41	0.18	0.040	23
50MI11MGB0002	Soil	0.5	14.9	12.5	61	<0.1	19.3	8.6	210	2.71	4.6	1.1	7.1	17	<0.1	0.3	0.2	44	0.18	0.038	24
50MI11MGB0003	Soil	0.3	21.9	17.0	84	<0.1	27.7	13.1	525	3.72	3.3	2.1	14.5	25	<0.1	0.3	0.3	35	0.31	0.045	47
50MI11MGB0004	Soil	0.3	33.8	15.5	102	<0.1	34.3	14.5	458	4.49	3.1	<0.5	19.1	16	<0.1	0.5	0.3	44	0.22	0.044	56
50MI11MGB0005	Soil	0.4	18.3	16.2	68	<0.1	21.7	9.9	338	3.03	4.3	0.8	11.4	15	<0.1	0.2	0.2	40	0.17	0.042	38
50MI11MGB0006	Soil	0.4	18.8	12.7	62	<0.1	20.4	9.4	282	2.77	4.1	0.8	10.3	15	<0.1	0.2	0.2	39	0.16	0.032	31
50MI11MGB0007	Soil	0.4	16.0	10.2	55	<0.1	17.3	7.8	243	2.52	3.7	1.0	7.8	12	<0.1	0.2	0.3	32	0.12	0.030	27
50MI11MGB0008	Soil	0.4	16.0	13.4	63	<0.1	18.9	10.0	359	2.98	4.5	0.9	8.0	11	<0.1	0.2	0.2	37	0.12	0.032	29
50MI11MGB0009	Soil	0.5	18.0	12.3	58	<0.1	18.4	8.2	281	2.82	4.4	1.2	5.9	13	<0.1	0.2	0.2	37	0.11	0.037	31
50MI11MGB0010	Soil	0.3	13.9	9.0	52	<0.1	15.9	7.9	269	2.37	3.3	0.7	6.7	10	<0.1	0.2	0.1	31	0.12	0.035	23
50MI11MGB0011	Soil	0.5	15.0	11.7	59	<0.1	17.6	8.0	236	2.73	5.4	2.2	5.4	12	<0.1	0.2	0.2	39	0.13	0.032	23
50MI11MGB0012	Soil	0.6	24.8	14.0	72	0.2	116.0	17.1	512	3.09	6.9	2.6	6.7	33	0.1	0.4	0.2	34	0.37	0.055	35
50MI11MGB0013	Soil	0.5	15.7	7.7	55	0.1	14.9	11.4	607	2.89	5.3	7.2	3.8	31	0.1	0.8	0.1	49	0.63	0.064	20
50MI11MGB0014	Soil	0.5	15.2	6.8	53	<0.1	14.4	9.7	448	2.61	7.6	<0.5	3.1	46	0.1	1.1	0.1	37	1.09	0.060	15
50MI11MGB0015	Soil	0.4	15.8	9.0	63	<0.1	18.4	9.1	225	2.06	3.8	1.4	6.1	16	0.1	0.3	0.1	29	0.33	0.035	24
50MI11MGB0016	Soil	0.5	16.1	6.7	48	<0.1	15.4	6.0	260	1.80	6.5	2.0	1.8	40	0.1	0.4	0.1	38	0.60	0.059	11
50MI11MGB0017	Soil	0.6	17.0	8.2	53	<0.1	17.2	6.8	259	2.05	7.0	1.2	3.1	32	0.1	0.5	0.1	44	0.45	0.053	12
50MI11MGB0018	Soil	0.7	22.9	7.6	55	0.1	19.7	8.2	282	2.15	8.3	1.8	2.9	32	0.2	0.5	0.1	44	0.51	0.061	13
50MI11MGB0019	Soil	0.6	18.4	6.8	45	<0.1	16.8	7.7	413	1.96	7.6	1.3	2.2	39	0.2	0.5	<0.1	42	0.63	0.070	12
50MI11MGB0020	Soil	0.7	24.4	7.8	52	0.1	20.8	9.2	331	2.34	9.9	0.6	3.1	32	0.2	0.6	0.1	48	0.49	0.061	13
50MI11MGB0021	Soil	0.7	26.3	8.0	57	0.1	22.9	8.4	318	2.21	8.8	1.3	3.4	30	0.3	0.6	0.1	45	0.50	0.066	14
50MI11MGB0022	Soil	0.7	21.6	8.5	45	<0.1	17.7	7.2	260	2.20	8.6	2.9	2.4	32	0.2	0.5	0.1	48	0.47	0.059	13
50MI11MGB0023	Soil	0.6	24.4	8.2	51	<0.1	19.3	8.3	313	2.22	9.6	1.6	3.2	29	0.2	0.6	0.1	45	0.44	0.055	14
50MI11MGB0024	Soil	0.6	26.4	8.3	55	0.1	23.2	10.2	394	2.30	9.2	1.6	3.6	29	0.2	0.5	0.1	46	0.44	0.065	16

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**

Project: 50 Mile (YK)
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI11001929.2

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
50MI11AN0097	Soil		48	0.77	118	0.094	2	1.89	0.013	0.05	<0.1	<0.01	3.5	<0.1	<0.05	6	<0.5	<0.2
50MI11AN0098	Soil		53	0.71	195	0.065	1	2.54	0.015	0.06	0.1	0.02	4.1	<0.1	<0.05	7	<0.5	<0.2
50MI11AN0099	Soil		29	0.54	160	0.061	<1	1.82	0.015	0.04	<0.1	0.02	3.8	<0.1	<0.05	6	<0.5	<0.2
50MI11AN0100	Soil		31	0.56	160	0.079	1	1.95	0.014	0.04	<0.1	<0.01	3.6	<0.1	<0.05	6	<0.5	<0.2
50MI11AN0101	Soil		29	0.54	151	0.071	<1	1.84	0.014	0.04	0.1	0.02	3.5	<0.1	<0.05	6	<0.5	<0.2
50MI11AN0102	Soil		44	0.59	179	0.074	1	1.88	0.013	0.05	0.1	0.02	4.2	<0.1	<0.05	6	<0.5	<0.2
50MI11MGB0001	Soil		25	0.44	158	0.065	1	1.71	0.010	0.12	0.1	0.03	2.6	0.2	<0.05	5	<0.5	<0.2
50MI11MGB0002	Soil		27	0.52	176	0.103	1	1.79	0.011	0.16	0.1	0.03	2.9	0.2	<0.05	6	<0.5	<0.2
50MI11MGB0003	Soil		30	0.71	146	0.172	<1	1.95	0.010	0.73	<0.1	0.02	3.2	0.5	<0.05	7	<0.5	<0.2
50MI11MGB0004	Soil		39	0.82	129	0.228	<1	2.01	0.008	0.90	<0.1	<0.01	4.5	0.6	<0.05	8	<0.5	<0.2
50MI11MGB0005	Soil		27	0.51	133	0.104	1	1.73	0.007	0.34	<0.1	0.02	2.8	0.3	<0.05	6	<0.5	<0.2
50MI11MGB0006	Soil		28	0.51	144	0.101	<1	1.51	0.009	0.30	<0.1	0.02	2.6	0.2	<0.05	5	<0.5	<0.2
50MI11MGB0007	Soil		23	0.51	134	0.120	<1	1.54	0.006	0.42	<0.1	0.01	2.3	0.3	<0.05	5	<0.5	<0.2
50MI11MGB0008	Soil		26	0.55	143	0.133	<1	1.70	0.007	0.44	<0.1	<0.01	2.6	0.3	<0.05	6	<0.5	<0.2
50MI11MGB0009	Soil		25	0.51	147	0.122	1	1.66	0.008	0.45	<0.1	0.03	2.4	0.3	<0.05	6	<0.5	<0.2
50MI11MGB0010	Soil		22	0.47	119	0.116	<1	1.31	0.006	0.37	<0.1	<0.01	2.1	0.3	<0.05	5	<0.5	<0.2
50MI11MGB0011	Soil		24	0.51	107	0.113	<1	1.63	0.008	0.33	<0.1	0.02	2.2	0.3	<0.05	6	<0.5	<0.2
50MI11MGB0012	Soil		96	0.68	263	0.068	<1	1.69	0.010	0.31	<0.1	0.05	4.6	0.3	<0.05	5	<0.5	<0.2
50MI11MGB0013	Soil		23	0.53	365	0.046	<1	1.61	0.011	0.12	0.1	0.07	7.1	0.1	<0.05	5	<0.5	<0.2
50MI11MGB0014	Soil		22	0.28	531	0.009	<1	0.94	0.013	0.10	<0.1	0.05	7.2	<0.1	0.07	3	<0.5	<0.2
50MI11MGB0015	Soil		21	0.46	236	0.098	<1	1.29	0.008	0.28	0.1	0.03	2.5	0.2	<0.05	4	<0.5	<0.2
50MI11MGB0016	Soil		21	0.41	222	0.048	<1	1.13	0.020	0.05	0.2	0.03	2.5	<0.1	0.08	4	<0.5	<0.2
50MI11MGB0017	Soil		26	0.47	272	0.063	1	1.54	0.020	0.05	0.1	0.03	3.1	<0.1	<0.05	4	<0.5	<0.2
50MI11MGB0018	Soil		24	0.43	268	0.057	<1	1.24	0.018	0.06	0.2	0.02	3.1	<0.1	0.06	4	<0.5	<0.2
50MI11MGB0019	Soil		23	0.40	235	0.052	1	1.19	0.018	0.05	0.2	0.03	2.8	<0.1	<0.05	4	<0.5	<0.2
50MI11MGB0020	Soil		25	0.47	269	0.057	<1	1.32	0.019	0.05	0.2	0.03	3.3	<0.1	<0.05	4	<0.5	<0.2
50MI11MGB0021	Soil		24	0.45	300	0.060	<1	1.26	0.019	0.06	0.2	0.02	3.4	<0.1	<0.05	4	<0.5	<0.2
50MI11MGB0022	Soil		25	0.39	254	0.053	<1	1.46	0.016	0.05	0.2	0.03	3.3	<0.1	<0.05	4	<0.5	<0.2
50MI11MGB0023	Soil		24	0.42	239	0.051	<1	1.26	0.016	0.06	0.2	0.03	3.2	<0.1	<0.05	4	<0.5	<0.2
50MI11MGB0024	Soil		26	0.46	263	0.057	<1	1.39	0.016	0.06	0.2	0.03	3.6	<0.1	<0.05	4	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**

Project: 50 Mile (YK)
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI11001929.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
50MI11MGB0025	Soil	0.6	16.8	23.4	56	<0.1	16.6	8.4	305	2.67	10.9	1.2	9.7	22	0.1	0.3	0.2	51	0.33	0.062	33
50MI11MGB0026	Soil	0.6	18.5	24.1	80	0.1	22.7	12.8	578	3.25	8.3	<0.5	8.3	24	0.3	0.4	0.2	66	0.43	0.087	28
50MI11MGB0027	Soil	1.0	15.6	14.6	54	0.2	14.2	7.0	292	2.86	9.7	<0.5	7.4	14	0.1	0.4	0.4	57	0.15	0.035	24
50MI11MGB0028	Soil	0.7	17.0	15.0	55	<0.1	14.4	7.7	359	2.76	8.0	0.6	10.4	17	0.1	0.4	0.2	45	0.27	0.067	31
50MI11MGB0029	Soil	0.6	16.9	12.8	58	<0.1	17.4	8.6	302	2.73	9.1	1.4	10.0	18	0.1	0.5	0.2	53	0.25	0.040	31
50MI11MGB0030	Soil	0.7	14.4	16.5	65	<0.1	16.3	7.8	293	3.16	9.3	0.5	8.5	11	0.2	0.6	0.3	63	0.19	0.050	18
50MI11MGB0031	Soil	0.6	23.6	17.2	86	<0.1	23.8	11.9	442	3.77	7.1	1.0	13.0	16	0.2	0.9	0.2	70	0.33	0.096	32
50MI11MGB0032	Soil	0.6	17.2	24.4	68	<0.1	38.2	12.7	331	3.34	7.2	<0.5	8.5	10	0.1	1.6	0.2	62	0.17	0.035	22
50MI11MGB0033	Soil	1.1	13.7	77.0	102	0.1	16.9	8.9	392	3.51	17.7	0.6	6.7	13	0.2	8.5	0.5	64	0.18	0.074	27
50MI11MGB0034	Soil	0.6	12.6	8.1	22	0.1	5.7	2.5	106	1.17	3.7	<0.5	0.2	11	0.2	0.2	0.2	27	0.09	0.039	9
50MI11MGB0035	Soil	0.7	13.2	19.0	60	<0.1	15.3	9.0	444	2.72	10.1	2.4	5.2	12	0.2	0.5	0.2	55	0.17	0.046	14
50MI11MGB0036	Soil	0.7	20.5	10.6	55	<0.1	19.6	9.1	375	2.96	7.6	2.8	7.1	17	<0.1	0.4	0.1	63	0.23	0.058	28
50MI11LA0001	Soil	0.9	16.8	11.8	52	0.1	15.3	7.4	318	2.44	6.5	2.5	6.1	17	0.1	0.6	0.2	44	0.24	0.054	32
50MI11LA0002	Soil	0.6	18.1	20.0	78	<0.1	19.4	9.0	421	3.06	5.0	0.8	15.1	19	0.1	0.3	0.3	45	0.38	0.072	66
50MI11LA0003	Soil	1.1	18.1	39.6	91	<0.1	15.1	9.4	572	2.90	7.4	<0.5	15.2	13	0.2	0.5	0.3	44	0.24	0.084	45
50MI11LA0004	Soil	1.0	13.3	300.9	172	0.6	15.4	10.1	1502	3.01	49.8	4.0	13.2	14	0.4	2.4	0.8	41	0.26	0.082	45
50MI11LA0005	Soil	0.9	11.7	264.6	140	2.9	13.8	9.2	325	2.70	23.3	4.5	8.8	13	0.4	2.5	1.1	44	0.21	0.068	26
50MI11LA0006	Soil	1.3	21.0	45.3	107	0.3	20.6	9.9	333	2.78	11.4	3.7	13.7	16	0.3	1.2	0.4	47	0.25	0.080	36
50MI11LA0007	Soil	1.0	13.5	55.7	103	0.4	18.8	10.2	856	2.76	13.1	2.9	9.9	27	0.4	1.4	0.7	44	0.45	0.079	27
50MI11LA0008	Soil	0.7	23.8	37.3	104	0.5	18.6	7.7	548	2.27	21.5	3.5	2.5	54	0.5	0.7	0.6	45	0.67	0.065	15
50MI11LA0009	Soil	0.4	7.5	19.0	37	0.1	5.4	2.8	145	1.13	7.0	1.3	1.5	10	0.2	0.3	0.2	25	0.06	0.019	5
50MI11LA0010	Soil	0.8	9.7	29.3	39	0.2	7.6	4.1	225	2.48	6.8	1.5	1.6	12	0.2	0.4	0.4	53	0.07	0.028	6
50MI11LA0011	Soil	0.8	17.3	71.1	168	0.4	19.1	10.9	1055	2.85	21.6	7.3	8.0	17	0.7	0.9	0.9	50	0.20	0.063	20
50MI11LA0012	Soil	2.0	19.1	45.0	145	0.5	19.2	11.5	1174	3.12	19.2	8.2	5.4	29	0.2	1.0	0.8	56	0.31	0.067	21
50MI11LA0013	Soil	0.7	14.9	12.8	63	0.1	16.3	7.2	277	2.54	7.4	1.9	3.5	22	0.1	0.5	0.4	53	0.22	0.060	16
50MI11LA0014	Soil	0.8	16.5	12.3	61	<0.1	16.6	7.1	330	2.67	7.2	3.2	2.9	19	<0.1	0.5	0.4	59	0.18	0.050	17
50MI11LA0015	Soil	0.9	18.1	11.7	59	<0.1	20.1	9.7	508	2.84	7.9	4.8	4.0	20	0.2	0.6	0.4	64	0.22	0.060	15
50MI11LA0016	Soil	0.9	21.5	13.0	66	<0.1	24.7	10.8	435	3.05	8.1	3.0	7.2	21	0.1	0.6	0.4	67	0.26	0.061	23
50MI11LA0017	Soil	0.3	3.7	1.8	10	<0.1	1.4	1.0	49	0.57	0.8	0.6	<0.1	9	<0.1	<0.1	<0.1	16	0.05	0.030	3
50MI11LA0018	Soil	1.2	24.0	12.0	70	<0.1	29.6	12.3	427	3.30	11.0	1.3	17.0	15	0.3	0.8	0.3	71	0.14	0.030	32

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**

Project: 50 Mile (YK)
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI11001929.2

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
50MI11MGB0025	Soil	27	0.59	180	0.090	<1	1.66	0.014	0.12	0.2	0.01	3.6	0.1	<0.05	6	<0.5	<0.2
50MI11MGB0026	Soil	39	0.77	221	0.126	<1	1.90	0.016	0.19	0.2	0.02	4.2	0.2	<0.05	8	<0.5	<0.2
50MI11MGB0027	Soil	24	0.49	164	0.076	<1	2.01	0.016	0.10	0.1	0.01	2.8	0.2	<0.05	8	<0.5	<0.2
50MI11MGB0028	Soil	24	0.53	161	0.071	<1	1.76	0.010	0.10	0.1	0.02	2.5	0.1	<0.05	7	<0.5	<0.2
50MI11MGB0029	Soil	31	0.59	196	0.089	<1	1.77	0.013	0.08	0.1	<0.01	3.7	0.1	<0.05	6	<0.5	<0.2
50MI11MGB0030	Soil	28	0.68	89	0.111	<1	1.94	0.009	0.13	0.1	<0.01	2.8	0.2	<0.05	8	<0.5	<0.2
50MI11MGB0031	Soil	43	1.06	148	0.150	<1	2.40	0.009	0.37	0.1	<0.01	4.2	0.3	<0.05	9	<0.5	<0.2
50MI11MGB0032	Soil	82	1.17	104	0.142	<1	2.31	0.009	0.19	0.1	<0.01	3.2	0.2	<0.05	8	<0.5	<0.2
50MI11MGB0033	Soil	33	0.73	113	0.073	<1	2.20	0.009	0.18	0.1	<0.01	3.1	0.2	<0.05	10	<0.5	<0.2
50MI11MGB0034	Soil	11	0.15	77	0.028	<1	0.79	0.020	0.06	<0.1	0.02	0.7	<0.1	0.07	4	<0.5	<0.2
50MI11MGB0035	Soil	26	0.50	98	0.079	<1	1.66	0.010	0.11	0.1	0.01	2.7	0.1	<0.05	6	<0.5	<0.2
50MI11MGB0036	Soil	29	0.60	159	0.075	<1	1.99	0.013	0.09	0.1	0.02	3.9	0.2	<0.05	7	<0.5	<0.2
50MI11LA0001	Soil	24	0.41	141	0.038	<1	1.44	0.011	0.08	0.1	0.02	2.9	0.1	<0.05	5	<0.5	<0.2
50MI11LA0002	Soil	38	0.61	143	0.054	<1	1.96	0.012	0.20	0.2	0.01	3.3	0.2	0.06	8	<0.5	<0.2
50MI11LA0003	Soil	26	0.54	83	0.056	<1	1.62	0.009	0.11	0.2	<0.01	2.6	0.1	0.05	7	<0.5	<0.2
50MI11LA0004	Soil	25	0.48	91	0.051	<1	1.43	0.008	0.15	0.2	0.02	2.6	0.2	<0.05	5	<0.5	<0.2
50MI11LA0005	Soil	24	0.44	127	0.036	<1	1.63	0.009	0.07	0.1	0.03	3.0	0.2	<0.05	5	<0.5	<0.2
50MI11LA0006	Soil	32	0.59	189	0.056	2	1.90	0.014	0.09	0.2	0.04	4.3	0.2	<0.05	6	<0.5	<0.2
50MI11LA0007	Soil	29	0.57	166	0.039	2	1.50	0.013	0.09	0.2	0.04	3.1	0.2	<0.05	6	0.5	<0.2
50MI11LA0008	Soil	23	0.37	354	0.040	1	1.76	0.028	0.05	0.2	0.05	3.7	0.1	<0.05	5	0.6	<0.2
50MI11LA0009	Soil	9	0.14	67	0.039	1	0.92	0.024	0.03	<0.1	0.02	1.4	<0.1	<0.05	3	<0.5	<0.2
50MI11LA0010	Soil	16	0.17	87	0.051	<1	1.47	0.013	0.04	0.1	0.06	1.5	0.1	<0.05	6	<0.5	<0.2
50MI11LA0011	Soil	30	0.45	154	0.052	2	1.94	0.010	0.08	0.2	0.06	4.0	0.2	<0.05	5	<0.5	<0.2
50MI11LA0012	Soil	33	0.49	249	0.041	1	2.23	0.017	0.08	0.2	0.05	5.7	0.3	<0.05	6	0.6	<0.2
50MI11LA0013	Soil	30	0.58	185	0.064	1	1.99	0.013	0.07	0.5	0.04	3.8	0.2	<0.05	7	<0.5	<0.2
50MI11LA0014	Soil	29	0.59	171	0.071	<1	1.89	0.012	0.09	0.2	0.03	3.2	0.2	<0.05	7	<0.5	<0.2
50MI11LA0015	Soil	32	0.62	192	0.083	1	1.83	0.015	0.08	0.5	0.03	3.4	0.2	<0.05	7	<0.5	<0.2
50MI11LA0016	Soil	40	0.72	230	0.094	1	2.10	0.014	0.13	1.2	0.04	5.1	0.2	<0.05	7	0.7	<0.2
50MI11LA0017	Soil	4	0.03	29	0.023	<1	0.20	0.023	0.03	1.0	0.03	0.4	<0.1	<0.05	2	<0.5	<0.2
50MI11LA0018	Soil	36	0.58	132	0.098	2	2.50	0.011	0.09	0.2	0.04	4.1	0.1	<0.05	7	0.7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**

Project: 50 Mile (YK)
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI11001929.2

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
50MI11LA0019	Soil		1.2	18.3	13.8	64	0.1	19.7	10.2	840	3.35	7.2	1.4	14.3	15	0.2	1.0	0.7	65	0.16	0.050	37
50MI11LA0020	Soil		0.9	14.2	21.9	57	0.1	14.0	9.3	386	2.51	7.2	2.9	9.7	23	0.2	0.8	0.5	52	0.26	0.049	25
50MI11LA0021	Soil		1.0	16.2	9.3	53	0.1	16.3	9.6	614	2.57	7.8	3.4	4.3	14	0.1	0.5	0.2	57	0.14	0.070	22
50MI11LA0022	Soil		1.0	18.8	10.8	53	<0.1	18.4	8.2	342	2.68	9.0	5.5	6.5	14	0.2	0.6	0.3	61	0.14	0.047	22
50MI11LA0023	Soil		1.0	18.9	10.6	60	<0.1	19.7	9.1	446	2.76	8.4	3.6	8.5	17	0.3	0.5	0.3	65	0.19	0.059	32
50MI11LA0024	Soil		0.9	18.8	10.4	63	<0.1	19.7	9.4	496	2.80	8.6	3.4	9.2	17	0.2	0.5	0.4	63	0.19	0.056	27
50MI11LA0025	Soil		1.2	15.0	11.4	50	<0.1	13.9	7.2	395	2.95	9.4	2.4	8.2	12	0.2	0.6	0.5	69	0.11	0.042	14
50MI11LA0026	Soil		1.4	20.2	14.3	66	0.1	17.1	10.6	1007	2.64	8.4	1.5	8.8	18	0.3	0.6	0.4	56	0.15	0.057	40
50MI11LA0027	Soil		1.0	21.1	11.0	66	<0.1	24.4	11.3	481	2.90	9.7	7.3	19.4	18	0.3	0.6	0.3	62	0.22	0.060	24
50MI11LA0028	Soil		0.9	16.4	38.5	55	0.2	18.1	9.1	281	2.35	10.4	4.7	10.3	12	0.4	0.6	0.2	50	0.11	0.023	29
50MI11LA0029	Soil		1.6	17.2	119.9	100	0.8	17.7	11.5	479	3.52	29.3	4.4	7.3	15	0.5	0.9	0.6	75	0.12	0.039	13
50MI11LA0030	Soil		0.8	17.1	62.5	76	0.3	20.0	7.7	343	2.37	17.9	0.8	7.3	17	0.4	0.6	0.3	50	0.18	0.043	15
50MI11LA0031	Soil		0.8	14.2	45.5	68	0.2	12.8	5.8	370	1.80	15.3	4.4	3.7	19	0.3	0.5	0.2	39	0.19	0.038	15
50MI11LA0032	Soil		0.8	10.9	51.6	72	0.3	12.6	4.8	212	1.86	16.5	2.6	2.5	16	0.3	0.6	0.2	45	0.12	0.033	14
50MI11LA0033	Soil		0.8	12.8	54.1	71	0.2	13.3	5.0	222	1.84	16.4	3.7	3.9	13	0.3	0.4	0.3	40	0.12	0.035	18
50MI11LA0034	Soil		0.7	13.3	42.4	59	0.4	11.8	4.3	153	1.63	11.5	4.1	1.5	17	0.2	0.4	0.3	34	0.13	0.038	14
50MI11LA0035	Soil		0.9	12.5	42.0	72	0.4	15.6	8.4	436	2.05	13.1	3.9	2.8	22	0.3	0.5	0.3	45	0.19	0.050	19
50MI11LA0036	Soil		2.6	14.9	36.7	86	0.3	21.4	12.9	669	2.63	20.2	1.6	5.2	22	0.3	1.2	0.3	48	0.21	0.054	19
50MI11MGB0037	Soil		0.9	12.2	12.9	43	<0.1	13.9	7.4	247	3.14	8.3	0.8	8.1	11	<0.1	0.6	0.3	73	0.11	0.034	25
50MI11MGB0038	Soil		0.9	11.2	11.3	39	<0.1	15.0	8.2	226	2.92	10.3	1.1	8.0	15	0.1	0.6	0.2	57	0.12	0.035	15
50MI11MGB0039	Soil		1.4	13.5	16.7	56	<0.1	12.6	7.6	402	2.81	11.8	1.9	5.4	12	0.1	0.7	0.3	65	0.12	0.061	13
50MI11MGB0040	Soil		1.2	17.7	20.1	61	0.3	17.6	6.6	247	2.65	12.1	0.8	6.9	17	0.2	0.7	0.4	57	0.17	0.049	28
50MI11MGB0041	Soil		1.0	8.9	43.1	40	0.3	7.7	5.3	340	1.93	6.1	0.8	3.2	10	0.2	0.5	0.3	43	0.10	0.041	11
50MI11MGB0042	Soil		1.1	19.3	126.5	129	0.7	16.3	8.1	233	2.95	58.6	7.1	6.5	22	0.4	1.2	4.5	53	0.24	0.084	35
50MI11MGB0043	Soil		0.8	21.3	17.8	54	0.2	17.8	7.0	244	2.50	16.1	1.0	5.1	25	0.3	0.5	0.6	53	0.22	0.049	29
50MI11MGB0044	Soil		1.2	20.6	23.2	54	0.1	19.0	8.3	302	2.47	14.5	6.0	9.5	30	0.1	0.5	0.3	53	0.32	0.054	27
50MI11MGB0045	Soil		2.3	12.1	24.6	61	0.2	14.4	7.6	341	2.79	20.2	2.0	7.6	16	0.3	0.4	0.5	58	0.13	0.057	24
50MI11MGB0046	Soil		1.5	24.4	32.7	73	0.2	21.9	13.3	755	3.62	35.4	2.0	10.1	32	0.3	0.6	0.8	68	0.30	0.059	54
50MI11MGB0047	Soil		0.9	19.0	17.4	65	<0.1	22.7	11.3	346	3.45	15.0	1.5	7.8	20	0.1	0.7	0.3	72	0.17	0.028	13
50MI11MGB0048	Soil		2.3	33.0	10.8	87	0.6	26.4	9.2	257	2.84	6.0	3.6	2.0	19	0.4	0.3	0.3	74	0.16	0.056	14

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**

Project: 50 Mile (YK)
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI11001929.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
50MI11LA0019	Soil	30	0.56	137	0.082	2	1.90	0.011	0.15	0.3	0.03	3.9	0.3	<0.05	7	<0.5	<0.2
50MI11LA0020	Soil	28	0.56	206	0.047	<1	1.65	0.014	0.11	1.1	0.04	4.0	0.3	<0.05	6	<0.5	<0.2
50MI11LA0021	Soil	28	0.53	172	0.061	<1	1.79	0.011	0.05	0.2	0.03	2.5	0.1	<0.05	5	<0.5	<0.2
50MI11LA0022	Soil	30	0.55	145	0.087	1	1.89	0.012	0.06	0.2	0.05	3.1	0.1	<0.05	6	<0.5	<0.2
50MI11LA0023	Soil	31	0.59	211	0.090	2	1.73	0.011	0.07	0.4	0.03	3.0	0.1	<0.05	6	0.5	<0.2
50MI11LA0024	Soil	31	0.60	210	0.093	1	1.76	0.012	0.08	0.5	0.04	3.4	0.1	<0.05	6	<0.5	<0.2
50MI11LA0025	Soil	25	0.41	111	0.105	<1	1.63	0.012	0.06	0.5	0.04	2.4	0.1	<0.05	8	0.5	<0.2
50MI11LA0026	Soil	27	0.49	254	0.075	1	1.83	0.019	0.08	0.4	0.05	2.8	0.2	<0.05	7	0.6	<0.2
50MI11LA0027	Soil	31	0.56	237	0.089	2	2.19	0.013	0.08	0.9	0.07	2.9	0.1	0.05	6	<0.5	<0.2
50MI11LA0028	Soil	24	0.39	108	0.070	1	1.81	0.013	0.06	0.1	0.06	2.4	0.1	<0.05	5	<0.5	<0.2
50MI11LA0029	Soil	30	0.44	137	0.061	<1	2.16	0.009	0.07	0.2	0.08	2.5	0.2	<0.05	8	0.5	<0.2
50MI11LA0030	Soil	23	0.48	122	0.074	1	1.43	0.010	0.07	0.2	0.05	2.3	<0.1	<0.05	4	<0.5	<0.2
50MI11LA0031	Soil	19	0.33	144	0.051	1	1.12	0.013	0.07	0.2	0.03	1.9	<0.1	<0.05	4	<0.5	<0.2
50MI11LA0032	Soil	19	0.33	112	0.052	<1	1.06	0.010	0.06	0.2	0.04	1.5	<0.1	<0.05	4	<0.5	<0.2
50MI11LA0033	Soil	20	0.36	125	0.050	<1	1.27	0.012	0.06	0.1	0.04	1.9	<0.1	<0.05	4	<0.5	<0.2
50MI11LA0034	Soil	20	0.33	166	0.039	<1	1.37	0.015	0.06	0.1	0.05	1.8	0.1	<0.05	5	<0.5	<0.2
50MI11LA0035	Soil	23	0.44	236	0.041	1	1.58	0.013	0.07	0.2	0.07	2.6	0.1	<0.05	5	<0.5	<0.2
50MI11LA0036	Soil	27	0.52	208	0.041	1	1.49	0.010	0.07	0.1	0.04	2.8	0.1	<0.05	4	0.7	<0.2
50MI11MGB0037	Soil	25	0.55	85	0.067	1	1.94	0.007	0.07	0.1	0.04	2.6	0.1	<0.05	9	0.6	<0.2
50MI11MGB0038	Soil	28	0.47	89	0.096	<1	2.67	0.010	0.07	0.2	0.06	3.0	0.1	<0.05	6	<0.5	<0.2
50MI11MGB0039	Soil	22	0.43	88	0.079	1	1.64	0.009	0.09	0.1	0.03	2.1	<0.1	<0.05	8	<0.5	<0.2
50MI11MGB0040	Soil	26	0.57	193	0.079	<1	1.93	0.017	0.12	0.2	0.05	3.0	0.1	<0.05	8	<0.5	<0.2
50MI11MGB0041	Soil	14	0.28	74	0.058	1	1.02	0.014	0.07	0.1	0.03	1.5	<0.1	<0.05	6	<0.5	<0.2
50MI11MGB0042	Soil	27	0.57	179	0.044	1	1.97	0.012	0.10	0.2	0.06	3.4	0.2	<0.05	7	<0.5	<0.2
50MI11MGB0043	Soil	28	0.50	204	0.073	1	1.71	0.015	0.07	0.2	0.03	3.2	<0.1	<0.05	6	<0.5	<0.2
50MI11MGB0044	Soil	30	0.55	249	0.082	2	1.60	0.015	0.06	0.2	0.03	4.9	<0.1	<0.05	5	<0.5	<0.2
50MI11MGB0045	Soil	26	0.50	152	0.065	1	1.91	0.013	0.12	0.2	0.03	2.9	0.1	<0.05	7	<0.5	<0.2
50MI11MGB0046	Soil	37	0.61	297	0.055	<1	2.73	0.015	0.10	0.2	0.03	5.0	0.1	<0.05	9	<0.5	<0.2
50MI11MGB0047	Soil	38	0.60	156	0.088	1	2.43	0.015	0.07	0.2	0.02	3.8	0.1	<0.05	7	<0.5	<0.2
50MI11MGB0048	Soil	42	0.61	229	0.068	<1	1.59	0.011	0.06	0.2	0.05	2.4	0.1	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**

Project: 50 Mile (YK)
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI11001929.2

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
50MI11MGB0049	Soil		0.9	18.0	14.1	74	0.2	25.1	10.6	257	2.48	3.7	3.3	6.5	29	0.2	0.3	0.2	43	0.24	0.044	18
50MI11MGB0050	Soil		0.7	23.2	14.2	75	<0.1	29.5	12.0	245	3.06	5.3	4.3	9.6	26	<0.1	0.3	0.2	48	0.34	0.047	24
50MI11MGB0050 DUP	Soil		0.6	20.7	14.4	76	<0.1	31.2	13.1	253	3.32	5.4	1.4	9.5	28	<0.1	0.3	0.2	50	0.36	0.053	21
50MI11MGB0051	Soil		0.7	24.5	12.1	73	0.1	32.5	11.7	240	2.90	4.8	3.7	8.6	31	<0.1	0.3	0.2	46	0.39	0.051	25
50MI11MGB0052	Soil		0.9	28.2	13.7	80	0.2	35.3	14.7	316	3.13	4.2	3.0	9.2	30	0.1	0.3	0.2	49	0.35	0.049	33
50MI11MGB0053	Soil		0.7	26.9	14.8	45	0.3	24.9	8.4	176	2.29	3.8	1.4	3.3	41	0.1	0.3	0.2	36	0.32	0.047	43
50MI11MGB0054	Soil		0.6	20.6	10.8	58	<0.1	23.2	10.2	211	2.49	3.8	1.1	7.1	16	<0.1	0.2	0.2	44	0.13	0.024	18
50MI11MGB0055	Soil		1.0	24.4	13.0	68	<0.1	29.1	12.0	266	3.19	6.8	1.7	8.4	17	<0.1	0.4	0.2	63	0.14	0.023	21
50MI11MGB0056	Soil		1.3	18.4	12.7	54	<0.1	19.3	7.2	221	2.96	5.4	1.6	2.9	9	<0.1	0.4	0.2	56	0.06	0.052	10
50MI11MGB0057	Soil		0.7	11.3	9.2	25	<0.1	9.1	3.3	99	1.41	3.1	<0.5	1.2	11	<0.1	0.2	0.2	35	0.06	0.018	8
50MI11MGB0058	Soil		0.7	26.9	10.8	72	<0.1	27.3	12.0	296	2.94	7.5	2.0	7.2	21	0.1	0.5	0.2	56	0.20	0.049	22
50MI11MGB0059	Soil		0.8	19.4	12.8	56	0.1	21.0	7.0	198	2.38	6.4	3.1	2.0	17	<0.1	0.4	0.2	51	0.15	0.035	15
50MI11MGB0060	Soil		2.1	49.1	14.5	123	0.5	38.2	12.4	289	3.16	5.5	2.9	7.3	30	0.3	0.6	0.3	66	0.30	0.068	27
50MI11MGB0061	Soil		1.7	31.3	12.7	96	0.5	30.4	12.3	308	2.85	6.0	3.2	3.1	23	0.3	0.4	0.2	59	0.22	0.062	19
50MI11MGB0062	Soil		2.4	33.9	11.9	113	0.4	35.0	9.0	289	2.66	4.7	0.6	4.4	22	0.6	0.3	0.2	59	0.15	0.052	26
50MI11MGB0063	Soil		1.3	24.0	14.1	57	1.2	18.6	3.9	124	1.54	2.0	4.4	1.4	25	0.3	0.1	0.4	25	0.14	0.059	20
50MI11MGB0064	Soil		1.5	29.1	13.2	62	0.8	19.3	4.6	152	1.69	1.9	7.3	1.3	21	0.4	0.1	0.3	29	0.13	0.065	15
50MI11MGB0065	Soil		6.9	101.7	17.3	231	0.7	50.7	10.6	340	4.09	1.9	2.9	5.8	29	1.5	0.2	0.5	93	0.23	0.105	36
50MI11MGB0066	Soil		0.9	13.3	7.4	56	0.2	16.4	5.1	164	1.65	2.6	1.9	1.6	18	0.2	0.2	0.1	36	0.19	0.045	10
50MI11MGB0067	Soil		2.5	20.6	9.7	71	0.3	19.9	6.5	197	2.56	5.5	4.4	2.1	18	0.3	0.2	0.2	57	0.17	0.057	12
50MI11MGB0068	Soil		3.7	24.3	10.4	85	0.6	24.0	7.5	216	2.44	4.2	9.5	1.7	22	0.4	0.3	0.2	55	0.19	0.070	13
50MI11MGB0069	Soil		2.3	37.0	13.1	94	0.2	30.2	8.3	245	3.08	7.1	3.3	1.8	20	0.3	0.4	0.3	66	0.13	0.068	14
50MI11MGB0070	Soil		2.2	32.9	11.8	105	<0.1	30.2	11.5	377	3.27	6.3	1.5	2.5	20	0.3	0.4	0.3	71	0.13	0.056	15
50MI11MGB0071	Soil		3.8	48.8	13.7	124	0.2	35.5	11.0	415	3.39	6.7	2.1	3.2	21	0.4	0.5	0.3	78	0.10	0.061	16
50MI11AM0071	Soil		1.0	18.1	9.9	61	0.1	24.1	14.4	499	2.96	4.9	1.5	9.6	28	<0.1	0.3	0.5	69	0.42	0.059	45
50MI11AM0072	Soil		0.8	17.8	9.8	63	<0.1	20.5	9.0	527	2.52	6.4	10.5	17.6	24	0.2	0.5	0.4	55	0.27	0.060	63
50MI11AM0073	Soil		1.0	20.3	8.6	70	<0.1	23.7	10.6	540	2.92	6.4	3.6	21.1	17	0.1	0.5	0.5	62	0.22	0.070	48
50MI11AM0074	Soil		1.1	18.8	8.0	65	<0.1	22.4	10.9	351	2.83	6.1	7.0	17.9	18	0.2	0.5	0.3	66	0.25	0.063	40
50MI11AM0075	Soil		1.0	16.4	7.5	88	<0.1	18.8	9.0	420	2.61	6.6	6.2	17.0	17	0.2	0.4	0.5	53	0.22	0.053	42
50MI11AM0076	Soil		1.6	23.0	13.1	82	0.2	26.1	12.3	603	3.03	8.8	0.7	17.9	42	0.2	0.5	0.6	64	0.39	0.069	157

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**

Project: 50 Mile (YK)
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI11001929.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
50MI11MGB0049	Soil	35	0.59	140	0.110	<1	1.67	0.013	0.10	<0.1	0.03	2.3	0.1	<0.05	6	0.5	<0.2
50MI11MGB0050	Soil	41	0.70	171	0.107	<1	1.81	0.013	0.11	<0.1	0.02	3.1	0.1	<0.05	6	<0.5	<0.2
50MI11MGB0050 DUP	Soil	46	0.73	176	0.114	<1	1.85	0.011	0.11	0.1	0.02	2.9	0.2	<0.05	6	<0.5	<0.2
50MI11MGB0051	Soil	43	0.72	174	0.120	<1	1.90	0.011	0.09	0.1	0.03	3.6	0.2	<0.05	6	<0.5	<0.2
50MI11MGB0052	Soil	47	0.75	191	0.130	1	2.19	0.013	0.12	<0.1	0.03	3.9	0.2	<0.05	7	0.7	<0.2
50MI11MGB0053	Soil	28	0.40	230	0.059	<1	1.85	0.020	0.05	<0.1	0.05	3.0	0.1	<0.05	6	1.0	<0.2
50MI11MGB0054	Soil	33	0.62	111	0.118	<1	1.66	0.016	0.09	0.1	0.01	2.6	0.2	<0.05	6	<0.5	<0.2
50MI11MGB0055	Soil	41	0.68	156	0.122	1	2.20	0.013	0.10	0.1	0.02	3.5	0.2	<0.05	7	<0.5	<0.2
50MI11MGB0056	Soil	25	0.40	58	0.079	<1	1.43	0.010	0.08	<0.1	0.01	1.5	0.1	<0.05	7	<0.5	<0.2
50MI11MGB0057	Soil	14	0.21	64	0.072	1	0.94	0.016	0.05	<0.1	0.02	1.1	<0.1	<0.05	5	<0.5	<0.2
50MI11MGB0058	Soil	35	0.70	173	0.111	1	2.03	0.015	0.12	0.1	0.03	3.7	0.2	<0.05	6	<0.5	<0.2
50MI11MGB0059	Soil	28	0.54	123	0.076	2	1.54	0.012	0.08	0.1	0.03	2.0	0.1	<0.05	6	<0.5	<0.2
50MI11MGB0060	Soil	44	0.80	361	0.101	1	1.98	0.018	0.12	0.1	0.03	4.5	0.2	<0.05	6	1.3	<0.2
50MI11MGB0061	Soil	36	0.59	259	0.072	<1	1.91	0.011	0.07	0.1	0.04	3.0	0.2	<0.05	6	0.7	<0.2
50MI11MGB0062	Soil	38	0.61	232	0.096	1	1.46	0.019	0.13	0.1	0.02	2.3	0.2	<0.05	5	0.8	<0.2
50MI11MGB0063	Soil	23	0.40	187	0.034	<1	1.16	0.010	0.09	<0.1	0.06	1.8	0.2	0.06	5	1.4	<0.2
50MI11MGB0064	Soil	23	0.46	170	0.044	1	1.23	0.011	0.11	0.2	0.07	1.5	0.2	<0.05	5	1.5	<0.2
50MI11MGB0065	Soil	46	0.86	263	0.085	<1	1.96	0.008	0.32	0.1	0.02	3.9	0.3	<0.05	7	1.4	<0.2
50MI11MGB0066	Soil	26	0.54	178	0.052	<1	1.19	0.010	0.05	0.1	0.03	2.1	<0.1	<0.05	4	<0.5	<0.2
50MI11MGB0067	Soil	30	0.54	229	0.046	<1	1.40	0.009	0.06	0.1	0.03	2.4	0.1	<0.05	5	2.0	<0.2
50MI11MGB0068	Soil	31	0.59	273	0.050	<1	1.46	0.012	0.06	0.1	0.03	2.7	0.1	<0.05	5	1.8	<0.2
50MI11MGB0069	Soil	37	0.60	265	0.063	1	1.87	0.011	0.10	0.2	0.05	3.2	0.2	<0.05	6	1.1	<0.2
50MI11MGB0070	Soil	37	0.59	162	0.070	<1	1.74	0.008	0.11	0.1	0.02	2.7	0.2	<0.05	6	0.5	<0.2
50MI11MGB0071	Soil	33	0.56	227	0.069	<1	1.57	0.009	0.13	0.1	0.03	2.8	0.2	<0.05	7	1.1	<0.2
50MI11AM0071	Soil	42	0.82	269	0.119	1	1.90	0.019	0.11	1.0	0.04	3.9	0.2	<0.05	8	<0.5	<0.2
50MI11AM0072	Soil	26	0.56	210	0.085	1	1.61	0.016	0.09	0.9	0.03	3.0	0.1	<0.05	6	<0.5	<0.2
50MI11AM0073	Soil	30	0.61	168	0.106	<1	1.81	0.019	0.15	2.0	0.05	3.4	0.2	<0.05	8	<0.5	<0.2
50MI11AM0074	Soil	31	0.62	129	0.121	<1	1.62	0.020	0.11	2.2	0.05	3.2	0.2	<0.05	7	<0.5	<0.2
50MI11AM0075	Soil	24	0.58	132	0.114	<1	1.52	0.018	0.13	4.8	0.02	2.3	0.1	<0.05	8	<0.5	<0.2
50MI11AM0076	Soil	36	0.60	412	0.071	1	2.25	0.023	0.11	2.4	0.05	4.5	0.2	<0.05	8	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**

Project: 50 Mile (YK)
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI11001929.2

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
50MI11AM0077	Soil		1.1	15.2	7.9	81	<0.1	18.7	10.0	442	2.79	8.0	3.0	15.1	16	0.4	0.3	0.6	61	0.22	0.059	26
50MI11AM0078	Soil		0.8	10.7	5.3	53	<0.1	12.3	5.3	194	1.76	4.8	2.0	6.6	10	0.2	0.2	0.4	36	0.14	0.051	20
50MI11AM0079	Soil		0.6	10.7	3.9	41	<0.1	6.6	3.0	172	1.05	3.2	1.6	1.8	15	0.3	0.2	0.2	27	0.14	0.042	60
50MI11AM0080	Soil		1.3	14.7	10.7	64	<0.1	15.7	10.2	557	2.66	8.7	<0.5	16.8	14	0.3	0.3	0.7	49	0.45	0.131	32
50MI11AM0081	Soil		5.3	19.8	63.0	91	0.8	16.7	12.6	1029	2.93	33.4	2.8	5.8	24	0.4	0.6	0.5	64	0.20	0.064	45
50MI11AM0082	Soil		1.8	12.6	11.6	53	0.1	12.3	5.1	257	2.07	7.5	1.7	4.3	15	0.3	0.4	0.5	56	0.17	0.037	37
50MI11AM0083	Soil		1.5	27.4	10.6	90	<0.1	24.3	11.1	505	2.71	28.1	2.8	12.4	20	0.3	0.5	0.8	58	0.28	0.047	45
50MI11AM0084	Soil		1.7	12.2	15.1	76	0.1	10.9	5.6	328	3.15	10.9	0.9	3.1	14	0.8	0.4	0.3	78	0.12	0.045	11
50MI11AM0085	Soil		1.1	14.6	12.4	46	<0.1	17.2	7.8	245	2.88	7.9	2.1	9.2	11	0.2	0.4	0.2	58	0.12	0.038	21
50MI11AM0086	Soil		0.7	18.6	10.5	66	<0.1	17.9	12.4	461	4.44	7.7	0.8	10.4	13	0.2	0.3	0.3	88	0.22	0.097	29
50MI11AM0087	Soil		0.6	26.9	10.9	78	<0.1	57.0	15.6	409	3.09	5.0	0.6	6.1	28	0.2	0.2	0.1	54	0.41	0.113	23
50MI11AM0088	Soil		1.1	39.1	10.9	85	0.1	45.8	15.4	366	3.36	6.2	1.9	4.7	25	0.2	0.3	0.2	63	0.36	0.123	26
50MI11AM0089	Soil		1.3	27.7	10.0	70	0.1	30.7	8.4	251	2.83	4.4	1.9	1.8	23	0.2	0.2	0.2	58	0.18	0.067	24
50MI11AM0090	Soil		0.7	13.3	7.5	39	0.2	14.0	5.0	192	1.71	2.6	<0.5	0.4	10	0.2	0.2	0.1	34	0.09	0.050	10
50MI11AM0091	Soil		1.4	50.4	23.0	133	<0.1	59.3	25.8	895	4.34	4.7	0.6	8.4	25	0.3	0.2	0.2	81	0.44	0.168	43
50MI11AM0092	Soil		1.3	31.6	14.4	71	0.2	30.1	11.0	402	3.29	5.3	0.9	1.9	15	0.2	0.3	0.3	71	0.13	0.063	20
50MI11AM0093	Soil		1.4	42.4	18.2	87	0.1	38.1	14.5	498	3.62	5.2	2.5	4.3	17	0.2	0.4	0.2	68	0.17	0.059	23
50MI11AM0094	Soil		0.9	24.2	10.0	44	0.3	15.9	6.0	165	1.72	3.6	1.6	1.0	20	0.2	0.2	0.2	35	0.15	0.058	26
50MI11AM0095	Soil		0.6	27.4	11.1	69	<0.1	30.1	12.8	347	2.86	4.9	1.9	6.7	20	0.1	0.3	0.1	54	0.27	0.061	25
50MI11AM0096	Soil		0.9	25.6	11.2	71	0.2	28.3	12.3	428	2.97	5.4	2.3	4.6	24	0.1	0.3	0.2	56	0.31	0.062	23
50MI11AM0097	Soil		0.6	23.1	11.3	71	<0.1	24.3	11.3	281	2.77	6.1	2.0	4.4	21	<0.1	0.3	0.2	55	0.23	0.056	20
50MI11AM0098	Soil		0.5	15.1	12.2	62	0.1	21.9	8.9	204	2.64	5.2	0.8	3.8	19	0.1	0.2	0.2	51	0.21	0.042	19
50MI11AM0099	Soil		0.7	17.1	12.2	70	<0.1	21.5	10.0	335	2.67	5.0	0.6	3.3	12	<0.1	0.3	0.2	51	0.11	0.034	17
50MI11AM0100	Soil		0.8	28.3	15.8	69	0.3	33.0	12.4	414	3.24	6.3	2.2	5.1	42	0.2	0.4	0.2	48	0.52	0.053	45
50MI11AM0100 DUP	Soil		0.8	27.5	15.6	66	0.3	31.1	12.0	391	3.03	5.9	3.4	5.1	41	0.2	0.4	0.2	49	0.48	0.054	44
50MI11AM0101	Soil		0.8	20.6	13.1	58	<0.1	21.3	8.6	232	2.81	6.4	<0.5	6.2	17	<0.1	0.3	0.1	55	0.15	0.019	22
50MI11AM0102	Soil		0.7	26.0	12.1	62	<0.1	26.3	11.7	355	2.85	5.6	1.9	8.1	24	<0.1	0.4	0.1	50	0.23	0.017	29
50MI11AM0103	Soil		0.5	33.7	20.7	88	<0.1	39.4	15.9	391	4.14	4.8	1.0	13.7	19	<0.1	0.3	0.2	58	0.15	0.017	38
50MI11AM0104	Soil		0.6	21.6	11.7	56	<0.1	23.4	10.2	275	2.81	6.5	2.0	6.5	19	<0.1	0.4	0.1	55	0.20	0.021	20
50MI11AM0105	Soil		0.8	23.2	13.4	59	<0.1	28.9	10.8	264	3.00	6.3	1.7	6.8	27	<0.1	0.3	0.2	62	0.32	0.029	26

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**

Project: 50 Mile (YK)
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI11001929.2

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
50MI11AM0077	Soil		29	0.57	133	0.107	2	1.67	0.015	0.13	1.3	0.04	2.4	0.1	0.11	7	0.8	<0.2
50MI11AM0078	Soil		17	0.32	68	0.065	2	0.94	0.013	0.09	2.3	0.03	1.2	<0.1	0.10	5	0.7	<0.2
50MI11AM0079	Soil		11	0.15	111	0.035	<1	0.66	0.025	0.05	0.3	0.05	0.8	<0.1	0.09	3	0.8	<0.2
50MI11AM0080	Soil		29	0.77	188	0.099	<1	1.28	0.014	0.25	3.5	0.02	3.3	0.1	0.06	7	1.0	<0.2
50MI11AM0081	Soil		33	0.54	197	0.068	1	2.29	0.016	0.10	0.2	0.05	3.3	0.2	0.10	9	0.7	<0.2
50MI11AM0082	Soil		21	0.38	122	0.082	<1	1.22	0.011	0.15	0.5	0.01	1.7	0.1	<0.05	7	0.6	<0.2
50MI11AM0083	Soil		39	0.75	156	0.099	<1	1.63	0.013	0.17	1.6	0.02	2.8	0.2	0.06	7	0.7	<0.2
50MI11AM0084	Soil		23	0.30	126	0.071	<1	1.63	0.008	0.07	0.2	0.01	1.8	<0.1	<0.05	8	0.5	<0.2
50MI11AM0085	Soil		23	0.46	112	0.056	<1	1.84	0.010	0.10	0.1	0.02	2.3	0.1	<0.05	8	0.7	<0.2
50MI11AM0086	Soil		29	0.98	120	0.137	<1	2.37	0.008	0.25	0.1	<0.01	3.7	0.3	<0.05	11	0.5	<0.2
50MI11AM0087	Soil		59	0.99	225	0.111	<1	1.92	0.012	0.24	<0.1	0.02	2.7	0.3	<0.05	6	<0.5	<0.2
50MI11AM0088	Soil		51	0.91	189	0.105	1	2.09	0.010	0.26	0.1	0.02	2.9	0.2	0.06	6	0.8	<0.2
50MI11AM0089	Soil		42	0.69	309	0.097	<1	1.70	0.015	0.22	<0.1	0.03	1.7	0.2	0.11	7	0.6	<0.2
50MI11AM0090	Soil		20	0.30	56	0.040	<1	0.82	0.016	0.09	<0.1	0.04	0.7	<0.1	0.06	4	0.7	<0.2
50MI11AM0091	Soil		68	1.46	149	0.106	<1	2.55	0.008	0.43	<0.1	0.04	3.2	0.3	<0.05	9	0.8	<0.2
50MI11AM0092	Soil		46	0.66	114	0.077	<1	1.66	0.009	0.16	0.1	0.04	2.1	0.2	0.09	7	<0.5	<0.2
50MI11AM0093	Soil		49	0.85	134	0.074	<1	2.08	0.009	0.20	<0.1	0.04	2.9	0.2	0.06	7	0.7	<0.2
50MI11AM0094	Soil		22	0.31	130	0.034	1	1.22	0.013	0.08	<0.1	0.05	1.9	0.1	0.09	5	0.6	<0.2
50MI11AM0095	Soil		39	0.80	166	0.103	<1	1.70	0.011	0.12	0.1	0.02	2.8	0.1	<0.05	5	0.6	<0.2
50MI11AM0096	Soil		38	0.72	212	0.074	<1	1.89	0.010	0.08	0.1	0.03	3.5	0.1	<0.05	6	0.5	<0.2
50MI11AM0097	Soil		34	0.65	185	0.077	<1	1.79	0.010	0.08	0.1	0.03	3.0	0.1	<0.05	6	<0.5	<0.2
50MI11AM0098	Soil		34	0.62	169	0.070	<1	1.86	0.010	0.08	0.1	0.03	2.8	0.1	<0.05	6	0.6	<0.2
50MI11AM0099	Soil		29	0.53	77	0.078	1	1.50	0.008	0.13	0.1	0.02	2.2	0.2	<0.05	6	0.8	<0.2
50MI11AM0100	Soil		38	0.63	202	0.062	<1	2.16	0.012	0.15	0.1	0.06	3.9	0.2	0.07	6	0.7	<0.2
50MI11AM0100 DUP	Soil		36	0.59	199	0.060	<1	2.07	0.010	0.14	0.1	0.05	3.9	0.2	<0.05	6	1.0	<0.2
50MI11AM0101	Soil		32	0.54	132	0.082	1	1.78	0.008	0.09	<0.1	0.02	2.6	0.1	<0.05	6	<0.5	<0.2
50MI11AM0102	Soil		37	0.67	209	0.097	<1	1.71	0.012	0.09	0.1	0.04	4.2	0.1	<0.05	5	0.7	<0.2
50MI11AM0103	Soil		59	1.01	214	0.112	<1	2.75	0.007	0.39	<0.1	0.01	3.5	0.4	<0.05	8	0.7	<0.2
50MI11AM0104	Soil		33	0.56	169	0.066	<1	1.72	0.009	0.05	0.1	0.02	3.3	<0.1	<0.05	5	<0.5	<0.2
50MI11AM0105	Soil		38	0.61	220	0.083	1	2.03	0.012	0.06	<0.1	0.02	3.7	0.1	<0.05	6	0.6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**

Project: 50 Mile (YK)
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI11001929.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
50MI11AM0106	Soil	1.0	35.0	19.0	97	0.4	37.6	16.2	645	3.74	11.7	3.5	8.3	38	0.3	3.3	0.2	55	0.68	0.068	36
50MI11AM0107	Soil	1.0	30.7	15.2	90	<0.1	36.6	14.6	658	3.36	5.5	0.5	5.6	48	0.1	0.4	0.2	61	0.76	0.079	17
50MI11CL0071	Soil	1.1	12.6	6.3	41	<0.1	5.4	4.0	323	1.57	2.8	1.4	1.1	10	0.2	0.4	0.3	46	0.09	0.052	12
50MI11CL0072	Soil	0.7	23.3	9.3	71	<0.1	20.0	8.4	221	2.89	7.3	2.2	18.0	15	0.1	0.7	0.4	61	0.20	0.044	56
50MI11CL0073	Soil	0.4	7.1	3.6	25	<0.1	2.6	2.9	111	1.22	1.4	<0.5	0.3	11	<0.1	<0.1	<0.1	32	0.11	0.040	10
50MI11CL0074	Soil	0.8	19.4	7.2	62	<0.1	28.8	13.6	413	3.05	6.9	7.0	8.2	21	0.2	0.4	0.2	71	0.30	0.076	30
50MI11CL0075	Soil	0.6	15.0	6.3	52	<0.1	23.3	9.5	313	2.66	4.6	1.7	13.1	13	0.1	0.4	0.3	51	0.22	0.072	42
50MI11CL0076	Soil	0.8	14.3	7.4	35	<0.1	12.2	4.6	142	2.07	5.1	1.9	12.4	12	0.1	0.4	0.4	50	0.14	0.037	14
50MI11CL0077	Soil	0.4	13.4	5.0	50	<0.1	13.5	6.0	252	1.97	4.1	1.7	22.0	12	0.1	0.3	1.2	39	0.18	0.045	48
50MI11CL0078	Soil	0.8	17.1	7.4	64	<0.1	21.1	10.7	372	2.62	7.0	1.2	12.0	14	0.2	0.4	0.3	56	0.18	0.044	22
50MI11CL0079	Soil	0.7	15.7	7.6	112	<0.1	15.2	9.5	643	2.58	5.4	2.3	30.0	11	0.3	0.4	0.2	46	0.16	0.047	76
50MI11CL0080	Soil	0.6	18.4	6.5	63	<0.1	19.4	9.6	442	2.61	5.1	1.2	15.5	16	0.1	0.3	0.2	58	0.25	0.079	50
50MI11CL0081	Soil	0.9	21.6	7.5	66	<0.1	29.9	11.3	501	2.75	6.0	5.3	17.7	18	0.1	0.4	0.2	59	0.22	0.059	66
50MI11CL0082	Soil	1.0	19.5	7.0	52	<0.1	14.0	6.7	315	2.27	6.1	0.9	16.2	12	0.2	0.4	0.2	46	0.12	0.047	19
50MI11CL0083	Soil	1.6	22.5	11.3	68	<0.1	18.0	8.0	335	2.72	6.4	2.9	10.0	16	0.1	0.4	0.3	56	0.13	0.052	68
50MI11CL0084	Soil	1.7	24.5	10.3	86	<0.1	26.8	13.0	728	3.24	5.6	4.0	26.6	19	0.2	0.3	0.9	67	0.32	0.073	102
50MI11CL0085	Soil	2.4	21.4	10.3	97	<0.1	26.1	12.0	791	2.95	5.1	3.6	16.9	25	0.2	0.3	1.0	63	0.47	0.088	80
50MI11CL0086	Soil	0.5	10.2	2.8	24	<0.1	3.9	2.7	78	1.07	1.4	<0.5	0.4	11	0.1	0.2	0.1	29	0.08	0.037	8
50MI11CL0087	Soil	0.6	15.2	5.2	45	<0.1	6.7	5.1	250	2.00	3.8	2.1	6.4	16	<0.1	0.3	0.3	46	0.18	0.058	23
50MI11CL0088	Soil	1.3	16.8	16.7	61	<0.1	19.5	9.2	342	2.94	9.0	1.1	12.3	19	0.2	0.7	1.1	57	0.26	0.057	24
50MI11CL0089	Soil	1.5	20.4	17.9	74	0.2	18.0	10.8	446	3.37	7.6	4.5	23.7	12	0.4	0.6	0.5	65	0.13	0.042	78
50MI11CL0090	Soil	0.6	20.7	16.2	89	0.2	21.4	8.5	221	2.11	3.9	3.0	5.8	24	0.2	0.5	0.3	59	0.34	0.072	59
50MI11CL0091	Soil	0.6	14.0	9.9	65	<0.1	16.4	8.1	414	2.39	4.2	4.5	4.8	16	0.2	0.4	0.2	52	0.25	0.059	14
50MI11CL0092	Soil	0.8	14.8	14.4	65	<0.1	14.6	8.0	368	2.93	5.3	1.1	4.7	12	0.2	0.4	0.2	57	0.14	0.052	18
50MI11CL0093	Soil	0.8	17.8	13.2	76	0.2	21.8	11.7	581	3.25	3.2	1.4	4.5	21	0.3	0.4	0.6	67	0.23	0.061	35
50MI11CL0094	Soil	1.3	34.8	8.4	62	<0.1	25.7	15.1	362	3.13	5.5	0.6	4.3	14	0.2	0.4	0.5	53	0.15	0.043	13
50MI11CL0095	Soil	0.6	17.6	9.8	48	<0.1	20.2	8.7	257	2.53	5.5	1.0	4.6	15	0.2	0.5	0.2	54	0.19	0.045	13
50MI11CL0096	Soil	0.6	21.0	10.3	56	<0.1	36.5	13.2	473	2.78	4.8	2.7	5.3	15	0.1	0.5	0.2	64	0.20	0.040	17
50MI11CL0097	Soil	0.8	22.1	8.8	61	<0.1	26.0	10.5	465	2.54	5.0	1.8	5.1	17	0.3	0.4	0.2	53	0.25	0.069	15
50MI11CL0098	Soil	0.7	28.5	13.2	58	0.2	24.2	9.2	230	2.18	4.3	3.0	2.2	30	<0.1	0.3	0.2	40	0.39	0.056	42

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**

Project: 50 Mile (YK)
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI11001929.2

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
50MI11AM0106	Soil	44	0.62	265	0.038	2	1.98	0.009	0.12	<0.1	0.05	5.3	0.2	<0.05	6	0.8	<0.2
50MI11AM0107	Soil	38	0.77	950	0.092	<1	2.07	0.014	0.17	0.1	0.03	3.3	0.2	<0.05	7	0.7	<0.2
50MI11CL0071	Soil	12	0.13	162	0.054	<1	0.64	0.012	0.04	0.3	0.05	0.6	0.1	0.06	6	0.6	<0.2
50MI11CL0072	Soil	32	0.55	448	0.073	1	2.10	0.010	0.10	0.5	0.04	4.1	0.2	<0.05	8	<0.5	<0.2
50MI11CL0073	Soil	6	0.12	50	0.053	<1	0.58	0.026	0.03	<0.1	0.02	0.4	<0.1	0.06	4	<0.5	<0.2
50MI11CL0074	Soil	41	0.86	315	0.159	2	1.93	0.016	0.19	0.3	0.04	3.3	0.2	<0.05	7	0.7	<0.2
50MI11CL0075	Soil	35	0.73	158	0.112	2	1.82	0.010	0.15	0.5	0.02	3.0	0.1	0.11	6	<0.5	<0.2
50MI11CL0076	Soil	20	0.34	126	0.081	2	1.40	0.007	0.06	0.3	0.04	2.0	<0.1	0.08	6	<0.5	<0.2
50MI11CL0077	Soil	19	0.54	466	0.082	2	1.63	0.011	0.12	0.3	0.01	2.5	0.1	0.07	6	<0.5	<0.2
50MI11CL0078	Soil	26	0.58	117	0.099	1	1.59	0.011	0.13	0.8	0.02	2.6	0.1	0.07	6	<0.5	<0.2
50MI11CL0079	Soil	23	0.53	172	0.084	2	1.47	0.011	0.14	1.5	0.01	3.0	0.1	0.06	7	<0.5	<0.2
50MI11CL0080	Soil	30	0.60	213	0.102	2	1.46	0.014	0.17	0.9	0.03	3.2	0.1	<0.05	6	<0.5	<0.2
50MI11CL0081	Soil	54	0.74	269	0.101	2	1.58	0.015	0.16	0.5	0.03	3.4	0.1	0.08	7	<0.5	<0.2
50MI11CL0082	Soil	19	0.33	120	0.069	2	1.44	0.014	0.06	0.3	0.03	1.9	<0.1	0.07	5	<0.5	<0.2
50MI11CL0083	Soil	30	0.46	545	0.060	<1	1.67	0.012	0.06	0.4	0.05	2.7	0.1	<0.05	7	0.6	<0.2
50MI11CL0084	Soil	37	0.76	250	0.128	2	1.63	0.018	0.19	0.4	0.03	4.1	0.2	0.05	7	0.9	<0.2
50MI11CL0085	Soil	41	0.69	210	0.116	2	1.50	0.024	0.17	0.7	0.04	4.0	0.2	<0.05	6	1.1	<0.2
50MI11CL0086	Soil	7	0.09	39	0.044	1	0.52	0.019	0.02	<0.1	0.03	0.5	<0.1	0.07	3	<0.5	<0.2
50MI11CL0087	Soil	10	0.22	98	0.069	2	0.76	0.027	0.05	0.2	0.03	1.3	<0.1	<0.05	4	<0.5	<0.2
50MI11CL0088	Soil	29	0.54	152	0.080	1	1.58	0.011	0.09	0.2	0.02	2.9	0.3	<0.05	5	<0.5	<0.2
50MI11CL0089	Soil	36	0.46	165	0.059	1	2.57	0.009	0.07	0.2	0.07	4.3	0.3	<0.05	7	0.6	<0.2
50MI11CL0090	Soil	32	0.55	246	0.064	1	2.24	0.016	0.11	0.2	0.05	4.8	0.2	0.08	7	1.0	<0.2
50MI11CL0091	Soil	22	0.43	104	0.078	2	1.20	0.013	0.07	0.3	0.03	2.2	0.1	<0.05	4	<0.5	<0.2
50MI11CL0092	Soil	26	0.44	114	0.067	2	1.78	0.010	0.07	0.3	0.04	2.8	0.1	0.05	7	<0.5	<0.2
50MI11CL0093	Soil	43	0.64	180	0.077	1	1.98	0.011	0.15	0.2	0.08	7.1	0.3	0.06	7	<0.5	<0.2
50MI11CL0094	Soil	31	0.51	112	0.108	2	2.09	0.012	0.17	0.8	0.02	2.9	0.2	<0.05	6	<0.5	<0.2
50MI11CL0095	Soil	28	0.45	108	0.102	1	1.91	0.009	0.10	0.2	0.03	2.7	0.1	<0.05	6	<0.5	<0.2
50MI11CL0096	Soil	63	0.87	140	0.134	2	2.15	0.010	0.15	0.7	0.02	3.4	0.2	<0.05	6	<0.5	<0.2
50MI11CL0097	Soil	35	0.53	138	0.107	<1	1.61	0.011	0.11	1.2	0.03	2.6	0.2	<0.05	6	<0.5	<0.2
50MI11CL0098	Soil	26	0.42	164	0.046	1	1.74	0.015	0.07	<0.1	0.04	2.7	0.1	0.07	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**

Project: 50 Mile (YK)
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI11001929.2

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
50MI11CL0099	Soil	0.6	19.2	11.9	50	<0.1	18.3	7.6	201	2.40	6.2	2.5	2.7	16	<0.1	0.4	0.2	45	0.19	0.047	21
50MI11CL0100	Soil	1.0	21.6	11.8	58	<0.1	21.2	8.0	216	2.47	5.9	1.2	3.1	15	<0.1	0.4	0.2	47	0.16	0.042	15
50MI11CL0100 DUP	Soil	0.9	20.6	11.7	57	<0.1	20.1	7.6	215	2.40	5.5	2.3	3.1	16	<0.1	0.4	0.2	47	0.15	0.043	15
50MI11CL0101	Soil	0.9	22.0	10.6	56	0.2	23.1	7.9	201	2.23	5.2	2.5	3.0	21	0.2	0.3	0.1	42	0.21	0.050	17
50MI11CL0102	Soil	0.9	18.4	10.3	72	0.2	24.6	11.2	464	2.37	4.9	1.4	2.6	27	0.2	0.2	0.1	48	0.48	0.045	19
50MI11CL0103	Soil	0.7	14.0	12.6	57	<0.1	16.7	7.0	215	2.56	5.4	1.6	3.4	11	0.3	0.3	0.2	52	0.11	0.031	12
50MI11CL0104	Soil	0.7	18.1	10.5	50	<0.1	19.0	8.3	224	1.93	3.8	1.1	2.0	19	0.2	0.3	0.1	40	0.17	0.038	20
50MI11CL0105	Soil	0.7	14.8	8.6	35	<0.1	12.0	5.5	147	1.76	3.5	0.6	1.3	12	<0.1	0.3	0.1	35	0.10	0.029	14

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**

Project: 50 Mile (YK)
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI11001929.2

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
50MI11CL0099	Soil	27	0.53	152	0.075	<1	1.77	0.009	0.07	0.1	0.04	2.4	0.2	<0.05	5	<0.5	<0.2
50MI11CL0100	Soil	30	0.51	114	0.080	<1	1.75	0.010	0.08	0.1	0.01	2.2	0.1	<0.05	6	<0.5	<0.2
50MI11CL0100 DUP	Soil	31	0.50	113	0.077	1	1.69	0.010	0.08	<0.1	0.02	2.3	0.1	<0.05	6	<0.5	<0.2
50MI11CL0101	Soil	30	0.46	137	0.069	1	1.50	0.011	0.07	0.1	0.03	2.3	0.1	<0.05	5	<0.5	<0.2
50MI11CL0102	Soil	31	0.52	237	0.054	1	1.73	0.008	0.07	0.1	0.05	3.0	0.1	<0.05	5	<0.5	<0.2
50MI11CL0103	Soil	25	0.42	71	0.087	<1	1.53	0.007	0.05	0.1	0.01	1.7	0.1	<0.05	6	<0.5	<0.2
50MI11CL0104	Soil	23	0.37	134	0.065	2	1.24	0.012	0.07	<0.1	0.02	1.4	<0.1	<0.05	5	<0.5	<0.2
50MI11CL0105	Soil	17	0.27	91	0.049	<1	1.25	0.013	0.04	<0.1	0.02	1.3	<0.1	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**

Project: 50 Mile (YK)
Report Date: July 30, 2012

QUALITY CONTROL REPORT WHI11001929.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
Pulp Duplicates																					
50MI11AN0050	Soil	1.1	14.6	7.7	68	<0.1	17.1	7.5	442	2.71	6.7	1.8	8.0	13	0.2	0.4	0.3	59	0.16	0.042	29
REP 50MI11AN0050	QC	1.1	14.9	8.0	67	<0.1	17.3	8.0	440	2.70	7.1	4.2	8.2	13	0.1	0.5	0.3	60	0.16	0.042	30
50MI11AN0067	Soil	1.2	21.7	6.8	70	<0.1	16.9	8.4	546	2.30	5.2	4.0	9.7	11	0.2	0.3	0.2	48	0.18	0.052	48
REP 50MI11AN0067	QC	1.4	22.2	6.3	74	<0.1	17.9	8.3	531	2.28	5.5	7.1	9.3	12	0.3	0.3	0.3	48	0.19	0.051	50
50MI11AN0083	Soil	0.4	35.3	10.2	72	<0.1	14.5	7.1	407	2.52	6.3	<0.5	7.3	11	0.2	0.1	0.2	50	0.11	0.028	19
REP 50MI11AN0083	QC	0.3	35.2	9.9	71	<0.1	14.6	7.3	408	2.56	6.1	<0.5	7.0	12	0.2	0.1	0.2	48	0.11	0.029	19
50MI11AN0098	Soil	0.9	31.5	9.8	61	<0.1	31.6	13.3	377	3.19	8.6	1.2	3.9	22	0.2	0.4	0.2	74	0.23	0.032	13
REP 50MI11AN0098	QC	0.9	31.2	9.2	61	<0.1	31.4	13.6	382	3.20	8.9	3.7	3.9	23	0.1	0.4	0.2	74	0.23	0.033	12
50MI11MGB0013	Soil	0.5	15.7	7.7	55	0.1	14.9	11.4	607	2.89	5.3	7.2	3.8	31	0.1	0.8	0.1	49	0.63	0.064	20
REP 50MI11MGB0013	QC	0.5	16.1	7.8	56	0.1	14.9	11.9	617	2.98	5.8	0.7	4.0	32	<0.1	0.8	0.2	51	0.66	0.064	20
50MI11MGB0030	Soil	0.7	14.4	16.5	65	<0.1	16.3	7.8	293	3.16	9.3	0.5	8.5	11	0.2	0.6	0.3	63	0.19	0.050	18
REP 50MI11MGB0030	QC	0.7	14.7	16.9	64	<0.1	15.7	7.7	291	3.13	9.3	<0.5	8.6	12	0.1	0.6	0.3	63	0.19	0.049	19
50MI11LA0013	Soil	0.7	14.9	12.8	63	0.1	16.3	7.2	277	2.54	7.4	1.9	3.5	22	0.1	0.5	0.4	53	0.22	0.060	16
REP 50MI11LA0013	QC	0.8	15.2	12.5	65	0.2	16.8	7.2	285	2.55	7.2	1.8	3.6	23	<0.1	0.6	0.4	53	0.23	0.061	16
50MI11LA0028	Soil	0.9	16.4	38.5	55	0.2	18.1	9.1	281	2.35	10.4	4.7	10.3	12	0.4	0.6	0.2	50	0.11	0.023	29
REP 50MI11LA0028	QC	0.8	16.1	38.0	54	0.1	17.6	8.6	271	2.24	10.2	1.1	9.8	12	0.4	0.6	0.2	48	0.10	0.023	28
50MI11MGB0046	Soil	1.5	24.4	32.7	73	0.2	21.9	13.3	755	3.62	35.4	2.0	10.1	32	0.3	0.6	0.8	68	0.30	0.059	54
REP 50MI11MGB0046	QC	1.5	23.8	32.9	73	0.3	20.8	13.2	742	3.52	34.7	1.9	10.3	32	0.2	0.6	0.8	67	0.29	0.059	53
50MI11MGB0063	Soil	1.3	24.0	14.1	57	1.2	18.6	3.9	124	1.54	2.0	4.4	1.4	25	0.3	0.1	0.4	25	0.14	0.059	20
REP 50MI11MGB0063	QC	1.5	23.1	14.0	55	1.2	17.2	4.1	123	1.51	2.0	5.2	1.3	25	0.3	0.2	0.3	24	0.15	0.057	19
50MI11AM0093	Soil	1.4	42.4	18.2	87	0.1	38.1	14.5	498	3.62	5.2	2.5	4.3	17	0.2	0.4	0.2	68	0.17	0.059	23
REP 50MI11AM0093	QC	1.4	42.9	17.6	90	0.1	38.2	14.3	483	3.61	5.1	0.9	4.3	18	0.2	0.3	0.2	69	0.18	0.062	24
50MI11AM0100 DUP	Soil	0.8	27.5	15.6	66	0.3	31.1	12.0	391	3.03	5.9	3.4	5.1	41	0.2	0.4	0.2	49	0.48	0.054	44
REP 50MI11AM0100 DUP	QC	0.9	26.9	15.7	66	0.3	30.2	11.8	391	2.96	6.1	2.2	5.2	42	0.1	0.3	0.2	49	0.53	0.055	45
50MI11CL0075	Soil	0.6	15.0	6.3	52	<0.1	23.3	9.5	313	2.66	4.6	1.7	13.1	13	0.1	0.4	0.3	51	0.22	0.072	42
REP 50MI11CL0075	QC	0.6	13.2	6.2	50	<0.1	22.1	9.0	301	2.61	4.5	1.4	13.0	13	0.1	0.4	0.2	51	0.22	0.063	42
50MI11CL0087	Soil	0.6	15.2	5.2	45	<0.1	6.7	5.1	250	2.00	3.8	2.1	6.4	16	<0.1	0.3	0.3	46	0.18	0.058	23
REP 50MI11CL0087	QC	0.5	15.4	5.2	43	<0.1	6.3	5.0	241	1.99	3.7	2.5	6.3	15	<0.1	0.3	0.3	45	0.19	0.060	23

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**

Project: 50 Mile (YK)
Report Date: July 30, 2012

QUALITY CONTROL REPORT WHI11001929.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																	
50MI11AN0050	Soil	26	0.41	668	0.075	1	1.45	0.009	0.07	0.6	0.02	2.7	<0.1	<0.05	7	<0.5	<0.2
REP 50MI11AN0050	QC	25	0.41	682	0.072	1	1.48	0.008	0.07	0.7	0.02	2.5	0.1	<0.05	6	<0.5	<0.2
50MI11AN0067	Soil	22	0.40	188	0.069	1	1.44	0.012	0.09	2.4	0.04	2.7	0.1	<0.05	5	<0.5	<0.2
REP 50MI11AN0067	QC	22	0.41	196	0.068	<1	1.47	0.013	0.10	2.5	0.04	2.8	0.1	<0.05	5	<0.5	<0.2
50MI11AN0083	Soil	35	0.90	384	0.079	<1	1.77	0.008	0.33	<0.1	<0.01	3.6	0.2	<0.05	6	<0.5	<0.2
REP 50MI11AN0083	QC	34	0.95	398	0.079	1	1.76	0.007	0.33	<0.1	<0.01	3.6	0.2	<0.05	6	<0.5	<0.2
50MI11AN0098	Soil	53	0.71	195	0.065	1	2.54	0.015	0.06	0.1	0.02	4.1	<0.1	<0.05	7	<0.5	<0.2
REP 50MI11AN0098	QC	52	0.70	198	0.066	1	2.51	0.014	0.06	0.1	0.01	4.2	0.1	<0.05	7	<0.5	<0.2
50MI11MGB0013	Soil	23	0.53	365	0.046	<1	1.61	0.011	0.12	0.1	0.07	7.1	0.1	<0.05	5	<0.5	<0.2
REP 50MI11MGB0013	QC	26	0.55	367	0.048	<1	1.59	0.011	0.12	0.1	0.07	7.3	0.1	<0.05	5	<0.5	<0.2
50MI11MGB0030	Soil	28	0.68	89	0.111	<1	1.94	0.009	0.13	0.1	<0.01	2.8	0.2	<0.05	8	<0.5	<0.2
REP 50MI11MGB0030	QC	28	0.68	90	0.114	<1	1.93	0.009	0.13	0.2	<0.01	2.9	0.2	<0.05	8	<0.5	<0.2
50MI11LA0013	Soil	30	0.58	185	0.064	1	1.99	0.013	0.07	0.5	0.04	3.8	0.2	<0.05	7	<0.5	<0.2
REP 50MI11LA0013	QC	30	0.59	193	0.066	2	2.05	0.013	0.07	0.4	0.04	3.9	0.2	<0.05	7	<0.5	<0.2
50MI11LA0028	Soil	24	0.39	108	0.070	1	1.81	0.013	0.06	0.1	0.06	2.4	0.1	<0.05	5	<0.5	<0.2
REP 50MI11LA0028	QC	23	0.38	106	0.066	1	1.76	0.013	0.06	0.2	0.05	2.4	<0.1	<0.05	5	<0.5	<0.2
50MI11MGB0046	Soil	37	0.61	297	0.055	<1	2.73	0.015	0.10	0.2	0.03	5.0	0.1	<0.05	9	<0.5	<0.2
REP 50MI11MGB0046	QC	36	0.60	295	0.056	2	2.67	0.012	0.10	0.2	0.04	5.1	0.1	<0.05	9	<0.5	<0.2
50MI11MGB0063	Soil	23	0.40	187	0.034	<1	1.16	0.010	0.09	<0.1	0.06	1.8	0.2	0.06	5	1.4	<0.2
REP 50MI11MGB0063	QC	22	0.38	180	0.033	1	1.13	0.010	0.09	0.1	0.07	1.6	0.2	0.06	5	0.8	<0.2
50MI11AM0093	Soil	49	0.85	134	0.074	<1	2.08	0.009	0.20	<0.1	0.04	2.9	0.2	0.06	7	0.7	<0.2
REP 50MI11AM0093	QC	50	0.83	139	0.076	<1	2.12	0.008	0.21	0.1	0.04	3.0	0.2	0.07	7	0.7	<0.2
50MI11AM0100 DUP	Soil	36	0.59	199	0.060	<1	2.07	0.010	0.14	0.1	0.05	3.9	0.2	<0.05	6	1.0	<0.2
REP 50MI11AM0100 DUP	QC	37	0.60	198	0.061	<1	2.09	0.011	0.15	0.1	0.07	3.9	0.2	0.06	6	1.0	<0.2
50MI11CL0075	Soil	35	0.73	158	0.112	2	1.82	0.010	0.15	0.5	0.02	3.0	0.1	0.11	6	<0.5	<0.2
REP 50MI11CL0075	QC	34	0.68	161	0.109	2	1.68	0.009	0.14	0.5	0.02	3.1	0.2	<0.05	6	<0.5	<0.2
50MI11CL0087	Soil	10	0.22	98	0.069	2	0.76	0.027	0.05	0.2	0.03	1.3	<0.1	<0.05	4	<0.5	<0.2
REP 50MI11CL0087	QC	10	0.22	98	0.064	<1	0.74	0.023	0.04	0.2	0.02	1.3	<0.1	<0.05	4	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**

Project: 50 Mile (YK)
Report Date: July 30, 2012

QUALITY CONTROL REPORT WHI11001929.2

		1DX15 Mo ppm 0.1	1DX15 Cu ppm 0.1	1DX15 Pb ppm 0.1	1DX15 Zn ppm 1	1DX15 Ag ppm 0.1	1DX15 Ni ppm 0.1	1DX15 Co ppm 0.1	1DX15 Mn ppm 1	1DX15 Fe % 0.01	1DX15 As ppm 0.5	1DX15 Au ppb 0.5	1DX15 Th ppm 0.1	1DX15 Sr ppm 1	1DX15 Cd ppm 0.1	1DX15 Sb ppm 0.1	1DX15 Bi ppm 0.1	1DX15 V ppm 2	1DX15 Ca % 0.01	1DX15 P % 0.001	1DX15 La ppm 1
50MI11CL0105	Soil	0.7	14.8	8.6	35	<0.1	12.0	5.5	147	1.76	3.5	0.6	1.3	12	<0.1	0.3	0.1	35	0.10	0.029	14
REP 50MI11CL0105	QC	0.7	13.2	8.4	33	<0.1	11.0	5.0	131	1.61	3.1	0.7	1.4	12	<0.1	0.2	0.1	33	0.09	0.029	14
Reference Materials																					
STD DS8	Standard	11.6	104.0	115.8	294	1.8	35.8	6.9	584	2.33	24.8	106.1	5.6	54	2.2	5.8	5.6	41	0.61	0.076	12
STD DS8	Standard	13.3	109.7	120.6	312	1.7	37.6	7.7	611	2.46	26.8	100.8	7.3	78	2.3	6.2	7.4	43	0.68	0.078	16
STD DS8	Standard	12.3	110.3	122.0	306	1.8	38.8	7.4	598	2.42	26.3	115.0	7.3	77	2.4	6.3	7.6	42	0.67	0.077	14
STD DS8	Standard	13.5	112.1	121.0	301	1.7	36.9	7.5	579	2.38	26.3	103.1	7.3	68	2.2	5.4	6.1	42	0.68	0.075	17
STD DS8	Standard	13.0	101.7	114.7	292	1.7	35.3	7.1	601	2.37	26.4	100.0	6.4	65	2.2	5.1	5.7	42	0.69	0.075	17
STD DS8	Standard	11.9	102.4	118.9	301	1.7	36.4	7.5	585	2.30	26.4	107.2	6.1	66	2.2	5.4	6.0	39	0.66	0.071	14
STD DS8	Standard	13.1	109.5	122.5	309	1.7	38.3	7.9	576	2.45	26.1	134.4	6.7	70	2.3	5.2	6.1	42	0.66	0.068	17
STD DS8	Standard	12.2	107.3	128.2	322	2.0	37.3	7.3	612	2.46	25.6	109.1	6.4	70	2.2	5.6	6.8	41	0.66	0.077	14
STD DS8	Standard	13.4	106.9	119.9	300	1.8	37.8	7.6	609	2.43	27.1	111.0	7.1	67	2.3	5.5	6.6	40	0.68	0.076	17
STD DS8 Expected		13.44	110	123	312	1.69	38.1	7.5	615	2.46	26	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7	0.08	14.6
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**

Project: 50 Mile (YK)
Report Date: July 30, 2012

QUALITY CONTROL REPORT WHI11001929.2

		1DX15 Cr ppm 1	1DX15 Mg % 0.01	1DX15 Ba ppm 1	1DX15 Ti % 0.001	1DX15 B ppm 1	1DX15 Al % 0.01	1DX15 Na % 0.001	1DX15 K % 0.01	1DX15 W ppm 0.1	1DX15 Hg ppm 0.01	1DX15 Sc ppm 0.1	1DX15 Tl ppm 0.1	1DX15 S % 0.05	1DX15 Ga ppm 1	1DX15 Se ppm 0.5	1DX15 Te ppm 0.2
50MI11CL0105	Soil	17	0.27	91	0.049	<1	1.25	0.013	0.04	<0.1	0.02	1.3	<0.1	<0.05	5	<0.5	<0.2
REP 50MI11CL0105	QC	17	0.27	88	0.047	<1	1.24	0.013	0.04	<0.1	0.02	1.3	<0.1	<0.05	5	<0.5	<0.2
Reference Materials																	
STD DS8	Standard	111	0.59	247	0.104	2	0.86	0.084	0.39	2.9	0.18	2.3	5.4	0.13	4	4.2	5.2
STD DS8	Standard	118	0.61	284	0.133	3	0.94	0.102	0.45	2.9	0.21	2.7	5.4	0.17	5	5.3	5.1
STD DS8	Standard	117	0.60	276	0.131	3	0.93	0.105	0.42	3.0	0.20	2.9	5.5	0.13	5	5.1	4.8
STD DS8	Standard	114	0.58	262	0.118	3	0.91	0.090	0.39	2.9	0.18	2.1	5.1	0.13	5	4.6	4.7
STD DS8	Standard	114	0.58	273	0.117	2	0.91	0.102	0.40	3.0	0.18	2.3	5.0	0.15	5	4.3	4.7
STD DS8	Standard	109	0.56	252	0.116	2	0.88	0.104	0.40	2.9	0.19	1.9	5.0	0.15	4	4.7	4.6
STD DS8	Standard	114	0.58	273	0.126	3	0.90	0.097	0.38	3.0	0.18	1.9	5.3	0.14	5	4.8	5.0
STD DS8	Standard	117	0.61	268	0.107	3	0.91	0.106	0.42	3.0	0.21	2.5	5.5	0.15	5	5.5	4.5
STD DS8	Standard	107	0.60	277	0.118	3	0.91	0.111	0.41	3.1	0.18	2.4	5.2	0.17	5	4.9	4.7
STD DS8 Expected		115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	2.3	5.4	0.1679	4.7	5.23	5
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Submitted By: Rasool Mohammad
Receiving Lab: Canada-Whitehorse
Received: October 24, 2011
Report Date: July 30, 2012
Page: 1 of 10

CERTIFICATE OF ANALYSIS WHI11001930.2

CLIENT JOB INFORMATION

Project: 50 Mile (YK)
Shipment ID:
P.O. Number
Number of Samples: 267

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	267	Dry at 60C			VAN
SS80	264	Dry at 60C sieve 100g to -80 mesh			VAN
1DX2	267	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Version 2: 0908937 BC Ltd.

Invoice To: 0908937 BC Ltd.
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2
CANADA

CC:

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI11001930.2

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
50MI11LA0037	Soil	4.0	56.8	40.5	259	0.6	64.6	16.2	1407	3.37	41.2	2.9	4.9	33	1.0	5.3	0.3	53	0.33	0.090	20
50MI11LA0038	Soil	1.8	29.8	12.6	111	0.3	33.3	9.9	431	2.74	11.3	2.1	1.7	12	0.4	0.7	0.2	62	0.08	0.039	12
50MI11LA0039	Soil	1.1	24.9	15.3	80	0.1	26.6	10.3	413	2.82	7.4	3.0	4.8	22	0.3	0.5	0.2	53	0.23	0.032	18
50MI11LA0040	Soil	0.9	24.8	21.8	83	<0.1	29.2	12.7	500	3.22	6.6	1.7	6.2	22	<0.1	0.5	0.3	45	0.22	0.038	24
50MI11LA0041	Soil	1.3	38.2	18.9	83	0.2	40.5	13.2	415	3.29	9.1	2.9	3.9	23	0.2	0.9	0.2	62	0.22	0.052	17
50MI11LA0042	Soil	0.8	20.1	9.1	39	<0.1	22.5	7.9	226	2.06	3.8	0.9	2.2	16	<0.1	0.3	0.2	41	0.13	0.036	11
50MI11LA0043	Soil	1.5	28.9	14.1	64	0.1	29.6	13.3	787	2.86	6.6	6.3	3.8	43	0.2	0.5	0.2	49	0.71	0.071	16
50MI11LA0044	Soil	1.4	36.7	23.7	87	0.3	40.7	16.7	1006	3.32	8.1	2.7	5.1	30	0.2	0.8	0.3	52	0.58	0.069	23
50MI11LA0045	Soil	2.4	27.6	25.8	110	0.5	29.5	14.4	1018	3.25	29.4	4.5	2.9	33	0.3	1.7	0.3	57	0.53	0.064	22
50MI11LA0046	Soil	1.0	26.1	16.7	143	0.4	20.9	9.4	416	2.72	33.2	1.8	3.7	33	0.6	3.8	0.2	44	0.63	0.055	18
50MI11LA0047	Soil	2.9	103.4	14.5	360	0.1	32.6	25.7	1037	5.16	7.3	3.6	4.7	15	0.7	0.5	0.9	95	0.21	0.064	17
50MI11LA0048	Soil	1.1	18.4	11.9	51	0.1	14.5	7.1	313	2.50	6.9	2.2	2.3	32	0.1	0.4	0.2	56	0.32	0.028	13
50MI11LA0049	Soil	0.8	22.1	11.5	74	0.1	17.3	9.7	440	2.46	5.9	3.7	3.2	31	0.2	0.4	0.2	46	0.62	0.050	15
50MI11LA0050	Soil	0.5	18.0	10.3	78	0.1	15.5	9.3	310	2.14	4.3	2.2	1.6	42	0.3	0.3	0.1	41	1.08	0.068	10
50MI11LA0050 DUP	Soil	0.6	17.8	9.8	78	0.1	15.5	9.3	311	2.13	4.5	2.9	1.8	43	0.4	0.4	0.1	42	1.08	0.071	10
50MI11LA0051	Soil	0.8	26.3	18.9	67	0.1	17.3	9.7	589	2.22	4.0	5.7	1.4	51	0.2	0.4	0.2	40	1.41	0.083	9
50MI11LA0052	Soil	0.8	30.4	24.3	64	0.2	19.5	9.3	566	2.04	4.0	94.2	0.9	62	0.3	0.4	0.2	40	1.83	0.075	9
50MI11LA0053	Soil	0.6	33.9	13.1	66	0.2	23.0	10.9	931	2.50	3.3	11.5	1.8	51	0.3	0.4	0.2	51	1.21	0.089	11
50MI11LA0054	Soil	0.8	30.0	14.0	67	0.2	25.9	9.7	296	2.79	7.2	6.5	4.3	23	0.1	1.4	0.5	42	0.26	0.047	24
50MI11LA0055	Soil	0.7	30.6	12.4	71	0.2	28.6	11.7	357	2.91	6.7	4.7	6.8	31	0.1	1.3	0.4	50	0.45	0.054	24
50MI11LA0056	Soil	0.7	24.9	10.7	67	0.1	24.2	10.1	397	2.43	5.8	4.5	4.6	35	0.2	0.9	0.3	43	0.65	0.061	19
50MI11LA0057	Soil	0.7	23.6	12.5	74	0.3	22.9	11.9	919	2.54	6.6	6.4	3.8	34	0.3	0.8	0.3	41	0.69	0.059	18
50MI11LA0058	Soil	1.0	28.1	16.4	83	0.2	28.6	15.1	544	3.02	8.8	3.9	6.7	29	0.2	0.9	0.2	45	0.59	0.054	21
50MI11LA0059	Soil	0.7	26.8	10.9	59	0.1	20.1	9.7	406	2.20	6.8	1.7	2.9	39	0.2	0.4	0.2	37	0.79	0.056	15
50MI11LA0060	Soil	1.6	48.5	21.4	71	0.2	33.4	14.9	559	3.57	3.2	2.4	12.1	41	0.1	0.2	0.2	42	0.52	0.068	30
50MI11LA0061	Soil	1.3	25.1	13.4	64	<0.1	26.2	11.6	413	2.80	4.6	4.8	6.1	25	<0.1	0.2	0.2	49	0.37	0.047	18
50MI11LA0062	Soil	0.9	41.8	26.5	67	0.2	29.1	13.8	683	3.17	3.6	1.4	7.7	48	0.2	0.3	0.3	38	1.08	0.066	26
50MI11LA0063	Soil	0.7	35.3	13.7	77	<0.1	30.9	15.3	451	3.41	2.9	1.0	9.4	33	0.1	0.2	0.2	46	0.58	0.057	28
50MI11LA0064	Soil	0.9	26.9	11.9	69	<0.1	25.4	14.0	597	2.87	4.6	2.1	4.3	39	0.1	0.3	0.2	53	0.67	0.049	17
50MI11LA0065	Soil	1.0	28.5	19.3	84	0.1	25.0	13.7	570	2.80	3.4	<0.5	3.1	32	0.2	0.3	0.2	61	0.52	0.063	15

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI11001930.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
50MI11LA0037	Soil	50	0.78	184	0.027	2	1.66	0.007	0.06	0.1	0.02	4.1	0.1	<0.05	5	2.1	<0.2
50MI11LA0038	Soil	39	0.50	85	0.040	<1	1.47	0.007	0.06	0.1	0.02	2.6	<0.1	<0.05	7	0.5	<0.2
50MI11LA0039	Soil	34	0.51	185	0.039	1	1.74	0.010	0.07	0.1	0.02	4.2	0.1	<0.05	6	<0.5	<0.2
50MI11LA0040	Soil	35	0.54	163	0.033	1	1.90	0.008	0.09	0.1	0.02	3.3	0.2	<0.05	6	0.6	<0.2
50MI11LA0041	Soil	52	0.76	229	0.084	1	2.01	0.009	0.11	0.1	0.03	4.4	0.2	<0.05	7	<0.5	<0.2
50MI11LA0042	Soil	32	0.42	109	0.069	1	1.31	0.020	0.07	<0.1	0.02	2.4	0.1	<0.05	6	<0.5	<0.2
50MI11LA0043	Soil	35	0.65	171	0.071	2	1.69	0.012	0.09	0.1	0.03	3.8	0.2	<0.05	5	<0.5	<0.2
50MI11LA0044	Soil	44	0.78	248	0.080	2	2.10	0.014	0.10	<0.1	0.06	5.4	0.2	<0.05	6	<0.5	<0.2
50MI11LA0045	Soil	39	0.63	260	0.054	1	2.08	0.012	0.07	0.1	0.05	5.2	0.1	<0.05	6	0.7	<0.2
50MI11LA0046	Soil	28	0.60	429	0.035	1	1.50	0.010	0.07	<0.1	0.03	4.6	<0.1	<0.05	5	0.6	<0.2
50MI11LA0047	Soil	51	1.63	100	0.028	<1	2.20	0.008	0.06	<0.1	0.02	6.6	<0.1	<0.05	8	1.0	<0.2
50MI11LA0048	Soil	22	0.47	667	0.033	<1	1.78	0.014	0.07	<0.1	0.03	4.6	<0.1	<0.05	6	<0.5	<0.2
50MI11LA0049	Soil	24	0.72	385	0.040	1	1.68	0.012	0.06	<0.1	0.03	4.8	<0.1	<0.05	5	<0.5	<0.2
50MI11LA0050	Soil	22	0.71	325	0.038	2	1.46	0.013	0.05	0.1	0.03	3.2	<0.1	<0.05	5	0.5	<0.2
50MI11LA0050 DUP	Soil	23	0.73	342	0.041	2	1.53	0.014	0.06	<0.1	0.04	3.3	<0.1	<0.05	5	<0.5	<0.2
50MI11LA0051	Soil	22	0.95	238	0.025	2	1.49	0.013	0.05	0.1	0.04	2.7	<0.1	<0.05	4	<0.5	<0.2
50MI11LA0052	Soil	23	0.91	215	0.021	3	1.44	0.012	0.05	0.1	0.05	2.7	<0.1	<0.05	4	<0.5	<0.2
50MI11LA0053	Soil	29	1.05	209	0.025	1	1.81	0.013	0.05	0.1	0.05	4.0	<0.1	<0.05	5	<0.5	<0.2
50MI11LA0054	Soil	29	0.48	164	0.043	<1	1.74	0.013	0.09	<0.1	0.03	3.4	0.1	<0.05	5	<0.5	0.5
50MI11LA0055	Soil	37	0.61	290	0.056	1	1.90	0.012	0.08	0.1	0.04	5.1	0.2	<0.05	6	<0.5	<0.2
50MI11LA0056	Soil	31	0.50	261	0.047	1	1.64	0.012	0.07	0.1	0.04	4.1	0.1	<0.05	4	0.5	0.2
50MI11LA0057	Soil	29	0.49	222	0.042	1	1.58	0.011	0.08	0.1	0.05	3.6	0.1	<0.05	4	0.5	0.2
50MI11LA0058	Soil	33	0.55	226	0.051	1	1.62	0.011	0.09	0.1	0.03	4.2	0.1	<0.05	4	<0.5	<0.2
50MI11LA0059	Soil	23	0.41	192	0.042	1	1.43	0.016	0.06	<0.1	0.04	2.8	<0.1	<0.05	4	0.7	<0.2
50MI11LA0060	Soil	30	0.71	127	0.073	1	1.73	0.017	0.32	<0.1	0.01	3.4	0.3	0.14	5	<0.5	<0.2
50MI11LA0061	Soil	30	0.69	128	0.068	1	1.77	0.012	0.11	0.1	0.02	3.0	0.2	<0.05	6	<0.5	<0.2
50MI11LA0062	Soil	28	0.69	121	0.052	1	1.61	0.014	0.21	<0.1	0.03	3.9	0.2	0.05	5	0.6	<0.2
50MI11LA0063	Soil	39	0.84	173	0.076	1	1.90	0.009	0.30	<0.1	0.01	4.2	0.2	<0.05	6	<0.5	<0.2
50MI11LA0064	Soil	38	0.68	191	0.063	1	1.69	0.012	0.12	<0.1	0.03	4.3	<0.1	<0.05	5	<0.5	<0.2
50MI11LA0065	Soil	40	0.76	210	0.054	<1	1.89	0.015	0.08	<0.1	0.04	5.2	0.1	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI11001930.2

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
50MI11LA0066	Soil	0.8	32.6	13.4	67	<0.1	25.0	13.4	373	3.25	5.6	0.9	3.5	20	<0.1	0.3	0.1	77	0.26	0.038	14
50MI11LA0067	Soil	1.3	29.0	13.1	65	<0.1	20.4	11.8	587	2.94	6.8	2.4	4.0	20	0.2	0.4	0.2	65	0.23	0.044	17
50MI11LA0068	Soil	0.9	33.5	10.7	85	0.2	43.6	12.6	376	3.36	4.5	1.5	2.7	23	0.1	0.3	0.1	67	0.29	0.042	12
50MI11LA0069	Soil	0.5	17.0	6.7	62	<0.1	14.4	12.5	345	3.36	4.0	0.6	2.3	21	<0.1	0.2	<0.1	72	0.28	0.051	9
50MI11LA0070	Soil	0.9	22.6	8.6	60	<0.1	21.3	9.0	246	2.58	5.6	2.4	1.8	19	<0.1	0.4	0.1	55	0.20	0.037	10
50MI11LA0071	Soil	0.8	35.8	9.2	63	<0.1	33.0	13.8	309	2.90	4.7	0.8	2.8	24	<0.1	0.3	0.1	60	0.28	0.048	10
50MI11LA0072	Soil	0.8	30.1	9.1	67	<0.1	34.3	15.0	435	3.17	6.4	0.9	2.0	19	0.2	0.3	0.2	70	0.27	0.056	7
50MI11LA0073	Soil	1.0	44.8	7.0	51	<0.1	36.0	14.9	277	3.33	2.2	1.0	1.3	26	<0.1	0.1	<0.1	66	0.36	0.048	5
50MI11LA0074	Soil	1.4	31.8	12.9	63	<0.1	56.6	12.7	374	3.56	8.4	1.5	2.8	18	<0.1	0.5	0.2	88	0.19	0.029	12
50MI11LA0075	Soil	0.6	21.3	9.6	80	<0.1	20.4	10.5	335	2.35	5.7	5.2	3.6	33	0.3	0.7	0.1	52	0.43	0.068	14
50MI11LA0076	Soil	1.0	29.1	11.5	84	0.1	26.6	10.9	485	2.57	11.4	0.8	3.4	41	0.3	0.9	0.2	52	0.83	0.082	14
50MI11LA0077	Soil	0.7	21.0	9.5	61	0.1	20.9	8.9	359	2.26	8.4	4.9	3.0	37	0.2	0.7	0.2	48	0.68	0.074	13
50MI11LA0078	Soil	0.6	23.8	9.0	65	<0.1	22.7	9.2	344	2.31	8.5	3.8	3.3	35	0.2	0.8	0.1	50	0.63	0.077	12
50MI11LA0079	Soil	1.0	18.5	11.5	63	0.1	19.2	9.5	373	2.61	12.2	3.0	2.1	29	<0.1	0.7	0.1	55	0.40	0.069	12
50MI11LA0080	Soil	1.0	31.8	13.0	84	0.2	29.3	11.4	523	2.65	11.1	5.6	3.5	43	0.4	0.8	0.2	55	0.95	0.082	13
50MI11LA0081	Soil	1.0	18.5	12.5	63	0.1	18.7	8.1	588	1.93	5.6	5.2	1.4	45	0.2	0.7	0.1	40	0.74	0.067	9
50MI11LA0082	Soil	0.6	24.1	8.8	77	0.1	24.0	11.1	480	2.52	7.3	5.8	3.1	34	0.1	0.7	0.1	52	0.54	0.076	13
50MI11LA0083	Soil	0.6	24.7	9.7	68	0.1	23.5	9.5	584	2.33	7.8	0.6	2.8	40	0.3	0.7	0.2	51	0.72	0.073	13
50MI11LA0084	Soil	0.4	29.5	9.5	76	0.2	24.2	15.4	424	3.25	5.0	2.9	6.0	36	0.1	0.7	<0.1	93	0.50	0.057	25
50MI11LA0085	Soil	0.2	19.7	6.2	82	<0.1	25.6	16.7	508	3.49	3.2	<0.5	3.2	25	<0.1	0.4	<0.1	89	0.27	0.020	7
50MI11LA0086	Soil	0.5	18.5	7.7	81	<0.1	24.1	16.5	465	3.47	4.1	<0.5	3.6	28	<0.1	0.7	<0.1	89	0.29	0.026	8
50MI11LA0087	Soil	0.5	20.9	10.0	71	<0.1	24.7	14.1	496	3.15	6.0	1.3	5.0	30	<0.1	0.7	0.1	78	0.44	0.038	14
50MI11LA0088	Soil	0.6	20.6	11.3	68	<0.1	23.2	14.0	493	3.28	8.0	0.9	5.2	26	<0.1	0.9	0.1	79	0.21	0.025	13
50MI11LA0089	Soil	0.6	19.6	16.2	71	<0.1	21.4	12.1	486	3.42	7.9	<0.5	5.8	43	<0.1	1.8	0.1	85	0.25	0.020	18
50MI11LA0090	Soil	0.7	13.4	9.8	60	<0.1	16.7	13.1	516	3.43	6.7	<0.5	6.0	21	<0.1	1.1	<0.1	72	0.13	0.027	9
50MI11LA0091	Soil	1.0	12.3	10.6	55	<0.1	16.9	8.4	334	3.19	11.5	9.3	3.0	10	<0.1	0.5	0.2	71	0.08	0.034	8
50MI11LA0092	Soil	0.4	15.2	7.3	96	<0.1	14.5	18.2	674	5.16	4.5	1.4	6.2	16	<0.1	1.1	<0.1	102	0.09	0.038	7
50MI11LA0093	Soil	0.4	36.7	6.5	79	<0.1	12.7	14.4	556	3.87	4.7	<0.5	2.4	16	<0.1	0.5	<0.1	107	0.15	0.026	4
50MI11LA0094	Soil	0.6	17.8	8.3	69	<0.1	20.1	11.1	397	3.14	7.1	<0.5	3.3	18	<0.1	0.6	0.1	74	0.14	0.022	7
50MI11LA0095	Soil	0.5	19.8	16.5	72	<0.1	19.1	12.2	472	2.96	5.1	4.1	4.0	21	0.1	0.6	<0.1	76	0.22	0.035	10

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI11001930.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
50MI11LA0066	Soil	42	0.88	194	0.088	1	2.18	0.011	0.10	<0.1	0.01	5.0	0.1	<0.05	6	<0.5	<0.2
50MI11LA0067	Soil	35	0.60	230	0.078	1	1.92	0.010	0.10	<0.1	0.03	4.6	0.2	<0.05	6	<0.5	<0.2
50MI11LA0068	Soil	76	1.06	225	0.096	<1	2.24	0.012	0.07	<0.1	0.02	6.4	<0.1	<0.05	8	<0.5	<0.2
50MI11LA0069	Soil	26	0.97	326	0.193	1	2.18	0.017	0.36	<0.1	<0.01	3.9	0.1	<0.05	7	<0.5	<0.2
50MI11LA0070	Soil	39	0.68	182	0.104	<1	1.94	0.013	0.05	<0.1	0.02	3.3	<0.1	<0.05	6	<0.5	<0.2
50MI11LA0071	Soil	62	0.94	216	0.146	<1	2.05	0.013	0.05	<0.1	0.02	3.8	<0.1	<0.05	6	<0.5	<0.2
50MI11LA0072	Soil	73	1.07	197	0.139	<1	2.52	0.014	0.08	0.1	0.03	2.9	<0.1	0.05	7	<0.5	<0.2
50MI11LA0073	Soil	103	1.20	248	0.160	1	2.29	0.017	0.16	<0.1	0.02	3.0	<0.1	0.12	7	0.6	<0.2
50MI11LA0074	Soil	90	0.97	183	0.072	2	2.65	0.009	0.08	<0.1	0.04	3.8	0.1	0.05	8	<0.5	<0.2
50MI11LA0075	Soil	36	0.69	294	0.082	2	1.47	0.019	0.11	0.3	0.05	3.6	<0.1	0.09	4	<0.5	<0.2
50MI11LA0076	Soil	28	0.71	410	0.063	2	1.38	0.027	0.08	0.2	0.04	3.2	<0.1	0.08	4	<0.5	<0.2
50MI11LA0077	Soil	25	0.57	308	0.057	4	1.25	0.020	0.06	0.4	0.05	2.8	<0.1	0.08	4	<0.5	<0.2
50MI11LA0078	Soil	26	0.57	266	0.067	2	1.19	0.023	0.08	0.2	0.05	2.7	<0.1	0.05	4	<0.5	<0.2
50MI11LA0079	Soil	27	0.49	288	0.042	2	1.36	0.014	0.06	0.3	0.06	2.7	<0.1	0.07	4	<0.5	<0.2
50MI11LA0080	Soil	29	0.76	339	0.073	2	1.38	0.028	0.09	0.2	0.05	3.5	<0.1	0.06	4	<0.5	<0.2
50MI11LA0081	Soil	24	0.48	324	0.036	1	1.15	0.016	0.05	0.2	0.08	2.1	<0.1	0.09	3	<0.5	<0.2
50MI11LA0082	Soil	32	0.67	318	0.067	2	1.40	0.021	0.09	0.2	0.03	2.8	<0.1	0.06	4	<0.5	<0.2
50MI11LA0083	Soil	28	0.58	310	0.068	2	1.33	0.022	0.08	0.3	0.03	3.1	<0.1	0.06	4	<0.5	<0.2
50MI11LA0084	Soil	84	1.15	349	0.154	1	2.64	0.014	0.50	0.1	0.14	7.6	0.2	0.05	8	<0.5	<0.2
50MI11LA0085	Soil	95	1.70	280	0.226	1	2.52	0.014	0.78	<0.1	0.02	3.1	0.3	<0.05	8	<0.5	<0.2
50MI11LA0086	Soil	91	1.60	280	0.215	1	2.56	0.013	0.56	0.1	0.05	3.3	0.2	<0.05	8	<0.5	<0.2
50MI11LA0087	Soil	78	1.19	274	0.135	1	2.27	0.012	0.16	<0.1	0.03	4.0	0.1	<0.05	7	<0.5	<0.2
50MI11LA0088	Soil	69	1.11	199	0.143	1	2.40	0.013	0.09	0.1	0.04	3.3	<0.1	<0.05	7	<0.5	<0.2
50MI11LA0089	Soil	67	1.05	125	0.129	2	2.55	0.014	0.06	<0.1	0.12	4.8	<0.1	<0.05	8	0.6	<0.2
50MI11LA0090	Soil	50	1.02	255	0.150	2	3.13	0.013	0.47	0.1	0.05	4.0	0.2	<0.05	8	<0.5	<0.2
50MI11LA0091	Soil	32	0.59	118	0.083	1	2.21	0.009	0.07	0.1	0.04	2.2	0.1	<0.05	7	<0.5	<0.2
50MI11LA0092	Soil	70	1.31	164	0.163	<1	3.03	0.012	0.27	<0.1	0.03	5.2	0.2	<0.05	12	<0.5	<0.2
50MI11LA0093	Soil	43	1.30	393	0.255	<1	2.79	0.014	0.88	<0.1	0.04	3.4	0.3	<0.05	8	<0.5	<0.2
50MI11LA0094	Soil	55	1.01	208	0.142	<1	2.38	0.011	0.31	0.1	0.03	2.3	0.1	<0.05	7	<0.5	<0.2
50MI11LA0095	Soil	58	1.01	259	0.152	1	2.06	0.013	0.29	<0.1	0.05	2.7	0.1	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI11001930.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
50MI11LA0096	Soil	0.4	22.1	7.3	68	<0.1	21.9	13.6	424	3.19	4.3	1.7	4.5	34	<0.1	0.7	<0.1	78	0.33	0.023	12
50MI11LA0097	Soil	0.6	22.1	9.2	68	0.1	19.8	10.8	297	2.33	4.6	1.3	3.8	31	0.2	0.7	0.1	55	0.48	0.060	12
50MI11LA0098	Soil	0.5	20.2	10.1	68	0.2	20.0	13.4	636	2.72	8.5	1.1	3.4	34	0.4	0.8	0.2	59	0.48	0.062	14
50MI11LA0099	Soil	0.4	24.9	11.3	78	<0.1	30.1	17.5	498	3.64	5.2	<0.5	5.6	28	0.1	1.0	<0.1	84	0.29	0.011	13
50MI11LA0100	Soil	0.5	16.7	13.2	80	<0.1	22.4	17.1	804	3.17	5.4	0.9	2.8	26	<0.1	0.7	<0.1	83	0.21	0.022	5
50MI11LA0100 DUP	Soil	0.6	22.8	10.1	94	<0.1	29.2	18.6	778	3.67	5.3	<0.5	3.6	33	<0.1	0.6	<0.1	97	0.29	0.024	5
50MI11LA0101	Soil	0.9	18.9	13.3	69	<0.1	23.5	14.8	556	2.92	5.5	<0.5	4.2	18	0.2	0.5	0.1	75	0.20	0.019	11
50MI11LA0102	Soil	0.8	26.0	10.4	75	<0.1	24.6	14.4	549	3.17	5.6	<0.5	4.5	30	<0.1	0.7	0.1	79	0.40	0.030	13
50MI11LA0103	Soil	0.6	30.7	9.0	75	<0.1	29.7	19.1	586	3.70	5.1	1.1	4.0	37	0.1	1.1	<0.1	91	0.46	0.023	8
50MI11LA0104	Soil	0.7	25.5	11.2	52	0.1	21.7	11.8	448	2.85	8.8	1.5	4.8	22	0.1	0.9	0.2	69	0.24	0.023	15
50MI11LA0105	Soil	0.9	24.0	14.9	54	<0.1	22.9	12.7	288	2.87	9.3	1.6	2.8	19	<0.1	1.1	0.1	71	0.17	0.015	9
50MI11MGB0072	Soil	2.6	52.3	17.7	131	0.3	35.1	6.6	182	3.43	4.7	2.3	5.6	14	0.1	0.2	0.4	54	0.09	0.063	39
50MI11MGB0073	Soil	0.9	24.4	15.1	75	<0.1	29.8	12.6	328	3.08	11.2	0.6	6.3	14	0.1	0.2	0.2	42	0.16	0.026	20
50MI11MGB0074	Soil	1.0	24.7	7.6	67	0.2	21.6	8.1	266	2.54	4.4	2.1	1.2	13	0.2	0.3	0.2	56	0.16	0.049	10
50MI11MGB0075	Soil	1.1	23.7	9.0	73	0.3	24.9	14.1	573	2.69	4.5	2.6	2.1	19	0.2	0.2	0.2	56	0.24	0.062	12
50MI11MGB0076	Soil	1.1	25.9	8.1	56	0.5	29.8	12.5	605	2.33	11.0	3.2	1.6	24	0.1	0.3	0.2	45	0.34	0.062	15
50MI11MGB0077	Soil	1.3	25.0	13.4	80	0.3	28.4	12.9	382	2.92	8.7	2.7	4.5	17	<0.1	0.3	0.2	48	0.22	0.057	20
50MI11MGB0078	Soil	0.9	43.1	17.8	82	<0.1	42.9	22.7	1096	4.41	6.0	2.0	11.2	25	0.2	0.9	0.4	44	0.21	0.057	28
50MI11MGB0079	Soil	0.8	21.9	8.8	47	<0.1	19.7	9.9	273	2.65	5.7	1.3	1.7	13	<0.1	0.3	0.2	51	0.16	0.059	14
50MI11MGB0080	Soil	1.7	26.0	16.8	73	<0.1	28.6	15.2	593	4.01	9.3	2.2	5.0	16	0.1	0.5	0.3	63	0.18	0.045	17
50MI11MGB0081	Soil	1.7	20.8	11.9	60	<0.1	19.4	10.1	428	3.09	6.9	1.7	2.8	13	<0.1	0.3	0.2	59	0.17	0.035	14
50MI11MGB0082	Soil	1.4	26.7	11.5	64	0.1	26.0	12.5	883	2.84	5.2	2.5	2.1	30	0.1	0.3	0.2	46	0.52	0.059	21
50MI11MGB0083	Soil	1.6	35.7	13.0	79	0.1	43.4	15.0	437	3.40	4.0	1.1	6.2	28	<0.1	0.2	0.1	55	0.50	0.063	26
50MI11MGB0084	Soil	1.6	32.5	13.7	69	0.1	40.9	13.8	482	2.92	4.1	3.3	3.7	44	0.1	0.2	0.1	51	0.69	0.053	21
50MI11MGB0085	Soil	0.9	24.7	9.0	62	0.1	36.2	12.0	367	2.64	3.3	1.0	2.5	61	0.1	0.2	0.1	42	1.14	0.065	17
50MI11MGB0086	Soil	1.2	16.9	11.1	53	0.1	21.9	11.7	509	2.22	3.1	1.4	1.5	42	0.1	0.2	0.2	47	0.69	0.064	11
50MI11MGB0087	Soil	0.9	17.9	20.9	50	<0.1	20.3	8.8	249	2.76	5.3	0.8	3.2	9	0.1	0.2	0.2	59	0.10	0.030	14
50MI11MGB0088	Soil	0.6	20.5	11.2	67	0.1	33.8	9.8	226	2.39	2.3	2.7	3.0	27	0.1	0.2	0.1	41	0.42	0.088	20
50MI11MGB0089	Soil	1.2	34.0	9.9	70	0.1	59.8	23.2	494	3.53	4.2	3.5	3.5	40	0.1	0.3	<0.1	71	0.69	0.136	23
50MI11MGB0090	Soil	1.1	26.9	9.4	71	<0.1	46.3	15.9	409	3.17	3.7	1.5	3.4	34	0.1	0.7	0.1	67	0.61	0.078	15

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI11001930.2

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
50MI11LA0096	Soil		70	1.25	264	0.161	<1	2.28	0.013	0.32	<0.1	0.04	3.7	0.1	<0.05	7	<0.5	<0.2
50MI11LA0097	Soil		38	0.78	313	0.092	1	1.52	0.019	0.15	0.2	0.04	3.5	0.1	0.06	5	<0.5	<0.2
50MI11LA0098	Soil		32	0.68	377	0.075	1	1.55	0.022	0.10	0.2	0.07	3.5	<0.1	0.06	4	<0.5	<0.2
50MI11LA0099	Soil		92	1.62	280	0.192	1	2.59	0.012	0.33	0.1	0.08	4.0	0.1	<0.05	8	<0.5	<0.2
50MI11LA0100	Soil		80	1.37	319	0.173	<1	2.30	0.016	0.40	0.1	0.04	2.6	0.1	<0.05	8	<0.5	<0.2
50MI11LA0100 DUP	Soil		112	1.99	367	0.236	<1	2.79	0.022	0.70	0.1	0.04	3.0	0.3	<0.05	9	<0.5	<0.2
50MI11LA0101	Soil		68	1.12	281	0.167	<1	2.14	0.013	0.27	0.1	0.03	2.7	0.1	<0.05	6	<0.5	<0.2
50MI11LA0102	Soil		72	1.33	293	0.152	<1	2.11	0.014	0.22	0.1	0.05	3.9	0.1	<0.05	7	<0.5	<0.2
50MI11LA0103	Soil		107	1.50	303	0.153	1	2.41	0.011	0.28	0.1	0.04	5.0	0.1	<0.05	7	<0.5	<0.2
50MI11LA0104	Soil		49	0.77	263	0.102	2	1.82	0.019	0.08	0.1	0.06	5.2	<0.1	<0.05	5	<0.5	<0.2
50MI11LA0105	Soil		59	0.98	242	0.110	1	2.26	0.010	0.08	0.1	0.05	2.7	<0.1	<0.05	6	<0.5	<0.2
50MI11MGB0072	Soil		42	0.71	227	0.020	<1	2.09	0.005	0.15	0.1	0.03	2.2	0.3	0.10	5	1.0	<0.2
50MI11MGB0073	Soil		38	0.68	141	0.088	1	1.77	0.005	0.26	<0.1	0.01	2.0	0.3	<0.05	7	<0.5	<0.2
50MI11MGB0074	Soil		36	0.63	170	0.061	2	1.70	0.008	0.09	<0.1	0.02	2.7	0.1	<0.05	5	<0.5	<0.2
50MI11MGB0075	Soil		38	0.66	286	0.044	2	1.83	0.008	0.07	<0.1	0.04	3.4	0.1	<0.05	6	<0.5	<0.2
50MI11MGB0076	Soil		45	0.59	288	0.046	2	1.56	0.010	0.06	0.1	0.06	3.1	0.1	0.06	5	<0.5	<0.2
50MI11MGB0077	Soil		38	0.62	164	0.073	1	2.01	0.009	0.11	0.1	0.05	3.0	0.2	<0.05	6	<0.5	<0.2
50MI11MGB0078	Soil		39	0.99	172	0.026	1	2.57	0.006	0.17	<0.1	0.01	3.6	0.2	<0.05	6	<0.5	0.4
50MI11MGB0079	Soil		27	0.53	121	0.049	1	1.75	0.011	0.07	<0.1	0.02	2.3	0.1	<0.05	6	<0.5	<0.2
50MI11MGB0080	Soil		42	0.55	197	0.037	1	2.30	0.008	0.09	0.1	0.02	3.5	0.2	<0.05	7	<0.5	<0.2
50MI11MGB0081	Soil		29	0.47	109	0.042	<1	1.68	0.007	0.07	0.1	0.01	2.6	0.1	<0.05	7	<0.5	<0.2
50MI11MGB0082	Soil		34	0.57	214	0.044	2	1.96	0.013	0.09	<0.1	0.04	3.0	0.2	<0.05	5	<0.5	<0.2
50MI11MGB0083	Soil		52	0.98	158	0.070	<1	2.12	0.010	0.17	<0.1	0.03	4.2	0.2	<0.05	7	<0.5	<0.2
50MI11MGB0084	Soil		50	0.76	167	0.061	1	1.92	0.012	0.10	<0.1	0.03	3.5	0.2	<0.05	6	<0.5	<0.2
50MI11MGB0085	Soil		49	0.66	152	0.047	1	1.58	0.011	0.10	<0.1	0.03	2.8	0.1	0.12	5	<0.5	<0.2
50MI11MGB0086	Soil		34	0.48	147	0.046	1	1.33	0.014	0.06	<0.1	0.04	2.3	0.1	0.08	5	<0.5	<0.2
50MI11MGB0087	Soil		32	0.44	60	0.079	<1	1.54	0.008	0.09	0.1	0.02	1.9	0.1	<0.05	7	<0.5	<0.2
50MI11MGB0088	Soil		46	0.71	147	0.066	1	1.78	0.014	0.15	<0.1	0.04	3.3	0.1	0.05	6	<0.5	<0.2
50MI11MGB0089	Soil		58	1.03	204	0.115	1	1.83	0.014	0.21	0.1	0.03	3.3	0.2	<0.05	7	<0.5	<0.2
50MI11MGB0090	Soil		53	0.87	172	0.105	1	1.85	0.015	0.15	0.1	0.02	3.2	0.2	<0.05	8	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI11001930.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
50MI11MGB0091	Soil	1.3	51.5	10.2	76	0.1	75.8	33.8	540	4.61	5.1	1.3	3.7	57	0.1	1.6	0.1	113	0.84	0.202	18
50MI11MGB0092	Soil	1.0	22.8	7.7	47	0.2	25.6	8.7	174	2.13	3.6	0.8	1.2	37	<0.1	0.3	0.1	46	0.54	0.046	14
50MI11MGB0093	Soil	0.8	32.2	10.7	71	0.1	38.7	14.8	549	3.02	5.1	1.7	3.2	57	0.2	0.4	0.1	60	0.95	0.088	18
50MI11MGB0094	Soil	0.7	24.6	10.2	65	<0.1	30.7	12.3	379	2.87	5.0	1.2	3.2	39	0.2	0.2	0.1	53	0.71	0.077	14
50MI11MGB0095	Soil	1.0	16.4	12.7	66	0.2	24.0	13.6	519	2.49	4.2	2.2	2.6	21	0.1	0.2	0.2	48	0.27	0.058	16
50MI11MGB0096	Soil	0.8	19.3	12.4	65	0.1	26.1	16.9	574	2.76	4.9	1.3	3.0	26	<0.1	0.3	0.1	47	0.38	0.044	16
50MI11MGB0097	Soil	0.9	25.8	10.9	63	0.2	33.7	16.9	620	2.85	5.2	1.7	3.3	49	0.1	0.3	0.1	46	0.81	0.062	25
50MI11MGB0098	Soil	1.1	32.4	13.8	56	0.1	29.6	11.9	270	3.01	6.2	1.4	4.9	19	0.1	0.3	0.2	55	0.18	0.043	30
50MI11MGB0099	Soil	1.3	33.3	7.6	79	<0.1	22.8	15.2	444	3.69	9.0	0.8	5.9	43	0.2	1.0	0.1	79	0.62	0.037	20
50MI11MGB0100	Soil	0.4	20.0	7.6	69	0.1	13.5	8.1	256	1.96	2.4	1.0	2.8	25	0.2	0.7	0.2	50	0.37	0.045	13
50MI11MGB0101	Soil	0.7	18.4	8.0	65	0.2	15.3	12.0	489	2.63	4.7	2.5	2.8	25	0.3	0.7	0.2	57	0.34	0.062	15
50MI11MGB0102	Soil	1.0	25.5	8.4	66	0.3	16.7	11.4	362	3.67	8.8	1.5	7.2	25	0.1	0.9	0.1	76	0.37	0.050	45
50MI11MGB0103	Soil	0.8	42.2	4.6	81	0.4	26.9	17.7	1092	4.14	6.9	1.0	6.2	38	0.2	0.5	<0.1	82	0.63	0.037	31
50MI11MGB0104	Soil	0.8	24.1	6.8	67	<0.1	18.9	12.3	489	3.03	6.3	2.7	3.7	32	<0.1	0.4	0.1	63	0.42	0.029	14
50MI11MGB0105	Soil	0.8	23.4	7.0	59	0.2	12.3	8.4	420	2.75	3.4	0.6	2.2	39	0.1	1.3	0.1	56	0.57	0.042	14
50MI11MGB0106	Soil	0.8	31.2	5.0	79	<0.1	28.3	17.6	479	4.44	3.6	<0.5	3.6	16	<0.1	0.7	<0.1	97	0.23	0.025	8
50MI11MGB0107	Soil	0.5	10.9	9.2	57	<0.1	8.5	6.7	293	2.56	3.2	1.2	2.8	15	<0.1	1.6	0.1	54	0.22	0.044	12
50MI11MGB0108	Soil	0.9	25.5	16.5	155	<0.1	19.5	14.8	625	4.39	6.9	1.3	5.4	11	0.5	0.5	0.2	96	0.12	0.025	14
50MI11MGB0109	Soil	0.9	17.2	12.4	61	<0.1	15.6	12.2	481	3.95	7.0	3.1	7.1	12	0.1	1.4	0.2	75	0.09	0.031	14
50MI11MGB0110	Soil	0.9	29.9	10.0	68	<0.1	17.8	12.7	482	3.87	8.3	2.8	5.4	20	<0.1	0.5	0.2	84	0.21	0.040	15
50MI11MGB0111	Soil	0.8	36.6	7.0	91	0.3	13.3	15.8	689	4.79	4.2	1.2	6.7	23	0.1	1.1	0.2	104	0.41	0.079	19
50MI11MGB0112	Soil	0.7	30.1	6.6	101	<0.1	14.3	21.3	789	5.46	4.7	<0.5	3.8	10	<0.1	0.5	<0.1	110	0.20	0.070	8
50MI11MGB0113	Soil	0.8	18.3	8.1	64	<0.1	14.8	10.2	337	3.70	7.6	2.9	3.1	19	<0.1	0.5	0.2	82	0.21	0.036	10
50MI11MGB0114	Soil	0.7	43.8	8.2	78	0.2	18.9	18.6	747	4.30	3.2	0.9	7.2	32	<0.1	1.1	0.2	96	0.57	0.077	24
50MI11MGB0115	Soil	1.2	16.2	8.0	63	<0.1	13.7	11.7	501	4.56	7.7	0.5	3.8	9	0.1	0.6	0.1	104	0.09	0.029	7
50MI11MGB0116	Soil	0.7	21.5	8.1	63	<0.1	17.1	10.9	375	3.69	8.7	2.0	4.9	14	0.1	0.8	0.1	81	0.12	0.018	13
50MI11MGB0117	Soil	0.7	19.2	9.3	64	<0.1	14.8	10.7	335	3.73	6.9	0.8	4.1	10	0.1	0.7	0.1	72	0.08	0.018	9
50MI11MGB0118	Soil	0.7	12.8	8.4	65	<0.1	15.9	13.1	783	3.30	6.7	0.6	4.0	12	<0.1	0.6	0.1	68	0.11	0.033	8
50MI11MGB0119	Soil	0.6	20.9	13.1	92	<0.1	25.1	16.9	619	4.04	6.2	<0.5	4.9	13	<0.1	1.3	0.1	91	0.14	0.024	10
50MI11MGB0120	Soil	0.8	19.3	11.3	70	<0.1	21.5	12.2	377	3.42	7.9	2.4	5.2	19	0.1	0.8	0.2	78	0.15	0.019	10

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI11001930.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
50MI11MGB0091	Soil	55	1.30	292	0.160	1	2.45	0.013	0.54	<0.1	0.02	5.3	0.3	<0.05	10	<0.5	<0.2
50MI11MGB0092	Soil	31	0.44	184	0.051	1	1.47	0.015	0.05	<0.1	0.03	2.3	0.1	<0.05	6	<0.5	<0.2
50MI11MGB0093	Soil	44	0.81	250	0.082	2	1.99	0.016	0.13	0.1	0.04	4.1	0.1	<0.05	6	<0.5	<0.2
50MI11MGB0094	Soil	36	0.65	208	0.079	1	1.69	0.012	0.11	<0.1	0.03	3.0	0.1	<0.05	6	<0.5	<0.2
50MI11MGB0095	Soil	37	0.55	148	0.067	1	1.55	0.013	0.07	0.1	0.03	2.8	0.1	<0.05	6	<0.5	<0.2
50MI11MGB0096	Soil	38	0.66	191	0.070	1	1.76	0.011	0.08	0.1	0.03	2.9	0.1	<0.05	6	<0.5	<0.2
50MI11MGB0097	Soil	48	0.72	221	0.069	1	1.88	0.013	0.15	0.1	0.06	3.9	0.2	0.07	6	<0.5	<0.2
50MI11MGB0098	Soil	39	0.52	177	0.077	1	2.12	0.015	0.16	0.1	0.03	3.6	0.2	<0.05	7	<0.5	<0.2
50MI11MGB0099	Soil	56	1.19	779	0.134	1	2.20	0.013	0.71	0.2	0.09	9.2	0.3	0.05	8	<0.5	<0.2
50MI11MGB0100	Soil	33	0.67	529	0.074	<1	1.48	0.010	0.28	0.2	0.09	5.2	0.2	<0.05	5	<0.5	<0.2
50MI11MGB0101	Soil	41	0.70	422	0.068	1	1.64	0.012	0.25	0.2	0.13	5.9	0.2	0.07	5	<0.5	<0.2
50MI11MGB0102	Soil	48	0.85	777	0.062	1	2.42	0.009	0.55	<0.1	0.32	16.6	0.2	<0.05	7	<0.5	<0.2
50MI11MGB0103	Soil	82	1.44	690	0.151	<1	2.23	0.012	0.80	0.1	0.14	11.7	0.4	<0.05	7	<0.5	<0.2
50MI11MGB0104	Soil	50	0.78	575	0.088	<1	1.69	0.011	0.22	0.1	0.06	6.4	0.2	<0.05	5	<0.5	<0.2
50MI11MGB0105	Soil	32	0.44	982	0.012	<1	1.58	0.009	0.19	0.1	0.07	6.9	0.1	<0.05	5	<0.5	<0.2
50MI11MGB0106	Soil	97	1.45	378	0.168	<1	2.25	0.010	0.59	<0.1	0.01	6.5	0.3	<0.05	8	<0.5	<0.2
50MI11MGB0107	Soil	16	0.46	310	0.039	<1	1.24	0.008	0.11	<0.1	0.01	2.4	<0.1	<0.05	5	<0.5	<0.2
50MI11MGB0108	Soil	48	1.15	319	0.143	1	2.80	0.008	0.52	<0.1	0.02	5.5	0.2	<0.05	8	<0.5	<0.2
50MI11MGB0109	Soil	43	0.79	213	0.104	1	2.03	0.008	0.38	0.1	0.03	5.7	0.2	<0.05	7	<0.5	<0.2
50MI11MGB0110	Soil	39	0.87	459	0.131	1	2.39	0.010	0.25	0.2	0.04	7.2	0.1	<0.05	7	<0.5	<0.2
50MI11MGB0111	Soil	41	1.22	749	0.220	1	2.57	0.012	0.90	0.3	0.07	12.8	0.3	<0.05	8	<0.5	<0.2
50MI11MGB0112	Soil	45	1.32	441	0.245	1	2.81	0.011	0.94	<0.1	0.02	7.9	0.3	<0.05	8	<0.5	<0.2
50MI11MGB0113	Soil	36	0.79	331	0.116	<1	2.11	0.009	0.22	0.1	0.03	6.2	0.1	<0.05	7	<0.5	<0.2
50MI11MGB0114	Soil	64	1.74	690	0.201	<1	2.58	0.010	0.73	0.1	0.07	10.3	0.3	<0.05	8	<0.5	<0.2
50MI11MGB0115	Soil	38	1.03	190	0.179	<1	2.51	0.010	0.18	0.1	0.02	7.3	0.1	<0.05	9	<0.5	<0.2
50MI11MGB0116	Soil	39	0.84	297	0.151	<1	2.26	0.009	0.25	0.1	0.03	5.9	0.2	<0.05	7	<0.5	<0.2
50MI11MGB0117	Soil	33	0.81	216	0.093	<1	2.64	0.007	0.30	0.1	0.02	5.8	0.2	<0.05	7	<0.5	<0.2
50MI11MGB0118	Soil	41	0.88	211	0.098	<1	2.23	0.011	0.31	0.1	0.01	4.0	0.1	<0.05	7	<0.5	<0.2
50MI11MGB0119	Soil	86	1.56	300	0.185	<1	2.73	0.009	0.51	<0.1	0.02	5.9	0.2	<0.05	8	<0.5	<0.2
50MI11MGB0120	Soil	56	0.87	261	0.121	<1	2.43	0.010	0.10	0.1	0.02	5.2	0.1	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI11001930.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
50MI11MGB0121	Soil	0.6	47.5	13.8	69	0.9	32.2	14.6	418	3.23	3.4	8.2	5.5	51	0.4	0.9	0.2	70	0.58	0.056	23
50MI11MGB0122	Soil	0.7	21.8	9.3	69	<0.1	20.0	10.2	271	2.63	6.8	2.4	4.2	29	0.1	0.8	0.1	55	0.35	0.051	14
50MI11MGB0123	Soil	0.7	19.6	9.2	57	0.1	17.7	10.1	274	2.48	7.3	11.0	3.4	29	<0.1	0.7	0.2	54	0.49	0.051	14
50MI11MGB0124	Soil	0.9	17.7	9.4	56	0.1	15.7	9.5	270	2.74	10.2	3.8	3.5	30	<0.1	0.8	0.2	59	0.42	0.051	14
50MI11MGB0125	Soil	0.8	16.1	9.2	59	<0.1	16.0	10.2	294	2.52	7.0	2.0	3.6	30	0.1	0.6	0.1	54	0.44	0.049	13
50MI11MGB0126	Soil	0.6	21.3	10.3	75	0.1	19.0	11.5	316	3.29	17.9	1.7	4.0	29	0.2	0.8	0.2	70	0.35	0.095	14
50MI11MGB0127	Soil	0.8	27.2	10.4	72	0.1	22.5	12.8	368	3.09	7.4	2.7	3.7	33	0.2	0.9	0.2	59	0.41	0.051	13
50MI11MGB0128	Soil	0.6	19.6	8.7	58	0.1	17.8	10.6	389	2.20	5.5	2.9	2.8	32	0.1	0.7	0.1	49	0.39	0.053	13
50MI11MGB0129	Soil	0.8	33.3	8.7	64	0.1	28.1	15.1	662	2.78	7.4	2.6	3.6	44	0.1	0.9	0.1	62	0.61	0.051	13
50MI11MGB0130	Soil	0.6	28.4	9.2	60	0.1	24.5	9.9	337	2.46	6.7	1.3	2.8	52	0.2	0.7	0.2	54	0.54	0.054	11
50MI11MGB0131	Soil	0.7	27.6	9.3	68	0.1	25.3	11.3	369	2.59	7.9	3.1	4.0	43	0.2	0.8	0.2	56	0.47	0.059	14
50MI11MGB0132	Soil	0.7	31.4	9.1	68	0.1	26.7	12.8	392	2.83	7.3	4.4	4.0	40	0.2	0.8	0.1	64	0.49	0.040	13
50MI11MGB0133	Soil	0.7	34.9	11.0	76	0.1	30.9	13.3	366	2.98	8.4	2.9	4.1	48	0.2	0.9	0.2	63	0.63	0.052	15
50MI11MGB0134	Soil	0.7	26.1	9.2	59	0.1	22.3	10.7	378	2.48	8.5	1.1	3.9	39	0.2	0.6	0.1	54	0.50	0.060	14
50MI11MGB0135	Soil	0.6	27.7	9.1	64	0.1	23.5	12.6	356	2.78	7.0	1.5	3.5	33	0.1	0.8	0.1	61	0.40	0.044	12
50MI11MGB0136	Soil	0.6	24.9	8.6	54	<0.1	22.5	10.2	381	2.39	7.5	1.8	3.5	39	0.1	0.6	0.1	52	0.51	0.069	13
50MI11LA0106	Soil	0.6	23.2	6.6	58	<0.1	23.4	13.5	330	3.09	5.5	0.8	3.9	27	<0.1	0.7	<0.1	74	0.26	0.022	12
50MI11LA0107	Soil	0.8	36.1	10.0	72	<0.1	30.2	16.2	406	3.64	7.7	1.6	5.5	36	<0.1	5.0	0.2	85	0.36	0.020	15
50MI11LA0108	Soil	0.9	24.2	9.2	68	0.1	22.1	10.4	467	2.50	6.1	2.3	3.8	41	0.1	0.7	0.1	52	0.57	0.061	14
50MI11LA0109	Soil	0.5	25.7	9.1	70	0.1	21.2	10.2	395	2.40	6.2	1.6	4.2	35	0.3	0.7	0.1	54	0.48	0.058	14
50MI11LA0110	Soil	0.6	14.3	7.4	60	<0.1	15.7	9.2	226	2.27	6.4	0.6	2.6	24	0.1	0.4	0.1	56	0.26	0.054	11
50MI11LA0111	Soil	0.5	19.5	8.6	65	0.1	17.3	9.4	199	2.47	7.7	1.4	2.4	27	0.1	0.5	0.1	57	0.32	0.047	11
50MI11LA0112	Soil	0.5	21.2	8.4	69	0.1	20.4	11.9	270	2.63	6.5	<0.5	3.4	30	0.2	0.5	0.1	60	0.39	0.041	12
50MI11LA0113	Soil	0.8	16.1	8.0	63	0.1	17.5	10.7	313	2.47	7.1	0.6	2.1	27	0.2	0.5	0.1	60	0.35	0.052	9
50MI11LA0114	Soil	0.7	17.6	7.6	65	<0.1	18.7	12.6	393	2.53	10.1	2.4	2.3	20	0.1	0.4	0.2	59	0.27	0.040	8
50MI11LA0115	Soil	0.7	18.4	8.3	65	<0.1	19.7	11.0	328	2.28	9.2	1.9	2.1	24	0.1	0.5	0.2	51	0.31	0.049	9
50MI11LA0116	Soil	0.7	20.4	8.1	68	<0.1	20.8	13.3	470	2.63	9.3	1.8	2.8	26	<0.1	0.5	0.2	60	0.41	0.045	10
50MI11LA0117	Soil	0.4	28.9	7.8	65	<0.1	24.3	12.8	335	2.70	8.7	1.3	3.8	28	0.2	0.5	0.1	64	0.43	0.041	11
50MI11LA0118	Soil	0.4	24.8	5.7	79	<0.1	31.0	18.3	582	3.94	4.7	0.7	2.9	27	<0.1	1.2	<0.1	93	0.48	0.048	7
50MI11LA0119	Soil	0.6	33.7	5.1	66	<0.1	29.4	18.2	460	3.49	6.3	0.5	4.0	20	<0.1	0.4	<0.1	83	0.28	0.030	10

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI11001930.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
50MI11MGB0121	Soil	68	0.91	923	0.129	<1	2.79	0.012	0.31	0.2	0.19	10.7	0.2	<0.05	8	<0.5	<0.2
50MI11MGB0122	Soil	37	0.63	410	0.087	1	1.62	0.014	0.06	0.2	0.04	4.5	<0.1	<0.05	5	<0.5	<0.2
50MI11MGB0123	Soil	34	0.55	459	0.074	<1	1.63	0.014	0.06	0.2	0.06	4.2	<0.1	<0.05	5	<0.5	<0.2
50MI11MGB0124	Soil	33	0.50	361	0.067	<1	1.49	0.012	0.05	0.3	0.05	3.9	<0.1	<0.05	4	<0.5	<0.2
50MI11MGB0125	Soil	31	0.51	414	0.075	<1	1.52	0.012	0.06	0.2	0.04	3.8	<0.1	<0.05	5	<0.5	<0.2
50MI11MGB0126	Soil	44	0.62	478	0.088	<1	1.79	0.013	0.10	0.2	0.05	5.3	<0.1	<0.05	5	<0.5	<0.2
50MI11MGB0127	Soil	47	0.65	458	0.082	<1	1.73	0.016	0.07	0.1	0.04	5.3	<0.1	<0.05	5	<0.5	<0.2
50MI11MGB0128	Soil	36	0.54	375	0.070	<1	1.55	0.014	0.05	0.2	0.05	4.0	<0.1	<0.05	5	<0.5	<0.2
50MI11MGB0129	Soil	50	0.77	441	0.106	<1	1.80	0.019	0.08	0.1	0.05	5.4	<0.1	<0.05	5	<0.5	<0.2
50MI11MGB0130	Soil	45	0.67	440	0.082	1	1.64	0.019	0.07	0.2	0.04	4.5	<0.1	<0.05	5	<0.5	<0.2
50MI11MGB0131	Soil	37	0.62	351	0.086	1	1.47	0.021	0.07	0.2	0.03	4.7	<0.1	<0.05	5	<0.5	<0.2
50MI11MGB0132	Soil	58	0.80	427	0.120	1	1.88	0.019	0.12	0.2	0.05	5.4	0.1	<0.05	6	<0.5	<0.2
50MI11MGB0133	Soil	53	0.78	520	0.085	1	1.87	0.020	0.11	0.2	0.06	6.1	<0.1	<0.05	6	<0.5	<0.2
50MI11MGB0134	Soil	34	0.56	396	0.078	<1	1.46	0.020	0.06	0.2	0.04	4.3	<0.1	<0.05	4	<0.5	<0.2
50MI11MGB0135	Soil	49	0.69	371	0.099	1	1.75	0.017	0.11	0.1	0.05	5.2	<0.1	<0.05	5	<0.5	<0.2
50MI11MGB0136	Soil	36	0.58	360	0.071	1	1.36	0.019	0.05	0.3	0.04	3.9	<0.1	<0.05	4	<0.5	<0.2
50MI11LA0106	Soil	72	1.07	360	0.164	<1	2.15	0.012	0.17	<0.1	0.02	4.1	0.1	<0.05	7	<0.5	<0.2
50MI11LA0107	Soil	75	1.08	415	0.134	1	2.47	0.024	0.20	0.1	0.03	6.4	0.1	<0.05	7	<0.5	<0.2
50MI11LA0108	Soil	33	0.60	330	0.084	2	1.45	0.021	0.07	0.2	0.04	4.1	<0.1	<0.05	4	<0.5	<0.2
50MI11LA0109	Soil	36	0.66	327	0.099	2	1.57	0.022	0.10	0.2	0.05	4.3	<0.1	<0.05	5	<0.5	<0.2
50MI11LA0110	Soil	37	0.57	206	0.084	<1	1.38	0.014	0.06	0.3	0.04	3.1	<0.1	<0.05	4	<0.5	<0.2
50MI11LA0111	Soil	45	0.69	246	0.087	<1	1.72	0.015	0.06	0.2	0.05	3.6	<0.1	<0.05	5	<0.5	<0.2
50MI11LA0112	Soil	55	0.84	306	0.117	<1	1.88	0.014	0.08	0.1	0.04	4.0	<0.1	<0.05	5	<0.5	<0.2
50MI11LA0113	Soil	49	0.77	199	0.095	<1	1.66	0.012	0.06	0.2	0.05	3.1	<0.1	<0.05	5	<0.5	<0.2
50MI11LA0114	Soil	49	0.84	206	0.093	1	1.65	0.010	0.07	0.2	0.03	2.2	<0.1	0.06	5	<0.5	<0.2
50MI11LA0115	Soil	43	0.70	244	0.078	2	1.54	0.011	0.06	0.2	0.04	2.4	<0.1	0.07	5	0.6	<0.2
50MI11LA0116	Soil	51	0.81	306	0.099	2	1.72	0.012	0.06	0.2	0.03	2.7	<0.1	0.05	5	0.5	<0.2
50MI11LA0117	Soil	56	0.91	284	0.127	2	1.75	0.015	0.18	0.2	0.03	3.4	0.1	<0.05	5	0.5	<0.2
50MI11LA0118	Soil	107	1.62	401	0.156	<1	2.59	0.011	0.32	<0.1	0.02	4.6	0.2	<0.05	8	<0.5	<0.2
50MI11LA0119	Soil	95	1.54	367	0.213	1	2.35	0.010	0.53	0.1	0.02	3.0	0.2	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI11001930.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
50MI11LA0120	Soil	0.3	30.1	5.2	74	<0.1	26.9	14.9	464	3.41	4.3	1.8	3.8	18	<0.1	0.6	<0.1	80	0.30	0.037	10
50MI11LA0121	Soil	0.9	20.8	8.6	53	<0.1	14.3	15.2	1732	2.71	3.8	0.6	2.1	11	0.1	0.5	0.1	69	0.15	0.022	8
50MI11LA0122	Soil	0.5	32.4	6.8	82	<0.1	29.6	17.5	466	4.03	6.5	0.9	3.7	20	<0.1	2.6	<0.1	97	0.17	0.019	10
50MI11LA0123	Soil	0.6	11.7	7.9	62	<0.1	20.5	14.0	442	3.04	7.2	0.9	2.7	20	<0.1	0.6	0.1	67	0.19	0.022	6
50MI11LA0124	Soil	0.6	23.3	7.1	54	<0.1	23.4	12.6	302	2.86	9.9	2.5	4.6	24	<0.1	0.9	0.1	60	0.25	0.012	8
50MI11LA0125	Soil	0.6	31.5	7.7	63	<0.1	24.6	10.2	346	2.47	9.9	6.0	4.3	28	0.1	0.6	0.2	55	0.41	0.067	14
50MI11LA0126	Soil	0.6	29.6	9.1	53	<0.1	26.7	11.4	582	2.63	10.9	2.1	4.1	29	0.1	0.6	0.2	57	0.39	0.030	15
50MI11LA0127	Soil	0.8	35.0	7.5	73	<0.1	28.6	13.1	488	2.98	9.5	9.0	4.8	36	0.2	0.6	0.1	65	0.55	0.064	14
50MI11LA0128	Soil	1.1	25.6	7.5	40	0.1	21.1	9.8	600	1.94	8.6	1.8	1.0	65	0.4	0.8	0.2	40	1.07	0.087	12
50MI11LA0129	Soil	0.7	28.3	8.1	51	0.1	23.2	8.8	401	2.32	9.8	5.0	3.2	39	0.2	0.5	0.1	50	0.63	0.071	13
50MI11LA0130	Soil	1.1	23.4	5.6	51	0.1	21.9	9.2	1165	1.84	9.8	1.3	0.8	66	0.6	0.7	0.1	33	1.39	0.078	8
50MI11LA0131	Soil	0.5	26.6	9.6	77	0.1	23.4	12.9	435	2.69	8.5	2.1	3.1	35	0.2	0.7	0.2	58	0.49	0.060	13
50MI11LA0132	Soil	0.9	12.9	36.1	57	0.1	9.5	3.5	174	1.86	16.7	1.6	4.0	11	0.2	0.6	0.3	47	0.10	0.033	14
50MI11LA0133	Soil	2.1	21.1	108.0	147	0.3	14.0	6.2	360	2.75	15.4	3.8	13.9	11	0.4	0.5	0.4	56	0.10	0.035	27
50MI11LA0134	Soil	1.8	21.5	227.9	143	1.0	12.1	4.2	225	1.95	49.4	1.2	8.5	18	0.8	1.5	0.4	35	0.14	0.049	50
50MI11LA0135	Soil	1.6	40.0	348.9	101	0.5	13.4	4.7	221	2.09	34.6	4.2	8.6	12	0.3	0.7	0.4	37	0.12	0.050	29
50MI11LA0136	Soil	1.6	38.2	417.7	129	0.8	13.8	6.2	440	2.11	39.5	2.4	9.9	12	0.6	0.7	0.6	37	0.13	0.042	23
50MI11CL0106	Soil	0.7	23.6	10.3	70	0.3	25.8	11.6	299	2.38	5.4	0.9	5.4	15	0.2	0.2	0.1	37	0.15	0.041	26
50MI11CL0107	Soil	1.0	29.8	14.7	77	0.2	30.0	11.4	344	3.13	8.5	3.4	6.2	23	0.1	0.3	0.2	49	0.23	0.052	28
50MI11CL0108	Soil	0.6	7.6	5.1	16	<0.1	4.0	2.3	45	0.79	2.3	1.2	1.0	15	0.2	<0.1	<0.1	14	0.13	0.019	13
50MI11CL0109	Soil	1.0	21.8	11.8	71	0.1	29.9	11.9	296	2.82	5.7	2.4	4.1	24	0.1	0.3	0.1	48	0.30	0.059	18
50MI11CL0110	Soil	0.9	34.6	13.8	80	0.2	43.0	15.3	391	3.15	5.9	1.2	5.5	27	0.2	0.3	0.2	57	0.34	0.085	26
50MI11CL0111	Soil	0.9	28.1	17.8	82	<0.1	34.6	13.4	375	3.22	5.9	1.9	6.5	24	0.1	0.2	0.1	58	0.30	0.058	26
50MI11CL0112	Soil	0.9	25.0	12.3	62	0.1	30.0	10.3	300	2.76	6.4	1.7	3.7	20	0.2	0.5	0.2	56	0.25	0.046	17
50MI11CL0113	Soil	0.9	26.5	13.3	72	<0.1	30.3	12.7	404	3.09	7.6	2.1	5.4	15	0.1	0.3	0.1	63	0.19	0.057	17
50MI11CL0114	Soil	1.2	26.2	12.2	69	<0.1	27.9	10.7	293	3.42	9.7	1.7	6.7	13	0.1	0.4	0.2	67	0.11	0.030	18
50MI11CL0115	Soil	0.7	25.2	11.2	61	<0.1	26.0	11.1	361	2.96	7.5	3.3	4.5	16	0.1	0.4	0.2	54	0.16	0.041	18
50MI11CL0116	Soil	1.5	35.4	14.2	65	<0.1	26.7	12.4	393	3.11	8.5	2.4	5.2	15	0.2	0.4	0.2	68	0.15	0.049	21
50MI11CL0117	Soil	1.2	34.0	13.3	75	<0.1	32.8	13.5	418	3.32	6.0	1.4	8.4	13	0.1	0.2	0.2	57	0.17	0.042	28
50MI11CL0118	Soil	0.7	18.6	11.7	45	<0.1	17.9	6.3	169	2.12	5.4	1.9	1.0	14	0.1	0.2	0.2	41	0.11	0.033	12

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI11001930.2

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
50MI11LA0120	Soil	86	1.41	418	0.166	<1	2.17	0.010	0.45	<0.1	0.02	4.8	0.2	<0.05	7	<0.5	<0.2
50MI11LA0121	Soil	45	0.68	358	0.063	<1	1.67	0.009	0.10	<0.1	<0.01	2.8	0.1	<0.05	6	<0.5	<0.2
50MI11LA0122	Soil	97	1.64	234	0.150	<1	2.69	0.009	0.26	0.1	0.01	5.0	0.2	<0.05	8	<0.5	<0.2
50MI11LA0123	Soil	52	0.98	339	0.127	<1	2.03	0.011	0.32	0.1	<0.01	2.0	0.1	<0.05	6	<0.5	<0.2
50MI11LA0124	Soil	46	0.81	281	0.103	<1	1.73	0.009	0.15	0.1	<0.01	3.0	<0.1	<0.05	5	<0.5	<0.2
50MI11LA0125	Soil	32	0.62	287	0.081	2	1.25	0.023	0.12	0.2	0.02	3.5	0.1	<0.05	4	<0.5	<0.2
50MI11LA0126	Soil	35	0.59	346	0.078	<1	1.45	0.020	0.08	0.2	0.02	4.0	<0.1	<0.05	4	0.6	<0.2
50MI11LA0127	Soil	58	1.04	346	0.100	2	1.73	0.024	0.30	0.2	0.02	4.2	0.1	<0.05	5	0.6	<0.2
50MI11LA0128	Soil	23	0.45	455	0.035	2	1.21	0.020	0.04	0.2	0.04	2.2	<0.1	0.08	3	0.9	<0.2
50MI11LA0129	Soil	29	0.57	338	0.063	2	1.25	0.022	0.05	0.2	0.02	3.0	<0.1	<0.05	4	0.7	<0.2
50MI11LA0130	Soil	21	0.45	357	0.034	2	0.85	0.017	0.05	0.2	0.04	1.6	<0.1	0.10	3	0.6	<0.2
50MI11LA0131	Soil	45	0.72	387	0.079	<1	1.74	0.017	0.09	0.2	0.05	3.8	<0.1	<0.05	5	<0.5	<0.2
50MI11LA0132	Soil	18	0.21	66	0.056	<1	0.93	0.006	0.05	0.2	0.03	1.2	<0.1	<0.05	5	0.6	<0.2
50MI11LA0133	Soil	25	0.33	111	0.051	<1	1.95	0.007	0.07	0.2	0.04	2.1	0.1	<0.05	6	<0.5	<0.2
50MI11LA0134	Soil	18	0.36	122	0.037	<1	1.19	0.010	0.09	0.2	0.05	1.5	0.2	<0.05	4	<0.5	<0.2
50MI11LA0135	Soil	21	0.40	93	0.039	<1	1.54	0.013	0.07	0.2	0.04	1.7	0.2	<0.05	5	<0.5	<0.2
50MI11LA0136	Soil	21	0.42	95	0.036	<1	1.26	0.009	0.08	0.2	0.03	1.4	0.1	<0.05	4	0.6	<0.2
50MI11CL0106	Soil	27	0.51	97	0.070	<1	1.40	0.010	0.11	0.1	0.01	2.0	0.1	<0.05	5	0.5	<0.2
50MI11CL0107	Soil	34	0.60	144	0.079	<1	1.95	0.011	0.14	0.1	0.02	2.5	0.1	<0.05	6	0.6	<0.2
50MI11CL0108	Soil	7	0.08	75	0.031	<1	0.47	0.017	0.03	<0.1	0.02	0.5	<0.1	<0.05	2	0.6	<0.2
50MI11CL0109	Soil	44	0.75	192	0.077	<1	1.85	0.009	0.10	0.1	0.03	2.7	0.1	<0.05	6	0.7	<0.2
50MI11CL0110	Soil	57	0.91	231	0.099	<1	2.00	0.010	0.14	0.2	0.03	3.1	0.2	<0.05	6	0.8	<0.2
50MI11CL0111	Soil	49	0.83	163	0.109	<1	2.08	0.008	0.16	0.1	0.02	2.7	0.2	<0.05	7	0.6	<0.2
50MI11CL0112	Soil	41	0.66	167	0.095	<1	1.71	0.008	0.09	0.1	0.02	2.4	0.1	<0.05	6	0.7	<0.2
50MI11CL0113	Soil	43	0.82	141	0.104	<1	2.03	0.007	0.13	0.1	0.02	2.6	0.1	<0.05	6	0.6	<0.2
50MI11CL0114	Soil	41	0.78	108	0.094	2	2.10	0.007	0.12	0.1	0.02	2.6	0.1	<0.05	7	<0.5	<0.2
50MI11CL0115	Soil	37	0.67	150	0.064	1	1.92	0.008	0.09	0.1	0.02	2.9	0.2	<0.05	6	0.8	<0.2
50MI11CL0116	Soil	35	0.72	153	0.075	<1	2.12	0.008	0.13	0.1	0.01	3.0	0.2	<0.05	7	0.7	<0.2
50MI11CL0117	Soil	41	0.86	131	0.078	<1	2.23	0.006	0.18	0.1	0.02	2.9	0.2	<0.05	6	0.7	<0.2
50MI11CL0118	Soil	30	0.52	102	0.052	<1	1.54	0.009	0.08	0.1	0.03	1.5	0.1	<0.05	6	0.9	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI11001930.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
50MI11CL0119	Soil	0.6	19.1	8.6	36	0.1	14.3	4.9	159	1.55	2.8	3.4	0.4	14	0.2	0.2	0.2	34	0.11	0.042	13
50MI11CL0120	Soil	0.9	21.4	17.7	69	0.1	30.8	9.9	278	2.63	5.6	2.1	4.7	25	<0.1	0.2	0.2	55	0.26	0.045	15
50MI11CL0121	Soil	0.6	24.5	18.0	77	<0.1	30.7	11.3	316	2.82	4.9	8.5	6.6	20	0.1	0.3	0.2	50	0.22	0.044	19
50MI11CL0122	Soil	0.9	27.1	12.5	78	0.2	33.1	13.0	419	2.69	4.9	4.7	5.1	29	0.1	0.3	0.2	50	0.34	0.058	23
50MI11CL0123	Soil	1.6	24.6	48.6	61	0.8	11.5	4.0	103	2.35	29.8	5.6	7.6	20	0.2	1.4	0.3	40	0.11	0.052	32
50MI11CL0124	Soil	0.9	34.2	42.2	59	2.5	9.5	3.1	81	1.24	27.6	23.3	5.0	26	0.4	2.5	0.2	23	0.15	0.036	29
50MI11CL0125	Soil	2.2	35.1	126.3	80	0.5	9.9	4.4	183	2.24	12.5	7.9	20.4	35	0.2	2.4	0.5	35	0.14	0.047	43
50MI11CL0126	Soil	1.3	29.7	61.6	107	0.3	15.0	6.9	214	2.39	8.8	2.6	12.8	30	0.2	0.9	0.4	46	0.28	0.043	31
50MI11CL0127	Soil	2.6	18.3	59.4	82	1.2	8.5	4.5	188	2.49	48.9	6.6	11.5	32	0.3	1.6	0.3	37	0.12	0.045	29
50MI11CL0128	Soil	2.2	29.0	23.2	99	0.3	21.1	8.2	229	2.57	18.5	4.1	8.3	34	0.3	1.3	0.3	61	0.27	0.061	27
50MI11CL0129	Soil	1.3	18.1	23.2	79	0.2	16.7	7.1	184	2.23	13.6	1.4	4.7	22	0.3	0.8	0.4	50	0.23	0.060	16
50MI11CL0130	Soil	0.6	31.2	12.7	76	0.1	25.1	10.5	382	2.39	10.6	4.7	4.1	35	0.3	0.8	0.2	55	0.44	0.071	15
50MI11CL0131	Soil	1.1	26.6	38.6	83	0.3	19.1	9.6	294	2.48	25.1	2.7	7.6	26	0.2	1.0	0.8	52	0.26	0.056	19
50MI11CL0132	Soil	1.0	18.3	24.9	60	0.2	15.2	6.5	151	2.51	22.1	3.6	6.5	21	0.3	1.0	0.4	57	0.22	0.060	17
50MI11CL0133	Soil	0.9	10.9	19.0	49	0.2	10.4	3.8	107	1.93	11.7	2.6	4.4	17	0.2	0.5	0.3	41	0.20	0.059	14
50MI11CL0134	Soil	0.3	15.6	16.0	52	<0.1	13.5	4.9	119	1.86	7.0	6.2	3.5	19	0.2	0.6	0.3	41	0.22	0.047	12
50MI11CL0135	Soil	0.7	14.8	14.3	59	0.1	15.8	8.8	356	2.04	7.5	2.3	3.6	24	0.3	0.5	0.3	47	0.27	0.058	12
50MI11CL0136	Soil	0.9	19.4	15.9	70	0.1	19.6	23.0	702	2.31	9.2	1.5	4.0	29	0.2	0.7	0.3	52	0.33	0.062	17
50MI11AM0108	Soil	1.0	38.3	18.9	67	0.1	38.8	15.5	564	3.24	5.0	1.6	8.5	41	0.2	0.4	0.2	60	0.75	0.065	31
50MI11AM0109	Soil	0.8	47.4	15.5	90	0.2	64.1	19.8	685	4.06	4.7	0.7	9.7	47	0.2	0.4	0.2	73	0.81	0.117	32
50MI11AM0110	Soil	0.9	25.6	13.3	69	<0.1	30.6	14.0	554	2.98	5.4	7.2	5.9	37	0.2	0.3	0.2	51	0.71	0.065	21
50MI11AM0111	Soil	0.7	30.3	14.6	83	0.1	33.8	11.8	309	2.96	3.6	3.6	11.2	62	0.1	0.2	0.2	43	1.00	0.064	36
50MI11AM0112	Soil	0.8	25.6	11.1	67	0.1	34.9	13.4	416	2.67	5.3	2.8	3.8	61	0.2	0.4	0.2	56	1.11	0.083	22
50MI11AM0113	Soil	0.8	18.7	10.8	65	<0.1	30.7	13.8	481	2.93	7.4	2.0	5.5	35	0.1	0.3	0.2	58	0.55	0.077	19
50MI11AM0114	Soil	1.2	24.0	11.9	63	<0.1	26.8	11.7	356	2.83	8.2	1.2	4.5	29	0.2	0.4	0.2	62	0.35	0.058	19
50MI11AM0115	Soil	1.1	21.5	22.7	106	0.2	26.2	12.4	475	2.54	15.3	0.9	5.6	36	0.5	0.6	0.2	49	0.52	0.081	20
50MI11AM0116	Soil	0.7	33.8	10.4	111	<0.1	26.2	21.7	782	4.86	2.5	1.5	3.0	30	0.3	0.2	0.2	113	0.70	0.052	14
50MI11AM0117	Soil	2.1	39.8	62.6	243	0.3	35.1	12.1	399	2.22	29.4	3.8	6.7	46	1.6	1.1	0.3	44	0.49	0.065	22
50MI11AM0118	Soil	0.7	15.6	9.4	54	0.1	14.1	7.2	256	2.19	7.4	2.7	3.0	21	0.2	0.5	0.2	51	0.26	0.057	14
50MI11AM0119	Soil	1.0	24.2	9.8	68	<0.1	25.1	16.2	564	3.08	5.9	5.5	8.4	24	0.2	1.8	0.1	53	0.38	0.064	19

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI11001930.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
50MI11CL0119	Soil	22	0.35	86	0.030	1	0.96	0.015	0.07	<0.1	0.03	1.1	<0.1	<0.05	4	<0.5	<0.2
50MI11CL0120	Soil	43	0.76	139	0.083	3	1.89	0.010	0.10	0.1	0.04	2.6	0.1	<0.05	6	0.6	<0.2
50MI11CL0121	Soil	41	0.83	148	0.084	<1	1.96	0.008	0.13	0.1	0.03	3.0	0.2	<0.05	6	0.6	<0.2
50MI11CL0122	Soil	42	0.77	217	0.063	2	1.86	0.010	0.08	0.1	0.03	3.1	0.1	<0.05	6	<0.5	<0.2
50MI11CL0123	Soil	25	0.42	187	0.040	2	1.69	0.011	0.07	0.1	0.26	2.2	0.2	<0.05	5	0.8	<0.2
50MI11CL0124	Soil	21	0.37	225	0.034	<1	1.33	0.016	0.06	0.2	0.42	1.9	0.2	0.09	4	1.0	<0.2
50MI11CL0125	Soil	19	0.52	176	0.070	1	1.62	0.013	0.09	<0.1	0.21	3.1	0.2	<0.05	5	<0.5	<0.2
50MI11CL0126	Soil	23	0.53	183	0.070	<1	1.64	0.014	0.08	0.1	0.07	3.2	0.2	<0.05	5	<0.5	<0.2
50MI11CL0127	Soil	17	0.39	138	0.052	1	1.32	0.012	0.13	0.2	0.12	1.7	0.3	0.17	4	0.7	<0.2
50MI11CL0128	Soil	38	0.70	260	0.080	1	1.83	0.015	0.07	0.2	0.06	3.7	0.1	<0.05	6	1.5	<0.2
50MI11CL0129	Soil	26	0.49	167	0.055	<1	1.59	0.012	0.07	0.2	0.06	2.7	0.1	<0.05	5	0.6	<0.2
50MI11CL0130	Soil	28	0.58	317	0.061	2	1.47	0.022	0.07	0.2	0.05	3.4	<0.1	<0.05	4	<0.5	<0.2
50MI11CL0131	Soil	28	0.48	223	0.062	<1	1.80	0.014	0.07	0.2	0.04	3.5	0.1	<0.05	6	<0.5	<0.2
50MI11CL0132	Soil	26	0.42	179	0.059	1	1.65	0.014	0.07	0.1	0.04	3.1	0.1	<0.05	5	<0.5	<0.2
50MI11CL0133	Soil	19	0.33	120	0.042	<1	1.29	0.012	0.05	0.1	0.03	1.9	<0.1	<0.05	4	<0.5	<0.2
50MI11CL0134	Soil	26	0.41	152	0.050	1	1.58	0.013	0.06	0.2	0.06	2.8	0.1	<0.05	5	<0.5	<0.2
50MI11CL0135	Soil	25	0.45	173	0.047	<1	1.43	0.023	0.05	0.2	0.04	2.8	<0.1	<0.05	4	<0.5	<0.2
50MI11CL0136	Soil	30	0.53	258	0.058	2	1.71	0.018	0.07	0.1	0.05	3.4	0.1	<0.05	5	<0.5	<0.2
50MI11AM0108	Soil	50	0.85	206	0.055	1	2.11	0.011	0.14	<0.1	0.04	4.7	0.1	<0.05	7	<0.5	<0.2
50MI11AM0109	Soil	75	1.24	215	0.091	1	2.43	0.011	0.29	<0.1	0.03	6.3	0.2	<0.05	8	<0.5	<0.2
50MI11AM0110	Soil	39	0.64	169	0.035	1	1.57	0.011	0.13	0.2	0.02	3.7	<0.1	<0.05	5	<0.5	<0.2
50MI11AM0111	Soil	42	0.88	140	0.053	2	1.90	0.012	0.18	0.5	0.03	3.6	0.2	0.07	6	<0.5	<0.2
50MI11AM0112	Soil	42	0.69	237	0.046	1	1.86	0.014	0.08	0.1	0.03	3.9	<0.1	<0.05	6	0.6	<0.2
50MI11AM0113	Soil	43	0.69	172	0.061	<1	1.67	0.012	0.09	0.2	0.03	3.4	<0.1	<0.05	5	<0.5	<0.2
50MI11AM0114	Soil	38	0.63	240	0.056	2	2.06	0.013	0.08	0.2	0.05	3.8	<0.1	<0.05	5	<0.5	<0.2
50MI11AM0115	Soil	35	0.68	160	0.050	1	1.41	0.015	0.08	0.3	0.03	3.2	<0.1	<0.05	5	<0.5	<0.2
50MI11AM0116	Soil	64	1.46	277	0.078	1	2.41	0.014	0.14	0.1	0.03	8.9	<0.1	<0.05	9	<0.5	<0.2
50MI11AM0117	Soil	38	0.78	169	0.050	2	1.42	0.011	0.09	<0.1	0.03	3.1	0.2	0.27	4	1.8	<0.2
50MI11AM0118	Soil	24	0.44	268	0.030	1	1.42	0.011	0.06	0.2	0.05	2.8	<0.1	<0.05	4	<0.5	<0.2
50MI11AM0119	Soil	31	0.40	299	0.020	<1	1.07	0.011	0.12	0.4	0.04	5.1	<0.1	<0.05	3	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI11001930.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
50MI11AM0120	Soil	1.3	34.0	9.5	81	0.1	29.2	11.6	471	2.54	10.0	1.6	4.1	54	0.3	0.9	0.2	55	1.23	0.083	13
50MI11AM0121	Soil	0.7	22.2	9.3	64	0.1	21.9	10.7	380	2.45	7.6	1.1	4.1	31	0.2	0.7	0.2	59	0.43	0.055	15
50MI11AM0122	Soil	0.5	27.3	9.2	69	0.1	23.4	12.8	421	2.73	6.8	1.2	5.7	31	0.4	0.8	0.2	61	0.48	0.050	17
50MI11AM0123	Soil	0.6	30.4	9.5	78	<0.1	26.2	13.6	487	3.35	8.3	3.9	8.7	30	0.2	0.9	0.2	70	0.54	0.049	22
50MI11AM0124	Soil	1.0	15.2	8.3	58	0.1	18.9	11.7	445	2.76	6.8	1.3	5.6	23	0.1	0.6	0.1	72	0.34	0.037	13
50MI11AM0125	Soil	0.9	13.2	8.9	62	<0.1	17.8	10.7	467	2.87	7.5	2.5	6.3	28	0.1	0.7	0.2	65	0.40	0.031	16
50MI11AM0126	Soil	0.9	17.0	9.8	70	0.1	19.5	12.6	435	2.84	6.9	2.2	6.0	39	0.3	0.8	0.3	60	0.58	0.049	22
50MI11AM0127	Soil	0.3	22.4	10.5	67	0.1	19.4	9.9	231	2.30	6.6	5.6	5.0	40	0.3	0.7	0.3	56	0.67	0.050	17
50MI11AM0128	Soil	0.8	23.4	9.9	69	0.1	20.6	10.9	426	2.51	9.1	5.2	4.5	41	0.4	0.8	0.2	55	0.65	0.059	16
50MI11AM0129	Soil	1.2	17.1	13.4	72	0.1	13.9	6.9	257	2.12	10.9	1.4	3.7	30	0.2	0.9	0.3	39	0.50	0.071	16
50MI11AM0130	Soil	1.1	17.8	9.2	71	0.1	19.5	9.7	397	2.46	7.2	3.7	3.3	33	0.3	0.5	0.2	55	0.49	0.060	14
50MI11AM0131	Soil	0.9	26.7	9.6	74	0.1	25.8	10.4	325	2.44	9.2	2.4	4.0	41	0.4	0.8	0.2	54	0.69	0.072	15
50MI11AM0132	Soil	1.1	28.5	9.7	81	0.1	26.8	9.8	339	2.51	9.6	3.1	4.4	43	0.5	1.0	0.2	55	0.81	0.077	15
50MI11AM0133	Soil	0.6	19.2	11.1	81	<0.1	22.9	14.7	534	3.77	4.8	1.2	9.3	28	0.3	1.1	0.2	80	0.44	0.049	24
50MI11AM0134	Soil	0.5	13.5	9.0	70	<0.1	20.5	13.6	463	3.50	4.7	2.4	7.0	22	<0.1	0.7	0.1	74	0.33	0.042	17
50MI11AM0135	Soil	0.6	23.5	11.8	75	0.1	23.3	14.6	423	3.46	7.6	1.0	7.4	42	0.5	1.0	0.2	68	0.70	0.063	21
50MI11AM0136	Soil	0.3	22.2	11.6	73	<0.1	21.1	11.1	256	2.88	6.8	1.0	6.6	31	0.3	0.9	0.2	67	0.47	0.050	19
50MI11AM0137	Soil	0.4	17.4	10.6	66	<0.1	18.5	10.7	258	2.51	4.6	2.3	4.7	30	0.3	0.7	0.1	59	0.41	0.064	16
50MI11AM0138	Soil	0.6	15.3	10.3	67	0.1	18.3	11.7	557	2.74	7.5	1.4	4.1	30	0.3	0.7	0.1	58	0.43	0.059	15
50MI11AM0139	Soil	0.7	12.6	9.2	64	0.1	16.5	10.5	387	2.56	6.5	1.9	4.1	28	0.2	0.6	0.2	61	0.41	0.059	16
50MI11AM0140	Soil	0.7	14.5	9.0	70	<0.1	18.2	11.3	441	2.65	6.6	3.4	3.7	27	0.2	0.6	0.2	60	0.38	0.053	14
50MI11MGB0137	Soil	0.5	26.9	6.1	63	<0.1	30.0	17.6	368	3.38	8.7	<0.5	3.8	33	<0.1	1.1	<0.1	84	0.28	0.012	11
50MI11MGB0138	Soil	0.2	32.1	4.4	76	<0.1	30.3	16.9	442	3.37	3.2	<0.5	3.0	39	0.1	0.7	<0.1	87	0.34	0.066	5
50MI11MGB0139	Soil	0.7	24.5	7.7	56	<0.1	25.8	12.5	362	3.00	7.4	1.3	4.1	23	<0.1	0.6	0.1	72	0.19	0.017	18
50MI11MGB0140	Soil	0.7	34.0	9.5	65	0.1	29.1	11.3	464	2.75	9.7	2.5	3.9	52	0.2	0.9	0.2	61	0.78	0.055	15
50MI11MGB0141	Soil	0.5	26.5	5.9	69	<0.1	28.0	16.0	405	3.26	4.7	<0.5	2.5	33	<0.1	0.5	<0.1	77	0.27	0.012	6
50MI11MGB0142	Soil	0.6	18.4	7.3	65	<0.1	21.5	12.1	317	3.07	5.6	<0.5	2.5	29	<0.1	0.8	<0.1	71	0.29	0.023	7
50MI11MGB0143	Soil	0.5	24.5	9.0	57	<0.1	23.4	11.9	525	2.37	7.8	3.0	3.2	41	0.3	0.7	0.1	52	0.67	0.067	12
50MI11MGB0144	Soil	0.5	32.7	4.1	74	<0.1	33.2	17.7	412	3.42	3.7	<0.5	2.7	39	<0.1	0.4	<0.1	84	0.28	0.023	4
50MI11MGB0145	Soil	0.7	22.9	8.4	59	<0.1	22.4	12.9	415	2.92	7.1	<0.5	3.4	34	<0.1	0.6	0.1	67	0.40	0.032	12

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI11001930.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
50MI11AM0120	Soil	29	0.79	387	0.070	3	1.31	0.027	0.08	0.2	0.03	3.5	<0.1	<0.05	4	<0.5	<0.2
50MI11AM0121	Soil	35	0.60	351	0.059	1	1.62	0.017	0.07	0.2	0.05	4.0	0.1	<0.05	5	<0.5	<0.2
50MI11AM0122	Soil	45	0.73	355	0.073	2	1.70	0.016	0.12	0.2	0.05	5.3	0.1	<0.05	5	0.7	<0.2
50MI11AM0123	Soil	58	0.89	477	0.089	<1	2.01	0.015	0.23	0.2	0.07	8.9	0.2	<0.05	6	<0.5	<0.2
50MI11AM0124	Soil	49	0.82	184	0.096	<1	1.70	0.011	0.13	0.2	0.02	4.2	0.1	<0.05	6	<0.5	<0.2
50MI11AM0125	Soil	44	0.69	340	0.067	2	1.76	0.012	0.15	0.1	0.04	5.8	0.1	<0.05	6	<0.5	<0.2
50MI11AM0126	Soil	43	0.63	500	0.070	2	1.74	0.012	0.19	0.2	0.07	7.7	0.1	0.06	5	<0.5	<0.2
50MI11AM0127	Soil	35	0.58	353	0.085	2	1.43	0.018	0.13	0.2	0.05	4.9	<0.1	0.06	4	<0.5	<0.2
50MI11AM0128	Soil	33	0.57	319	0.083	2	1.43	0.018	0.12	0.3	0.05	4.3	<0.1	<0.05	4	<0.5	<0.2
50MI11AM0129	Soil	23	0.51	230	0.060	2	1.17	0.012	0.14	0.3	0.04	3.1	0.1	0.06	4	<0.5	<0.2
50MI11AM0130	Soil	30	0.59	294	0.074	2	1.44	0.017	0.10	0.2	0.05	3.3	0.1	<0.05	5	<0.5	<0.2
50MI11AM0131	Soil	29	0.58	345	0.083	4	1.42	0.023	0.07	0.3	0.04	3.4	<0.1	<0.05	4	<0.5	<0.2
50MI11AM0132	Soil	30	0.66	372	0.090	3	1.37	0.024	0.10	0.2	0.04	3.8	<0.1	<0.05	4	<0.5	<0.2
50MI11AM0133	Soil	67	1.34	359	0.145	1	2.42	0.010	0.40	0.2	0.04	7.0	0.2	<0.05	8	<0.5	<0.2
50MI11AM0134	Soil	56	1.09	233	0.147	<1	2.16	0.011	0.35	0.1	0.03	5.1	0.2	<0.05	7	<0.5	<0.2
50MI11AM0135	Soil	49	0.88	400	0.114	3	1.99	0.018	0.33	0.2	0.15	7.9	0.2	0.06	6	<0.5	<0.2
50MI11AM0136	Soil	42	0.73	311	0.118	2	1.89	0.017	0.27	0.2	0.07	6.2	0.2	<0.05	7	<0.5	<0.2
50MI11AM0137	Soil	38	0.67	306	0.096	2	1.79	0.015	0.10	0.2	0.06	4.4	0.1	<0.05	5	<0.5	<0.2
50MI11AM0138	Soil	35	0.66	286	0.083	2	1.66	0.014	0.08	0.2	0.05	3.9	0.1	<0.05	5	<0.5	<0.2
50MI11AM0139	Soil	35	0.66	260	0.084	<1	1.73	0.012	0.12	0.2	0.04	3.7	0.2	<0.05	5	<0.5	<0.2
50MI11AM0140	Soil	35	0.70	262	0.091	2	1.71	0.013	0.10	0.2	0.05	3.6	0.1	<0.05	6	<0.5	<0.2
50MI11MGB0137	Soil	95	1.31	307	0.207	<1	2.41	0.014	0.22	<0.1	0.03	4.2	0.1	<0.05	7	<0.5	<0.2
50MI11MGB0138	Soil	97	1.84	422	0.263	<1	2.56	0.013	0.72	<0.1	0.01	2.6	0.2	<0.05	7	<0.5	<0.2
50MI11MGB0139	Soil	61	0.90	252	0.147	<1	2.33	0.011	0.12	<0.1	0.02	3.0	0.1	<0.05	6	<0.5	<0.2
50MI11MGB0140	Soil	38	0.74	405	0.089	2	1.65	0.030	0.07	0.2	0.05	4.0	<0.1	<0.05	5	<0.5	<0.2
50MI11MGB0141	Soil	89	1.48	505	0.206	1	2.53	0.014	0.63	<0.1	0.01	2.9	0.2	<0.05	7	<0.5	<0.2
50MI11MGB0142	Soil	63	1.02	319	0.129	1	2.23	0.011	0.17	<0.1	0.03	3.6	0.1	<0.05	7	<0.5	<0.2
50MI11MGB0143	Soil	41	0.68	300	0.089	1	1.57	0.021	0.07	0.2	0.05	4.1	<0.1	<0.05	5	<0.5	<0.2
50MI11MGB0144	Soil	108	1.85	437	0.257	<1	2.88	0.014	0.65	<0.1	0.01	2.8	0.2	<0.05	7	<0.5	<0.2
50MI11MGB0145	Soil	54	0.92	337	0.115	1	2.06	0.020	0.13	0.1	0.03	4.2	<0.1	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI11001930.2

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
50MI11MGB0146	Soil	0.7	15.0	7.6	64	<0.1	22.4	15.8	475	3.17	3.4	<0.5	3.1	22	<0.1	0.6	<0.1	77	0.26	0.018	8
50MI11MGB0147	Soil	0.5	34.2	4.7	83	<0.1	38.1	19.5	432	3.83	3.6	<0.5	3.4	37	<0.1	0.5	<0.1	87	0.33	0.018	10
50MI11MGB0148	Soil	0.5	35.3	7.1	86	<0.1	38.8	20.2	461	4.07	6.0	<0.5	3.6	39	0.1	1.1	<0.1	93	0.34	0.013	9
50MI11MGB0149	Soil	0.5	18.1	5.6	73	<0.1	24.2	15.1	601	3.13	4.1	<0.5	2.6	31	<0.1	0.9	<0.1	70	0.30	0.019	6
50MI11MGB0150	Soil	0.7	25.2	7.5	63	<0.1	29.5	15.0	486	3.16	6.4	<0.5	4.4	31	<0.1	0.7	<0.1	75	0.26	0.015	10
50MI11MGB0150 DUP	Soil	0.8	21.4	7.0	57	<0.1	25.9	13.6	483	3.02	5.8	<0.5	3.9	28	<0.1	0.7	<0.1	69	0.26	0.015	11
50MI11MGB0151	Soil	0.4	23.0	6.1	88	<0.1	34.0	19.7	584	3.61	2.2	<0.5	2.5	48	<0.1	0.6	<0.1	79	0.39	0.022	5
50MI11MGB0152	Soil	0.7	20.4	8.3	60	0.1	21.3	13.2	548	2.91	6.6	<0.5	3.7	36	<0.1	0.6	0.1	67	0.46	0.042	12
50MI11MGB0153	Soil	0.7	18.3	7.4	68	<0.1	26.0	13.7	352	3.08	7.4	0.7	3.5	34	0.1	0.5	<0.1	71	0.28	0.022	8
50MI11MGB0154	Soil	1.1	27.8	8.8	62	0.1	22.8	10.9	462	2.63	8.7	1.7	4.4	39	<0.1	0.6	0.1	58	0.57	0.059	16
50MI11MGB0155	Soil	0.7	28.3	8.0	53	<0.1	23.2	10.9	258	2.68	5.7	2.1	3.7	39	0.1	0.8	<0.1	65	0.69	0.020	13
50MI11MGB0156	Soil	0.6	27.3	8.9	58	0.1	22.1	11.1	484	2.50	8.2	1.4	2.1	60	0.2	0.7	0.1	56	1.13	0.073	11
50MI11MGB0157	Soil	0.5	39.6	5.5	78	<0.1	37.6	18.0	383	3.59	5.2	0.7	3.0	31	<0.1	0.4	<0.1	82	0.37	0.014	8
50MI11MGB0158	Soil	0.4	37.6	4.4	78	<0.1	42.6	21.6	432	4.17	3.6	0.8	2.3	30	<0.1	0.7	<0.1	95	0.33	0.026	4
50MI11MGB0159	Soil	2.3	18.6	12.2	57	0.2	16.7	9.7	321	3.72	12.0	3.2	1.6	23	0.2	0.5	0.3	61	0.28	0.081	14
50MI11MGB0160	Soil	0.6	20.5	12.3	65	0.1	19.9	9.5	213	2.54	11.6	2.6	3.4	20	0.2	0.6	0.3	57	0.28	0.066	16
50MI11MGB0161	Soil	2.0	31.9	27.1	106	0.1	25.8	11.3	362	2.93	21.3	3.3	8.3	17	0.2	0.6	0.7	54	0.23	0.054	17
50MI11MGB0162	Soil	4.8	28.6	44.9	85	0.3	20.2	11.4	437	2.62	39.2	4.9	5.3	24	0.3	0.9	1.9	43	0.38	0.074	21
50MI11MGB0163	Soil	0.7	21.0	13.1	68	0.1	21.2	9.1	232	2.65	8.6	4.8	2.9	21	0.2	0.5	0.3	54	0.27	0.062	15
50MI11MGB0164	Soil	0.9	14.2	10.5	61	<0.1	18.6	8.8	275	2.43	8.4	9.6	2.5	24	0.2	0.4	0.2	54	0.40	0.073	14
50MI11MGB0165	Soil	1.0	22.1	12.2	82	0.2	36.3	14.1	296	3.06	4.9	1.7	4.5	17	0.1	0.3	0.2	69	0.29	0.050	13
50MI11MGB0166	Soil	1.2	12.8	10.5	68	0.1	18.4	7.4	229	2.39	4.7	2.1	1.6	16	0.1	0.2	0.2	59	0.24	0.045	10
50MI11MGB0167	Soil	0.7	71.4	7.0	79	0.1	50.2	18.3	393	3.24	3.8	4.3	2.5	23	0.2	0.3	0.1	78	0.56	0.053	10
50MI11MGB0168	Soil	0.6	13.5	4.4	34	0.1	11.6	5.0	158	1.39	1.4	1.9	1.2	22	0.1	0.2	0.1	31	0.30	0.050	17
50MI11MGB0169	Soil	0.8	22.8	9.6	66	<0.1	23.4	12.2	376	2.70	4.1	6.6	3.2	15	0.2	0.3	0.2	46	0.15	0.050	17
50MI11MGB0170	Soil	0.8	22.8	8.9	65	<0.1	22.5	9.7	196	2.46	4.0	3.1	3.0	17	0.1	0.2	0.2	43	0.18	0.043	18
50MI11MGB0171	Soil	1.4	25.8	10.2	77	0.1	23.5	11.4	299	2.65	4.7	2.8	3.9	22	0.2	0.3	0.2	50	0.23	0.053	21

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI11001930.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
50MI11MGB0146	Soil	70	1.04	515	0.127	1	2.19	0.012	0.20	<0.1	0.02	3.6	<0.1	<0.05	7	<0.5	<0.2
50MI11MGB0147	Soil	111	2.10	479	0.213	<1	2.65	0.012	0.29	<0.1	<0.01	4.1	0.1	<0.05	8	<0.5	<0.2
50MI11MGB0148	Soil	120	2.19	349	0.195	1	3.14	0.011	0.19	<0.1	0.02	4.9	0.1	<0.05	8	<0.5	<0.2
50MI11MGB0149	Soil	66	1.30	420	0.113	<1	2.15	0.009	0.19	<0.1	0.02	3.3	<0.1	<0.05	7	<0.5	<0.2
50MI11MGB0150	Soil	71	1.08	417	0.146	<1	2.07	0.013	0.17	0.1	0.02	4.6	<0.1	<0.05	6	<0.5	<0.2
50MI11MGB0150 DUP	Soil	64	0.95	378	0.127	<1	1.92	0.011	0.15	0.1	0.02	4.0	<0.1	<0.05	6	<0.5	<0.2
50MI11MGB0151	Soil	108	1.77	420	0.166	1	2.49	0.010	0.25	0.1	0.01	3.8	<0.1	<0.05	8	<0.5	<0.2
50MI11MGB0152	Soil	50	0.84	365	0.119	2	1.86	0.015	0.21	0.2	0.04	4.0	<0.1	<0.05	5	<0.5	<0.2
50MI11MGB0153	Soil	61	0.99	381	0.147	1	2.24	0.010	0.17	0.1	0.01	2.7	<0.1	<0.05	6	<0.5	<0.2
50MI11MGB0154	Soil	30	0.58	335	0.091	<1	1.56	0.025	0.08	0.2	0.03	4.0	<0.1	<0.05	5	<0.5	<0.2
50MI11MGB0155	Soil	42	0.70	435	0.100	1	1.85	0.015	0.15	0.1	0.05	4.0	<0.1	<0.05	6	<0.5	<0.2
50MI11MGB0156	Soil	32	0.65	422	0.056	2	1.54	0.021	0.06	0.1	0.04	4.1	<0.1	<0.05	5	<0.5	<0.2
50MI11MGB0157	Soil	105	1.87	581	0.183	<1	2.60	0.013	0.26	<0.1	0.02	3.2	0.2	<0.05	7	<0.5	<0.2
50MI11MGB0158	Soil	130	2.14	615	0.220	<1	2.86	0.013	0.64	<0.1	0.02	3.7	0.3	<0.05	7	<0.5	<0.2
50MI11MGB0159	Soil	22	0.39	216	0.037	2	1.47	0.017	0.06	0.2	0.05	2.5	0.1	0.10	4	<0.5	<0.2
50MI11MGB0160	Soil	28	0.48	214	0.065	2	1.75	0.015	0.06	0.2	0.05	3.1	0.1	<0.05	5	<0.5	<0.2
50MI11MGB0161	Soil	35	0.61	190	0.087	1	2.03	0.010	0.13	0.3	0.02	3.1	0.2	<0.05	6	<0.5	<0.2
50MI11MGB0162	Soil	26	0.56	161	0.059	1	1.56	0.014	0.09	1.4	0.04	2.6	0.2	<0.05	5	<0.5	<0.2
50MI11MGB0163	Soil	30	0.53	205	0.063	1	1.81	0.014	0.06	0.2	0.04	2.7	0.1	<0.05	5	<0.5	<0.2
50MI11MGB0164	Soil	28	0.52	204	0.074	2	1.50	0.018	0.07	0.3	0.04	2.4	0.1	<0.05	5	<0.5	<0.2
50MI11MGB0165	Soil	60	0.93	141	0.132	1	2.02	0.014	0.10	0.1	0.04	3.2	0.2	<0.05	7	<0.5	<0.2
50MI11MGB0166	Soil	36	0.63	127	0.076	1	1.60	0.014	0.05	0.2	0.04	2.3	0.1	<0.05	6	<0.5	<0.2
50MI11MGB0167	Soil	97	1.47	227	0.147	<1	2.06	0.021	0.15	0.2	0.03	3.4	0.1	<0.05	7	<0.5	<0.2
50MI11MGB0168	Soil	18	0.34	116	0.048	1	0.97	0.018	0.07	<0.1	0.04	1.7	<0.1	<0.05	4	<0.5	<0.2
50MI11MGB0169	Soil	30	0.53	145	0.099	1	1.65	0.015	0.23	0.1	0.04	2.3	0.2	<0.05	6	<0.5	<0.2
50MI11MGB0170	Soil	27	0.56	139	0.095	<1	1.67	0.010	0.18	0.1	0.04	2.2	0.2	<0.05	6	<0.5	<0.2
50MI11MGB0171	Soil	27	0.57	200	0.089	<1	1.76	0.012	0.17	0.2	0.05	2.7	0.2	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 30, 2012

QUALITY CONTROL REPORT WHI11001930.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
Pulp Duplicates																					
50MI11LA0047	Soil	2.9	103.4	14.5	360	0.1	32.6	25.7	1037	5.16	7.3	3.6	4.7	15	0.7	0.5	0.9	95	0.21	0.064	17
REP 50MI11LA0047	QC	3.2	103.7	14.8	361	<0.1	32.4	25.6	1031	5.06	7.4	2.9	4.7	14	0.8	0.7	0.9	94	0.21	0.064	17
50MI11LA0062	Soil	0.9	41.8	26.5	67	0.2	29.1	13.8	683	3.17	3.6	1.4	7.7	48	0.2	0.3	0.3	38	1.08	0.066	26
REP 50MI11LA0062	QC	1.0	43.1	28.3	71	0.3	31.5	14.1	707	3.24	4.0	1.0	8.1	49	0.2	0.2	0.4	40	1.11	0.072	28
50MI11LA0076	Soil	1.0	29.1	11.5	84	0.1	26.6	10.9	485	2.57	11.4	0.8	3.4	41	0.3	0.9	0.2	52	0.83	0.082	14
REP 50MI11LA0076	QC	0.9	29.1	10.9	80	0.2	27.0	10.7	482	2.57	11.5	<0.5	3.5	42	0.4	1.0	0.2	50	0.81	0.080	13
50MI11LA0091	Soil	1.0	12.3	10.6	55	<0.1	16.9	8.4	334	3.19	11.5	9.3	3.0	10	<0.1	0.5	0.2	71	0.08	0.034	8
REP 50MI11LA0091	QC	0.9	13.2	10.7	60	<0.1	17.5	9.2	347	3.39	11.3	<0.5	3.3	11	<0.1	0.6	0.2	75	0.09	0.034	9
50MI11MGB0087	Soil	0.9	17.9	20.9	50	<0.1	20.3	8.8	249	2.76	5.3	0.8	3.2	9	0.1	0.2	0.2	59	0.10	0.030	14
REP 50MI11MGB0087	QC	0.9	17.8	20.8	50	<0.1	19.9	8.4	242	2.83	5.0	1.0	3.2	9	0.1	0.3	0.2	58	0.09	0.028	13
50MI11MGB0104	Soil	0.8	24.1	6.8	67	<0.1	18.9	12.3	489	3.03	6.3	2.7	3.7	32	<0.1	0.4	0.1	63	0.42	0.029	14
REP 50MI11MGB0104	QC	0.8	24.7	6.7	67	0.1	19.5	12.6	497	3.15	6.7	0.7	3.6	31	<0.1	0.5	<0.1	65	0.43	0.030	14
50MI11MGB0117	Soil	0.7	19.2	9.3	64	<0.1	14.8	10.7	335	3.73	6.9	0.8	4.1	10	0.1	0.7	0.1	72	0.08	0.018	9
REP 50MI11MGB0117	QC	0.7	18.2	9.1	63	<0.1	14.4	10.7	329	3.59	6.9	<0.5	4.2	11	<0.1	0.7	0.1	72	0.08	0.017	9
50MI11LA0112	Soil	0.5	21.2	8.4	69	0.1	20.4	11.9	270	2.63	6.5	<0.5	3.4	30	0.2	0.5	0.1	60	0.39	0.041	12
REP 50MI11LA0112	QC	0.6	21.4	8.6	67	0.1	20.3	11.9	276	2.68	6.4	0.9	3.5	30	0.1	0.5	0.1	60	0.40	0.041	12
50MI11LA0123	Soil	0.6	11.7	7.9	62	<0.1	20.5	14.0	442	3.04	7.2	0.9	2.7	20	<0.1	0.6	0.1	67	0.19	0.022	6
REP 50MI11LA0123	QC	0.7	11.0	7.7	61	<0.1	18.5	12.7	423	2.90	6.7	<0.5	2.7	19	<0.1	0.6	0.1	66	0.19	0.021	6
50MI11CL0116	Soil	1.5	35.4	14.2	65	<0.1	26.7	12.4	393	3.11	8.5	2.4	5.2	15	0.2	0.4	0.2	68	0.15	0.049	21
REP 50MI11CL0116	QC	1.6	35.6	13.7	64	<0.1	27.8	12.8	392	3.23	8.2	1.9	5.3	15	0.2	0.4	0.2	68	0.15	0.050	21
50MI11CL0123	Soil	1.6	24.6	48.6	61	0.8	11.5	4.0	103	2.35	29.8	5.6	7.6	20	0.2	1.4	0.3	40	0.11	0.052	32
REP 50MI11CL0123	QC	1.6	25.1	48.8	60	0.9	12.2	4.1	105	2.23	29.6	10.7	8.2	20	0.2	1.4	0.3	40	0.11	0.054	32
50MI11AM0108	Soil	1.0	38.3	18.9	67	0.1	38.8	15.5	564	3.24	5.0	1.6	8.5	41	0.2	0.4	0.2	60	0.75	0.065	31
REP 50MI11AM0108	QC	1.1	40.0	19.6	71	0.1	39.3	15.8	595	3.33	5.1	2.0	8.6	42	0.1	0.5	0.2	60	0.73	0.064	31
50MI11MGB0137	Soil	0.5	26.9	6.1	63	<0.1	30.0	17.6	368	3.38	8.7	<0.5	3.8	33	<0.1	1.1	<0.1	84	0.28	0.012	11
REP 50MI11MGB0137	QC	0.5	26.1	6.0	62	<0.1	27.7	15.5	333	3.18	8.0	<0.5	3.7	32	<0.1	1.1	<0.1	78	0.25	0.011	10
50MI11MGB0152	Soil	0.7	20.4	8.3	60	0.1	21.3	13.2	548	2.91	6.6	<0.5	3.7	36	<0.1	0.6	0.1	67	0.46	0.042	12
REP 50MI11MGB0152	QC	0.7	20.2	8.2	55	0.1	22.4	13.3	520	2.90	6.8	1.1	3.8	37	<0.1	0.6	<0.1	64	0.41	0.039	12

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 30, 2012

QUALITY CONTROL REPORT WHI11001930.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																	
50MI11LA0047	Soil	51	1.63	100	0.028	<1	2.20	0.008	0.06	<0.1	0.02	6.6	<0.1	<0.05	8	1.0	<0.2
REP 50MI11LA0047	QC	50	1.64	100	0.029	<1	2.19	0.008	0.06	<0.1	0.02	6.5	<0.1	<0.05	8	1.0	<0.2
50MI11LA0062	Soil	28	0.69	121	0.052	1	1.61	0.014	0.21	<0.1	0.03	3.9	0.2	0.05	5	0.6	<0.2
REP 50MI11LA0062	QC	29	0.75	127	0.056	2	1.72	0.016	0.21	<0.1	0.03	4.2	0.2	0.07	5	<0.5	<0.2
50MI11LA0076	Soil	28	0.71	410	0.063	2	1.38	0.027	0.08	0.2	0.04	3.2	<0.1	0.08	4	<0.5	<0.2
REP 50MI11LA0076	QC	28	0.70	406	0.060	2	1.38	0.027	0.08	0.2	0.04	3.2	<0.1	0.07	4	<0.5	<0.2
50MI11LA0091	Soil	32	0.59	118	0.083	1	2.21	0.009	0.07	0.1	0.04	2.2	0.1	<0.05	7	<0.5	<0.2
REP 50MI11LA0091	QC	35	0.60	124	0.090	2	2.19	0.010	0.08	0.1	0.04	2.4	0.1	<0.05	7	0.6	<0.2
50MI11MGB0087	Soil	32	0.44	60	0.079	<1	1.54	0.008	0.09	0.1	0.02	1.9	0.1	<0.05	7	<0.5	<0.2
REP 50MI11MGB0087	QC	32	0.43	61	0.074	<1	1.49	0.007	0.09	0.1	0.02	1.9	0.1	<0.05	7	<0.5	<0.2
50MI11MGB0104	Soil	50	0.78	575	0.088	<1	1.69	0.011	0.22	0.1	0.06	6.4	0.2	<0.05	5	<0.5	<0.2
REP 50MI11MGB0104	QC	49	0.77	572	0.089	<1	1.61	0.010	0.23	0.1	0.04	6.4	0.2	<0.05	6	<0.5	<0.2
50MI11MGB0117	Soil	33	0.81	216	0.093	<1	2.64	0.007	0.30	0.1	0.02	5.8	0.2	<0.05	7	<0.5	<0.2
REP 50MI11MGB0117	QC	33	0.80	214	0.095	<1	2.56	0.008	0.30	0.1	0.03	6.1	0.2	<0.05	7	<0.5	<0.2
50MI11LA0112	Soil	55	0.84	306	0.117	<1	1.88	0.014	0.08	0.1	0.04	4.0	<0.1	<0.05	5	<0.5	<0.2
REP 50MI11LA0112	QC	55	0.83	301	0.121	1	1.88	0.014	0.08	0.2	0.04	4.1	<0.1	<0.05	5	<0.5	<0.2
50MI11LA0123	Soil	52	0.98	339	0.127	<1	2.03	0.011	0.32	0.1	<0.01	2.0	0.1	<0.05	6	<0.5	<0.2
REP 50MI11LA0123	QC	50	0.98	319	0.128	<1	1.94	0.009	0.32	<0.1	<0.01	2.0	0.1	<0.05	6	<0.5	<0.2
50MI11CL0116	Soil	35	0.72	153	0.075	<1	2.12	0.008	0.13	0.1	0.01	3.0	0.2	<0.05	7	0.7	<0.2
REP 50MI11CL0116	QC	35	0.73	147	0.070	<1	2.06	0.008	0.12	0.1	0.02	2.9	0.2	<0.05	7	0.7	<0.2
50MI11CL0123	Soil	25	0.42	187	0.040	2	1.69	0.011	0.07	0.1	0.26	2.2	0.2	<0.05	5	0.8	<0.2
REP 50MI11CL0123	QC	24	0.42	186	0.035	<1	1.76	0.010	0.07	0.1	0.32	2.3	0.2	<0.05	5	0.5	<0.2
50MI11AM0108	Soil	50	0.85	206	0.055	1	2.11	0.011	0.14	<0.1	0.04	4.7	0.1	<0.05	7	<0.5	<0.2
REP 50MI11AM0108	QC	51	0.87	204	0.059	2	2.10	0.015	0.15	<0.1	0.04	5.0	0.2	<0.05	6	<0.5	<0.2
50MI11MGB0137	Soil	95	1.31	307	0.207	<1	2.41	0.014	0.22	<0.1	0.03	4.2	0.1	<0.05	7	<0.5	<0.2
REP 50MI11MGB0137	QC	87	1.31	297	0.180	<1	2.26	0.014	0.20	<0.1	0.03	3.7	0.1	<0.05	7	<0.5	<0.2
50MI11MGB0152	Soil	50	0.84	365	0.119	2	1.86	0.015	0.21	0.2	0.04	4.0	<0.1	<0.05	5	<0.5	<0.2
REP 50MI11MGB0152	QC	48	0.83	375	0.113	1	1.78	0.015	0.20	0.2	0.04	3.8	<0.1	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 30, 2012

QUALITY CONTROL REPORT WHI11001930.2

		1DX15 Mo ppm 0.1	1DX15 Cu ppm 0.1	1DX15 Pb ppm 0.1	1DX15 Zn ppm 1	1DX15 Ag ppm 0.1	1DX15 Ni ppm 0.1	1DX15 Co ppm 0.1	1DX15 Mn ppm 1	1DX15 Fe % 0.01	1DX15 As ppm 0.5	1DX15 Au ppb 0.5	1DX15 Th ppm 0.1	1DX15 Sr ppm 1	1DX15 Cd ppm 0.1	1DX15 Sb ppm 0.1	1DX15 Bi ppm 0.1	1DX15 V ppm 2	1DX15 Ca % 0.01	1DX15 P % 0.001	1DX15 La ppm 1
50MI11MGB0164	Soil	0.9	14.2	10.5	61	<0.1	18.6	8.8	275	2.43	8.4	9.6	2.5	24	0.2	0.4	0.2	54	0.40	0.073	14
REP 50MI11MGB0164	QC	1.0	14.5	10.3	62	0.1	18.7	8.6	270	2.37	8.4	2.5	2.4	24	0.1	0.4	0.2	54	0.39	0.068	14
Reference Materials																					
STD DS8	Standard	12.2	111.9	127.8	309	2.0	39.2	7.9	607	2.31	26.5	120.9	6.3	78	2.2	6.0	6.8	44	0.68	0.082	13
STD DS8	Standard	12.1	105.2	127.0	306	1.9	35.4	7.2	602	2.44	25.4	102.3	6.4	68	2.0	5.5	7.0	42	0.68	0.078	13
STD DS8	Standard	13.0	103.3	119.4	302	1.7	35.8	6.9	583	2.32	24.8	102.0	6.9	71	2.0	5.6	6.8	39	0.67	0.075	15
STD DS8	Standard	12.6	108.2	118.6	311	1.8	38.8	7.6	603	2.44	25.3	113.2	7.1	70	2.3	6.0	7.1	41	0.67	0.077	14
STD DS8	Standard	14.2	110.7	126.8	305	1.7	38.6	7.2	582	2.44	26.9	108.9	7.2	70	2.3	5.6	6.8	39	0.72	0.076	17
STD DS8	Standard	12.2	107.7	121.8	309	1.9	35.8	7.1	589	2.35	28.3	108.2	6.2	63	2.2	5.6	6.2	41	0.68	0.075	14
STD DS8	Standard	13.0	107.0	118.4	307	1.7	38.0	7.6	606	2.46	24.8	106.9	6.4	64	2.3	5.2	5.9	40	0.66	0.077	16
STD DS8	Standard	14.6	115.3	130.7	327	1.8	42.4	8.1	651	2.62	26.1	111.4	7.3	67	2.4	5.3	5.8	47	0.79	0.082	17
STD DS8 Expected		13.44	110	123	312	1.69	38.1	7.5	615	2.46	26	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7	0.08	14.6
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.02	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 30, 2012

QUALITY CONTROL REPORT WHI11001930.2

		1DX15 Cr ppm 1	1DX15 Mg % 0.01	1DX15 Ba ppm 1	1DX15 Ti % 0.001	1DX15 B ppm 1	1DX15 Al % 0.01	1DX15 Na % 0.001	1DX15 K % 0.01	1DX15 W ppm 0.1	1DX15 Hg ppm 0.01	1DX15 Sc ppm 0.1	1DX15 Tl ppm 0.1	1DX15 S % 0.05	1DX15 Ga ppm 1	1DX15 Se ppm 0.5	1DX15 Te ppm 0.2
50MI11MGB0164	Soil	28	0.52	204	0.074	2	1.50	0.018	0.07	0.3	0.04	2.4	0.1	<0.05	5	<0.5	<0.2
REP 50MI11MGB0164	QC	28	0.51	206	0.073	2	1.42	0.017	0.07	0.2	0.05	2.4	0.1	<0.05	5	<0.5	<0.2
Reference Materials																	
STD DS8	Standard	123	0.67	268	0.108	2	0.97	0.098	0.43	2.8	0.20	2.3	5.5	0.14	5	5.2	4.3
STD DS8	Standard	116	0.64	270	0.108	4	0.94	0.105	0.44	2.9	0.21	2.4	5.4	0.16	5	5.1	5.2
STD DS8	Standard	111	0.58	266	0.124	3	0.93	0.103	0.41	2.8	0.18	3.0	5.2	0.13	4	4.7	4.6
STD DS8	Standard	116	0.58	271	0.122	3	0.89	0.089	0.42	2.9	0.19	2.8	5.3	0.14	4	5.2	4.5
STD DS8	Standard	110	0.62	278	0.132	3	0.94	0.092	0.42	3.0	0.21	2.3	5.6	0.16	5	5.4	5.1
STD DS8	Standard	114	0.59	268	0.112	2	0.90	0.093	0.42	2.9	0.21	1.8	5.3	0.16	4	4.9	4.9
STD DS8	Standard	114	0.59	270	0.111	3	0.89	0.093	0.41	2.8	0.19	2.1	5.3	0.15	5	4.6	4.8
STD DS8	Standard	127	0.65	297	0.125	2	0.97	0.108	0.43	3.2	0.20	2.2	5.5	0.12	5	4.8	5.3
STD DS8 Expected		115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	2.3	5.4	0.1679	4.7	5.23	5
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Submitted By: Rasool Mohammad
Receiving Lab: Canada-Whitehorse
Received: October 24, 2011
Report Date: July 31, 2012
Page: 1 of 9

CERTIFICATE OF ANALYSIS WHI11001931.3

CLIENT JOB INFORMATION

Project: 50 Mile (YK)
Shipment ID:
P.O. Number
Number of Samples: 234

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	234	Dry at 60C			VAN
SS80	234	Dry at 60C sieve 100g to -80 mesh			VAN
1DX2	234	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Version 3: 0908937 BC Ltd.

Invoice To: 0908937 BC Ltd.
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2
CANADA

CC:

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001931.3

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
50MI11AN0103	Soil	0.3	42.9	4.3	43	<0.1	21.7	16.9	580	4.57	1.9	<0.5	8.0	42	<0.1	0.2	0.1	75	0.64	0.068	28
50MI11AN0104	Soil	0.6	41.8	6.3	89	<0.1	66.6	19.0	689	4.51	3.5	<0.5	7.2	31	0.2	0.2	0.1	82	0.56	0.082	18
50MI11AN0105	Soil	0.6	35.8	7.8	74	<0.1	46.1	15.1	468	3.38	6.9	0.8	4.3	31	0.2	0.3	0.2	87	0.44	0.053	16
50MI11AN0106	Soil	1.1	57.3	8.7	72	<0.1	46.6	14.7	415	3.74	10.0	<0.5	3.9	22	0.2	0.3	0.4	98	0.26	0.036	12
50MI11AN0107	Soil	1.2	30.6	10.4	70	0.1	42.4	13.4	657	3.36	5.4	<0.5	5.4	27	<0.1	0.3	0.2	74	0.33	0.041	25
50MI11AN0108	Soil	0.9	41.8	8.7	119	<0.1	57.1	19.2	569	4.04	4.0	<0.5	7.1	24	0.2	0.2	0.1	88	0.45	0.077	23
50MI11AN0109	Soil	0.6	41.6	3.9	61	<0.1	90.9	22.7	338	4.06	2.8	<0.5	0.9	12	0.3	0.1	<0.1	111	0.27	0.043	3
50MI11AN0110	Soil	1.1	28.4	10.4	62	0.3	36.5	14.7	346	3.41	9.1	<0.5	5.2	18	0.1	0.6	0.2	75	0.14	0.024	13
50MI11AN0111	Soil	1.3	30.3	9.6	72	<0.1	54.2	12.9	401	3.75	5.8	<0.5	3.1	22	0.1	0.4	0.2	99	0.28	0.035	13
50MI11AN0112	Soil	0.7	42.0	7.2	85	<0.1	103.6	28.5	761	4.44	2.7	<0.5	3.9	31	<0.1	0.1	<0.1	114	0.62	0.147	13
50MI11AN0113	Soil	1.0	29.1	6.6	63	0.1	50.1	12.0	373	3.03	2.8	<0.5	2.9	23	<0.1	0.2	<0.1	73	0.30	0.057	11
50MI11AN0114	Soil	1.1	26.9	6.6	65	0.1	45.9	11.9	407	2.85	3.4	2.4	2.7	36	<0.1	0.3	0.1	66	0.55	0.048	13
50MI11AN0115	Soil	0.7	34.1	8.1	68	0.1	38.6	14.8	460	2.92	5.4	2.1	2.3	36	0.3	0.6	0.1	69	0.46	0.066	17
50MI11AN0116	Soil	0.8	46.9	8.3	86	0.2	64.1	17.4	759	3.46	5.5	<0.5	4.7	38	0.2	0.4	0.1	81	0.66	0.060	21
50MI11AN0117	Soil	1.5	58.3	11.6	214	<0.1	51.8	20.0	651	5.88	3.8	0.8	11.4	11	0.2	0.3	0.2	117	0.17	0.060	23
50MI11AN0118	Soil	1.0	28.7	8.9	69	0.1	26.8	10.1	384	2.43	9.3	2.2	3.5	43	0.3	0.8	0.2	49	0.71	0.074	13
50MI11AN0119	Soil	0.7	22.2	7.9	53	<0.1	19.3	8.0	322	2.10	7.0	3.1	2.9	36	0.2	0.6	0.2	48	0.47	0.070	13
50MI11AN0120	Soil	0.8	27.0	8.7	61	0.1	24.3	9.9	376	2.42	9.7	2.7	3.9	44	0.2	0.7	0.2	52	0.60	0.065	14
50MI11AN0121	Soil	0.7	30.7	7.8	60	0.1	26.2	9.7	417	2.35	9.2	4.6	3.1	43	0.2	0.8	0.2	49	0.82	0.070	13
50MI11AN0122	Soil	1.0	26.1	8.0	69	0.1	24.1	9.7	364	2.26	7.8	2.4	2.8	50	0.2	0.8	0.2	48	0.80	0.070	12
50MI11AN0123	Soil	1.0	28.0	11.8	74	0.1	18.2	11.1	535	2.41	9.5	<0.5	4.5	40	0.2	0.9	0.3	46	0.51	0.065	16
50MI11AN0124	Soil	1.1	22.9	7.3	64	0.1	22.6	13.6	475	3.33	5.1	<0.5	6.1	34	<0.1	1.0	0.1	77	0.38	0.037	22
50MI11AN0125	Soil	0.7	16.0	8.2	60	0.1	16.8	10.1	363	2.76	7.0	<0.5	4.2	35	<0.1	0.7	0.2	62	0.39	0.039	15
50MI11AN0126	Soil	0.8	16.6	7.3	73	<0.1	20.1	13.0	442	3.28	4.3	1.5	5.0	40	<0.1	1.5	0.1	76	0.47	0.048	13
50MI11AN0127	Soil	0.7	16.7	9.3	61	<0.1	15.6	10.3	374	2.78	7.2	<0.5	4.0	35	<0.1	1.4	0.1	61	0.40	0.032	13
50MI11AN0128	Soil	0.8	23.5	9.0	59	<0.1	17.1	10.3	384	2.67	9.0	2.9	3.7	44	<0.1	1.6	0.2	58	0.55	0.038	13
50MI11AN0129	Soil	1.0	25.7	8.8	64	0.2	21.3	14.3	978	2.97	5.4	<0.5	3.1	100	0.2	1.3	0.2	61	1.35	0.056	17
50MI11AN0130	Soil	0.8	14.6	7.3	59	<0.1	16.3	8.8	318	2.73	5.6	<0.5	3.3	22	<0.1	1.3	0.1	62	0.22	0.024	11
50MI11AN0131	Soil	0.5	8.5	9.0	70	<0.1	11.0	7.1	303	2.39	2.3	<0.5	3.3	22	<0.1	4.8	<0.1	43	0.19	0.024	7
50MI11AN0132	Soil	0.6	29.6	9.0	80	<0.1	20.0	16.9	623	4.96	2.9	<0.5	8.8	25	<0.1	2.3	0.1	96	0.35	0.054	32

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001931.3

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
50MI11AN0103	Soil		41	2.19	563	0.233	2	2.84	0.012	0.60	<0.1	<0.01	8.0	0.3	0.06	11	<0.5	<0.2
50MI11AN0104	Soil		121	1.57	362	0.263	2	2.90	0.014	0.70	0.1	<0.01	6.6	0.4	<0.05	12	0.6	<0.2
50MI11AN0105	Soil		80	1.10	309	0.128	2	2.03	0.017	0.10	<0.1	<0.01	5.5	<0.1	<0.05	7	<0.5	<0.2
50MI11AN0106	Soil		94	1.27	218	0.165	2	2.63	0.014	0.16	<0.1	0.01	5.0	0.2	<0.05	9	<0.5	<0.2
50MI11AN0107	Soil		86	0.99	262	0.079	1	2.63	0.016	0.25	0.1	0.04	6.1	0.2	<0.05	8	0.5	<0.2
50MI11AN0108	Soil		117	1.51	239	0.185	3	2.53	0.015	0.46	<0.1	0.01	6.1	0.3	<0.05	9	<0.5	<0.2
50MI11AN0109	Soil		134	1.91	175	0.308	1	2.77	0.026	0.24	<0.1	<0.01	3.9	0.1	<0.05	7	<0.5	<0.2
50MI11AN0110	Soil		54	0.89	260	0.097	<1	2.73	0.012	0.06	0.1	0.04	4.2	0.1	<0.05	7	<0.5	<0.2
50MI11AN0111	Soil		96	1.11	319	0.144	1	2.47	0.013	0.07	0.1	0.02	4.4	0.1	<0.05	8	0.6	<0.2
50MI11AN0112	Soil		195	2.11	443	0.229	2	3.16	0.015	0.51	<0.1	<0.01	5.7	0.3	<0.05	11	0.8	<0.2
50MI11AN0113	Soil		88	1.09	257	0.147	1	2.08	0.017	0.16	0.1	0.02	3.8	0.1	<0.05	8	<0.5	<0.2
50MI11AN0114	Soil		80	1.06	353	0.126	2	1.99	0.017	0.09	<0.1	0.03	4.0	0.1	<0.05	7	0.8	<0.2
50MI11AN0115	Soil		55	0.93	340	0.044	2	1.87	0.015	0.06	0.1	0.04	6.1	0.1	0.05	6	<0.5	<0.2
50MI11AN0116	Soil		92	1.20	332	0.075	2	2.13	0.015	0.08	<0.1	0.02	6.6	0.1	<0.05	7	<0.5	<0.2
50MI11AN0117	Soil		114	1.94	267	0.243	2	4.10	0.012	0.71	<0.1	<0.01	8.1	0.5	<0.05	15	0.5	<0.2
50MI11AN0118	Soil		25	0.68	326	0.065	2	1.25	0.029	0.06	0.2	0.04	3.0	<0.1	<0.05	4	0.7	<0.2
50MI11AN0119	Soil		25	0.52	273	0.051	2	1.25	0.019	0.04	0.3	0.03	2.9	<0.1	<0.05	4	0.6	<0.2
50MI11AN0120	Soil		28	0.63	304	0.069	2	1.30	0.028	0.06	0.3	0.03	3.4	<0.1	<0.05	4	<0.5	<0.2
50MI11AN0121	Soil		26	0.63	346	0.066	2	1.17	0.028	0.06	0.2	0.02	3.1	<0.1	<0.05	4	0.8	<0.2
50MI11AN0122	Soil		26	0.62	304	0.059	2	1.18	0.025	0.06	0.2	0.03	2.8	<0.1	<0.05	4	<0.5	<0.2
50MI11AN0123	Soil		28	0.72	315	0.061	2	1.26	0.015	0.16	0.3	0.05	3.3	0.1	<0.05	4	0.7	<0.2
50MI11AN0124	Soil		60	1.03	496	0.128	1	1.90	0.017	0.32	0.2	0.05	6.6	0.2	<0.05	6	0.6	<0.2
50MI11AN0125	Soil		39	0.75	378	0.088	2	1.68	0.014	0.14	0.2	0.07	4.8	0.1	<0.05	5	0.7	<0.2
50MI11AN0126	Soil		58	1.08	476	0.120	1	1.90	0.016	0.31	0.2	0.08	5.3	0.2	<0.05	7	0.6	<0.2
50MI11AN0127	Soil		37	0.66	370	0.068	1	1.68	0.013	0.08	0.2	0.17	4.8	<0.1	<0.05	5	<0.5	<0.2
50MI11AN0128	Soil		36	0.62	520	0.069	<1	1.69	0.013	0.09	0.2	0.27	4.7	<0.1	<0.05	6	0.6	<0.2
50MI11AN0129	Soil		42	0.71	923	0.072	2	2.10	0.015	0.21	0.2	0.15	7.2	0.2	0.07	7	1.2	<0.2
50MI11AN0130	Soil		39	0.72	308	0.095	<1	1.60	0.012	0.09	0.2	0.06	3.2	<0.1	<0.05	6	0.8	<0.2
50MI11AN0131	Soil		24	0.29	291	0.010	<1	1.00	0.006	0.12	0.2	0.07	5.8	<0.1	<0.05	3	<0.5	<0.2
50MI11AN0132	Soil		52	0.90	549	0.060	<1	1.69	0.009	0.39	<0.1	1.23	15.8	0.2	<0.05	7	0.7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001931.3

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
50MI11AN0133	Soil		0.9	20.8	8.6	60	<0.1	21.7	11.3	359	3.10	6.4	<0.5	5.8	27	<0.1	0.9	0.2	71	0.25	0.022	23
50MI11AN0134	Soil		0.8	23.7	10.0	67	<0.1	19.2	10.2	339	2.85	5.5	1.9	5.4	45	<0.1	1.4	0.2	65	0.39	0.040	17
50MI11AN0135	Soil		0.5	18.0	10.1	59	<0.1	15.5	11.0	342	2.91	5.1	1.5	5.0	31	<0.1	1.1	0.2	61	0.35	0.038	15
50MI11AN0136	Soil		0.6	13.8	9.6	60	<0.1	12.6	7.5	375	2.31	4.2	2.9	3.5	37	0.2	0.8	0.2	55	0.42	0.044	14
50MI11AN0137	Soil		1.0	15.6	9.6	68	0.1	15.3	11.5	723	2.79	8.7	2.5	3.2	38	0.3	0.6	0.2	55	0.37	0.056	14
50MI11AN0138	Soil		0.8	10.2	8.2	59	<0.1	12.8	8.5	446	2.24	5.8	1.9	2.9	29	0.2	0.7	0.1	50	0.33	0.055	12
50MI11AN0139	Soil		0.6	14.7	9.7	61	<0.1	15.3	7.9	262	2.27	5.6	2.5	2.9	26	0.1	0.6	0.2	53	0.31	0.053	13
50MI11AN0140	Soil		0.8	13.1	8.4	65	0.1	17.0	13.5	488	2.55	5.4	2.2	3.0	28	0.2	0.6	0.2	56	0.32	0.053	13
50MI11AN0141	Soil		0.7	14.6	8.9	65	<0.1	16.1	8.7	282	2.57	5.0	2.0	2.6	25	<0.1	0.6	0.2	58	0.28	0.048	12
50MI11AN0142	Soil		0.6	19.0	9.1	67	0.1	18.6	9.3	285	2.72	6.1	2.0	4.0	28	0.2	0.6	0.2	58	0.31	0.046	15
50MI11AN0143	Soil		0.7	14.2	7.8	58	0.1	15.3	7.7	244	2.29	4.1	<0.5	3.0	33	0.1	0.4	0.2	47	0.35	0.047	14
50MI11AN0144	Soil		0.7	15.5	7.8	67	0.1	16.9	9.9	416	2.56	4.2	1.6	3.2	35	0.1	0.5	0.1	55	0.40	0.055	14
50MI11AN0145	Soil		1.4	13.3	14.2	51	<0.1	13.5	6.0	338	3.27	9.6	5.4	0.9	13	0.2	0.7	0.3	77	0.12	0.062	10
50MI11AN0146	Soil		1.7	40.2	11.1	75	0.3	31.7	9.4	332	3.12	34.2	2.6	2.6	26	0.3	0.8	0.4	60	0.17	0.079	13
50MI11AN0147	Soil		0.6	14.6	4.8	19	0.1	5.9	1.6	52	0.78	3.2	<0.5	0.1	10	0.3	0.2	0.2	20	0.07	0.030	9
50MI11AN0148	Soil		1.7	31.9	15.8	79	0.7	30.1	11.3	756	2.92	15.6	2.5	2.1	44	0.7	0.4	0.5	43	0.97	0.077	37
50MI11AN0149	Soil		1.2	15.9	9.4	57	0.4	14.8	3.7	257	1.09	2.3	<0.5	0.5	45	1.3	0.4	0.2	11	1.48	0.080	4
50MI11AN0150	Soil		0.9	12.5	8.5	40	0.2	7.6	2.7	221	1.13	1.9	<0.5	<0.1	13	0.4	0.2	0.2	33	0.24	0.040	3
50MI11AN0150 DUP	Soil		0.8	11.0	7.8	31	0.2	6.3	2.2	198	1.00	2.3	<0.5	<0.1	17	0.3	0.2	0.2	29	0.36	0.047	3
50MI11AN0151	Soil		1.1	11.6	5.5	30	0.3	7.5	2.1	63	0.91	2.7	<0.5	<0.1	11	0.3	0.3	0.2	21	0.04	0.043	3
50MI11AN0152	Soil		3.4	52.8	13.5	120	0.6	30.0	9.1	553	2.66	14.5	<0.5	1.5	49	0.9	0.9	0.6	48	0.88	0.102	8
50MI11AN0153	Soil		2.0	36.2	9.1	48	0.9	17.1	2.8	87	1.85	1.9	<0.5	0.4	18	0.5	0.3	0.2	19	0.13	0.081	8
50MI11AN0154	Soil		2.1	51.6	10.4	112	0.4	34.1	11.8	371	3.14	8.4	1.2	4.1	32	0.5	0.6	0.3	59	0.27	0.070	18
50MI11AN0155	Soil		3.6	49.5	11.8	121	0.4	37.3	13.9	530	3.22	12.4	1.1	3.2	29	0.6	0.5	0.4	56	0.17	0.072	16
50MI11AN0156	Soil		3.1	67.9	10.8	125	0.4	41.5	8.9	340	3.19	22.5	<0.5	5.6	31	0.4	0.6	0.4	61	0.24	0.071	20
50MI11AN0157	Soil		2.7	54.2	10.1	98	0.3	33.2	10.0	454	3.16	9.7	1.3	4.2	21	0.4	0.5	0.4	57	0.11	0.052	16
50MI11AN0158	Soil		2.5	55.8	9.5	101	0.3	35.7	10.0	416	3.15	7.8	3.5	4.7	19	0.3	0.6	0.3	56	0.11	0.038	16
50MI11AN0159	Soil		2.9	59.2	8.7	116	0.3	36.8	9.6	345	3.30	5.6	1.1	4.1	21	0.5	0.5	0.3	52	0.08	0.043	15
50MI11AN0160	Soil		2.9	53.6	9.2	103	0.3	35.8	9.1	311	3.25	12.2	2.0	5.0	19	0.3	0.5	0.4	59	0.07	0.040	14
50MI11AN0161	Soil		2.5	36.9	21.7	93	0.5	29.9	10.6	505	3.73	49.4	2.1	4.0	14	0.4	0.6	0.7	72	0.08	0.051	13

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001931.3

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
50MI11AN0133	Soil		52	0.91	261	0.101	<1	1.94	0.013	0.13	0.1	0.07	6.4	0.1	<0.05	6	<0.5	<0.2
50MI11AN0134	Soil		42	0.76	550	0.101	<1	1.82	0.014	0.18	0.2	0.11	6.3	0.2	<0.05	6	0.7	<0.2
50MI11AN0135	Soil		41	0.72	516	0.093	<1	1.91	0.013	0.15	0.1	0.11	6.0	0.1	<0.05	6	<0.5	<0.2
50MI11AN0136	Soil		30	0.51	476	0.061	<1	1.54	0.014	0.06	0.2	0.05	4.6	<0.1	<0.05	5	0.5	<0.2
50MI11AN0137	Soil		27	0.55	350	0.063	2	1.45	0.015	0.06	0.2	0.06	3.6	<0.1	<0.05	5	1.1	<0.2
50MI11AN0138	Soil		25	0.56	234	0.062	<1	1.24	0.015	0.07	0.3	0.03	2.6	<0.1	<0.05	4	<0.5	<0.2
50MI11AN0139	Soil		28	0.50	253	0.068	2	1.67	0.014	0.07	0.2	0.05	2.8	<0.1	0.07	5	<0.5	<0.2
50MI11AN0140	Soil		34	0.72	283	0.081	3	1.79	0.015	0.09	0.2	0.06	3.1	0.1	0.09	5	0.6	<0.2
50MI11AN0141	Soil		36	0.72	244	0.084	3	1.82	0.013	0.09	0.2	0.05	3.1	0.1	0.05	6	<0.5	<0.2
50MI11AN0142	Soil		37	0.74	303	0.087	2	1.85	0.015	0.09	0.2	0.06	3.9	0.1	<0.05	6	<0.5	<0.2
50MI11AN0143	Soil		32	0.64	294	0.075	1	1.68	0.014	0.06	0.2	0.07	3.4	<0.1	<0.05	5	<0.5	<0.2
50MI11AN0144	Soil		41	0.76	320	0.089	2	1.72	0.014	0.16	0.2	0.05	4.1	0.1	<0.05	5	<0.5	<0.2
50MI11AN0145	Soil		27	0.28	183	0.059	2	1.47	0.009	0.05	0.2	0.06	1.6	<0.1	<0.05	7	0.6	<0.2
50MI11AN0146	Soil		30	0.38	466	0.042	1	1.18	0.010	0.05	0.3	0.08	2.6	0.1	<0.05	4	0.9	<0.2
50MI11AN0147	Soil		7	0.04	195	0.023	<1	0.36	0.020	0.03	<0.1	0.04	0.6	<0.1	<0.05	2	<0.5	<0.2
50MI11AN0148	Soil		26	0.40	840	0.012	3	1.74	0.014	0.09	0.1	0.16	4.7	0.2	0.08	5	1.7	<0.2
50MI11AN0149	Soil		8	0.58	252	0.014	2	0.38	0.016	0.04	<0.1	0.12	0.8	<0.1	0.22	1	0.8	<0.2
50MI11AN0150	Soil		8	0.09	78	0.015	<1	0.39	0.022	0.03	<0.1	0.05	0.4	<0.1	0.12	2	<0.5	<0.2
50MI11AN0150 DUP	Soil		7	0.11	83	0.013	<1	0.37	0.018	0.03	<0.1	0.06	0.3	<0.1	0.08	2	<0.5	<0.2
50MI11AN0151	Soil		6	0.03	78	0.009	<1	0.27	0.015	0.03	<0.1	0.05	0.1	<0.1	<0.05	2	0.5	<0.2
50MI11AN0152	Soil		23	0.44	632	0.015	2	0.87	0.013	0.07	0.2	0.13	2.7	0.2	0.12	3	1.5	<0.2
50MI11AN0153	Soil		18	0.18	239	0.018	<1	0.58	0.012	0.09	<0.1	0.14	0.7	0.3	0.14	3	2.2	<0.2
50MI11AN0154	Soil		32	0.65	444	0.045	<1	1.68	0.015	0.06	0.1	0.06	3.8	0.1	<0.05	5	1.4	<0.2
50MI11AN0155	Soil		27	0.49	421	0.034	<1	1.45	0.011	0.06	0.2	0.05	2.5	0.2	<0.05	5	1.5	<0.2
50MI11AN0156	Soil		38	0.75	490	0.057	<1	1.50	0.012	0.11	0.1	0.03	4.3	0.2	<0.05	5	1.6	<0.2
50MI11AN0157	Soil		31	0.55	378	0.042	<1	1.72	0.014	0.07	0.1	0.03	3.5	0.1	<0.05	5	1.0	<0.2
50MI11AN0158	Soil		31	0.54	287	0.049	<1	1.63	0.013	0.06	<0.1	0.04	3.7	0.2	<0.05	5	1.1	<0.2
50MI11AN0159	Soil		27	0.46	246	0.037	<1	1.27	0.007	0.06	<0.1	0.03	2.6	0.2	<0.05	4	0.9	<0.2
50MI11AN0160	Soil		28	0.49	289	0.036	<1	1.76	0.010	0.08	0.2	0.02	2.8	0.2	<0.05	5	1.1	0.2
50MI11AN0161	Soil		35	0.58	249	0.036	<1	2.22	0.007	0.07	0.2	0.05	3.2	0.2	<0.05	7	0.8	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001931.3

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
50MI11AN0162	Soil	2.0	37.9	10.2	68	0.3	26.9	9.3	353	3.02	9.9	1.1	4.4	16	0.3	0.6	0.3	59	0.11	0.038	14
50MI11AN0163	Soil	1.7	39.1	9.9	71	0.3	29.4	12.7	656	2.85	8.8	3.4	3.0	18	0.5	0.6	0.3	56	0.14	0.042	15
50MI11AN0164	Soil	1.6	44.6	10.6	84	0.1	33.1	13.1	738	3.08	9.6	3.3	4.1	17	0.3	0.6	0.2	59	0.14	0.057	14
50MI11AN0165	Soil	2.0	40.7	14.8	85	0.4	28.6	10.9	486	3.29	12.3	1.9	2.1	16	0.6	0.7	0.4	67	0.11	0.076	11
50MI11AN0166	Soil	2.0	43.9	14.1	97	0.5	32.9	11.4	456	3.27	8.3	2.9	4.1	15	0.5	0.6	0.3	55	0.10	0.053	12
50MI11AN0167	Soil	1.4	39.5	9.9	69	0.1	26.6	10.1	496	2.86	8.6	0.8	3.6	18	0.3	0.6	0.2	59	0.13	0.033	15
50MI11AN0168	Soil	2.1	47.6	10.1	98	0.2	36.9	12.4	592	3.11	16.8	1.7	4.0	20	0.5	0.6	0.3	56	0.16	0.050	14
50MI11AN0169	Soil	2.1	39.2	10.3	73	0.6	32.1	8.7	370	2.96	10.1	1.0	1.5	29	0.4	0.5	0.3	56	0.30	0.052	11
50MI11AN0170	Soil	2.0	59.0	8.8	109	0.5	61.3	19.9	776	4.13	1.7	3.4	4.2	34	0.4	0.3	0.2	100	0.38	0.080	22
50MI11AN0171	Soil	2.7	65.8	12.4	111	0.4	82.6	16.2	849	3.86	6.3	1.5	3.3	25	0.6	1.9	0.3	105	0.19	0.074	19
50MI11AN0172	Soil	1.2	16.7	15.6	71	0.3	20.4	13.9	1052	2.22	18.5	3.6	3.2	55	0.4	0.4	0.4	43	0.69	0.059	19
50MI11AN0173	Soil	1.3	32.0	30.5	73	0.2	30.6	11.6	353	3.30	4.8	1.2	10.9	41	0.1	0.4	0.4	39	0.31	0.051	40
50MI11AN0174	Soil	1.3	26.2	19.8	67	0.2	25.6	11.4	419	2.97	12.1	1.7	7.7	28	0.1	0.3	0.4	39	0.58	0.045	27
50MI11AN0175	Soil	1.2	30.9	34.0	123	0.3	25.6	8.1	436	2.26	6.0	1.9	3.3	31	0.3	0.7	0.3	37	1.08	0.047	19
50MI11AN0176	Soil	1.1	37.2	33.7	74	0.1	64.4	15.3	557	3.34	14.4	4.1	7.6	21	0.2	0.4	0.3	70	0.23	0.040	30
50MI11AN0177	Soil	0.6	25.8	19.0	59	<0.1	17.7	8.8	423	2.44	5.1	2.4	8.1	18	0.2	0.4	0.2	47	0.22	0.021	32
50MI11AN0178	Soil	0.9	71.0	18.9	122	<0.1	41.0	21.4	787	4.82	2.3	1.0	10.4	22	0.1	0.3	0.1	98	0.48	0.073	31
50MI11AN0179	Soil	0.9	19.8	22.1	138	0.1	20.7	11.1	723	2.61	29.3	3.1	4.0	23	0.5	1.4	0.2	56	0.33	0.041	16
50MI11AN0180	Soil	0.9	26.0	14.0	67	0.2	22.6	9.7	449	2.72	7.8	4.1	3.9	29	0.2	1.0	0.2	55	0.64	0.045	19
50MI11AN0181	Soil	0.6	20.7	8.4	45	0.3	13.6	6.6	410	1.64	3.8	8.4	1.1	59	0.3	0.6	0.1	33	1.63	0.060	13
50MI11AN0182	Soil	1.4	38.1	12.7	109	0.2	21.9	10.4	531	2.85	6.2	1.8	4.0	31	0.3	0.3	0.2	60	0.65	0.057	19
50MI11AN0183	Soil	1.0	21.9	9.9	52	0.2	15.3	8.4	583	2.30	5.3	2.4	2.0	40	0.2	0.4	0.2	48	0.81	0.057	18
50MI11AN0184	Soil	0.7	19.4	11.1	56	<0.1	19.2	7.3	186	2.39	5.1	1.5	6.0	24	<0.1	0.3	0.2	46	0.26	0.037	24
50MI11AN0185	Soil	0.7	27.9	12.0	68	0.1	23.2	9.2	260	2.70	4.5	1.9	8.7	25	<0.1	0.4	0.2	46	0.30	0.046	33
50MI11AN0186	Soil	0.6	18.9	11.9	64	<0.1	20.1	9.0	289	2.70	4.5	3.4	9.6	20	<0.1	0.3	0.2	44	0.25	0.034	32
50MI11AN0187	Soil	0.5	20.9	13.0	70	<0.1	22.6	9.9	316	2.90	4.4	1.9	8.5	21	<0.1	0.3	0.2	46	0.26	0.040	30
50MI11AN0188	Soil	0.5	20.7	10.8	68	<0.1	22.6	10.0	306	2.89	4.6	2.0	9.7	18	<0.1	0.3	0.2	45	0.22	0.034	27
50MI11AN0189	Soil	0.5	21.4	12.2	70	<0.1	23.2	10.2	344	3.00	4.4	1.2	9.2	18	<0.1	0.2	0.2	49	0.20	0.032	30
50MI11AN0190	Soil	0.6	25.6	10.8	72	<0.1	25.6	10.7	337	2.97	4.6	3.9	8.6	16	<0.1	0.3	0.2	48	0.16	0.027	28
50MI11AN0191	Soil	0.8	25.6	11.5	71	<0.1	25.4	10.5	291	2.95	4.9	5.1	6.8	14	<0.1	0.3	0.3	55	0.13	0.032	23

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001931.3

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
50MI11AN0162	Soil		33	0.54	269	0.052	<1	1.90	0.009	0.06	0.2	0.03	2.9	0.2	<0.05	6	0.9	<0.2
50MI11AN0163	Soil		29	0.51	269	0.048	1	1.75	0.013	0.06	0.1	0.05	3.4	0.1	<0.05	5	0.5	<0.2
50MI11AN0164	Soil		32	0.56	257	0.059	1	2.04	0.012	0.06	0.2	0.04	3.6	0.1	<0.05	5	<0.5	<0.2
50MI11AN0165	Soil		29	0.41	186	0.046	<1	1.87	0.009	0.07	0.2	0.08	1.9	0.1	<0.05	6	0.8	<0.2
50MI11AN0166	Soil		28	0.41	244	0.048	<1	1.97	0.011	0.05	0.1	0.04	2.2	0.2	<0.05	5	0.6	<0.2
50MI11AN0167	Soil		32	0.54	255	0.057	<1	1.80	0.010	0.05	0.1	0.03	3.1	0.1	<0.05	5	0.7	<0.2
50MI11AN0168	Soil		27	0.46	298	0.052	<1	1.42	0.011	0.05	0.2	0.03	2.7	0.1	<0.05	4	1.0	<0.2
50MI11AN0169	Soil		31	0.52	349	0.030	<1	1.66	0.013	0.06	0.2	0.06	2.7	0.1	<0.05	6	<0.5	<0.2
50MI11AN0170	Soil		93	1.40	303	0.078	1	2.41	0.015	0.22	<0.1	0.04	6.0	0.2	<0.05	9	0.7	<0.2
50MI11AN0171	Soil		105	1.11	231	0.082	<1	2.03	0.014	0.19	<0.1	0.03	4.5	0.2	<0.05	9	<0.5	<0.2
50MI11AN0172	Soil		22	0.55	178	0.031	<1	1.32	0.015	0.06	0.1	0.05	2.1	0.1	0.05	5	0.8	<0.2
50MI11AN0173	Soil		28	0.67	170	0.040	<1	1.73	0.011	0.15	0.1	0.03	3.5	0.2	<0.05	6	0.7	<0.2
50MI11AN0174	Soil		27	0.58	177	0.036	2	1.65	0.013	0.09	<0.1	0.03	3.6	0.2	<0.05	5	<0.5	<0.2
50MI11AN0175	Soil		19	0.39	199	0.021	2	1.43	0.016	0.06	<0.1	0.05	2.7	0.1	<0.05	4	0.8	<0.2
50MI11AN0176	Soil		126	0.84	232	0.076	2	2.06	0.013	0.10	<0.1	0.05	6.0	0.2	<0.05	6	<0.5	<0.2
50MI11AN0177	Soil		27	0.50	426	0.048	2	1.24	0.013	0.12	<0.1	0.01	5.0	<0.1	<0.05	4	<0.5	<0.2
50MI11AN0178	Soil		63	1.42	466	0.126	<1	2.49	0.008	0.52	<0.1	0.01	8.1	0.4	<0.05	8	<0.5	<0.2
50MI11AN0179	Soil		28	0.45	290	0.041	1	1.64	0.012	0.07	0.1	0.02	3.6	0.1	<0.05	5	<0.5	<0.2
50MI11AN0180	Soil		31	0.47	387	0.034	1	1.72	0.015	0.08	<0.1	0.04	5.3	0.1	<0.05	5	<0.5	<0.2
50MI11AN0181	Soil		20	0.34	443	0.025	2	1.22	0.018	0.04	<0.1	0.05	2.5	<0.1	0.06	4	<0.5	<0.2
50MI11AN0182	Soil		30	0.80	749	0.018	<1	1.89	0.011	0.08	<0.1	0.03	4.2	<0.1	<0.05	6	<0.5	<0.2
50MI11AN0183	Soil		25	0.48	759	0.018	<1	1.66	0.012	0.08	0.1	0.04	3.4	<0.1	<0.05	5	<0.5	<0.2
50MI11AN0184	Soil		30	0.50	209	0.080	1	1.79	0.015	0.11	<0.1	0.03	3.2	0.2	<0.05	5	<0.5	<0.2
50MI11AN0185	Soil		32	0.59	248	0.094	<1	1.87	0.013	0.18	0.1	0.04	4.0	0.2	<0.05	6	<0.5	<0.2
50MI11AN0186	Soil		32	0.58	196	0.113	1	1.82	0.012	0.20	0.1	0.02	3.4	0.2	<0.05	6	<0.5	<0.2
50MI11AN0187	Soil		33	0.59	233	0.109	1	2.02	0.015	0.21	<0.1	0.03	3.7	0.2	<0.05	6	<0.5	<0.2
50MI11AN0188	Soil		33	0.63	195	0.136	1	1.73	0.012	0.26	0.1	0.02	3.5	0.3	<0.05	6	<0.5	<0.2
50MI11AN0189	Soil		33	0.66	180	0.141	1	1.95	0.011	0.33	<0.1	0.01	3.4	0.3	<0.05	6	<0.5	<0.2
50MI11AN0190	Soil		35	0.68	186	0.127	1	1.84	0.010	0.27	0.1	0.02	3.4	0.3	<0.05	6	<0.5	<0.2
50MI11AN0191	Soil		35	0.69	148	0.113	2	1.86	0.009	0.26	<0.1	0.02	3.0	0.3	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001931.3

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
50MI11AN0192	Soil		1.0	25.6	10.4	62	<0.1	19.8	7.7	220	2.55	6.0	1.5	3.7	14	<0.1	0.3	0.3	55	0.12	0.039	18
50MI11AN0193	Soil		0.8	34.6	10.1	70	<0.1	28.4	13.2	353	3.01	4.6	2.8	5.5	12	<0.1	0.3	0.3	45	0.11	0.028	17
50MI11AN0194	Soil		2.0	30.8	11.0	66	<0.1	21.7	10.5	372	2.50	6.2	1.7	4.8	18	0.2	0.4	0.2	48	0.15	0.043	18
50MI11AN0195	Soil		1.4	29.7	9.8	64	0.2	17.9	8.5	247	2.40	4.3	2.8	4.2	21	0.1	0.4	0.2	46	0.20	0.048	20
50MI11AN0196	Soil		1.7	26.2	11.4	63	0.2	17.7	7.3	180	2.40	5.8	2.5	2.8	19	0.1	0.4	0.2	51	0.16	0.056	17
50MI11AN0197	Soil		1.6	42.4	10.8	67	0.2	21.8	8.0	195	2.40	5.3	2.7	4.0	19	0.2	0.5	0.2	50	0.15	0.054	16
50MI11AN0198	Soil		1.5	41.4	9.4	66	0.2	21.3	7.5	300	2.32	3.2	2.2	3.7	18	0.1	0.4	0.2	44	0.14	0.048	16
50MI11AN0199	Soil		2.6	49.7	12.0	75	0.4	21.7	10.3	458	2.83	3.5	3.1	2.5	18	0.2	0.3	0.3	56	0.13	0.072	17
50MI11AN0200	Soil		1.9	57.3	11.7	66	0.2	19.3	7.7	276	2.61	2.2	1.2	2.0	15	0.3	0.2	0.2	49	0.09	0.057	18
50MI11AN0200 DUP	Soil		1.8	56.3	10.2	57	0.2	16.5	6.2	230	2.30	2.0	0.7	1.0	15	0.3	0.2	0.2	45	0.09	0.059	16
50MI11MGB0172	Soil		0.9	25.0	9.0	69	0.2	19.5	6.9	191	2.32	4.1	1.0	5.5	22	0.2	0.4	0.2	43	0.13	0.032	19
50MI11MGB0173	Soil		1.3	37.0	10.4	68	0.2	23.8	7.9	201	2.30	4.0	2.4	5.5	27	0.1	0.3	0.2	48	0.14	0.035	23
50MI11MGB0174	Soil		1.2	37.0	12.7	81	0.3	30.9	7.7	177	2.64	3.9	3.1	3.2	30	0.4	0.4	0.3	55	0.14	0.038	31
50MI11MGB0175	Soil		1.3	31.0	11.0	74	0.2	25.8	10.0	290	2.70	5.3	2.2	6.3	29	0.3	0.4	0.3	57	0.16	0.034	26
50MI11MGB0176	Soil		0.6	16.3	6.5	26	0.2	7.3	2.9	110	1.16	1.8	1.3	0.3	14	<0.1	0.2	0.1	28	0.06	0.035	9
50MI11MGB0177	Soil		1.0	29.9	11.4	66	0.1	23.0	8.1	229	2.50	4.4	2.8	5.9	33	0.1	0.4	0.2	51	0.19	0.036	27
50MI11MGB0178	Soil		1.0	27.6	10.4	62	0.2	19.2	7.3	278	2.29	8.0	2.1	3.6	27	0.2	0.3	0.2	48	0.20	0.038	19
50MI11MGB0179	Soil		1.3	31.5	10.6	75	0.2	22.6	8.8	245	2.59	5.0	2.2	6.4	37	0.3	0.5	0.2	51	0.24	0.048	23
50MI11MGB0180	Soil		1.2	18.9	11.3	64	0.2	18.4	6.0	139	2.21	3.5	5.6	1.8	19	0.1	0.7	0.4	47	0.16	0.040	14
50MI11MGB0181	Soil		1.2	15.6	9.1	63	0.1	18.5	6.9	152	2.40	4.2	4.2	2.3	22	0.2	0.3	0.3	46	0.19	0.045	14
50MI11MGB0182	Soil		1.2	18.0	9.1	63	0.1	19.6	8.8	246	2.35	4.3	7.5	3.4	20	0.2	0.4	0.2	49	0.20	0.050	15
50MI11MGB0183	Soil		1.1	30.4	8.5	61	0.7	21.9	6.6	196	2.24	3.2	3.1	0.9	15	0.2	0.2	0.2	43	0.14	0.048	11
50MI11MGB0184	Soil		1.3	36.2	8.6	68	0.7	24.4	8.4	314	2.70	5.3	3.2	1.7	17	0.1	0.3	0.3	54	0.18	0.041	10
50MI11MGB0185	Soil		1.0	36.7	6.9	60	0.3	20.9	6.4	256	2.28	4.0	5.8	1.7	12	<0.1	0.3	0.2	46	0.11	0.029	10
50MI11MGB0186	Soil		0.9	46.3	5.4	57	<0.1	24.5	7.2	347	2.02	1.7	1.3	2.2	7	<0.1	0.2	0.1	36	0.06	0.020	8
50MI11MGB0187	Soil		1.9	53.0	9.0	59	0.7	25.5	6.1	344	2.72	5.0	3.9	0.5	16	0.2	0.3	0.3	56	0.13	0.056	9
50MI11MGB0188	Soil		1.5	49.4	7.3	66	0.5	25.0	5.8	197	2.30	3.0	2.4	2.1	11	0.1	0.2	0.2	45	0.10	0.024	10
50MI11MGB0189	Soil		1.1	34.1	6.8	55	<0.1	19.3	6.0	205	2.27	3.8	1.8	2.7	9	0.1	0.3	0.1	49	0.08	0.022	10
50MI11MGB0190	Soil		0.7	13.0	7.6	51	0.1	13.8	6.7	192	2.46	5.9	4.7	2.7	17	0.1	0.6	0.1	61	0.25	0.053	13
50MI11MGB0191	Soil		0.7	19.1	7.5	56	<0.1	15.6	9.5	238	2.59	5.7	3.0	3.4	20	0.2	0.6	0.2	57	0.28	0.053	16

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001931.3

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
50MI11AN0192	Soil	30	0.53	125	0.084	<1	1.68	0.009	0.18	0.1	0.03	2.6	0.2	<0.05	6	<0.5	<0.2
50MI11AN0193	Soil	28	0.68	137	0.116	<1	1.82	0.015	0.44	<0.1	0.02	3.1	0.3	<0.05	6	<0.5	<0.2
50MI11AN0194	Soil	26	0.53	135	0.058	1	1.73	0.007	0.13	0.1	0.02	2.6	0.2	<0.05	5	<0.5	<0.2
50MI11AN0195	Soil	28	0.53	220	0.065	<1	1.74	0.009	0.11	0.1	0.05	3.1	0.1	<0.05	5	<0.5	<0.2
50MI11AN0196	Soil	25	0.51	176	0.055	1	1.61	0.008	0.11	0.1	0.05	2.4	0.2	<0.05	5	<0.5	<0.2
50MI11AN0197	Soil	27	0.50	198	0.065	1	1.50	0.007	0.11	0.1	0.04	3.1	0.2	<0.05	5	0.5	<0.2
50MI11AN0198	Soil	26	0.61	205	0.087	1	1.55	0.007	0.23	0.1	0.03	2.7	0.2	<0.05	5	<0.5	<0.2
50MI11AN0199	Soil	28	0.67	215	0.074	1	1.71	0.007	0.33	<0.1	0.05	2.4	0.3	0.07	6	0.5	<0.2
50MI11AN0200	Soil	25	0.62	204	0.080	<1	1.51	0.007	0.44	<0.1	0.03	2.2	0.3	0.08	5	0.6	<0.2
50MI11AN0200 DUP	Soil	22	0.53	185	0.067	1	1.33	0.013	0.38	<0.1	0.04	1.9	0.2	0.09	4	0.6	<0.2
50MI11MGB0172	Soil	23	0.57	209	0.104	<1	1.65	0.009	0.22	<0.1	0.03	2.4	0.2	<0.05	5	<0.5	<0.2
50MI11MGB0173	Soil	25	0.50	189	0.108	<1	1.62	0.009	0.23	<0.1	0.03	2.5	0.2	<0.05	5	<0.5	<0.2
50MI11MGB0174	Soil	29	0.53	203	0.102	<1	1.95	0.010	0.24	<0.1	0.04	2.4	0.3	<0.05	6	<0.5	<0.2
50MI11MGB0175	Soil	30	0.58	184	0.100	<1	1.88	0.010	0.19	<0.1	0.02	3.1	0.3	<0.05	5	<0.5	<0.2
50MI11MGB0176	Soil	10	0.20	167	0.043	1	0.77	0.012	0.12	<0.1	0.03	0.8	<0.1	<0.05	3	<0.5	<0.2
50MI11MGB0177	Soil	29	0.59	172	0.114	1	1.87	0.009	0.21	<0.1	0.04	3.1	0.2	<0.05	6	<0.5	<0.2
50MI11MGB0178	Soil	27	0.53	214	0.099	1	1.72	0.014	0.21	<0.1	0.04	3.1	0.2	<0.05	5	<0.5	<0.2
50MI11MGB0179	Soil	29	0.60	244	0.100	1	1.66	0.011	0.13	<0.1	0.04	3.3	0.2	<0.05	5	0.5	<0.2
50MI11MGB0180	Soil	26	0.49	173	0.064	2	1.47	0.010	0.06	0.2	0.06	2.0	0.2	0.10	5	<0.5	<0.2
50MI11MGB0181	Soil	26	0.51	156	0.066	1	1.51	0.010	0.08	0.1	0.05	2.1	0.2	<0.05	5	<0.5	<0.2
50MI11MGB0182	Soil	27	0.53	171	0.074	2	1.62	0.010	0.10	0.2	0.03	2.3	0.2	0.06	5	<0.5	<0.2
50MI11MGB0183	Soil	28	0.53	251	0.058	<1	1.66	0.010	0.13	0.1	0.05	2.4	0.2	0.05	6	<0.5	<0.2
50MI11MGB0184	Soil	29	0.55	271	0.063	1	1.73	0.009	0.12	0.1	0.04	2.7	0.2	0.08	6	<0.5	<0.2
50MI11MGB0185	Soil	26	0.52	196	0.069	1	1.56	0.008	0.15	<0.1	0.03	2.5	0.2	0.06	5	<0.5	<0.2
50MI11MGB0186	Soil	22	0.54	186	0.076	<1	1.24	0.006	0.27	<0.1	0.01	2.0	0.2	<0.05	4	<0.5	<0.2
50MI11MGB0187	Soil	29	0.41	299	0.036	<1	1.84	0.014	0.17	<0.1	0.04	2.4	0.1	0.07	7	<0.5	<0.2
50MI11MGB0188	Soil	26	0.52	542	0.075	<1	1.55	0.009	0.29	<0.1	0.02	2.5	0.2	<0.05	5	<0.5	<0.2
50MI11MGB0189	Soil	26	0.47	210	0.077	<1	1.41	0.006	0.13	<0.1	0.02	2.0	0.2	<0.05	5	<0.5	<0.2
50MI11MGB0190	Soil	26	0.47	249	0.056	1	1.56	0.016	0.05	0.2	0.05	3.5	0.1	0.05	5	<0.5	<0.2
50MI11MGB0191	Soil	25	0.52	265	0.071	1	1.70	0.017	0.06	0.2	0.03	3.8	0.1	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001931.3

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
50MI11MGB0192	Soil	0.8	20.8	7.7	59	0.1	16.4	9.0	238	2.79	6.5	3.1	3.1	19	0.1	0.5	0.2	66	0.26	0.047	16
50MI11MGB0193	Soil	0.8	20.4	6.1	54	<0.1	18.0	10.9	365	2.96	5.2	1.6	4.2	17	0.1	0.6	<0.1	65	0.26	0.047	15
50MI11MGB0194	Soil	0.7	13.6	5.3	43	<0.1	12.6	9.8	297	2.83	5.3	2.4	4.4	14	<0.1	0.5	<0.1	59	0.22	0.039	11
50MI11MGB0195	Soil	0.8	9.5	6.3	44	<0.1	11.7	8.6	269	3.02	6.3	3.1	3.5	14	<0.1	0.5	0.1	75	0.21	0.027	11
50MI11MGB0196	Soil	0.7	18.1	6.8	50	0.1	16.7	8.6	227	2.71	6.8	6.3	4.4	25	<0.1	0.6	0.1	59	0.36	0.046	18
50MI11MGB0197	Soil	0.8	14.5	7.4	51	0.1	14.4	10.1	288	2.90	7.3	3.0	3.7	19	0.1	0.5	0.2	63	0.36	0.051	17
50MI11MGB0198	Soil	0.8	13.6	7.4	53	0.1	15.7	11.3	387	2.84	7.1	3.5	3.7	20	0.1	0.5	0.2	65	0.37	0.053	16
50MI11MGB0199	Soil	0.7	12.6	8.4	57	0.1	13.3	9.6	423	2.76	5.9	4.6	3.5	21	0.1	0.6	0.2	63	0.35	0.048	17
50MI11MGB0200	Soil	0.7	22.5	7.7	57	0.1	14.5	9.0	183	2.41	6.2	14.3	2.9	19	0.1	0.5	0.1	66	0.31	0.051	15
50MI11MGB0200 DUP	Soil	0.8	22.3	8.0	59	0.1	15.0	10.0	269	2.57	7.5	2.0	2.7	21	0.1	0.5	0.1	68	0.34	0.052	15
50MI11MGB0201	Soil	0.8	22.4	7.9	56	<0.1	14.7	10.3	293	2.79	5.3	1.7	3.1	19	0.1	0.4	0.1	64	0.30	0.050	14
50MI11MGB0202	Soil	0.7	23.9	7.8	56	<0.1	15.9	9.8	238	2.71	6.1	5.0	3.8	21	0.1	0.4	0.1	62	0.36	0.050	16
50MI11MGB0203	Soil	0.7	18.9	7.2	50	<0.1	14.8	9.9	266	2.86	9.2	4.1	3.4	21	0.1	0.8	<0.1	68	0.38	0.045	13
50MI11MGB0204	Soil	0.9	27.0	9.1	53	0.1	18.2	17.4	513	3.26	7.7	2.8	3.5	21	<0.1	0.5	0.1	87	0.45	0.036	14
50MI11MGB0205	Soil	0.7	28.6	6.1	53	<0.1	14.2	13.5	292	4.16	7.4	4.3	2.7	14	<0.1	0.7	<0.1	113	0.20	0.017	8
50MI11MGB0206	Soil	0.7	32.6	6.0	56	<0.1	14.5	11.2	321	3.20	8.4	3.7	3.5	17	<0.1	0.7	0.1	81	0.28	0.038	12
50MI11MGB0207	Soil	0.8	36.1	6.1	61	<0.1	13.1	11.4	275	3.23	7.1	2.4	2.3	15	<0.1	0.5	<0.1	89	0.29	0.042	12
50MI11MGB0208	Soil	0.8	21.5	6.5	60	<0.1	14.7	11.1	415	3.00	6.0	13.7	3.5	19	0.2	0.4	0.1	76	0.39	0.044	14
50MI11MGB0209	Soil	0.5	23.5	6.0	51	<0.1	10.1	9.2	409	3.20	32.4	4.1	7.0	14	0.2	0.3	<0.1	65	0.34	0.058	16
50MI11MGB0210	Soil	0.8	17.1	8.8	60	0.1	15.1	10.8	381	3.13	19.6	5.7	3.4	22	0.2	0.5	0.2	73	0.37	0.045	13
50MI11MGB0211	Soil	0.6	20.0	6.6	55	<0.1	16.3	9.9	309	3.10	17.8	8.2	4.4	21	0.1	0.5	0.1	70	0.41	0.045	14
50MI11MGB0212	Soil	0.7	19.2	6.6	59	0.1	16.4	11.1	365	3.28	22.0	7.4	3.7	21	<0.1	0.5	0.2	75	0.43	0.051	14
50MI11MGB0213	Soil	0.6	18.1	7.0	68	<0.1	18.8	11.7	366	3.27	22.6	8.0	4.2	20	0.1	0.5	0.1	79	0.44	0.055	12
50MI11MGB0214	Soil	0.7	26.3	7.7	64	0.3	19.2	12.4	409	3.15	222.0	87.5	4.9	21	0.2	1.3	0.2	58	0.52	0.052	18
50MI11MGB0215	Soil	0.8	27.3	8.5	64	0.2	20.0	10.0	396	2.97	60.9	34.1	5.5	30	<0.1	0.9	0.2	57	0.44	0.048	19
50MI11MGB0216	Soil	0.9	24.4	6.9	67	0.1	19.5	11.0	443	3.38	46.3	24.6	5.5	24	<0.1	0.8	0.2	72	0.41	0.045	18
50MI11MGB0217	Soil	0.7	21.0	7.1	63	<0.1	14.4	9.4	390	3.16	31.4	13.1	5.4	23	0.1	0.8	0.2	63	0.34	0.045	17
50MI11MGB0218	Soil	0.7	27.2	7.8	76	0.1	15.9	9.1	345	3.18	77.7	41.9	5.3	27	0.1	1.2	0.2	64	0.45	0.042	15
50MI11MGB0219	Soil	0.7	19.7	8.2	62	0.1	15.5	10.0	389	2.82	18.6	8.8	4.4	26	0.2	0.7	0.2	62	0.37	0.043	15
50MI11MGB0220	Soil	0.9	20.8	8.8	64	0.1	13.9	11.6	620	2.98	27.3	9.4	3.8	28	0.1	0.7	0.2	63	0.42	0.053	15

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001931.3

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
50MI11MGB0192	Soil	31	0.59	274	0.077	<1	1.94	0.014	0.08	0.1	0.04	4.0	0.1	<0.05	7	<0.5	<0.2
50MI11MGB0193	Soil	35	0.67	258	0.095	<1	1.73	0.013	0.13	0.1	0.02	4.3	0.1	<0.05	6	<0.5	<0.2
50MI11MGB0194	Soil	21	0.66	232	0.110	<1	1.68	0.013	0.20	0.1	0.02	4.0	0.1	<0.05	6	<0.5	<0.2
50MI11MGB0195	Soil	22	0.68	256	0.110	1	1.80	0.012	0.11	0.1	0.01	3.7	<0.1	<0.05	7	<0.5	<0.2
50MI11MGB0196	Soil	26	0.61	891	0.088	1	1.81	0.016	0.07	0.1	0.04	4.6	<0.1	<0.05	6	<0.5	<0.2
50MI11MGB0197	Soil	21	0.56	497	0.070	<1	1.75	0.014	0.08	0.2	0.05	4.8	0.1	<0.05	5	<0.5	<0.2
50MI11MGB0198	Soil	27	0.58	346	0.063	1	1.73	0.015	0.05	0.2	0.05	4.5	<0.1	0.05	6	<0.5	<0.2
50MI11MGB0199	Soil	24	0.58	432	0.050	<1	1.81	0.013	0.09	0.2	0.04	4.9	0.1	<0.05	6	<0.5	<0.2
50MI11MGB0200	Soil	23	0.57	273	0.068	<1	1.73	0.017	0.06	0.2	0.04	3.8	0.1	<0.05	5	<0.5	<0.2
50MI11MGB0200 DUP	Soil	24	0.55	267	0.068	<1	1.73	0.016	0.06	0.1	0.04	3.6	<0.1	<0.05	6	<0.5	<0.2
50MI11MGB0201	Soil	25	0.59	299	0.067	<1	1.80	0.015	0.05	0.1	0.04	3.7	<0.1	<0.05	5	<0.5	<0.2
50MI11MGB0202	Soil	25	0.64	291	0.083	1	1.78	0.016	0.07	0.1	0.04	4.6	<0.1	<0.05	6	<0.5	<0.2
50MI11MGB0203	Soil	26	0.61	274	0.075	<1	1.76	0.015	0.09	<0.1	0.03	4.4	<0.1	<0.05	5	<0.5	<0.2
50MI11MGB0204	Soil	32	0.70	365	0.074	<1	2.27	0.015	0.09	0.1	0.05	6.7	0.1	<0.05	7	<0.5	<0.2
50MI11MGB0205	Soil	28	1.03	267	0.053	<1	2.71	0.013	0.09	<0.1	<0.01	6.2	0.1	<0.05	8	<0.5	<0.2
50MI11MGB0206	Soil	29	0.89	290	0.108	<1	2.03	0.014	0.16	0.1	0.02	4.7	0.1	<0.05	6	<0.5	<0.2
50MI11MGB0207	Soil	23	0.75	286	0.093	1	2.06	0.018	0.12	0.1	0.03	5.0	<0.1	<0.05	7	<0.5	<0.2
50MI11MGB0208	Soil	31	0.76	364	0.098	<1	2.01	0.019	0.15	0.1	0.03	4.8	0.1	<0.05	6	<0.5	<0.2
50MI11MGB0209	Soil	17	0.89	302	0.123	<1	1.82	0.013	0.46	0.1	0.01	6.2	0.2	0.05	8	<0.5	<0.2
50MI11MGB0210	Soil	27	0.63	323	0.072	<1	2.10	0.015	0.08	0.1	0.03	4.5	0.1	<0.05	6	<0.5	<0.2
50MI11MGB0211	Soil	29	0.72	372	0.075	<1	1.88	0.014	0.14	0.1	0.02	5.7	<0.1	0.05	6	<0.5	<0.2
50MI11MGB0212	Soil	24	0.75	394	0.078	<1	1.89	0.015	0.17	0.1	0.03	6.2	0.1	<0.05	6	<0.5	<0.2
50MI11MGB0213	Soil	38	0.97	288	0.099	<1	1.97	0.015	0.14	0.1	0.02	4.9	0.1	<0.05	7	<0.5	<0.2
50MI11MGB0214	Soil	31	0.53	465	0.039	<1	1.90	0.013	0.10	0.1	0.05	8.1	0.1	0.07	5	<0.5	<0.2
50MI11MGB0215	Soil	27	0.55	468	0.057	1	1.80	0.017	0.08	0.1	0.06	7.2	<0.1	<0.05	5	<0.5	<0.2
50MI11MGB0216	Soil	33	0.76	522	0.075	2	1.98	0.016	0.15	0.1	0.04	9.3	<0.1	<0.05	6	<0.5	<0.2
50MI11MGB0217	Soil	28	0.62	365	0.064	1	1.78	0.015	0.13	<0.1	0.03	7.0	<0.1	<0.05	6	<0.5	<0.2
50MI11MGB0218	Soil	27	0.61	509	0.068	1	1.80	0.016	0.11	0.1	0.05	8.3	0.1	<0.05	5	<0.5	<0.2
50MI11MGB0219	Soil	26	0.59	357	0.063	1	1.86	0.016	0.07	0.2	0.04	5.6	<0.1	<0.05	6	0.6	<0.2
50MI11MGB0220	Soil	23	0.56	373	0.056	1	1.81	0.017	0.06	0.1	0.05	5.6	0.1	<0.05	6	0.8	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001931.3

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
50MI11MGB0221	Soil	0.7	11.4	8.0	50	<0.1	12.7	7.5	314	2.25	5.0	2.4	4.4	22	0.1	0.8	0.2	53	0.30	0.043	13
50MI11MGB0222	Soil	0.6	18.5	8.3	57	0.1	14.3	10.3	371	2.77	5.8	2.4	6.5	24	0.2	0.9	0.2	62	0.33	0.041	22
50MI11MGB0223	Soil	0.8	20.9	9.0	57	0.2	15.4	10.6	425	3.15	6.8	2.6	6.0	26	0.1	0.9	0.2	68	0.39	0.051	22
50MI11MGB0224	Soil	0.9	20.9	9.1	51	0.1	17.3	9.6	351	3.00	7.2	3.1	4.4	25	0.2	0.8	0.2	66	0.34	0.045	16
50MI11MGB0225	Soil	0.9	18.5	8.4	53	0.1	15.5	8.7	332	2.96	6.3	6.3	5.2	26	<0.1	0.8	0.2	59	0.37	0.043	16
50MI11MGB0226	Soil	1.0	18.1	9.2	50	<0.1	16.3	8.4	294	2.80	7.3	3.2	5.2	25	0.1	0.9	0.2	59	0.27	0.041	19
50MI11MGB0227	Soil	0.9	16.0	9.5	47	<0.1	14.8	9.3	312	3.52	7.3	3.0	4.6	25	<0.1	1.1	0.2	75	0.32	0.032	21
50MI11MGB0228	Soil	0.7	21.0	8.1	49	<0.1	17.3	8.8	365	2.97	8.9	6.7	5.6	28	<0.1	1.3	0.2	62	0.38	0.032	22
50MI11MGB0229	Soil	0.9	17.6	5.3	74	<0.1	12.2	16.4	597	5.42	5.4	1.6	6.1	14	<0.1	1.9	<0.1	91	0.19	0.037	14
50MI11MGB0230	Soil	0.9	26.8	9.6	55	<0.1	19.4	10.2	322	3.36	9.2	2.5	5.8	25	<0.1	1.0	0.2	73	0.22	0.019	16
50MI11MGB0231	Soil	0.6	16.2	7.2	40	<0.1	14.3	8.5	237	2.51	5.8	1.5	3.6	28	<0.1	0.4	0.1	62	0.43	0.017	13
50MI11MGB0232	Soil	1.0	30.2	10.3	72	0.2	25.5	9.6	373	2.72	10.0	8.7	4.6	47	0.2	1.0	0.2	56	0.70	0.068	17
50MI11MGB0233	Soil	0.6	17.1	6.4	48	<0.1	13.6	9.7	322	2.84	6.0	5.7	4.0	25	<0.1	0.7	0.1	68	0.36	0.025	14
50MI11MGB0234	Soil	0.8	26.4	9.4	64	<0.1	23.5	9.3	371	2.40	9.2	2.7	4.9	41	0.3	0.9	0.2	47	0.79	0.071	15
50MI11MGB0235	Soil	0.7	18.4	9.0	51	0.1	15.7	7.7	370	2.32	8.1	3.1	3.8	38	<0.1	0.7	0.2	52	0.47	0.052	15
50MI11MGB0236	Soil	0.7	25.6	8.4	66	<0.1	24.5	14.3	531	4.54	17.7	3.2	14.8	26	<0.1	2.1	0.2	67	0.50	0.073	46
50MI11MGB0237	Soil	0.8	24.2	10.0	56	0.1	21.1	9.2	374	2.56	8.6	4.1	4.7	43	0.2	1.0	0.2	55	0.53	0.053	17
50MI11MGB0238	Soil	0.6	16.7	8.9	52	0.1	16.8	7.6	310	2.36	6.3	4.8	2.8	46	0.1	0.6	0.2	53	0.55	0.052	13
50MI11MGB0239	Soil	0.3	19.6	9.9	64	<0.1	17.6	7.6	265	2.22	5.1	2.3	4.2	34	0.2	0.8	0.2	48	0.40	0.051	14
50MI11MGB0240	Soil	0.6	20.0	9.0	47	<0.1	15.7	8.7	472	2.63	8.3	3.2	3.8	35	0.1	0.7	0.2	56	0.45	0.056	16
50MI11MGB0241	Soil	0.7	23.8	9.3	54	0.1	19.3	8.8	371	2.48	8.6	2.4	3.9	37	0.2	0.7	0.2	52	0.42	0.061	16
50MI11MGB0242	Soil	0.5	26.3	9.8	57	0.1	20.9	10.0	396	2.55	9.2	7.9	4.6	48	0.2	0.8	0.2	54	0.61	0.054	16
50MI11MGB0243	Soil	0.6	26.0	9.7	60	<0.1	18.8	7.6	238	2.54	8.3	4.1	4.2	39	<0.1	0.6	0.2	56	0.43	0.049	16
50MI11MGB0244	Soil	1.0	24.7	9.2	67	0.1	23.2	8.9	451	2.35	9.2	2.9	4.7	65	0.3	1.0	0.2	46	1.74	0.074	15
50MI11MGB0245	Soil	0.9	29.1	10.1	69	0.1	26.8	9.6	406	2.55	9.4	3.0	4.6	41	0.3	0.8	0.2	57	0.60	0.071	15
50MI11MGB0246	Soil	0.7	15.0	7.5	60	<0.1	13.1	8.7	373	2.13	7.4	3.9	4.8	53	0.2	1.0	0.1	43	0.55	0.063	16
50MI11MGB0247	Soil	0.5	17.8	9.3	55	0.1	14.2	7.9	244	2.29	6.3	2.6	3.1	32	0.1	0.7	0.2	54	0.31	0.045	13
50MI11MGB0248	Soil	0.7	16.0	9.1	56	<0.1	15.0	7.2	220	2.27	6.4	3.0	2.6	31	<0.1	0.6	0.2	51	0.29	0.046	13
50MI11MGB0249	Soil	0.6	16.8	9.5	59	<0.1	16.4	6.9	184	2.50	7.2	3.7	3.2	32	<0.1	0.6	0.2	57	0.32	0.044	13
50MI11MGB0250	Soil	0.5	18.7	8.2	66	<0.1	20.2	11.5	360	2.83	5.6	3.3	4.8	41	<0.1	0.7	0.1	63	0.37	0.039	13

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001931.3

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
50MI11MGB0221	Soil		24	0.50	239	0.056	2	1.49	0.016	0.06	0.2	0.03	3.8	<0.1	<0.05	5	<0.5	<0.2
50MI11MGB0222	Soil		27	0.55	383	0.073	1	1.82	0.019	0.09	0.2	0.04	6.7	<0.1	<0.05	6	0.6	<0.2
50MI11MGB0223	Soil		25	0.54	546	0.066	1	1.85	0.018	0.11	0.1	0.06	7.5	0.1	<0.05	6	0.5	<0.2
50MI11MGB0224	Soil		30	0.57	466	0.052	<1	1.96	0.016	0.06	0.1	0.06	6.2	<0.1	<0.05	6	<0.5	<0.2
50MI11MGB0225	Soil		25	0.57	481	0.072	1	1.77	0.016	0.12	0.2	0.04	5.9	0.1	<0.05	6	<0.5	<0.2
50MI11MGB0226	Soil		34	0.56	336	0.052	1	1.79	0.014	0.08	0.1	0.03	5.6	<0.1	<0.05	6	<0.5	<0.2
50MI11MGB0227	Soil		31	0.53	528	0.047	1	1.82	0.013	0.07	0.1	0.03	7.4	0.1	<0.05	6	<0.5	<0.2
50MI11MGB0228	Soil		29	0.54	475	0.056	1	1.82	0.018	0.07	0.1	0.05	8.6	<0.1	<0.05	5	<0.5	<0.2
50MI11MGB0229	Soil		18	0.92	413	0.118	<1	2.86	0.012	0.54	0.1	0.01	10.5	0.2	<0.05	9	<0.5	<0.2
50MI11MGB0230	Soil		35	0.63	314	0.078	<1	2.33	0.020	0.06	0.1	0.02	7.4	<0.1	<0.05	7	<0.5	<0.2
50MI11MGB0231	Soil		31	0.62	277	0.095	<1	1.74	0.026	0.05	<0.1	0.02	4.1	<0.1	<0.05	6	<0.5	<0.2
50MI11MGB0232	Soil		29	0.61	398	0.074	2	1.68	0.034	0.07	0.2	0.04	4.5	<0.1	<0.05	5	0.6	<0.2
50MI11MGB0233	Soil		26	0.67	279	0.075	<1	1.77	0.022	0.06	<0.1	0.02	6.4	<0.1	<0.05	6	<0.5	<0.2
50MI11MGB0234	Soil		25	0.57	301	0.066	2	1.27	0.029	0.07	0.2	0.03	3.7	<0.1	<0.05	4	<0.5	<0.2
50MI11MGB0235	Soil		26	0.52	313	0.057	<1	1.61	0.020	0.05	0.2	0.04	3.9	<0.1	<0.05	5	0.6	<0.2
50MI11MGB0236	Soil		27	0.54	547	0.023	1	1.79	0.012	0.19	0.2	0.03	11.2	<0.1	<0.05	6	<0.5	<0.2
50MI11MGB0237	Soil		30	0.51	382	0.067	2	1.69	0.023	0.06	0.2	0.04	5.1	<0.1	<0.05	5	<0.5	<0.2
50MI11MGB0238	Soil		27	0.52	343	0.059	2	1.68	0.021	0.06	0.2	0.04	3.9	<0.1	<0.05	5	<0.5	<0.2
50MI11MGB0239	Soil		29	0.54	332	0.064	1	1.64	0.024	0.06	0.1	0.04	4.6	<0.1	<0.05	5	0.6	<0.2
50MI11MGB0240	Soil		27	0.46	290	0.058	2	1.71	0.019	0.05	0.1	0.04	4.3	0.1	<0.05	5	<0.5	<0.2
50MI11MGB0241	Soil		26	0.44	310	0.064	1	1.62	0.019	0.05	<0.1	0.05	4.5	0.1	<0.05	5	<0.5	<0.2
50MI11MGB0242	Soil		28	0.49	343	0.073	2	1.71	0.024	0.06	0.1	0.05	4.8	<0.1	<0.05	5	<0.5	<0.2
50MI11MGB0243	Soil		30	0.52	268	0.083	1	1.84	0.022	0.07	0.1	0.03	4.6	<0.1	<0.05	5	<0.5	<0.2
50MI11MGB0244	Soil		24	0.68	361	0.068	3	1.24	0.030	0.10	0.2	0.03	3.7	0.1	<0.05	3	<0.5	<0.2
50MI11MGB0245	Soil		29	0.60	310	0.078	3	1.45	0.038	0.09	0.2	0.03	4.2	<0.1	<0.05	4	<0.5	<0.2
50MI11MGB0246	Soil		24	0.54	280	0.061	1	1.17	0.014	0.16	0.3	0.18	3.6	0.1	<0.05	4	<0.5	<0.2
50MI11MGB0247	Soil		33	0.53	211	0.063	1	1.74	0.012	0.06	0.1	0.06	3.5	<0.1	<0.05	6	<0.5	<0.2
50MI11MGB0248	Soil		29	0.53	209	0.065	2	1.69	0.014	0.05	0.2	0.06	3.4	<0.1	<0.05	5	<0.5	<0.2
50MI11MGB0249	Soil		35	0.52	216	0.074	1	1.92	0.012	0.07	0.2	0.07	3.8	0.1	<0.05	6	<0.5	<0.2
50MI11MGB0250	Soil		57	0.87	251	0.100	1	2.00	0.013	0.15	0.1	0.05	4.6	0.1	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001931.3

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
50MI11MGB0250 DUP	Soil	0.5	18.3	6.9	62	<0.1	18.2	11.2	282	2.74	5.9	3.2	3.4	26	0.1	0.5	0.2	58	0.30	0.040	11
50MI11MGB0251	Soil	0.5	23.5	7.5	54	<0.1	18.4	8.6	238	2.39	6.2	2.7	3.2	30	0.1	0.5	0.2	50	0.37	0.050	13
50MI11MGB0252	Soil	0.6	17.4	7.3	52	<0.1	14.8	7.5	187	2.08	5.7	3.8	2.1	28	0.1	0.4	0.2	47	0.32	0.052	11
50MI11MGB0253	Soil	0.5	15.0	7.4	48	<0.1	13.9	5.9	139	2.00	6.3	2.7	1.9	22	0.1	0.4	0.2	48	0.30	0.053	11
50MI11MGB0254	Soil	0.6	19.0	7.5	55	<0.1	16.5	8.4	245	2.25	7.8	2.0	3.4	25	0.1	0.5	0.1	51	0.36	0.066	14
50MI11MGB0255	Soil	0.7	24.5	7.8	56	0.1	21.9	9.2	288	2.31	7.7	3.0	2.5	28	0.2	0.5	0.2	47	0.39	0.061	13
50MI11MGB0256	Soil	0.6	9.3	7.3	48	<0.1	9.3	6.2	832	1.85	4.8	1.6	0.7	23	0.1	0.3	0.1	46	0.20	0.035	6
50MI11MGB0257	Soil	0.5	20.8	9.1	62	0.1	18.0	9.0	194	2.37	7.4	2.6	3.0	22	0.2	0.5	0.2	54	0.29	0.057	14
50MI11MGB0258	Soil	0.7	26.2	8.7	63	0.1	23.2	10.6	266	2.70	8.2	2.6	3.5	28	0.2	0.6	0.1	59	0.36	0.057	14
50MI11MGB0259	Soil	0.7	18.2	8.3	58	<0.1	18.7	10.2	257	2.96	7.0	1.5	3.8	22	<0.1	0.4	0.1	69	0.25	0.030	13
50MI11MGB0260	Soil	0.5	18.3	6.2	61	<0.1	26.5	14.4	340	3.19	5.9	1.2	4.1	22	<0.1	0.4	<0.1	69	0.28	0.027	16
50MI11MGB0261	Soil	0.8	18.9	6.5	54	<0.1	24.1	13.1	360	3.30	6.7	1.5	5.2	15	<0.1	0.3	0.1	73	0.17	0.034	13
50MI11MGB0262	Soil	0.7	20.8	7.2	79	<0.1	29.4	20.8	1135	3.93	5.1	0.6	5.0	32	<0.1	0.7	<0.1	93	0.36	0.027	19
50MI11MGB0263	Soil	0.5	25.5	5.6	65	<0.1	34.7	21.4	639	3.99	4.0	<0.5	3.0	12	<0.1	0.3	<0.1	93	0.18	0.036	4
50MI11MGB0264	Soil	0.8	18.0	6.6	58	<0.1	22.4	14.3	542	3.12	5.6	2.0	3.0	25	<0.1	0.4	<0.1	73	0.34	0.028	8
50MI11MGB0265	Soil	0.3	19.1	8.6	58	<0.1	16.5	7.5	250	1.95	4.8	2.7	3.1	22	0.2	0.5	0.2	51	0.29	0.045	13
50MI11MGB0266	Soil	0.8	14.1	7.4	61	<0.1	17.4	14.4	580	2.28	7.3	3.3	2.5	28	0.1	0.4	0.1	49	0.47	0.060	12
50MI11MGB0267	Soil	0.6	22.0	8.0	63	0.1	20.9	11.3	317	2.82	8.5	3.5	3.5	22	0.1	0.5	0.1	61	0.32	0.061	16
50MI11MGB0268	Soil	0.7	28.1	8.3	56	0.1	21.6	8.9	251	2.48	7.8	2.0	2.8	24	0.1	0.6	0.1	56	0.35	0.057	14
50MI11MGB0269	Soil	0.6	24.8	8.3	60	0.1	20.3	9.7	308	2.45	7.3	3.2	3.0	23	0.2	0.5	0.3	57	0.35	0.055	14
50MI11MGB0270	Soil	0.6	28.6	8.1	57	0.1	25.1	10.6	340	2.65	7.9	2.9	3.7	32	0.1	0.6	0.2	61	0.50	0.056	15
50MI11MGB0271	Soil	0.5	24.8	8.3	52	0.1	21.3	10.3	363	2.47	8.5	2.8	3.0	31	0.1	0.5	0.2	57	0.54	0.059	13
50MI11MGB0272	Soil	0.8	30.8	8.3	45	0.1	20.6	9.1	327	2.53	9.0	2.1	1.6	32	0.1	0.6	0.2	57	0.54	0.077	13
50MI11MGB0273	Soil	0.5	45.9	6.6	57	<0.1	44.5	16.7	455	3.54	7.8	3.1	5.3	31	<0.1	0.5	0.1	76	0.55	0.036	14
50MI11MGB0274	Soil	0.7	26.7	8.6	47	<0.1	20.9	7.6	168	2.49	9.4	3.3	3.9	22	<0.1	0.5	0.1	56	0.31	0.026	13
50MI11MGB0275	Soil	0.9	36.4	6.5	68	<0.1	39.4	19.3	429	4.31	6.6	1.1	3.4	21	<0.1	0.3	0.1	95	0.29	0.030	8
50MI11LA0137	Soil	2.0	50.8	313.3	106	0.8	14.6	8.5	377	2.25	62.4	3.2	9.3	16	0.4	0.7	0.6	36	0.16	0.061	35
50MI11LA0138	Soil	1.5	40.4	206.2	83	0.5	14.3	5.5	178	2.29	20.5	3.8	6.8	13	0.3	0.6	0.5	38	0.14	0.065	26
50MI11LA0139	Soil	1.3	25.4	120.2	62	0.4	11.3	4.7	198	1.91	16.7	2.1	3.0	13	0.3	0.4	0.4	40	0.14	0.052	17
50MI11LA0140	Soil	1.6	35.7	162.3	54	0.5	7.0	3.2	220	1.89	93.1	1.2	12.9	18	0.2	0.6	0.8	24	0.09	0.050	43

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001931.3

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
50MI11MGB0250 DUP	Soil	48	0.78	229	0.088	1	1.87	0.010	0.11	0.1	0.03	3.2	0.1	<0.05	6	<0.5	<0.2
50MI11MGB0251	Soil	34	0.54	259	0.072	1	1.61	0.014	0.06	0.2	0.07	3.4	<0.1	<0.05	5	<0.5	<0.2
50MI11MGB0252	Soil	29	0.47	219	0.063	1	1.53	0.012	0.05	0.2	0.05	2.6	<0.1	<0.05	5	<0.5	<0.2
50MI11MGB0253	Soil	26	0.42	201	0.052	1	1.42	0.012	0.04	0.2	0.05	2.4	<0.1	<0.05	4	<0.5	<0.2
50MI11MGB0254	Soil	28	0.48	243	0.063	1	1.37	0.015	0.04	0.2	0.04	2.8	<0.1	<0.05	4	<0.5	<0.2
50MI11MGB0255	Soil	27	0.47	322	0.051	2	1.42	0.015	0.05	0.2	0.03	2.7	<0.1	<0.05	4	<0.5	<0.2
50MI11MGB0256	Soil	17	0.22	239	0.043	1	1.37	0.014	0.04	0.1	0.05	1.2	<0.1	<0.05	5	<0.5	<0.2
50MI11MGB0257	Soil	31	0.50	275	0.061	1	1.71	0.012	0.05	0.2	0.06	3.4	0.1	<0.05	5	<0.5	<0.2
50MI11MGB0258	Soil	39	0.60	307	0.085	2	1.74	0.014	0.05	0.2	0.06	3.7	<0.1	<0.05	5	<0.5	<0.2
50MI11MGB0259	Soil	44	0.70	202	0.122	2	2.03	0.013	0.10	<0.1	0.03	3.4	0.1	<0.05	6	<0.5	<0.2
50MI11MGB0260	Soil	72	1.05	210	0.153	<1	2.25	0.013	0.23	<0.1	0.01	3.1	0.2	<0.05	6	<0.5	<0.2
50MI11MGB0261	Soil	71	1.03	177	0.163	1	2.26	0.013	0.35	<0.1	0.02	2.9	0.2	<0.05	6	<0.5	<0.2
50MI11MGB0262	Soil	107	1.59	234	0.186	<1	2.66	0.012	0.21	<0.1	0.04	6.0	0.2	<0.05	9	<0.5	<0.2
50MI11MGB0263	Soil	136	1.84	184	0.272	<1	2.86	0.012	0.77	<0.1	<0.01	2.4	0.3	<0.05	8	<0.5	<0.2
50MI11MGB0264	Soil	67	1.02	235	0.135	<1	2.08	0.013	0.15	0.1	0.03	2.7	0.1	0.07	6	<0.5	<0.2
50MI11MGB0265	Soil	33	0.51	234	0.074	<1	1.48	0.016	0.08	0.1	0.05	3.1	<0.1	<0.05	5	<0.5	<0.2
50MI11MGB0266	Soil	31	0.57	260	0.068	2	1.37	0.019	0.05	0.2	0.03	2.7	<0.1	0.07	4	<0.5	<0.2
50MI11MGB0267	Soil	39	0.59	281	0.081	1	1.68	0.017	0.07	0.1	0.04	3.6	<0.1	<0.05	5	<0.5	<0.2
50MI11MGB0268	Soil	35	0.53	268	0.066	1	1.66	0.012	0.05	0.2	0.04	3.4	<0.1	0.06	5	<0.5	<0.2
50MI11MGB0269	Soil	37	0.56	250	0.078	1	1.71	0.013	0.06	0.1	0.04	3.5	0.1	<0.05	5	<0.5	<0.2
50MI11MGB0270	Soil	42	0.61	307	0.087	2	1.78	0.017	0.07	0.2	0.04	4.1	<0.1	<0.05	5	<0.5	<0.2
50MI11MGB0271	Soil	35	0.54	288	0.068	1	1.66	0.015	0.06	0.2	0.04	3.6	<0.1	0.06	5	<0.5	<0.2
50MI11MGB0272	Soil	33	0.46	324	0.049	1	1.55	0.014	0.04	0.1	0.05	3.2	<0.1	0.06	4	<0.5	<0.2
50MI11MGB0273	Soil	107	1.44	452	0.190	<1	2.60	0.013	0.15	<0.1	0.03	4.8	0.2	<0.05	7	<0.5	<0.2
50MI11MGB0274	Soil	31	0.50	243	0.074	<1	1.63	0.012	0.05	0.1	0.06	4.4	<0.1	<0.05	5	<0.5	<0.2
50MI11MGB0275	Soil	114	1.65	376	0.176	<1	2.92	0.011	0.27	0.1	<0.01	5.2	0.2	<0.05	7	<0.5	<0.2
50MI11LA0137	Soil	20	0.48	141	0.045	1	1.42	0.011	0.08	0.1	0.06	2.1	0.2	0.08	4	<0.5	<0.2
50MI11LA0138	Soil	21	0.43	107	0.048	<1	1.33	0.008	0.08	0.1	0.05	1.9	0.2	<0.05	4	<0.5	<0.2
50MI11LA0139	Soil	20	0.37	91	0.049	<1	1.20	0.012	0.07	0.1	0.05	1.4	0.2	0.06	5	<0.5	<0.2
50MI11LA0140	Soil	13	0.39	96	0.039	<1	1.00	0.012	0.17	<0.1	0.04	1.0	0.2	0.17	4	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001931.3

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
50MI11LA0141	Soil	1.9	43.8	91.9	128	0.3	41.5	15.8	824	3.47	11.0	2.9	11.5	37	0.2	0.3	0.2	47	0.24	0.083	35
50MI11LA0142	Soil	1.2	17.1	43.0	104	0.2	20.3	8.4	366	2.28	13.7	2.6	3.7	13	0.2	0.4	0.2	44	0.14	0.047	20
50MI11LA0143	Soil	0.9	19.9	39.9	63	0.2	15.9	5.9	218	2.01	9.9	8.0	4.5	13	0.2	0.4	0.2	43	0.16	0.042	21
50MI11LA0144	Soil	1.2	19.9	45.4	68	0.1	16.0	6.4	271	2.04	9.2	5.3	6.1	12	0.2	0.4	0.2	43	0.15	0.042	21
50MI11LA0145	Soil	1.1	18.5	44.7	60	0.3	12.6	5.0	187	1.87	8.2	4.3	1.0	13	0.3	0.3	0.2	40	0.12	0.044	16
50MI11LA0146	Soil	1.4	23.5	10.0	49	<0.1	22.0	8.4	214	2.70	8.3	1.5	1.7	18	0.1	0.5	0.2	60	0.17	0.039	11
50MI11LA0147	Soil	2.3	42.5	11.7	62	0.2	23.4	8.2	407	2.91	6.3	8.1	3.9	14	<0.1	0.5	0.2	59	0.12	0.052	16
50MI11LA0148	Soil	1.7	34.0	9.4	54	0.2	20.8	7.6	259	2.56	6.9	1.5	2.0	15	0.1	0.5	0.2	58	0.15	0.043	12
50MI11LA0149	Soil	1.3	51.7	7.7	59	0.1	21.3	6.2	344	2.36	3.8	0.9	3.4	11	<0.1	0.3	0.2	46	0.06	0.020	11
50MI11LA0150	Soil	0.9	47.1	9.4	60	<0.1	27.8	9.9	349	2.77	6.7	2.5	4.1	16	0.1	0.5	0.2	59	0.12	0.026	13
50MI11LA0150 DUP	Soil	1.1	46.6	9.2	58	<0.1	28.5	10.1	355	2.74	6.6	2.7	4.3	16	<0.1	0.5	0.2	59	0.11	0.026	13
50MI11LA0151	Soil	0.7	30.8	6.5	42	0.1	18.5	5.3	224	1.85	3.0	1.4	2.0	15	<0.1	0.3	0.1	42	0.13	0.021	11
50MI11LA0152	Soil	1.1	32.2	7.7	55	<0.1	20.9	7.7	307	2.17	4.3	2.2	2.2	16	<0.1	0.4	0.1	47	0.13	0.023	13
50MI11LA0153	Soil	1.0	31.6	7.6	50	<0.1	19.9	8.8	375	2.34	5.7	1.6	4.1	11	<0.1	0.4	0.1	45	0.08	0.017	13
50MI11LA0154	Soil	0.2	28.1	24.5	59	<0.1	36.5	10.2	593	2.79	14.3	2.3	16.9	20	<0.1	0.2	0.2	41	0.10	0.036	50
50MI11LA0155	Soil	0.8	19.5	7.2	45	<0.1	14.5	5.4	210	1.94	2.7	1.2	2.7	10	<0.1	0.2	0.1	36	0.06	0.023	11
50MI11LA0156	Soil	0.7	20.4	10.4	56	0.1	18.9	7.1	272	2.48	4.4	<0.5	3.8	13	<0.1	0.2	0.2	48	0.11	0.037	21
50MI11LA0157	Soil	1.1	19.7	15.4	57	<0.1	19.7	7.2	268	2.64	5.2	1.2	4.8	10	0.1	0.4	0.2	57	0.08	0.018	11
50MI11LA0158	Soil	0.8	32.7	7.9	58	<0.1	21.1	8.1	342	2.26	3.8	1.9	4.5	18	<0.1	0.4	0.1	47	0.14	0.032	17
50MI11LA0159	Soil	1.0	32.8	9.9	66	<0.1	25.4	11.0	411	2.85	4.6	3.1	6.2	16	<0.1	0.3	0.2	60	0.13	0.026	20
50MI11LA0160	Soil	1.1	39.8	8.6	61	<0.1	23.6	8.4	356	2.60	4.2	1.8	4.9	25	<0.1	0.4	0.1	56	0.17	0.028	20
50MI11LA0161	Soil	1.2	24.3	9.6	37	<0.1	11.5	4.4	181	2.16	3.7	<0.5	1.0	22	<0.1	0.4	0.2	39	0.09	0.031	12
50MI11LA0162	Soil	0.2	39.1	3.5	30	<0.1	15.0	9.7	272	1.95	1.7	<0.5	3.6	20	<0.1	0.1	<0.1	46	0.46	0.076	11
50MI11LA0163	Soil	0.5	18.0	6.7	60	<0.1	17.6	10.8	407	2.82	2.5	<0.5	6.6	31	<0.1	0.1	<0.1	56	0.55	0.055	18

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001931.3

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
50MI11LA0141	Soil	80	1.48	176	0.101	<1	2.20	0.017	0.51	<0.1	0.02	3.0	0.5	0.21	6	<0.5	<0.2
50MI11LA0142	Soil	42	0.54	126	0.050	<1	1.60	0.008	0.09	0.1	0.03	2.0	0.1	<0.05	5	<0.5	<0.2
50MI11LA0143	Soil	23	0.38	132	0.053	<1	1.30	0.010	0.05	0.1	0.04	2.2	0.1	<0.05	4	<0.5	<0.2
50MI11LA0144	Soil	22	0.37	102	0.060	<1	1.24	0.008	0.06	0.1	0.02	2.0	0.1	<0.05	4	<0.5	<0.2
50MI11LA0145	Soil	20	0.29	106	0.044	<1	1.23	0.010	0.05	0.1	0.04	1.4	<0.1	<0.05	5	<0.5	<0.2
50MI11LA0146	Soil	28	0.41	194	0.050	<1	1.74	0.007	0.06	0.2	0.04	2.5	0.1	0.06	5	<0.5	<0.2
50MI11LA0147	Soil	29	0.46	163	0.062	2	1.66	0.008	0.14	0.2	0.03	2.4	0.1	0.05	5	<0.5	<0.2
50MI11LA0148	Soil	30	0.47	204	0.058	1	1.63	0.009	0.09	0.2	0.02	2.7	0.1	<0.05	5	0.8	<0.2
50MI11LA0149	Soil	30	0.62	255	0.082	<1	1.70	0.007	0.25	<0.1	<0.01	2.6	0.2	<0.05	5	0.6	<0.2
50MI11LA0150	Soil	36	0.61	331	0.092	1	2.01	0.009	0.15	<0.1	0.02	3.0	0.1	<0.05	6	0.6	<0.2
50MI11LA0150 DUP	Soil	36	0.60	328	0.093	2	1.97	0.009	0.16	<0.1	0.04	3.2	0.1	<0.05	6	0.8	<0.2
50MI11LA0151	Soil	25	0.45	232	0.069	<1	1.23	0.013	0.08	<0.1	0.03	2.5	<0.1	<0.05	5	0.9	<0.2
50MI11LA0152	Soil	27	0.53	219	0.076	<1	1.48	0.008	0.10	<0.1	0.02	2.6	<0.1	<0.05	5	<0.5	<0.2
50MI11LA0153	Soil	28	0.47	147	0.080	<1	1.55	0.007	0.11	<0.1	0.02	2.8	0.1	<0.05	5	0.6	<0.2
50MI11LA0154	Soil	41	0.61	231	0.178	<1	2.45	0.011	0.61	<0.1	0.02	5.8	0.4	<0.05	8	<0.5	<0.2
50MI11LA0155	Soil	21	0.41	112	0.082	<1	1.38	0.011	0.14	<0.1	0.02	2.0	0.1	<0.05	5	<0.5	<0.2
50MI11LA0156	Soil	27	0.50	114	0.098	<1	1.77	0.011	0.16	<0.1	0.03	2.4	0.2	<0.05	6	<0.5	<0.2
50MI11LA0157	Soil	30	0.50	125	0.111	<1	1.87	0.007	0.11	<0.1	0.02	2.6	0.2	<0.05	7	<0.5	<0.2
50MI11LA0158	Soil	30	0.62	187	0.099	2	1.55	0.008	0.15	<0.1	0.01	3.2	0.2	<0.05	5	<0.5	<0.2
50MI11LA0159	Soil	37	0.68	201	0.137	<1	1.99	0.011	0.21	0.1	0.03	4.6	0.2	<0.05	6	0.7	<0.2
50MI11LA0160	Soil	32	0.59	259	0.104	<1	1.67	0.013	0.14	0.1	0.02	4.3	0.1	<0.05	5	<0.5	<0.2
50MI11LA0161	Soil	16	0.32	140	0.047	<1	1.26	0.008	0.07	<0.1	0.02	1.6	<0.1	<0.05	5	<0.5	<0.2
50MI11LA0162	Soil	33	0.62	133	0.100	<1	1.40	0.014	0.11	<0.1	0.01	2.9	<0.1	<0.05	5	<0.5	<0.2
50MI11LA0163	Soil	39	0.75	159	0.166	<1	1.96	0.012	0.25	0.1	<0.01	3.7	0.1	<0.05	7	0.6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

QUALITY CONTROL REPORT WHI11001931.3

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
Pulp Duplicates																					
50MI11AN0109	Soil	0.6	41.6	3.9	61	<0.1	90.9	22.7	338	4.06	2.8	<0.5	0.9	12	0.3	0.1	<0.1	111	0.27	0.043	3
REP 50MI11AN0109	QC	0.4	38.9	4.0	58	<0.1	83.8	21.5	354	3.83	2.3	0.9	0.9	12	0.2	0.2	<0.1	107	0.25	0.041	3
50MI11AN0125	Soil	0.7	16.0	8.2	60	0.1	16.8	10.1	363	2.76	7.0	<0.5	4.2	35	<0.1	0.7	0.2	62	0.39	0.039	15
REP 50MI11AN0125	QC	0.6	15.6	8.3	60	<0.1	16.3	10.2	383	2.74	6.8	<0.5	4.1	33	0.1	0.7	0.2	61	0.38	0.039	15
50MI11AN0142	Soil	0.6	19.0	9.1	67	0.1	18.6	9.3	285	2.72	6.1	2.0	4.0	28	0.2	0.6	0.2	58	0.31	0.046	15
REP 50MI11AN0142	QC	0.6	17.8	8.8	65	0.1	17.7	9.7	286	2.73	6.0	1.8	4.0	29	0.2	0.5	0.2	61	0.31	0.047	15
50MI11AN0156	Soil	3.1	67.9	10.8	125	0.4	41.5	8.9	340	3.19	22.5	<0.5	5.6	31	0.4	0.6	0.4	61	0.24	0.071	20
REP 50MI11AN0156	QC	3.0	68.8	11.0	130	0.4	41.3	8.9	354	3.32	21.9	<0.5	5.5	31	0.5	0.5	0.4	62	0.24	0.076	20
50MI11AN0188	Soil	0.5	20.7	10.8	68	<0.1	22.6	10.0	306	2.89	4.6	2.0	9.7	18	<0.1	0.3	0.2	45	0.22	0.034	27
REP 50MI11AN0188	QC	0.6	20.9	10.9	68	<0.1	22.4	9.8	307	2.94	4.7	1.4	9.7	18	<0.1	0.3	0.2	47	0.22	0.034	28
50MI11MGB0176	Soil	0.6	16.3	6.5	26	0.2	7.3	2.9	110	1.16	1.8	1.3	0.3	14	<0.1	0.2	0.1	28	0.06	0.035	9
REP 50MI11MGB0176	QC	0.7	16.1	6.5	25	0.2	7.1	2.9	107	1.16	1.7	<0.5	0.3	14	<0.1	0.2	0.1	27	0.07	0.034	9
50MI11MGB0189	Soil	1.1	34.1	6.8	55	<0.1	19.3	6.0	205	2.27	3.8	1.8	2.7	9	0.1	0.3	0.1	49	0.08	0.022	10
REP 50MI11MGB0189	QC	1.1	33.5	6.7	54	<0.1	18.5	6.0	196	2.27	3.7	2.0	2.8	9	<0.1	0.3	0.1	47	0.09	0.022	10
50MI11MGB0214	Soil	0.7	26.3	7.7	64	0.3	19.2	12.4	409	3.15	222.0	87.5	4.9	21	0.2	1.3	0.2	58	0.52	0.052	18
REP 50MI11MGB0214	QC	0.7	25.8	7.8	63	0.3	18.8	12.5	399	3.05	219.7	82.3	5.0	21	0.2	1.3	0.2	56	0.53	0.051	19
50MI11MGB0220	Soil	0.9	20.8	8.8	64	0.1	13.9	11.6	620	2.98	27.3	9.4	3.8	28	0.1	0.7	0.2	63	0.42	0.053	15
REP 50MI11MGB0220	QC	1.2	20.3	8.8	62	0.2	13.6	11.4	621	3.02	27.2	9.2	3.7	29	0.1	1.3	0.2	65	0.43	0.054	15
50MI11MGB0244	Soil	1.0	24.7	9.2	67	0.1	23.2	8.9	451	2.35	9.2	2.9	4.7	65	0.3	1.0	0.2	46	1.74	0.074	15
REP 50MI11MGB0244	QC	0.9	23.9	9.5	70	0.1	24.1	9.3	452	2.36	9.6	2.5	4.8	65	0.4	1.0	0.2	47	1.74	0.072	15
50MI11MGB0259	Soil	0.7	18.2	8.3	58	<0.1	18.7	10.2	257	2.96	7.0	1.5	3.8	22	<0.1	0.4	0.1	69	0.25	0.030	13
REP 50MI11MGB0259	QC	0.7	17.7	7.9	56	<0.1	17.4	9.5	251	2.84	6.8	2.4	3.8	21	<0.1	0.4	0.1	66	0.24	0.030	13
50MI11MGB0273	Soil	0.5	45.9	6.6	57	<0.1	44.5	16.7	455	3.54	7.8	3.1	5.3	31	<0.1	0.5	0.1	76	0.55	0.036	14
REP 50MI11MGB0273	QC	0.5	46.5	6.7	59	<0.1	45.5	17.1	449	3.48	7.8	3.1	5.4	31	<0.1	0.5	<0.1	77	0.56	0.039	14
50MI11LA0153	Soil	1.0	31.6	7.6	50	<0.1	19.9	8.8	375	2.34	5.7	1.6	4.1	11	<0.1	0.4	0.1	45	0.08	0.017	13
REP 50MI11LA0153	QC	0.9	32.1	7.3	52	<0.1	20.5	8.5	366	2.31	5.3	1.9	4.4	11	<0.1	0.3	0.1	45	0.09	0.016	13
Reference Materials																					
STD DS8	Standard	12.7	102.1	130.0	294	1.7	36.6	7.2	612	2.42	25.1	116.5	7.8	84	2.2	6.3	7.5	42	0.72	0.074	18

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

QUALITY CONTROL REPORT WHI11001931.3

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																	
50MI11AN0109	Soil	134	1.91	175	0.308	1	2.77	0.026	0.24	<0.1	<0.01	3.9	0.1	<0.05	7	<0.5	<0.2
REP 50MI11AN0109	QC	124	1.79	171	0.289	2	2.70	0.030	0.23	<0.1	<0.01	3.8	0.1	<0.05	7	<0.5	<0.2
50MI11AN0125	Soil	39	0.75	378	0.088	2	1.68	0.014	0.14	0.2	0.07	4.8	0.1	<0.05	5	0.7	<0.2
REP 50MI11AN0125	QC	40	0.74	379	0.083	<1	1.63	0.014	0.14	0.2	0.07	4.7	0.1	<0.05	5	0.5	<0.2
50MI11AN0142	Soil	37	0.74	303	0.087	2	1.85	0.015	0.09	0.2	0.06	3.9	0.1	<0.05	6	<0.5	<0.2
REP 50MI11AN0142	QC	38	0.73	303	0.092	1	1.84	0.015	0.09	0.2	0.05	3.8	0.1	<0.05	6	<0.5	<0.2
50MI11AN0156	Soil	38	0.75	490	0.057	<1	1.50	0.012	0.11	0.1	0.03	4.3	0.2	<0.05	5	1.6	<0.2
REP 50MI11AN0156	QC	37	0.73	491	0.059	<1	1.48	0.013	0.11	0.1	0.04	3.8	0.2	<0.05	5	1.2	<0.2
50MI11AN0188	Soil	33	0.63	195	0.136	1	1.73	0.012	0.26	0.1	0.02	3.5	0.3	<0.05	6	<0.5	<0.2
REP 50MI11AN0188	QC	33	0.64	199	0.141	1	1.86	0.012	0.28	0.1	0.02	3.6	0.2	<0.05	6	<0.5	<0.2
50MI11MGB0176	Soil	10	0.20	167	0.043	1	0.77	0.012	0.12	<0.1	0.03	0.8	<0.1	<0.05	3	<0.5	<0.2
REP 50MI11MGB0176	QC	10	0.19	165	0.043	<1	0.77	0.013	0.11	<0.1	0.02	0.8	<0.1	<0.05	3	<0.5	<0.2
50MI11MGB0189	Soil	26	0.47	210	0.077	<1	1.41	0.006	0.13	<0.1	0.02	2.0	0.2	<0.05	5	<0.5	<0.2
REP 50MI11MGB0189	QC	26	0.46	206	0.079	<1	1.46	0.006	0.13	<0.1	0.02	2.0	0.2	<0.05	5	<0.5	<0.2
50MI11MGB0214	Soil	31	0.53	465	0.039	<1	1.90	0.013	0.10	0.1	0.05	8.1	0.1	0.07	5	<0.5	<0.2
REP 50MI11MGB0214	QC	31	0.52	452	0.037	<1	1.84	0.013	0.10	0.1	0.06	8.1	<0.1	0.05	5	<0.5	<0.2
50MI11MGB0220	Soil	23	0.56	373	0.056	1	1.81	0.017	0.06	0.1	0.05	5.6	0.1	<0.05	6	0.8	<0.2
REP 50MI11MGB0220	QC	23	0.57	369	0.060	1	1.87	0.018	0.06	0.1	0.04	6.0	0.1	<0.05	6	<0.5	<0.2
50MI11MGB0244	Soil	24	0.68	361	0.068	3	1.24	0.030	0.10	0.2	0.03	3.7	0.1	<0.05	3	<0.5	<0.2
REP 50MI11MGB0244	QC	24	0.70	362	0.067	3	1.18	0.029	0.10	0.2	0.03	3.7	0.1	<0.05	4	<0.5	<0.2
50MI11MGB0259	Soil	44	0.70	202	0.122	2	2.03	0.013	0.10	<0.1	0.03	3.4	0.1	<0.05	6	<0.5	<0.2
REP 50MI11MGB0259	QC	44	0.68	197	0.114	1	1.93	0.014	0.10	0.1	0.03	3.2	0.1	<0.05	6	<0.5	<0.2
50MI11MGB0273	Soil	107	1.44	452	0.190	<1	2.60	0.013	0.15	<0.1	0.03	4.8	0.2	<0.05	7	<0.5	<0.2
REP 50MI11MGB0273	QC	105	1.45	453	0.189	<1	2.70	0.013	0.16	<0.1	0.02	5.0	0.2	<0.05	7	<0.5	<0.2
50MI11LA0153	Soil	28	0.47	147	0.080	<1	1.55	0.007	0.11	<0.1	0.02	2.8	0.1	<0.05	5	0.6	<0.2
REP 50MI11LA0153	QC	27	0.45	150	0.077	<1	1.52	0.007	0.11	<0.1	0.02	3.2	0.1	<0.05	4	<0.5	<0.2
Reference Materials																	
STD DS8	Standard	116	0.60	283	0.121	3	0.98	0.100	0.41	3.3	0.18	3.2	5.4	0.14	5	4.9	4.6

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

QUALITY CONTROL REPORT WHI11001931.3

		1DX15 Mo ppm 0.1	1DX15 Cu ppm 0.1	1DX15 Pb ppm 0.1	1DX15 Zn ppm 1	1DX15 Ag ppm 0.1	1DX15 Ni ppm 0.1	1DX15 Co ppm 0.1	1DX15 Mn ppm 1	1DX15 Fe % 0.01	1DX15 As ppm 0.5	1DX15 Au ppb 0.5	1DX15 Th ppm 0.1	1DX15 Sr ppm 1	1DX15 Cd ppm 0.1	1DX15 Sb ppm 0.1	1DX15 Bi ppm 0.1	1DX15 V ppm 2	1DX15 Ca % 0.01	1DX15 P % 0.001	1DX15 La ppm 1
STD DS8	Standard	13.7	105.6	128.8	311	1.8	38.9	7.7	628	2.50	26.1	116.8	6.9	67	2.1	5.5	5.9	44	0.73	0.080	17
STD DS8	Standard	13.0	98.6	113.0	281	1.7	32.5	6.6	570	2.21	24.6	100.1	7.1	72	2.4	5.6	6.4	38	0.65	0.068	18
STD DS8	Standard	12.9	105.1	125.9	295	1.8	37.8	7.0	599	2.41	23.5	107.0	6.9	74	2.1	5.8	6.9	39	0.66	0.080	15
STD DS8	Standard	13.3	107.7	124.8	301	1.8	38.0	7.6	610	2.50	25.1	103.2	6.4	64	2.3	5.0	5.5	44	0.68	0.078	15
STD DS8	Standard	13.6	101.9	122.1	296	1.6	35.5	6.7	596	2.35	24.0	110.3	6.6	77	2.1	4.9	6.1	40	0.69	0.071	17
STD DS8	Standard	12.3	101.1	121.4	284	1.6	37.1	7.2	592	2.33	25.1	101.9	6.4	73	2.1	5.7	7.0	39	0.66	0.071	14
STD DS8 Expected		13.44	110	123	312	1.69	38.1	7.5	615	2.46	26	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7	0.08	14.6
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

QUALITY CONTROL REPORT WHI11001931.3

		1DX15 Cr ppm 1	1DX15 Mg % 0.01	1DX15 Ba ppm 1	1DX15 Ti % 0.001	1DX15 B ppm 1	1DX15 Al % 0.01	1DX15 Na % 0.001	1DX15 K % 0.01	1DX15 W ppm 0.1	1DX15 Hg ppm 0.01	1DX15 Sc ppm 0.1	1DX15 Tl ppm 0.1	1DX15 S % 0.05	1DX15 Ga ppm 1	1DX15 Se ppm 0.5	1DX15 Te ppm 0.2
STD DS8	Standard	123	0.63	278	0.118	3	0.99	0.097	0.41	3.0	0.20	2.2	5.5	0.19	5	5.0	5.0
STD DS8	Standard	103	0.55	283	0.111	3	0.85	0.107	0.42	2.8	0.18	2.6	4.9	0.13	4	4.0	4.6
STD DS8	Standard	113	0.68	281	0.111	2	0.97	0.119	0.42	2.9	0.19	2.0	5.6	0.08	5	5.1	4.7
STD DS8	Standard	119	0.61	274	0.111	2	0.92	0.099	0.42	3.0	0.21	2.1	5.4	0.18	5	5.0	4.9
STD DS8	Standard	114	0.59	271	0.123	3	0.95	0.108	0.45	2.8	0.20	3.8	5.1	0.11	5	6.5	5.0
STD DS8	Standard	108	0.67	259	0.111	2	0.88	0.102	0.39	2.7	0.17	1.9	5.2	0.14	5	6.0	4.2
STD DS8 Expected		115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	2.3	5.4	0.1679	4.7	5.23	5
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Submitted By: Rasool Mohammad
Receiving Lab: Canada-Whitehorse
Received: October 24, 2011
Report Date: July 31, 2012
Page: 1 of 10

CERTIFICATE OF ANALYSIS WHI11001932.2

CLIENT JOB INFORMATION

Project: 50 Mile (YK)
Shipment ID:
P.O. Number
Number of Samples: 253

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	251	Dry at 60C			VAN
SS80	251	Dry at 60C sieve 100g to -80 mesh			VAN
1DX2	251	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Version 2: 0908937 BC Ltd.

Invoice To: 0908937 BC Ltd.
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2
CANADA

CC:

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001932.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
50MI11AN0201	Soil	1.7	57.2	11.7	59	0.2	25.1	9.7	319	2.91	7.6	4.3	3.7	11	0.1	0.5	0.2	57	0.11	0.048	16
50MI11AN0202	Soil	1.4	20.3	9.0	49	0.2	11.0	4.2	133	1.64	4.6	2.1	0.6	8	0.3	0.3	0.2	40	0.05	0.037	7
50MI11AN0203	Soil	1.8	34.6	15.1	63	0.2	23.0	7.1	212	2.28	25.0	3.1	0.6	12	0.3	0.4	0.8	45	0.07	0.048	12
50MI11AN0204	Soil	0.5	15.4	8.5	12	0.1	3.0	1.2	34	0.66	1.3	1.1	<0.1	6	0.1	<0.1	0.1	15	0.04	0.025	3
50MI11AN0205	Soil	3.0	38.5	16.4	85	0.4	19.7	7.1	402	2.74	6.9	1.8	0.5	11	0.5	0.4	0.3	61	0.05	0.068	10
50MI11AN0206	Soil	2.4	58.8	12.4	76	0.6	21.6	9.5	489	2.14	5.8	2.2	1.1	14	0.6	0.3	0.3	42	0.10	0.067	11
50MI11AN0207	Soil	1.0	22.7	22.4	54	0.4	18.5	5.6	147	2.20	20.3	6.0	1.7	18	0.3	1.7	0.2	49	0.12	0.039	11
50MI11AN0208	Soil	1.3	28.9	45.5	58	0.2	26.4	8.5	249	2.74	45.0	9.5	3.5	29	0.3	3.0	0.2	55	0.17	0.065	13
50MI11AN0209	Soil	1.1	25.4	66.1	63	0.3	22.4	7.0	259	2.68	134.2	5.7	2.7	18	0.3	2.1	0.2	47	0.17	0.059	11
50MI11AN0210	Soil	1.3	22.0	275.9	16	1.4	4.5	1.4	43	1.69	75.7	10.6	0.7	30	0.1	4.3	0.3	21	0.04	0.042	7
50MI11AN0211	Soil	1.2	23.0	67.6	62	0.3	19.1	7.6	305	2.38	25.7	10.2	2.7	21	0.4	2.0	0.2	53	0.19	0.063	12
50MI11AN0212	Soil	1.6	41.6	15.7	75	0.4	26.6	9.3	367	2.60	21.7	2.8	2.2	17	0.3	0.5	0.3	50	0.19	0.053	15
50MI11AN0213	Soil	1.4	40.6	19.4	81	0.2	27.7	10.1	385	2.70	33.1	5.1	4.2	12	0.4	0.5	0.2	44	0.10	0.042	15
50MI11AN0214	Soil	2.0	37.3	17.8	74	0.2	24.5	9.1	384	2.62	51.3	3.1	2.1	11	0.4	0.6	0.3	43	0.08	0.058	13
50MI11AN0215	Soil	2.0	41.5	23.0	65	0.4	22.0	5.8	237	2.30	77.7	3.3	0.4	10	0.5	0.4	0.4	40	0.06	0.066	13
50MI11AN0216	Soil	2.0	37.7	20.1	66	0.3	25.4	8.3	290	3.03	91.3	2.4	5.3	10	0.3	0.5	0.4	61	0.06	0.044	15
50MI11AN0217	Soil	2.1	50.1	12.4	108	0.2	35.2	12.6	592	3.23	8.3	3.7	4.5	11	0.3	0.5	0.2	44	0.09	0.050	14
50MI11AN0218	Soil	2.2	39.4	13.9	103	0.3	28.7	9.3	286	3.21	10.3	1.5	3.4	9	0.4	0.5	0.2	49	0.06	0.044	10
50MI11AN0219	Soil	1.4	43.6	16.9	122	0.5	43.6	11.4	538	3.30	39.5	6.5	3.9	18	0.5	0.5	0.2	44	0.46	0.089	18
50MI11AN0220	Soil	1.2	23.7	12.1	99	0.2	22.4	9.6	450	2.32	23.2	1.7	1.0	21	0.7	0.3	0.2	41	0.50	0.067	9
50MI11AN0221	Soil	1.8	28.4	9.6	76	0.6	24.6	7.3	390	2.12	9.7	1.2	1.0	18	0.3	0.3	0.2	41	0.27	0.051	10
50MI11AN0222	Soil	1.9	20.9	10.3	68	0.1	20.7	6.3	291	1.92	9.7	1.2	1.8	9	0.3	0.3	0.2	42	0.07	0.036	10
50MI11AN0223	Soil	2.6	26.2	10.7	61	0.4	19.3	4.4	193	2.17	5.3	1.6	2.7	9	0.3	0.3	0.2	50	0.05	0.039	11
50MI11AN0224	Soil	3.5	88.8	10.3	135	0.5	62.7	18.9	1346	4.09	8.8	11.4	7.5	21	0.4	0.4	0.2	48	0.19	0.095	27
50MI11AN0225	Soil	2.6	52.6	8.6	118	0.5	43.0	12.8	927	3.12	5.2	1.4	3.2	17	0.4	0.3	0.2	47	0.13	0.081	17
50MI11AN0226	Soil	1.8	41.2	9.2	82	0.3	26.2	8.5	371	2.68	7.0	2.4	1.7	12	0.6	0.4	0.2	45	0.08	0.049	12
50MI11AN0227	Soil	2.4	46.7	8.8	103	0.9	38.5	12.5	702	2.58	9.7	2.3	1.0	26	0.8	0.3	0.2	41	0.35	0.069	13
50MI11AN0228	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
50MI11AN0229	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
50MI11AN0230	Soil	0.3	12.2	6.2	65	<0.1	13.6	9.9	389	3.18	4.5	<0.5	5.0	15	<0.1	0.7	<0.1	62	0.22	0.052	17

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001932.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
50MI11AN0201	Soil	32	0.48	176	0.044	2	1.78	0.008	0.11	0.1	0.06	4.6	0.1	0.06	5	<0.5	<0.2
50MI11AN0202	Soil	13	0.09	65	0.032	1	0.73	0.017	0.03	<0.1	0.03	0.8	0.1	<0.05	4	<0.5	<0.2
50MI11AN0203	Soil	23	0.19	217	0.021	<1	0.94	0.006	0.05	0.1	0.03	1.4	0.2	0.07	4	0.7	<0.2
50MI11AN0204	Soil	6	0.05	48	0.012	<1	0.39	0.023	0.03	<0.1	0.02	0.2	<0.1	<0.05	2	<0.5	<0.2
50MI11AN0205	Soil	21	0.10	128	0.021	<1	0.74	0.004	0.05	0.1	0.06	1.1	0.2	<0.05	5	0.8	<0.2
50MI11AN0206	Soil	23	0.22	284	0.019	<1	0.92	0.008	0.05	0.1	0.08	1.4	0.2	0.05	3	1.1	<0.2
50MI11AN0207	Soil	26	0.35	318	0.037	1	1.37	0.009	0.05	0.1	0.07	2.3	0.1	<0.05	4	<0.5	<0.2
50MI11AN0208	Soil	31	0.35	246	0.058	1	1.35	0.009	0.04	0.3	0.04	2.2	0.1	<0.05	4	0.7	<0.2
50MI11AN0209	Soil	26	0.32	814	0.056	1	1.28	0.007	0.05	0.2	0.04	2.0	<0.1	0.06	4	<0.5	<0.2
50MI11AN0210	Soil	13	0.06	280	0.008	<1	0.44	0.006	0.10	0.2	0.09	0.7	0.1	0.17	2	3.8	<0.2
50MI11AN0211	Soil	25	0.32	225	0.058	1	1.14	0.011	0.08	0.2	0.05	2.0	0.1	0.06	4	0.7	<0.2
50MI11AN0212	Soil	28	0.35	320	0.027	<1	1.44	0.007	0.04	0.1	0.04	2.8	0.2	<0.05	5	0.7	<0.2
50MI11AN0213	Soil	25	0.30	181	0.039	<1	1.16	0.007	0.05	0.1	0.04	2.7	<0.1	<0.05	4	0.6	<0.2
50MI11AN0214	Soil	25	0.23	151	0.024	<1	1.04	0.007	0.06	0.1	0.04	2.1	<0.1	<0.05	4	0.6	<0.2
50MI11AN0215	Soil	25	0.17	146	0.009	<1	1.03	0.006	0.06	0.1	0.05	0.9	<0.1	<0.05	4	0.7	<0.2
50MI11AN0216	Soil	31	0.24	145	0.027	<1	1.64	0.005	0.06	0.1	0.04	2.5	0.1	<0.05	6	1.1	<0.2
50MI11AN0217	Soil	24	0.21	105	0.032	<1	1.26	0.005	0.05	0.1	0.06	2.1	<0.1	<0.05	4	0.9	<0.2
50MI11AN0218	Soil	24	0.17	99	0.022	<1	1.44	0.004	0.04	0.1	0.04	2.0	<0.1	<0.05	5	1.1	<0.2
50MI11AN0219	Soil	26	0.42	215	0.027	<1	1.17	0.010	0.06	0.1	0.05	3.3	0.1	<0.05	3	0.8	<0.2
50MI11AN0220	Soil	23	0.34	254	0.017	<1	1.24	0.011	0.05	0.1	0.04	1.9	<0.1	0.06	4	<0.5	<0.2
50MI11AN0221	Soil	21	0.25	334	0.017	3	1.22	0.012	0.05	<0.1	0.05	1.9	0.1	<0.05	5	<0.5	<0.2
50MI11AN0222	Soil	18	0.25	75	0.033	<1	0.92	0.008	0.05	0.1	0.02	1.4	0.1	<0.05	5	<0.5	<0.2
50MI11AN0223	Soil	17	0.23	68	0.033	<1	0.81	0.006	0.05	0.1	0.03	1.1	0.2	<0.05	6	<0.5	<0.2
50MI11AN0224	Soil	29	0.87	315	0.049	<1	1.51	0.007	0.20	<0.1	0.02	2.7	0.3	0.08	5	1.0	<0.2
50MI11AN0225	Soil	30	0.66	188	0.041	<1	1.26	0.008	0.14	<0.1	0.03	2.0	0.2	0.13	5	0.8	<0.2
50MI11AN0226	Soil	21	0.23	99	0.033	<1	1.36	0.008	0.04	0.1	0.04	1.5	0.1	<0.05	4	1.0	<0.2
50MI11AN0227	Soil	21	0.30	457	0.011	<1	0.84	0.008	0.05	<0.1	0.05	2.8	0.2	0.13	3	1.3	<0.2
50MI11AN0228	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
50MI11AN0229	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
50MI11AN0230	Soil	41	0.86	293	0.134	<1	1.61	0.009	0.72	<0.1	0.02	5.8	0.3	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001932.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
50MI11AN0231	Soil	0.5	14.3	7.4	68	<0.1	16.9	12.5	405	3.48	6.3	1.5	7.8	16	<0.1	0.8	<0.1	74	0.16	0.017	20
50MI11AN0232	Soil	0.5	7.6	7.9	62	<0.1	13.9	12.0	401	3.51	3.8	0.5	4.4	11	<0.1	3.8	<0.1	69	0.13	0.022	9
50MI11AN0233	Soil	1.1	13.1	8.0	56	<0.1	14.7	9.1	420	2.99	6.1	2.1	9.3	13	<0.1	0.6	0.1	69	0.13	0.019	17
50MI11AN0234	Soil	0.6	12.1	6.4	66	<0.1	15.7	9.9	359	3.14	5.8	<0.5	3.2	13	<0.1	0.7	<0.1	68	0.12	0.019	8
50MI11AN0235	Soil	0.7	19.0	6.9	57	0.1	14.9	8.9	334	2.85	7.9	18.3	5.6	23	<0.1	0.7	<0.1	64	0.29	0.037	17
50MI11AN0236	Soil	0.7	16.1	6.6	59	0.1	15.6	12.5	897	3.09	47.3	2.1	5.7	29	0.1	177.6	<0.1	64	0.65	0.053	22
50MI11AN0237	Soil	0.4	25.6	4.6	75	<0.1	26.7	16.8	465	3.66	7.9	1.3	6.1	17	<0.1	16.5	<0.1	79	0.46	0.031	12
50MI11LA0164	Soil	0.4	18.7	7.3	66	<0.1	21.4	9.9	277	3.22	4.2	<0.5	8.2	13	<0.1	0.2	0.1	59	0.20	0.030	11
50MI11LA0165	Soil	0.5	20.6	7.3	58	<0.1	18.2	9.1	192	3.26	3.8	0.6	7.1	19	<0.1	0.3	0.1	55	0.27	0.029	12
50MI11LA0166	Soil	0.2	16.0	8.3	72	<0.1	30.3	13.5	450	4.15	2.0	0.9	11.3	27	<0.1	0.1	<0.1	71	0.71	0.083	37
50MI11LA0167	Soil	0.6	15.3	8.0	42	<0.1	16.4	8.4	187	2.86	7.1	3.3	5.6	42	<0.1	0.4	0.1	61	0.36	0.017	15
50MI11LA0168	Soil	0.3	24.3	3.5	34	<0.1	8.9	11.8	131	2.82	2.3	<0.5	2.3	42	<0.1	0.1	<0.1	65	0.56	0.095	9
50MI11LA0169	Soil	0.5	18.8	5.6	41	<0.1	22.5	11.8	181	3.31	3.6	2.1	12.4	46	<0.1	0.3	<0.1	60	0.50	0.023	31
50MI11LA0170	Soil	0.3	21.1	11.7	71	<0.1	21.1	10.5	237	3.85	4.6	0.6	11.2	35	<0.1	0.2	0.1	61	0.60	0.020	19
50MI11LA0171	Soil	0.5	23.5	10.6	65	<0.1	24.1	10.2	197	3.75	4.1	1.6	13.6	21	<0.1	0.3	0.1	55	0.25	0.016	32
50MI11LA0172	Soil	0.6	35.0	10.5	65	<0.1	25.4	10.3	226	3.42	6.6	4.1	13.3	27	<0.1	0.4	0.1	57	0.33	0.014	52
50MI11LA0173	Soil	0.4	26.2	8.8	50	<0.1	22.8	9.6	184	2.99	4.9	2.6	11.2	18	<0.1	0.3	0.1	46	0.20	0.022	40
50MI11LA0174	Soil	0.6	14.8	10.6	46	<0.1	16.8	7.4	167	2.85	6.2	2.9	7.7	15	<0.1	0.4	0.1	49	0.16	0.015	24
50MI11LA0175	Soil	0.5	31.0	11.2	76	<0.1	28.3	12.0	239	3.84	7.6	8.4	12.0	23	<0.1	0.4	0.1	58	0.27	0.011	19
50MI11LA0176	Soil	0.4	34.0	11.2	78	<0.1	37.4	13.8	284	4.17	5.3	2.6	16.2	32	<0.1	0.3	0.1	62	0.48	0.035	49
50MI11LA0177	Soil	0.3	17.7	10.2	55	<0.1	16.8	7.9	214	2.45	3.0	2.4	8.9	26	<0.1	0.3	0.1	41	0.34	0.054	36
50MI11LA0178	Soil	0.4	34.6	11.3	93	<0.1	30.1	15.3	457	5.20	2.2	1.1	12.6	57	<0.1	0.2	0.2	96	0.67	0.076	34
50MI11LA0179	Soil	0.4	28.7	11.3	70	0.1	23.3	9.5	259	3.32	6.5	3.3	8.9	37	0.2	0.6	0.2	51	0.49	0.058	33
50MI11LA0180	Soil	0.7	33.7	11.4	72	0.1	25.0	9.9	276	3.30	10.2	3.1	8.2	33	0.2	0.8	0.2	54	0.49	0.053	27
50MI11LA0181	Soil	0.6	24.1	9.0	71	<0.1	20.3	10.6	292	2.80	6.7	2.9	4.7	36	0.1	0.6	0.1	52	0.63	0.065	19
50MI11LA0182	Soil	1.2	26.5	9.6	56	0.1	24.2	9.9	444	2.81	8.6	5.3	3.3	43	0.2	0.7	0.1	56	0.72	0.057	15
50MI11LA0183	Soil	1.5	21.6	9.3	54	<0.1	18.1	9.0	283	2.93	7.7	2.5	4.6	29	0.1	0.6	0.1	60	0.42	0.031	15
50MI11LA0184	Soil	1.2	32.1	10.1	65	0.1	25.0	11.8	430	3.16	9.9	3.0	6.0	40	0.2	1.2	0.1	61	0.70	0.053	17
50MI11LA0185	Soil	0.9	29.8	9.9	58	0.1	24.5	11.9	440	3.04	10.1	2.9	5.3	34	0.2	1.6	0.1	59	0.76	0.046	16
50MI11LA0186	Soil	0.7	30.3	9.6	56	0.1	22.2	11.5	545	2.99	9.4	4.3	4.9	41	0.2	1.2	0.1	58	0.80	0.048	16

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001932.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
50MI11AN0231	Soil	48	0.98	268	0.142	<1	2.13	0.010	0.54	<0.1	0.03	5.2	0.3	<0.05	7	<0.5	<0.2
50MI11AN0232	Soil	44	0.97	198	0.115	<1	1.90	0.008	0.59	0.1	0.12	4.7	0.3	<0.05	6	<0.5	<0.2
50MI11AN0233	Soil	41	0.68	202	0.100	1	2.10	0.009	0.17	<0.1	0.03	3.8	0.2	<0.05	7	<0.5	<0.2
50MI11AN0234	Soil	43	0.86	247	0.144	<1	1.97	0.009	0.47	<0.1	0.02	3.5	0.2	<0.05	7	<0.5	<0.2
50MI11AN0235	Soil	40	0.73	395	0.098	1	1.90	0.011	0.37	0.1	0.12	6.1	0.2	0.06	7	<0.5	<0.2
50MI11AN0236	Soil	45	0.77	489	0.072	2	1.78	0.009	0.44	0.1	0.48	9.0	0.3	0.11	5	<0.5	<0.2
50MI11AN0237	Soil	90	1.46	407	0.169	<1	2.35	0.011	0.84	<0.1	0.04	6.5	0.3	<0.05	7	<0.5	<0.2
50MI11LA0164	Soil	46	0.78	132	0.189	<1	2.36	0.010	0.29	<0.1	<0.01	4.2	0.2	<0.05	9	<0.5	<0.2
50MI11LA0165	Soil	37	0.64	151	0.159	1	2.27	0.014	0.20	<0.1	<0.01	3.5	0.1	<0.05	8	<0.5	<0.2
50MI11LA0166	Soil	94	1.28	297	0.239	<1	3.04	0.017	0.50	<0.1	<0.01	5.8	0.2	<0.05	11	<0.5	<0.2
50MI11LA0167	Soil	31	0.57	200	0.095	1	2.47	0.021	0.04	0.1	0.02	3.8	<0.1	<0.05	6	<0.5	<0.2
50MI11LA0168	Soil	7	0.87	169	0.125	<1	3.42	0.057	0.10	<0.1	<0.01	3.1	<0.1	<0.05	8	<0.5	<0.2
50MI11LA0169	Soil	43	0.85	362	0.143	<1	3.13	0.027	0.20	<0.1	<0.01	5.8	<0.1	<0.05	9	<0.5	<0.2
50MI11LA0170	Soil	46	0.79	154	0.163	<1	3.08	0.016	0.27	<0.1	<0.01	4.8	0.2	<0.05	11	<0.5	<0.2
50MI11LA0171	Soil	40	0.75	195	0.171	<1	2.49	0.013	0.31	<0.1	<0.01	4.3	0.2	<0.05	8	<0.5	<0.2
50MI11LA0172	Soil	43	0.68	249	0.135	<1	2.11	0.016	0.20	<0.1	0.02	6.0	0.2	<0.05	7	<0.5	<0.2
50MI11LA0173	Soil	33	0.61	167	0.086	<1	1.71	0.014	0.14	<0.1	0.02	3.9	0.1	<0.05	5	<0.5	<0.2
50MI11LA0174	Soil	28	0.52	140	0.086	<1	1.66	0.011	0.11	0.1	0.01	3.0	0.1	<0.05	5	<0.5	<0.2
50MI11LA0175	Soil	45	0.73	190	0.120	<1	2.49	0.014	0.22	<0.1	<0.01	4.8	0.2	<0.05	8	<0.5	<0.2
50MI11LA0176	Soil	58	0.92	205	0.209	<1	2.83	0.016	0.44	<0.1	0.03	7.3	0.2	<0.05	11	<0.5	<0.2
50MI11LA0177	Soil	30	0.53	188	0.114	<1	1.81	0.015	0.20	<0.1	0.06	4.3	0.1	<0.05	6	<0.5	<0.2
50MI11LA0178	Soil	81	1.33	300	0.243	1	3.66	0.021	0.70	<0.1	0.01	9.3	0.4	<0.05	14	<0.5	<0.2
50MI11LA0179	Soil	40	0.65	268	0.128	1	2.08	0.018	0.27	<0.1	0.06	5.7	0.2	<0.05	7	<0.5	<0.2
50MI11LA0180	Soil	34	0.62	298	0.108	1	1.94	0.025	0.17	<0.1	0.04	5.0	0.1	<0.05	6	<0.5	<0.2
50MI11LA0181	Soil	31	0.59	295	0.084	2	1.54	0.029	0.10	0.1	0.04	4.1	<0.1	0.05	5	<0.5	<0.2
50MI11LA0182	Soil	30	0.59	366	0.069	2	1.64	0.027	0.06	0.1	0.03	3.9	<0.1	<0.05	5	<0.5	<0.2
50MI11LA0183	Soil	31	0.61	257	0.094	<1	1.80	0.019	0.07	0.1	0.01	3.9	<0.1	<0.05	6	<0.5	<0.2
50MI11LA0184	Soil	32	0.65	323	0.099	3	1.74	0.027	0.10	0.2	0.04	4.8	<0.1	<0.05	5	<0.5	<0.2
50MI11LA0185	Soil	31	0.60	276	0.091	2	1.72	0.022	0.10	0.1	0.02	4.6	<0.1	<0.05	5	<0.5	<0.2
50MI11LA0186	Soil	29	0.59	288	0.102	2	1.79	0.024	0.11	0.2	0.03	4.5	<0.1	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001932.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
50MI11LA0187	Soil	0.6	34.0	10.7	60	0.1	26.4	12.5	515	3.08	10.6	4.1	5.2	37	0.3	1.0	0.1	62	0.68	0.047	17
50MI11LA0188	Soil	0.5	34.8	10.6	63	0.2	27.2	12.6	483	3.23	10.0	5.2	5.4	42	0.3	0.9	0.1	63	0.82	0.050	17
50MI11LA0189	Soil	0.2	26.1	10.1	42	0.1	18.6	7.7	161	2.62	6.6	3.8	4.6	33	0.2	0.8	0.1	54	0.70	0.054	15
50MI11LA0190	Soil	0.8	31.9	6.7	32	0.2	18.0	10.2	958	1.46	4.1	2.7	1.4	63	0.4	0.9	0.1	42	1.46	0.074	12
50MI11LA0191	Soil	0.4	36.6	12.1	60	0.2	28.2	14.7	506	3.60	9.6	4.9	6.4	39	0.2	0.7	0.2	72	0.73	0.043	19
50MI11LA0192	Soil	0.5	35.1	11.1	61	0.2	27.5	13.5	546	3.53	12.3	2.9	5.6	37	0.2	0.9	0.1	65	0.69	0.049	17
50MI11LA0193	Soil	0.5	32.4	11.1	63	0.1	25.8	15.0	778	3.06	8.6	7.0	4.8	38	0.3	0.8	0.1	61	0.72	0.049	17
50MI11LA0194	Soil	0.2	31.8	12.3	56	0.1	21.5	7.7	138	2.71	8.5	3.8	5.5	26	0.1	0.8	0.1	64	0.46	0.037	16
50MI11LA0195	Soil	1.2	14.9	9.7	64	<0.1	18.8	17.6	636	5.64	4.8	1.9	18.7	11	<0.1	0.4	0.1	81	0.27	0.024	38
50MI11LA0196	Soil	1.4	24.5	17.3	94	0.2	25.7	13.7	816	3.10	18.1	3.9	4.7	40	0.5	1.1	0.2	55	0.54	0.061	17
50MI11LA0197	Soil	1.5	27.6	15.7	76	0.2	22.0	11.9	538	2.87	14.3	3.6	4.6	35	0.3	1.1	0.2	53	0.50	0.062	16
50MI11LA0198	Soil	1.2	23.1	15.0	89	0.1	20.1	12.1	611	2.89	13.0	2.3	4.3	46	0.4	0.9	0.2	52	0.64	0.064	16
50MI11LA0199	Soil	1.4	24.4	16.5	86	0.1	20.6	11.7	386	2.81	14.2	3.8	4.6	32	0.1	1.2	0.2	52	0.46	0.064	15
50MI11LA0200	Soil	1.5	20.8	15.4	89	<0.1	19.1	12.0	496	2.95	16.6	1.9	4.8	30	0.2	1.2	0.2	53	0.39	0.067	14
50MI11LA0200 DUP	Soil	1.5	19.8	15.2	79	0.1	18.2	11.6	460	2.61	15.1	2.3	4.4	31	0.3	1.0	0.2	50	0.38	0.065	12
50MI11CL0137	Soil	0.2	12.2	15.9	52	<0.1	12.9	4.9	103	1.70	6.3	1.0	2.3	18	0.1	0.5	0.3	38	0.20	0.043	11
50MI11CL0138	Soil	0.5	10.9	18.6	54	0.1	11.0	4.4	108	1.62	7.3	2.8	4.6	17	0.2	0.5	0.8	34	0.23	0.051	13
50MI11CL0139	Soil	1.4	37.0	35.9	94	0.2	21.8	8.1	271	2.51	25.9	2.2	12.5	25	0.3	1.0	0.9	46	0.31	0.058	22
50MI11CL0140	Soil	0.4	9.8	15.3	39	<0.1	9.3	3.4	79	2.18	9.6	0.9	2.1	15	0.1	0.4	0.3	39	0.17	0.037	9
50MI11CL0141	Soil	4.0	24.3	118.9	138	0.6	11.4	8.6	762	2.37	111.9	1.6	10.5	17	1.1	2.8	4.1	39	0.23	0.072	25
50MI11CL0142	Soil	0.4	17.0	10.6	49	<0.1	15.7	5.9	173	2.12	9.6	5.0	2.4	23	0.2	0.5	0.2	45	0.29	0.065	11
50MI11CL0143	Soil	0.7	26.4	13.8	69	0.1	22.4	10.3	286	2.56	12.5	2.8	3.5	31	0.3	0.7	0.3	54	0.44	0.068	14
50MI11CL0144	Soil	0.4	20.6	11.9	60	0.1	17.3	9.8	281	2.17	8.3	2.6	3.1	26	0.4	0.6	0.2	50	0.36	0.062	12
50MI11CL0145	Soil	0.5	19.2	11.9	62	0.1	18.1	7.4	182	1.89	7.3	2.0	3.4	26	0.2	0.6	0.2	47	0.33	0.063	13
50MI11CL0146	Soil	0.6	15.6	11.7	57	<0.1	16.7	6.4	189	2.01	7.6	1.8	3.6	24	0.2	0.6	0.2	46	0.33	0.063	13
50MI11CL0147	Soil	1.0	10.2	11.6	57	<0.1	14.6	14.9	679	2.39	9.8	6.5	3.1	24	0.2	0.4	0.2	53	0.31	0.066	12
50MI11CL0148	Soil	1.2	33.5	10.2	73	0.2	27.5	10.9	423	2.55	9.7	3.0	4.3	41	0.4	0.7	0.2	54	0.88	0.076	14
50MI11CL0149	Soil	0.7	22.6	10.1	50	0.1	17.6	9.0	335	2.21	6.2	5.2	2.5	36	0.1	0.7	0.2	49	0.43	0.063	14
50MI11CL0150	Soil	0.7	21.1	10.8	57	<0.1	16.4	7.6	189	2.30	7.3	5.5	3.1	26	0.1	0.5	0.2	52	0.32	0.046	13
50MI11CL0150 DUP	Soil	0.6	20.2	10.8	57	0.1	16.0	7.5	189	2.30	7.0	2.4	3.1	26	0.1	0.5	0.2	53	0.31	0.048	13

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001932.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
50MI11LA0187	Soil	32	0.58	327	0.097	3	1.76	0.025	0.08	0.1	0.03	5.0	<0.1	<0.05	5	<0.5	<0.2
50MI11LA0188	Soil	33	0.63	334	0.106	1	1.86	0.027	0.10	0.1	0.03	5.4	<0.1	<0.05	6	<0.5	<0.2
50MI11LA0189	Soil	32	0.48	299	0.072	2	1.74	0.021	0.05	0.1	0.05	4.7	<0.1	<0.05	5	<0.5	<0.2
50MI11LA0190	Soil	24	0.36	414	0.045	4	1.25	0.017	0.05	<0.1	0.07	2.9	0.1	0.12	3	<0.5	<0.2
50MI11LA0191	Soil	48	0.63	339	0.115	2	2.36	0.024	0.11	<0.1	0.05	6.8	<0.1	<0.05	7	<0.5	<0.2
50MI11LA0192	Soil	42	0.57	330	0.099	2	1.96	0.021	0.09	0.1	0.04	6.1	<0.1	<0.05	6	0.6	<0.2
50MI11LA0193	Soil	42	0.58	326	0.095	2	1.84	0.020	0.09	<0.1	0.05	5.7	<0.1	<0.05	6	<0.5	<0.2
50MI11LA0194	Soil	38	0.53	264	0.086	1	1.90	0.016	0.07	<0.1	0.05	5.4	0.1	<0.05	5	<0.5	<0.2
50MI11LA0195	Soil	57	1.01	643	0.051	1	2.40	0.009	0.39	<0.1	0.06	17.2	0.2	<0.05	10	<0.5	<0.2
50MI11LA0196	Soil	36	0.66	303	0.057	2	1.52	0.019	0.09	0.4	0.04	4.5	0.1	<0.05	5	<0.5	<0.2
50MI11LA0197	Soil	32	0.63	335	0.060	1	1.40	0.018	0.10	0.2	0.05	4.9	<0.1	<0.05	4	<0.5	<0.2
50MI11LA0198	Soil	31	0.63	336	0.062	1	1.46	0.019	0.10	0.3	0.05	4.6	0.1	<0.05	4	<0.5	<0.2
50MI11LA0199	Soil	31	0.67	312	0.057	1	1.35	0.015	0.13	0.4	0.04	4.8	0.1	<0.05	4	<0.5	<0.2
50MI11LA0200	Soil	32	0.69	285	0.062	1	1.35	0.014	0.12	0.3	0.02	4.3	<0.1	<0.05	4	<0.5	<0.2
50MI11LA0200 DUP	Soil	29	0.63	251	0.055	2	1.20	0.009	0.10	0.2	0.04	4.0	<0.1	<0.05	4	<0.5	<0.2
50MI11CL0137	Soil	24	0.36	144	0.048	2	1.40	0.012	0.05	0.2	0.05	2.5	0.1	<0.05	5	<0.5	<0.2
50MI11CL0138	Soil	20	0.34	107	0.055	1	1.26	0.011	0.05	0.2	0.03	2.2	<0.1	<0.05	4	<0.5	<0.2
50MI11CL0139	Soil	28	0.53	221	0.080	2	1.63	0.015	0.07	0.3	0.04	4.2	0.2	<0.05	5	<0.5	<0.2
50MI11CL0140	Soil	20	0.23	100	0.046	2	1.24	0.008	0.04	0.2	0.04	1.9	<0.1	<0.05	4	<0.5	<0.2
50MI11CL0141	Soil	19	0.37	107	0.053	1	1.31	0.009	0.09	1.5	0.03	2.4	0.2	<0.05	5	<0.5	<0.2
50MI11CL0142	Soil	23	0.36	171	0.051	1	1.31	0.013	0.05	0.2	0.04	2.6	<0.1	<0.05	4	<0.5	<0.2
50MI11CL0143	Soil	28	0.52	249	0.067	2	1.49	0.018	0.05	0.2	0.04	3.6	<0.1	<0.05	4	<0.5	<0.2
50MI11CL0144	Soil	26	0.40	231	0.051	2	1.41	0.014	0.05	0.2	0.04	3.2	<0.1	<0.05	4	0.5	<0.2
50MI11CL0145	Soil	25	0.45	196	0.058	1	1.31	0.015	0.05	0.2	0.04	2.7	<0.1	<0.05	4	<0.5	<0.2
50MI11CL0146	Soil	25	0.45	182	0.067	2	1.29	0.017	0.05	0.2	0.03	2.9	<0.1	<0.05	4	<0.5	<0.2
50MI11CL0147	Soil	24	0.43	147	0.060	2	1.27	0.015	0.05	0.3	0.04	2.5	<0.1	<0.05	4	<0.5	<0.2
50MI11CL0148	Soil	29	0.64	350	0.071	3	1.30	0.021	0.07	0.2	0.03	3.6	<0.1	<0.05	4	<0.5	<0.2
50MI11CL0149	Soil	26	0.39	404	0.054	2	1.53	0.013	0.05	0.2	0.06	3.5	<0.1	<0.05	4	<0.5	<0.2
50MI11CL0150	Soil	29	0.41	277	0.061	1	1.68	0.011	0.05	0.1	0.04	3.6	<0.1	<0.05	5	<0.5	<0.2
50MI11CL0150 DUP	Soil	29	0.42	261	0.064	1	1.71	0.010	0.05	0.2	0.04	3.4	<0.1	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001932.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
50MI11CL0151	Soil	0.6	23.6	9.9	53	0.1	17.4	9.2	313	2.20	5.7	1.6	3.4	41	0.2	0.5	0.2	48	0.52	0.043	13
50MI11CL0152	Soil	0.7	45.8	10.1	63	0.2	20.9	10.2	370	2.42	7.6	1.7	4.6	37	0.4	0.7	0.3	52	0.51	0.055	13
50MI11CL0153	Soil	0.8	45.3	9.5	62	0.2	22.1	11.1	354	2.62	7.3	4.2	4.3	30	0.2	0.6	0.2	57	0.41	0.057	15
50MI11CL0154	Soil	0.9	65.3	9.4	66	0.2	26.4	14.8	742	2.80	7.8	2.0	4.7	35	0.4	0.8	0.2	63	0.47	0.053	16
50MI11CL0155	Soil	0.7	355.7	4.7	79	<0.1	29.1	15.1	412	3.83	3.1	2.3	6.9	25	0.2	0.7	0.3	87	0.44	0.064	16
50MI11CL0156	Soil	0.5	79.5	5.5	59	<0.1	30.8	17.9	435	3.74	4.2	0.7	5.8	23	0.1	0.4	<0.1	89	0.35	0.045	9
50MI11CL0157	Soil	0.6	56.9	8.5	57	<0.1	21.2	12.1	334	2.89	6.9	1.5	5.0	25	<0.1	0.4	0.2	66	0.29	0.029	15
50MI11CL0158	Soil	1.0	50.0	8.0	60	0.1	19.4	11.5	283	3.13	5.9	4.8	7.0	26	0.1	0.6	0.3	66	0.36	0.053	19
50MI11CL0159	Soil	0.6	22.3	9.8	56	<0.1	15.8	7.8	209	2.20	4.4	2.8	7.2	21	0.2	0.4	0.2	44	0.27	0.068	26
50MI11CL0160	Soil	0.5	18.7	9.8	58	0.1	16.4	7.9	184	2.27	6.3	1.6	3.6	23	0.2	0.4	0.2	49	0.27	0.056	16
50MI11CL0161	Soil	0.6	15.7	8.7	54	<0.1	15.0	8.0	243	2.11	5.4	5.1	3.2	21	0.1	0.4	0.2	45	0.26	0.055	15
50MI11CL0162	Soil	0.6	16.5	8.9	58	<0.1	14.6	11.2	381	2.36	5.0	0.8	3.3	21	0.1	0.4	0.2	45	0.26	0.054	14
50MI11CL0163	Soil	0.4	18.2	9.1	59	<0.1	13.5	8.3	201	2.18	3.8	6.1	3.9	24	0.1	0.4	0.2	50	0.32	0.055	16
50MI11CL0164	Soil	0.6	21.9	9.1	61	<0.1	15.0	9.5	250	2.59	5.7	2.3	3.7	25	0.2	0.5	0.2	57	0.31	0.062	17
50MI11CL0165	Soil	0.8	18.2	9.3	59	<0.1	14.2	7.9	239	2.43	6.1	0.8	2.9	23	0.2	0.5	0.2	55	0.29	0.059	15
50MI11CL0166	Soil	0.2	17.3	9.3	57	<0.1	12.8	6.2	132	1.82	3.8	5.6	4.2	18	0.1	0.5	0.2	54	0.22	0.057	16
50MI11CL0167	Soil	0.4	14.9	9.1	55	<0.1	13.6	7.9	282	1.96	5.4	0.6	2.7	21	0.1	0.5	0.2	45	0.26	0.058	13
50MI11CL0168	Soil	0.5	9.6	8.4	49	<0.1	11.3	6.8	189	1.61	4.1	5.7	1.8	19	0.2	0.3	0.1	32	0.23	0.052	10
50MI11CL0169	Soil	1.1	60.4	9.7	59	0.1	13.8	7.5	197	2.38	6.3	4.0	3.5	25	0.2	0.6	0.2	55	0.30	0.068	16
50MI11CL0170	Soil	0.9	19.3	11.3	58	0.1	15.3	7.7	228	2.16	7.4	2.2	2.6	24	0.2	0.8	0.2	49	0.29	0.053	11
50MI11AM0141	Soil	0.6	10.5	11.1	56	<0.1	13.0	6.6	282	2.05	5.8	1.4	2.4	19	0.2	0.4	0.1	48	0.24	0.052	10
50MI11AM0142	Soil	0.7	11.1	8.0	59	<0.1	14.6	6.9	200	2.06	6.5	5.0	2.0	18	0.1	0.4	0.1	52	0.23	0.053	10
50MI11AM0143	Soil	0.4	10.0	7.2	53	<0.1	12.0	5.9	176	1.83	4.6	1.9	1.4	18	<0.1	0.4	0.1	38	0.18	0.045	8
50MI11AM0144	Soil	0.6	15.4	8.4	71	0.1	17.3	10.5	356	2.58	5.4	2.4	3.2	26	0.2	0.7	0.1	51	0.30	0.059	15
50MI11AM0145	Soil	0.7	33.4	9.0	77	0.1	22.6	11.9	375	3.32	9.0	2.2	5.6	33	0.1	0.9	0.2	72	0.44	0.047	20
50MI11AM0146	Soil	0.7	21.4	8.1	66	<0.1	18.2	12.5	437	3.32	7.3	1.6	4.9	26	0.1	0.7	0.1	73	0.36	0.021	14
50MI11AM0147	Soil	0.6	24.8	6.5	55	0.2	15.0	11.8	1126	2.85	9.5	1.4	4.8	80	0.3	1.0	0.1	55	1.38	0.049	28
50MI11AM0148	Soil	0.4	17.6	8.1	80	0.2	19.5	11.5	686	2.67	2.3	2.9	2.8	19	0.2	0.2	0.1	45	0.36	0.065	14
50MI11AM0149	Soil	1.9	14.6	12.4	53	0.1	17.5	7.4	252	2.99	6.7	1.2	5.4	8	<0.1	0.3	0.2	73	0.07	0.024	15
50MI11AM0150	Soil	0.8	24.9	10.1	67	0.1	16.7	10.1	259	3.02	6.0	2.9	4.3	18	0.1	0.3	0.2	64	0.24	0.034	19

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001932.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
50MI11CL0151	Soil	28	0.41	380	0.055	<1	1.58	0.012	0.05	0.1	0.04	3.9	<0.1	<0.05	5	<0.5	<0.2
50MI11CL0152	Soil	30	0.50	378	0.075	1	1.59	0.015	0.06	0.2	0.04	4.0	<0.1	<0.05	4	<0.5	<0.2
50MI11CL0153	Soil	39	0.59	345	0.080	1	1.60	0.014	0.06	0.2	0.05	5.0	<0.1	<0.05	5	<0.5	<0.2
50MI11CL0154	Soil	49	0.69	394	0.090	2	1.69	0.015	0.13	0.2	0.05	5.8	0.1	<0.05	5	<0.5	<0.2
50MI11CL0155	Soil	102	1.41	451	0.122	<1	2.30	0.010	0.73	0.3	0.02	10.0	0.3	<0.05	7	<0.5	<0.2
50MI11CL0156	Soil	117	1.39	301	0.154	<1	2.47	0.012	0.53	0.3	0.01	7.5	0.2	<0.05	7	<0.5	<0.2
50MI11CL0157	Soil	59	0.80	263	0.106	<1	1.84	0.011	0.11	0.2	0.02	4.9	0.1	<0.05	5	<0.5	<0.2
50MI11CL0158	Soil	44	0.71	272	0.093	<1	1.69	0.013	0.19	0.2	0.04	5.9	0.1	<0.05	5	<0.5	<0.2
50MI11CL0159	Soil	23	0.45	239	0.076	<1	1.25	0.011	0.19	0.2	0.05	3.0	0.1	<0.05	4	<0.5	<0.2
50MI11CL0160	Soil	25	0.45	255	0.075	<1	1.51	0.011	0.09	0.2	0.05	3.2	0.1	<0.05	5	<0.5	<0.2
50MI11CL0161	Soil	24	0.43	229	0.067	<1	1.33	0.010	0.08	0.2	0.04	2.9	<0.1	<0.05	4	<0.5	<0.2
50MI11CL0162	Soil	23	0.42	259	0.061	<1	1.32	0.012	0.07	0.2	0.05	3.1	<0.1	<0.05	4	0.6	<0.2
50MI11CL0163	Soil	23	0.45	389	0.068	<1	1.47	0.011	0.11	0.2	0.06	4.0	<0.1	<0.05	5	<0.5	<0.2
50MI11CL0164	Soil	27	0.48	360	0.069	1	1.53	0.010	0.10	0.2	0.05	4.3	<0.1	<0.05	5	<0.5	<0.2
50MI11CL0165	Soil	25	0.47	310	0.066	1	1.53	0.011	0.10	0.2	0.05	3.3	<0.1	<0.05	5	<0.5	<0.2
50MI11CL0166	Soil	24	0.42	289	0.065	<1	1.48	0.010	0.08	0.2	0.05	3.2	<0.1	<0.05	4	<0.5	<0.2
50MI11CL0167	Soil	22	0.39	232	0.050	2	1.32	0.011	0.06	0.2	0.05	2.7	<0.1	<0.05	4	<0.5	<0.2
50MI11CL0168	Soil	19	0.33	165	0.047	1	1.21	0.010	0.05	0.2	0.06	2.0	<0.1	<0.05	4	<0.5	<0.2
50MI11CL0169	Soil	22	0.54	292	0.069	<1	1.57	0.017	0.12	0.2	0.06	3.5	<0.1	<0.05	5	<0.5	<0.2
50MI11CL0170	Soil	25	0.42	205	0.058	1	1.51	0.011	0.06	0.2	0.05	3.0	<0.1	<0.05	4	<0.5	<0.2
50MI11AM0141	Soil	25	0.48	155	0.053	2	1.18	0.012	0.06	0.3	0.04	2.5	<0.1	<0.05	4	<0.5	<0.2
50MI11AM0142	Soil	27	0.51	150	0.051	2	1.29	0.010	0.05	0.2	0.04	2.4	<0.1	<0.05	5	<0.5	<0.2
50MI11AM0143	Soil	28	0.51	124	0.066	2	1.25	0.010	0.07	0.2	0.05	2.0	0.1	<0.05	5	<0.5	<0.2
50MI11AM0144	Soil	32	0.66	277	0.074	2	1.55	0.013	0.12	0.2	0.05	3.4	0.1	<0.05	5	<0.5	<0.2
50MI11AM0145	Soil	49	0.92	574	0.120	2	1.99	0.012	0.33	0.2	0.08	7.2	0.2	<0.05	7	<0.5	<0.2
50MI11AM0146	Soil	54	1.01	486	0.139	2	1.87	0.010	0.37	0.1	0.05	5.1	0.2	<0.05	7	<0.5	<0.2
50MI11AM0147	Soil	36	0.64	1041	0.044	2	1.77	0.010	0.45	0.5	0.14	10.3	0.2	0.07	6	<0.5	<0.2
50MI11AM0148	Soil	49	0.84	187	0.114	2	1.75	0.012	0.23	0.1	0.03	3.7	0.2	<0.05	7	<0.5	<0.2
50MI11AM0149	Soil	43	0.47	90	0.052	1	1.70	0.011	0.06	0.1	0.02	3.0	<0.1	<0.05	7	<0.5	<0.2
50MI11AM0150	Soil	30	0.70	151	0.086	1	2.01	0.009	0.09	0.1	0.03	4.8	0.1	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001932.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
50MI11AM0150 DUP	Soil	0.7	22.0	9.9	68	0.1	15.5	9.9	244	2.92	5.6	1.3	4.2	17	<0.1	0.2	0.2	64	0.22	0.032	18
50MI11AM0151	Soil	0.9	12.2	11.7	60	<0.1	15.4	8.6	353	3.94	12.2	3.8	3.4	12	0.2	0.5	0.2	75	0.10	0.027	10
50MI11AM0152	Soil	0.7	16.7	8.9	66	<0.1	15.9	10.0	337	2.97	6.3	1.2	4.1	14	0.1	0.3	0.2	57	0.17	0.035	12
50MI11AM0153	Soil	0.6	14.5	9.4	59	0.1	17.3	7.5	186	2.30	4.3	1.4	3.0	21	<0.1	0.2	0.1	43	0.27	0.045	17
50MI11AM0154	Soil	0.7	18.4	11.0	64	0.1	19.0	9.5	238	2.59	4.8	1.3	4.4	19	0.1	0.3	0.1	48	0.25	0.048	17
50MI11AM0155	Soil	0.7	19.5	11.0	73	<0.1	20.5	10.6	285	2.79	4.9	1.9	5.8	18	<0.1	0.3	0.1	51	0.25	0.048	19
50MI11AM0156	Soil	0.8	16.8	10.8	64	0.1	18.1	8.5	238	2.44	4.5	0.9	2.5	17	0.1	0.2	0.1	47	0.23	0.050	14
50MI11AM0157	Soil	0.9	22.7	9.5	69	0.1	34.1	13.4	363	3.16	4.1	<0.5	5.3	21	0.2	0.2	0.1	59	0.35	0.060	15
50MI11AM0158	Soil	1.7	72.1	7.8	85	0.3	48.7	22.0	600	3.49	4.0	1.7	2.9	30	0.2	0.2	0.1	88	0.69	0.080	11
50MI11AM0159	Soil	0.7	13.1	5.6	24	<0.1	12.1	3.5	104	0.90	1.0	<0.5	0.9	13	<0.1	<0.1	<0.1	25	0.25	0.026	9
50MI11AM0160	Soil	1.8	30.4	7.2	60	<0.1	100.8	17.0	319	3.95	2.5	<0.5	2.2	11	<0.1	0.1	0.1	132	0.16	0.034	5
50MI11AM0161	Soil	2.7	63.3	8.3	92	0.1	63.7	19.6	741	3.71	2.4	0.5	1.7	18	0.4	0.1	0.1	119	0.23	0.092	17
50MI11AM0162	Soil	1.1	47.1	11.6	88	0.2	77.4	20.4	422	3.89	3.0	2.0	5.0	35	0.2	0.2	0.1	85	0.58	0.082	23
50MI11AM0163	Soil	1.2	25.4	9.4	77	0.2	33.4	16.3	588	3.64	3.3	2.2	3.4	40	0.1	0.2	0.1	79	0.47	0.078	17
50MI11AM0164	Soil	1.3	21.5	9.8	82	0.1	26.3	14.4	538	3.44	2.9	3.9	2.6	35	0.1	0.1	0.1	78	0.47	0.063	13
50MI11AM0165	Soil	0.9	36.8	8.4	86	0.1	39.8	16.2	401	3.71	3.5	7.2	4.3	44	0.2	0.2	0.1	78	0.67	0.070	13
50MI11AM0166	Soil	0.7	38.3	6.1	54	<0.1	17.8	9.8	333	2.04	4.0	<0.5	1.3	77	0.3	0.3	0.1	45	1.19	0.053	9
50MI11AM0167	Soil	0.7	49.8	9.0	62	0.1	38.7	20.9	341	2.80	5.2	1.6	4.2	65	0.2	0.4	0.1	59	0.90	0.050	14
50MI11AM0168	Soil	0.4	336.6	2.6	38	0.1	260.5	60.2	225	3.07	1.6	0.6	1.0	38	<0.1	0.2	<0.1	46	0.50	0.050	3
50MI11AM0169	Soil	0.9	35.2	10.1	78	0.2	38.4	12.4	394	3.34	4.1	1.1	7.8	55	0.2	0.2	0.2	65	0.67	0.058	30
50MI11AM0170	Soil	1.2	23.0	11.3	64	<0.1	25.7	12.2	488	2.98	6.9	1.2	5.1	20	0.1	0.3	0.2	54	0.22	0.045	19
50MI11AM0171	Soil	1.4	25.0	12.7	66	<0.1	32.8	14.4	411	3.45	8.8	2.5	6.2	18	0.2	0.4	0.2	64	0.20	0.038	16
50MI11AM0172	Soil	0.7	23.4	58.1	92	0.4	18.8	9.1	319	2.70	43.0	3.1	11.5	23	0.3	0.9	2.0	46	0.28	0.051	31
50MI11AM0173	Soil	0.8	17.2	46.4	73	0.3	15.7	7.2	293	2.46	33.7	2.9	8.8	20	0.3	0.7	1.1	43	0.25	0.058	26
50MI11AM0174	Soil	0.7	16.7	57.3	81	0.3	16.6	8.5	306	2.65	33.2	5.6	9.7	22	0.2	0.7	0.6	48	0.30	0.062	28
50MI11AM0175	Soil	0.7	17.2	70.4	81	0.5	15.1	7.5	253	2.48	45.2	2.3	11.5	22	0.3	1.2	0.6	43	0.32	0.065	28
50MI11CL0171	Soil	1.8	130.5	11.7	102	0.1	24.7	23.4	515	4.71	5.2	3.3	1.8	28	0.3	2.3	0.2	125	0.31	0.040	6
50MI11CL0172	Soil	1.3	21.0	29.4	159	0.6	15.0	11.9	500	3.05	7.8	4.5	1.9	48	0.6	1.0	0.3	73	0.47	0.070	10
50MI11CL0173	Soil	4.6	54.8	21.1	171	0.4	17.1	15.7	1647	3.84	13.2	19.2	2.3	66	1.8	1.6	0.4	70	0.79	0.083	16
50MI11CL0174	Soil	1.2	23.9	18.1	97	0.2	20.1	11.7	340	3.21	15.1	4.5	4.6	32	0.3	0.7	0.3	59	0.31	0.059	18

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001932.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
50MI11AM0150 DUP	Soil	29	0.69	138	0.083	2	1.90	0.009	0.09	0.1	0.02	4.3	<0.1	<0.05	6	<0.5	<0.2
50MI11AM0151	Soil	29	0.44	109	0.072	1	2.10	0.007	0.06	0.1	0.02	2.7	<0.1	<0.05	7	<0.5	<0.2
50MI11AM0152	Soil	29	0.60	132	0.077	2	1.89	0.008	0.08	0.1	0.02	3.2	<0.1	<0.05	6	<0.5	<0.2
50MI11AM0153	Soil	28	0.51	180	0.053	<1	1.62	0.010	0.05	<0.1	0.04	3.0	0.1	<0.05	6	<0.5	<0.2
50MI11AM0154	Soil	30	0.57	186	0.073	1	1.74	0.011	0.06	0.1	0.03	3.4	0.1	<0.05	6	<0.5	<0.2
50MI11AM0155	Soil	35	0.63	186	0.091	<1	1.87	0.010	0.08	0.1	0.03	3.5	0.1	<0.05	6	<0.5	<0.2
50MI11AM0156	Soil	32	0.55	158	0.065	<1	1.66	0.011	0.07	0.1	0.03	2.9	<0.1	<0.05	5	<0.5	<0.2
50MI11AM0157	Soil	71	0.89	218	0.111	<1	2.07	0.015	0.20	0.1	0.03	4.0	0.1	<0.05	7	<0.5	<0.2
50MI11AM0158	Soil	85	1.10	253	0.117	1	1.93	0.018	0.12	0.1	0.05	5.2	0.1	<0.05	8	0.5	<0.2
50MI11AM0159	Soil	23	0.21	79	0.040	<1	0.68	0.018	0.08	<0.1	0.02	1.2	<0.1	<0.05	4	<0.5	<0.2
50MI11AM0160	Soil	204	1.89	126	0.286	<1	2.74	0.015	0.09	0.2	0.01	4.0	0.1	<0.05	13	<0.5	<0.2
50MI11AM0161	Soil	108	1.26	472	0.168	<1	2.25	0.015	0.35	<0.1	0.02	5.4	0.2	<0.05	10	0.7	<0.2
50MI11AM0162	Soil	140	1.67	220	0.128	1	2.48	0.013	0.17	<0.1	0.04	7.4	0.2	<0.05	9	0.7	<0.2
50MI11AM0163	Soil	62	1.01	269	0.076	1	2.07	0.014	0.12	<0.1	0.04	6.5	0.1	<0.05	8	0.7	<0.2
50MI11AM0164	Soil	53	0.92	233	0.076	1	1.97	0.013	0.11	<0.1	0.04	5.3	0.2	<0.05	8	0.5	<0.2
50MI11AM0165	Soil	78	1.18	293	0.097	1	2.03	0.014	0.11	0.1	0.02	5.7	0.1	<0.05	7	0.6	<0.2
50MI11AM0166	Soil	28	0.54	320	0.042	2	1.22	0.019	0.04	0.1	0.03	2.9	<0.1	0.06	4	<0.5	<0.2
50MI11AM0167	Soil	77	0.81	358	0.050	1	1.71	0.014	0.07	0.1	0.03	5.9	<0.1	0.06	5	0.8	<0.2
50MI11AM0168	Soil	437	1.93	106	0.064	<1	1.39	0.007	0.06	<0.1	<0.01	4.6	<0.1	<0.05	4	0.9	<0.2
50MI11AM0169	Soil	59	0.92	305	0.092	1	2.23	0.015	0.27	0.1	0.03	6.1	0.2	<0.05	7	<0.5	<0.2
50MI11AM0170	Soil	35	0.55	223	0.051	1	1.60	0.009	0.09	0.1	0.01	3.2	0.1	<0.05	5	<0.5	<0.2
50MI11AM0171	Soil	46	0.59	206	0.038	1	2.46	0.008	0.08	0.1	0.03	4.0	0.1	<0.05	6	<0.5	<0.2
50MI11AM0172	Soil	29	0.62	225	0.088	1	1.87	0.013	0.12	0.1	0.04	4.0	0.2	<0.05	6	<0.5	<0.2
50MI11AM0173	Soil	26	0.55	166	0.088	<1	1.72	0.013	0.11	0.1	0.04	3.0	0.2	<0.05	6	<0.5	<0.2
50MI11AM0174	Soil	27	0.55	210	0.080	1	1.86	0.014	0.10	0.1	0.03	3.5	0.1	<0.05	6	<0.5	<0.2
50MI11AM0175	Soil	25	0.54	177	0.081	1	1.64	0.011	0.11	0.2	0.03	3.2	0.1	<0.05	6	<0.5	<0.2
50MI11CL0171	Soil	64	1.67	365	0.131	2	2.30	0.011	0.23	0.2	0.02	5.4	0.1	0.07	10	<0.5	<0.2
50MI11CL0172	Soil	35	0.84	282	0.084	1	1.80	0.015	0.13	0.2	0.31	4.3	0.1	0.09	6	<0.5	<0.2
50MI11CL0173	Soil	31	0.80	567	0.059	2	1.79	0.013	0.17	0.3	0.15	5.0	0.1	0.11	5	0.7	0.2
50MI11CL0174	Soil	32	0.65	394	0.054	2	1.95	0.014	0.09	0.2	0.05	4.0	0.1	0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001932.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
50MI11CL0175	Soil	0.5	26.1	11.3	84	0.1	19.8	8.9	205	2.34	9.2	2.8	3.7	38	0.3	0.7	0.3	53	0.46	0.062	16
50MI11CL0176	Soil	1.5	23.2	10.3	63	0.2	21.2	8.4	554	2.60	11.3	2.1	1.1	20	0.3	0.5	0.4	60	0.14	0.066	11
50MI11CL0177	Soil	1.3	29.2	9.6	65	0.1	25.7	10.4	504	2.75	10.2	2.4	2.7	19	0.1	0.6	0.2	58	0.15	0.045	13
50MI11CL0178	Soil	1.5	24.3	11.5	64	0.1	23.1	9.7	521	2.95	13.2	4.3	1.5	22	0.3	0.6	0.3	60	0.18	0.065	12
50MI11CL0179	Soil	1.0	15.6	8.9	53	0.2	16.4	6.3	269	2.90	11.1	1.8	1.3	25	0.3	0.6	0.2	70	0.19	0.043	10
50MI11CL0180	Soil	2.1	37.3	13.8	60	0.3	20.2	9.8	348	2.59	9.9	9.1	3.6	16	0.4	0.7	0.3	62	0.12	0.047	13
50MI11CL0181	Soil	2.2	39.8	15.8	70	0.4	23.5	8.8	321	2.77	14.6	3.7	3.0	22	0.3	1.0	0.3	55	0.16	0.051	15
50MI11CL0182	Soil	1.5	31.2	18.6	81	0.2	24.2	8.3	397	2.68	8.0	4.3	3.0	19	0.4	0.5	0.2	55	0.19	0.051	14
50MI11CL0183	Soil	1.0	27.2	22.0	64	0.2	19.7	10.7	618	2.49	7.4	3.4	1.2	20	0.2	0.5	0.3	49	0.17	0.055	14
50MI11CL0184	Soil	1.3	29.2	14.9	67	<0.1	23.7	9.2	447	2.43	7.1	1.8	3.0	19	0.2	0.5	0.2	48	0.16	0.047	15
50MI11CL0185	Soil	1.1	25.4	14.7	71	<0.1	24.1	8.4	408	2.58	7.4	2.8	3.3	20	0.2	0.5	0.3	53	0.20	0.049	16
50MI11CL0186	Soil	1.1	24.6	14.4	64	<0.1	22.6	10.4	416	2.71	8.6	2.5	4.1	21	0.2	0.5	0.3	57	0.19	0.042	15
50MI11CL0187	Soil	1.2	21.7	16.8	70	<0.1	20.9	10.8	680	2.68	9.1	3.0	1.7	15	0.3	0.5	0.3	49	0.13	0.053	14
50MI11CL0188	Soil	1.4	22.9	14.3	69	0.1	19.5	7.0	351	2.41	8.7	2.5	2.4	18	0.2	0.5	0.3	45	0.15	0.050	12
50MI11CL0189	Soil	0.9	24.0	13.9	68	0.2	20.9	7.9	318	2.50	8.3	3.6	2.6	23	0.2	0.5	0.3	47	0.23	0.060	14
50MI11CL0190	Soil	0.7	23.8	13.0	69	0.2	19.9	8.8	290	2.53	7.8	3.9	3.0	26	0.2	0.5	0.2	47	0.26	0.060	15
50MI11CL0191	Soil	0.7	21.5	11.0	61	0.2	18.9	7.3	222	2.30	6.8	4.3	3.0	25	0.2	0.5	0.2	44	0.25	0.063	15
50MI11CL0192	Soil	0.9	21.0	12.5	69	0.1	19.1	8.7	342	2.50	7.6	2.0	3.4	21	0.2	0.5	0.2	49	0.20	0.057	14
50MI11CL0193	Soil	0.7	19.0	24.1	85	0.2	20.2	7.1	206	2.33	3.6	4.4	3.6	21	0.3	0.3	0.5	40	0.24	0.056	18
50MI11CL0194	Soil	1.5	25.7	16.4	86	0.3	22.0	7.8	227	2.62	4.6	1.0	3.9	21	0.4	0.3	0.3	51	0.24	0.055	17
50MI11CL0195	Soil	0.6	15.2	10.2	57	0.1	21.6	6.2	212	2.21	4.4	3.3	2.1	21	<0.1	0.3	0.2	44	0.27	0.046	12
50MI11CL0196	Soil	1.0	18.8	10.3	67	0.1	29.1	11.8	415	2.41	5.0	1.4	3.5	35	0.1	0.3	0.2	52	0.57	0.054	13
50MI11CL0197	Soil	1.4	24.3	9.2	58	0.1	54.5	10.1	364	2.41	6.1	3.2	3.1	22	<0.1	0.3	0.2	57	0.25	0.044	16
50MI11CL0198	Soil	0.8	24.5	10.4	45	0.1	19.4	6.4	228	2.27	6.4	2.1	1.0	23	<0.1	0.4	0.2	48	0.25	0.054	24
50MI11CL0199	Soil	0.5	74.6	3.6	66	0.1	56.9	27.9	548	4.66	3.1	1.1	2.7	21	0.1	0.2	0.1	118	0.41	0.047	6
50MI11CL0200	Soil	3.3	52.6	10.0	143	0.1	59.2	15.0	535	3.53	4.6	2.5	9.0	37	0.5	0.2	0.2	86	0.49	0.067	33
50MI11CL0200 DUP	Soil	3.0	48.8	9.9	123	0.2	54.7	14.9	538	3.40	4.7	2.6	8.2	37	0.4	0.3	0.2	81	0.46	0.064	31
50MI11CL0201	Soil	0.6	23.3	22.5	75	0.1	29.6	11.9	382	2.80	3.7	3.9	6.7	24	0.1	0.3	0.2	44	0.30	0.054	27
50MI11CL0202	Soil	0.8	20.8	13.4	74	0.2	26.8	10.6	360	2.68	5.0	0.9	5.1	19	0.1	0.3	0.2	45	0.21	0.057	21
50MI11CL0203	Soil	0.6	22.6	10.4	75	0.1	37.8	11.2	332	2.71	4.8	1.3	5.2	26	<0.1	0.3	0.2	49	0.30	0.082	21

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001932.2

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
50MI11CL0175	Soil		30	0.62	339	0.060	1	1.72	0.020	0.09	0.2	0.06	3.8	0.1	0.08	5	0.6	<0.2
50MI11CL0176	Soil		23	0.31	240	0.048	1	1.17	0.008	0.09	0.2	0.06	2.0	0.1	0.06	6	<0.5	<0.2
50MI11CL0177	Soil		30	0.52	270	0.054	2	1.71	0.010	0.08	0.2	0.05	3.2	0.1	<0.05	5	<0.5	<0.2
50MI11CL0178	Soil		30	0.49	302	0.036	1	1.56	0.009	0.09	0.3	0.05	2.1	0.1	<0.05	5	0.6	<0.2
50MI11CL0179	Soil		26	0.39	259	0.061	1	1.35	0.007	0.07	0.2	0.04	1.9	<0.1	<0.05	6	0.6	<0.2
50MI11CL0180	Soil		29	0.47	147	0.056	1	1.64	0.009	0.08	0.3	0.05	2.7	0.2	<0.05	4	1.0	<0.2
50MI11CL0181	Soil		28	0.40	361	0.038	<1	1.36	0.009	0.07	0.2	0.06	3.6	0.1	<0.05	4	0.7	<0.2
50MI11CL0182	Soil		28	0.45	282	0.039	<1	1.36	0.009	0.07	0.2	0.03	2.6	0.1	<0.05	4	<0.5	<0.2
50MI11CL0183	Soil		25	0.40	204	0.041	<1	1.46	0.013	0.10	0.2	0.01	2.1	0.1	<0.05	5	<0.5	<0.2
50MI11CL0184	Soil		28	0.47	253	0.050	1	1.59	0.016	0.07	0.2	0.04	3.6	0.1	<0.05	5	<0.5	<0.2
50MI11CL0185	Soil		30	0.53	231	0.053	2	1.59	0.010	0.07	0.2	0.03	3.0	0.1	<0.05	5	<0.5	<0.2
50MI11CL0186	Soil		32	0.54	281	0.052	<1	2.08	0.012	0.08	0.2	0.03	4.0	0.1	<0.05	6	<0.5	<0.2
50MI11CL0187	Soil		26	0.42	176	0.033	<1	1.43	0.009	0.08	0.1	0.02	2.2	<0.1	<0.05	5	0.6	<0.2
50MI11CL0188	Soil		25	0.39	253	0.036	<1	1.54	0.012	0.07	0.2	0.03	2.6	0.1	<0.05	5	<0.5	<0.2
50MI11CL0189	Soil		28	0.47	303	0.036	1	1.70	0.010	0.07	0.2	0.03	3.1	0.1	<0.05	5	<0.5	<0.2
50MI11CL0190	Soil		28	0.50	341	0.041	1	1.66	0.011	0.06	0.2	0.06	3.8	<0.1	<0.05	5	<0.5	<0.2
50MI11CL0191	Soil		25	0.48	285	0.046	<1	1.55	0.013	0.06	0.2	0.03	3.3	<0.1	<0.05	4	<0.5	<0.2
50MI11CL0192	Soil		26	0.42	198	0.048	<1	1.41	0.011	0.06	0.1	0.03	2.6	0.1	<0.05	4	<0.5	<0.2
50MI11CL0193	Soil		32	0.65	186	0.040	1	1.72	0.013	0.09	0.2	0.04	2.8	0.1	<0.05	5	0.6	<0.2
50MI11CL0194	Soil		34	0.58	198	0.042	<1	1.66	0.013	0.09	0.2	0.03	2.9	0.1	<0.05	6	1.1	<0.2
50MI11CL0195	Soil		36	0.59	175	0.044	<1	1.62	0.013	0.07	0.2	0.04	2.6	0.1	<0.05	6	0.7	<0.2
50MI11CL0196	Soil		45	0.77	249	0.046	<1	1.75	0.014	0.07	0.1	0.04	3.4	<0.1	<0.05	6	<0.5	<0.2
50MI11CL0197	Soil		85	0.85	247	0.056	1	1.68	0.013	0.07	0.1	0.02	3.2	<0.1	<0.05	6	<0.5	<0.2
50MI11CL0198	Soil		30	0.48	229	0.035	<1	1.68	0.014	0.06	0.2	0.04	2.1	0.1	<0.05	6	<0.5	<0.2
50MI11CL0199	Soil		100	1.84	68	0.210	<1	3.07	0.045	0.07	<0.1	0.02	6.4	<0.1	<0.05	9	<0.5	<0.2
50MI11CL0200	Soil		82	1.25	401	0.085	<1	2.42	0.016	0.21	0.1	0.04	6.1	0.2	<0.05	9	1.2	<0.2
50MI11CL0200 DUP	Soil		73	1.16	393	0.078	1	2.37	0.016	0.17	0.1	0.01	6.0	0.2	<0.05	8	1.2	0.3
50MI11CL0201	Soil		38	0.78	165	0.062	1	1.98	0.009	0.16	<0.1	0.02	2.6	0.3	<0.05	6	<0.5	<0.2
50MI11CL0202	Soil		34	0.70	128	0.065	1	1.83	0.009	0.15	<0.1	0.02	2.4	0.2	<0.05	6	<0.5	<0.2
50MI11CL0203	Soil		45	0.86	156	0.085	<1	1.91	0.012	0.14	0.2	0.03	2.8	0.2	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001932.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
50MI11CL0204	Soil	4.8	25.6	11.8	75	<0.1	23.5	13.1	554	3.62	6.6	3.2	20.1	21	0.2	0.6	0.6	68	0.30	0.047	77
50MI11CL0205	Soil	0.6	23.3	9.7	55	<0.1	22.0	9.6	337	2.61	6.9	4.3	3.5	27	<0.1	0.4	0.2	63	0.32	0.054	18
50MI11AM0176	Soil	0.5	19.8	98.5	99	0.4	18.3	10.2	257	2.53	29.7	2.1	12.9	21	0.3	1.2	0.7	48	0.28	0.070	31
50MI11AM0177	Soil	0.6	13.9	54.5	96	0.3	16.1	8.1	245	2.90	32.4	1.4	7.1	17	0.1	1.2	0.4	49	0.20	0.068	21
50MI11AM0178	Soil	0.8	19.4	18.1	79	0.1	18.7	10.4	468	2.81	10.7	3.0	9.8	20	0.2	0.5	0.3	48	0.27	0.067	29
50MI11AM0179	Soil	0.7	10.8	20.3	63	0.2	14.0	7.6	307	2.12	17.8	1.8	4.7	18	<0.1	0.4	0.5	39	0.22	0.054	17
50MI11AM0180	Soil	0.9	9.5	14.5	62	0.2	15.2	5.8	268	2.42	13.0	3.2	2.8	18	0.1	0.4	0.3	48	0.21	0.056	13
50MI11AM0181	Soil	0.7	14.0	17.2	78	0.2	21.1	5.5	228	2.20	5.1	<0.5	1.5	15	0.1	0.2	0.3	48	0.24	0.043	8
50MI11AM0182	Soil	1.0	10.7	12.0	92	0.2	15.0	5.7	181	2.04	5.7	1.6	1.9	17	0.3	0.2	0.3	49	0.28	0.044	10
50MI11AM0183	Soil	1.2	33.7	12.5	85	0.2	31.0	10.6	437	3.13	4.1	5.1	1.9	20	<0.1	0.3	0.3	77	0.27	0.048	10
50MI11AM0184	Soil	0.9	31.3	16.8	87	0.3	85.2	17.1	496	3.54	4.5	2.0	2.5	21	0.2	0.2	0.3	97	0.26	0.037	9
50MI11AM0185	Soil	0.8	17.8	14.2	64	0.1	16.6	12.1	965	2.56	5.2	0.6	4.5	27	0.2	0.3	0.2	60	0.74	0.062	26
50MI11AM0186	Soil	1.2	24.8	17.1	92	0.2	28.0	11.6	667	2.52	26.5	11.1	4.6	34	0.2	0.8	0.2	42	0.42	0.080	16
50MI11AM0187	Soil	1.3	23.8	14.4	91	0.1	28.2	12.1	763	2.60	28.7	12.6	4.6	27	0.4	0.8	0.2	41	0.37	0.080	17
50MI11AM0188	Soil	1.0	18.2	8.5	71	<0.1	20.4	11.3	405	2.61	10.9	2.2	2.5	31	0.3	0.6	0.2	52	0.37	0.075	14
50MI11AM0189	Soil	0.8	18.3	8.0	61	<0.1	19.6	9.8	332	2.25	8.8	2.4	3.3	34	0.4	0.7	0.1	50	0.52	0.076	13
50MI11AM0190	Soil	1.0	24.1	10.4	60	0.1	18.3	10.2	207	2.52	19.9	2.0	1.4	18	0.1	0.7	0.2	52	0.16	0.054	13
50MI11AM0191	Soil	0.5	18.0	9.2	51	0.1	13.7	4.0	99	1.98	12.7	2.6	1.4	16	0.2	0.5	0.2	47	0.18	0.056	12
50MI11AM0192	Soil	0.5	19.4	9.7	57	0.1	15.3	5.3	133	2.04	13.1	3.0	2.4	18	0.2	0.6	0.2	47	0.19	0.048	13
50MI11AM0193	Soil	0.3	16.0	9.2	51	<0.1	14.0	4.6	102	2.15	12.9	6.0	1.9	17	0.2	0.5	0.1	48	0.18	0.045	12
50MI11AM0194	Soil	0.2	19.8	10.0	52	0.1	13.9	4.9	101	1.83	14.4	4.7	2.5	18	0.2	0.5	0.2	47	0.20	0.040	13
50MI11AM0195	Soil	0.3	18.2	9.1	57	<0.1	15.5	5.6	126	2.43	16.2	4.3	2.5	19	0.2	0.5	0.1	51	0.23	0.056	14
50MI11AM0196	Soil	0.8	18.0	7.9	54	0.1	14.6	6.3	182	2.26	20.4	5.7	3.4	22	0.2	0.5	0.1	45	0.23	0.058	15
50MI11AM0197	Soil	1.0	17.7	9.2	54	0.1	16.7	5.9	138	2.23	22.8	6.4	1.8	19	0.1	0.4	0.2	47	0.21	0.056	13
50MI11AM0198	Soil	0.6	19.1	6.8	55	<0.1	393.4	25.3	380	2.54	8.2	10.4	2.3	33	0.1	0.5	0.1	44	0.40	0.051	12
50MI11AM0199	Soil	0.6	22.0	8.8	53	<0.1	139.3	13.8	242	2.37	9.7	6.2	3.5	26	0.1	0.6	0.1	45	0.32	0.047	14
50MI11AM0200	Soil	0.8	22.7	12.1	58	0.1	25.2	8.1	185	2.52	11.7	3.7	4.1	29	0.2	0.6	0.2	53	0.41	0.051	17
50MI11AM0200 DUP	Soil	0.7	23.0	10.4	56	<0.1	24.7	7.8	179	2.62	12.1	1.5	3.9	28	<0.1	0.7	0.1	50	0.38	0.050	17
50MI11AM0201	Soil	0.7	24.9	10.6	59	0.1	20.6	8.0	201	2.56	10.3	2.6	4.4	31	0.3	0.7	0.3	52	0.39	0.057	18
50MI11AM0202	Soil	0.7	23.7	10.8	63	0.1	19.2	11.7	370	2.64	12.3	2.2	3.8	30	0.3	0.7	0.2	48	0.39	0.059	18

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001932.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
50MI11CL0204	Soil	39	0.79	210	0.079	1	1.84	0.013	0.13	0.2	0.02	5.9	0.2	<0.05	7	<0.5	<0.2
50MI11CL0205	Soil	35	0.68	264	0.078	1	1.99	0.016	0.06	<0.1	0.02	4.4	<0.1	<0.05	7	<0.5	<0.2
50MI11AM0176	Soil	27	0.58	217	0.089	1	1.74	0.014	0.11	0.1	0.05	3.4	0.1	<0.05	6	<0.5	<0.2
50MI11AM0177	Soil	27	0.55	168	0.053	<1	1.96	0.012	0.10	0.1	0.05	2.9	0.2	<0.05	6	0.9	<0.2
50MI11AM0178	Soil	30	0.60	246	0.078	<1	1.96	0.011	0.10	0.2	0.04	3.6	0.2	<0.05	6	0.7	<0.2
50MI11AM0179	Soil	21	0.45	153	0.044	<1	1.43	0.010	0.06	0.2	0.04	2.1	0.1	<0.05	5	0.6	<0.2
50MI11AM0180	Soil	28	0.64	121	0.039	1	1.51	0.011	0.04	0.1	0.04	2.1	0.1	<0.05	6	<0.5	<0.2
50MI11AM0181	Soil	48	1.06	100	0.067	<1	1.72	0.011	0.06	0.1	0.04	2.4	0.1	<0.05	6	<0.5	<0.2
50MI11AM0182	Soil	28	0.64	107	0.050	<1	1.58	0.013	0.06	<0.1	0.04	2.2	<0.1	0.05	6	<0.5	<0.2
50MI11AM0183	Soil	66	1.59	211	0.083	<1	2.56	0.011	0.11	<0.1	0.03	4.0	0.2	0.06	8	<0.5	<0.2
50MI11AM0184	Soil	200	2.38	255	0.195	<1	3.12	0.013	0.33	<0.1	0.03	4.0	0.2	<0.05	9	<0.5	<0.2
50MI11AM0185	Soil	32	0.78	356	0.076	<1	1.89	0.017	0.10	0.1	0.05	3.3	0.2	<0.05	6	<0.5	<0.2
50MI11AM0186	Soil	27	0.51	215	0.047	<1	0.97	0.013	0.08	0.6	0.03	2.8	<0.1	<0.05	3	<0.5	<0.2
50MI11AM0187	Soil	26	0.53	202	0.045	<1	0.97	0.011	0.09	0.6	0.27	2.8	<0.1	<0.05	3	<0.5	<0.2
50MI11AM0188	Soil	26	0.48	237	0.054	<1	1.29	0.020	0.05	0.4	0.04	2.5	<0.1	<0.05	4	<0.5	<0.2
50MI11AM0189	Soil	25	0.52	244	0.064	1	1.21	0.025	0.06	0.3	0.02	2.7	<0.1	<0.05	4	<0.5	<0.2
50MI11AM0190	Soil	25	0.41	226	0.043	<1	1.73	0.017	0.04	1.3	0.06	2.4	0.1	<0.05	5	<0.5	<0.2
50MI11AM0191	Soil	24	0.35	169	0.045	<1	1.47	0.012	0.05	0.2	0.07	2.0	<0.1	<0.05	5	<0.5	<0.2
50MI11AM0192	Soil	25	0.39	188	0.051	<1	1.59	0.012	0.04	0.2	0.06	2.4	<0.1	<0.05	5	<0.5	<0.2
50MI11AM0193	Soil	24	0.38	174	0.044	<1	1.51	0.012	0.04	0.2	0.05	2.3	<0.1	<0.05	4	<0.5	<0.2
50MI11AM0194	Soil	25	0.39	193	0.049	<1	1.64	0.012	0.04	0.2	0.06	2.5	<0.1	<0.05	5	<0.5	<0.2
50MI11AM0195	Soil	25	0.39	199	0.052	<1	1.48	0.013	0.04	0.2	0.04	2.5	<0.1	<0.05	4	<0.5	<0.2
50MI11AM0196	Soil	23	0.37	218	0.066	<1	1.40	0.013	0.04	0.2	0.03	2.5	<0.1	<0.05	4	<0.5	<0.2
50MI11AM0197	Soil	23	0.37	188	0.046	<1	1.47	0.010	0.04	0.2	0.04	2.3	<0.1	<0.05	4	<0.5	<0.2
50MI11AM0198	Soil	229	3.54	302	0.049	1	1.86	0.013	0.05	0.1	0.04	3.7	<0.1	<0.05	5	<0.5	<0.2
50MI11AM0199	Soil	79	1.11	243	0.054	<1	1.62	0.013	0.05	0.2	0.04	2.9	<0.1	<0.05	4	<0.5	<0.2
50MI11AM0200	Soil	35	0.46	273	0.058	<1	1.70	0.013	0.05	0.1	0.04	3.4	<0.1	<0.05	5	<0.5	<0.2
50MI11AM0200 DUP	Soil	34	0.47	249	0.056	<1	1.71	0.013	0.05	0.2	0.03	3.3	<0.1	<0.05	5	<0.5	<0.2
50MI11AM0201	Soil	27	0.42	328	0.058	<1	1.73	0.015	0.05	0.2	0.05	3.7	0.1	<0.05	5	<0.5	<0.2
50MI11AM0202	Soil	25	0.42	310	0.048	<1	1.62	0.014	0.06	0.1	0.05	3.3	<0.1	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001932.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
50MI11AM0203	Soil	0.5	24.8	9.8	59	<0.1	20.0	9.6	269	2.56	10.5	3.9	5.3	27	0.3	0.7	0.2	54	0.47	0.058	18
50MI11AM0204	Soil	0.7	27.9	11.1	70	0.1	25.9	11.3	981	2.80	14.4	3.7	5.1	31	0.3	0.7	0.2	53	0.59	0.062	19
50MI11AM0205	Soil	0.7	36.3	19.2	67	0.2	22.0	9.0	259	2.73	18.0	5.5	6.0	29	0.2	0.9	0.2	55	0.37	0.047	19
50MI11AM0206	Soil	0.4	27.1	9.9	64	0.1	14.3	9.7	273	2.84	10.6	4.1	4.5	23	0.1	0.6	0.2	57	0.33	0.048	16
50MI11AM0207	Soil	0.8	32.1	9.7	70	0.1	20.0	9.7	383	2.96	8.0	1.6	5.1	31	0.2	0.6	0.2	53	0.42	0.052	18
50MI11AM0208	Soil	0.6	28.6	11.9	72	0.1	17.0	9.3	290	3.07	7.6	3.0	6.2	27	0.2	0.7	0.2	60	0.39	0.042	18
50MI11AM0209	Soil	0.7	28.2	11.5	82	0.1	18.3	10.6	448	2.85	6.2	5.4	4.5	30	0.2	0.6	0.2	59	0.54	0.051	17
50MI11AM0210	Soil	0.8	24.2	10.9	66	0.1	14.4	10.4	444	2.60	5.7	3.3	4.3	25	0.2	0.6	0.2	53	0.47	0.049	16
50MI11CL0206	Soil	1.3	21.7	10.8	70	<0.1	25.4	15.9	659	3.83	6.2	2.5	7.2	24	0.1	0.4	0.3	86	0.45	0.077	27
50MI11CL0207	Soil	0.9	21.1	12.1	70	<0.1	20.0	12.9	433	3.44	6.5	2.2	7.3	22	0.1	0.5	0.2	78	0.38	0.069	26
50MI11CL0208	Soil	1.1	20.0	10.9	73	<0.1	22.0	15.2	646	3.50	5.9	2.9	13.6	24	0.2	0.5	0.3	77	0.47	0.071	39
50MI11CL0209	Soil	0.7	19.8	7.8	67	<0.1	22.8	17.9	387	3.80	5.9	1.9	8.7	22	0.1	0.4	0.2	102	0.50	0.073	20
50MI11CL0210	Soil	0.5	18.9	11.7	63	<0.1	22.8	16.2	843	3.33	6.1	2.8	7.9	22	0.1	0.4	0.2	83	0.49	0.064	19
50MI11CL0211	Soil	0.6	14.8	12.7	65	<0.1	19.6	12.4	414	2.72	5.2	1.7	4.9	23	0.1	0.3	0.2	67	0.39	0.066	14
50MI11CL0212	Soil	0.6	11.1	9.3	51	<0.1	15.6	7.0	152	2.52	5.3	1.8	5.3	16	0.1	0.4	0.2	50	0.24	0.055	19
50MI11CL0213	Soil	0.7	18.1	10.1	60	0.1	19.3	9.1	266	2.74	7.7	1.8	7.4	21	0.1	0.5	0.2	58	0.29	0.064	23
50MI11CL0214	Soil	1.0	24.9	12.3	76	<0.1	31.9	16.8	570	3.99	8.1	2.0	7.1	25	0.2	0.4	0.2	99	0.53	0.058	24
50MI11CL0215	Soil	0.8	15.1	6.6	55	0.1	11.0	9.2	665	2.45	3.5	1.9	1.9	112	<0.1	0.2	0.1	66	0.68	0.105	17
50MI11CL0216	Soil	1.1	17.8	6.4	59	0.1	12.8	12.2	593	3.28	4.8	2.9	1.4	117	0.1	0.2	0.1	96	0.87	0.125	15
50MI11CL0217	Soil	0.9	25.1	6.3	54	0.1	13.3	11.0	366	3.48	5.6	3.3	2.3	102	<0.1	0.2	<0.1	110	0.86	0.105	14
50MI11CL0218	Soil	0.8	13.5	7.3	50	<0.1	11.4	6.0	308	2.31	6.0	3.0	1.8	81	<0.1	0.2	0.1	53	0.64	0.080	13
50MI11CL0219	Soil	1.1	21.7	7.9	52	<0.1	21.2	16.3	509	3.99	7.4	1.4	2.3	60	0.1	0.3	0.1	113	0.48	0.081	9
50MI11CL0220	Soil	0.7	15.4	6.0	44	<0.1	13.3	10.8	353	2.98	6.4	0.9	1.7	248	<0.1	0.2	<0.1	87	0.79	0.076	12
50MI11CL0221	Soil	1.6	19.8	9.0	49	<0.1	17.0	8.6	294	3.05	12.5	2.7	2.3	72	0.2	0.3	0.2	90	0.44	0.048	11
50MI11CL0222	Soil	0.6	22.2	7.8	55	0.1	21.4	8.5	331	2.15	5.9	2.1	2.9	48	0.1	0.4	0.1	52	0.55	0.062	16
50MI11CL0223	Soil	0.6	18.2	6.8	46	0.1	15.9	6.6	300	2.03	6.4	1.5	2.5	60	<0.1	0.3	0.1	53	0.53	0.056	16
50MI11CL0224	Soil	0.8	15.5	6.8	46	<0.1	18.7	7.7	286	2.25	7.4	1.2	3.2	38	<0.1	0.4	0.1	58	0.28	0.019	16
50MI11CL0225	Soil	0.9	14.4	8.0	49	<0.1	18.0	7.8	334	2.57	7.9	2.3	2.7	76	0.1	0.4	0.1	64	0.33	0.022	14
50MI11CL0226	Soil	0.8	12.7	9.3	47	<0.1	12.1	7.2	603	2.31	5.1	0.8	2.5	113	<0.1	0.2	0.1	51	0.48	0.049	18
50MI11CL0227	Soil	0.8	14.5	7.8	50	<0.1	13.5	7.4	508	2.56	7.1	1.7	2.8	57	0.1	0.3	0.1	62	0.34	0.031	14

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001932.2

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
50MI11AM0203	Soil		28	0.48	299	0.069	<1	1.48	0.018	0.06	0.2	0.03	3.6	<0.1	<0.05	4	<0.5	<0.2
50MI11AM0204	Soil		29	0.49	436	0.055	1	1.60	0.022	0.07	0.2	0.05	3.9	<0.1	<0.05	5	<0.5	<0.2
50MI11AM0205	Soil		27	0.40	598	0.045	<1	1.80	0.014	0.06	0.2	0.06	5.1	<0.1	<0.05	5	0.5	<0.2
50MI11AM0206	Soil		23	0.43	443	0.042	<1	1.78	0.013	0.06	0.1	0.03	4.3	<0.1	<0.05	5	<0.5	<0.2
50MI11AM0207	Soil		25	0.46	543	0.053	<1	1.75	0.016	0.07	0.2	0.05	4.8	<0.1	<0.05	4	<0.5	<0.2
50MI11AM0208	Soil		25	0.49	488	0.061	<1	1.79	0.016	0.07	0.1	0.03	4.8	<0.1	<0.05	5	0.7	<0.2
50MI11AM0209	Soil		24	0.49	532	0.056	<1	1.83	0.015	0.07	0.2	0.05	5.1	<0.1	<0.05	5	<0.5	<0.2
50MI11AM0210	Soil		21	0.39	467	0.040	<1	1.61	0.013	0.05	0.1	0.04	4.7	<0.1	<0.05	4	<0.5	<0.2
50MI11CL0206	Soil		50	0.86	289	0.132	2	2.39	0.015	0.13	0.2	0.03	6.6	0.1	0.07	10	<0.5	<0.2
50MI11CL0207	Soil		36	0.82	240	0.155	2	2.21	0.018	0.13	0.2	0.03	4.8	0.1	0.07	8	<0.5	<0.2
50MI11CL0208	Soil		42	0.82	267	0.085	2	2.00	0.016	0.08	0.2	0.03	6.4	0.1	0.07	8	<0.5	<0.2
50MI11CL0209	Soil		45	1.14	256	0.206	2	2.15	0.019	0.19	0.3	0.02	6.0	0.1	<0.05	10	<0.5	<0.2
50MI11CL0210	Soil		49	0.80	261	0.099	2	2.05	0.019	0.05	0.1	0.05	5.6	<0.1	0.08	8	<0.5	<0.2
50MI11CL0211	Soil		40	0.76	228	0.086	2	2.06	0.017	0.05	0.2	0.05	4.5	0.1	0.08	8	<0.5	<0.2
50MI11CL0212	Soil		29	0.56	165	0.046	2	1.78	0.011	0.06	0.1	0.05	2.9	0.1	0.07	7	<0.5	<0.2
50MI11CL0213	Soil		29	0.58	220	0.077	2	1.70	0.018	0.07	0.2	0.05	3.6	0.1	0.10	6	<0.5	<0.2
50MI11CL0214	Soil		64	1.14	348	0.140	2	2.63	0.018	0.15	0.2	0.04	5.8	0.2	0.06	9	<0.5	<0.2
50MI11CL0215	Soil		21	0.80	246	0.021	<1	2.23	0.021	0.05	<0.1	0.03	4.1	<0.1	0.06	7	<0.5	<0.2
50MI11CL0216	Soil		30	0.99	159	0.026	1	2.90	0.025	0.04	<0.1	0.03	5.5	<0.1	0.07	7	<0.5	<0.2
50MI11CL0217	Soil		36	0.92	102	0.071	1	2.61	0.031	0.03	<0.1	0.04	8.3	<0.1	0.06	7	<0.5	<0.2
50MI11CL0218	Soil		21	0.58	188	0.022	1	2.22	0.016	0.03	<0.1	0.03	2.9	<0.1	0.08	6	<0.5	<0.2
50MI11CL0219	Soil		49	0.95	246	0.048	<1	3.86	0.017	0.04	<0.1	0.02	6.4	<0.1	<0.05	8	<0.5	<0.2
50MI11CL0220	Soil		23	0.74	347	0.050	<1	2.90	0.039	0.05	<0.1	0.02	4.8	<0.1	<0.05	6	<0.5	<0.2
50MI11CL0221	Soil		32	0.57	193	0.065	1	2.66	0.014	0.05	0.2	0.03	3.5	0.1	<0.05	7	<0.5	<0.2
50MI11CL0222	Soil		31	0.58	346	0.052	1	1.84	0.016	0.05	0.2	0.04	3.9	<0.1	0.09	5	<0.5	<0.2
50MI11CL0223	Soil		26	0.49	299	0.053	<1	1.69	0.018	0.05	0.2	0.03	3.1	<0.1	<0.05	5	<0.5	<0.2
50MI11CL0224	Soil		30	0.53	225	0.063	<1	1.61	0.015	0.04	0.1	0.02	3.4	<0.1	<0.05	5	<0.5	<0.2
50MI11CL0225	Soil		30	0.55	255	0.052	<1	2.20	0.018	0.05	0.1	0.02	2.9	<0.1	<0.05	6	<0.5	<0.2
50MI11CL0226	Soil		23	0.51	311	0.023	<1	2.00	0.018	0.04	<0.1	0.03	3.3	<0.1	<0.05	5	<0.5	<0.2
50MI11CL0227	Soil		27	0.58	319	0.033	<1	2.27	0.014	0.04	<0.1	0.03	3.4	<0.1	0.06	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001932.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
50MI11CL0228	Soil	1.0	11.6	8.1	47	<0.1	14.2	7.1	282	2.66	7.2	0.9	2.6	70	<0.1	0.3	0.1	57	0.25	0.020	12
50MI11CL0229	Soil	0.8	10.9	7.9	38	<0.1	10.3	6.4	391	2.21	5.1	0.8	2.5	51	<0.1	0.2	<0.1	49	0.34	0.034	15
50MI11CL0230	Soil	1.1	16.4	7.8	61	<0.1	15.7	14.0	776	2.59	6.3	1.8	1.0	19	0.2	0.3	0.2	55	0.19	0.065	12
50MI11CL0231	Soil	0.8	18.8	7.4	43	0.1	15.6	6.2	178	2.05	6.5	4.9	0.8	16	0.1	0.3	0.2	46	0.17	0.045	13
50MI11CL0232	Soil	0.7	21.0	6.8	48	<0.1	17.3	6.6	207	2.00	5.8	2.9	2.3	17	<0.1	0.4	0.1	44	0.19	0.045	14
50MI11CL0233	Soil	0.9	32.2	7.0	66	<0.1	22.8	8.1	318	2.37	6.4	14.9	2.6	21	0.1	0.4	0.1	52	0.26	0.046	13
50MI11CL0234	Soil	1.0	37.9	7.6	75	0.2	26.9	10.3	460	2.50	7.0	3.9	3.7	29	0.2	0.5	0.2	55	0.37	0.069	15
50MI11CL0235	Soil	1.1	33.8	8.1	48	0.1	20.1	7.3	288	2.20	5.3	1.9	1.4	11	0.1	0.3	0.2	48	0.10	0.026	10
50MI11CL0236	Soil	1.9	21.3	8.8	67	0.4	18.5	6.8	254	2.17	7.3	2.2	1.3	9	0.4	0.4	0.3	50	0.07	0.057	9
50MI11CL0237	Soil	1.9	34.0	7.0	56	1.0	18.4	5.6	166	1.63	4.4	4.2	0.4	14	0.9	0.3	0.5	29	0.10	0.064	8
50MI11CL0238	Soil	2.9	32.7	5.8	80	0.3	22.4	5.2	115	1.65	2.8	1.7	0.4	10	0.3	0.3	0.3	31	0.05	0.052	12
50MI11CL0239	Soil	0.8	14.9	10.5	53	<0.1	18.7	8.4	225	3.15	11.2	3.7	3.2	12	0.2	0.5	0.2	66	0.12	0.033	10
50MI11CL0240	Soil	1.5	17.7	13.2	52	0.3	17.6	6.8	223	2.58	13.0	9.9	3.0	18	0.2	1.0	0.3	61	0.14	0.051	12

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001932.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
50MI11CL0228	Soil	25	0.48	315	0.036	<1	2.64	0.012	0.03	<0.1	0.04	2.7	<0.1	<0.05	7	<0.5	<0.2
50MI11CL0229	Soil	20	0.46	236	0.024	<1	1.82	0.014	0.03	<0.1	0.02	2.8	<0.1	<0.05	6	<0.5	<0.2
50MI11CL0230	Soil	22	0.40	196	0.033	<1	1.66	0.010	0.04	0.1	0.02	2.3	0.1	<0.05	5	<0.5	<0.2
50MI11CL0231	Soil	25	0.37	164	0.044	<1	1.47	0.009	0.05	0.1	0.04	2.1	<0.1	<0.05	4	<0.5	<0.2
50MI11CL0232	Soil	25	0.40	154	0.054	<1	1.29	0.008	0.05	0.1	0.02	2.6	<0.1	<0.05	4	<0.5	<0.2
50MI11CL0233	Soil	31	0.56	204	0.085	1	1.40	0.012	0.07	0.1	0.02	3.1	<0.1	<0.05	5	<0.5	<0.2
50MI11CL0234	Soil	33	0.64	252	0.098	1	1.42	0.020	0.10	<0.1	0.02	3.7	0.1	<0.05	4	<0.5	<0.2
50MI11CL0235	Soil	25	0.33	223	0.058	1	1.38	0.010	0.12	<0.1	0.03	2.3	0.1	<0.05	5	<0.5	<0.2
50MI11CL0236	Soil	19	0.19	101	0.041	<1	0.92	0.009	0.04	0.1	0.03	1.4	0.1	<0.05	5	<0.5	<0.2
50MI11CL0237	Soil	16	0.16	372	0.013	1	0.88	0.012	0.04	0.1	0.09	1.4	0.2	0.06	3	0.7	<0.2
50MI11CL0238	Soil	16	0.10	114	0.012	<1	0.44	0.009	0.05	0.1	0.03	0.7	<0.1	0.08	2	1.5	<0.2
50MI11CL0239	Soil	34	0.45	143	0.072	2	2.47	0.009	0.05	0.2	0.04	2.7	0.1	<0.05	6	<0.5	<0.2
50MI11CL0240	Soil	28	0.30	452	0.061	1	1.48	0.012	0.06	0.3	0.06	2.6	0.1	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

QUALITY CONTROL REPORT WHI11001932.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
Pulp Duplicates																					
50MI11AN0214	Soil	2.0	37.3	17.8	74	0.2	24.5	9.1	384	2.62	51.3	3.1	2.1	11	0.4	0.6	0.3	43	0.08	0.058	13
REP 50MI11AN0214	QC	2.0	36.9	17.3	76	0.2	24.8	9.0	388	2.67	51.5	2.3	2.1	11	0.4	0.6	0.3	43	0.08	0.058	13
50MI11AN0232	Soil	0.5	7.6	7.9	62	<0.1	13.9	12.0	401	3.51	3.8	0.5	4.4	11	<0.1	3.8	<0.1	69	0.13	0.022	9
REP 50MI11AN0232	QC	0.5	7.7	8.1	63	<0.1	14.1	12.1	416	3.59	3.9	0.6	4.5	12	<0.1	3.8	<0.1	72	0.14	0.023	9
50MI11LA0178	Soil	0.4	34.6	11.3	93	<0.1	30.1	15.3	457	5.20	2.2	1.1	12.6	57	<0.1	0.2	0.2	96	0.67	0.076	34
REP 50MI11LA0178	QC	0.6	33.8	10.8	90	<0.1	29.4	14.8	451	5.13	1.8	2.3	12.4	57	<0.1	0.3	0.2	94	0.64	0.077	34
50MI11LA0193	Soil	0.5	32.4	11.1	63	0.1	25.8	15.0	778	3.06	8.6	7.0	4.8	38	0.3	0.8	0.1	61	0.72	0.049	17
REP 50MI11LA0193	QC	0.5	33.7	11.2	67	0.1	27.2	15.7	827	3.20	8.5	2.9	5.1	39	0.3	0.7	0.2	62	0.76	0.053	17
50MI11CL0148	Soil	1.2	33.5	10.2	73	0.2	27.5	10.9	423	2.55	9.7	3.0	4.3	41	0.4	0.7	0.2	54	0.88	0.076	14
REP 50MI11CL0148	QC	1.0	34.1	10.3	74	0.1	27.0	10.8	423	2.60	9.6	3.9	4.2	41	0.4	0.8	0.2	54	0.90	0.078	14
50MI11CL0165	Soil	0.8	18.2	9.3	59	<0.1	14.2	7.9	239	2.43	6.1	0.8	2.9	23	0.2	0.5	0.2	55	0.29	0.059	15
REP 50MI11CL0165	QC	0.6	18.1	9.1	60	<0.1	14.1	8.2	240	2.41	5.9	3.8	2.9	23	0.2	0.5	0.1	55	0.29	0.058	15
50MI11AM0149	Soil	1.9	14.6	12.4	53	0.1	17.5	7.4	252	2.99	6.7	1.2	5.4	8	<0.1	0.3	0.2	73	0.07	0.024	15
REP 50MI11AM0149	QC	1.9	14.0	12.3	54	0.1	17.2	6.8	239	2.89	6.3	0.9	5.1	8	<0.1	0.3	0.2	70	0.07	0.024	15
50MI11AM0174	Soil	0.7	16.7	57.3	81	0.3	16.6	8.5	306	2.65	33.2	5.6	9.7	22	0.2	0.7	0.6	48	0.30	0.062	28
REP 50MI11AM0174	QC	0.7	16.5	56.9	79	0.3	15.7	8.4	303	2.58	32.4	2.4	9.4	21	0.3	0.7	0.6	46	0.29	0.059	27
50MI11CL0178	Soil	1.5	24.3	11.5	64	0.1	23.1	9.7	521	2.95	13.2	4.3	1.5	22	0.3	0.6	0.3	60	0.18	0.065	12
REP 50MI11CL0178	QC	1.4	23.6	11.5	66	0.1	23.1	9.6	501	2.92	12.7	3.3	1.4	22	0.3	0.7	0.3	59	0.16	0.066	12
50MI11CL0194	Soil	1.5	25.7	16.4	86	0.3	22.0	7.8	227	2.62	4.6	1.0	3.9	21	0.4	0.3	0.3	51	0.24	0.055	17
REP 50MI11CL0194	QC	1.5	26.1	16.6	86	0.3	22.6	8.2	229	2.68	4.8	10.0	3.8	22	0.4	0.4	0.3	53	0.25	0.055	18
50MI11AM0181	Soil	0.7	14.0	17.2	78	0.2	21.1	5.5	228	2.20	5.1	<0.5	1.5	15	0.1	0.2	0.3	48	0.24	0.043	8
REP 50MI11AM0181	QC	0.8	13.6	17.4	81	0.2	21.5	5.5	231	2.23	5.2	3.0	1.8	16	0.2	0.2	0.3	49	0.23	0.042	8
50MI11AM0196	Soil	0.8	18.0	7.9	54	0.1	14.6	6.3	182	2.26	20.4	5.7	3.4	22	0.2	0.5	0.1	45	0.23	0.058	15
REP 50MI11AM0196	QC	0.9	18.1	8.2	55	0.1	14.8	6.2	176	2.22	21.2	6.7	3.2	22	0.1	0.4	0.1	45	0.25	0.059	15
50MI11CL0209	Soil	0.7	19.8	7.8	67	<0.1	22.8	17.9	387	3.80	5.9	1.9	8.7	22	0.1	0.4	0.2	102	0.50	0.073	20
REP 50MI11CL0209	QC	0.6	18.8	7.5	64	<0.1	22.6	17.4	379	3.64	5.8	1.6	8.2	21	0.1	0.3	0.2	95	0.47	0.069	19
50MI11CL0225	Soil	0.9	14.4	8.0	49	<0.1	18.0	7.8	334	2.57	7.9	2.3	2.7	76	0.1	0.4	0.1	64	0.33	0.022	14
REP 50MI11CL0225	QC	0.9	14.9	8.4	51	<0.1	18.8	7.9	336	2.59	8.0	5.8	2.8	79	<0.1	0.4	0.1	64	0.34	0.022	14

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

QUALITY CONTROL REPORT WHI11001932.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																	
50MI11AN0214	Soil	25	0.23	151	0.024	<1	1.04	0.007	0.06	0.1	0.04	2.1	<0.1	<0.05	4	0.6	<0.2
REP 50MI11AN0214	QC	25	0.23	149	0.025	<1	1.02	0.006	0.06	0.1	0.04	2.0	<0.1	<0.05	4	0.6	<0.2
50MI11AN0232	Soil	44	0.97	198	0.115	<1	1.90	0.008	0.59	0.1	0.12	4.7	0.3	<0.05	6	<0.5	<0.2
REP 50MI11AN0232	QC	46	0.99	210	0.118	<1	1.94	0.008	0.61	0.1	0.18	5.1	0.3	0.06	6	<0.5	<0.2
50MI11LA0178	Soil	81	1.33	300	0.243	1	3.66	0.021	0.70	<0.1	0.01	9.3	0.4	<0.05	14	<0.5	<0.2
REP 50MI11LA0178	QC	80	1.34	298	0.241	<1	3.63	0.021	0.70	<0.1	0.02	9.0	0.4	<0.05	13	<0.5	<0.2
50MI11LA0193	Soil	42	0.58	326	0.095	2	1.84	0.020	0.09	<0.1	0.05	5.7	<0.1	<0.05	6	<0.5	<0.2
REP 50MI11LA0193	QC	43	0.59	329	0.089	2	1.87	0.019	0.09	0.1	0.03	6.0	<0.1	<0.05	5	<0.5	<0.2
50MI11CL0148	Soil	29	0.64	350	0.071	3	1.30	0.021	0.07	0.2	0.03	3.6	<0.1	<0.05	4	<0.5	<0.2
REP 50MI11CL0148	QC	29	0.61	357	0.067	2	1.30	0.024	0.07	0.2	0.03	3.5	<0.1	<0.05	4	<0.5	<0.2
50MI11CL0165	Soil	25	0.47	310	0.066	1	1.53	0.011	0.10	0.2	0.05	3.3	<0.1	<0.05	5	<0.5	<0.2
REP 50MI11CL0165	QC	25	0.46	309	0.066	2	1.48	0.010	0.10	0.1	0.05	3.4	<0.1	<0.05	5	<0.5	<0.2
50MI11AM0149	Soil	43	0.47	90	0.052	1	1.70	0.011	0.06	0.1	0.02	3.0	<0.1	<0.05	7	<0.5	<0.2
REP 50MI11AM0149	QC	41	0.44	86	0.048	<1	1.64	0.011	0.06	0.1	0.03	2.9	<0.1	<0.05	7	<0.5	<0.2
50MI11AM0174	Soil	27	0.55	210	0.080	1	1.86	0.014	0.10	0.1	0.03	3.5	0.1	<0.05	6	<0.5	<0.2
REP 50MI11AM0174	QC	27	0.53	207	0.076	<1	1.76	0.010	0.10	0.2	0.04	3.4	0.1	<0.05	6	<0.5	<0.2
50MI11CL0178	Soil	30	0.49	302	0.036	1	1.56	0.009	0.09	0.3	0.05	2.1	0.1	<0.05	5	0.6	<0.2
REP 50MI11CL0178	QC	29	0.48	295	0.036	2	1.52	0.008	0.09	0.3	0.06	2.3	0.1	<0.05	5	<0.5	<0.2
50MI11CL0194	Soil	34	0.58	198	0.042	<1	1.66	0.013	0.09	0.2	0.03	2.9	0.1	<0.05	6	1.1	<0.2
REP 50MI11CL0194	QC	34	0.60	198	0.046	<1	1.71	0.014	0.10	0.2	0.04	3.2	0.1	<0.05	6	<0.5	<0.2
50MI11AM0181	Soil	48	1.06	100	0.067	<1	1.72	0.011	0.06	0.1	0.04	2.4	0.1	<0.05	6	<0.5	<0.2
REP 50MI11AM0181	QC	49	1.07	103	0.063	<1	1.79	0.011	0.06	0.1	0.05	2.7	0.1	0.05	6	0.7	<0.2
50MI11AM0196	Soil	23	0.37	218	0.066	<1	1.40	0.013	0.04	0.2	0.03	2.5	<0.1	<0.05	4	<0.5	<0.2
REP 50MI11AM0196	QC	23	0.37	221	0.064	1	1.42	0.014	0.04	0.2	0.05	2.5	<0.1	<0.05	4	<0.5	<0.2
50MI11CL0209	Soil	45	1.14	256	0.206	2	2.15	0.019	0.19	0.3	0.02	6.0	0.1	<0.05	10	<0.5	<0.2
REP 50MI11CL0209	QC	44	1.08	251	0.201	1	2.08	0.018	0.18	0.2	0.03	5.7	0.1	0.08	9	<0.5	<0.2
50MI11CL0225	Soil	30	0.55	255	0.052	<1	2.20	0.018	0.05	0.1	0.02	2.9	<0.1	<0.05	6	<0.5	<0.2
REP 50MI11CL0225	QC	30	0.58	257	0.053	1	2.26	0.017	0.05	0.1	0.02	2.9	0.1	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

QUALITY CONTROL REPORT WHI11001932.2

		1DX15 Mo ppm 0.1	1DX15 Cu ppm 0.1	1DX15 Pb ppm 0.1	1DX15 Zn ppm 1	1DX15 Ag ppm 0.1	1DX15 Ni ppm 0.1	1DX15 Co ppm 0.1	1DX15 Mn ppm 1	1DX15 Fe % 0.01	1DX15 As ppm 0.5	1DX15 Au ppb 0.5	1DX15 Th ppm 0.1	1DX15 Sr ppm 1	1DX15 Cd ppm 0.1	1DX15 Sb ppm 0.1	1DX15 Bi ppm 0.1	1DX15 V ppm 2	1DX15 Ca % 0.01	1DX15 P % 0.001	1DX15 La ppm 1
Reference Materials																					
STD DS8	Standard	13.3	107.0	125.4	306	1.8	35.5	7.2	591	2.43	26.1	117.8	7.2	69	2.2	5.2	7.1	41	0.66	0.077	15
STD DS8	Standard	13.2	109.3	131.2	301	1.7	38.0	7.4	588	2.43	25.1	113.9	7.6	69	2.2	5.4	6.9	41	0.68	0.074	15
STD DS8	Standard	13.1	113.9	134.2	325	2.0	38.9	7.8	630	2.79	27.7	121.8	7.5	66	2.4	6.4	5.3	44	0.74	0.081	18
STD DS8	Standard	13.3	105.6	126.6	304	1.7	38.4	7.5	618	2.43	27.2	115.5	6.6	67	2.3	5.2	5.9	45	0.69	0.080	16
STD DS8	Standard	12.8	104.9	120.7	278	1.7	36.7	7.3	566	2.30	24.1	112.2	7.0	59	2.1	4.7	5.8	40	0.67	0.071	16
STD DS8	Standard	13.3	108.1	124.6	315	1.8	38.1	7.4	621	2.47	25.7	114.7	7.2	71	2.3	5.7	6.3	41	0.69	0.081	17
STD DS8	Standard	13.6	106.7	126.0	321	1.9	35.8	7.2	633	2.43	27.3	120.5	6.7	81	2.4	5.5	7.4	41	0.73	0.082	16
STD DS8 Expected		13.44	110	123	312	1.69	38.1	7.5	615	2.46	26	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7	0.08	14.6
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

QUALITY CONTROL REPORT WHI11001932.2

		1DX15 Cr ppm 1	1DX15 Mg % 0.01	1DX15 Ba ppm 1	1DX15 Ti % 0.001	1DX15 B ppm 1	1DX15 Al % 0.01	1DX15 Na % 0.001	1DX15 K % 0.01	1DX15 W ppm 0.1	1DX15 Hg ppm 0.01	1DX15 Sc ppm 0.1	1DX15 Tl ppm 0.1	1DX15 S % 0.05	1DX15 Ga ppm 1	1DX15 Se ppm 0.5	1DX15 Te ppm 0.2
Reference Materials																	
STD DS8	Standard	116	0.58	280	0.110	2	0.93	0.115	0.46	2.9	0.20	2.5	5.3	0.14	5	5.0	5.2
STD DS8	Standard	116	0.60	273	0.120	2	0.92	0.102	0.42	2.8	0.20	2.5	5.3	0.16	5	4.5	4.4
STD DS8	Standard	122	0.66	288	0.130	3	0.98	0.105	0.44	3.1	0.22	2.8	5.6	0.15	5	5.7	5.5
STD DS8	Standard	123	0.62	275	0.116	3	0.90	0.101	0.40	3.0	0.20	2.1	5.4	0.17	5	5.0	5.1
STD DS8	Standard	116	0.57	250	0.105	2	0.87	0.085	0.37	2.5	0.17	2.1	5.2	0.14	4	4.6	4.5
STD DS8	Standard	116	0.62	285	0.121	2	0.95	0.105	0.43	3.1	0.21	2.2	5.4	0.18	5	5.6	3.9
STD DS8	Standard	114	0.69	292	0.116	3	0.99	0.113	0.46	2.9	0.21	2.3	5.6	0.12	5	5.2	5.3
STD DS8 Expected		115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	2.3	5.4	0.1679	4.7	5.23	5
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Submitted By: Rasool Mohammad
Receiving Lab: Canada-Whitehorse
Received: October 24, 2011
Report Date: July 31, 2012
Page: 1 of 11

CERTIFICATE OF ANALYSIS WHI11001933.2

CLIENT JOB INFORMATION

Project: 50 Mile (YK)
Shipment ID:
P.O. Number
Number of Samples: 273

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	273	Dry at 60C			VAN
SS80	273	Dry at 60C sieve 100g to -80 mesh			VAN
1DX2	270	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Version 2: 0908937 BC Ltd.

Invoice To: 0908937 BC Ltd.
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2
CANADA

CC:

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001933.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
50MI11LA0201	Soil	1.5	11.8	14.4	97	0.1	16.7	8.0	181	2.74	12.7	7.5	3.4	38	0.2	0.7	0.3	46	0.52	0.072	15
50MI11LA0202	Soil	1.3	25.1	16.4	79	0.1	21.2	9.5	384	2.10	7.5	6.1	3.0	41	0.3	1.1	0.2	48	0.51	0.054	15
50MI11LA0203	Soil	1.4	20.7	12.1	77	0.1	19.4	11.4	503	2.57	12.3	3.3	3.7	34	0.3	1.1	0.2	51	0.44	0.072	14
50MI11LA0204	Soil	1.4	22.3	16.7	82	<0.1	20.0	11.3	413	2.56	15.3	3.8	3.5	35	0.4	1.5	0.2	51	0.43	0.058	14
50MI11LA0205	Soil	1.6	20.1	15.0	74	0.1	20.2	10.6	478	2.65	15.0	5.6	2.5	35	0.3	1.0	0.1	50	0.45	0.054	15
50MI11LA0206	Soil	1.2	23.3	11.5	74	<0.1	19.5	11.2	315	2.77	15.7	2.7	3.9	28	0.2	1.1	0.1	53	0.38	0.068	15
50MI11LA0207	Soil	0.2	21.8	14.4	74	0.1	17.3	7.1	143	2.18	7.9	4.1	4.1	23	0.3	1.1	0.1	46	0.30	0.041	15
50MI11LA0208	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
50MI11LA0209	Soil	0.3	24.6	13.3	58	0.2	19.6	7.9	209	2.11	13.5	2.1	2.5	23	0.4	1.2	0.2	50	0.29	0.053	13
50MI11LA0210	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
50MI11LA0211	Soil	0.1	16.8	10.3	53	<0.1	13.9	6.3	200	1.68	10.4	7.7	2.5	30	0.2	0.7	<0.1	33	0.45	0.044	12
50MI11LA0212	Soil	0.8	17.0	8.6	89	0.1	25.6	10.6	234	2.68	8.1	1.9	3.2	24	0.2	0.5	<0.1	46	0.37	0.064	14
50MI11LA0213	Soil	0.6	31.9	10.1	83	0.2	42.1	13.2	373	2.59	6.1	23.7	4.1	22	0.2	0.5	0.1	55	0.32	0.052	18
50MI11LA0214	Soil	0.4	25.2	9.7	89	0.2	31.0	10.1	252	2.34	5.0	4.1	3.2	25	0.3	0.4	0.1	49	0.33	0.054	17
50MI11LA0215	Soil	0.9	21.0	7.3	72	<0.1	26.8	9.8	287	2.16	4.1	1.7	3.3	25	0.2	0.3	<0.1	38	0.37	0.056	13
50MI11LA0216	Soil	0.6	25.3	8.0	85	0.1	30.4	8.1	522	1.85	2.4	3.7	2.7	31	0.2	0.3	<0.1	37	0.56	0.066	14
50MI11LA0217	Soil	0.4	33.6	6.6	79	<0.1	40.8	24.5	1024	5.15	3.4	1.4	9.2	18	0.1	0.2	<0.1	110	0.37	0.045	22
50MI11LA0218	Soil	1.0	21.0	10.0	47	<0.1	22.5	11.6	229	2.66	11.7	2.1	4.7	19	<0.1	0.5	<0.1	58	0.22	0.017	10
50MI11LA0219	Soil	1.0	19.0	12.4	73	<0.1	22.2	9.2	272	2.12	13.1	7.8	4.3	29	0.2	0.6	0.1	39	0.43	0.072	16
50MI11LA0220	Soil	0.5	12.4	9.2	52	0.1	13.3	6.6	203	2.27	4.7	2.5	3.4	15	0.1	0.4	0.1	50	0.21	0.056	22
50MI11LA0221	Soil	0.5	12.7	7.5	52	<0.1	14.7	8.0	239	2.36	4.8	3.4	6.1	17	0.1	0.4	<0.1	43	0.26	0.051	19
50MI11LA0222	Soil	0.5	16.1	6.9	56	<0.1	22.6	10.8	310	3.04	3.4	1.7	7.4	12	<0.1	0.2	<0.1	55	0.18	0.039	25
50MI11LA0223	Soil	0.5	18.0	10.7	69	<0.1	24.4	12.5	352	3.68	2.8	<0.5	10.5	10	<0.1	0.2	0.1	52	0.14	0.036	29
50MI11LA0224	Soil	0.3	8.8	3.4	57	<0.1	8.1	8.0	432	3.25	1.5	0.6	4.9	8	<0.1	0.1	<0.1	50	0.14	0.049	17
50MI11LA0225	Soil	0.6	10.7	5.4	54	<0.1	12.4	10.3	431	3.25	4.9	1.0	4.2	11	<0.1	0.2	<0.1	52	0.16	0.035	12
50MI11LA0226	Soil	0.5	17.6	9.2	64	<0.1	21.3	11.2	354	3.16	3.9	1.1	10.4	13	<0.1	0.2	0.1	39	0.15	0.031	31
50MI11LA0227	Soil	0.7	17.3	14.4	68	<0.1	21.4	11.1	339	3.44	5.1	1.1	8.4	10	0.2	0.3	0.2	56	0.12	0.024	20
50MI11LA0228	Soil	0.6	25.6	13.1	72	<0.1	20.4	12.3	324	3.22	4.1	0.7	6.3	11	0.2	0.3	0.1	69	0.21	0.029	22
50MI11LA0229	Soil	0.4	44.4	29.2	69	<0.1	25.1	17.6	487	3.82	6.7	<0.5	6.8	11	0.3	0.2	0.2	90	0.20	0.028	15
50MI11LA0230	Soil	0.5	27.7	8.8	66	<0.1	25.0	14.0	326	3.91	9.7	0.8	7.5	17	<0.1	0.4	<0.1	90	0.53	0.049	35

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001933.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
50MI11LA0201	Soil	31	0.62	211	0.048	2	1.45	0.014	0.10	0.3	0.05	3.7	<0.1	0.07	4	<0.5	<0.2
50MI11LA0202	Soil	31	0.65	324	0.047	2	1.53	0.017	0.09	0.3	0.06	4.3	<0.1	0.11	5	<0.5	<0.2
50MI11LA0203	Soil	32	0.64	319	0.055	2	1.30	0.013	0.12	0.4	0.04	4.1	<0.1	<0.05	4	<0.5	<0.2
50MI11LA0204	Soil	31	0.63	318	0.050	2	1.36	0.016	0.11	0.4	0.05	4.5	<0.1	<0.05	4	<0.5	<0.2
50MI11LA0205	Soil	31	0.58	330	0.046	2	1.61	0.015	0.08	0.3	0.03	3.8	<0.1	<0.05	5	<0.5	<0.2
50MI11LA0206	Soil	32	0.68	340	0.065	2	1.48	0.014	0.11	0.3	0.04	4.3	<0.1	<0.05	4	<0.5	<0.2
50MI11LA0207	Soil	31	0.57	222	0.051	2	1.68	0.015	0.07	0.2	0.06	4.2	<0.1	<0.05	5	<0.5	<0.2
50MI11LA0208	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
50MI11LA0209	Soil	31	0.51	337	0.044	1	1.31	0.015	0.08	0.3	0.05	4.1	<0.1	<0.05	4	<0.5	<0.2
50MI11LA0210	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
50MI11LA0211	Soil	26	0.49	238	0.044	2	1.13	0.016	0.07	0.2	0.04	3.2	<0.1	0.05	4	<0.5	<0.2
50MI11LA0212	Soil	36	0.63	242	0.056	2	1.39	0.017	0.09	0.4	0.03	3.2	<0.1	0.07	5	<0.5	<0.2
50MI11LA0213	Soil	42	0.57	340	0.050	2	1.67	0.016	0.07	0.1	0.04	4.5	0.1	<0.05	5	<0.5	<0.2
50MI11LA0214	Soil	39	0.56	320	0.053	1	1.52	0.015	0.09	0.1	0.04	3.7	0.1	<0.05	5	<0.5	<0.2
50MI11LA0215	Soil	32	0.59	253	0.058	1	1.14	0.012	0.13	0.2	0.04	2.8	<0.1	0.08	4	<0.5	<0.2
50MI11LA0216	Soil	38	0.64	266	0.056	2	1.45	0.017	0.13	0.1	0.04	3.5	0.1	0.13	4	<0.5	<0.2
50MI11LA0217	Soil	142	2.23	229	0.170	1	3.21	0.011	0.78	0.4	0.03	12.7	0.4	<0.05	12	<0.5	<0.2
50MI11LA0218	Soil	34	0.50	217	0.067	<1	2.09	0.011	0.06	0.2	0.01	3.1	<0.1	<0.05	5	<0.5	<0.2
50MI11LA0219	Soil	27	0.50	202	0.050	1	1.09	0.013	0.08	0.7	0.03	3.0	<0.1	<0.05	4	<0.5	<0.2
50MI11LA0220	Soil	27	0.42	277	0.058	1	1.63	0.012	0.08	0.2	0.06	4.3	<0.1	<0.05	5	<0.5	<0.2
50MI11LA0221	Soil	32	0.50	198	0.093	<1	1.34	0.012	0.16	0.3	0.03	3.9	<0.1	<0.05	4	<0.5	<0.2
50MI11LA0222	Soil	63	0.82	255	0.152	<1	1.77	0.009	0.49	0.1	0.01	5.1	0.2	<0.05	7	<0.5	<0.2
50MI11LA0223	Soil	57	0.87	196	0.190	<1	2.13	0.008	0.68	<0.1	0.02	5.3	0.3	<0.05	7	<0.5	<0.2
50MI11LA0224	Soil	21	0.88	304	0.166	<1	1.86	0.008	0.76	<0.1	<0.01	6.7	0.2	0.07	8	<0.5	<0.2
50MI11LA0225	Soil	26	0.68	216	0.115	<1	1.88	0.009	0.31	<0.1	<0.01	5.1	<0.1	0.05	7	<0.5	<0.2
50MI11LA0226	Soil	36	0.54	187	0.065	<1	1.47	0.008	0.25	<0.1	0.01	4.4	0.1	<0.05	5	<0.5	<0.2
50MI11LA0227	Soil	42	0.65	148	0.112	<1	2.03	0.008	0.36	0.1	<0.01	4.2	0.2	<0.05	7	<0.5	<0.2
50MI11LA0228	Soil	40	0.72	197	0.100	<1	1.90	0.015	0.31	0.2	0.01	5.8	0.2	<0.05	7	<0.5	<0.2
50MI11LA0229	Soil	50	0.95	223	0.145	<1	2.63	0.027	0.60	<0.1	<0.01	7.0	0.3	<0.05	7	<0.5	<0.2
50MI11LA0230	Soil	46	0.83	259	0.121	<1	2.11	0.017	0.51	<0.1	0.03	9.6	0.2	<0.05	8	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001933.2

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
50MI11LA0231	Soil	0.6	18.6	9.6	54	<0.1	20.9	10.4	269	2.81	6.7	2.3	9.9	18	<0.1	0.4	0.1	40	0.56	0.038	27
50MI11LA0232	Soil	1.5	8.6	8.6	34	<0.1	7.3	3.2	89	1.50	4.2	1.1	6.5	14	<0.1	1.0	<0.1	29	0.23	0.020	18
50MI11LA0233	Soil	0.8	16.7	5.9	65	<0.1	31.1	21.1	619	4.04	6.4	1.5	5.0	19	<0.1	0.4	<0.1	89	0.58	0.039	11
50MI11LA0234	Soil	1.0	27.3	7.0	81	0.3	31.7	17.7	953	3.88	7.3	3.1	4.4	26	0.2	0.5	<0.1	82	0.74	0.061	16
50MI11LA0235	Soil	0.6	25.7	7.7	64	<0.1	27.0	16.5	418	3.61	6.8	1.4	5.1	17	<0.1	0.6	<0.1	78	0.53	0.044	15
50MI11LA0236	Soil	0.5	68.9	8.4	69	0.1	29.5	16.3	494	3.35	5.0	1.9	4.3	23	0.2	0.5	0.1	77	0.47	0.046	12
50MI11LA0237	Soil	0.8	33.5	7.6	62	0.1	29.0	13.5	466	3.16	5.5	2.6	4.1	19	0.1	0.4	0.2	72	0.41	0.048	13
50MI11LA0238	Soil	0.5	30.9	5.6	65	<0.1	30.2	14.0	406	3.25	4.7	1.2	4.6	23	<0.1	0.4	0.1	75	0.39	0.039	13
50MI11LA0239	Soil	0.6	25.2	6.6	57	<0.1	24.1	10.3	274	2.72	5.0	2.6	3.6	20	<0.1	0.4	0.1	61	0.30	0.044	14
50MI11LA0240	Soil	0.6	27.1	6.8	56	<0.1	24.5	10.7	301	2.85	6.0	11.2	3.9	20	<0.1	0.7	0.1	65	0.30	0.046	12
50MI11LA0241	Soil	0.8	52.8	8.0	62	<0.1	25.2	15.0	423	3.43	6.1	1.2	3.4	12	0.1	0.4	0.5	82	0.20	0.032	9
50MI11LA0242	Soil	0.8	28.6	7.2	70	<0.1	31.9	18.6	856	5.02	5.2	<0.5	4.8	9	<0.1	0.4	0.3	130	0.13	0.027	10
50MI11LA0243	Soil	0.6	26.1	7.9	56	<0.1	24.6	12.4	701	3.26	10.7	1.2	4.5	16	0.1	1.1	0.1	71	0.22	0.037	17
50MI11LA0244	Soil	0.9	30.3	7.6	73	<0.1	37.4	18.2	539	3.64	7.3	1.7	3.7	18	0.1	0.4	<0.1	84	0.35	0.057	9
50MI11LA0245	Soil	0.8	25.6	7.7	64	<0.1	31.4	15.2	416	3.55	7.7	1.2	3.2	15	0.1	0.4	0.1	80	0.21	0.036	9
50MI11LA0246	Soil	0.5	22.4	7.4	81	<0.1	41.9	28.0	989	5.33	4.9	<0.5	7.5	8	<0.1	0.3	<0.1	137	0.15	0.043	21
50MI11LA0247	Soil	0.6	18.9	7.4	59	<0.1	25.2	11.9	338	3.07	6.7	1.2	4.3	21	<0.1	0.4	0.1	68	0.35	0.043	14
50MI11LA0248	Soil	0.7	25.2	7.2	68	0.2	29.4	14.6	848	3.32	4.7	2.2	5.5	24	<0.1	0.5	0.1	75	0.42	0.064	22
50MI11LA0249	Soil	0.5	22.0	6.2	69	<0.1	24.5	13.0	450	3.40	4.8	0.7	5.8	21	<0.1	0.4	<0.1	82	0.35	0.046	17
50MI11LA0250	Soil	0.4	20.4	8.4	64	0.1	22.4	11.2	366	2.89	6.4	3.0	4.1	22	0.2	0.4	0.1	67	0.46	0.052	15
50MI11LA0250 DUP	Soil	0.5	20.0	8.1	65	0.1	22.3	11.5	389	2.95	6.3	2.1	4.3	22	0.1	0.4	0.1	67	0.47	0.054	15
50MI11LA0251	Soil	0.5	25.2	8.5	74	0.1	27.9	13.6	538	3.40	5.8	2.4	5.3	24	0.2	0.5	<0.1	78	0.53	0.051	18
50MI11LA0252	Soil	1.2	19.6	8.2	60	<0.1	24.3	15.6	656	3.57	7.9	<0.5	2.5	15	<0.1	0.7	<0.1	85	0.24	0.036	8
50MI11LA0253	Soil	0.6	26.0	8.9	63	<0.1	30.5	13.8	404	3.54	5.9	<0.5	3.9	16	<0.1	0.6	<0.1	85	0.26	0.018	11
50MI11LA0254	Soil	0.9	28.7	8.7	63	<0.1	37.3	15.3	405	4.10	8.6	<0.5	3.6	14	<0.1	0.9	<0.1	88	0.19	0.019	9
50MI11LA0255	Soil	0.8	13.6	16.3	54	0.1	18.3	9.9	550	2.85	4.2	0.5	2.1	11	0.3	0.5	0.1	69	0.14	0.024	8
50MI11LA0256	Soil	0.6	26.6	7.9	56	<0.1	32.3	14.4	357	3.62	6.1	0.6	2.7	13	<0.1	0.4	<0.1	78	0.19	0.017	6
50MI11LA0257	Soil	0.7	20.9	7.4	57	<0.1	33.9	13.7	299	3.24	7.9	<0.5	4.1	11	<0.1	0.5	<0.1	74	0.16	0.015	8
50MI11LA0258	Soil	0.9	18.5	13.5	53	0.1	18.5	13.8	1041	3.28	5.3	0.7	3.5	16	<0.1	0.4	0.1	84	0.22	0.023	12
50MI11LA0259	Soil	0.7	14.1	8.4	52	<0.1	22.7	11.0	381	3.07	6.4	<0.5	3.9	13	0.1	0.5	<0.1	73	0.18	0.035	10

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001933.2

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
50MI11LA0231	Soil		29	0.53	212	0.054	1	1.38	0.012	0.25	<0.1	0.04	4.6	0.2	0.10	4	<0.5	<0.2
50MI11LA0232	Soil		20	0.25	227	0.015	<1	0.97	0.007	0.13	<0.1	0.05	2.7	<0.1	0.06	3	<0.5	<0.2
50MI11LA0233	Soil		109	1.58	190	0.153	1	2.51	0.011	0.29	0.1	0.04	5.7	0.2	0.07	8	<0.5	<0.2
50MI11LA0234	Soil		91	1.23	321	0.117	1	2.42	0.013	0.22	<0.1	0.07	7.6	0.3	<0.05	7	<0.5	<0.2
50MI11LA0235	Soil		76	1.03	224	0.100	1	2.08	0.013	0.12	0.1	0.08	6.6	0.1	0.08	7	<0.5	<0.2
50MI11LA0236	Soil		85	1.28	242	0.131	1	2.09	0.017	0.14	0.2	0.04	5.6	0.1	<0.05	7	<0.5	<0.2
50MI11LA0237	Soil		69	0.91	264	0.102	1	1.96	0.013	0.10	0.2	0.05	5.5	0.1	<0.05	6	<0.5	<0.2
50MI11LA0238	Soil		83	1.15	260	0.136	1	1.91	0.012	0.15	0.1	0.02	5.0	0.1	<0.05	6	<0.5	<0.2
50MI11LA0239	Soil		52	0.82	213	0.104	1	1.76	0.013	0.06	0.1	0.03	3.6	0.1	<0.05	5	<0.5	<0.2
50MI11LA0240	Soil		58	0.84	195	0.106	2	1.79	0.012	0.11	0.1	0.03	3.5	0.1	<0.05	6	<0.5	<0.2
50MI11LA0241	Soil		77	1.16	150	0.138	1	2.21	0.009	0.20	0.2	0.03	3.3	0.2	<0.05	7	<0.5	<0.2
50MI11LA0242	Soil		120	1.65	158	0.170	1	2.44	0.010	0.46	0.1	<0.01	6.9	0.2	<0.05	10	<0.5	<0.2
50MI11LA0243	Soil		60	0.82	238	0.089	1	1.76	0.010	0.11	0.1	0.04	5.9	0.1	<0.05	6	<0.5	<0.2
50MI11LA0244	Soil		86	1.33	226	0.168	1	2.49	0.016	0.20	0.2	0.02	3.6	0.1	<0.05	7	<0.5	<0.2
50MI11LA0245	Soil		77	1.06	144	0.151	1	2.14	0.011	0.10	0.2	0.01	2.7	0.1	<0.05	7	<0.5	<0.2
50MI11LA0246	Soil		169	2.30	255	0.166	1	3.82	0.008	0.57	<0.1	0.01	13.8	0.3	<0.05	13	<0.5	<0.2
50MI11LA0247	Soil		51	0.89	175	0.123	1	1.96	0.013	0.09	0.2	0.03	3.4	0.1	<0.05	6	<0.5	<0.2
50MI11LA0248	Soil		68	1.12	303	0.115	2	2.53	0.015	0.27	0.1	0.06	7.4	0.3	<0.05	8	<0.5	<0.2
50MI11LA0249	Soil		68	1.28	225	0.167	<1	2.19	0.014	0.45	0.1	0.03	5.4	0.3	<0.05	7	<0.5	<0.2
50MI11LA0250	Soil		48	0.82	243	0.092	<1	1.82	0.018	0.13	0.1	0.04	4.7	0.1	<0.05	6	<0.5	<0.2
50MI11LA0250 DUP	Soil		51	0.82	244	0.099	1	1.81	0.015	0.14	0.2	0.04	4.9	0.1	<0.05	6	<0.5	<0.2
50MI11LA0251	Soil		64	1.02	297	0.129	<1	2.19	0.016	0.16	0.1	0.07	6.0	0.2	<0.05	7	<0.5	<0.2
50MI11LA0252	Soil		74	1.08	160	0.104	<1	2.18	0.009	0.10	0.2	0.07	3.4	0.1	<0.05	8	<0.5	<0.2
50MI11LA0253	Soil		81	1.31	216	0.107	<1	2.61	0.009	0.07	0.1	0.05	5.1	0.1	<0.05	7	<0.5	<0.2
50MI11LA0254	Soil		95	1.31	180	0.086	<1	2.57	0.009	0.06	0.2	0.06	5.1	0.1	<0.05	8	<0.5	<0.2
50MI11LA0255	Soil		41	0.58	312	0.080	<1	1.71	0.011	0.09	0.1	0.05	2.4	0.1	<0.05	7	<0.5	<0.2
50MI11LA0256	Soil		75	1.15	202	0.165	<1	2.62	0.011	0.12	0.2	0.02	2.6	0.1	<0.05	8	<0.5	<0.2
50MI11LA0257	Soil		75	1.00	161	0.151	1	2.79	0.010	0.13	0.2	0.03	2.9	0.2	<0.05	7	<0.5	<0.2
50MI11LA0258	Soil		53	0.73	331	0.137	<1	2.30	0.012	0.09	0.2	0.03	2.8	0.2	<0.05	8	<0.5	<0.2
50MI11LA0259	Soil		54	0.87	219	0.114	<1	1.91	0.009	0.22	0.1	0.03	3.0	0.2	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001933.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
50MI11LA0260	Soil	0.6	19.8	9.4	73	<0.1	28.9	15.5	509	3.37	4.8	<0.5	3.2	17	0.2	1.1	<0.1	90	0.24	0.032	7
50MI11LA0261	Soil	0.7	20.5	7.4	73	<0.1	26.4	14.2	454	3.27	6.1	0.6	3.8	18	0.2	0.6	<0.1	79	0.26	0.032	10
50MI11LA0262	Soil	0.9	41.8	11.3	83	0.3	36.6	20.8	930	4.28	6.4	1.1	5.8	23	0.1	0.7	0.1	107	0.56	0.051	25
50MI11LA0263	Soil	0.7	31.5	7.6	80	0.1	30.1	16.1	498	3.48	5.5	1.2	5.4	26	0.2	1.0	<0.1	82	0.54	0.044	15
50MI11LA0264	Soil	0.5	33.4	6.8	72	<0.1	29.9	16.6	560	3.32	4.4	0.7	4.3	23	0.1	0.6	<0.1	79	0.52	0.041	12
50MI11LA0265 A	Soil	0.7	22.2	8.1	83	<0.1	28.0	16.8	512	3.75	4.9	<0.5	3.4	17	0.1	1.2	<0.1	90	0.26	0.028	8
50MI11LA0265 B	Soil	0.7	25.4	7.1	64	<0.1	27.1	14.3	410	3.25	5.2	0.6	4.1	21	0.1	0.5	<0.1	75	0.40	0.037	11
50MI11LA0266	Soil	0.8	33.4	9.2	79	0.2	31.3	15.5	606	3.29	5.3	3.1	3.8	34	0.2	0.6	<0.1	78	0.85	0.054	11
50MI11LA0267	Soil	0.7	33.1	8.5	71	0.1	28.4	12.5	357	2.80	6.2	1.9	4.2	26	0.2	0.5	0.3	66	0.48	0.046	13
50MI11LA0268	Soil	0.7	27.2	8.1	64	<0.1	24.8	11.5	348	2.66	5.8	1.3	3.7	27	0.1	0.4	0.1	61	0.45	0.042	13
50MI11LA0269	Soil	0.6	24.7	7.6	60	0.1	24.0	11.9	419	2.78	4.9	0.7	4.0	27	0.1	0.5	<0.1	64	0.54	0.037	12
50MI11LA0270	Soil	0.6	20.0	7.4	63	<0.1	23.6	12.2	409	2.80	5.7	3.7	4.1	25	<0.1	0.5	<0.1	66	0.51	0.040	12
50MI11LA0271	Soil	0.9	17.7	7.2	63	0.1	21.1	12.0	459	2.70	5.4	1.9	3.5	30	0.1	0.6	0.2	59	0.51	0.033	12
50MI11LA0272	Soil	0.7	19.2	8.4	68	0.1	21.2	11.0	264	2.72	4.8	3.4	3.8	23	0.1	0.5	0.2	63	0.51	0.033	12
50MI11LA0273	Soil	1.0	29.1	8.6	71	0.1	27.9	10.5	456	2.54	10.0	3.5	3.5	47	0.2	1.0	0.2	52	1.15	0.070	13
50MI11LA0274	Soil	1.0	34.7	16.5	73	0.2	26.2	10.1	304	3.09	131.0	4.1	4.2	33	0.4	1.8	0.3	59	0.85	0.060	16
50MI11LA0275	Soil	0.3	20.7	8.0	60	0.1	18.6	9.7	349	2.34	5.1	3.0	2.9	34	0.2	0.6	0.2	54	0.43	0.047	13
50MI11LA0276	Soil	0.6	18.9	7.4	58	<0.1	19.2	10.7	319	2.66	6.7	4.8	3.5	34	0.1	0.7	0.1	57	0.39	0.042	13
50MI11LA0277	Soil	0.7	21.1	7.5	64	0.1	21.2	10.6	357	2.84	6.6	3.5	3.5	34	<0.1	0.7	0.1	59	0.41	0.044	11
50MI11AN0238	Soil	0.5	24.4	6.2	62	<0.1	22.2	12.6	378	3.11	6.9	4.3	5.7	26	<0.1	3.9	0.1	66	0.35	0.040	16
50MI11AN0239	Soil	0.4	15.9	5.9	53	<0.1	16.4	8.9	306	2.45	5.4	2.6	4.3	26	<0.1	1.1	0.1	54	0.30	0.032	16
50MI11AN0240	Soil	0.9	26.4	7.7	61	0.1	27.2	9.7	507	2.29	7.6	3.2	3.5	50	0.2	0.8	0.2	49	0.85	0.067	13
50MI11AN0241	Soil	0.7	13.5	5.7	61	<0.1	14.8	9.0	247	3.27	7.3	3.8	3.5	25	0.1	0.7	<0.1	59	0.33	0.054	12
50MI11AN0242	Soil	0.7	13.7	8.1	70	<0.1	16.0	9.7	293	2.82	13.3	4.7	3.5	27	0.1	0.8	0.1	64	0.35	0.052	14
50MI11AN0243	Soil	0.7	11.7	7.5	64	0.1	14.1	11.3	404	2.59	9.9	5.7	3.0	25	0.2	0.8	0.1	55	0.34	0.053	12
50MI11AN0244	Soil	0.6	14.4	7.9	69	0.1	16.7	11.8	389	3.23	13.5	2.1	4.5	27	0.1	1.2	0.1	64	0.35	0.044	17
50MI11AN0245	Soil	0.9	27.2	8.1	75	0.2	26.0	9.7	397	2.45	9.1	2.6	3.9	49	0.4	0.9	0.2	52	1.14	0.078	14
50MI11AN0246	Soil	0.6	14.7	8.4	75	<0.1	19.1	11.9	442	3.51	11.7	1.2	5.3	23	<0.1	1.5	0.1	71	0.45	0.033	15
50MI11AN0247	Soil	0.4	32.1	5.1	93	<0.1	26.7	20.7	1019	5.76	13.6	0.7	8.8	29	<0.1	1.1	<0.1	122	0.70	0.081	14
50MI11AN0248	Soil	0.7	16.5	7.1	73	<0.1	22.7	15.0	516	3.75	12.9	2.4	5.2	20	<0.1	0.9	0.1	80	0.21	0.031	13

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001933.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
50MI11LA0260	Soil	92	1.52	337	0.200	<1	2.34	0.012	0.48	0.2	0.02	3.2	0.2	<0.05	8	<0.5	<0.2
50MI11LA0261	Soil	69	1.15	369	0.154	<1	2.25	0.012	0.24	0.2	0.03	3.3	0.2	<0.05	7	<0.5	<0.2
50MI11LA0262	Soil	100	1.62	668	0.158	1	3.28	0.017	0.51	0.2	0.39	8.8	0.3	<0.05	9	<0.5	<0.2
50MI11LA0263	Soil	83	1.44	452	0.144	3	2.40	0.015	0.41	0.2	1.38	6.2	0.3	<0.05	7	<0.5	<0.2
50MI11LA0264	Soil	88	1.45	352	0.186	<1	2.23	0.015	0.45	0.2	0.10	4.1	0.3	<0.05	7	<0.5	<0.2
50MI11LA0265 A	Soil	95	1.52	193	0.176	<1	2.42	0.013	0.35	0.2	0.06	3.7	0.2	0.05	8	<0.5	<0.2
50MI11LA0265 B	Soil	74	1.22	269	0.151	1	2.31	0.014	0.18	0.2	0.04	3.7	0.2	<0.05	7	<0.5	<0.2
50MI11LA0266	Soil	79	1.25	372	0.153	1	2.52	0.016	0.30	0.2	0.09	4.7	0.2	0.06	7	<0.5	<0.2
50MI11LA0267	Soil	58	0.96	267	0.127	<1	1.88	0.019	0.13	0.2	0.05	3.6	0.2	<0.05	6	<0.5	<0.2
50MI11LA0268	Soil	50	0.79	280	0.104	<1	1.77	0.017	0.06	0.2	0.04	3.1	0.1	<0.05	5	<0.5	<0.2
50MI11LA0269	Soil	58	0.95	271	0.119	<1	1.84	0.016	0.14	0.2	0.05	3.5	0.1	<0.05	6	<0.5	<0.2
50MI11LA0270	Soil	59	0.90	243	0.116	1	1.93	0.015	0.08	0.2	0.04	3.5	0.1	<0.05	6	<0.5	<0.2
50MI11LA0271	Soil	52	0.87	241	0.111	3	1.81	0.017	0.09	0.2	0.03	3.5	0.1	<0.05	6	<0.5	<0.2
50MI11LA0272	Soil	55	0.93	211	0.109	3	1.94	0.014	0.12	0.2	0.05	3.5	0.1	<0.05	6	<0.5	<0.2
50MI11LA0273	Soil	28	0.71	354	0.072	4	1.30	0.029	0.09	0.2	0.03	3.3	<0.1	<0.05	4	<0.5	<0.2
50MI11LA0274	Soil	44	0.73	290	0.058	2	1.41	0.016	0.15	0.4	0.06	4.1	0.1	<0.05	4	<0.5	<0.2
50MI11LA0275	Soil	38	0.72	300	0.083	1	1.85	0.016	0.05	0.2	0.05	4.8	<0.1	<0.05	6	<0.5	<0.2
50MI11LA0276	Soil	41	0.75	266	0.099	2	1.78	0.016	0.05	0.1	0.03	4.4	<0.1	<0.05	6	<0.5	<0.2
50MI11LA0277	Soil	48	0.82	284	0.110	1	1.90	0.017	0.06	0.1	0.03	4.2	<0.1	<0.05	6	<0.5	<0.2
50MI11AN0238	Soil	54	1.07	301	0.137	2	1.92	0.016	0.48	0.1	0.03	4.6	0.2	<0.05	6	<0.5	<0.2
50MI11AN0239	Soil	38	0.74	269	0.120	1	1.52	0.030	0.28	0.1	0.02	3.6	0.1	<0.05	5	<0.5	<0.2
50MI11AN0240	Soil	25	0.64	302	0.072	2	1.27	0.032	0.09	0.2	0.02	3.3	<0.1	<0.05	4	0.6	<0.2
50MI11AN0241	Soil	35	0.69	223	0.093	2	1.40	0.014	0.16	0.2	0.04	3.0	<0.1	<0.05	5	<0.5	<0.2
50MI11AN0242	Soil	36	0.73	272	0.089	2	1.74	0.015	0.10	0.2	0.07	3.4	0.1	<0.05	5	<0.5	<0.2
50MI11AN0243	Soil	30	0.62	243	0.076	1	1.48	0.014	0.09	0.2	0.07	2.8	<0.1	<0.05	4	<0.5	<0.2
50MI11AN0244	Soil	40	0.83	339	0.113	1	2.05	0.013	0.19	0.1	0.10	3.8	0.2	<0.05	6	<0.5	<0.2
50MI11AN0245	Soil	28	0.70	363	0.075	2	1.16	0.028	0.09	0.2	0.03	3.2	<0.1	<0.05	4	<0.5	<0.2
50MI11AN0246	Soil	45	0.84	240	0.112	1	2.01	0.014	0.23	0.1	0.16	6.1	0.1	<0.05	6	<0.5	<0.2
50MI11AN0247	Soil	98	2.12	424	0.172	<1	3.41	0.009	1.01	<0.1	0.05	10.6	0.3	<0.05	11	<0.5	<0.2
50MI11AN0248	Soil	62	1.27	245	0.166	1	2.39	0.011	0.41	0.1	0.04	3.8	0.2	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001933.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
50MI11AN0249	Soil	0.6	13.5	3.7	74	<0.1	28.4	21.1	596	4.35	5.2	<0.5	4.1	18	<0.1	0.6	0.1	100	0.19	0.019	6
50MI11AN0250	Soil	0.7	21.6	4.0	79	<0.1	29.5	22.2	722	4.78	6.0	1.1	4.2	27	<0.1	0.6	<0.1	112	0.24	0.038	7
50MI11AN0250 DUP	Soil	0.6	22.8	3.6	76	<0.1	29.1	21.8	724	4.58	5.3	0.7	3.8	26	<0.1	0.6	<0.1	109	0.23	0.042	7
50MI11AN0251	Soil	0.5	23.1	4.5	78	<0.1	32.7	18.6	664	4.54	7.9	0.8	5.9	25	<0.1	0.8	<0.1	115	0.31	0.023	9
50MI11AN0252	Soil	0.7	21.3	6.5	74	<0.1	24.5	16.2	502	4.01	6.4	4.4	4.8	27	<0.1	0.5	<0.1	90	0.34	0.029	11
50MI11AN0253	Soil	0.4	21.9	5.6	67	<0.1	22.9	13.4	501	3.35	5.3	1.7	5.3	29	<0.1	0.5	0.1	73	0.44	0.060	14
50MI11AN0254	Soil	0.5	21.8	8.0	56	0.1	18.5	10.4	296	2.74	7.7	4.8	4.6	30	0.2	0.5	0.2	57	0.40	0.055	18
50MI11AN0255	Soil	0.5	29.9	5.9	68	0.1	19.5	15.3	460	3.11	3.5	2.0	4.0	28	<0.1	0.5	<0.1	68	0.36	0.056	19
50MI11AN0256	Soil	1.7	90.5	1.9	41	<0.1	7.7	12.1	333	3.98	1.9	0.7	3.4	11	<0.1	0.2	0.2	71	0.25	0.029	12
50MI11AN0257	Soil	2.1	58.0	3.8	32	<0.1	4.9	6.2	259	2.47	2.6	2.3	3.5	10	<0.1	0.3	0.2	45	0.10	0.017	15
50MI11AN0258	Soil	1.6	49.5	4.0	43	<0.1	13.1	11.0	350	3.51	3.5	1.6	3.2	13	<0.1	0.2	0.1	73	0.25	0.020	17
50MI11AN0259	Soil	1.9	90.6	3.5	49	0.1	17.2	12.7	423	3.68	2.8	4.9	5.9	15	<0.1	0.2	0.1	71	0.36	0.031	23
50MI11AN0260	Soil	1.1	28.6	7.8	43	0.2	16.4	10.6	293	3.29	5.4	2.6	7.3	28	<0.1	0.4	0.1	55	0.73	0.048	40
50MI11AN0261	Soil	0.5	14.6	7.2	62	<0.1	13.6	13.4	592	3.96	1.6	1.3	9.0	9	<0.1	0.6	0.1	60	0.21	0.026	26
50MI11AN0262	Soil	0.7	12.7	6.1	56	<0.1	8.2	10.0	411	3.78	2.4	0.8	9.0	12	<0.1	0.8	<0.1	41	0.23	0.021	23
50MI11AN0263	Soil	1.0	5.8	8.2	52	<0.1	6.6	6.9	308	2.76	6.1	3.4	8.1	11	0.1	0.4	0.1	45	0.12	0.025	26
50MI11AN0264	Soil	0.6	29.6	4.0	55	<0.1	17.8	18.3	438	3.87	3.3	0.6	3.4	11	<0.1	0.4	0.1	86	0.17	0.020	7
50MI11AN0265	Soil	0.7	27.9	5.5	41	<0.1	16.9	12.9	374	2.99	6.7	1.5	2.1	10	<0.1	0.5	0.1	70	0.15	0.016	7
50MI11AN0266	Soil	0.7	25.0	8.6	57	0.1	16.1	12.7	548	3.34	4.7	5.2	7.7	21	<0.1	0.6	0.1	55	0.59	0.048	31
50MI11AN0267	Soil	0.6	18.0	7.4	47	<0.1	13.1	9.9	489	2.56	5.0	6.3	3.8	41	<0.1	0.5	0.1	45	0.94	0.040	17
50MI11AN0268	Soil	0.5	16.7	6.9	46	<0.1	12.5	10.6	280	2.36	4.5	2.9	2.5	56	0.1	0.4	<0.1	40	1.09	0.042	12
50MI11AN0269	Soil	0.6	17.7	8.1	48	<0.1	16.3	11.4	982	2.60	6.4	2.8	2.8	48	<0.1	0.7	0.1	45	1.10	0.048	13
50MI11AN0270	Soil	1.3	26.3	14.2	76	0.2	25.9	16.0	562	3.52	9.0	5.4	4.0	28	0.2	0.6	0.2	54	0.48	0.068	16
50MI11AN0271	Soil	1.0	26.8	14.4	56	0.2	21.7	15.6	788	2.83	8.1	3.9	2.5	33	0.2	0.7	0.2	54	0.48	0.060	15
50MI11AN0272	Soil	0.8	32.6	13.1	58	0.2	24.1	11.0	420	2.67	7.8	4.7	2.6	30	0.2	0.6	0.2	51	0.44	0.051	14
50MI11AN0273	Soil	0.7	30.5	13.1	60	0.1	20.4	9.5	482	2.71	7.9	3.4	3.5	28	0.1	0.7	0.2	52	0.43	0.049	14
50MI11AN0274	Soil	0.8	26.2	11.2	54	0.1	20.3	10.1	319	2.41	7.3	2.2	3.5	24	<0.1	0.7	0.2	48	0.37	0.044	13
50MI11AN0275	Soil	0.6	17.0	8.2	46	<0.1	16.1	9.0	618	1.76	5.7	2.8	2.7	22	0.1	0.5	<0.1	38	0.39	0.049	12
50MI11AN0276	Soil	0.2	20.5	9.9	50	<0.1	16.4	8.8	305	2.13	6.1	4.5	3.6	32	0.1	0.6	0.1	40	0.66	0.051	11
50MI11AN0277	Soil	0.4	21.8	10.5	68	0.1	20.1	7.9	195	2.36	8.0	5.0	3.5	30	0.2	0.8	0.1	52	0.61	0.071	13

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001933.2

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
50MI11AN0249	Soil		106	2.19	186	0.286	1	3.28	0.010	0.88	<0.1	0.01	3.2	0.4	<0.05	9	<0.5	<0.2
50MI11AN0250	Soil		110	2.40	207	0.318	<1	3.42	0.013	1.06	0.1	0.02	3.7	0.4	<0.05	10	<0.5	<0.2
50MI11AN0250 DUP	Soil		110	2.32	208	0.313	<1	3.20	0.016	1.02	0.1	0.02	3.3	0.4	<0.05	9	<0.5	<0.2
50MI11AN0251	Soil		135	1.95	285	0.245	1	2.77	0.014	0.52	<0.1	0.02	5.3	0.2	<0.05	10	<0.5	<0.2
50MI11AN0252	Soil		63	1.29	395	0.174	1	2.38	0.016	0.50	0.1	0.02	5.5	0.2	<0.05	8	<0.5	<0.2
50MI11AN0253	Soil		53	1.16	292	0.174	1	1.90	0.022	0.64	0.2	0.03	3.8	0.3	<0.05	6	<0.5	<0.2
50MI11AN0254	Soil		36	0.64	271	0.096	<1	1.66	0.019	0.20	0.2	0.05	4.3	0.1	<0.05	5	<0.5	<0.2
50MI11AN0255	Soil		60	1.01	257	0.144	1	2.12	0.015	0.42	<0.1	0.06	4.1	0.2	<0.05	7	<0.5	<0.2
50MI11AN0256	Soil		16	0.79	348	0.040	<1	1.45	0.008	0.06	<0.1	<0.01	9.3	<0.1	<0.05	6	<0.5	<0.2
50MI11AN0257	Soil		12	0.51	278	0.068	<1	1.10	0.010	0.21	0.1	<0.01	4.9	0.1	<0.05	6	<0.5	<0.2
50MI11AN0258	Soil		31	0.64	351	0.046	<1	1.40	0.009	0.07	<0.1	0.02	8.7	<0.1	<0.05	5	<0.5	<0.2
50MI11AN0259	Soil		32	1.00	430	0.080	<1	1.86	0.012	0.20	<0.1	0.04	9.4	<0.1	<0.05	7	0.8	<0.2
50MI11AN0260	Soil		21	0.41	676	0.018	1	1.53	0.012	0.15	<0.1	0.07	11.6	<0.1	<0.05	4	0.7	<0.2
50MI11AN0261	Soil		20	0.39	301	0.043	<1	1.13	0.007	0.34	<0.1	0.03	8.5	0.2	<0.05	4	<0.5	<0.2
50MI11AN0262	Soil		10	0.27	413	0.021	<1	1.12	0.007	0.15	<0.1	0.01	7.2	0.1	<0.05	4	<0.5	<0.2
50MI11AN0263	Soil		13	0.23	169	0.024	<1	1.08	0.008	0.13	<0.1	<0.01	2.7	<0.1	<0.05	4	<0.5	<0.2
50MI11AN0264	Soil		26	0.96	192	0.140	<1	2.09	0.012	0.18	<0.1	<0.01	4.3	0.1	<0.05	7	<0.5	<0.2
50MI11AN0265	Soil		25	0.58	176	0.100	<1	1.52	0.011	0.14	0.1	<0.01	2.6	0.1	<0.05	6	<0.5	<0.2
50MI11AN0266	Soil		22	0.58	429	0.041	1	1.44	0.010	0.13	<0.1	0.04	7.9	0.1	<0.05	5	<0.5	<0.2
50MI11AN0267	Soil		17	0.41	350	0.040	2	1.21	0.012	0.06	0.1	0.05	4.5	<0.1	<0.05	4	<0.5	<0.2
50MI11AN0268	Soil		16	0.35	236	0.034	1	1.02	0.016	0.04	0.1	0.04	3.1	<0.1	<0.05	3	<0.5	<0.2
50MI11AN0269	Soil		20	0.42	302	0.035	2	1.23	0.013	0.04	0.2	0.05	3.3	<0.1	0.05	4	<0.5	<0.2
50MI11AN0270	Soil		39	0.58	299	0.058	<1	1.46	0.014	0.09	0.1	0.04	4.0	<0.1	0.05	4	<0.5	<0.2
50MI11AN0271	Soil		34	0.55	328	0.050	1	1.65	0.015	0.04	0.2	0.04	4.0	<0.1	0.05	5	0.9	<0.2
50MI11AN0272	Soil		32	0.54	321	0.051	1	1.60	0.014	0.04	0.2	0.04	4.1	<0.1	<0.05	5	<0.5	<0.2
50MI11AN0273	Soil		34	0.54	300	0.053	1	1.63	0.012	0.04	0.2	0.03	4.4	<0.1	<0.05	5	<0.5	<0.2
50MI11AN0274	Soil		29	0.47	252	0.058	<1	1.41	0.012	0.04	0.1	0.03	3.7	<0.1	<0.05	4	<0.5	<0.2
50MI11AN0275	Soil		23	0.43	214	0.046	<1	1.05	0.010	0.04	0.2	0.03	2.7	<0.1	<0.05	3	<0.5	<0.2
50MI11AN0276	Soil		26	0.44	226	0.049	2	1.23	0.017	0.03	0.1	0.03	3.2	<0.1	0.06	4	<0.5	<0.2
50MI11AN0277	Soil		28	0.55	256	0.059	1	1.24	0.021	0.05	0.2	0.04	3.2	<0.1	<0.05	4	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001933.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
50MI11AN0278	Soil	0.2	10.0	6.4	23	<0.1	5.7	2.2	59	0.66	1.4	1.6	0.8	32	<0.1	0.4	<0.1	12	0.33	0.041	6
50MI11AN0279	Soil	1.2	9.6	12.8	42	<0.1	8.7	6.9	227	2.16	5.6	2.3	2.5	15	0.2	1.0	0.1	52	0.16	0.038	12
50MI11AN0280	Soil	0.6	15.9	10.1	55	0.1	13.0	7.4	158	2.02	5.4	2.9	2.0	21	0.2	0.7	0.1	50	0.27	0.061	13
50MI11AN0281	Soil	0.8	24.6	10.6	62	<0.1	19.6	8.0	166	2.34	8.3	4.2	3.9	25	0.2	0.9	0.1	51	0.37	0.067	14
50MI11AN0282	Soil	1.1	10.7	10.4	55	0.1	11.1	9.8	596	2.03	5.8	1.9	1.3	27	0.2	0.8	0.2	47	0.42	0.072	11
50MI11AN0283	Soil	1.0	13.7	10.6	54	0.1	13.9	8.5	415	2.03	4.8	5.3	1.4	26	0.2	0.6	0.1	44	0.39	0.076	13
50MI11AN0284	Soil	1.3	11.1	11.7	55	0.1	12.8	10.3	497	2.50	5.7	4.7	1.5	23	<0.1	0.8	<0.1	52	0.34	0.071	13
50MI11AN0285	Soil	1.2	11.5	11.2	49	<0.1	11.5	9.6	413	2.36	5.7	1.8	1.6	20	<0.1	0.6	0.1	50	0.29	0.057	12
50MI11AN0286	Soil	0.5	89.9	4.0	54	0.2	170.2	31.7	309	3.72	2.3	2.0	1.4	19	<0.1	0.1	<0.1	90	0.68	0.105	10
50MI11AN0287	Soil	1.0	27.4	9.9	72	0.2	31.4	12.1	428	2.86	4.7	3.9	4.8	16	0.1	0.3	0.1	57	0.25	0.046	17
50MI11AN0288	Soil	0.7	28.9	9.6	53	0.1	25.4	11.3	240	2.88	6.0	3.4	4.2	14	<0.1	0.4	0.1	66	0.21	0.037	15
50MI11AN0289	Soil	0.9	25.4	11.7	61	<0.1	23.5	10.2	424	2.79	5.1	3.8	5.0	13	<0.1	0.3	0.1	46	0.18	0.043	18
50MI11AN0290	Soil	0.9	69.2	10.2	79	<0.1	49.8	14.0	832	3.10	11.9	3.9	4.4	14	<0.1	0.4	0.1	59	0.18	0.051	17
50MI11AN0291	Soil	0.6	32.0	17.4	83	<0.1	31.1	13.1	576	3.17	3.2	2.9	10.0	19	<0.1	0.2	0.1	42	0.36	0.053	43
50MI11AN0292	Soil	0.9	22.3	11.1	58	0.2	22.1	9.9	240	2.62	4.0	3.5	2.2	14	0.1	0.3	0.2	51	0.16	0.047	19
50MI11AN0293	Soil	1.0	25.1	11.0	65	<0.1	26.0	10.6	293	2.92	7.4	4.7	3.9	15	<0.1	0.4	0.2	61	0.16	0.028	12
50MI11AN0294	Soil	1.0	45.6	8.8	70	0.1	49.9	13.5	307	3.16	7.9	2.4	2.9	20	0.2	0.3	0.1	80	0.27	0.045	12
50MI11AN0295	Soil	1.2	19.8	12.2	53	<0.1	19.3	6.8	220	2.32	4.9	2.3	2.4	14	0.1	0.3	0.1	47	0.12	0.029	11
50MI11AN0296	Soil	1.1	34.8	10.3	77	<0.1	31.7	11.0	339	2.92	5.6	5.8	4.6	15	<0.1	0.5	0.2	59	0.14	0.043	17
50MI11AN0297	Soil	1.6	42.1	14.9	102	0.2	31.7	11.7	429	3.66	6.2	3.6	4.9	16	0.5	0.5	0.2	69	0.10	0.055	19
50MI11AN0298	Soil	0.5	11.6	6.1	20	0.2	5.5	1.6	36	0.71	0.7	1.7	<0.1	9	0.2	0.1	<0.1	17	0.06	0.026	8
50MI11AN0299	Soil	1.2	19.0	13.7	57	<0.1	20.2	8.1	203	3.32	8.6	4.4	4.2	10	0.1	0.5	0.2	67	0.09	0.024	14
50MI11AN0300	Soil	0.8	26.2	12.8	64	<0.1	28.2	10.8	231	3.08	4.4	1.1	4.7	12	0.1	0.4	0.2	67	0.12	0.029	20
50MI11AN0300 DUP	Soil	0.9	25.6	12.8	60	<0.1	26.2	10.2	217	3.25	4.6	1.7	4.7	12	<0.1	0.4	0.2	77	0.13	0.026	18
50MI11AN0301	Soil	0.8	22.1	11.0	57	<0.1	27.3	9.7	235	2.98	4.2	1.9	6.0	10	<0.1	0.3	0.2	50	0.07	0.024	23
50MI11AN0302	Soil	0.8	25.4	14.1	66	0.1	29.5	15.2	594	3.06	6.0	4.1	8.5	12	<0.1	0.4	0.3	49	0.09	0.028	26
50MI11AN0303	Soil	1.3	21.5	11.3	62	<0.1	24.4	9.9	369	3.13	9.0	0.7	5.7	11	<0.1	0.5	0.3	60	0.08	0.025	15
50MI11AN0304	Soil	1.4	35.1	10.3	59	<0.1	23.4	13.1	700	2.64	5.9	2.0	5.3	11	0.2	0.4	0.2	46	0.07	0.027	17
50MI11AN0305	Soil	1.0	30.6	9.9	61	<0.1	25.3	10.0	348	2.74	7.1	1.7	5.8	19	0.1	0.5	0.2	55	0.16	0.019	18
50MI11AN0306	Soil	0.8	20.5	11.7	53	0.1	20.5	7.9	251	2.52	3.4	2.0	5.3	14	<0.1	0.2	0.2	38	0.09	0.023	23

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001933.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
50MI11AN0278	Soil	10	0.18	183	0.023	2	0.52	0.016	0.03	0.2	0.04	1.7	<0.1	0.12	2	<0.5	<0.2
50MI11AN0279	Soil	17	0.25	139	0.033	<1	1.14	0.008	0.04	0.3	0.02	2.3	0.1	<0.05	3	<0.5	<0.2
50MI11AN0280	Soil	23	0.39	259	0.039	<1	1.35	0.016	0.04	0.3	0.06	3.2	<0.1	<0.05	4	<0.5	<0.2
50MI11AN0281	Soil	27	0.52	293	0.057	1	1.39	0.017	0.05	0.2	0.05	3.6	<0.1	<0.05	4	<0.5	<0.2
50MI11AN0282	Soil	21	0.37	334	0.023	<1	1.10	0.013	0.03	0.4	0.08	2.8	0.1	<0.05	4	<0.5	<0.2
50MI11AN0283	Soil	28	0.43	295	0.019	<1	1.38	0.014	0.04	0.2	0.05	3.2	<0.1	<0.05	5	<0.5	<0.2
50MI11AN0284	Soil	29	0.45	275	0.017	<1	1.37	0.011	0.04	0.5	0.06	3.3	0.2	<0.05	5	<0.5	<0.2
50MI11AN0285	Soil	27	0.47	278	0.016	<1	1.40	0.012	0.03	0.3	0.06	2.8	0.1	<0.05	4	<0.5	<0.2
50MI11AN0286	Soil	211	2.02	791	0.150	<1	2.47	0.022	0.43	<0.1	0.02	7.2	0.2	<0.05	8	<0.5	<0.2
50MI11AN0287	Soil	46	0.71	203	0.094	<1	1.74	0.009	0.19	0.1	0.02	3.9	0.1	<0.05	6	<0.5	<0.2
50MI11AN0288	Soil	43	0.69	161	0.106	1	1.75	0.013	0.10	0.1	0.03	3.5	0.1	<0.05	6	<0.5	<0.2
50MI11AN0289	Soil	29	0.61	134	0.090	<1	1.63	0.007	0.22	0.1	0.04	3.0	0.2	<0.05	5	<0.5	<0.2
50MI11AN0290	Soil	35	0.54	218	0.098	<1	1.56	0.008	0.21	<0.1	0.03	3.7	0.2	<0.05	6	<0.5	<0.2
50MI11AN0291	Soil	32	0.63	201	0.121	<1	1.58	0.009	0.39	<0.1	0.03	3.7	0.3	<0.05	5	<0.5	<0.2
50MI11AN0292	Soil	32	0.52	197	0.054	1	1.62	0.009	0.09	0.1	0.05	3.0	0.1	<0.05	5	0.6	<0.2
50MI11AN0293	Soil	39	0.57	274	0.053	<1	1.80	0.010	0.06	0.1	0.02	3.3	<0.1	<0.05	5	<0.5	<0.2
50MI11AN0294	Soil	77	0.87	443	0.096	1	1.76	0.011	0.16	<0.1	0.04	5.0	0.1	<0.05	6	<0.5	<0.2
50MI11AN0295	Soil	27	0.42	276	0.044	<1	1.44	0.011	0.08	<0.1	0.02	2.5	0.1	<0.05	5	<0.5	<0.2
50MI11AN0296	Soil	40	0.61	284	0.081	<1	1.66	0.008	0.18	0.1	0.03	4.2	0.2	<0.05	5	0.8	<0.2
50MI11AN0297	Soil	35	0.64	210	0.098	<1	1.74	0.010	0.29	0.1	0.02	3.1	0.3	<0.05	6	0.6	<0.2
50MI11AN0298	Soil	8	0.13	84	0.019	<1	0.50	0.019	0.09	<0.1	0.02	0.4	<0.1	<0.05	2	0.7	<0.2
50MI11AN0299	Soil	32	0.55	109	0.090	1	1.85	0.008	0.11	0.1	0.02	2.7	0.2	<0.05	7	0.5	<0.2
50MI11AN0300	Soil	32	0.69	161	0.133	<1	1.83	0.010	0.30	0.1	0.02	2.9	0.3	<0.05	7	<0.5	<0.2
50MI11AN0300 DUP	Soil	30	0.69	160	0.140	<1	1.85	0.010	0.26	0.1	0.02	2.8	0.2	<0.05	8	0.5	<0.2
50MI11AN0301	Soil	36	0.63	117	0.093	1	1.73	0.007	0.32	<0.1	0.01	2.7	0.3	<0.05	6	<0.5	<0.2
50MI11AN0302	Soil	35	0.65	157	0.100	2	1.84	0.008	0.34	0.1	0.03	3.0	0.3	<0.05	6	<0.5	<0.2
50MI11AN0303	Soil	33	0.57	130	0.100	2	1.81	0.006	0.18	0.1	0.01	2.9	0.2	<0.05	6	<0.5	<0.2
50MI11AN0304	Soil	29	0.51	148	0.075	2	1.65	0.007	0.16	0.1	0.02	3.1	0.2	<0.05	5	<0.5	<0.2
50MI11AN0305	Soil	37	0.65	215	0.100	2	1.88	0.008	0.09	0.1	0.03	4.4	0.1	<0.05	5	<0.5	<0.2
50MI11AN0306	Soil	25	0.54	158	0.125	1	1.54	0.009	0.39	<0.1	0.01	2.4	0.3	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001933.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
50MI11AN0307	Soil	1.0	19.0	11.3	45	0.3	18.3	6.5	196	2.25	4.5	<0.5	4.7	15	<0.1	0.3	0.3	48	0.11	0.018	19
50MI11AN0308	Soil	0.9	29.0	9.9	69	<0.1	25.3	8.8	272	2.70	4.2	2.3	6.7	14	<0.1	0.2	0.2	52	0.10	0.017	20
50MI11AN0309	Soil	1.1	27.5	9.4	67	<0.1	22.3	7.7	241	2.53	4.1	0.9	5.9	12	0.1	0.3	0.2	47	0.07	0.022	15
50MI11AN0310	Soil	1.0	20.8	8.0	52	<0.1	17.9	7.5	261	2.25	4.6	1.7	5.3	12	<0.1	0.4	0.2	40	0.09	0.023	14
50MI11AN0311	Soil	1.2	21.8	9.4	56	0.2	19.5	7.2	222	2.43	5.3	1.7	3.6	15	0.2	0.4	0.2	46	0.12	0.030	14
50MI11AN0312	Soil	0.5	15.5	7.9	50	<0.1	13.1	7.1	260	1.97	2.5	3.2	2.5	76	0.2	0.4	0.1	66	0.58	0.087	14
50MI11AN0313	Soil	0.8	23.5	8.9	59	<0.1	17.8	6.8	272	2.14	5.7	1.7	3.4	43	0.2	0.5	0.2	43	0.51	0.061	13
50MI11AN0314	Soil	1.0	12.9	6.5	37	0.1	11.2	5.2	144	1.87	3.6	1.0	1.2	26	0.1	0.2	0.1	45	0.20	0.043	9
50MI11AN0315	Soil	0.6	10.8	8.7	43	0.1	10.1	5.4	193	1.68	2.9	<0.5	2.0	56	<0.1	0.2	0.2	44	0.50	0.068	13
50MI11AN0316	Soil	0.5	9.3	7.0	42	<0.1	8.5	6.3	246	1.59	1.8	1.3	1.1	68	<0.1	0.2	0.1	41	0.51	0.064	10
50MI11AN0317	Soil	0.5	9.5	6.0	48	<0.1	10.4	5.5	248	1.81	3.4	0.5	1.1	34	0.1	0.2	<0.1	42	0.29	0.052	9
50MI11AN0318	Soil	0.5	10.4	7.4	44	0.1	9.8	5.2	239	1.80	2.8	<0.5	0.9	85	0.1	0.1	0.1	42	0.63	0.071	10
50MI11AN0319	Soil	0.7	10.2	8.1	47	<0.1	11.7	6.4	280	2.26	4.5	0.8	1.9	47	<0.1	0.2	0.1	56	0.37	0.045	11
50MI11AN0320	Soil	0.6	5.1	4.0	19	<0.1	4.5	2.5	85	1.03	2.5	0.8	0.2	9	<0.1	0.1	<0.1	26	0.06	0.021	4
50MI11AN0321	Soil	0.6	10.6	5.4	35	<0.1	9.7	5.4	239	1.67	3.4	5.2	0.7	42	0.1	0.2	<0.1	40	0.26	0.052	10
50MI11AN0322	Soil	0.6	13.5	7.7	47	<0.1	13.9	6.8	299	2.28	5.4	1.6	2.8	49	<0.1	0.3	0.1	53	0.32	0.039	14
50MI11AN0323	Soil	0.6	13.1	7.3	50	<0.1	13.8	7.2	363	2.54	3.9	1.4	2.7	56	<0.1	0.3	<0.1	63	0.36	0.059	16
50MI11AN0324	Soil	0.7	15.4	7.3	45	0.1	12.4	7.0	289	2.42	5.2	0.7	1.5	39	0.1	0.3	0.2	59	0.27	0.043	10
50MI11AN0325	Soil	0.5	13.1	6.5	49	<0.1	14.6	7.6	329	2.26	3.7	<0.5	1.3	47	0.1	0.2	<0.1	62	0.36	0.053	11
50MI11AN0326	Soil	0.6	15.5	7.1	46	<0.1	15.2	6.9	228	1.92	4.5	2.3	1.2	31	0.1	0.4	0.2	46	0.27	0.056	11
50MI11AN0327	Soil	0.7	18.9	6.2	47	0.2	14.5	7.8	543	2.36	5.6	1.2	1.1	81	<0.1	0.3	0.2	62	0.77	0.126	15
50MI11AM0241	Soil	1.5	24.3	16.9	76	0.2	19.6	11.8	531	2.60	14.5	2.9	3.8	43	0.2	1.0	0.3	45	0.53	0.063	13
50MI11AM0242	Soil	1.3	18.3	13.2	73	<0.1	14.7	9.3	401	2.26	14.0	1.6	3.4	41	0.3	1.1	0.2	45	0.45	0.066	11
50MI11AM0243	Soil	0.6	9.1	10.5	61	<0.1	10.2	7.4	502	2.09	6.4	5.0	2.4	36	0.2	1.3	0.2	41	0.49	0.044	8
50MI11AM0244	Soil	0.3	19.6	9.1	55	0.1	17.3	8.0	404	2.18	6.7	2.1	2.7	48	0.2	0.7	0.1	53	0.61	0.066	13
50MI11AM0245	Soil	0.8	27.6	8.1	52	0.1	23.0	10.0	510	2.31	7.4	2.4	2.8	45	0.3	0.8	0.2	48	0.72	0.078	13
50MI11AM0246	Soil	1.0	16.8	8.3	58	<0.1	16.7	11.5	776	2.41	7.2	0.5	2.7	32	0.1	0.5	0.1	52	0.45	0.050	9
50MI11AM0247	Soil	0.8	15.0	8.7	54	<0.1	14.2	9.0	302	2.08	7.1	1.5	2.2	23	0.2	0.5	0.2	47	0.26	0.050	11
50MI11AM0248	Soil	0.5	20.8	7.9	55	<0.1	17.5	8.6	249	2.16	6.4	4.0	3.5	29	0.3	0.5	0.1	45	0.35	0.052	12
50MI11AM0249	Soil	0.8	16.9	8.2	51	<0.1	15.7	7.2	247	2.00	6.9	0.9	2.6	27	0.1	0.5	0.2	43	0.36	0.062	11

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001933.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
50MI11AN0307	Soil	25	0.46	171	0.102	1	1.42	0.008	0.15	<0.1	<0.01	2.3	0.2	<0.05	6	<0.5	<0.2
50MI11AN0308	Soil	34	0.68	189	0.124	<1	1.75	0.007	0.29	<0.1	<0.01	3.3	0.2	<0.05	5	<0.5	<0.2
50MI11AN0309	Soil	29	0.61	174	0.115	1	1.66	0.007	0.25	0.1	0.01	2.5	0.2	<0.05	5	<0.5	<0.2
50MI11AN0310	Soil	24	0.44	141	0.082	1	1.40	0.006	0.10	0.1	0.01	2.2	0.1	<0.05	4	<0.5	<0.2
50MI11AN0311	Soil	26	0.46	166	0.069	1	1.62	0.007	0.08	0.1	0.03	2.4	0.1	<0.05	5	<0.5	<0.2
50MI11AN0312	Soil	20	0.51	298	0.029	1	1.42	0.025	0.05	<0.1	0.03	4.0	<0.1	<0.05	4	<0.5	<0.2
50MI11AN0313	Soil	23	0.42	359	0.024	2	1.46	0.016	0.07	<0.1	0.05	4.4	<0.1	<0.05	4	<0.5	<0.2
50MI11AN0314	Soil	23	0.34	157	0.030	2	1.75	0.013	0.05	<0.1	0.05	3.3	<0.1	<0.05	5	<0.5	<0.2
50MI11AN0315	Soil	16	0.38	250	0.016	1	1.60	0.015	0.05	<0.1	0.05	3.7	<0.1	<0.05	4	<0.5	<0.2
50MI11AN0316	Soil	17	0.46	237	0.025	1	1.57	0.013	0.04	<0.1	0.02	3.1	<0.1	<0.05	4	<0.5	<0.2
50MI11AN0317	Soil	19	0.48	163	0.032	1	1.30	0.010	0.04	<0.1	0.02	2.4	<0.1	<0.05	5	<0.5	<0.2
50MI11AN0318	Soil	17	0.41	389	0.018	1	1.85	0.015	0.04	<0.1	0.03	3.4	<0.1	<0.05	5	<0.5	<0.2
50MI11AN0319	Soil	22	0.49	240	0.036	<1	1.98	0.013	0.03	<0.1	0.02	3.6	<0.1	<0.05	5	<0.5	<0.2
50MI11AN0320	Soil	8	0.16	57	0.028	<1	0.81	0.015	0.03	<0.1	0.02	0.8	<0.1	<0.05	3	<0.5	<0.2
50MI11AN0321	Soil	17	0.37	173	0.040	1	1.45	0.017	0.04	<0.1	0.02	2.0	<0.1	<0.05	4	<0.5	<0.2
50MI11AN0322	Soil	25	0.53	230	0.062	<1	1.99	0.018	0.04	<0.1	0.02	3.6	<0.1	<0.05	5	<0.5	<0.2
50MI11AN0323	Soil	25	0.63	205	0.076	<1	2.53	0.030	0.06	<0.1	0.02	3.7	<0.1	<0.05	6	<0.5	<0.2
50MI11AN0324	Soil	21	0.52	198	0.045	<1	2.55	0.013	0.04	0.1	0.02	3.1	<0.1	<0.05	6	<0.5	<0.2
50MI11AN0325	Soil	22	0.59	220	0.065	<1	2.24	0.028	0.07	<0.1	0.03	3.2	<0.1	<0.05	6	0.6	<0.2
50MI11AN0326	Soil	22	0.45	217	0.042	<1	1.95	0.014	0.04	<0.1	0.03	2.4	<0.1	<0.05	5	<0.5	<0.2
50MI11AN0327	Soil	20	0.58	289	0.029	<1	2.92	0.023	0.06	<0.1	0.06	4.5	<0.1	0.05	6	<0.5	<0.2
50MI11AM0241	Soil	27	0.57	302	0.044	1	1.30	0.012	0.09	0.3	0.04	4.1	<0.1	<0.05	4	<0.5	<0.2
50MI11AM0242	Soil	22	0.50	257	0.036	1	1.03	0.010	0.08	0.4	0.03	3.4	<0.1	<0.05	3	<0.5	<0.2
50MI11AM0243	Soil	22	0.41	247	0.031	2	1.29	0.015	0.19	0.1	0.02	2.6	<0.1	<0.05	4	<0.5	<0.2
50MI11AM0244	Soil	31	0.45	332	0.059	2	1.64	0.019	0.07	0.1	0.05	3.6	<0.1	<0.05	5	0.5	<0.2
50MI11AM0245	Soil	30	0.47	367	0.051	1	1.34	0.015	0.05	0.2	0.05	3.6	<0.1	<0.05	4	0.8	<0.2
50MI11AM0246	Soil	37	0.61	261	0.076	1	1.55	0.010	0.07	0.2	0.04	2.8	<0.1	<0.05	5	<0.5	<0.2
50MI11AM0247	Soil	27	0.41	197	0.057	<1	1.50	0.010	0.04	0.1	0.05	2.6	<0.1	<0.05	4	<0.5	<0.2
50MI11AM0248	Soil	29	0.45	263	0.070	1	1.42	0.012	0.05	0.2	0.04	3.2	<0.1	<0.05	4	<0.5	<0.2
50MI11AM0249	Soil	24	0.41	232	0.050	1	1.26	0.013	0.04	0.2	0.04	2.5	<0.1	<0.05	4	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001933.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
50MI11AM0250	Soil	0.8	17.6	8.9	53	<0.1	16.7	8.5	433	1.74	6.1	3.2	2.4	31	0.2	0.6	0.2	48	0.49	0.066	13
50MI11AM0250 DUP	Soil	0.9	18.0	9.4	64	0.1	19.8	10.7	584	2.58	8.1	2.8	2.7	34	0.2	0.7	0.1	52	0.56	0.073	13
50MI11AM0251	Soil	0.4	15.3	10.6	68	0.1	17.8	7.6	258	2.59	8.4	5.4	3.4	32	0.1	0.6	0.1	61	0.50	0.057	14
50MI11AM0252	Soil	0.3	25.6	8.1	75	<0.1	23.7	13.6	327	3.36	17.5	2.3	4.3	20	<0.1	1.3	<0.1	69	0.32	0.041	10
50MI11AM0253	Soil	0.5	22.6	7.5	74	<0.1	23.7	12.4	345	3.25	9.3	5.2	3.8	24	<0.1	0.8	<0.1	69	0.34	0.030	13
50MI11AM0254	Soil	0.8	27.6	9.4	64	<0.1	26.1	12.3	372	3.44	8.2	5.8	4.6	27	<0.1	0.6	0.1	76	0.34	0.028	13
50MI11AM0255	Soil	0.4	22.9	5.6	74	<0.1	25.2	14.9	358	3.47	5.6	3.6	3.1	32	0.1	0.9	<0.1	78	0.28	0.043	5
50MI11AM0256	Soil	0.6	13.2	9.7	51	<0.1	14.7	8.1	217	2.81	9.4	1.6	3.4	23	<0.1	0.7	0.1	65	0.28	0.023	11
50MI11AM0257	Soil	0.3	13.6	6.8	53	<0.1	14.6	9.4	226	2.52	6.7	3.4	4.0	25	0.2	0.8	<0.1	55	0.29	0.037	11
50MI11AM0258	Soil	0.7	18.5	10.5	57	0.1	17.1	12.3	645	2.58	6.5	2.0	3.3	30	0.2	0.7	0.1	60	0.45	0.046	13
50MI11AM0259	Soil	1.0	31.8	9.9	75	0.1	28.3	10.3	341	2.69	10.1	3.4	4.4	33	0.5	0.9	0.1	53	0.74	0.080	15
50MI11AM0260	Soil	0.6	14.7	9.2	57	<0.1	15.5	6.6	161	2.23	6.2	3.0	3.0	27	0.1	0.7	0.1	51	0.43	0.057	13
50MI11AM0261	Soil	0.5	22.3	9.4	77	0.2	23.1	9.9	269	2.83	10.7	4.5	5.6	40	0.1	1.2	0.1	56	0.50	0.048	18
50MI11AM0262	Soil	0.7	15.1	10.6	66	<0.1	19.1	12.9	321	3.39	7.0	2.0	4.9	32	<0.1	2.4	0.1	69	0.39	0.031	12
50MI11AM0263	Soil	0.6	13.9	9.2	54	<0.1	14.6	8.1	195	2.49	8.0	3.4	4.0	20	0.2	0.6	<0.1	52	0.26	0.026	12
50MI11AM0264	Soil	0.9	38.2	5.6	83	<0.1	37.7	22.0	642	4.46	6.5	3.3	5.4	44	<0.1	0.6	<0.1	90	0.65	0.067	10
50MI11AM0265	Soil	0.6	19.6	8.9	65	<0.1	19.6	11.9	250	3.08	6.6	2.5	4.6	27	0.1	0.7	0.1	64	0.34	0.030	13
50MI11AM0266	Soil	0.5	18.4	8.6	64	<0.1	20.3	9.6	232	3.01	6.8	2.6	4.6	32	<0.1	0.6	<0.1	65	0.43	0.038	14
50MI11AM0267	Soil	0.4	24.9	10.0	68	0.1	21.2	10.7	462	3.02	8.6	2.8	4.3	40	0.4	0.8	0.1	59	0.56	0.049	16
50MI11AM0268	Soil	0.3	31.8	5.7	87	<0.1	29.1	15.9	517	3.76	7.5	2.2	4.2	50	0.2	0.5	<0.1	75	0.58	0.061	9
50MI11AM0269	Soil	0.9	17.3	10.5	59	<0.1	16.7	12.4	638	3.06	7.7	5.2	3.1	29	<0.1	0.5	0.1	60	0.39	0.050	13
50MI11AM0270	Soil	0.7	20.8	9.4	59	0.1	17.4	11.7	369	2.72	7.1	3.4	3.3	31	0.3	0.6	0.1	55	0.42	0.060	14
50MI11AM0271	Soil	0.7	21.8	10.0	61	<0.1	17.5	9.1	212	2.70	8.1	4.0	3.7	28	0.2	0.5	0.1	55	0.41	0.052	15
50MI11AM0272	Soil	0.4	14.2	9.0	60	<0.1	16.2	7.2	171	2.45	7.4	2.2	3.1	26	0.1	0.6	0.1	55	0.38	0.050	13
50MI11AM0273	Soil	0.8	33.1	10.4	67	0.2	26.5	9.7	406	2.79	8.6	2.2	3.8	34	0.3	0.8	0.2	56	0.58	0.075	16
50MI11AM0274	Soil	0.4	20.2	9.7	55	0.1	17.4	7.7	157	2.85	8.6	3.3	3.0	27	0.2	0.6	0.1	57	0.36	0.058	13
50MI11AM0275	Soil	0.8	28.4	9.5	59	0.1	22.2	14.1	316	3.12	7.8	2.7	3.3	32	0.1	0.8	0.1	62	0.43	0.064	14
50MI11AM0276	Soil	0.3	25.5	11.3	55	<0.1	20.2	9.1	222	2.84	8.1	3.0	4.8	30	0.2	0.8	0.1	60	0.44	0.040	15
50MI11AM0277	Soil	0.4	23.6	10.5	55	<0.1	18.2	9.1	194	3.05	10.3	3.3	4.7	27	0.2	0.8	<0.1	61	0.39	0.049	17
50MI11AM0278	Soil	0.7	25.1	10.2	63	0.1	21.6	11.0	442	3.07	9.7	1.8	5.0	28	0.3	0.9	0.1	57	0.40	0.062	17

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001933.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
50MI11AM0250	Soil	27	0.49	276	0.061	2	1.30	0.018	0.05	0.3	0.06	3.0	<0.1	<0.05	4	0.7	<0.2
50MI11AM0250 DUP	Soil	28	0.55	291	0.062	1	1.43	0.022	0.06	0.2	0.03	3.3	<0.1	<0.05	4	<0.5	<0.2
50MI11AM0251	Soil	34	0.56	332	0.069	2	1.63	0.019	0.08	0.2	0.04	4.1	<0.1	<0.05	5	<0.5	<0.2
50MI11AM0252	Soil	74	1.19	360	0.093	2	1.99	0.009	0.45	0.4	0.14	6.6	0.2	<0.05	6	<0.5	<0.2
50MI11AM0253	Soil	71	1.09	317	0.129	2	2.00	0.012	0.22	0.1	0.05	5.1	0.2	<0.05	7	<0.5	<0.2
50MI11AM0254	Soil	66	0.93	336	0.139	<1	2.24	0.016	0.12	0.2	0.04	5.7	0.1	<0.05	7	<0.5	<0.2
50MI11AM0255	Soil	87	1.27	200	0.180	1	2.31	0.010	0.40	0.3	0.02	3.7	0.2	<0.05	7	<0.5	<0.2
50MI11AM0256	Soil	42	0.59	187	0.087	1	1.89	0.012	0.05	0.1	0.01	3.5	<0.1	<0.05	6	<0.5	<0.2
50MI11AM0257	Soil	49	0.71	177	0.100	<1	1.55	0.011	0.12	0.2	0.05	3.7	0.1	<0.05	5	<0.5	<0.2
50MI11AM0258	Soil	37	0.59	274	0.080	1	1.68	0.014	0.06	0.2	0.05	3.6	<0.1	<0.05	5	<0.5	<0.2
50MI11AM0259	Soil	28	0.64	329	0.083	3	1.29	0.029	0.09	0.2	0.03	3.7	<0.1	<0.05	4	<0.5	<0.2
50MI11AM0260	Soil	32	0.56	242	0.073	1	1.41	0.020	0.05	0.2	0.05	3.2	<0.1	<0.05	5	0.8	<0.2
50MI11AM0261	Soil	50	0.77	351	0.087	<1	1.71	0.018	0.20	0.1	0.09	5.2	0.1	<0.05	6	<0.5	<0.2
50MI11AM0262	Soil	57	0.77	442	0.060	1	2.26	0.013	0.08	0.2	0.17	5.3	<0.1	<0.05	6	<0.5	<0.2
50MI11AM0263	Soil	37	0.56	283	0.079	1	1.55	0.012	0.07	0.1	0.02	3.3	<0.1	<0.05	5	<0.5	<0.2
50MI11AM0264	Soil	137	2.05	574	0.178	<1	2.87	0.012	0.49	<0.1	0.02	7.3	0.3	<0.05	8	<0.5	<0.2
50MI11AM0265	Soil	55	0.81	344	0.093	<1	2.05	0.014	0.15	0.1	0.05	4.9	<0.1	<0.05	6	<0.5	<0.2
50MI11AM0266	Soil	52	0.78	329	0.110	<1	1.96	0.015	0.10	0.1	0.03	4.3	<0.1	<0.05	6	<0.5	<0.2
50MI11AM0267	Soil	39	0.58	400	0.082	<1	1.81	0.016	0.08	0.2	0.08	4.9	<0.1	<0.05	6	0.6	<0.2
50MI11AM0268	Soil	96	1.58	372	0.208	<1	2.34	0.016	0.79	0.3	0.03	4.3	0.3	<0.05	7	<0.5	<0.2
50MI11AM0269	Soil	34	0.52	298	0.068	1	1.77	0.013	0.06	0.2	0.04	3.7	<0.1	<0.05	5	<0.5	<0.2
50MI11AM0270	Soil	36	0.54	284	0.076	<1	1.66	0.016	0.05	0.4	0.05	4.0	<0.1	<0.05	5	<0.5	<0.2
50MI11AM0271	Soil	33	0.50	287	0.077	<1	1.68	0.016	0.05	0.4	0.05	3.7	<0.1	<0.05	5	<0.5	<0.2
50MI11AM0272	Soil	34	0.56	251	0.076	1	1.55	0.019	0.06	0.2	0.03	3.5	<0.1	<0.05	5	<0.5	<0.2
50MI11AM0273	Soil	31	0.55	390	0.071	<1	1.44	0.023	0.06	0.2	0.03	3.9	<0.1	<0.05	4	<0.5	<0.2
50MI11AM0274	Soil	35	0.51	279	0.078	<1	1.62	0.017	0.05	0.2	0.06	4.1	0.1	<0.05	5	<0.5	<0.2
50MI11AM0275	Soil	45	0.57	370	0.094	<1	1.75	0.016	0.06	0.4	0.05	4.9	0.1	<0.05	5	<0.5	<0.2
50MI11AM0276	Soil	38	0.56	300	0.088	<1	1.79	0.016	0.05	0.3	0.05	5.0	<0.1	<0.05	5	<0.5	<0.2
50MI11AM0277	Soil	32	0.50	282	0.079	<1	1.75	0.016	0.05	0.2	0.06	4.6	<0.1	<0.05	5	<0.5	<0.2
50MI11AM0278	Soil	32	0.53	312	0.079	<1	1.58	0.018	0.06	0.2	0.05	4.2	<0.1	<0.05	5	0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001933.2

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
50MI11AM0279	Soil		0.5	26.1	10.7	60	0.1	19.8	10.5	221	3.14	7.9	2.3	4.1	25	0.2	0.7	0.2	66	0.36	0.046	14
50MI11AM0280	Soil		0.9	35.1	10.3	69	0.1	27.7	11.1	262	3.04	8.5	3.3	4.1	37	0.3	0.9	0.1	59	0.65	0.064	14
50MI11AM0281	Soil		0.6	29.4	9.6	78	<0.1	31.4	17.9	625	4.48	4.7	2.0	3.5	23	0.1	0.2	<0.1	97	0.43	0.029	7
50MI11AM0282	Soil		0.5	38.8	10.0	84	<0.1	39.2	22.9	772	5.36	4.3	1.8	3.4	27	0.1	0.2	<0.1	120	0.96	0.027	6
50MI11MGB0276	Soil		1.2	44.8	10.1	81	0.2	39.0	16.3	503	3.92	5.7	2.7	5.3	30	0.3	0.5	0.2	80	0.75	0.065	16
50MI11MGB0277	Soil		0.9	13.8	7.8	61	<0.1	24.6	12.2	572	2.65	6.8	3.6	4.2	28	0.2	0.5	0.1	46	0.36	0.068	13
50MI11MGB0278	Soil		0.3	14.7	8.3	55	0.1	25.2	6.5	207	1.84	3.8	2.8	3.0	27	0.1	0.4	0.2	35	0.43	0.054	10
50MI11MGB0279	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
50MI11MGB0280	Soil		0.7	25.5	14.4	71	<0.1	27.2	11.2	379	3.48	3.5	<0.5	11.9	20	<0.1	0.3	0.2	50	0.19	0.021	32
50MI11MGB0281	Soil		0.4	26.6	16.7	83	<0.1	30.6	14.7	405	4.11	1.1	<0.5	16.4	12	<0.1	0.2	0.3	39	0.07	0.017	32
50MI11MGB0282	Soil		0.5	24.3	18.4	75	<0.1	29.1	13.1	404	4.07	1.7	0.8	13.8	12	<0.1	0.2	0.3	40	0.07	0.020	37
50MI11MGB0283	Soil		0.8	28.9	9.1	55	0.1	23.3	9.2	384	2.50	4.8	2.0	5.9	28	0.1	0.5	0.2	44	0.32	0.043	20
50MI11MGB0284	Soil		0.5	16.6	8.9	58	<0.1	20.9	10.6	416	2.84	2.5	<0.5	10.0	25	<0.1	0.2	0.2	36	0.27	0.040	30
50MI11MGB0285	Soil		0.5	23.6	11.7	70	<0.1	25.9	12.2	361	3.55	2.7	1.4	13.1	16	<0.1	0.2	0.3	42	0.13	0.017	34
50MI11MGB0286	Soil		0.4	17.6	10.9	65	<0.1	25.1	11.5	402	3.34	1.2	0.8	10.4	22	<0.1	0.2	0.2	39	0.22	0.035	29
50MI11MGB0287	Soil		0.4	24.8	11.9	70	<0.1	26.6	11.6	397	3.38	1.5	2.5	13.5	18	<0.1	0.3	0.2	42	0.18	0.026	36
50MI11MGB0288	Soil		0.5	19.2	13.1	65	<0.1	23.6	10.6	374	3.25	1.3	<0.5	10.5	16	<0.1	0.2	0.2	43	0.14	0.023	28
50MI11MGB0289	Soil		0.6	21.8	8.8	49	<0.1	19.1	8.3	345	2.43	2.4	6.0	8.1	18	<0.1	0.3	0.2	39	0.17	0.027	20
50MI11MGB0290	Soil		0.5	20.8	18.2	80	<0.1	29.1	12.7	470	3.96	<0.5	<0.5	17.5	11	<0.1	0.1	0.3	36	0.04	0.020	32
50MI11MGB0291	Soil		0.5	25.2	12.7	64	<0.1	26.2	10.8	381	3.44	2.8	3.1	13.6	21	<0.1	0.3	0.2	48	0.24	0.031	38
50MI11MGB0292	Soil		0.6	18.3	15.2	70	<0.1	24.2	11.5	371	3.50	1.0	<0.5	11.7	15	<0.1	0.2	0.2	43	0.11	0.016	29
50MI11MGB0293	Soil		0.6	18.1	12.6	64	<0.1	22.9	11.3	356	3.30	1.5	<0.5	9.4	15	<0.1	0.3	0.2	49	0.13	0.025	29
50MI11MGB0294	Soil		0.6	23.3	17.5	73	<0.1	25.7	13.0	876	3.45	2.7	<0.5	13.1	30	<0.1	0.3	0.3	46	0.46	0.041	47
50MI11MGB0295	Soil		0.8	26.8	9.9	71	0.2	30.6	9.9	345	2.52	4.8	1.5	4.5	28	0.3	0.3	0.2	48	0.34	0.058	20
50MI11MGB0296	Soil		0.7	32.2	9.9	27	0.5	13.5	3.2	128	1.55	0.9	5.1	0.2	20	0.2	0.2	0.2	25	0.10	0.069	30
50MI11MGB0297	Soil		1.1	39.8	12.4	72	0.2	26.6	8.9	586	2.61	1.7	2.3	3.7	23	0.1	0.2	0.3	56	0.09	0.041	20
50MI11MGB0298	Soil		0.8	21.2	9.6	41	0.2	14.5	4.6	263	1.84	2.1	<0.5	1.2	16	<0.1	0.2	0.2	50	0.10	0.029	11
50MI11MGB0299	Soil		1.0	27.4	9.5	54	0.1	20.9	6.8	307	2.43	5.8	1.4	1.3	17	0.1	0.4	0.2	58	0.13	0.050	13
50MI11MGB0300	Soil		1.1	44.1	10.2	75	<0.1	41.9	11.1	549	2.93	3.5	<0.5	3.5	11	<0.1	0.3	0.2	68	0.07	0.035	16
50MI11MGB0300 DUP	Soil		1.1	45.3	10.0	80	<0.1	42.8	10.9	548	2.96	3.6	0.7	3.4	11	<0.1	0.3	0.2	68	0.07	0.035	16

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001933.2

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
50MI11AM0279	Soil		49	0.60	245	0.112	<1	1.93	0.015	0.06	0.2	0.06	4.9	<0.1	<0.05	6	<0.5	<0.2
50MI11AM0280	Soil		42	0.66	345	0.099	2	1.70	0.023	0.08	0.3	0.07	4.4	<0.1	<0.05	5	<0.5	<0.2
50MI11AM0281	Soil		97	1.83	320	0.229	<1	3.10	0.013	0.52	0.2	0.01	5.2	0.3	<0.05	8	<0.5	<0.2
50MI11AM0282	Soil		131	2.21	328	0.281	<1	3.52	0.017	0.43	0.3	0.02	6.5	0.2	<0.05	10	<0.5	<0.2
50MI11MGB0276	Soil		106	1.33	371	0.131	<1	2.42	0.019	0.25	0.2	0.08	8.5	0.2	<0.05	7	<0.5	<0.2
50MI11MGB0277	Soil		38	0.58	199	0.080	<1	1.16	0.014	0.11	0.2	0.02	3.0	0.1	<0.05	4	<0.5	<0.2
50MI11MGB0278	Soil		45	0.61	228	0.061	<1	1.30	0.015	0.05	0.1	0.06	2.8	0.1	0.12	5	0.9	<0.2
50MI11MGB0279	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
50MI11MGB0280	Soil		39	0.85	173	0.164	<1	2.09	0.012	0.48	<0.1	<0.01	3.9	0.4	<0.05	8	<0.5	<0.2
50MI11MGB0281	Soil		35	0.81	160	0.195	<1	1.96	0.011	0.72	<0.1	0.01	3.6	0.6	<0.05	7	0.7	<0.2
50MI11MGB0282	Soil		35	0.88	149	0.202	<1	2.35	0.008	0.84	<0.1	0.01	3.2	0.5	<0.05	8	<0.5	<0.2
50MI11MGB0283	Soil		28	0.59	250	0.087	<1	1.42	0.013	0.13	0.2	0.02	3.4	0.1	<0.05	4	<0.5	<0.2
50MI11MGB0284	Soil		27	0.67	186	0.155	<1	1.56	0.009	0.42	0.1	0.01	2.9	0.3	<0.05	5	<0.5	<0.2
50MI11MGB0285	Soil		32	0.71	194	0.142	<1	1.89	0.011	0.48	<0.1	0.01	4.0	0.4	<0.05	6	<0.5	<0.2
50MI11MGB0286	Soil		29	0.72	203	0.167	<1	1.67	0.009	0.50	<0.1	0.02	2.9	0.4	<0.05	6	<0.5	<0.2
50MI11MGB0287	Soil		31	0.73	190	0.171	<1	1.67	0.012	0.52	<0.1	0.02	4.2	0.4	<0.05	6	<0.5	<0.2
50MI11MGB0288	Soil		31	0.72	157	0.158	<1	1.75	0.013	0.49	<0.1	0.02	3.1	0.4	<0.05	6	0.5	<0.2
50MI11MGB0289	Soil		24	0.55	166	0.104	<1	1.35	0.011	0.24	0.1	0.03	2.6	0.2	<0.05	4	<0.5	<0.2
50MI11MGB0290	Soil		32	0.82	149	0.213	<1	2.17	0.010	0.94	<0.1	<0.01	2.8	0.6	<0.05	7	<0.5	<0.2
50MI11MGB0291	Soil		34	0.79	217	0.159	<1	1.98	0.013	0.47	0.1	0.03	4.8	0.4	<0.05	7	0.5	<0.2
50MI11MGB0292	Soil		30	0.70	148	0.152	<1	1.86	0.009	0.53	<0.1	0.01	3.4	0.4	<0.05	6	<0.5	<0.2
50MI11MGB0293	Soil		33	0.76	146	0.179	<1	2.08	0.011	0.45	<0.1	0.02	3.1	0.4	<0.05	7	<0.5	<0.2
50MI11MGB0294	Soil		31	0.62	256	0.106	<1	1.86	0.015	0.37	<0.1	0.04	4.6	0.3	<0.05	6	<0.5	<0.2
50MI11MGB0295	Soil		34	0.66	297	0.077	<1	1.57	0.013	0.16	0.2	0.03	3.2	0.2	<0.05	5	<0.5	<0.2
50MI11MGB0296	Soil		12	0.20	175	0.018	<1	1.08	0.018	0.09	<0.1	0.04	0.5	0.1	<0.05	3	0.5	<0.2
50MI11MGB0297	Soil		27	0.78	213	0.101	<1	1.55	0.009	0.35	<0.1	0.02	2.0	0.2	<0.05	6	0.5	<0.2
50MI11MGB0298	Soil		22	0.54	153	0.078	<1	1.16	0.012	0.15	0.1	0.01	1.6	0.1	<0.05	5	<0.5	<0.2
50MI11MGB0299	Soil		32	0.60	181	0.060	<1	1.65	0.012	0.14	<0.1	0.04	2.4	0.1	<0.05	5	<0.5	<0.2
50MI11MGB0300	Soil		48	0.83	255	0.134	<1	1.82	0.012	0.40	<0.1	<0.01	3.0	0.2	<0.05	5	0.8	<0.2
50MI11MGB0300 DUP	Soil		48	0.85	257	0.135	1	1.88	0.010	0.39	<0.1	0.01	3.2	0.2	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001933.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
50MI11MGB0301	Soil	1.1	41.5	11.0	82	<0.1	36.8	10.5	299	2.94	6.2	3.9	5.2	13	0.2	0.5	0.2	67	0.09	0.028	14
50MI11MGB0302	Soil	0.8	38.8	9.4	62	0.1	24.8	7.0	322	2.63	2.8	1.8	4.2	10	0.1	0.4	0.2	58	0.06	0.028	13
50MI11MGB0303	Soil	2.9	44.3	11.0	57	0.2	21.5	5.7	234	2.95	2.9	0.9	4.2	16	<0.1	0.6	0.3	52	0.06	0.047	17
50MI11MGB0304	Soil	1.4	22.8	11.7	65	0.2	24.0	7.3	245	2.65	5.5	3.8	3.6	15	0.1	0.5	0.2	62	0.10	0.062	11
50MI11MGB0305	Soil	0.9	34.1	9.6	49	<0.1	23.8	8.4	773	2.65	6.5	<0.5	3.4	16	<0.1	0.4	0.2	58	0.12	0.031	11
50MI11MGB0306	Soil	1.1	27.1	8.9	53	<0.1	21.5	8.0	317	2.60	5.3	2.2	3.5	18	0.1	0.5	0.2	57	0.13	0.026	13
50MI11MGB0307	Soil	0.8	28.7	9.3	66	0.1	24.2	9.5	395	2.36	5.7	4.2	3.2	36	0.2	0.7	0.2	49	0.41	0.069	15
50MI11MGB0308	Soil	0.8	30.8	7.9	63	0.1	21.6	8.4	351	2.38	5.1	1.5	3.9	25	0.1	0.5	0.2	47	0.28	0.057	16
50MI11MGB0309	Soil	1.0	20.5	9.2	61	0.1	19.5	9.2	328	2.43	5.1	1.3	2.7	24	0.1	0.4	0.2	50	0.25	0.053	14
50MI11MGB0310	Soil	1.0	20.4	8.6	57	0.1	18.4	9.6	507	2.26	6.2	8.2	2.6	27	0.1	0.4	0.2	46	0.30	0.058	14
50MI11MGB0311	Soil	0.9	17.7	8.7	52	<0.1	16.4	8.5	363	2.18	7.7	1.7	3.3	27	<0.1	0.4	0.2	48	0.30	0.056	14
50MI11MGB0312	Soil	1.2	11.7	9.1	44	<0.1	17.3	8.4	226	2.97	6.9	0.7	2.4	26	0.2	0.4	0.2	73	0.13	0.026	9
50MI11MGB0313	Soil	0.9	10.8	10.6	40	<0.1	11.2	6.1	355	2.85	3.5	0.6	1.4	17	0.2	0.4	0.1	80	0.11	0.039	7
50MI11MGB0314	Soil	0.9	13.3	7.2	55	<0.1	15.9	9.4	424	2.95	4.4	<0.5	2.7	71	<0.1	0.2	<0.1	94	0.37	0.025	11
50MI11MGB0315	Soil	0.9	10.6	8.5	46	<0.1	13.0	5.7	294	2.36	5.5	<0.5	2.8	60	<0.1	0.3	<0.1	58	0.21	0.026	11
50MI11MGB0316	Soil	0.7	14.4	10.0	50	<0.1	18.3	8.1	276	2.68	7.7	1.1	4.1	43	<0.1	0.4	0.1	62	0.20	0.016	17
50MI11MGB0317	Soil	0.6	17.4	7.6	50	<0.1	17.2	6.8	273	2.26	4.0	1.5	3.6	45	<0.1	0.4	<0.1	54	0.31	0.043	16
50MI11MGB0318	Soil	0.9	12.4	8.6	48	<0.1	13.7	6.4	292	2.33	5.2	<0.5	2.2	55	0.1	0.3	<0.1	56	0.27	0.042	12
50MI11MGB0319	Soil	0.7	13.2	6.8	51	<0.1	13.7	6.2	310	2.20	3.7	2.2	2.4	40	<0.1	0.3	<0.1	51	0.33	0.055	14
50MI11MGB0320	Soil	0.3	13.0	7.2	61	<0.1	13.5	9.8	426	3.21	5.6	1.5	2.4	71	0.2	0.3	<0.1	79	0.57	0.105	15
50MI11MGB0321	Soil	0.8	16.1	7.5	61	<0.1	14.9	6.8	321	2.20	3.3	1.3	2.9	63	<0.1	0.4	<0.1	58	0.48	0.074	17
50MI11MGB0322	Soil	0.4	6.8	3.3	25	<0.1	4.9	3.5	136	1.26	0.9	<0.5	0.6	23	<0.1	0.1	<0.1	34	0.13	0.024	4
50MI11MGB0323	Soil	0.6	11.2	6.9	26	<0.1	7.0	3.6	171	1.67	3.4	<0.5	0.7	31	<0.1	0.2	<0.1	42	0.13	0.029	10
50MI11MGB0324	Soil	0.8	11.1	8.5	46	<0.1	12.9	6.7	292	2.64	6.9	2.1	1.0	40	<0.1	0.3	0.2	67	0.29	0.047	12
50MI11MGB0325	Soil	0.7	14.6	6.3	46	<0.1	14.1	8.3	359	2.62	5.1	0.8	2.4	37	<0.1	0.3	0.1	69	0.29	0.057	12
50MI11MGB0326	Soil	0.7	15.6	4.2	69	<0.1	11.4	12.2	529	4.03	2.5	5.0	1.7	108	<0.1	0.1	0.2	117	0.80	0.137	11
50MI11MGB0327	Soil	0.4	22.2	2.3	67	<0.1	7.8	16.5	1090	3.73	1.1	3.9	1.7	85	<0.1	<0.1	0.1	79	0.80	0.158	10
50MI11MGB0328	Soil	0.9	20.2	7.2	45	<0.1	14.9	10.0	356	3.15	5.9	6.9	2.7	34	<0.1	0.3	0.2	75	0.25	0.042	12
50MI11MGB0329	Soil	0.7	16.6	8.9	53	<0.1	17.5	9.0	273	3.02	4.6	2.9	3.6	15	<0.1	0.3	0.2	61	0.18	0.037	14
50MI11MGB0330	Soil	0.6	25.9	4.6	52	<0.1	12.5	7.2	327	3.08	4.4	2.7	6.2	21	<0.1	0.3	<0.1	43	0.33	0.053	19

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001933.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
50MI11MGB0301	Soil	39	0.80	212	0.105	<1	2.27	0.009	0.21	<0.1	0.03	3.5	0.2	<0.05	6	0.5	<0.2
50MI11MGB0302	Soil	33	0.65	239	0.102	<1	1.84	0.008	0.21	<0.1	0.03	3.1	0.2	<0.05	6	<0.5	<0.2
50MI11MGB0303	Soil	25	0.59	295	0.069	<1	1.71	0.007	0.20	<0.1	0.02	2.0	0.2	<0.05	5	0.9	<0.2
50MI11MGB0304	Soil	29	0.51	235	0.068	<1	2.01	0.010	0.10	0.1	0.02	2.2	<0.1	<0.05	6	<0.5	<0.2
50MI11MGB0305	Soil	33	0.60	356	0.071	<1	1.85	0.010	0.14	<0.1	0.02	2.5	<0.1	<0.05	6	<0.5	<0.2
50MI11MGB0306	Soil	34	0.63	226	0.090	<1	1.79	0.010	0.12	<0.1	0.02	2.5	<0.1	<0.05	5	0.6	<0.2
50MI11MGB0307	Soil	28	0.61	341	0.067	<1	1.40	0.024	0.08	0.2	0.05	3.1	<0.1	<0.05	4	0.6	<0.2
50MI11MGB0308	Soil	28	0.61	299	0.094	<1	1.46	0.018	0.15	0.2	0.05	2.8	<0.1	<0.05	4	<0.5	<0.2
50MI11MGB0309	Soil	27	0.55	272	0.067	1	1.57	0.016	0.07	0.1	0.04	2.7	<0.1	<0.05	5	0.7	<0.2
50MI11MGB0310	Soil	25	0.51	253	0.060	<1	1.43	0.015	0.06	0.2	0.04	2.5	<0.1	<0.05	4	0.6	<0.2
50MI11MGB0311	Soil	23	0.48	225	0.057	<1	1.30	0.014	0.06	0.2	0.03	2.4	<0.1	<0.05	4	0.9	<0.2
50MI11MGB0312	Soil	25	0.51	184	0.054	<1	2.62	0.014	0.05	0.1	0.02	2.6	<0.1	<0.05	8	0.5	<0.2
50MI11MGB0313	Soil	22	0.28	119	0.064	<1	2.05	0.015	0.04	0.1	0.02	2.2	<0.1	<0.05	10	0.8	<0.2
50MI11MGB0314	Soil	33	0.75	335	0.099	<1	3.12	0.032	0.05	<0.1	0.01	4.3	<0.1	<0.05	7	<0.5	<0.2
50MI11MGB0315	Soil	23	0.46	189	0.067	<1	2.21	0.018	0.05	<0.1	0.01	3.1	<0.1	<0.05	7	<0.5	<0.2
50MI11MGB0316	Soil	32	0.55	215	0.085	2	2.60	0.017	0.06	<0.1	0.02	4.9	0.1	<0.05	6	<0.5	<0.2
50MI11MGB0317	Soil	28	0.54	203	0.082	<1	1.83	0.018	0.06	0.1	0.01	3.7	<0.1	<0.05	5	<0.5	<0.2
50MI11MGB0318	Soil	24	0.48	216	0.064	2	2.14	0.020	0.07	<0.1	0.02	2.9	0.1	<0.05	6	0.6	<0.2
50MI11MGB0319	Soil	24	0.50	162	0.069	1	1.82	0.018	0.06	0.1	0.04	2.8	<0.1	<0.05	5	0.5	<0.2
50MI11MGB0320	Soil	22	0.63	246	0.051	1	1.98	0.030	0.06	<0.1	0.02	4.7	<0.1	<0.05	5	<0.5	<0.2
50MI11MGB0321	Soil	26	0.63	215	0.083	1	2.01	0.028	0.06	0.1	0.04	4.4	<0.1	<0.05	6	0.5	<0.2
50MI11MGB0322	Soil	9	0.25	70	0.054	<1	1.10	0.028	0.03	<0.1	0.01	1.6	<0.1	<0.05	4	<0.5	<0.2
50MI11MGB0323	Soil	14	0.24	118	0.042	<1	1.63	0.023	0.04	<0.1	0.03	1.8	<0.1	<0.05	6	<0.5	<0.2
50MI11MGB0324	Soil	24	0.52	165	0.051	<1	2.45	0.017	0.05	<0.1	0.02	2.4	0.1	<0.05	8	<0.5	<0.2
50MI11MGB0325	Soil	23	0.58	203	0.058	<1	2.45	0.020	0.04	<0.1	0.03	3.2	<0.1	<0.05	6	<0.5	<0.2
50MI11MGB0326	Soil	20	1.19	216	0.079	<1	2.78	0.057	0.03	<0.1	0.02	6.3	<0.1	0.47	7	<0.5	<0.2
50MI11MGB0327	Soil	15	1.55	222	0.061	<1	2.85	0.049	0.05	<0.1	<0.01	7.7	<0.1	<0.05	6	<0.5	<0.2
50MI11MGB0328	Soil	26	0.56	193	0.074	<1	2.57	0.018	0.03	0.1	0.03	4.1	<0.1	<0.05	6	<0.5	<0.2
50MI11MGB0329	Soil	27	0.63	195	0.107	<1	1.91	0.010	0.23	0.1	0.02	3.3	0.1	<0.05	7	<0.5	<0.2
50MI11MGB0330	Soil	20	0.80	356	0.086	<1	1.81	0.009	0.26	<0.1	0.02	6.1	0.1	0.50	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001933.2

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
50MI11MGB0331	Soil	0.6	28.3	7.2	60	<0.1	21.3	9.0	336	2.32	8.7	5.0	3.9	28	0.3	0.6	0.2	45	0.44	0.074	14
50MI11MGB0332	Soil	0.5	28.9	8.0	57	0.1	23.7	11.7	404	3.08	5.9	5.1	5.7	34	0.2	0.5	0.1	58	0.51	0.061	23
50MI11MGB0333	Soil	0.6	16.5	6.7	47	<0.1	14.5	7.8	329	2.05	6.1	3.9	3.0	26	<0.1	0.3	0.1	41	0.38	0.049	13

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001933.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
50MI11MGB0331	Soil	23	0.49	269	0.070	1	1.28	0.020	0.09	0.2	0.03	3.4	<0.1	<0.05	4	<0.5	<0.2
50MI11MGB0332	Soil	35	0.68	390	0.095	<1	1.95	0.014	0.11	0.1	0.05	5.2	0.1	<0.05	6	<0.5	<0.2
50MI11MGB0333	Soil	24	0.43	231	0.066	1	1.39	0.011	0.05	0.2	0.03	3.0	<0.1	<0.05	4	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

QUALITY CONTROL REPORT WHI11001933.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
Pulp Duplicates																					
50MI11LA0202	Soil	1.3	25.1	16.4	79	0.1	21.2	9.5	384	2.10	7.5	6.1	3.0	41	0.3	1.1	0.2	48	0.51	0.054	15
REP 50MI11LA0202	QC	1.3	25.8	16.6	79	0.2	21.3	9.5	379	2.04	7.8	3.9	3.0	41	0.4	1.1	0.2	48	0.51	0.054	14
50MI11LA0236	Soil	0.5	68.9	8.4	69	0.1	29.5	16.3	494	3.35	5.0	1.9	4.3	23	0.2	0.5	0.1	77	0.47	0.046	12
REP 50MI11LA0236	QC	0.5	71.9	8.3	70	0.1	30.1	16.3	492	3.38	5.0	2.8	4.2	23	0.2	0.5	0.2	77	0.46	0.046	12
50MI11LA0237	Soil	0.8	33.5	7.6	62	0.1	29.0	13.5	466	3.16	5.5	2.6	4.1	19	0.1	0.4	0.2	72	0.41	0.048	13
REP 50MI11LA0237	QC	0.8	33.7	7.7	62	0.1	28.9	14.1	469	3.07	5.5	2.6	4.2	18	0.1	0.5	0.2	71	0.41	0.047	13
50MI11LA0267	Soil	0.7	33.1	8.5	71	0.1	28.4	12.5	357	2.80	6.2	1.9	4.2	26	0.2	0.5	0.3	66	0.48	0.046	13
REP 50MI11LA0267	QC	0.6	34.1	8.7	72	<0.1	28.7	12.3	352	2.80	5.6	4.9	4.2	26	0.2	0.6	0.1	64	0.46	0.048	13
50MI11LA0277	Soil	0.7	21.1	7.5	64	0.1	21.2	10.6	357	2.84	6.6	3.5	3.5	34	<0.1	0.7	0.1	59	0.41	0.044	11
REP 50MI11LA0277	QC	0.6	21.1	7.4	66	0.1	21.3	10.4	362	2.82	6.5	2.2	3.4	35	0.1	0.7	0.1	60	0.40	0.046	12
50MI11AN0254	Soil	0.5	21.8	8.0	56	0.1	18.5	10.4	296	2.74	7.7	4.8	4.6	30	0.2	0.5	0.2	57	0.40	0.055	18
REP 50MI11AN0254	QC	0.5	23.6	8.4	57	0.1	20.1	11.3	314	2.93	7.9	3.3	4.8	30	0.1	0.7	0.2	61	0.40	0.060	18
50MI11AN0266	Soil	0.7	25.0	8.6	57	0.1	16.1	12.7	548	3.34	4.7	5.2	7.7	21	<0.1	0.6	0.1	55	0.59	0.048	31
REP 50MI11AN0266	QC	0.7	24.8	8.4	54	<0.1	15.6	12.5	549	3.33	4.8	4.9	7.5	21	<0.1	0.5	<0.1	55	0.57	0.047	31
50MI11AN0291	Soil	0.6	32.0	17.4	83	<0.1	31.1	13.1	576	3.17	3.2	2.9	10.0	19	<0.1	0.2	0.1	42	0.36	0.053	43
REP 50MI11AN0291	QC	0.6	32.5	18.0	82	0.1	31.8	13.1	576	3.14	3.6	2.4	10.3	19	<0.1	0.2	0.2	42	0.36	0.051	44
50MI11AN0317	Soil	0.5	9.5	6.0	48	<0.1	10.4	5.5	248	1.81	3.4	0.5	1.1	34	0.1	0.2	<0.1	42	0.29	0.052	9
REP 50MI11AN0317	QC	0.5	9.8	6.2	48	<0.1	11.8	5.6	254	1.87	3.5	1.8	1.1	36	<0.1	0.2	0.1	43	0.30	0.053	10
50MI11AM0256	Soil	0.6	13.2	9.7	51	<0.1	14.7	8.1	217	2.81	9.4	1.6	3.4	23	<0.1	0.7	0.1	65	0.28	0.023	11
REP 50MI11AM0256	QC	0.6	12.9	9.2	53	<0.1	15.4	8.2	213	2.75	9.4	3.3	3.3	22	<0.1	0.6	0.1	63	0.29	0.024	11
50MI11AM0270	Soil	0.7	20.8	9.4	59	0.1	17.4	11.7	369	2.72	7.1	3.4	3.3	31	0.3	0.6	0.1	55	0.42	0.060	14
REP 50MI11AM0270	QC	0.8	20.5	9.9	57	<0.1	15.9	11.6	400	2.64	7.1	1.9	3.1	31	0.2	0.6	0.1	53	0.38	0.060	14
50MI11MGB0286	Soil	0.4	17.6	10.9	65	<0.1	25.1	11.5	402	3.34	1.2	0.8	10.4	22	<0.1	0.2	0.2	39	0.22	0.035	29
REP 50MI11MGB0286	QC	0.4	18.1	10.8	65	<0.1	24.5	10.9	379	3.17	0.9	0.8	10.6	20	<0.1	0.1	0.2	40	0.21	0.035	29
50MI11MGB0302	Soil	0.8	38.8	9.4	62	0.1	24.8	7.0	322	2.63	2.8	1.8	4.2	10	0.1	0.4	0.2	58	0.06	0.028	13
REP 50MI11MGB0302	QC	0.9	39.3	9.8	64	0.1	24.4	7.4	329	2.65	2.9	<0.5	4.4	10	<0.1	0.5	0.2	60	0.06	0.029	13
50MI11MGB0316	Soil	0.7	14.4	10.0	50	<0.1	18.3	8.1	276	2.68	7.7	1.1	4.1	43	<0.1	0.4	0.1	62	0.20	0.016	17
REP 50MI11MGB0316	QC	0.7	15.0	9.9	49	<0.1	17.1	8.1	265	2.68	7.3	4.8	4.2	43	<0.1	0.4	0.1	61	0.20	0.016	15

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

QUALITY CONTROL REPORT WHI11001933.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																	
50MI11LA0202	Soil	31	0.65	324	0.047	2	1.53	0.017	0.09	0.3	0.06	4.3	<0.1	0.11	5	<0.5	<0.2
REP 50MI11LA0202	QC	32	0.64	318	0.047	2	1.49	0.017	0.09	0.3	0.06	4.4	<0.1	0.12	5	<0.5	<0.2
50MI11LA0236	Soil	85	1.28	242	0.131	1	2.09	0.017	0.14	0.2	0.04	5.6	0.1	<0.05	7	<0.5	<0.2
REP 50MI11LA0236	QC	86	1.23	246	0.126	1	2.10	0.016	0.14	0.1	0.04	5.4	0.1	<0.05	7	<0.5	<0.2
50MI11LA0237	Soil	69	0.91	264	0.102	1	1.96	0.013	0.10	0.2	0.05	5.5	0.1	<0.05	6	<0.5	<0.2
REP 50MI11LA0237	QC	70	0.92	263	0.101	2	1.98	0.013	0.10	0.2	0.04	5.4	0.1	<0.05	6	<0.5	<0.2
50MI11LA0267	Soil	58	0.96	267	0.127	<1	1.88	0.019	0.13	0.2	0.05	3.6	0.2	<0.05	6	<0.5	<0.2
REP 50MI11LA0267	QC	59	0.94	267	0.125	<1	1.93	0.020	0.14	0.2	0.05	3.7	0.1	<0.05	6	<0.5	<0.2
50MI11LA0277	Soil	48	0.82	284	0.110	1	1.90	0.017	0.06	0.1	0.03	4.2	<0.1	<0.05	6	<0.5	<0.2
REP 50MI11LA0277	QC	47	0.83	286	0.113	1	1.86	0.018	0.06	0.2	0.04	4.2	<0.1	<0.05	6	<0.5	<0.2
50MI11AN0254	Soil	36	0.64	271	0.096	<1	1.66	0.019	0.20	0.2	0.05	4.3	0.1	<0.05	5	<0.5	<0.2
REP 50MI11AN0254	QC	38	0.69	287	0.100	2	1.75	0.019	0.20	0.1	0.05	4.1	0.1	<0.05	5	<0.5	<0.2
50MI11AN0266	Soil	22	0.58	429	0.041	1	1.44	0.010	0.13	<0.1	0.04	7.9	0.1	<0.05	5	<0.5	<0.2
REP 50MI11AN0266	QC	22	0.56	426	0.042	2	1.39	0.010	0.13	<0.1	0.06	7.7	0.1	<0.05	5	<0.5	<0.2
50MI11AN0291	Soil	32	0.63	201	0.121	<1	1.58	0.009	0.39	<0.1	0.03	3.7	0.3	<0.05	5	<0.5	<0.2
REP 50MI11AN0291	QC	32	0.63	206	0.121	<1	1.61	0.009	0.39	0.1	0.04	3.7	0.3	<0.05	5	<0.5	<0.2
50MI11AN0317	Soil	19	0.48	163	0.032	1	1.30	0.010	0.04	<0.1	0.02	2.4	<0.1	<0.05	5	<0.5	<0.2
REP 50MI11AN0317	QC	19	0.50	165	0.036	1	1.39	0.012	0.04	<0.1	0.03	2.5	<0.1	<0.05	5	<0.5	<0.2
50MI11AM0256	Soil	42	0.59	187	0.087	1	1.89	0.012	0.05	0.1	0.01	3.5	<0.1	<0.05	6	<0.5	<0.2
REP 50MI11AM0256	QC	41	0.58	189	0.085	<1	1.86	0.012	0.06	0.1	0.02	3.4	<0.1	<0.05	6	0.6	<0.2
50MI11AM0270	Soil	36	0.54	284	0.076	<1	1.66	0.016	0.05	0.4	0.05	4.0	<0.1	<0.05	5	<0.5	<0.2
REP 50MI11AM0270	QC	35	0.54	279	0.070	<1	1.65	0.016	0.05	0.3	0.06	4.0	<0.1	<0.05	5	<0.5	<0.2
50MI11MGB0286	Soil	29	0.72	203	0.167	<1	1.67	0.009	0.50	<0.1	0.02	2.9	0.4	<0.05	6	<0.5	<0.2
REP 50MI11MGB0286	QC	29	0.70	185	0.167	<1	1.62	0.009	0.49	<0.1	0.02	3.0	0.4	<0.05	6	<0.5	<0.2
50MI11MGB0302	Soil	33	0.65	239	0.102	<1	1.84	0.008	0.21	<0.1	0.03	3.1	0.2	<0.05	6	<0.5	<0.2
REP 50MI11MGB0302	QC	33	0.66	240	0.102	<1	1.86	0.010	0.20	<0.1	0.03	3.3	0.2	<0.05	5	<0.5	<0.2
50MI11MGB0316	Soil	32	0.55	215	0.085	2	2.60	0.017	0.06	<0.1	0.02	4.9	0.1	<0.05	6	<0.5	<0.2
REP 50MI11MGB0316	QC	32	0.54	210	0.075	<1	2.52	0.017	0.06	<0.1	0.02	4.5	<0.1	<0.05	6	0.8	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

QUALITY CONTROL REPORT WHI11001933.2

		1DX15 Mo ppm 0.1	1DX15 Cu ppm 0.1	1DX15 Pb ppm 0.1	1DX15 Zn ppm 1	1DX15 Ag ppm 0.1	1DX15 Ni ppm 0.1	1DX15 Co ppm 0.1	1DX15 Mn ppm 1	1DX15 Fe % 0.01	1DX15 As ppm 0.5	1DX15 Au ppb 0.5	1DX15 Th ppm 0.1	1DX15 Sr ppm 1	1DX15 Cd ppm 0.1	1DX15 Sb ppm 0.1	1DX15 Bi ppm 0.1	1DX15 V ppm 2	1DX15 Ca % 0.01	1DX15 P % 0.001	1DX15 La ppm 1
Reference Materials																					
STD DS8	Standard	12.4	110.2	132.3	315	1.9	36.5	7.3	591	2.48	26.0	107.2	6.9	58	2.3	6.4	5.3	41	0.67	0.076	14
STD DS8	Standard	13.0	110.8	135.1	316	1.8	39.3	7.5	643	2.78	26.6	123.3	7.7	63	2.4	6.3	5.2	43	0.70	0.082	17
STD DS8	Standard	12.4	103.0	126.5	296	1.7	36.7	7.1	604	2.42	24.4	113.2	6.3	59	2.2	5.2	5.2	41	0.66	0.078	14
STD DS8	Standard	11.7	99.3	118.3	283	1.6	34.3	6.7	554	2.24	24.0	100.0	6.9	62	2.2	5.5	6.7	38	0.62	0.070	14
STD DS8	Standard	12.7	106.5	126.4	302	1.7	35.1	7.3	597	2.39	23.9	103.0	6.9	78	2.3	5.6	6.7	44	0.70	0.078	15
STD DS8	Standard	12.1	105.6	124.9	306	1.9	36.8	7.2	597	2.42	26.4	114.3	6.0	78	2.3	5.8	7.1	40	0.68	0.077	14
STD DS8	Standard	13.6	101.9	122.1	296	1.6	35.5	6.7	596	2.35	24.0	110.3	6.6	77	2.1	4.9	6.1	40	0.69	0.071	17
STD DS8	Standard	14.1	108.8	129.0	311	1.7	39.7	7.7	624	2.52	24.4	110.7	7.1	66	2.1	5.0	5.3	45	0.71	0.075	17
STD DS8 Expected		13.44	110	123	312	1.69	38.1	7.5	615	2.46	26	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7	0.08	14.6
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

QUALITY CONTROL REPORT WHI11001933.2

		1DX15 Cr ppm 1	1DX15 Mg % 0.01	1DX15 Ba ppm 1	1DX15 Ti % 0.001	1DX15 B ppm 1	1DX15 Al % 0.01	1DX15 Na % 0.001	1DX15 K % 0.01	1DX15 W ppm 0.1	1DX15 Hg ppm 0.01	1DX15 Sc ppm 0.1	1DX15 Tl ppm 0.1	1DX15 S % 0.05	1DX15 Ga ppm 1	1DX15 Se ppm 0.5	1DX15 Te ppm 0.2
Reference Materials																	
STD DS8	Standard	117	0.61	270	0.114	2	0.90	0.098	0.41	3.0	0.21	2.3	5.5	0.12	5	4.9	5.4
STD DS8	Standard	121	0.63	284	0.128	2	0.93	0.093	0.42	3.1	0.22	2.3	5.6	0.15	5	4.9	5.3
STD DS8	Standard	115	0.59	256	0.108	2	0.86	0.086	0.41	2.8	0.19	2.0	5.2	0.22	4	4.6	5.1
STD DS8	Standard	108	0.56	253	0.104	3	0.83	0.084	0.37	2.8	0.18	2.0	4.8	0.12	4	4.6	4.7
STD DS8	Standard	114	0.67	270	0.113	2	0.97	0.101	0.43	2.8	0.18	2.5	5.3	0.05	5	5.3	5.0
STD DS8	Standard	111	0.61	285	0.108	3	0.96	0.096	0.45	2.9	0.20	3.2	5.5	0.14	5	4.7	4.8
STD DS8	Standard	114	0.59	271	0.123	3	0.95	0.108	0.45	2.8	0.20	3.8	5.1	0.11	5	6.5	5.0
STD DS8	Standard	120	0.63	278	0.122	2	0.96	0.094	0.40	2.9	0.18	2.1	5.3	0.17	5	5.3	5.0
STD DS8 Expected		115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	2.3	5.4	0.1679	4.7	5.23	5
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Submitted By: Rasool Mohammad
Receiving Lab: Canada-Whitehorse
Received: October 24, 2011
Report Date: July 31, 2012
Page: 1 of 10

CERTIFICATE OF ANALYSIS WHI11001934.2

CLIENT JOB INFORMATION

Project: 50 Mile (YK)
Shipment ID:
P.O. Number
Number of Samples: 256

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	256	Dry at 60C			VAN
SS80	256	Dry at 60C sieve 100g to -80 mesh			VAN
1DX2	256	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Version 2: 0908937 BC Ltd.

Invoice To: 0908937 BC Ltd.
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2
CANADA

CC: Roger MacDonald

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001934.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
50MI11CL0241	Soil	1.1	18.5	9.7	60	<0.1	19.8	8.0	264	2.70	8.7	10.0	2.5	14	0.3	0.9	0.3	58	0.15	0.048	11
50MI11CL0242	Soil	1.1	9.2	9.1	33	<0.1	9.1	4.0	152	2.45	7.4	3.0	1.9	9	0.1	0.5	0.3	63	0.08	0.029	9
50MI11CL0243	Soil	0.9	25.4	10.4	69	0.2	22.5	9.4	190	2.89	12.0	6.6	3.5	22	0.3	1.0	0.3	56	0.22	0.061	16
50MI11CL0244	Soil	0.7	13.6	7.9	41	0.1	14.3	6.0	159	1.87	6.7	3.5	2.3	28	0.2	0.7	0.2	35	0.34	0.054	11
50MI11CL0245	Soil	0.5	13.8	9.1	44	0.1	13.9	4.8	98	1.89	6.2	2.3	1.8	20	0.1	0.5	0.2	40	0.23	0.038	11
50MI11CL0246	Soil	0.6	9.4	8.5	44	0.1	12.2	4.4	93	1.70	5.1	2.4	1.4	17	0.1	0.4	0.3	37	0.19	0.037	11
50MI11CL0247	Soil	0.6	13.0	9.5	51	0.2	14.8	5.1	117	2.13	7.5	2.6	1.7	20	0.1	0.5	0.3	47	0.21	0.042	12
50MI11CL0248	Soil	1.1	11.6	10.1	53	0.2	15.5	6.0	152	2.13	14.1	3.4	1.6	21	0.2	0.6	0.2	50	0.21	0.052	11
50MI11CL0249	Soil	0.7	13.5	10.7	51	0.1	15.5	5.6	130	2.22	12.1	2.9	2.0	21	0.2	0.6	0.2	45	0.25	0.052	13
50MI11CL0250	Soil	0.7	11.8	13.0	52	0.1	13.6	8.7	292	2.27	12.2	2.6	2.2	22	0.2	0.8	0.2	46	0.26	0.051	12
50MI11CL0250 DUP	Soil	0.6	13.4	13.0	56	0.1	15.4	10.4	376	2.09	8.2	2.7	2.3	19	0.2	0.7	0.2	39	0.21	0.047	14
50MI11CL0251	Soil	0.7	10.8	6.5	48	<0.1	10.9	14.0	627	2.66	5.6	2.2	2.3	20	0.1	0.9	0.1	53	0.34	0.044	11
50MI11CL0252	Soil	0.8	38.0	8.9	30	0.2	6.6	3.0	91	1.64	4.1	44.7	0.6	19	0.2	0.3	0.3	27	0.17	0.047	7
50MI11CL0253	Soil	1.2	48.1	11.7	64	0.1	10.9	7.2	262	2.22	5.8	5.8	1.8	21	0.2	0.5	0.4	55	0.21	0.045	9
50MI11CL0254	Soil	2.5	72.6	11.6	69	<0.1	11.5	14.0	502	2.89	6.6	3.4	2.6	18	0.2	0.7	0.4	58	0.20	0.047	10
50MI11CL0255	Soil	2.1	114.6	15.3	74	0.5	14.2	7.0	173	2.92	5.9	5.5	4.1	23	0.3	0.7	0.6	64	0.25	0.041	16
50MI11CL0256	Soil	2.0	115.1	15.9	73	0.6	14.0	6.9	167	2.87	5.8	3.8	4.0	22	0.3	0.8	0.7	64	0.24	0.044	17
50MI11CL0257	Soil	1.7	82.5	11.6	83	0.4	11.9	7.5	220	3.01	5.1	4.0	6.0	17	0.3	0.4	1.5	55	0.24	0.031	26
50MI11CL0258	Soil	0.8	24.8	12.3	68	<0.1	18.4	9.8	317	3.01	6.6	2.9	7.1	13	0.1	0.4	0.2	60	0.16	0.029	16
50MI11CL0259	Soil	1.7	90.3	11.0	68	<0.1	21.3	10.6	342	3.27	8.5	7.5	4.5	21	0.2	0.5	0.3	75	0.23	0.045	15
50MI11CL0260	Soil	26.5	689.0	15.0	81	0.5	14.8	6.6	177	3.64	4.4	42.2	4.0	62	0.3	0.5	1.1	68	0.16	0.033	15
50MI11CL0261	Soil	1.9	53.2	43.1	127	1.9	15.6	8.9	229	3.70	13.2	6.0	2.0	28	1.7	1.2	1.4	79	0.44	0.059	20
50MI11CL0262	Soil	1.7	57.3	47.3	212	0.3	14.9	13.6	618	4.33	8.5	3.5	2.4	20	0.4	1.3	0.4	99	0.22	0.035	7
50MI11CL0263	Soil	3.4	1400	34.2	186	1.9	20.1	24.4	547	5.75	3.3	14.8	3.0	12	0.8	0.6	0.3	135	0.24	0.056	7
50MI11CL0264	Soil	2.8	272.3	22.2	93	0.4	20.8	15.1	399	4.14	5.6	2.2	3.1	13	0.3	0.9	0.2	111	0.18	0.028	8
50MI11CL0265	Soil	0.8	39.5	11.5	105	<0.1	19.1	22.3	1064	5.00	2.6	1.2	4.3	20	0.2	0.7	<0.1	136	0.49	0.049	9
50MI11CL0266	Soil	2.5	96.3	18.9	194	1.0	10.2	14.8	997	3.48	5.2	1.7	2.8	12	0.8	0.4	0.3	91	0.13	0.028	10
50MI11CL0267	Soil	1.3	259.2	10.0	83	0.2	10.4	14.5	335	3.92	11.5	1.9	3.3	13	0.3	1.3	0.1	101	0.27	0.024	10
50MI11CL0268	Soil	1.9	209.6	23.8	196	0.6	12.0	12.3	384	3.84	4.2	4.3	2.6	13	0.4	0.3	0.3	105	0.18	0.018	8
50MI11CL0269	Soil	1.4	194.0	11.9	73	0.5	17.1	9.5	224	2.63	7.2	6.2	3.7	13	0.2	0.6	0.2	69	0.14	0.014	13

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001934.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
50MI11CL0241	Soil	28	0.37	147	0.059	2	1.64	0.010	0.05	0.2	0.04	2.3	0.1	<0.05	5	<0.5	<0.2
50MI11CL0242	Soil	20	0.21	93	0.043	1	1.40	0.008	0.04	0.1	0.02	1.7	0.1	<0.05	7	<0.5	<0.2
50MI11CL0243	Soil	30	0.44	397	0.057	2	1.87	0.013	0.07	0.3	0.05	4.2	0.1	<0.05	5	<0.5	<0.2
50MI11CL0244	Soil	21	0.32	383	0.047	2	1.24	0.016	0.05	0.2	0.05	2.8	<0.1	<0.05	4	0.8	<0.2
50MI11CL0245	Soil	23	0.33	263	0.042	2	1.49	0.011	0.05	0.2	0.06	2.6	0.1	<0.05	5	<0.5	<0.2
50MI11CL0246	Soil	19	0.32	196	0.034	1	1.31	0.009	0.04	0.3	0.04	2.0	0.1	<0.05	5	<0.5	<0.2
50MI11CL0247	Soil	24	0.34	224	0.040	1	1.51	0.011	0.05	0.2	0.05	2.3	0.1	<0.05	5	<0.5	<0.2
50MI11CL0248	Soil	23	0.34	218	0.033	1	1.51	0.010	0.04	0.2	0.04	2.2	0.1	<0.05	4	<0.5	<0.2
50MI11CL0249	Soil	22	0.32	281	0.026	2	1.44	0.010	0.05	0.2	0.05	2.6	0.1	<0.05	4	<0.5	<0.2
50MI11CL0250	Soil	23	0.32	329	0.020	1	1.48	0.010	0.05	0.2	0.04	2.8	0.1	<0.05	4	<0.5	<0.2
50MI11CL0250 DUP	Soil	23	0.29	251	0.031	1	1.41	0.012	0.05	0.2	0.04	2.8	0.1	<0.05	4	<0.5	<0.2
50MI11CL0251	Soil	21	0.47	464	0.032	1	1.18	0.011	0.12	0.2	0.02	5.0	<0.1	<0.05	4	<0.5	<0.2
50MI11CL0252	Soil	14	0.20	284	0.023	<1	0.96	0.008	0.06	0.1	0.07	2.0	<0.1	<0.05	3	<0.5	<0.2
50MI11CL0253	Soil	24	0.45	254	0.040	<1	1.38	0.011	0.08	0.1	0.10	3.0	0.1	<0.05	5	<0.5	<0.2
50MI11CL0254	Soil	21	0.53	236	0.063	<1	1.52	0.011	0.13	0.1	0.05	3.3	0.1	<0.05	5	<0.5	<0.2
50MI11CL0255	Soil	28	0.70	338	0.072	1	2.12	0.013	0.22	<0.1	0.17	5.9	0.2	<0.05	7	<0.5	0.2
50MI11CL0256	Soil	27	0.69	348	0.073	1	2.07	0.012	0.21	<0.1	0.17	5.9	0.3	<0.05	7	<0.5	0.2
50MI11CL0257	Soil	21	0.62	418	0.068	<1	1.63	0.009	0.29	<0.1	0.07	5.2	0.2	<0.05	5	<0.5	0.5
50MI11CL0258	Soil	35	0.66	170	0.125	2	2.10	0.010	0.27	0.1	0.02	3.9	0.2	<0.05	7	<0.5	<0.2
50MI11CL0259	Soil	37	0.75	265	0.097	2	2.37	0.013	0.12	0.1	0.06	4.6	0.2	<0.05	7	<0.5	<0.2
50MI11CL0260	Soil	38	1.01	378	0.064	<1	2.07	0.027	0.50	<0.1	0.07	6.5	0.4	0.26	6	5.7	0.6
50MI11CL0261	Soil	36	0.60	768	0.040	1	2.30	0.018	0.27	0.1	0.97	9.1	0.3	0.10	7	0.5	<0.2
50MI11CL0262	Soil	41	1.14	345	0.090	1	2.48	0.012	0.22	0.1	0.40	6.0	0.2	0.06	8	<0.5	0.2
50MI11CL0263	Soil	65	1.86	1266	0.188	<1	3.05	0.017	0.97	0.1	0.23	8.7	0.6	<0.05	8	2.4	0.7
50MI11CL0264	Soil	56	1.45	493	0.137	1	3.18	0.012	0.49	0.1	0.06	7.3	0.3	<0.05	8	<0.5	<0.2
50MI11CL0265	Soil	54	1.86	821	0.178	1	2.77	0.012	0.88	0.1	0.04	10.0	0.3	<0.05	8	<0.5	<0.2
50MI11CL0266	Soil	29	0.78	378	0.114	<1	2.38	0.012	0.25	0.1	0.04	5.2	0.2	<0.05	9	<0.5	<0.2
50MI11CL0267	Soil	35	1.20	689	0.116	<1	2.33	0.014	0.43	<0.1	0.05	9.1	0.3	<0.05	7	<0.5	<0.2
50MI11CL0268	Soil	24	1.23	472	0.178	<1	2.91	0.016	0.78	0.2	0.02	6.4	0.4	<0.05	8	<0.5	<0.2
50MI11CL0269	Soil	27	0.69	216	0.096	2	2.13	0.011	0.15	0.1	0.04	4.2	0.2	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001934.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
50MI11CL0270	Soil	2.3	164.0	18.7	277	0.2	7.9	14.1	448	4.60	9.8	2.1	3.9	8	0.5	3.6	1.9	95	0.08	0.014	5
50MI11CL0271	Soil	1.0	74.2	7.1	87	0.1	16.3	12.4	479	3.68	4.0	3.7	3.8	14	0.2	1.7	0.4	102	0.26	0.023	12
50MI11CL0272	Soil	1.1	92.0	6.6	82	<0.1	14.9	14.1	350	4.23	10.5	0.8	2.6	10	0.1	2.1	0.3	118	0.16	0.016	5
50MI11CL0273	Soil	0.6	25.5	5.9	57	<0.1	10.6	12.7	433	3.42	4.1	1.3	2.9	18	<0.1	0.6	0.2	87	0.29	0.033	12
50MI11CL0274	Soil	1.6	35.2	3.5	43	<0.1	15.5	12.3	334	3.94	3.7	1.7	3.2	33	<0.1	0.5	0.2	122	0.36	0.036	11
50MI11CL0275	Soil	1.3	34.6	5.2	51	<0.1	18.5	13.2	350	4.04	4.6	2.9	3.2	42	0.1	0.4	0.2	123	0.37	0.043	11
50MI11CL0276	Soil	1.1	27.4	7.5	56	<0.1	15.0	11.2	327	2.98	5.5	3.9	3.1	25	0.1	0.6	0.3	67	0.29	0.053	11
50MI11CL0277	Soil	0.9	24.7	7.4	61	<0.1	14.2	11.4	384	2.97	4.8	1.4	4.4	27	0.1	0.5	0.9	65	0.35	0.054	15
50MI11CL0278	Soil	0.8	17.8	8.1	57	<0.1	12.6	9.1	280	2.62	4.8	3.0	3.1	23	0.2	0.5	0.3	60	0.26	0.040	13
50MI11CL0279	Soil	1.7	23.5	7.0	59	0.1	12.0	9.4	494	2.49	4.2	1.6	3.7	34	0.1	0.3	0.3	54	0.33	0.046	16
50MI11CL0280	Soil	0.7	23.5	10.4	59	0.1	16.5	9.1	425	2.37	4.1	2.9	3.9	33	0.2	0.5	0.2	52	0.56	0.049	17
50MI11CL0281	Soil	1.1	17.4	10.5	67	<0.1	14.7	13.0	475	3.60	4.1	1.4	5.7	23	<0.1	0.4	0.2	80	0.40	0.033	15
50MI11CL0282	Soil	0.7	28.2	8.5	62	<0.1	23.5	12.1	425	3.90	3.9	1.9	14.1	14	<0.1	0.3	0.2	63	0.18	0.020	35
50MI11CL0283	Soil	0.5	21.7	7.6	56	<0.1	23.8	13.6	399	3.57	4.5	2.6	7.7	20	<0.1	0.4	0.1	74	0.32	0.026	21
50MI11CL0284	Soil	0.8	22.7	7.8	56	<0.1	17.9	11.5	408	3.42	5.2	3.3	5.3	22	<0.1	0.4	0.2	81	0.35	0.022	16
50MI11CL0285	Soil	1.1	26.1	7.9	57	<0.1	22.3	13.6	514	3.19	5.0	2.4	4.3	34	<0.1	0.7	0.1	68	0.79	0.039	16
50MI11CL0286	Soil	0.9	36.3	6.6	50	0.1	18.6	11.8	484	2.73	6.6	3.6	2.6	45	0.1	1.0	0.1	56	0.99	0.038	13
50MI11CL0287	Soil	0.4	21.2	4.9	25	<0.1	13.1	8.2	533	1.69	3.4	1.9	0.9	80	0.1	0.8	0.1	33	1.76	0.047	10
50MI11CL0288	Soil	1.1	21.4	10.0	42	<0.1	18.2	10.6	378	2.83	5.5	3.5	5.5	43	0.1	0.7	0.1	56	0.78	0.022	19
50MI11CL0289	Soil	0.8	25.3	9.4	61	0.1	21.8	13.1	549	3.27	5.8	1.9	3.9	39	0.2	0.8	0.1	70	0.69	0.027	15
50MI11CL0290	Soil	0.8	36.6	8.8	56	0.1	26.5	14.1	549	2.85	6.5	3.9	3.6	43	0.2	1.1	0.1	61	0.85	0.040	13
50MI11CL0291	Soil	0.8	29.9	8.2	57	<0.1	21.4	10.8	471	2.44	7.1	2.8	2.6	45	0.2	0.8	0.1	52	0.84	0.047	11
50MI11CL0292	Soil	0.9	20.3	8.0	51	<0.1	18.3	8.5	322	2.50	8.5	1.7	4.5	22	0.1	0.7	0.1	55	0.16	0.011	15
50MI11CL0293	Soil	0.3	18.5	3.9	83	<0.1	22.1	15.7	471	3.37	2.3	<0.5	2.9	39	<0.1	0.2	<0.1	85	0.18	0.021	4
50MI11CL0294	Soil	0.5	14.7	5.6	75	<0.1	19.0	13.0	382	3.11	2.9	<0.5	3.3	45	<0.1	0.4	<0.1	74	0.19	0.018	8
50MI11CL0295	Soil	0.9	33.5	10.0	77	0.1	26.4	11.9	403	2.70	8.7	2.8	3.6	50	0.2	0.8	0.2	56	0.48	0.056	14
50MI11CL0296	Soil	0.9	29.5	9.3	66	0.1	25.6	10.6	407	2.42	9.2	3.6	3.8	49	0.3	0.8	0.2	48	0.59	0.064	14
50MI11CL0297	Soil	0.6	28.0	9.4	65	<0.1	21.6	9.5	280	2.37	8.5	3.4	3.4	43	0.3	0.7	0.2	52	0.58	0.056	15
50MI11CL0298	Soil	0.7	27.0	6.9	60	<0.1	25.6	8.1	630	1.90	7.4	4.2	1.4	73	0.4	0.8	0.1	35	1.34	0.072	11
50MI11CL0299	Soil	0.2	20.3	7.9	55	<0.1	17.1	9.3	346	1.95	4.2	5.4	3.3	34	0.2	0.7	0.1	46	0.61	0.045	12

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001934.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
50MI11CL0270	Soil	14	1.11	415	0.133	1	3.27	0.011	0.93	0.1	0.02	7.7	0.4	<0.05	9	<0.5	<0.2
50MI11CL0271	Soil	41	1.18	642	0.122	1	2.13	0.012	0.46	<0.1	0.04	9.5	0.2	<0.05	7	<0.5	<0.2
50MI11CL0272	Soil	44	1.03	317	0.113	1	2.25	0.010	0.29	0.1	0.02	8.4	0.2	<0.05	7	<0.5	<0.2
50MI11CL0273	Soil	17	0.98	669	0.141	1	2.17	0.012	0.39	<0.1	0.01	5.4	0.2	<0.05	7	<0.5	<0.2
50MI11CL0274	Soil	59	1.40	733	0.153	<1	2.29	0.019	0.61	<0.1	0.02	9.8	0.2	0.10	7	<0.5	<0.2
50MI11CL0275	Soil	55	1.20	642	0.147	1	2.33	0.022	0.53	<0.1	0.02	9.8	0.2	0.14	7	<0.5	<0.2
50MI11CL0276	Soil	26	0.65	421	0.070	2	1.54	0.013	0.09	0.2	0.07	4.4	<0.1	<0.05	5	<0.5	<0.2
50MI11CL0277	Soil	26	0.67	536	0.080	1	1.62	0.011	0.15	0.2	0.08	4.1	<0.1	<0.05	5	0.6	<0.2
50MI11CL0278	Soil	24	0.59	330	0.062	1	1.57	0.011	0.08	0.2	0.05	3.3	<0.1	<0.05	5	<0.5	<0.2
50MI11CL0279	Soil	24	0.51	475	0.079	<1	1.57	0.013	0.19	<0.1	0.32	3.9	0.1	<0.05	6	<0.5	<0.2
50MI11CL0280	Soil	31	0.61	458	0.076	<1	1.64	0.011	0.22	0.2	0.23	5.6	0.1	<0.05	5	<0.5	<0.2
50MI11CL0281	Soil	31	0.92	480	0.118	2	1.78	0.017	0.42	0.4	0.05	7.0	0.2	<0.05	6	<0.5	<0.2
50MI11CL0282	Soil	33	0.94	375	0.143	<1	1.75	0.012	0.73	0.2	0.23	6.7	0.4	<0.05	6	<0.5	<0.2
50MI11CL0283	Soil	35	0.95	396	0.103	<1	1.76	0.012	0.38	0.1	0.04	8.1	0.2	<0.05	6	<0.5	<0.2
50MI11CL0284	Soil	31	0.79	511	0.121	1	1.68	0.014	0.36	0.1	0.10	7.0	0.2	<0.05	6	<0.5	<0.2
50MI11CL0285	Soil	39	0.74	544	0.086	1	1.66	0.013	0.28	0.2	0.06	6.8	0.2	<0.05	6	0.6	<0.2
50MI11CL0286	Soil	43	0.62	391	0.049	2	1.23	0.011	0.14	0.3	0.07	5.6	<0.1	<0.05	4	0.7	<0.2
50MI11CL0287	Soil	19	0.35	834	0.031	1	0.91	0.018	0.08	<0.1	0.05	2.9	<0.1	<0.05	3	1.0	<0.2
50MI11CL0288	Soil	37	0.53	461	0.059	<1	1.49	0.012	0.14	0.1	0.05	5.1	0.1	<0.05	5	<0.5	<0.2
50MI11CL0289	Soil	47	0.61	573	0.057	<1	1.68	0.013	0.19	0.1	0.04	7.1	0.1	<0.05	5	0.7	<0.2
50MI11CL0290	Soil	52	0.68	472	0.068	1	1.52	0.013	0.15	0.2	0.06	5.9	<0.1	<0.05	5	<0.5	<0.2
50MI11CL0291	Soil	40	0.61	327	0.067	1	1.40	0.016	0.08	0.2	0.04	4.0	<0.1	<0.05	4	<0.5	<0.2
50MI11CL0292	Soil	35	0.56	236	0.077	1	1.49	0.012	0.08	0.1	0.02	3.8	<0.1	<0.05	5	<0.5	<0.2
50MI11CL0293	Soil	77	1.75	302	0.242	<1	2.49	0.009	1.01	<0.1	<0.01	2.3	0.4	<0.05	8	<0.5	<0.2
50MI11CL0294	Soil	64	1.24	324	0.168	<1	1.88	0.009	0.52	<0.1	0.05	3.1	0.2	<0.05	8	<0.5	<0.2
50MI11CL0295	Soil	35	0.63	374	0.071	2	1.62	0.023	0.09	0.1	0.05	4.1	0.1	<0.05	5	0.8	<0.2
50MI11CL0296	Soil	29	0.52	358	0.070	2	1.28	0.021	0.09	0.2	0.02	3.3	<0.1	<0.05	4	<0.5	<0.2
50MI11CL0297	Soil	30	0.51	319	0.064	<1	1.38	0.017	0.06	0.2	0.04	3.8	<0.1	<0.05	4	<0.5	<0.2
50MI11CL0298	Soil	21	0.46	366	0.043	3	1.08	0.019	0.06	0.1	0.03	2.5	<0.1	0.07	3	0.6	<0.2
50MI11CL0299	Soil	35	0.50	301	0.064	1	1.29	0.014	0.07	0.2	0.05	3.9	<0.1	<0.05	4	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001934.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
50MI11CL0300	Soil	0.5	20.3	6.3	48	<0.1	17.4	8.7	678	1.81	4.6	0.8	1.3	60	0.2	0.6	0.1	38	1.14	0.071	9
50MI11CL0300 DUP	Soil	0.9	19.5	7.5	46	<0.1	17.3	9.8	660	3.52	23.6	1.6	2.2	45	0.3	0.6	0.1	63	0.80	0.062	10
50MI11CL0301	Soil	0.9	29.5	10.7	58	<0.1	23.1	9.4	398	2.68	4.1	13.1	7.4	23	<0.1	0.3	0.1	47	0.21	0.028	27
50MI11CL0302	Soil	1.1	39.3	9.4	61	<0.1	27.5	10.4	540	2.78	6.1	4.1	4.9	24	<0.1	0.4	0.2	54	0.19	0.026	16
50MI11CL0303	Soil	1.2	62.5	9.7	96	<0.1	32.0	9.6	400	3.15	1.7	1.4	4.6	19	0.1	0.1	0.2	56	0.04	0.025	16
50MI11CL0304	Soil	1.7	22.8	11.2	63	0.4	21.3	15.5	1048	2.68	6.0	1.9	3.3	22	0.2	0.3	0.3	58	0.17	0.057	12
50MI11CL0305	Soil	1.7	53.1	11.7	79	0.1	32.7	13.5	749	3.38	6.8	1.0	4.1	22	0.1	0.5	0.3	62	0.13	0.029	13
50MI11CL0306	Soil	1.1	37.3	9.4	59	<0.1	22.7	10.9	472	2.72	6.8	2.4	4.6	20	<0.1	0.4	0.2	52	0.14	0.019	15
50MI11CL0307	Soil	1.1	39.1	9.6	62	<0.1	25.4	11.8	491	2.87	5.4	4.7	5.1	21	<0.1	0.4	0.2	51	0.15	0.029	17
50MI11CL0308	Soil	0.8	29.5	9.6	60	0.1	25.2	9.9	552	2.21	1.9	2.0	3.4	40	0.4	0.2	0.2	29	0.64	0.065	25
50MI11CL0309	Soil	1.4	34.9	9.7	74	0.2	25.7	12.2	514	2.58	5.2	4.4	3.9	25	0.2	0.5	0.2	48	0.28	0.053	19
50MI11CL0310	Soil	2.5	68.0	13.5	81	0.2	32.4	20.9	1042	2.98	3.1	3.2	3.4	20	0.2	0.3	0.3	53	0.14	0.061	23
50MI11CL0311	Soil	1.0	30.0	8.8	61	<0.1	22.5	12.4	615	2.64	6.6	2.1	3.4	17	0.1	0.5	0.3	54	0.17	0.044	15
50MI11CL0312	Soil	1.3	27.5	9.7	63	<0.1	23.9	11.4	577	2.98	8.5	3.2	2.1	14	0.2	0.5	0.2	60	0.13	0.054	12
50MI11CL0313	Soil	1.4	44.6	8.7	64	<0.1	24.3	8.8	394	2.69	4.6	1.9	4.2	13	<0.1	0.4	0.2	50	0.09	0.033	16
50MI11CL0314	Soil	1.5	60.8	11.6	76	<0.1	32.9	12.1	362	3.62	8.7	1.8	5.1	14	<0.1	0.4	0.3	73	0.10	0.041	18
50MI11CL0315	Soil	1.3	31.2	11.0	58	<0.1	26.9	10.0	309	3.23	9.4	2.2	4.9	12	<0.1	0.5	0.2	65	0.09	0.021	14
50MI11CL0316	Soil	1.0	28.6	11.5	63	<0.1	28.4	13.0	427	3.24	7.5	2.2	7.1	13	<0.1	0.4	0.2	55	0.12	0.026	20
50MI11CL0317	Soil	1.1	33.9	9.1	63	<0.1	27.7	8.8	282	2.97	7.8	2.5	4.0	14	<0.1	0.5	0.2	66	0.12	0.022	15
50MI11CL0318	Soil	1.0	38.3	11.4	69	<0.1	31.9	11.1	419	3.22	7.0	1.7	6.8	14	<0.1	0.4	0.2	66	0.12	0.023	24
50MI11CL0319	Soil	1.0	26.2	11.1	58	<0.1	28.3	12.2	301	3.36	8.8	1.8	7.2	12	<0.1	0.4	0.3	69	0.12	0.024	18
50MI11CL0320	Soil	0.9	39.3	11.3	79	<0.1	36.1	12.7	469	3.46	7.2	1.7	7.0	12	<0.1	0.3	0.2	63	0.09	0.023	23
50MI11CL0321	Soil	1.2	26.5	11.4	59	<0.1	26.1	11.6	425	3.34	8.4	2.8	4.7	17	<0.1	0.4	0.2	68	0.16	0.027	19
50MI11CL0322	Soil	1.0	29.7	9.6	56	<0.1	23.5	9.4	338	2.67	6.6	2.7	3.8	19	<0.1	0.4	0.2	53	0.19	0.035	17
50MI11CL0323	Soil	1.0	25.2	10.0	56	<0.1	21.4	9.8	331	2.65	6.2	2.1	3.8	18	0.1	0.3	0.1	51	0.20	0.042	18
50MI11CL0324	Soil	1.0	20.8	11.7	54	0.2	19.7	8.1	297	2.74	6.1	4.9	2.7	16	0.1	0.3	0.2	54	0.19	0.040	22
50MI11CL0325	Soil	0.4	24.6	15.2	70	0.1	22.7	9.1	309	3.50	6.1	1.6	8.8	15	<0.1	0.3	0.2	39	0.15	0.044	39
50MI11CL0326	Soil	1.1	45.8	33.7	142	0.5	28.4	17.6	785	4.51	85.7	10.2	7.2	21	0.3	4.4	0.6	104	0.48	0.038	23
50MI11CL0327	Soil	0.7	46.3	16.5	86	0.3	30.5	17.4	660	4.17	260.7	41.0	4.6	8	0.3	6.2	0.2	88	0.14	0.032	10
50MI11CL0328	Soil	0.9	36.1	14.0	89	0.4	28.0	15.6	724	3.68	57.1	5.7	3.8	17	0.3	1.3	0.2	79	0.35	0.039	11

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001934.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
50MI11CL0300	Soil	28	0.41	397	0.040	2	1.10	0.017	0.06	0.2	0.06	2.9	<0.1	0.07	3	<0.5	<0.2
50MI11CL0300 DUP	Soil	28	0.42	369	0.047	2	1.21	0.016	0.06	0.1	0.04	3.2	<0.1	<0.05	4	<0.5	<0.2
50MI11CL0301	Soil	30	0.62	197	0.114	<1	1.56	0.010	0.23	0.1	0.01	3.8	0.2	<0.05	5	<0.5	<0.2
50MI11CL0302	Soil	31	0.61	243	0.091	<1	1.60	0.011	0.10	0.1	0.03	4.2	0.1	<0.05	5	<0.5	<0.2
50MI11CL0303	Soil	35	1.01	175	0.148	<1	2.03	0.006	0.52	<0.1	<0.01	3.1	0.3	<0.05	7	<0.5	<0.2
50MI11CL0304	Soil	26	0.48	185	0.077	<1	1.55	0.009	0.18	<0.1	0.02	2.6	0.2	<0.05	6	<0.5	<0.2
50MI11CL0305	Soil	35	0.71	187	0.093	<1	2.25	0.007	0.17	<0.1	0.02	3.3	0.2	<0.05	7	<0.5	<0.2
50MI11CL0306	Soil	33	0.61	208	0.094	1	1.73	0.010	0.12	<0.1	0.02	4.9	0.1	<0.05	5	<0.5	<0.2
50MI11CL0307	Soil	32	0.66	231	0.102	1	1.63	0.010	0.13	0.1	0.03	4.2	0.1	<0.05	5	<0.5	<0.2
50MI11CL0308	Soil	22	0.58	201	0.071	<1	1.31	0.007	0.34	<0.1	0.04	2.7	0.2	<0.05	4	1.4	<0.2
50MI11CL0309	Soil	29	0.55	271	0.081	<1	1.62	0.012	0.13	0.1	0.04	3.7	0.1	<0.05	5	<0.5	<0.2
50MI11CL0310	Soil	31	0.64	188	0.083	<1	1.71	0.008	0.34	<0.1	0.03	3.6	0.2	<0.05	6	<0.5	<0.2
50MI11CL0311	Soil	30	0.48	227	0.053	1	1.67	0.008	0.06	0.1	0.05	3.8	<0.1	0.06	5	<0.5	<0.2
50MI11CL0312	Soil	31	0.46	194	0.054	<1	1.72	0.006	0.06	0.2	0.03	2.8	0.1	<0.05	6	<0.5	<0.2
50MI11CL0313	Soil	29	0.61	176	0.086	<1	1.52	0.006	0.19	<0.1	0.03	2.8	0.2	<0.05	4	<0.5	<0.2
50MI11CL0314	Soil	43	0.77	298	0.096	<1	2.64	0.009	0.35	<0.1	0.04	3.6	0.3	<0.05	7	<0.5	<0.2
50MI11CL0315	Soil	38	0.59	233	0.062	<1	2.28	0.007	0.10	0.1	0.04	3.3	0.1	<0.05	6	<0.5	<0.2
50MI11CL0316	Soil	34	0.70	249	0.085	<1	2.08	0.006	0.23	0.1	0.03	3.3	0.2	<0.05	6	<0.5	<0.2
50MI11CL0317	Soil	39	0.56	248	0.064	<1	1.75	0.008	0.07	0.1	0.04	4.1	0.1	<0.05	5	<0.5	<0.2
50MI11CL0318	Soil	40	0.69	338	0.086	2	2.09	0.008	0.21	0.1	0.02	5.6	0.2	<0.05	6	<0.5	<0.2
50MI11CL0319	Soil	37	0.64	273	0.087	<1	2.46	0.011	0.13	0.1	0.03	3.6	0.2	<0.05	7	<0.5	<0.2
50MI11CL0320	Soil	40	0.83	195	0.106	<1	2.42	0.007	0.33	0.1	0.03	4.2	0.3	<0.05	7	<0.5	<0.2
50MI11CL0321	Soil	39	0.57	279	0.068	<1	2.10	0.007	0.07	0.2	0.03	4.6	0.1	<0.05	6	<0.5	<0.2
50MI11CL0322	Soil	32	0.59	228	0.070	<1	1.66	0.009	0.06	0.1	0.03	3.4	<0.1	<0.05	5	<0.5	<0.2
50MI11CL0323	Soil	29	0.54	171	0.084	<1	1.67	0.009	0.17	0.1	0.02	2.7	0.1	<0.05	5	<0.5	<0.2
50MI11CL0324	Soil	29	0.47	148	0.077	<1	1.83	0.009	0.19	0.1	0.03	2.4	0.2	<0.05	7	<0.5	<0.2
50MI11CL0325	Soil	28	0.52	121	0.097	<1	1.90	0.009	0.47	<0.1	0.02	3.4	0.3	<0.05	7	<0.5	<0.2
50MI11CL0326	Soil	95	1.23	249	0.059	<1	2.16	0.008	0.16	0.3	0.06	9.5	0.2	<0.05	8	<0.5	<0.2
50MI11CL0327	Soil	100	1.16	125	0.110	<1	2.26	0.011	0.26	0.2	0.02	6.9	0.2	<0.05	8	<0.5	<0.2
50MI11CL0328	Soil	78	1.08	188	0.115	<1	1.96	0.010	0.17	0.2	0.03	5.3	0.2	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001934.2

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
50MI11CL0329	Soil	0.7	22.3	10.0	67	0.2	21.6	12.1	430	2.90	6.4	4.8	3.0	17	0.1	0.3	0.1	64	0.30	0.046	9
50MI11CL0330	Soil	0.7	31.3	16.2	73	0.2	24.5	12.6	420	2.90	6.3	3.6	3.0	20	0.2	0.4	0.1	63	0.31	0.046	11
50MI11CL0331	Soil	1.0	17.7	22.6	79	0.6	18.6	23.1	2637	2.64	7.0	3.1	2.1	23	0.4	0.4	0.2	57	0.42	0.053	10
50MI11CL0332	Soil	1.1	23.2	35.5	98	0.3	23.0	17.2	839	3.57	7.7	6.0	3.6	16	0.2	0.5	0.2	72	0.26	0.042	9
50MI11CL0333	Soil	0.8	12.4	10.9	45	0.2	14.4	7.7	250	2.67	7.0	5.8	3.2	15	0.1	0.4	0.1	69	0.29	0.024	13
50MI11CL0334	Soil	0.5	27.8	12.6	76	0.1	29.4	14.9	352	3.57	7.9	1.7	6.4	22	0.2	0.6	0.1	83	0.47	0.036	19
50MI11CL0335	Soil	0.8	19.6	10.0	76	0.2	23.2	12.9	484	3.15	4.7	3.3	4.0	22	<0.1	0.4	0.2	71	0.32	0.045	15
50MI11CL0336	Soil	1.2	21.1	9.1	63	0.1	19.3	7.5	206	2.46	4.9	1.6	3.3	22	<0.1	0.2	0.2	50	0.12	0.031	18
50MI11CL0337	Soil	1.7	27.5	10.9	69	0.4	26.4	16.0	604	3.17	6.3	2.9	4.2	24	0.2	0.4	0.2	58	0.22	0.043	37
50MI11CL0338	Soil	1.4	33.8	11.6	107	0.2	40.5	14.2	626	2.99	5.1	2.6	4.2	29	0.3	0.2	0.2	74	0.17	0.045	23
50MI11CL0339	Soil	1.4	42.5	9.4	76	0.1	34.0	9.0	294	3.02	6.8	2.4	6.2	30	0.1	0.4	0.2	62	0.19	0.025	25
50MI11CL0340	Soil	1.4	31.1	9.2	67	0.2	23.7	10.1	413	2.71	5.8	2.5	3.8	16	0.1	0.4	0.2	48	0.15	0.040	18
50MI11CL0341	Soil	1.1	35.4	8.4	85	<0.1	31.8	11.9	364	3.09	4.4	2.1	8.3	15	0.1	0.3	0.1	40	0.14	0.039	33
50MI11CL0342	Soil	2.1	42.5	9.1	69	<0.1	28.3	13.4	614	2.91	6.6	1.8	5.2	15	0.2	0.4	0.2	48	0.12	0.033	18
50MI11CL0343	Soil	1.2	41.7	9.0	62	<0.1	24.9	11.2	588	2.62	4.7	179.6	5.1	14	0.1	0.3	0.2	43	0.09	0.029	19
50MI11CL0344	Soil	1.6	57.2	10.4	78	<0.1	36.0	16.4	939	2.87	4.2	3.4	6.5	10	0.1	0.3	0.2	40	0.06	0.031	24
50MI11CL0345	Soil	1.9	56.3	10.0	72	0.1	26.0	10.6	473	3.01	6.2	2.6	5.3	13	<0.1	0.3	0.2	49	0.07	0.033	17
50MI11CL0346	Soil	1.7	43.6	10.5	67	<0.1	25.0	11.4	534	3.17	6.1	2.6	5.0	11	<0.1	0.4	0.2	56	0.07	0.029	17
50MI11CL0347	Soil	1.3	29.1	10.0	60	<0.1	22.5	9.0	305	2.68	8.9	3.1	4.9	17	0.1	0.5	0.2	61	0.13	0.018	14
50MI11CL0348	Soil	0.9	40.4	9.5	64	<0.1	35.2	13.5	525	3.09	12.7	2.1	6.2	10	0.1	0.5	0.2	48	0.07	0.023	13
50MI11CL0349	Soil	0.6	52.0	7.4	60	<0.1	75.1	24.6	326	4.87	2.8	1.4	2.2	27	<0.1	0.2	0.1	141	0.10	0.022	9
50MI11CL0350	Soil	1.3	31.0	8.5	67	0.2	24.5	5.5	237	2.21	3.9	2.0	4.3	28	0.2	0.4	0.2	40	0.05	0.026	17
50MI11CL0350 DUP	Soil	1.6	34.2	9.4	79	0.2	28.3	6.8	364	2.47	3.9	3.0	4.6	10	0.2	0.4	0.2	51	0.05	0.032	16
50MI11CL0351	Soil	1.6	30.1	10.2	46	0.3	21.8	6.8	263	2.57	8.3	6.2	3.9	16	0.2	0.6	0.2	56	0.09	0.029	13
50MI11CL0352	Soil	1.2	35.3	8.8	70	0.1	29.4	8.0	277	2.57	4.0	1.8	3.9	15	0.2	0.3	0.2	59	0.10	0.037	14
50MI11CL0353	Soil	1.1	32.2	8.1	57	0.1	22.1	7.8	311	2.29	3.2	3.4	4.5	16	0.1	0.3	0.2	42	0.12	0.032	16
50MI11CL0354	Soil	1.0	28.5	9.0	54	<0.1	19.4	8.7	361	2.37	3.0	4.1	4.8	20	<0.1	0.4	0.2	53	0.15	0.031	16
50MI11CL0355	Soil	1.3	28.0	8.7	51	0.1	16.3	6.4	304	2.19	3.0	6.4	3.0	14	0.1	0.4	0.2	39	0.09	0.032	13
50MI11CL0356	Soil	1.4	34.2	10.9	81	<0.1	35.4	7.3	246	2.72	4.2	0.7	5.9	10	0.1	0.3	0.2	48	0.05	0.025	15
50MI11CL0357	Soil	1.0	30.8	8.4	54	0.1	18.3	7.0	281	2.17	2.0	1.5	4.2	18	0.1	0.4	0.2	38	0.15	0.030	16

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001934.2

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
50MI11CL0329	Soil	60	0.85	178	0.114	<1	1.88	0.011	0.08	0.2	0.04	2.8	0.2	<0.05	6	<0.5	<0.2
50MI11CL0330	Soil	62	0.89	218	0.114	<1	1.91	0.012	0.08	0.2	0.04	3.0	0.2	<0.05	6	<0.5	<0.2
50MI11CL0331	Soil	45	0.65	362	0.063	<1	1.58	0.011	0.05	0.2	0.07	3.8	0.1	0.06	5	<0.5	<0.2
50MI11CL0332	Soil	75	0.99	253	0.115	<1	1.98	0.010	0.16	0.1	0.03	3.7	0.2	<0.05	7	<0.5	<0.2
50MI11CL0333	Soil	40	0.54	140	0.087	<1	1.68	0.010	0.07	0.1	0.02	2.7	0.1	<0.05	6	<0.5	<0.2
50MI11CL0334	Soil	65	1.04	265	0.153	1	2.11	0.015	0.15	0.1	0.05	5.7	0.2	<0.05	7	<0.5	<0.2
50MI11CL0335	Soil	58	0.98	248	0.110	1	2.33	0.012	0.11	0.2	0.03	5.0	0.1	<0.05	7	<0.5	<0.2
50MI11CL0336	Soil	27	0.52	132	0.095	<1	1.55	0.009	0.21	0.1	0.03	2.1	0.2	<0.05	6	<0.5	<0.2
50MI11CL0337	Soil	33	0.58	279	0.094	<1	2.14	0.011	0.17	0.1	0.05	3.8	0.2	0.06	7	<0.5	<0.2
50MI11CL0338	Soil	34	0.63	180	0.112	<1	1.84	0.008	0.29	0.1	0.02	2.7	0.3	<0.05	6	<0.5	<0.2
50MI11CL0339	Soil	37	0.66	247	0.091	<1	1.87	0.011	0.18	<0.1	0.04	4.5	0.2	0.06	6	<0.5	<0.2
50MI11CL0340	Soil	29	0.57	204	0.083	<1	1.73	0.008	0.16	0.1	0.03	2.9	0.2	<0.05	5	<0.5	<0.2
50MI11CL0341	Soil	28	0.70	174	0.129	<1	1.66	0.006	0.52	<0.1	0.02	3.2	0.3	<0.05	6	<0.5	<0.2
50MI11CL0342	Soil	28	0.59	180	0.093	<1	1.64	0.009	0.19	0.1	0.02	3.0	0.2	<0.05	5	<0.5	<0.2
50MI11CL0343	Soil	25	0.61	167	0.097	<1	1.57	0.006	0.30	<0.1	0.02	2.9	0.2	<0.05	5	<0.5	<0.2
50MI11CL0344	Soil	26	0.68	142	0.119	<1	1.58	0.005	0.52	<0.1	0.02	2.6	0.3	<0.05	5	<0.5	<0.2
50MI11CL0345	Soil	27	0.63	148	0.086	<1	1.79	0.005	0.21	<0.1	0.03	2.7	0.2	<0.05	6	<0.5	<0.2
50MI11CL0346	Soil	32	0.64	159	0.081	<1	1.95	0.006	0.15	<0.1	0.02	2.8	0.2	<0.05	6	<0.5	<0.2
50MI11CL0347	Soil	34	0.61	180	0.074	<1	1.94	0.011	0.07	0.1	0.02	3.5	0.1	0.05	6	<0.5	<0.2
50MI11CL0348	Soil	32	0.73	137	0.082	2	2.23	0.015	0.15	0.1	0.01	2.8	0.2	<0.05	6	<0.5	<0.2
50MI11CL0349	Soil	170	2.98	511	0.234	<1	4.03	0.018	0.42	<0.1	<0.01	7.5	0.2	<0.05	11	<0.5	<0.2
50MI11CL0350	Soil	21	0.57	151	0.060	<1	1.44	0.008	0.15	<0.1	0.02	2.0	0.2	<0.05	5	<0.5	<0.2
50MI11CL0350 DUP	Soil	28	0.64	178	0.074	2	1.54	0.007	0.24	<0.1	0.02	2.1	0.2	<0.05	5	<0.5	<0.2
50MI11CL0351	Soil	28	0.50	190	0.065	<1	1.62	0.009	0.09	0.2	0.04	2.5	0.1	<0.05	6	<0.5	<0.2
50MI11CL0352	Soil	40	0.76	246	0.093	<1	1.58	0.010	0.23	<0.1	0.02	2.9	0.2	<0.05	5	<0.5	<0.2
50MI11CL0353	Soil	27	0.56	206	0.078	<1	1.39	0.010	0.13	0.1	0.03	2.7	0.1	<0.05	4	<0.5	<0.2
50MI11CL0354	Soil	28	0.57	230	0.075	<1	1.70	0.011	0.08	0.2	0.03	3.2	0.1	<0.05	5	<0.5	<0.2
50MI11CL0355	Soil	21	0.46	158	0.070	<1	1.39	0.010	0.10	0.1	0.02	1.8	<0.1	<0.05	4	<0.5	<0.2
50MI11CL0356	Soil	32	0.64	170	0.090	<1	1.67	0.006	0.28	<0.1	<0.01	2.2	0.2	<0.05	5	<0.5	<0.2
50MI11CL0357	Soil	24	0.56	229	0.073	<1	1.44	0.023	0.08	0.1	0.04	2.6	0.1	<0.05	4	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001934.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
50MI11CL0358	Soil	0.9	24.7	8.4	51	0.1	17.2	6.3	263	2.04	2.5	<0.5	3.5	17	0.2	0.4	0.1	38	0.15	0.031	15
50MI11CL0359	Soil	1.0	26.2	8.9	51	<0.1	17.2	6.2	256	2.26	2.6	3.0	4.2	17	0.1	0.4	0.1	43	0.14	0.028	15
50MI11CL0360	Soil	0.8	28.6	8.2	48	0.2	19.0	7.4	328	1.87	1.7	3.1	3.5	20	<0.1	0.4	0.1	33	0.21	0.034	16
50MI11CL0361	Soil	0.8	13.0	20.4	44	0.1	12.6	5.2	205	2.01	4.4	2.1	7.5	12	0.2	0.5	0.2	38	0.10	0.020	23
50MI11CL0362	Soil	1.1	12.6	16.8	47	<0.1	13.3	5.6	272	2.59	6.0	0.6	4.9	15	0.2	0.6	0.2	56	0.11	0.027	15
50MI11CL0363	Soil	0.8	16.5	12.1	54	0.2	14.7	6.0	297	2.38	3.0	0.7	2.4	14	0.2	0.4	0.1	51	0.11	0.048	16
50MI11CL0364	Soil	0.8	15.1	10.1	48	<0.1	16.9	7.1	278	2.49	5.2	3.5	2.8	15	<0.1	0.5	0.2	61	0.13	0.022	10
50MI11CL0365	Soil	0.6	21.0	8.4	53	<0.1	21.1	8.1	289	2.39	4.3	0.9	3.8	18	<0.1	0.4	0.1	49	0.17	0.029	14
50MI11CL0366	Soil	0.5	14.5	8.5	47	<0.1	12.5	5.3	201	1.92	1.9	<0.5	0.9	16	<0.1	0.3	0.1	36	0.15	0.039	12
50MI11CL0367	Soil	0.6	15.2	8.6	47	<0.1	16.9	5.7	237	1.97	3.4	<0.5	2.5	16	<0.1	0.4	0.1	40	0.16	0.036	14
50MI11CL0368	Soil	0.5	17.5	9.3	53	0.1	17.2	6.7	257	2.11	3.4	2.6	2.7	21	<0.1	0.3	0.2	41	0.19	0.039	17
50MI11CL0369	Soil	0.9	18.4	15.6	62	<0.1	18.6	8.3	350	2.46	6.1	1.0	4.1	17	0.2	0.6	0.2	50	0.14	0.042	15
50MI11CL0370	Soil	0.8	18.8	13.7	55	0.2	16.2	6.8	330	2.07	4.9	0.7	2.4	15	0.1	1.2	0.2	40	0.12	0.029	13
50MI11CL0371	Soil	0.3	5.5	3.4	12	<0.1	2.3	1.2	66	0.70	<0.5	<0.5	<0.1	14	<0.1	<0.1	<0.1	12	0.07	0.023	3
50MI11CL0372	Soil	0.6	13.9	7.0	43	0.1	13.3	6.0	244	2.02	1.7	<0.5	0.9	49	<0.1	0.3	0.1	51	0.39	0.055	10
50MI11CL0373	Soil	0.8	12.3	6.7	33	<0.1	11.6	5.4	213	2.01	2.1	1.6	2.2	17	<0.1	0.3	0.1	50	0.10	0.024	8
50MI11CL0374	Soil	0.2	2.3	2.0	9	<0.1	1.3	1.1	49	0.56	<0.5	<0.5	<0.1	11	<0.1	<0.1	<0.1	8	0.05	0.019	2
50MI11CL0375	Soil	1.0	11.1	7.9	37	<0.1	12.7	5.9	230	2.65	4.1	1.5	2.4	21	<0.1	0.4	0.2	63	0.13	0.036	10
50MI11CL0376	Soil	0.9	11.7	8.0	37	<0.1	9.8	5.9	248	2.38	2.1	1.1	1.5	24	0.1	0.3	0.2	62	0.13	0.040	10
50MI11CL0377	Soil	0.6	8.3	7.2	32	<0.1	6.4	4.0	158	1.81	<0.5	<0.5	1.0	20	<0.1	0.2	0.1	40	0.09	0.024	8
50MI11CL0378	Soil	0.7	16.0	6.2	58	<0.1	15.6	10.1	464	2.76	2.6	<0.5	2.5	60	<0.1	0.4	<0.1	80	0.42	0.060	13
50MI11AM0283	Soil	0.6	19.5	9.8	56	0.1	17.9	7.8	274	2.08	1.6	1.6	4.1	41	0.1	0.4	0.2	41	0.37	0.054	19
50MI11AM0284	Soil	0.6	20.9	9.7	56	<0.1	18.7	7.6	303	2.28	3.3	1.3	4.7	38	<0.1	0.4	0.2	43	0.33	0.044	21
50MI11AM0285	Soil	0.6	13.0	9.4	50	<0.1	13.6	8.4	285	2.11	2.9	1.7	3.6	30	0.2	0.4	0.1	39	0.29	0.051	17
50MI11AM0286	Soil	0.7	19.2	10.7	59	<0.1	16.4	8.9	291	2.52	5.4	2.1	3.3	32	0.2	0.5	0.3	52	0.29	0.055	19
50MI11AM0287	Soil	1.0	30.5	9.1	72	0.1	27.5	9.9	428	2.61	8.7	5.2	4.1	47	0.4	0.8	0.2	56	1.11	0.081	16
50MI11AM0288	Soil	1.0	29.7	8.4	61	0.1	25.2	8.8	371	2.33	7.4	2.4	3.3	43	0.2	0.6	0.2	49	0.62	0.074	15
50MI11AM0289	Soil	1.0	14.2	7.9	46	<0.1	8.0	5.8	427	2.25	1.6	1.0	2.1	138	0.1	0.2	0.1	55	1.16	0.097	21
50MI11AM0290	Soil	0.7	12.0	7.2	47	<0.1	11.8	5.5	353	2.08	3.7	5.7	2.1	70	0.1	0.2	0.2	48	0.47	0.059	16
50MI11AM0291	Soil	0.4	6.7	5.2	27	<0.1	6.1	2.8	148	1.24	1.1	<0.5	1.0	39	<0.1	0.1	0.1	28	0.20	0.026	8

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001934.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
50MI11CL0358	Soil	24	0.48	212	0.064	<1	1.40	0.014	0.08	0.1	0.02	2.6	<0.1	<0.05	4	<0.5	<0.2
50MI11CL0359	Soil	26	0.54	196	0.077	<1	1.48	0.012	0.09	0.1	0.02	2.8	<0.1	<0.05	4	<0.5	<0.2
50MI11CL0360	Soil	21	0.49	225	0.057	<1	1.17	0.011	0.08	<0.1	0.03	2.2	<0.1	<0.05	4	0.6	<0.2
50MI11CL0361	Soil	21	0.41	313	0.035	<1	1.62	0.008	0.07	0.1	0.03	2.1	<0.1	<0.05	5	<0.5	<0.2
50MI11CL0362	Soil	25	0.44	172	0.054	<1	1.56	0.008	0.06	0.1	0.01	2.3	<0.1	<0.05	6	<0.5	<0.2
50MI11CL0363	Soil	34	0.72	177	0.053	<1	1.62	0.010	0.11	<0.1	0.02	2.0	<0.1	<0.05	6	<0.5	<0.2
50MI11CL0364	Soil	39	0.69	94	0.121	<1	1.59	0.014	0.06	0.1	0.02	2.3	0.1	<0.05	7	<0.5	<0.2
50MI11CL0365	Soil	46	0.84	160	0.083	<1	1.84	0.012	0.07	0.1	0.02	3.2	0.1	<0.05	6	<0.5	<0.2
50MI11CL0366	Soil	28	0.61	131	0.046	<1	1.45	0.015	0.07	<0.1	0.02	1.6	0.1	<0.05	5	<0.5	<0.2
50MI11CL0367	Soil	29	0.56	152	0.055	<1	1.52	0.012	0.05	0.1	0.02	2.4	<0.1	<0.05	4	<0.5	<0.2
50MI11CL0368	Soil	39	0.77	223	0.052	<1	1.70	0.011	0.07	<0.1	0.02	2.7	0.1	<0.05	5	<0.5	<0.2
50MI11CL0369	Soil	29	0.54	175	0.053	<1	1.86	0.010	0.07	0.2	0.02	2.7	<0.1	<0.05	5	<0.5	<0.2
50MI11CL0370	Soil	23	0.41	153	0.036	<1	1.30	0.009	0.05	0.1	0.03	1.9	<0.1	<0.05	4	<0.5	<0.2
50MI11CL0371	Soil	5	0.06	47	0.025	<1	0.56	0.027	0.03	<0.1	0.03	0.4	<0.1	<0.05	3	<0.5	<0.2
50MI11CL0372	Soil	23	0.54	251	0.031	<1	1.83	0.016	0.04	0.1	0.04	2.5	<0.1	<0.05	5	<0.5	<0.2
50MI11CL0373	Soil	18	0.35	137	0.048	<1	1.99	0.017	0.04	0.2	0.02	2.2	<0.1	<0.05	5	<0.5	<0.2
50MI11CL0374	Soil	3	0.06	29	0.017	<1	0.32	0.028	0.03	<0.1	0.02	0.4	<0.1	<0.05	2	<0.5	<0.2
50MI11CL0375	Soil	22	0.38	168	0.043	<1	3.02	0.012	0.04	0.1	0.04	2.8	<0.1	<0.05	6	<0.5	<0.2
50MI11CL0376	Soil	18	0.41	134	0.044	<1	2.36	0.013	0.04	0.1	0.03	2.7	<0.1	<0.05	8	<0.5	<0.2
50MI11CL0377	Soil	13	0.30	158	0.046	<1	1.43	0.025	0.04	<0.1	0.01	1.9	<0.1	<0.05	6	<0.5	<0.2
50MI11CL0378	Soil	24	0.82	211	0.084	<1	2.14	0.041	0.05	<0.1	0.03	4.2	<0.1	<0.05	5	<0.5	<0.2
50MI11AM0283	Soil	27	0.51	243	0.058	<1	1.65	0.017	0.06	0.1	0.04	3.5	<0.1	<0.05	5	<0.5	<0.2
50MI11AM0284	Soil	31	0.57	242	0.067	<1	1.85	0.018	0.08	0.1	0.03	3.7	<0.1	<0.05	6	<0.5	<0.2
50MI11AM0285	Soil	24	0.46	184	0.056	<1	1.56	0.016	0.05	0.1	0.03	2.7	<0.1	<0.05	5	<0.5	<0.2
50MI11AM0286	Soil	26	0.45	259	0.065	<1	1.62	0.015	0.06	0.1	0.03	3.0	<0.1	<0.05	5	<0.5	<0.2
50MI11AM0287	Soil	30	0.73	356	0.085	2	1.36	0.031	0.09	0.2	0.03	3.5	<0.1	<0.05	4	<0.5	<0.2
50MI11AM0288	Soil	27	0.56	315	0.066	3	1.33	0.024	0.08	0.2	0.03	3.2	<0.1	<0.05	4	<0.5	<0.2
50MI11AM0289	Soil	17	0.61	535	0.014	1	1.90	0.033	0.05	0.1	0.03	3.5	<0.1	<0.05	6	<0.5	<0.2
50MI11AM0290	Soil	22	0.55	294	0.046	2	1.74	0.028	0.06	0.1	0.02	2.9	<0.1	<0.05	6	<0.5	<0.2
50MI11AM0291	Soil	13	0.26	115	0.043	<1	1.36	0.028	0.05	<0.1	0.02	1.8	<0.1	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001934.2

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
50MI11AM0292	Soil	0.4	17.7	8.8	53	<0.1	14.6	6.3	312	2.18	3.3	3.1	2.7	96	<0.1	0.3	0.2	52	0.65	0.057	22
50MI11AM0293	Soil	0.5	15.9	8.8	50	<0.1	14.1	6.5	277	1.99	2.1	1.1	3.0	118	0.2	0.2	0.1	44	0.66	0.056	23
50MI11AM0294	Soil	0.5	15.2	7.4	47	<0.1	13.4	6.1	287	2.12	3.2	2.2	2.0	97	<0.1	0.3	0.1	52	0.57	0.063	17
50MI11AM0295	Soil	0.4	16.6	7.8	50	<0.1	14.9	5.9	251	1.94	2.4	2.5	2.3	91	0.1	0.3	0.1	46	0.62	0.068	18
50MI11AM0296	Soil	0.5	18.0	9.8	55	<0.1	17.1	7.1	286	1.97	2.9	2.7	3.3	77	0.1	0.4	0.2	47	0.51	0.043	24
50MI11AM0297	Soil	0.6	21.5	8.5	52	0.2	14.5	8.4	658	2.04	2.8	2.4	1.3	117	0.2	0.3	<0.1	53	0.87	0.088	40
50MI11AM0298	Soil	0.4	9.6	3.9	21	<0.1	3.0	1.9	139	0.94	1.0	<0.5	0.1	49	0.2	0.1	<0.1	19	0.27	0.036	5
50MI11AM0299	Soil	0.5	13.4	8.9	56	<0.1	14.3	6.4	306	2.10	3.8	<0.5	2.9	83	<0.1	0.3	0.1	50	0.45	0.059	16
50MI11AM0300	Soil	0.5	10.4	6.4	31	<0.1	8.1	3.9	116	1.56	1.8	<0.5	0.6	66	0.3	0.2	0.2	30	0.19	0.050	15
50MI11AM0301	Soil	0.4	18.9	8.5	56	0.1	14.3	6.7	403	2.30	5.5	1.5	1.0	147	0.2	0.2	0.1	54	0.88	0.082	24
50MI11AM0302	Soil	0.8	16.1	7.4	55	<0.1	11.9	8.2	485	2.48	3.2	3.8	1.9	124	<0.1	0.3	<0.1	66	0.80	0.094	20
50MI11AM0303	Soil	0.5	13.4	6.8	36	<0.1	9.3	5.0	251	1.86	2.8	1.2	0.6	100	<0.1	0.2	<0.1	41	0.41	0.060	13
50MI11AM0304	Soil	0.4	15.0	5.7	32	<0.1	10.3	4.7	209	1.78	2.8	<0.5	0.6	72	0.1	0.2	0.1	39	0.27	0.042	11
50MI11AM0305	Soil	0.9	11.3	9.6	28	<0.1	6.5	3.4	174	1.88	2.9	3.9	1.7	24	0.1	0.2	0.2	56	0.09	0.018	10
50MI11AM0306	Soil	0.4	8.2	3.3	36	<0.1	4.1	2.0	66	0.87	1.1	<0.5	<0.1	37	0.3	<0.1	0.1	20	0.15	0.041	3
50MI11AM0307	Soil	0.3	4.7	2.5	10	<0.1	2.6	1.3	45	0.63	0.8	<0.5	<0.1	17	<0.1	0.2	<0.1	15	0.08	0.023	2
50MI11AM0308	Soil	0.5	7.2	4.3	14	<0.1	2.8	1.6	53	0.92	<0.5	<0.5	<0.1	10	<0.1	0.1	<0.1	25	0.05	0.019	3
50MI11AM0308 DUP	Soil	0.3	4.6	3.4	13	<0.1	2.4	1.4	67	0.93	1.2	<0.5	0.1	12	<0.1	0.1	<0.1	23	0.05	0.014	3
50MI11AM0309	Soil	0.4	18.8	10.0	56	<0.1	6.6	7.1	624	2.60	1.2	<0.5	2.1	98	0.1	0.1	0.2	69	0.96	0.148	24
50MI11AM0310	Soil	0.4	15.3	9.4	51	0.1	7.5	6.2	466	2.06	1.3	1.3	2.1	114	0.2	0.2	<0.1	51	0.80	0.101	23
50MI11AM0311	Soil	0.7	15.0	10.2	50	<0.1	10.8	6.5	407	2.57	4.4	1.5	2.3	99	<0.1	0.2	0.1	70	0.60	0.048	16
50MI11AM0312	Soil	1.0	14.9	5.3	49	<0.1	11.8	10.6	383	3.00	2.8	<0.5	1.4	89	<0.1	0.1	<0.1	94	0.57	0.067	10
50MI11AM0313	Soil	0.8	16.2	8.0	52	<0.1	10.7	9.2	476	2.94	3.0	<0.5	2.4	131	0.1	0.2	<0.1	84	0.62	0.087	15
50MI11AM0314	Soil	0.7	17.9	9.3	59	<0.1	11.6	11.1	537	3.29	2.6	2.7	2.5	171	0.2	0.1	<0.1	102	0.88	0.111	15
50MI11AM0315	Soil	0.5	15.3	9.4	50	<0.1	11.5	6.0	300	2.21	2.3	2.8	2.5	147	<0.1	0.2	<0.1	49	0.72	0.072	18
50MI11AM0316	Soil	0.5	17.5	9.4	58	0.1	13.7	6.0	311	2.16	3.5	3.5	2.9	127	<0.1	0.4	0.1	50	0.66	0.065	16
50MI11AM0317	Soil	0.5	20.6	8.1	64	0.1	18.5	7.2	302	2.20	4.2	1.8	3.0	90	0.2	0.4	0.1	51	0.64	0.067	15
50MI11AM0318	Soil	1.2	11.2	7.0	43	<0.1	8.8	12.9	993	2.37	3.3	2.2	1.1	90	<0.1	0.2	<0.1	61	0.55	0.091	13
50MI11AM0319	Soil	1.0	11.6	7.8	47	<0.1	9.6	9.1	492	2.46	3.4	<0.5	1.2	70	0.1	0.2	<0.1	56	0.44	0.082	14
50MI11AM0320	Soil	1.2	11.4	6.8	49	<0.1	9.6	8.0	541	2.24	3.3	<0.5	1.6	74	0.2	0.2	0.3	59	0.45	0.077	14

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001934.2

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
50MI11AM0292	Soil		29	0.64	225	0.074	<1	2.74	0.031	0.05	0.1	0.05	4.5	<0.1	<0.05	7	<0.5	<0.2
50MI11AM0293	Soil		26	0.58	176	0.067	<1	2.31	0.040	0.05	<0.1	0.03	4.1	<0.1	<0.05	7	<0.5	<0.2
50MI11AM0294	Soil		24	0.59	207	0.064	<1	2.16	0.031	0.05	<0.1	0.02	3.1	<0.1	<0.05	6	<0.5	<0.2
50MI11AM0295	Soil		26	0.62	233	0.061	<1	2.11	0.032	0.05	0.1	0.04	4.3	<0.1	<0.05	6	<0.5	<0.2
50MI11AM0296	Soil		27	0.59	217	0.076	1	2.43	0.028	0.06	<0.1	0.03	4.0	<0.1	<0.05	7	<0.5	<0.2
50MI11AM0297	Soil		25	0.62	223	0.039	<1	2.62	0.034	0.06	0.1	0.05	4.5	<0.1	<0.05	7	<0.5	<0.2
50MI11AM0298	Soil		6	0.13	69	0.032	<1	1.03	0.033	0.03	<0.1	0.03	0.7	<0.1	<0.05	4	0.6	<0.2
50MI11AM0299	Soil		26	0.64	273	0.073	<1	2.04	0.021	0.05	<0.1	0.03	3.2	<0.1	<0.05	6	<0.5	<0.2
50MI11AM0300	Soil		16	0.31	139	0.036	1	1.60	0.015	0.06	<0.1	0.06	2.2	<0.1	<0.05	5	<0.5	<0.2
50MI11AM0301	Soil		22	0.65	248	0.047	<1	2.43	0.024	0.05	<0.1	0.04	3.8	<0.1	<0.05	7	0.5	<0.2
50MI11AM0302	Soil		23	0.60	261	0.024	<1	2.18	0.021	0.04	<0.1	0.02	4.8	<0.1	<0.05	7	<0.5	<0.2
50MI11AM0303	Soil		17	0.48	179	0.017	<1	1.75	0.025	0.05	<0.1	0.02	1.9	<0.1	<0.05	6	0.8	<0.2
50MI11AM0304	Soil		15	0.36	128	0.054	1	1.60	0.029	0.04	<0.1	0.02	1.9	<0.1	<0.05	5	<0.5	<0.2
50MI11AM0305	Soil		12	0.17	97	0.076	<1	1.56	0.019	0.04	<0.1	0.01	1.6	<0.1	<0.05	8	0.5	<0.2
50MI11AM0306	Soil		7	0.07	114	0.027	<1	0.52	0.018	0.03	<0.1	0.03	0.5	<0.1	<0.05	2	0.6	<0.2
50MI11AM0307	Soil		4	0.06	37	0.023	<1	0.45	0.021	0.03	<0.1	0.03	0.5	<0.1	<0.05	2	<0.5	<0.2
50MI11AM0308	Soil		7	0.06	43	0.031	1	0.61	0.017	0.02	<0.1	0.03	0.4	<0.1	0.05	4	<0.5	<0.2
50MI11AM0308 DUP	Soil		6	0.09	41	0.032	<1	0.60	0.022	0.03	<0.1	0.01	0.5	<0.1	<0.05	4	<0.5	<0.2
50MI11AM0309	Soil		13	0.47	196	0.014	1	1.77	0.020	0.04	0.1	0.02	5.6	<0.1	<0.05	5	<0.5	<0.2
50MI11AM0310	Soil		13	0.67	233	0.030	<1	2.16	0.024	0.04	<0.1	0.03	4.3	<0.1	<0.05	7	0.7	<0.2
50MI11AM0311	Soil		21	0.90	226	0.082	1	2.76	0.026	0.05	0.1	0.02	4.1	<0.1	<0.05	8	0.7	<0.2
50MI11AM0312	Soil		27	0.82	196	0.099	<1	2.52	0.043	0.04	<0.1	0.01	3.6	<0.1	<0.05	7	<0.5	<0.2
50MI11AM0313	Soil		22	0.77	190	0.089	1	2.64	0.036	0.06	<0.1	0.01	5.6	<0.1	<0.05	8	<0.5	<0.2
50MI11AM0314	Soil		23	0.96	217	0.144	<1	2.62	0.049	0.06	0.1	<0.01	4.9	<0.1	<0.05	7	0.6	<0.2
50MI11AM0315	Soil		23	0.62	245	0.073	<1	2.54	0.032	0.05	0.1	0.04	4.7	<0.1	<0.05	7	0.7	<0.2
50MI11AM0316	Soil		24	0.60	256	0.082	<1	1.87	0.035	0.06	0.2	0.04	4.1	<0.1	<0.05	6	<0.5	<0.2
50MI11AM0317	Soil		25	0.58	286	0.078	1	1.77	0.032	0.06	0.2	0.03	4.1	<0.1	<0.05	5	<0.5	<0.2
50MI11AM0318	Soil		19	0.59	246	0.033	1	1.86	0.024	0.04	0.1	0.02	3.5	<0.1	<0.05	5	0.8	<0.2
50MI11AM0319	Soil		19	0.56	230	0.026	<1	1.82	0.021	0.04	0.1	0.03	3.4	<0.1	<0.05	5	0.6	<0.2
50MI11AM0320	Soil		19	0.58	228	0.028	<1	1.73	0.024	0.04	0.1	0.04	3.1	0.1	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001934.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
50MI11AM0321	Soil	0.9	22.5	8.1	71	<0.1	20.9	8.6	377	2.41	7.2	3.0	3.1	41	0.2	0.6	0.3	52	0.51	0.077	14
50MI11AM0322	Soil	0.7	17.0	7.7	54	<0.1	16.1	7.7	262	2.24	7.1	2.1	2.4	48	0.2	0.5	0.2	46	0.48	0.065	14
50MI11AM0323	Soil	0.6	18.6	8.2	57	0.1	17.8	7.0	208	2.31	7.7	3.4	2.4	67	0.2	0.5	0.2	47	0.51	0.069	12
50MI11AM0324	Soil	0.8	24.4	7.6	67	0.1	20.9	8.2	424	2.45	7.0	4.9	3.2	63	0.2	0.6	0.1	47	0.57	0.068	16
50MI11AM0325	Soil	0.8	26.0	8.5	59	0.1	21.8	8.8	396	2.57	8.9	2.4	3.4	79	0.2	0.6	0.1	51	0.60	0.066	15
50MI11AM0326	Soil	0.7	20.1	7.8	54	0.1	17.3	7.7	307	2.04	5.9	9.6	2.3	50	0.2	0.5	0.1	45	0.57	0.068	13
50MI11AM0327	Soil	0.8	19.2	7.7	64	0.1	17.3	10.3	403	2.80	8.8	3.4	2.9	66	0.3	0.6	0.1	68	0.64	0.085	14
50MI11AM0328	Soil	0.4	20.1	6.4	58	<0.1	13.4	9.6	343	2.77	3.6	4.6	1.4	97	0.1	0.2	0.1	82	0.81	0.096	13
50MI11AM0329	Soil	0.7	15.0	7.1	56	<0.1	13.5	8.7	306	2.90	5.3	5.0	2.7	74	0.1	0.2	0.1	78	0.63	0.080	14
50MI11AM0330	Soil	0.5	15.0	6.3	56	<0.1	10.9	7.8	369	2.66	4.2	5.1	1.9	84	0.1	0.2	0.1	74	0.72	0.101	14
50MI11AM0331	Soil	0.6	15.7	6.0	62	<0.1	11.4	9.1	413	3.15	4.6	1.8	2.6	100	<0.1	0.2	0.2	97	0.76	0.127	15
50MI11AM0332	Soil	0.7	20.2	4.5	55	<0.1	9.6	13.3	500	3.81	2.8	2.3	2.0	122	<0.1	0.1	<0.1	109	0.91	0.151	14
50MI11AM0333	Soil	0.5	22.7	5.7	60	0.1	12.8	11.5	454	3.18	4.9	2.3	0.9	98	<0.1	0.2	<0.1	91	0.69	0.100	13
50MI11AM0334	Soil	0.8	17.8	6.5	56	<0.1	14.2	12.2	445	3.56	5.7	1.7	2.2	78	<0.1	0.2	0.1	109	0.61	0.089	12
50MI11AM0335	Soil	0.7	16.4	6.8	47	<0.1	14.4	9.7	338	3.00	5.8	1.9	2.3	52	<0.1	0.3	0.1	74	0.43	0.073	12
50MI11AM0336	Soil	0.6	19.9	7.4	51	<0.1	18.1	10.3	349	2.90	7.6	3.1	2.9	44	<0.1	0.3	0.1	74	0.37	0.069	16
50MI11AM0337	Soil	0.6	20.9	5.8	63	<0.1	29.2	16.9	506	4.00	3.1	0.7	3.4	18	<0.1	0.6	<0.1	99	0.42	0.030	9
50MI11AM0338	Soil	0.9	46.4	9.6	71	0.5	33.4	11.0	1142	3.22	5.7	2.1	3.1	58	0.6	1.0	0.2	58	1.35	0.084	53
50MI11AM0339	Soil	0.6	18.9	7.3	58	<0.1	22.0	13.5	401	2.98	6.7	9.0	3.1	25	<0.1	0.5	0.1	66	0.47	0.031	8
50MI11AM0340	Soil	0.8	30.5	8.7	73	0.1	26.3	10.8	394	2.68	8.6	2.4	3.7	31	0.2	0.7	0.2	52	0.60	0.061	14
50MI11AM0341	Soil	0.8	16.5	7.5	55	<0.1	18.5	10.4	358	2.56	6.2	7.6	2.5	26	<0.1	0.4	0.1	58	0.26	0.026	9
50MI11AM0342	Soil	0.6	20.9	5.8	83	<0.1	31.1	17.6	487	3.70	4.3	1.9	2.5	28	<0.1	0.4	<0.1	82	0.22	0.019	4
50MI11AM0343	Soil	0.8	13.4	8.4	51	<0.1	17.5	7.4	198	2.42	9.3	1.2	2.8	17	<0.1	0.5	0.1	50	0.14	0.014	8
50MI11AM0344	Soil	0.9	11.0	8.3	59	<0.1	16.0	7.8	201	2.41	6.6	<0.5	2.0	12	<0.1	0.5	0.3	52	0.11	0.031	7
50MI11AM0345	Soil	0.6	17.2	6.5	66	<0.1	21.8	12.3	371	2.77	3.0	1.2	2.0	24	<0.1	0.5	0.1	63	0.27	0.020	6
50MI11AM0346	Soil	0.5	11.5	6.4	45	<0.1	16.4	8.1	222	2.11	4.5	0.6	1.9	20	<0.1	0.7	0.1	46	0.21	0.015	7
50MI11AM0347	Soil	0.4	13.6	6.1	61	<0.1	17.7	9.1	227	2.29	4.1	0.7	1.6	29	<0.1	0.6	<0.1	48	0.28	0.021	5
50MI11AM0348	Soil	0.4	14.5	7.0	52	<0.1	18.2	9.6	405	2.18	4.6	15.4	2.8	26	<0.1	0.5	<0.1	47	0.32	0.020	9
50MI11AM0349	Soil	0.6	15.7	7.0	49	<0.1	20.3	8.8	315	2.45	7.1	1.0	3.7	21	<0.1	0.8	0.1	53	0.26	0.018	11
50MI11AM0350	Soil	0.5	18.2	6.8	63	<0.1	27.4	14.6	394	3.10	5.1	<0.5	3.2	26	<0.1	0.5	<0.1	68	0.34	0.018	9

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001934.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
50MI11AM0321	Soil	25	0.53	267	0.054	2	1.23	0.022	0.05	0.2	0.04	3.0	<0.1	<0.05	4	<0.5	<0.2
50MI11AM0322	Soil	23	0.44	257	0.047	2	1.34	0.018	0.04	0.3	0.04	2.8	<0.1	0.05	4	<0.5	<0.2
50MI11AM0323	Soil	24	0.44	288	0.050	2	1.37	0.020	0.05	0.2	0.04	2.8	<0.1	<0.05	4	<0.5	<0.2
50MI11AM0324	Soil	24	0.47	314	0.043	1	1.50	0.020	0.05	0.2	0.03	3.7	<0.1	<0.05	4	<0.5	<0.2
50MI11AM0325	Soil	26	0.47	338	0.048	1	1.50	0.018	0.05	0.1	0.03	3.7	<0.1	<0.05	4	<0.5	<0.2
50MI11AM0326	Soil	23	0.44	299	0.045	2	1.38	0.019	0.04	0.2	0.04	2.9	<0.1	<0.05	4	<0.5	<0.2
50MI11AM0327	Soil	24	0.51	289	0.061	2	1.45	0.027	0.05	0.2	0.04	3.9	<0.1	<0.05	4	<0.5	<0.2
50MI11AM0328	Soil	22	0.93	199	0.069	1	2.22	0.055	0.05	<0.1	0.04	5.0	<0.1	<0.05	6	<0.5	<0.2
50MI11AM0329	Soil	26	0.81	211	0.067	<1	2.12	0.034	0.04	<0.1	0.03	5.1	<0.1	<0.05	6	<0.5	<0.2
50MI11AM0330	Soil	22	0.75	217	0.064	<1	2.10	0.047	0.04	<0.1	0.04	4.6	<0.1	0.06	5	<0.5	<0.2
50MI11AM0331	Soil	20	0.86	237	0.083	<1	2.10	0.052	0.04	<0.1	0.02	5.0	<0.1	<0.05	5	<0.5	<0.2
50MI11AM0332	Soil	15	1.14	162	0.082	<1	2.35	0.076	0.05	<0.1	0.03	7.1	<0.1	<0.05	7	<0.5	<0.2
50MI11AM0333	Soil	19	0.89	198	0.067	1	2.50	0.039	0.05	<0.1	0.05	4.7	<0.1	0.06	7	<0.5	<0.2
50MI11AM0334	Soil	22	0.81	238	0.091	1	2.88	0.044	0.05	0.1	0.02	4.0	<0.1	<0.05	7	<0.5	<0.2
50MI11AM0335	Soil	22	0.66	182	0.071	<1	2.44	0.029	0.04	0.1	0.03	3.5	<0.1	<0.05	7	<0.5	<0.2
50MI11AM0336	Soil	28	0.67	216	0.071	<1	2.26	0.021	0.04	0.1	0.03	4.0	<0.1	<0.05	6	<0.5	<0.2
50MI11AM0337	Soil	109	1.77	252	0.190	1	2.34	0.013	0.57	0.1	0.13	4.8	0.3	<0.05	8	<0.5	<0.2
50MI11AM0338	Soil	53	0.64	899	0.036	3	2.69	0.012	0.33	0.2	0.40	10.8	0.2	0.12	6	<0.5	<0.2
50MI11AM0339	Soil	63	0.98	210	0.128	1	1.85	0.013	0.20	0.2	0.09	3.3	0.1	<0.05	6	<0.5	<0.2
50MI11AM0340	Soil	37	0.72	294	0.083	1	1.50	0.024	0.12	0.2	0.06	3.5	0.1	<0.05	5	<0.5	<0.2
50MI11AM0341	Soil	42	0.70	248	0.094	<1	1.94	0.014	0.12	0.1	0.04	2.6	<0.1	<0.05	6	<0.5	<0.2
50MI11AM0342	Soil	100	1.66	333	0.192	<1	2.43	0.010	0.74	0.1	0.01	2.8	0.3	<0.05	8	<0.5	<0.2
50MI11AM0343	Soil	31	0.47	209	0.052	<1	1.83	0.007	0.08	0.1	0.02	2.1	<0.1	<0.05	5	<0.5	<0.2
50MI11AM0344	Soil	30	0.51	199	0.056	<1	1.66	0.008	0.08	0.1	0.03	1.9	0.1	<0.05	6	<0.5	<0.2
50MI11AM0345	Soil	72	1.10	176	0.123	<1	1.98	0.011	0.27	<0.1	0.02	2.4	0.2	<0.05	7	<0.5	<0.2
50MI11AM0346	Soil	39	0.69	217	0.073	<1	1.39	0.010	0.16	0.1	0.02	2.0	<0.1	<0.05	4	<0.5	<0.2
50MI11AM0347	Soil	48	0.90	180	0.083	<1	1.69	0.010	0.14	0.1	0.07	1.7	<0.1	<0.05	6	<0.5	<0.2
50MI11AM0348	Soil	40	0.67	233	0.087	1	1.40	0.013	0.17	0.1	0.02	2.8	<0.1	<0.05	5	<0.5	<0.2
50MI11AM0349	Soil	40	0.63	251	0.080	<1	1.53	0.011	0.12	0.1	0.02	3.0	<0.1	0.05	5	<0.5	<0.2
50MI11AM0350	Soil	74	1.17	319	0.159	<1	2.01	0.010	0.32	0.1	0.02	3.7	0.1	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001934.2

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
50MI11AM0351	Soil	0.5	10.3	7.0	46	<0.1	17.6	9.6	359	2.41	5.1	<0.5	2.7	19	<0.1	0.7	0.1	53	0.28	0.015	10
50MI11AM0352	Soil	0.5	10.8	6.4	63	<0.1	20.7	11.3	274	2.65	4.2	0.9	2.0	23	<0.1	0.3	<0.1	62	0.29	0.021	7
50MI11AM0353	Soil	0.6	17.1	6.4	63	<0.1	26.7	14.5	399	3.45	5.9	<0.5	2.2	25	<0.1	0.5	<0.1	75	0.27	0.019	7
50MI11AM0354	Soil	0.4	28.8	4.9	63	<0.1	33.9	18.9	481	3.59	3.8	0.7	2.3	30	<0.1	0.4	<0.1	77	0.38	0.025	8
50MI11AM0355	Soil	0.7	17.2	9.0	55	<0.1	17.3	8.9	277	2.96	9.3	0.7	4.8	19	<0.1	0.5	0.1	57	0.22	0.017	12
50MI11AM0356	Soil	1.0	10.7	8.8	43	<0.1	13.4	7.5	235	2.90	14.6	0.7	1.9	13	<0.1	0.6	0.1	68	0.14	0.031	8
50MI11AM0357	Soil	0.6	20.2	11.8	51	0.1	14.1	6.0	254	2.35	106.6	2.3	5.8	37	<0.1	0.5	0.2	53	0.42	0.028	34
50MI11AM0358	Soil	0.8	29.1	7.0	63	<0.1	23.5	13.2	414	3.29	25.4	1.6	6.3	31	0.1	0.5	0.2	73	0.42	0.056	16
50MI11AM0359	Soil	0.9	31.7	9.1	65	0.1	22.6	10.4	325	2.79	10.8	1.7	4.3	43	0.2	0.7	0.2	63	0.54	0.055	17
50MI11AM0360	Soil	0.9	31.8	10.2	62	0.1	22.0	12.1	369	3.00	9.2	1.0	5.3	41	0.2	0.7	0.2	70	0.52	0.046	18
50MI11AM0361	Soil	0.5	18.3	6.5	53	<0.1	11.7	9.6	255	2.87	5.5	<0.5	4.9	25	<0.1	0.5	0.1	71	0.27	0.027	17
50MI11AM0362	Soil	0.7	18.4	6.7	43	<0.1	13.1	12.3	420	3.41	6.9	<0.5	3.4	22	<0.1	0.5	0.1	96	0.25	0.022	9
50MI11AM0363	Soil	0.3	12.4	4.4	37	<0.1	7.3	9.6	353	2.88	3.5	<0.5	3.3	18	<0.1	0.3	0.2	82	0.31	0.049	7
50MI11AM0364	Soil	0.4	31.6	6.0	61	<0.1	9.1	13.2	396	3.94	11.3	<0.5	2.9	21	0.2	0.5	0.1	126	0.33	0.042	6
50MI11AM0365	Soil	0.5	25.7	4.4	43	<0.1	10.7	12.8	475	3.85	5.2	1.9	5.0	22	<0.1	0.5	0.1	100	0.29	0.019	9
50MI11AM0365 DUP	Soil	0.5	25.1	5.5	44	<0.1	11.7	12.8	571	3.74	5.4	<0.5	5.2	26	<0.1	0.4	0.1	97	0.31	0.020	12
50MI11AM0211	Soil	1.2	11.6	10.7	67	<0.1	11.9	8.8	852	2.26	4.9	<0.5	3.7	28	0.2	0.4	0.2	49	0.42	0.054	16
50MI11AM0212	Soil	0.7	17.4	10.8	62	<0.1	14.3	9.3	242	2.58	6.8	4.6	5.8	26	<0.1	0.5	0.2	57	0.35	0.048	18
50MI11AM0213	Soil	1.0	22.9	11.0	73	0.1	13.6	10.3	709	2.63	10.1	2.1	3.2	33	0.3	0.5	0.2	58	0.50	0.054	15
50MI11AM0214	Soil	1.1	37.8	7.7	81	0.2	15.0	10.4	350	3.33	37.7	8.9	5.0	25	0.2	0.8	0.2	65	0.36	0.051	17
50MI11AM0215	Soil	0.8	19.1	8.8	68	0.1	13.8	9.7	336	2.82	31.3	11.5	4.1	25	<0.1	0.6	0.2	62	0.38	0.048	16
50MI11AM0216	Soil	1.0	14.8	10.3	56	<0.1	15.1	9.6	326	3.09	5.3	<0.5	6.6	22	<0.1	0.5	0.2	80	0.16	0.019	16
50MI11AM0217	Soil	0.4	16.8	4.8	94	<0.1	22.1	18.1	771	4.19	2.6	1.1	6.1	39	<0.1	0.3	<0.1	90	0.26	0.034	19
50MI11AM0218	Soil	0.8	18.3	6.9	69	<0.1	16.8	13.1	440	3.48	4.1	<0.5	5.0	36	0.1	0.7	<0.1	81	0.31	0.032	10
50MI11AM0219	Soil	0.4	16.9	6.4	68	<0.1	16.0	13.6	425	3.22	2.8	<0.5	6.6	39	0.1	0.6	<0.1	69	0.25	0.044	14
50MI11AM0220	Soil	0.4	17.4	8.2	74	<0.1	16.1	10.4	300	2.90	4.0	<0.5	5.3	31	0.1	0.7	0.1	64	0.33	0.054	17
50MI11AM0221	Soil	0.6	17.6	9.1	60	0.1	15.1	7.3	222	2.25	7.1	2.8	2.4	28	0.2	0.6	0.2	44	0.28	0.051	13
50MI11AM0222	Soil	0.3	12.4	4.7	76	<0.1	14.5	12.1	408	3.13	3.8	<0.5	5.9	41	0.1	0.6	<0.1	59	0.39	0.054	15
50MI11AM0223	Soil	0.2	11.9	5.2	78	<0.1	14.9	11.9	507	3.55	4.3	1.7	4.8	33	<0.1	0.4	0.1	77	0.33	0.053	12
50MI11AM0224	Soil	0.4	23.1	5.4	88	<0.1	19.8	15.6	576	3.82	3.0	0.5	9.7	36	0.1	1.5	<0.1	80	0.51	0.071	22

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001934.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
50MI11AM0351	Soil	38	0.60	281	0.061	<1	1.59	0.012	0.13	0.1	0.02	2.4	<0.1	<0.05	5	<0.5	<0.2
50MI11AM0352	Soil	55	0.96	260	0.120	<1	1.89	0.010	0.21	0.1	0.01	1.9	0.1	<0.05	6	<0.5	<0.2
50MI11AM0353	Soil	83	1.40	218	0.166	<1	2.27	0.010	0.34	0.1	0.03	3.1	0.2	<0.05	7	<0.5	<0.2
50MI11AM0354	Soil	108	1.80	315	0.231	<1	2.46	0.011	0.63	0.2	0.02	3.1	0.2	<0.05	7	<0.5	<0.2
50MI11AM0355	Soil	33	0.62	276	0.083	<1	1.74	0.010	0.14	0.1	0.02	4.1	0.1	<0.05	5	<0.5	<0.2
50MI11AM0356	Soil	30	0.40	151	0.081	<1	1.86	0.009	0.07	0.1	0.02	2.2	0.1	<0.05	6	<0.5	<0.2
50MI11AM0357	Soil	22	0.33	939	0.052	2	1.75	0.021	0.12	0.2	0.08	4.1	0.1	<0.05	7	<0.5	<0.2
50MI11AM0358	Soil	33	0.83	330	0.160	<1	2.07	0.022	0.35	0.2	0.02	5.1	0.2	<0.05	7	<0.5	<0.2
50MI11AM0359	Soil	29	0.60	333	0.103	1	1.80	0.028	0.07	0.1	0.05	4.7	<0.1	<0.05	5	<0.5	<0.2
50MI11AM0360	Soil	27	0.67	374	0.133	2	1.98	0.030	0.08	0.1	0.04	5.1	<0.1	<0.05	6	<0.5	<0.2
50MI11AM0361	Soil	20	0.73	237	0.148	<1	1.73	0.022	0.17	0.1	0.01	4.1	<0.1	<0.05	6	<0.5	<0.2
50MI11AM0362	Soil	29	0.76	264	0.133	<1	2.13	0.021	0.05	0.1	0.01	5.3	<0.1	<0.05	8	<0.5	<0.2
50MI11AM0363	Soil	10	0.65	219	0.195	2	1.87	0.026	0.35	<0.1	0.01	3.9	0.2	<0.05	7	<0.5	<0.2
50MI11AM0364	Soil	18	0.89	203	0.094	<1	2.05	0.028	0.11	0.1	<0.01	7.1	<0.1	<0.05	9	<0.5	<0.2
50MI11AM0365	Soil	17	0.77	350	0.083	1	1.82	0.019	0.25	<0.1	0.03	7.8	<0.1	<0.05	7	<0.5	<0.2
50MI11AM0365 DUP	Soil	19	0.72	378	0.080	1	1.96	0.020	0.22	<0.1	0.02	7.7	<0.1	<0.05	7	<0.5	<0.2
50MI11AM0211	Soil	21	0.38	403	0.052	1	1.53	0.014	0.07	0.1	0.03	3.5	0.1	<0.05	5	<0.5	<0.2
50MI11AM0212	Soil	24	0.44	286	0.067	1	1.67	0.016	0.07	0.2	0.03	4.1	<0.1	<0.05	5	<0.5	<0.2
50MI11AM0213	Soil	23	0.47	466	0.051	1	1.69	0.016	0.08	0.1	0.04	4.6	<0.1	<0.05	5	<0.5	<0.2
50MI11AM0214	Soil	24	0.62	286	0.077	<1	1.69	0.016	0.13	0.1	0.03	5.9	<0.1	<0.05	5	<0.5	<0.2
50MI11AM0215	Soil	25	0.54	294	0.072	2	1.79	0.016	0.07	0.1	0.03	4.5	<0.1	<0.05	5	<0.5	<0.2
50MI11AM0216	Soil	42	0.74	211	0.177	2	2.11	0.013	0.20	0.1	0.02	3.5	0.2	<0.05	8	<0.5	<0.2
50MI11AM0217	Soil	76	1.86	274	0.274	<1	3.18	0.015	0.88	<0.1	0.01	3.8	0.5	<0.05	9	<0.5	<0.2
50MI11AM0218	Soil	51	1.19	224	0.212	1	2.52	0.013	0.31	<0.1	<0.01	3.2	0.2	<0.05	7	<0.5	<0.2
50MI11AM0219	Soil	50	1.04	249	0.197	1	2.24	0.013	0.57	<0.1	0.01	3.4	0.2	<0.05	6	<0.5	<0.2
50MI11AM0220	Soil	41	0.84	291	0.155	1	2.02	0.014	0.44	0.1	0.04	4.0	0.2	<0.05	7	<0.5	<0.2
50MI11AM0221	Soil	25	0.46	257	0.070	1	1.68	0.014	0.06	<0.1	0.05	3.0	<0.1	<0.05	5	<0.5	<0.2
50MI11AM0222	Soil	44	1.01	313	0.116	<1	2.05	0.012	0.44	<0.1	0.05	2.6	0.2	<0.05	6	<0.5	<0.2
50MI11AM0223	Soil	52	1.22	324	0.166	<1	2.44	0.014	0.68	<0.1	<0.01	5.3	0.2	<0.05	8	<0.5	<0.2
50MI11AM0224	Soil	63	1.38	418	0.149	<1	2.44	0.012	0.78	0.1	0.03	5.9	0.3	<0.05	9	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001934.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
50MI11AM0225	Soil	0.1	14.2	2.8	77	<0.1	16.4	15.2	570	3.76	1.6	<0.5	10.1	31	<0.1	1.7	<0.1	85	0.48	0.078	17
50MI11AM0226	Soil	0.3	19.0	4.7	88	<0.1	17.1	13.9	589	3.46	3.9	0.9	4.3	45	<0.1	0.6	<0.1	78	0.41	0.064	16
50MI11AM0227	Soil	0.3	19.6	5.2	78	<0.1	18.3	13.8	474	3.48	3.6	0.6	5.1	25	0.1	0.5	<0.1	72	0.32	0.048	15
50MI11AM0228	Soil	0.5	21.1	8.9	72	<0.1	19.3	14.2	505	3.75	4.9	2.0	7.2	33	<0.1	0.9	0.2	83	0.37	0.042	25
50MI11AM0229	Soil	0.7	18.9	8.7	64	0.1	17.3	8.0	268	2.40	7.6	5.5	3.0	27	0.2	0.6	0.2	50	0.29	0.051	14
50MI11AM0230	Soil	0.8	15.7	8.0	56	<0.1	16.0	7.4	250	2.50	7.1	1.0	3.3	25	<0.1	0.4	0.2	54	0.27	0.041	12
50MI11AM0231	Soil	0.6	20.3	7.3	57	<0.1	16.4	8.4	270	2.53	6.6	3.4	3.8	30	<0.1	0.4	0.2	54	0.32	0.045	14
50MI11AM0232	Soil	0.5	18.9	5.1	73	<0.1	25.8	14.5	476	3.22	4.9	<0.5	2.2	25	<0.1	0.4	<0.1	74	0.23	0.030	5
50MI11AM0233	Soil	0.3	19.3	6.3	63	0.1	17.9	7.6	235	2.30	3.8	2.5	3.0	53	0.1	0.4	<0.1	51	0.54	0.049	13
50MI11AM0234	Soil	0.6	21.5	8.0	52	<0.1	16.3	7.6	223	2.21	7.8	0.6	2.9	31	<0.1	0.6	0.2	49	0.32	0.045	13
50MI11AM0235	Soil	0.3	25.6	8.6	53	0.2	19.6	7.8	208	2.21	8.6	2.1	3.4	39	0.2	0.7	0.2	49	0.49	0.057	14
50MI11AM0236	Soil	0.3	28.3	9.0	62	0.2	24.0	9.1	289	2.37	8.4	1.6	3.7	34	0.3	0.7	0.2	52	0.41	0.056	15
50MI11AM0237	Soil	1.0	15.3	7.8	67	<0.1	17.1	10.8	366	2.56	7.6	1.5	2.2	28	<0.1	0.6	0.1	57	0.31	0.060	11
50MI11AM0238	Soil	0.4	16.0	9.4	58	0.1	14.0	6.7	168	2.37	8.3	1.5	1.9	25	0.2	0.5	0.2	51	0.26	0.048	11
50MI11AM0239	Soil	1.0	10.5	7.8	55	<0.1	13.8	5.6	189	2.75	7.0	1.7	2.1	27	0.2	0.5	0.1	52	0.28	0.059	11
50MI11AM0240	Soil	1.7	16.8	16.8	84	0.1	19.7	10.8	487	2.87	24.4	2.0	3.7	29	0.2	1.2	0.2	55	0.35	0.069	12

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001934.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
50MI11AM0225	Soil	76	1.46	361	0.133	<1	2.13	0.016	0.62	<0.1	0.03	8.6	0.2	<0.05	8	<0.5	<0.2
50MI11AM0226	Soil	45	1.48	381	0.210	<1	2.35	0.014	0.85	<0.1	0.03	3.4	0.4	<0.05	8	<0.5	<0.2
50MI11AM0227	Soil	55	1.28	266	0.150	<1	2.53	0.013	0.65	0.1	0.02	3.3	0.2	<0.05	7	<0.5	<0.2
50MI11AM0228	Soil	53	1.08	285	0.137	<1	2.28	0.015	0.35	0.1	0.02	7.4	0.2	<0.05	8	<0.5	<0.2
50MI11AM0229	Soil	29	0.57	260	0.072	<1	1.68	0.015	0.07	0.2	0.05	3.2	<0.1	<0.05	5	<0.5	<0.2
50MI11AM0230	Soil	29	0.57	206	0.080	<1	1.78	0.013	0.07	<0.1	0.02	2.7	<0.1	<0.05	5	<0.5	<0.2
50MI11AM0231	Soil	33	0.65	257	0.089	<1	1.85	0.014	0.08	0.1	0.02	3.7	<0.1	<0.05	5	<0.5	<0.2
50MI11AM0232	Soil	78	1.55	297	0.187	<1	2.45	0.012	0.55	<0.1	0.01	2.6	0.2	<0.05	8	<0.5	<0.2
50MI11AM0233	Soil	51	0.93	430	0.098	2	1.85	0.014	0.29	0.2	0.11	5.0	0.2	<0.05	6	<0.5	<0.2
50MI11AM0234	Soil	27	0.47	244	0.078	<1	1.65	0.016	0.07	0.1	0.03	3.3	<0.1	<0.05	5	<0.5	<0.2
50MI11AM0235	Soil	27	0.49	302	0.073	<1	1.50	0.020	0.08	0.1	0.05	3.5	<0.1	<0.05	4	0.9	<0.2
50MI11AM0236	Soil	30	0.53	314	0.074	2	1.58	0.021	0.08	0.2	0.05	3.8	<0.1	<0.05	5	<0.5	<0.2
50MI11AM0237	Soil	37	0.71	212	0.081	<1	1.74	0.015	0.10	0.3	0.03	2.8	<0.1	<0.05	6	<0.5	<0.2
50MI11AM0238	Soil	35	0.53	264	0.065	<1	1.71	0.015	0.07	0.2	0.04	3.5	0.1	<0.05	5	<0.5	<0.2
50MI11AM0239	Soil	27	0.47	244	0.047	<1	1.29	0.013	0.06	0.1	0.06	2.6	<0.1	<0.05	4	<0.5	<0.2
50MI11AM0240	Soil	28	0.69	199	0.050	<1	1.36	0.012	0.10	0.3	0.03	3.3	0.1	<0.05	4	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

QUALITY CONTROL REPORT WHI11001934.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
Pulp Duplicates																					
50MI11CL0247	Soil	0.6	13.0	9.5	51	0.2	14.8	5.1	117	2.13	7.5	2.6	1.7	20	0.1	0.5	0.3	47	0.21	0.042	12
REP 50MI11CL0247	QC	0.6	12.7	9.7	49	0.2	14.2	5.1	112	2.15	6.8	11.4	1.7	19	0.2	0.5	0.2	44	0.20	0.040	11
50MI11CL0263	Soil	3.4	1400	34.2	186	1.9	20.1	24.4	547	5.75	3.3	14.8	3.0	12	0.8	0.6	0.3	135	0.24	0.056	7
REP 50MI11CL0263	QC	3.2	1418	34.2	188	1.9	20.8	24.7	558	5.83	3.2	14.3	3.1	12	0.6	0.6	0.3	134	0.24	0.057	7
50MI11CL0292	Soil	0.9	20.3	8.0	51	<0.1	18.3	8.5	322	2.50	8.5	1.7	4.5	22	0.1	0.7	0.1	55	0.16	0.011	15
REP 50MI11CL0292	QC	0.9	21.3	8.5	50	<0.1	19.8	8.2	320	2.52	8.0	2.8	4.5	23	<0.1	0.8	0.1	54	0.17	0.012	15
50MI11CL0306	Soil	1.1	37.3	9.4	59	<0.1	22.7	10.9	472	2.72	6.8	2.4	4.6	20	<0.1	0.4	0.2	52	0.14	0.019	15
REP 50MI11CL0306	QC	1.1	39.5	9.6	62	<0.1	24.3	11.0	497	2.76	6.9	3.5	5.6	19	0.1	0.4	0.2	51	0.15	0.018	15
50MI11CL0323	Soil	1.0	25.2	10.0	56	<0.1	21.4	9.8	331	2.65	6.2	2.1	3.8	18	0.1	0.3	0.1	51	0.20	0.042	18
REP 50MI11CL0323	QC	1.0	25.5	9.9	57	<0.1	21.8	9.8	340	2.67	6.2	2.1	3.7	18	0.1	0.4	0.1	52	0.20	0.042	17
50MI11CL0341	Soil	1.1	35.4	8.4	85	<0.1	31.8	11.9	364	3.09	4.4	2.1	8.3	15	0.1	0.3	0.1	40	0.14	0.039	33
REP 50MI11CL0341	QC	1.2	34.1	8.5	82	<0.1	31.1	12.2	372	3.14	4.6	2.2	8.3	15	0.1	0.2	0.2	42	0.15	0.041	33
50MI11CL0350 DUP	Soil	1.6	34.2	9.4	79	0.2	28.3	6.8	364	2.47	3.9	3.0	4.6	10	0.2	0.4	0.2	51	0.05	0.032	16
REP 50MI11CL0350 DUP	QC	1.6	34.9	9.3	81	0.1	28.0	6.8	368	2.54	3.6	1.8	4.6	10	0.2	0.3	0.3	51	0.05	0.034	16
50MI11CL0376	Soil	0.9	11.7	8.0	37	<0.1	9.8	5.9	248	2.38	2.1	1.1	1.5	24	0.1	0.3	0.2	62	0.13	0.040	10
REP 50MI11CL0376	QC	0.8	11.4	7.7	35	<0.1	9.2	5.3	236	2.29	1.4	2.9	1.4	21	0.2	0.2	0.2	59	0.12	0.038	9
50MI11AM0288	Soil	1.0	29.7	8.4	61	0.1	25.2	8.8	371	2.33	7.4	2.4	3.3	43	0.2	0.6	0.2	49	0.62	0.074	15
REP 50MI11AM0288	QC	0.7	29.1	8.2	59	0.1	23.6	8.6	360	2.22	7.1	2.5	3.0	41	0.2	0.6	0.2	46	0.60	0.072	15
50MI11AM0311	Soil	0.7	15.0	10.2	50	<0.1	10.8	6.5	407	2.57	4.4	1.5	2.3	99	<0.1	0.2	0.1	70	0.60	0.048	16
REP 50MI11AM0311	QC	0.8	14.4	10.2	48	<0.1	10.5	6.3	392	2.57	4.9	<0.5	2.2	99	0.1	0.2	0.1	68	0.59	0.046	16
50MI11AM0323	Soil	0.6	18.6	8.2	57	0.1	17.8	7.0	208	2.31	7.7	3.4	2.4	67	0.2	0.5	0.2	47	0.51	0.069	12
REP 50MI11AM0323	QC	0.7	18.2	8.3	55	0.1	17.6	7.0	200	2.23	7.6	2.2	2.5	65	0.2	0.5	0.2	46	0.50	0.067	12
50MI11AM0355	Soil	0.7	17.2	9.0	55	<0.1	17.3	8.9	277	2.96	9.3	0.7	4.8	19	<0.1	0.5	0.1	57	0.22	0.017	12
REP 50MI11AM0355	QC	0.7	16.9	8.9	57	<0.1	17.0	9.0	279	2.93	9.5	1.1	4.8	19	<0.1	0.5	0.1	59	0.23	0.016	12
50MI11AM0211	Soil	1.2	11.6	10.7	67	<0.1	11.9	8.8	852	2.26	4.9	<0.5	3.7	28	0.2	0.4	0.2	49	0.42	0.054	16
REP 50MI11AM0211	QC	1.2	11.7	10.7	68	<0.1	11.6	8.9	868	2.33	5.2	<0.5	3.7	28	0.2	0.5	0.2	50	0.41	0.055	16
50MI11AM0222	Soil	0.3	12.4	4.7	76	<0.1	14.5	12.1	408	3.13	3.8	<0.5	5.9	41	0.1	0.6	<0.1	59	0.39	0.054	15
REP 50MI11AM0222	QC	0.3	12.1	5.0	75	<0.1	14.1	12.0	402	3.15	3.9	1.2	5.8	40	0.2	0.7	<0.1	58	0.40	0.052	15

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

QUALITY CONTROL REPORT WHI11001934.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																	
50MI11CL0247	Soil	24	0.34	224	0.040	1	1.51	0.011	0.05	0.2	0.05	2.3	0.1	<0.05	5	<0.5	<0.2
REP 50MI11CL0247	QC	23	0.34	227	0.036	1	1.46	0.010	0.04	0.2	0.03	2.2	0.1	<0.05	4	<0.5	<0.2
50MI11CL0263	Soil	65	1.86	1266	0.188	<1	3.05	0.017	0.97	0.1	0.23	8.7	0.6	<0.05	8	2.4	0.7
REP 50MI11CL0263	QC	63	1.86	1238	0.186	<1	2.99	0.018	0.97	<0.1	0.24	8.8	0.6	<0.05	8	2.7	0.7
50MI11CL0292	Soil	35	0.56	236	0.077	1	1.49	0.012	0.08	0.1	0.02	3.8	<0.1	<0.05	5	<0.5	<0.2
REP 50MI11CL0292	QC	34	0.56	230	0.076	<1	1.56	0.011	0.09	0.1	0.03	4.0	<0.1	<0.05	5	<0.5	<0.2
50MI11CL0306	Soil	33	0.61	208	0.094	1	1.73	0.010	0.12	<0.1	0.02	4.9	0.1	<0.05	5	<0.5	<0.2
REP 50MI11CL0306	QC	32	0.62	207	0.094	<1	1.75	0.009	0.12	0.1	0.02	4.5	0.1	<0.05	5	<0.5	<0.2
50MI11CL0323	Soil	29	0.54	171	0.084	<1	1.67	0.009	0.17	0.1	0.02	2.7	0.1	<0.05	5	<0.5	<0.2
REP 50MI11CL0323	QC	30	0.54	174	0.081	<1	1.66	0.008	0.18	<0.1	0.02	2.7	0.1	<0.05	5	<0.5	<0.2
50MI11CL0341	Soil	28	0.70	174	0.129	<1	1.66	0.006	0.52	<0.1	0.02	3.2	0.3	<0.05	6	<0.5	<0.2
REP 50MI11CL0341	QC	29	0.71	173	0.132	<1	1.80	0.007	0.54	<0.1	0.02	3.3	0.3	<0.05	5	<0.5	<0.2
50MI11CL0350 DUP	Soil	28	0.64	178	0.074	2	1.54	0.007	0.24	<0.1	0.02	2.1	0.2	<0.05	5	<0.5	<0.2
REP 50MI11CL0350 DUP	QC	27	0.64	180	0.074	<1	1.59	0.007	0.25	<0.1	0.02	2.0	0.2	<0.05	5	<0.5	<0.2
50MI11CL0376	Soil	18	0.41	134	0.044	<1	2.36	0.013	0.04	0.1	0.03	2.7	<0.1	<0.05	8	<0.5	<0.2
REP 50MI11CL0376	QC	17	0.38	127	0.033	<1	2.20	0.012	0.04	<0.1	0.03	2.5	<0.1	<0.05	7	<0.5	<0.2
50MI11AM0288	Soil	27	0.56	315	0.066	3	1.33	0.024	0.08	0.2	0.03	3.2	<0.1	<0.05	4	<0.5	<0.2
REP 50MI11AM0288	QC	25	0.54	296	0.064	1	1.32	0.023	0.07	0.2	0.03	3.1	<0.1	<0.05	4	0.7	<0.2
50MI11AM0311	Soil	21	0.90	226	0.082	1	2.76	0.026	0.05	0.1	0.02	4.1	<0.1	<0.05	8	0.7	<0.2
REP 50MI11AM0311	QC	21	0.89	223	0.076	<1	2.68	0.025	0.05	<0.1	0.02	4.0	<0.1	<0.05	9	<0.5	<0.2
50MI11AM0323	Soil	24	0.44	288	0.050	2	1.37	0.020	0.05	0.2	0.04	2.8	<0.1	<0.05	4	<0.5	<0.2
REP 50MI11AM0323	QC	24	0.45	281	0.049	2	1.40	0.021	0.04	0.1	0.03	2.8	<0.1	<0.05	4	<0.5	<0.2
50MI11AM0355	Soil	33	0.62	276	0.083	<1	1.74	0.010	0.14	0.1	0.02	4.1	0.1	<0.05	5	<0.5	<0.2
REP 50MI11AM0355	QC	36	0.58	280	0.087	<1	1.62	0.010	0.14	0.1	0.02	4.2	0.1	<0.05	6	<0.5	<0.2
50MI11AM0211	Soil	21	0.38	403	0.052	1	1.53	0.014	0.07	0.1	0.03	3.5	0.1	<0.05	5	<0.5	<0.2
REP 50MI11AM0211	QC	21	0.38	413	0.053	1	1.51	0.015	0.07	0.1	0.03	3.4	<0.1	<0.05	5	<0.5	<0.2
50MI11AM0222	Soil	44	1.01	313	0.116	<1	2.05	0.012	0.44	<0.1	0.05	2.6	0.2	<0.05	6	<0.5	<0.2
REP 50MI11AM0222	QC	43	1.03	308	0.116	<1	2.03	0.012	0.43	<0.1	0.03	2.6	0.2	<0.05	6	0.7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

QUALITY CONTROL REPORT WHI11001934.2

		1DX15 Mo ppm 0.1	1DX15 Cu ppm 0.1	1DX15 Pb ppm 0.1	1DX15 Zn ppm 1	1DX15 Ag ppm 0.1	1DX15 Ni ppm 0.1	1DX15 Co ppm 0.1	1DX15 Mn ppm 1	1DX15 Fe % 0.01	1DX15 As ppm 0.5	1DX15 Au ppb 0.5	1DX15 Th ppm 0.1	1DX15 Sr ppm 1	1DX15 Cd ppm 0.1	1DX15 Sb ppm 0.1	1DX15 Bi ppm 0.1	1DX15 V ppm 2	1DX15 Ca % 0.01	1DX15 P % 0.001	1DX15 La ppm 1
Reference Materials																					
STD DS8	Standard	12.7	103.2	122.7	293	1.8	37.3	7.0	602	2.39	24.3	106.2	7.0	77	2.2	5.7	5.8	40	0.67	0.074	16
STD DS8	Standard	12.6	99.9	122.7	292	1.7	36.8	7.0	586	2.42	25.4	109.1	6.5	69	2.3	5.3	5.3	40	0.70	0.078	17
STD DS8	Standard	13.0	101.8	125.6	298	1.8	37.9	7.5	588	2.44	24.9	114.1	6.2	63	2.2	5.2	5.5	40	0.68	0.078	15
STD DS8	Standard	13.2	108.1	130.6	307	1.9	39.9	7.6	625	2.52	26.6	112.7	6.6	63	2.3	5.3	5.9	45	0.68	0.080	15
STD DS8	Standard	12.8	101.9	118.6	295	1.8	35.6	6.8	586	2.28	24.4	117.3	6.3	67	2.2	5.0	5.8	38	0.62	0.071	14
STD DS8	Standard	12.6	106.5	128.3	301	1.8	35.8	6.9	593	2.35	23.3	128.0	6.9	77	2.0	5.7	6.7	40	0.65	0.079	15
STD DS8	Standard	12.7	100.8	119.7	299	1.8	36.4	6.8	595	2.32	24.9	131.1	6.3	68	2.0	5.4	6.6	39	0.67	0.074	16
STD DS8	Standard	14.5	113.2	132.2	299	1.9	38.9	7.9	598	2.42	24.9	108.6	7.0	60	2.4	4.8	6.3	44	0.68	0.079	15
STD DS8	Standard	14.5	120.2	138.3	323	1.8	38.8	7.8	642	2.54	26.5	109.7	8.0	79	2.5	6.1	6.8	45	0.72	0.080	19
STD DS8	Standard	13.1	100.5	119.5	301	1.7	38.3	7.7	586	2.34	23.5	114.7	6.1	67	2.2	5.1	5.8	40	0.70	0.075	15
STD DS8 Expected		13.44	110	123	312	1.69	38.1	7.5	615	2.46	26	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7	0.08	14.6
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

QUALITY CONTROL REPORT WHI11001934.2

		1DX15 Cr ppm 1	1DX15 Mg % 0.01	1DX15 Ba ppm 1	1DX15 Ti % 0.001	1DX15 B ppm 1	1DX15 Al % 0.01	1DX15 Na % 0.001	1DX15 K % 0.01	1DX15 W ppm 0.1	1DX15 Hg ppm 0.01	1DX15 Sc ppm 0.1	1DX15 Tl ppm 0.1	1DX15 S % 0.05	1DX15 Ga ppm 1	1DX15 Se ppm 0.5	1DX15 Te ppm 0.2
Reference Materials																	
STD DS8	Standard	123	0.62	290	0.118	2	0.92	0.093	0.42	2.7	0.18	2.9	5.2	0.15	4	6.0	5.5
STD DS8	Standard	109	0.59	280	0.114	3	0.93	0.097	0.41	2.9	0.18	2.2	5.2	0.12	5	4.4	4.8
STD DS8	Standard	118	0.60	265	0.109	2	0.91	0.086	0.43	2.9	0.20	2.0	5.6	0.22	5	4.8	4.6
STD DS8	Standard	121	0.65	260	0.114	3	0.95	0.092	0.41	3.0	0.22	2.2	5.5	0.23	5	4.8	5.1
STD DS8	Standard	107	0.56	259	0.108	3	0.86	0.098	0.39	2.7	0.19	3.0	5.2	0.11	4	5.1	4.4
STD DS8	Standard	110	0.69	270	0.107	2	0.98	0.106	0.41	2.8	0.21	2.3	5.5	0.08	5	4.3	4.5
STD DS8	Standard	112	0.64	273	0.108	2	0.91	0.092	0.41	2.5	0.19	2.0	5.3	0.14	5	4.9	5.1
STD DS8	Standard	117	0.61	277	0.112	2	0.94	0.096	0.41	3.0	0.19	2.0	5.6	0.21	5	4.8	5.2
STD DS8	Standard	120	0.64	291	0.137	3	0.97	0.100	0.42	3.1	0.20	2.7	5.7	0.16	5	4.6	4.7
STD DS8	Standard	111	0.60	262	0.112	3	0.90	0.093	0.42	3.1	0.18	2.7	4.9	0.14	5	5.4	4.7
STD DS8 Expected		115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	2.3	5.4	0.1679	4.7	5.23	5
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Submitted By: Rasool Mohammad
Receiving Lab: Canada-Whitehorse
Received: October 24, 2011
Report Date: July 31, 2012
Page: 1 of 6

CERTIFICATE OF ANALYSIS WHI11001935.2

CLIENT JOB INFORMATION

Project: 50 Mile (YK)
Shipment ID:
P.O. Number
Number of Samples: 135

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	135	Dry at 60C			VAN
SS80	135	Dry at 60C sieve 100g to -80 mesh			VAN
1DX2	135	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Version 2: 0908937 BC Ltd.

Invoice To: 0908937 BC Ltd.
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2
CANADA

CC:

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001935.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
50MI11AN0328	Soil	1.2	33.9	12.6	72	0.4	35.3	9.5	274	2.71	2.6	4.6	4.9	24	0.1	0.2	0.3	33	0.38	0.046	22
50MI11AN0329	Soil	1.4	37.1	9.7	71	0.3	31.6	9.8	369	2.96	8.3	3.1	4.0	18	0.3	0.7	0.2	60	0.15	0.025	13
50MI11AN0330	Soil	1.0	33.4	12.4	73	<0.1	30.1	10.0	301	3.42	4.0	2.3	9.8	17	<0.1	0.3	0.3	38	0.13	0.021	33
50MI11AN0331	Soil	0.7	25.8	6.8	55	<0.1	57.7	11.2	389	2.31	4.7	1.6	5.0	16	0.1	0.2	0.1	45	0.29	0.034	14
50MI11AN0332	Soil	1.0	61.0	11.0	93	<0.1	36.6	13.2	529	3.40	1.6	1.3	8.1	20	<0.1	0.2	0.2	54	0.22	0.034	26
50MI11AN0333	Soil	0.6	30.3	7.1	62	<0.1	35.6	11.5	272	2.34	3.6	1.8	4.1	20	<0.1	0.3	0.1	57	0.26	0.013	12
50MI11AN0334	Soil	0.7	27.6	7.7	56	<0.1	35.3	13.3	511	2.35	3.2	2.1	3.6	22	<0.1	0.3	0.2	56	0.25	0.013	11
50MI11AN0335	Soil	0.8	35.8	9.5	61	<0.1	33.3	11.5	384	2.74	3.3	1.8	4.9	19	<0.1	0.3	0.2	59	0.28	0.013	15
50MI11AN0336	Soil	1.0	49.5	8.2	66	0.1	48.0	15.5	551	3.24	3.3	1.9	4.3	20	<0.1	0.2	0.2	85	0.37	0.017	14
50MI11AN0337	Soil	0.6	75.3	7.5	79	<0.1	41.0	13.7	357	3.23	2.8	1.8	5.5	17	<0.1	0.2	0.2	81	0.24	0.018	16
50MI11AN0338	Soil	0.7	27.8	7.3	47	<0.1	24.3	8.0	252	2.09	3.7	9.8	5.9	19	<0.1	0.3	0.1	44	0.25	0.032	17
50MI11AN0339	Soil	0.4	18.1	10.7	55	<0.1	17.6	8.4	252	2.77	2.5	1.0	13.1	17	<0.1	0.2	0.2	37	0.16	0.033	36
50MI11AN0340	Soil	0.6	22.6	10.6	64	<0.1	50.4	12.0	402	2.90	3.4	1.7	7.4	13	<0.1	0.2	0.2	37	0.12	0.035	21
50MI11AN0341	Soil	0.8	23.7	9.9	53	<0.1	32.7	11.6	500	2.66	3.1	1.5	8.2	15	<0.1	0.5	0.2	35	0.21	0.026	21
50MI11MGB334	Soil	0.3	18.9	9.4	73	0.1	15.1	8.2	347	2.35	4.3	3.4	2.7	64	0.3	0.3	0.1	60	0.71	0.084	16
50MI11MGB335	Soil	1.0	21.0	8.2	59	0.1	16.5	9.8	675	2.02	4.3	2.3	1.9	220	0.5	0.3	0.1	47	1.09	0.083	20
50MI11MGB336	Soil	0.8	16.2	8.9	60	0.1	15.8	8.8	478	2.29	6.2	2.6	2.8	58	0.2	0.5	0.2	51	0.52	0.079	15
50MI11MGB337	Soil	0.7	13.8	8.6	52	<0.1	13.3	7.3	314	1.97	4.3	2.9	1.5	50	<0.1	0.3	0.1	46	0.45	0.072	12
50MI11MGB338	Soil	0.6	12.5	8.1	62	<0.1	13.5	8.6	442	2.13	5.1	5.0	2.4	53	0.2	0.4	0.1	51	0.53	0.083	13
50MI11MGB339	Soil	0.5	13.4	10.4	53	0.1	12.0	6.5	391	1.77	2.9	1.4	2.0	98	0.1	0.2	0.1	46	0.80	0.073	14
50MI11MGB340	Soil	0.8	10.9	9.6	56	<0.1	12.3	5.9	287	1.95	4.7	1.4	1.2	54	0.2	0.3	0.2	48	0.41	0.055	10
50MI11MGB341	Soil	0.5	10.1	8.1	53	<0.1	11.4	5.6	212	1.77	3.5	2.2	1.6	52	0.1	0.3	0.1	43	0.43	0.042	11
50MI11MGB342	Soil	0.5	13.1	8.0	51	0.1	12.4	4.9	174	1.74	3.7	6.1	1.4	62	0.1	0.3	0.1	38	0.43	0.060	13
50MI11MGB343	Soil	0.6	9.8	7.2	49	<0.1	10.6	4.8	184	1.57	3.0	1.2	1.3	77	0.2	0.3	0.1	39	0.50	0.053	11
50MI11MGB344	Soil	0.6	13.6	8.2	57	0.1	13.2	6.2	313	1.83	3.5	3.9	1.8	109	0.2	0.3	0.1	44	0.67	0.064	14
50MI11MGB345	Soil	0.7	11.3	8.4	55	<0.1	11.5	6.6	330	1.87	3.5	2.0	1.9	86	0.1	0.2	0.1	48	0.59	0.056	12
50MI11MGB346	Soil	0.7	15.3	8.4	53	0.1	14.2	6.4	312	1.96	3.7	1.7	1.9	93	0.2	0.4	0.1	47	0.71	0.070	14
50MI11MGB347	Soil	0.7	14.8	10.6	55	0.1	12.7	7.1	319	2.31	5.5	2.3	2.5	74	0.1	0.3	0.1	59	0.63	0.068	16
50MI11MGB348	Soil	1.0	15.3	7.3	54	0.1	14.5	7.0	343	2.36	4.8	2.1	2.4	45	<0.1	0.3	0.1	49	0.38	0.071	16
50MI11MGB349	Soil	0.6	13.2	10.4	48	0.1	13.5	6.2	196	2.03	4.4	2.2	0.8	34	<0.1	0.3	0.2	44	0.29	0.067	13

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001935.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
50MI11AN0328	Soil	26	0.39	236	0.009	1	1.06	0.006	0.08	<0.1	0.03	5.4	<0.1	0.05	3	0.9	<0.2
50MI11AN0329	Soil	33	0.42	245	0.027	<1	1.67	0.009	0.05	<0.1	0.03	5.1	<0.1	<0.05	5	<0.5	<0.2
50MI11AN0330	Soil	30	0.29	218	0.015	<1	1.01	0.006	0.06	<0.1	0.02	6.0	<0.1	<0.05	3	<0.5	<0.2
50MI11AN0331	Soil	73	0.73	258	0.096	<1	1.42	0.010	0.19	<0.1	0.01	3.5	0.2	<0.05	5	<0.5	<0.2
50MI11AN0332	Soil	37	1.03	322	0.179	<1	1.87	0.010	0.79	<0.1	0.01	4.7	0.4	<0.05	6	<0.5	<0.2
50MI11AN0333	Soil	58	0.90	216	0.146	<1	1.58	0.013	0.17	<0.1	0.01	3.8	0.1	<0.05	5	<0.5	<0.2
50MI11AN0334	Soil	60	0.92	309	0.135	<1	1.77	0.015	0.16	<0.1	0.01	3.6	0.1	<0.05	5	<0.5	<0.2
50MI11AN0335	Soil	52	0.97	365	0.141	<1	1.94	0.015	0.19	<0.1	0.01	4.5	0.1	<0.05	6	<0.5	<0.2
50MI11AN0336	Soil	81	1.05	608	0.126	<1	2.14	0.015	0.20	<0.1	0.02	7.6	0.1	<0.05	7	<0.5	<0.2
50MI11AN0337	Soil	67	1.05	530	0.162	<1	1.97	0.010	0.34	<0.1	0.01	6.9	0.2	<0.05	7	<0.5	<0.2
50MI11AN0338	Soil	43	0.63	388	0.104	<1	1.35	0.009	0.13	<0.1	0.02	4.2	0.1	<0.05	4	<0.5	<0.2
50MI11AN0339	Soil	28	0.58	204	0.181	<1	1.66	0.013	0.44	<0.1	0.01	3.8	0.3	<0.05	5	<0.5	<0.2
50MI11AN0340	Soil	52	0.67	133	0.096	<1	1.51	0.007	0.30	<0.1	<0.01	3.4	0.2	<0.05	5	<0.5	<0.2
50MI11AN0341	Soil	36	0.44	310	0.073	<1	1.22	0.007	0.31	<0.1	0.03	4.6	0.2	<0.05	4	<0.5	<0.2
50MI11MGB334	Soil	26	0.56	252	0.037	<1	1.80	0.021	0.04	<0.1	0.05	5.7	<0.1	<0.05	5	0.8	<0.2
50MI11MGB335	Soil	22	0.57	239	0.035	<1	1.64	0.025	0.04	0.1	0.04	4.6	<0.1	0.06	4	0.7	<0.2
50MI11MGB336	Soil	26	0.46	241	0.049	<1	1.55	0.016	0.04	0.2	0.04	3.9	<0.1	<0.05	5	<0.5	<0.2
50MI11MGB337	Soil	24	0.43	201	0.034	<1	1.41	0.017	0.04	0.2	0.04	3.1	<0.1	<0.05	4	<0.5	<0.2
50MI11MGB338	Soil	24	0.48	222	0.045	<1	1.39	0.017	0.03	0.3	0.04	3.6	<0.1	<0.05	4	<0.5	<0.2
50MI11MGB339	Soil	25	0.47	199	0.057	<1	2.11	0.025	0.05	0.1	0.03	4.4	<0.1	<0.05	7	<0.5	<0.2
50MI11MGB340	Soil	23	0.43	218	0.044	<1	1.62	0.016	0.04	0.1	0.03	3.0	<0.1	<0.05	5	<0.5	<0.2
50MI11MGB341	Soil	22	0.41	211	0.038	<1	1.63	0.016	0.03	<0.1	0.03	3.1	<0.1	<0.05	5	<0.5	<0.2
50MI11MGB342	Soil	24	0.42	224	0.041	<1	1.64	0.015	0.04	0.1	0.04	3.5	<0.1	<0.05	5	<0.5	<0.2
50MI11MGB343	Soil	21	0.39	200	0.037	<1	1.44	0.016	0.03	<0.1	0.04	3.1	<0.1	<0.05	4	0.5	<0.2
50MI11MGB344	Soil	24	0.44	237	0.041	<1	1.64	0.017	0.03	0.1	0.04	3.9	<0.1	<0.05	5	<0.5	<0.2
50MI11MGB345	Soil	22	0.43	199	0.057	3	1.63	0.020	0.04	0.1	0.03	3.8	<0.1	<0.05	5	<0.5	<0.2
50MI11MGB346	Soil	24	0.45	260	0.041	<1	1.65	0.018	0.04	0.1	0.04	4.1	<0.1	<0.05	5	<0.5	<0.2
50MI11MGB347	Soil	26	0.51	275	0.047	<1	2.01	0.019	0.04	0.1	0.03	5.0	<0.1	<0.05	6	<0.5	<0.2
50MI11MGB348	Soil	24	0.44	300	0.032	<1	1.78	0.014	0.04	0.1	0.02	4.9	<0.1	<0.05	5	<0.5	<0.2
50MI11MGB349	Soil	24	0.48	245	0.024	<1	1.85	0.016	0.06	<0.1	0.02	2.6	0.1	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001935.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
50MI11MGB350	Soil	0.6	7.8	7.6	47	<0.1	6.3	6.0	438	2.07	2.2	0.8	1.0	19	0.1	0.1	<0.1	48	0.24	0.054	9
50MI11MGB350 DUP	Soil	0.7	7.9	7.8	49	<0.1	6.5	6.5	496	2.16	2.0	0.7	1.0	20	<0.1	0.1	<0.1	49	0.25	0.062	9
50MI11MGB351	Soil	0.5	9.7	6.1	25	<0.1	6.3	3.5	140	1.46	3.2	<0.5	<0.1	23	<0.1	0.2	0.1	41	0.09	0.038	7
50MI11MGB352	Soil	0.5	5.3	5.8	19	<0.1	4.1	2.1	100	1.15	2.2	0.9	0.3	11	<0.1	0.1	0.1	31	0.05	0.016	5
50MI11MGB353	Soil	0.4	10.1	7.1	50	<0.1	7.8	6.0	331	2.16	2.8	1.1	1.7	131	<0.1	0.1	0.1	54	0.52	0.054	11
50MI11MGB354	Soil	0.6	10.5	8.1	46	<0.1	15.0	6.9	225	2.28	6.4	1.4	2.9	29	0.1	0.4	0.1	61	0.24	0.013	11
50MI11MGB355	Soil	0.8	12.1	6.5	39	<0.1	9.5	6.0	394	1.58	2.5	2.3	0.8	311	0.2	0.3	0.2	33	1.52	0.061	14
50MI11MGB356	Soil	1.3	14.3	12.5	46	0.1	11.2	7.5	604	2.20	5.2	1.6	2.3	50	<0.1	0.5	0.1	43	0.64	0.025	21
50MI11MGB357	Soil	1.7	16.6	9.3	33	0.1	9.8	5.7	513	1.68	5.1	1.3	1.3	86	<0.1	0.4	<0.1	29	0.89	0.070	30
50MI11MGB358	Soil	1.1	13.5	8.5	32	<0.1	10.2	5.1	274	1.84	4.4	0.8	2.6	128	<0.1	0.3	0.1	32	0.42	0.031	25
50MI11MGB359	Soil	3.1	11.9	12.2	52	<0.1	12.7	8.0	375	2.51	6.7	1.5	3.4	41	0.1	0.3	0.1	47	0.45	0.033	16
50MI11MGB360	Soil	0.9	14.8	11.6	43	<0.1	14.4	6.6	262	2.29	6.1	0.9	2.6	74	0.2	0.4	0.1	49	0.40	0.025	15
50MI11MGB361	Soil	0.8	23.5	11.2	52	0.1	16.4	7.4	416	2.01	4.9	2.8	3.4	111	0.2	0.4	0.1	46	0.86	0.062	19
50MI11MGB362	Soil	0.4	26.4	15.6	74	0.2	21.6	10.7	332	2.63	9.0	4.9	5.0	30	0.4	0.7	0.2	53	0.36	0.066	16
50MI11MGB363	Soil	0.7	14.6	10.3	57	<0.1	15.6	9.8	622	2.15	7.5	2.9	3.8	29	0.2	0.7	0.1	42	0.38	0.063	14
50MI11MGB364	Soil	0.7	16.2	10.1	60	<0.1	16.7	7.5	320	2.00	7.1	2.9	3.0	31	0.2	0.6	0.2	42	0.39	0.070	12
50MI11MGB365	Soil	0.6	17.8	9.6	54	<0.1	17.1	7.5	223	1.95	6.6	2.2	4.6	30	0.2	0.6	0.1	45	0.42	0.079	17
50MI11MGB366	Soil	1.3	16.4	13.9	69	0.1	18.5	11.7	595	2.71	9.7	5.1	3.5	30	0.2	0.7	0.2	53	0.34	0.063	16
50MI11MGB367	Soil	0.9	17.5	15.5	65	0.1	17.8	8.7	299	2.40	7.0	1.0	4.2	23	0.1	0.6	0.2	45	0.29	0.054	17
50MI11MGB368	Soil	0.6	15.2	17.1	65	<0.1	19.8	9.2	354	2.81	5.4	3.0	10.5	20	<0.1	0.9	0.2	44	0.30	0.043	31
50MI11MGB369	Soil	0.5	18.3	16.6	74	<0.1	23.8	11.1	395	3.11	4.4	1.2	12.1	13	<0.1	0.7	0.2	44	0.17	0.041	27
50MI11MGB370	Soil	0.8	15.1	13.8	65	<0.1	18.4	8.4	280	3.14	7.4	0.7	9.1	11	<0.1	0.8	0.3	49	0.08	0.025	27
50MI11MGB371	Soil	1.4	51.4	17.6	128	0.3	26.9	9.5	440	2.97	6.3	1.8	3.6	26	0.3	0.5	0.3	52	0.44	0.054	18
50MI11MGB372	Soil	0.9	34.4	14.9	82	0.1	29.5	10.5	347	2.62	6.6	0.9	5.2	16	0.1	0.3	0.2	57	0.24	0.037	16
50MI11MGB373	Soil	0.6	26.0	18.1	70	0.2	32.4	9.5	297	2.16	6.2	0.9	2.0	16	0.2	0.6	0.2	55	0.30	0.020	8
50MI11MGB374	Soil	1.0	29.3	38.4	117	0.3	31.0	9.7	355	2.65	10.2	1.4	2.7	18	0.4	1.0	0.4	63	0.29	0.021	11
50MI11MGB375	Soil	0.5	48.5	38.0	137	0.6	43.0	10.9	375	2.29	7.7	3.7	3.0	33	0.5	1.0	0.6	56	0.66	0.048	12
50MI11MGB376	Soil	0.8	50.0	35.4	114	0.8	42.6	13.7	496	2.35	9.1	1.8	1.9	32	0.8	0.9	0.5	56	0.70	0.056	12
50MI11MGB377	Soil	0.6	60.3	32.5	45	1.0	22.8	7.1	204	1.53	6.9	2.1	0.9	25	1.3	0.5	0.3	34	0.39	0.044	9
50MI11MGB378	Soil	1.2	15.1	17.9	123	0.3	18.0	8.9	529	2.66	8.3	1.9	2.8	14	1.2	0.6	0.3	76	0.14	0.024	10

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001935.2

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
50MI11MGB350	Soil		9	0.64	142	0.029	<1	1.78	0.012	0.03	<0.1	0.01	2.6	<0.1	<0.05	6	<0.5	<0.2
50MI11MGB350 DUP	Soil		9	0.69	141	0.027	<1	1.87	0.012	0.03	0.1	0.01	2.6	<0.1	<0.05	6	<0.5	<0.2
50MI11MGB351	Soil		11	0.28	83	0.044	<1	1.16	0.016	0.03	<0.1	0.02	1.1	<0.1	<0.05	5	<0.5	<0.2
50MI11MGB352	Soil		9	0.15	57	0.033	<1	1.09	0.015	0.03	<0.1	<0.01	1.0	<0.1	<0.05	5	<0.5	<0.2
50MI11MGB353	Soil		17	0.62	209	0.084	<1	2.27	0.035	0.06	<0.1	0.02	3.9	<0.1	<0.05	6	<0.5	<0.2
50MI11MGB354	Soil		26	0.49	148	0.068	<1	2.26	0.015	0.03	<0.1	0.01	3.0	<0.1	<0.05	5	<0.5	<0.2
50MI11MGB355	Soil		16	0.50	348	0.012	2	1.17	0.014	0.04	<0.1	0.05	2.6	<0.1	0.08	4	<0.5	<0.2
50MI11MGB356	Soil		21	0.35	371	0.024	1	1.49	0.019	0.06	0.1	0.02	3.1	<0.1	<0.05	5	<0.5	<0.2
50MI11MGB357	Soil		16	0.36	295	0.011	<1	1.20	0.019	0.03	0.1	0.04	2.7	<0.1	0.08	4	<0.5	<0.2
50MI11MGB358	Soil		14	0.26	498	0.022	<1	1.15	0.030	0.06	<0.1	0.05	3.2	<0.1	<0.05	3	<0.5	0.2
50MI11MGB359	Soil		24	0.39	505	0.030	<1	1.61	0.013	0.06	<0.1	0.01	3.7	<0.1	<0.05	4	<0.5	<0.2
50MI11MGB360	Soil		25	0.45	366	0.029	<1	1.65	0.013	0.09	0.1	<0.01	3.3	<0.1	<0.05	5	<0.5	<0.2
50MI11MGB361	Soil		24	0.48	346	0.049	1	1.45	0.021	0.07	0.1	0.03	4.1	<0.1	<0.05	4	<0.5	<0.2
50MI11MGB362	Soil		31	0.47	327	0.070	1	1.50	0.015	0.06	0.2	0.04	4.7	<0.1	<0.05	4	0.6	<0.2
50MI11MGB363	Soil		23	0.41	220	0.068	1	1.07	0.015	0.05	0.3	0.02	2.9	<0.1	<0.05	3	<0.5	<0.2
50MI11MGB364	Soil		24	0.43	222	0.062	2	1.15	0.017	0.04	0.2	0.04	2.8	<0.1	<0.05	3	<0.5	<0.2
50MI11MGB365	Soil		25	0.43	255	0.075	1	1.02	0.024	0.05	0.5	0.02	2.9	<0.1	<0.05	3	<0.5	<0.2
50MI11MGB366	Soil		32	0.51	235	0.069	1	1.51	0.016	0.06	0.2	0.04	3.2	<0.1	<0.05	5	<0.5	<0.2
50MI11MGB367	Soil		31	0.49	191	0.070	<1	1.36	0.012	0.07	0.2	0.04	2.9	<0.1	<0.05	4	<0.5	<0.2
50MI11MGB368	Soil		33	0.60	155	0.118	<1	1.51	0.010	0.31	0.3	0.01	3.6	0.2	<0.05	6	<0.5	<0.2
50MI11MGB369	Soil		36	0.73	133	0.151	<1	1.74	0.007	0.48	0.2	0.01	3.8	0.3	<0.05	6	<0.5	<0.2
50MI11MGB370	Soil		30	0.47	126	0.093	<1	1.59	0.009	0.25	0.1	<0.01	3.3	0.2	<0.05	7	<0.5	<0.2
50MI11MGB371	Soil		33	0.65	309	0.055	1	1.90	0.012	0.12	0.1	0.03	5.1	<0.1	<0.05	6	<0.5	<0.2
50MI11MGB372	Soil		35	0.83	206	0.075	<1	1.63	0.008	0.11	<0.1	0.01	3.6	0.1	<0.05	6	<0.5	<0.2
50MI11MGB373	Soil		70	0.67	193	0.052	<1	1.38	0.015	0.04	<0.1	0.01	3.9	<0.1	<0.05	5	<0.5	<0.2
50MI11MGB374	Soil		58	0.63	201	0.050	<1	1.56	0.009	0.05	0.1	0.01	4.5	<0.1	<0.05	5	<0.5	<0.2
50MI11MGB375	Soil		71	0.94	286	0.062	2	1.84	0.018	0.05	0.1	0.05	5.6	<0.1	<0.05	5	<0.5	<0.2
50MI11MGB376	Soil		70	0.76	262	0.042	1	1.85	0.019	0.04	0.1	0.05	6.0	0.1	<0.05	5	0.5	<0.2
50MI11MGB377	Soil		33	0.37	170	0.034	<1	1.36	0.025	0.03	0.1	0.03	3.0	<0.1	<0.05	4	<0.5	<0.2
50MI11MGB378	Soil		34	0.49	155	0.071	1	1.89	0.009	0.05	0.1	0.02	3.0	0.1	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001935.2

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
50MI11MGB379	Soil	1.4	34.3	115.8	353	1.6	31.5	8.8	371	3.04	33.3	3.5	4.2	11	1.6	1.5	2.1	63	0.07	0.024	14
50MI11MGB380	Soil	1.0	24.3	21.4	70	0.2	27.2	8.7	234	2.70	9.0	1.4	4.4	18	0.2	0.5	0.2	65	0.15	0.022	15
50MI11MGB381	Soil	0.6	12.2	8.5	37	<0.1	13.3	5.7	201	1.72	4.5	0.7	2.0	16	<0.1	0.3	0.1	33	0.13	0.020	10
50MI11MGB382	Soil	1.1	30.8	10.8	60	<0.1	23.7	9.4	270	2.76	6.5	4.3	4.2	18	0.1	0.5	0.2	53	0.16	0.034	13
50MI11MGB383	Soil	1.0	21.3	14.2	52	<0.1	18.4	8.9	317	2.89	6.2	1.5	4.2	17	<0.1	0.4	0.2	57	0.12	0.022	18
50MI11MGB384	Soil	1.4	34.9	13.8	76	<0.1	30.1	14.6	359	3.85	6.1	1.7	10.4	23	0.1	0.4	0.3	58	0.12	0.019	21
50MI11MGB385	Soil	0.6	15.2	12.5	56	0.2	18.0	7.6	243	2.59	5.2	1.5	4.1	21	<0.1	0.3	0.2	42	0.19	0.039	22
50MI11MGB386	Soil	0.6	16.6	14.0	63	<0.1	20.6	9.5	311	2.80	5.8	1.2	6.3	20	0.1	0.3	0.2	43	0.25	0.035	25
50MI11MGB387	Soil	0.4	17.0	11.1	61	<0.1	19.8	8.8	295	2.74	5.9	8.2	7.1	18	<0.1	0.5	0.2	43	0.18	0.036	26
50MI11MGB388	Soil	0.5	19.2	12.2	68	<0.1	22.1	10.1	334	3.11	4.7	<0.5	8.6	13	<0.1	0.4	0.2	45	0.13	0.032	22
50MI11MGB389	Soil	0.5	18.6	10.7	64	<0.1	21.2	10.1	348	2.81	4.1	3.8	7.7	17	<0.1	0.3	0.2	41	0.18	0.033	23
50MI11MGB390	Soil	0.6	19.5	13.2	73	<0.1	22.9	10.3	336	3.08	3.9	0.6	6.9	14	0.1	0.3	0.2	49	0.13	0.030	19
50MI11MGB391	Soil	1.0	22.5	10.2	49	0.1	19.3	7.5	293	2.10	2.5	2.6	1.6	26	0.3	0.2	0.3	37	0.24	0.034	35
50MI11MGB392	Soil	1.0	35.0	12.1	72	<0.1	30.4	13.1	399	3.40	5.6	4.1	6.7	20	0.2	0.4	0.3	61	0.15	0.028	30
50MI11LA0278	Soil	0.7	20.1	10.0	59	0.1	17.6	8.8	384	2.67	5.1	4.5	2.6	106	0.2	0.3	0.2	67	0.65	0.066	17
50MI11LA0279	Soil	1.1	13.1	7.6	56	<0.1	15.1	8.1	343	2.71	6.6	2.8	2.5	63	0.2	0.4	0.2	69	0.34	0.035	11
50MI11LA0280	Soil	0.9	11.9	9.0	46	<0.1	17.2	8.0	305	2.94	7.9	3.3	2.9	56	0.2	0.4	0.2	64	0.23	0.037	10
50MI11LA0281	Soil	0.6	14.5	6.7	42	<0.1	14.7	6.2	251	2.08	5.3	1.8	2.3	50	<0.1	0.4	0.1	54	0.28	0.034	12
50MI11LA0282	Soil	0.5	17.2	7.1	56	<0.1	15.0	12.8	529	3.26	3.6	9.6	3.0	149	<0.1	0.3	<0.1	101	0.74	0.064	15
50MI11LA0283	Soil	0.6	13.2	8.0	47	<0.1	13.6	9.2	273	2.65	3.6	0.8	1.9	47	<0.1	0.2	0.1	79	0.29	0.042	9
50MI11LA0284	Soil	0.5	12.4	7.5	57	<0.1	11.4	9.0	383	2.60	3.5	1.9	2.9	83	0.2	0.3	<0.1	76	0.58	0.079	16
50MI11LA0285	Soil	0.5	15.7	7.8	61	0.1	12.2	7.3	319	2.10	3.0	2.5	1.9	90	0.2	0.3	0.1	54	0.98	0.085	16
50MI11LA0286	Soil	0.5	14.6	7.2	56	0.1	13.7	9.0	895	2.36	4.0	6.0	1.5	104	0.1	0.3	0.1	64	0.83	0.081	16
50MI11LA0287	Soil	0.7	23.8	7.5	45	0.2	14.3	9.6	945	2.38	3.4	2.8	1.5	117	0.2	0.5	0.1	68	1.06	0.109	17
50MI11LA0288	Soil	1.1	23.1	13.9	87	0.3	23.8	10.3	383	2.58	7.4	6.2	3.7	39	0.9	0.5	0.2	41	0.48	0.073	22
50MI11LA0289	Soil	0.7	20.3	7.8	54	0.2	16.6	6.6	221	2.15	5.6	3.9	1.2	22	0.2	0.4	0.2	38	0.21	0.059	11
50MI11LA0290	Soil	0.8	20.8	9.2	62	0.1	18.6	8.0	268	2.67	9.2	4.9	2.4	20	0.1	0.5	0.2	48	0.21	0.064	15
50MI11LA0291	Soil	1.1	29.5	9.9	66	0.2	25.1	9.2	328	2.82	12.1	3.7	3.5	31	0.3	0.8	0.2	50	0.33	0.066	17
50MI11LA0292	Soil	1.0	23.4	9.6	64	0.1	20.4	8.0	229	2.57	9.4	3.3	3.0	26	0.1	0.7	0.2	50	0.28	0.063	16
50MI11LA0293	Soil	0.9	18.7	9.5	59	0.1	19.0	7.0	191	2.39	8.8	2.0	2.8	22	0.2	0.7	0.2	49	0.22	0.056	15

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001935.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
50MI11MGB379	Soil	45	0.62	185	0.072	<1	1.91	0.010	0.10	<0.1	0.02	3.2	0.2	<0.05	7	<0.5	0.3
50MI11MGB380	Soil	38	0.63	189	0.097	1	1.82	0.010	0.09	0.1	0.02	3.7	0.1	<0.05	6	<0.5	<0.2
50MI11MGB381	Soil	17	0.33	116	0.064	1	1.06	0.018	0.09	<0.1	0.02	1.8	0.1	<0.05	4	<0.5	<0.2
50MI11MGB382	Soil	30	0.64	159	0.095	1	1.87	0.011	0.17	0.1	0.02	3.4	0.2	<0.05	5	<0.5	<0.2
50MI11MGB383	Soil	27	0.50	155	0.090	1	1.82	0.010	0.12	0.1	0.02	2.8	0.2	<0.05	6	<0.5	<0.2
50MI11MGB384	Soil	40	0.86	185	0.155	1	2.72	0.010	0.35	<0.1	0.03	3.4	0.3	<0.05	7	<0.5	<0.2
50MI11MGB385	Soil	26	0.50	184	0.086	1	1.72	0.010	0.11	0.1	0.05	2.8	0.2	<0.05	6	<0.5	<0.2
50MI11MGB386	Soil	29	0.54	208	0.096	<1	1.85	0.010	0.16	0.1	0.04	3.3	0.2	<0.05	6	<0.5	<0.2
50MI11MGB387	Soil	30	0.57	201	0.137	2	1.77	0.009	0.19	0.1	0.02	3.4	0.2	<0.05	6	<0.5	<0.2
50MI11MGB388	Soil	32	0.62	150	0.171	<1	1.84	0.010	0.33	0.1	0.01	3.5	0.3	<0.05	7	<0.5	<0.2
50MI11MGB389	Soil	30	0.59	173	0.151	<1	1.62	0.011	0.29	<0.1	0.01	3.2	0.2	<0.05	6	<0.5	<0.2
50MI11MGB390	Soil	32	0.68	134	0.172	1	1.92	0.009	0.37	0.1	0.01	3.3	0.3	<0.05	7	<0.5	<0.2
50MI11MGB391	Soil	19	0.39	136	0.057	1	1.32	0.012	0.20	<0.1	0.03	2.0	0.2	<0.05	5	<0.5	<0.2
50MI11MGB392	Soil	36	0.78	206	0.131	2	2.32	0.010	0.32	0.1	0.03	4.2	0.3	<0.05	7	<0.5	<0.2
50MI11LA0278	Soil	31	0.79	228	0.100	2	2.53	0.027	0.08	0.2	0.04	6.4	<0.1	<0.05	7	<0.5	<0.2
50MI11LA0279	Soil	26	0.62	236	0.066	<1	2.38	0.018	0.05	0.1	0.03	3.4	<0.1	<0.05	6	<0.5	<0.2
50MI11LA0280	Soil	26	0.49	148	0.074	<1	2.45	0.016	0.05	0.1	0.02	2.8	<0.1	<0.05	7	<0.5	<0.2
50MI11LA0281	Soil	22	0.44	153	0.073	<1	1.98	0.020	0.05	0.1	0.02	2.9	<0.1	<0.05	5	<0.5	<0.2
50MI11LA0282	Soil	26	1.10	125	0.163	<1	2.37	0.045	0.07	<0.1	0.02	5.5	<0.1	<0.05	7	<0.5	<0.2
50MI11LA0283	Soil	21	0.72	196	0.106	2	2.90	0.024	0.06	0.1	0.03	3.9	<0.1	<0.05	8	<0.5	<0.2
50MI11LA0284	Soil	17	0.70	228	0.109	<1	2.12	0.036	0.06	0.1	0.03	4.6	<0.1	<0.05	6	<0.5	<0.2
50MI11LA0285	Soil	18	0.67	217	0.060	<1	2.04	0.025	0.05	<0.1	0.04	5.8	<0.1	<0.05	6	0.6	<0.2
50MI11LA0286	Soil	23	0.63	244	0.055	<1	2.36	0.023	0.06	<0.1	0.06	5.2	<0.1	<0.05	6	0.7	<0.2
50MI11LA0287	Soil	18	0.54	309	0.041	1	1.83	0.021	0.05	<0.1	0.08	5.6	<0.1	<0.05	5	<0.5	<0.2
50MI11LA0288	Soil	27	0.57	249	0.034	<1	1.45	0.011	0.06	0.1	0.06	3.7	0.1	0.06	4	0.9	<0.2
50MI11LA0289	Soil	21	0.37	205	0.025	<1	1.37	0.011	0.04	0.1	0.04	2.7	<0.1	<0.05	4	<0.5	<0.2
50MI11LA0290	Soil	25	0.42	199	0.046	<1	1.57	0.011	0.05	0.2	0.05	3.3	<0.1	<0.05	5	<0.5	<0.2
50MI11LA0291	Soil	28	0.43	310	0.054	<1	1.58	0.013	0.05	0.2	0.04	4.1	<0.1	<0.05	5	0.6	<0.2
50MI11LA0292	Soil	28	0.44	230	0.059	<1	1.68	0.013	0.05	0.2	0.04	3.6	<0.1	<0.05	5	<0.5	<0.2
50MI11LA0293	Soil	26	0.41	183	0.056	<1	1.66	0.011	0.05	0.2	0.04	2.8	<0.1	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001935.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
50MI11LA0294	Soil	2.3	20.2	10.7	56	0.3	15.8	9.3	325	2.74	16.9	4.4	1.7	20	0.2	1.7	0.2	49	0.17	0.074	15
50MI11LA0295	Soil	1.1	19.6	8.9	56	<0.1	26.4	11.1	314	3.88	4.9	<0.5	9.0	14	<0.1	0.2	0.2	68	0.15	0.023	13
50MI11LA0296	Soil	1.1	40.1	10.0	71	0.2	33.5	17.2	721	3.23	4.3	1.1	2.6	105	0.3	0.5	0.1	76	2.29	0.068	19
50MI11LA0297	Soil	0.5	24.8	9.5	77	<0.1	26.6	15.5	325	3.75	1.1	1.2	15.7	34	<0.1	0.1	0.3	47	0.47	0.046	49
50MI11LA0298	Soil	0.7	15.4	11.1	42	<0.1	11.9	9.2	445	2.56	7.1	3.8	2.6	113	0.2	1.1	0.2	33	1.25	0.069	15
50MI11LA0299	Soil	1.7	14.2	10.1	77	<0.1	33.5	18.0	606	4.92	5.9	0.8	16.6	11	0.2	0.8	0.1	89	0.12	0.036	19
50MI11LA0300	Soil	1.0	16.7	5.9	79	<0.1	42.7	26.2	850	5.97	3.8	<0.5	19.4	26	<0.1	0.5	<0.1	114	0.57	0.028	31
50MI11LA0300 DUP	Soil	1.1	17.3	5.9	78	<0.1	41.6	24.9	832	5.90	3.7	0.9	18.6	28	<0.1	0.5	<0.1	112	0.59	0.029	31
50MI11LA0301	Soil	1.2	16.5	6.1	67	<0.1	28.7	16.4	810	3.86	3.8	1.2	6.3	40	0.2	0.5	<0.1	79	0.91	0.049	28
50MI11LA0302	Soil	0.6	23.1	6.2	75	<0.1	36.7	22.0	779	4.92	4.1	<0.5	10.6	19	0.2	0.4	<0.1	106	0.27	0.050	19
50MI11LA0303	Soil	0.9	31.1	9.6	70	0.2	26.3	10.4	362	2.55	9.6	2.3	4.0	44	0.4	0.8	0.2	54	0.95	0.069	15
50MI11LA0304	Soil	0.8	28.0	10.2	59	0.1	25.7	10.4	388	2.71	9.0	3.4	3.2	41	0.2	0.7	0.2	57	0.62	0.061	15
50MI11LA0305	Soil	1.1	20.5	8.2	54	0.1	15.1	12.2	1787	1.68	3.9	2.0	2.5	37	0.3	0.6	0.1	37	0.81	0.062	11
50MI11LA0306	Soil	0.8	26.0	8.1	53	<0.1	22.6	8.6	355	2.53	7.8	1.2	4.1	32	0.2	0.6	0.2	51	0.49	0.070	17
50MI11LA0307	Soil	0.8	31.6	10.1	75	<0.1	28.5	11.2	395	2.72	8.4	3.5	3.5	35	0.3	0.7	0.2	55	0.62	0.064	15
50MI11LA0308	Soil	0.7	28.8	7.8	51	0.2	27.9	8.6	513	2.22	6.4	2.4	2.3	54	0.2	0.8	0.1	45	0.91	0.068	13
50MI11LA0309	Soil	1.2	33.2	10.6	73	0.1	30.7	11.5	500	2.85	9.5	2.8	4.6	50	0.4	0.7	0.2	57	0.88	0.068	15
50MI11LA0310	Soil	1.0	22.4	9.2	74	0.1	27.7	10.4	626	2.25	3.6	1.3	2.5	44	0.2	0.4	0.2	44	0.61	0.062	12
50MI11LA0311	Soil	0.9	31.2	9.9	71	0.1	27.5	9.3	270	2.47	8.9	1.7	4.4	27	0.3	0.6	0.2	52	0.42	0.059	14
50MI11LA0312	Soil	0.9	40.9	7.3	60	0.4	42.0	16.5	582	4.15	9.5	3.1	8.6	35	0.2	1.0	0.1	89	0.75	0.061	68
50MI11LA0313	Soil	1.0	38.6	10.7	65	0.1	64.5	13.7	394	3.03	16.2	2.7	5.0	30	0.1	0.5	0.2	65	0.50	0.051	17
50MI11LA0314	Soil	1.0	30.8	9.9	56	0.1	26.7	10.0	321	2.67	9.3	1.6	2.6	52	0.2	0.6	0.2	61	0.90	0.066	13
50MI11LA0315	Soil	1.2	25.1	9.0	49	0.1	19.5	9.6	540	2.05	8.3	2.3	1.6	54	0.2	0.5	0.2	49	1.10	0.090	11
50MI11LA0316	Soil	0.8	32.3	10.8	58	0.1	29.6	14.1	575	2.95	12.3	2.5	4.4	40	0.2	0.6	0.2	69	0.72	0.059	16
50MI11LA0317	Soil	0.9	30.4	10.1	59	0.1	24.7	11.6	479	2.61	11.3	5.5	3.8	37	0.2	0.7	0.2	63	0.60	0.059	14
50MI11LA0318	Soil	0.8	28.6	9.6	60	0.1	25.2	11.4	513	2.59	11.1	1.1	2.7	47	0.2	0.6	0.2	61	0.70	0.070	13
50MI11LA0319	Soil	0.8	13.5	8.0	32	<0.1	13.5	7.0	293	1.55	5.2	2.0	2.6	27	0.1	0.3	0.1	39	0.27	0.036	10
50MI11LA0320	Soil	0.8	30.2	8.1	59	<0.1	24.7	9.8	382	2.21	10.6	2.9	4.0	42	0.3	0.7	0.1	54	1.33	0.076	13
50MI11LA0321	Soil	1.0	23.8	12.5	46	0.1	17.0	7.8	233	1.76	7.0	1.7	4.4	43	0.2	0.4	0.2	49	0.31	0.036	15
50MI11LA0322	Soil	1.4	19.1	9.7	53	0.1	17.1	10.4	599	1.97	7.4	1.8	3.5	56	0.2	0.4	0.2	50	0.43	0.052	14

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001935.2

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
50MI11LA0294	Soil		25	0.35	208	0.036	<1	1.60	0.009	0.05	0.2	0.06	3.0	0.1	<0.05	5	<0.5	<0.2
50MI11LA0295	Soil		65	0.72	140	0.113	<1	2.44	0.011	0.22	<0.1	0.01	6.5	0.1	<0.05	10	<0.5	<0.2
50MI11LA0296	Soil		51	0.80	179	0.018	1	2.43	0.033	0.07	<0.1	0.05	7.9	<0.1	<0.05	7	0.8	<0.2
50MI11LA0297	Soil		30	0.67	161	0.065	<1	1.64	0.011	0.28	<0.1	0.02	6.0	0.3	<0.05	6	<0.5	<0.2
50MI11LA0298	Soil		16	0.20	293	0.010	2	0.75	0.013	0.07	<0.1	0.06	4.4	<0.1	0.10	3	<0.5	<0.2
50MI11LA0299	Soil		90	1.10	145	0.099	<1	2.83	0.008	0.33	<0.1	0.04	9.6	0.3	<0.05	10	<0.5	<0.2
50MI11LA0300	Soil		160	2.11	204	0.194	1	2.91	0.009	0.58	<0.1	0.04	14.6	0.6	<0.05	11	<0.5	<0.2
50MI11LA0300 DUP	Soil		155	2.12	204	0.191	<1	3.05	0.009	0.57	<0.1	0.05	14.1	0.6	<0.05	11	<0.5	<0.2
50MI11LA0301	Soil		90	1.24	299	0.124	2	2.04	0.013	0.36	<0.1	0.06	8.9	0.4	<0.05	8	0.6	<0.2
50MI11LA0302	Soil		136	1.77	351	0.180	<1	2.96	0.012	0.93	<0.1	0.03	11.5	0.5	<0.05	11	<0.5	<0.2
50MI11LA0303	Soil		28	0.61	326	0.070	2	1.32	0.023	0.08	0.2	0.04	3.9	<0.1	<0.05	4	<0.5	<0.2
50MI11LA0304	Soil		32	0.56	312	0.061	2	1.62	0.019	0.06	0.1	0.04	4.4	<0.1	<0.05	5	<0.5	<0.2
50MI11LA0305	Soil		27	0.45	298	0.058	2	1.28	0.019	0.08	0.1	0.06	3.8	<0.1	0.07	4	0.7	<0.2
50MI11LA0306	Soil		31	0.60	329	0.066	<1	1.51	0.015	0.06	0.2	0.04	4.6	<0.1	<0.05	5	<0.5	<0.2
50MI11LA0307	Soil		33	0.63	348	0.063	<1	1.57	0.021	0.07	0.2	0.03	4.4	<0.1	<0.05	5	<0.5	<0.2
50MI11LA0308	Soil		31	0.53	399	0.059	1	1.46	0.020	0.06	0.2	0.05	3.9	<0.1	<0.05	4	0.8	<0.2
50MI11LA0309	Soil		34	0.75	405	0.079	2	1.62	0.026	0.11	0.2	0.03	4.7	<0.1	<0.05	5	0.6	<0.2
50MI11LA0310	Soil		35	0.51	404	0.046	<1	1.51	0.011	0.06	0.1	0.04	4.2	<0.1	<0.05	5	<0.5	<0.2
50MI11LA0311	Soil		23	0.58	305	0.069	1	1.44	0.018	0.09	0.2	0.02	3.6	0.1	<0.05	5	0.5	<0.2
50MI11LA0312	Soil		94	1.14	339	0.114	2	2.69	0.015	0.43	0.1	0.12	11.2	0.3	0.12	8	0.7	<0.2
50MI11LA0313	Soil		53	0.66	429	0.070	2	1.82	0.011	0.09	0.1	0.04	5.0	0.1	0.07	5	0.7	<0.2
50MI11LA0314	Soil		37	0.56	436	0.049	1	1.71	0.012	0.05	0.1	0.04	4.0	<0.1	0.13	5	0.6	<0.2
50MI11LA0315	Soil		28	0.40	400	0.039	2	1.29	0.014	0.04	0.2	0.04	2.7	<0.1	0.16	4	0.6	<0.2
50MI11LA0316	Soil		38	0.52	507	0.063	1	1.75	0.014	0.06	0.2	0.04	4.6	<0.1	0.10	5	0.6	<0.2
50MI11LA0317	Soil		33	0.46	352	0.057	1	1.53	0.015	0.05	0.2	0.03	3.5	<0.1	0.05	4	<0.5	<0.2
50MI11LA0318	Soil		32	0.50	390	0.051	2	1.48	0.016	0.05	0.2	0.03	3.5	<0.1	0.10	4	0.5	<0.2
50MI11LA0319	Soil		19	0.24	263	0.031	1	0.94	0.008	0.05	0.2	0.02	2.0	<0.1	<0.05	3	<0.5	<0.2
50MI11LA0320	Soil		26	0.57	276	0.061	2	1.08	0.023	0.07	0.2	<0.01	2.8	<0.1	0.11	3	<0.5	<0.2
50MI11LA0321	Soil		25	0.31	366	0.045	1	1.27	0.011	0.08	0.1	0.05	3.0	<0.1	0.08	4	1.2	<0.2
50MI11LA0322	Soil		28	0.38	312	0.048	1	1.41	0.012	0.05	0.2	0.06	3.2	<0.1	0.06	4	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001935.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
50MI11LA0323	Soil	0.7	19.3	9.3	66	0.2	21.1	7.1	184	1.89	6.1	3.3	2.6	26	0.3	0.3	0.1	49	0.38	0.054	14
50MI11LA0324	Soil	2.2	60.5	15.4	132	0.3	45.7	15.1	238	3.40	7.2	4.6	6.6	24	0.5	0.5	0.2	86	0.33	0.082	23
50MI11LA0325	Soil	2.9	68.9	11.2	113	0.4	77.2	24.3	2734	3.74	7.4	4.0	3.9	38	1.4	0.3	0.3	74	0.47	0.094	22
50MI11LA0326	Soil	0.9	32.4	10.6	75	0.3	42.7	13.8	426	2.96	3.8	2.9	7.1	19	0.2	0.1	0.2	64	0.33	0.085	43
50MI11LA0327	Soil	1.6	23.7	10.6	57	0.3	17.3	6.1	160	2.12	5.7	1.6	1.8	15	0.2	0.3	0.2	45	0.16	0.052	16
50MI11LA0328	Soil	0.6	22.9	10.1	51	0.2	19.3	4.7	85	1.64	4.8	34.7	1.3	15	0.3	0.2	0.2	33	0.16	0.050	14
50MI11LA0329	Soil	1.0	27.8	8.5	61	0.2	31.0	10.1	289	2.41	7.0	0.9	3.6	19	0.2	0.3	0.2	63	0.37	0.054	16
50MI11LA0330	Soil	0.7	42.4	6.6	71	0.1	65.5	16.9	332	3.27	7.3	0.8	3.7	19	0.1	0.2	0.1	87	0.53	0.063	14
50MI11LA0331	Soil	0.6	32.6	8.0	49	<0.1	40.8	12.0	322	2.89	8.4	1.4	4.2	17	<0.1	0.4	0.1	78	0.27	0.021	15
50MI11LA0332	Soil	0.5	59.8	6.9	71	<0.1	76.0	22.2	514	3.98	4.9	<0.5	7.0	14	<0.1	0.1	0.1	88	0.28	0.045	25
50MI11LA0333	Soil	0.3	38.2	5.3	65	<0.1	166.9	36.6	715	4.67	2.0	1.9	0.8	22	0.3	<0.1	<0.1	126	0.70	0.058	4
50MI11LA0334	Soil	0.7	48.6	8.1	62	0.1	67.4	21.3	496	2.89	6.1	2.4	2.4	35	0.2	0.4	0.2	90	0.79	0.069	12
50MI11LA0335	Soil	0.9	47.5	5.6	70	0.1	78.2	20.9	375	3.67	5.8	0.9	2.1	19	0.2	0.2	0.1	117	0.58	0.061	14
50MI11LA0336	Soil	1.1	53.2	8.0	79	0.2	76.8	46.0	1408	3.90	4.7	1.5	3.0	18	0.1	0.2	0.2	99	0.34	0.080	15
50MI11LA0337	Soil	0.7	36.8	7.2	66	0.1	50.9	16.6	383	3.22	6.4	0.9	3.3	20	0.1	0.3	0.1	89	0.38	0.076	14

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI11001935.2

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
50MI11LA0323	Soil		31	0.48	308	0.055	<1	1.44	0.012	0.06	0.2	0.03	2.8	0.1	0.06	4	<0.5	<0.2
50MI11LA0324	Soil		50	0.78	367	0.092	<1	1.84	0.013	0.26	0.1	0.04	5.1	0.3	<0.05	6	1.3	<0.2
50MI11LA0325	Soil		78	0.85	470	0.062	<1	1.75	0.012	0.21	<0.1	0.04	6.2	0.2	<0.05	6	1.5	<0.2
50MI11LA0326	Soil		69	0.91	286	0.077	<1	1.99	0.010	0.38	<0.1	0.02	5.1	0.3	0.06	7	0.6	<0.2
50MI11LA0327	Soil		25	0.32	118	0.033	1	1.20	0.011	0.08	0.1	0.05	1.9	0.2	0.08	4	1.1	<0.2
50MI11LA0328	Soil		24	0.24	134	0.032	<1	1.06	0.008	0.06	0.1	0.04	1.9	0.1	0.08	4	0.6	<0.2
50MI11LA0329	Soil		46	0.54	300	0.067	<1	1.36	0.014	0.10	0.1	0.03	3.3	0.1	0.07	5	<0.5	<0.2
50MI11LA0330	Soil		99	1.14	361	0.102	<1	1.96	0.016	0.13	0.1	<0.01	5.7	0.1	<0.05	6	<0.5	<0.2
50MI11LA0331	Soil		64	0.77	295	0.100	<1	1.86	0.014	0.08	<0.1	0.01	5.2	<0.1	<0.05	6	<0.5	<0.2
50MI11LA0332	Soil		106	1.31	458	0.169	<1	2.43	0.012	0.44	<0.1	<0.01	5.9	0.3	<0.05	8	<0.5	<0.2
50MI11LA0333	Soil		271	3.20	993	0.191	<1	3.50	0.028	0.51	<0.1	<0.01	10.4	0.1	<0.05	9	<0.5	<0.2
50MI11LA0334	Soil		102	0.99	607	0.099	<1	1.77	0.015	0.14	<0.1	0.03	7.1	0.2	0.10	6	<0.5	<0.2
50MI11LA0335	Soil		139	1.32	475	0.157	<1	2.31	0.013	0.16	<0.1	0.01	8.0	0.2	0.09	8	<0.5	<0.2
50MI11LA0336	Soil		110	1.18	438	0.114	<1	2.11	0.013	0.15	0.1	0.02	6.6	0.2	0.09	7	<0.5	<0.2
50MI11LA0337	Soil		83	1.01	424	0.138	<1	2.09	0.014	0.21	0.2	<0.01	4.9	0.1	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

QUALITY CONTROL REPORT WHI11001935.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
Pulp Duplicates																					
50MI11AN0338	Soil	0.7	27.8	7.3	47	<0.1	24.3	8.0	252	2.09	3.7	9.8	5.9	19	<0.1	0.3	0.1	44	0.25	0.032	17
REP 50MI11AN0338	QC	0.6	27.7	7.5	48	<0.1	24.6	8.1	255	2.09	3.7	4.4	5.6	19	<0.1	0.3	0.1	45	0.25	0.031	18
50MI11MGB347	Soil	0.7	14.8	10.6	55	0.1	12.7	7.1	319	2.31	5.5	2.3	2.5	74	0.1	0.3	0.1	59	0.63	0.068	16
REP 50MI11MGB347	QC	0.7	15.2	10.3	57	0.1	13.6	7.4	335	2.40	5.5	1.1	2.5	74	<0.1	0.3	0.1	60	0.62	0.068	16
50MI11MGB364	Soil	0.7	16.2	10.1	60	<0.1	16.7	7.5	320	2.00	7.1	2.9	3.0	31	0.2	0.6	0.2	42	0.39	0.070	12
REP 50MI11MGB364	QC	0.7	16.2	10.4	59	<0.1	16.5	7.7	317	2.01	6.9	2.2	3.1	31	0.2	0.5	0.2	43	0.42	0.069	13
50MI11MGB379	Soil	1.4	34.3	115.8	353	1.6	31.5	8.8	371	3.04	33.3	3.5	4.2	11	1.6	1.5	2.1	63	0.07	0.024	14
REP 50MI11MGB379	QC	1.3	32.6	112.8	344	1.5	30.6	8.5	349	2.89	32.2	3.7	4.0	11	1.5	1.5	2.0	61	0.07	0.022	14
50MI11LA0288	Soil	1.1	23.1	13.9	87	0.3	23.8	10.3	383	2.58	7.4	6.2	3.7	39	0.9	0.5	0.2	41	0.48	0.073	22
REP 50MI11LA0288	QC	1.1	23.8	13.6	89	0.3	22.3	10.7	387	2.60	6.8	4.5	3.8	40	0.7	0.5	0.2	41	0.48	0.074	22
50MI11LA0303	Soil	0.9	31.1	9.6	70	0.2	26.3	10.4	362	2.55	9.6	2.3	4.0	44	0.4	0.8	0.2	54	0.95	0.069	15
REP 50MI11LA0303	QC	0.9	31.4	10.0	69	0.2	26.4	10.4	361	2.58	9.7	1.7	4.1	45	0.4	0.8	0.2	55	0.95	0.070	15
50MI11LA0311	Soil	0.9	31.2	9.9	71	0.1	27.5	9.3	270	2.47	8.9	1.7	4.4	27	0.3	0.6	0.2	52	0.42	0.059	14
REP 50MI11LA0311	QC	0.9	31.9	10.0	73	0.1	28.3	9.6	278	2.57	10.1	2.5	4.6	29	0.3	0.7	0.2	61	0.44	0.065	15
50MI11LA0328	Soil	0.6	22.9	10.1	51	0.2	19.3	4.7	85	1.64	4.8	34.7	1.3	15	0.3	0.2	0.2	33	0.16	0.050	14
REP 50MI11LA0328	QC	0.6	22.7	9.5	48	0.2	18.7	4.5	79	1.56	4.2	2.0	1.5	13	0.3	0.2	0.2	30	0.14	0.048	13
Reference Materials																					
STD DS8	Standard	12.4	102.5	124.2	307	1.7	34.9	6.9	564	2.29	24.7	103.7	6.9	67	2.2	5.7	6.6	39	0.63	0.074	14
STD DS8	Standard	13.2	106.2	127.5	315	1.8	37.5	7.2	601	2.41	26.0	107.8	7.2	74	2.5	5.9	7.0	40	0.66	0.076	15
STD DS8	Standard	14.2	113.3	132.4	317	1.8	39.6	7.5	643	2.56	26.8	121.5	7.5	76	2.2	6.2	7.2	43	0.73	0.077	17
STD DS8	Standard	14.2	117.2	128.9	306	1.7	38.7	8.1	617	2.47	27.7	101.4	7.5	64	2.3	5.6	6.6	54	0.70	0.081	17
STD DS8	Standard	14.2	117.2	128.9	306	1.7	38.7	8.1	617	2.47	27.7	101.4	7.5	64	2.3	5.6	6.6	54	0.70	0.081	17
STD DS8	Standard	13.8	104.5	122.8	297	1.7	36.3	7.3	604	2.39	25.6	112.7	7.0	82	2.4	6.2	6.2	41	0.72	0.078	18
STD DS8 Expected		13.44	110	123	312	1.69	38.1	7.5	615	2.46	26	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7	0.08	14.6
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

QUALITY CONTROL REPORT WHI11001935.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																	
50MI11AN0338	Soil	43	0.63	388	0.104	<1	1.35	0.009	0.13	<0.1	0.02	4.2	0.1	<0.05	4	<0.5	<0.2
REP 50MI11AN0338	QC	43	0.62	387	0.108	<1	1.29	0.011	0.13	<0.1	0.02	4.3	0.1	<0.05	4	<0.5	<0.2
50MI11MGB347	Soil	26	0.51	275	0.047	<1	2.01	0.019	0.04	0.1	0.03	5.0	<0.1	<0.05	6	<0.5	<0.2
REP 50MI11MGB347	QC	26	0.50	276	0.046	<1	1.96	0.018	0.04	0.1	0.04	5.2	<0.1	<0.05	6	0.9	<0.2
50MI11MGB364	Soil	24	0.43	222	0.062	2	1.15	0.017	0.04	0.2	0.04	2.8	<0.1	<0.05	3	<0.5	<0.2
REP 50MI11MGB364	QC	24	0.43	225	0.065	2	1.16	0.019	0.05	0.2	0.03	2.9	<0.1	<0.05	3	<0.5	<0.2
50MI11MGB379	Soil	45	0.62	185	0.072	<1	1.91	0.010	0.10	<0.1	0.02	3.2	0.2	<0.05	7	<0.5	0.3
REP 50MI11MGB379	QC	43	0.60	180	0.067	1	1.80	0.010	0.09	<0.1	0.03	3.0	0.2	<0.05	7	0.5	0.4
50MI11LA0288	Soil	27	0.57	249	0.034	<1	1.45	0.011	0.06	0.1	0.06	3.7	0.1	0.06	4	0.9	<0.2
REP 50MI11LA0288	QC	27	0.57	251	0.032	1	1.40	0.011	0.06	0.2	0.05	3.5	0.1	0.06	4	0.6	<0.2
50MI11LA0303	Soil	28	0.61	326	0.070	2	1.32	0.023	0.08	0.2	0.04	3.9	<0.1	<0.05	4	<0.5	<0.2
REP 50MI11LA0303	QC	29	0.61	331	0.076	2	1.36	0.025	0.09	0.2	0.04	3.9	<0.1	<0.05	4	<0.5	<0.2
50MI11LA0311	Soil	23	0.58	305	0.069	1	1.44	0.018	0.09	0.2	0.02	3.6	0.1	<0.05	5	0.5	<0.2
REP 50MI11LA0311	QC	38	0.64	312	0.075	1	1.62	0.022	0.10	0.2	0.03	3.9	0.1	0.05	5	<0.5	<0.2
50MI11LA0328	Soil	24	0.24	134	0.032	<1	1.06	0.008	0.06	0.1	0.04	1.9	0.1	0.08	4	0.6	<0.2
REP 50MI11LA0328	QC	22	0.22	131	0.023	<1	0.97	0.007	0.05	<0.1	0.03	1.7	0.1	0.07	3	0.6	<0.2
Reference Materials																	
STD DS8	Standard	110	0.57	254	0.119	2	0.86	0.096	0.41	2.8	0.17	2.8	5.0	0.13	5	4.5	4.9
STD DS8	Standard	114	0.59	275	0.124	2	0.89	0.096	0.42	2.8	0.20	2.9	5.5	0.15	5	4.8	4.9
STD DS8	Standard	123	0.62	292	0.126	2	0.93	0.103	0.43	3.2	0.21	2.8	5.8	0.15	5	5.3	4.4
STD DS8	Standard	120	0.63	277	0.120	2	0.97	0.101	0.38	3.0	0.18	2.2	5.1	0.20	5	5.0	4.9
STD DS8	Standard	120	0.63	277	0.120	2	0.97	0.101	0.38	3.0	0.18	2.2	5.1	0.20	5	5.0	4.9
STD DS8	Standard	112	0.61	277	0.139	2	0.95	0.099	0.42	3.1	0.17	2.4	5.1	0.17	5	4.6	4.9
STD DS8 Expected		115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	2.3	5.4	0.1679	4.7	5.23	5
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

QUALITY CONTROL REPORT WHI11001935.2

		1DX15 Mo ppm 0.1	1DX15 Cu ppm 0.1	1DX15 Pb ppm 0.1	1DX15 Zn ppm 1	1DX15 Ag ppm 0.1	1DX15 Ni ppm 0.1	1DX15 Co ppm 0.1	1DX15 Mn ppm 1	1DX15 Fe % 0.01	1DX15 As ppm 0.5	1DX15 Au ppb 0.5	1DX15 Th ppm 0.1	1DX15 Sr ppm 1	1DX15 Cd ppm 0.1	1DX15 Sb ppm 0.1	1DX15 Bi ppm 0.1	1DX15 V ppm 2	1DX15 Ca % 0.01	1DX15 P % 0.001	1DX15 La ppm 1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **0908937 BC Ltd.**
701 - 675 W. Hastings Street
Vancouver BC V6B 1N2 CANADA

Project: 50 Mile (YK)
Report Date: July 31, 2012

QUALITY CONTROL REPORT WHI11001935.2

		1DX15 Cr ppm 1	1DX15 Mg % 0.01	1DX15 Ba ppm 1	1DX15 Ti % 0.001	1DX15 B ppm 1	1DX15 Al % 0.01	1DX15 Na % 0.001	1DX15 K % 0.01	1DX15 W ppm 0.1	1DX15 Hg ppm 0.01	1DX15 Sc ppm 0.1	1DX15 Tl ppm 0.1	1DX15 S % 0.05	1DX15 Ga ppm 1	1DX15 Se ppm 0.5	1DX15 Te ppm 0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.