

2011 Geological Report on Stream Sediment Sampling and Geochemistry on the ZZT 1-42 Claims

Mayo Mining District, Yukon, Canada

NTS Map Sheets 105K/16

343000E 6986000N, NAD 83, UTM Zone 8N

Claims: YD122801-YD122842, ZZT 1-42

Prepared for Golden Predator Canada Corp

Author: Jeffrey A. Cary, M.Sc.

December 2012

Period of Work: August 24, 2011

Contents	Pg
1.0 Introduction	
1.1 Introduction	4
1.2 Participating Personnel	4
1.3 Agreement	4
2.0 Property Location, Claim Data and Access	
2.1 Location	4
2.2 Claim Data	4
2.3 Access	5
3.0 Physiography	5
4.0 History and Previous Work	6
5.0 Geology	
5.1 Geologic Setting	6
5.2 Property Geology	7
6.0 2011 Exploration	
6.1 Exploration	8
6.2 Sampling Methodology and Protocols	8
6.3 Results	9
7.0 Conclusions	10
8.0 Selected References	11
9.0 Expenditures	12
10.0 Statement of Qualifications	13

LIST OF TABLES

- 2.1 List of ZZT 1-42 Quartz Mining Claims

LIST OF APPENDICES

- Appendix 1 2011 ZZT 1-42 Quartz Mining Claims, Sample Location
and Regional Geology Map
Appendix 2 2011 ZZT 1-42 Assay Certificates
Appendix 3 2011 ZZT 1-42 Sample Descriptions

1.0 Introduction

1.1 Introduction

The ZZT 1-42 quartz claims are located 110 kilometers north of the town of Ross River, Yukon Territory, Canada. The project consists of 42 contiguous quartz claims located in the Mayo Mining District. Golden Predator Canada Corp. has 100% undivided ownership in the claims. Intrusion-related, skarn and Carlin-style gold mineralization is being targeted.

The claims are accessed by helicopter from the Faro, Yukon or from the North Canol Highway. The 2011 exploration program consisted of regional stream sediment sampling carried out on August 24, 2011.

1.2 Participating Personnel

The 2011 exploration program was funded and operated by Golden Predator Canada Corp. with its corporate headquarters in Whitehorse, Yukon, Canada. Alcan Air of Whitehorse, Yukon provided fixed wing transportation and Fireweed Helicopters of Whitehorse, Yukon provided helicopter transportation. Geological and logistical services were provided by the Golden Predator Canada Corp. Whitehorse, Yukon staff. Expediting services were provided by C.O.R.E. Expediting of Whitehorse, Yukon. All sample assay work was performed by ALS/Chemex with offices in Whitehorse, Yukon and Vancouver, British Columbia.

1.3 Agreement

Golden Predator Canada Corp has a 100% undivided interest in the 42 ZZT claims.

2.0 Property Location, Claim Data and Access

2.1 Location

The ZZT 1-42 claims are located approximately 110 kilometers north of the community of Ross River in central Yukon Territory and consist of 42 contiguous quartz claims. The claims are located in the Mayo Mining District on NTS map sheets 105K/16 and are centered at 343000E 6986000N, NAD 83, UTM Zone 8N. The claims are located immediately north of the South Macmillan River in the general vicinity of Mount Selous (Appendix 1).

2.2 Claim Data

A total of 42 ZYT quartz claims are covered by this assessment report and the claims are listed in Table 2.1 below and are shown in Appendix 1.

Grant Number	Claim Name	Claim No.	NTS Map Number
YD122801-YD122842	ZYT	1-42	105K/16

Table 2.1

2.3 Access

Access to the property is via helicopter from the Faro, Yukon or from the North Canol Highway. The 2011 support camp was located at Golden Predator's Class I camp at Jeff Creek on the North Canol Road. Helicopter transport was used to move crews and equipment from the Jeff Creek camp to the ZYT 1-42 project area which is located 90 kilometers west of the camp. The camp was supported by road access on the North Canol Road.

The towns of Faro and Ross River, Yukon are the nearest centers for obtaining food, fuel and supplies. Helicopter and fixed wing flight service is available from Faro. The nearest large metropolitan center is Whitehorse, Yukon located 300 kilometers south of the claim block.

3.0 Physiography

The property is located on the eastern flank of the Mount Selous massif immediately north of the South Macmillan River. Elevations on the property range from 1100 to 1600 meters and the topography in the area is characterized by sharp, narrow ridges with steep flanks marginal to large, broad U-shaped valleys. The upper elevation ridges (+1250m) do not have glacial deposits, but the lower elevations have glaciofluvial outwash deposits on the valley floors (see Appendix 1).

The tree line in the area is located at approximately 1500 meters. Vegetation below the tree line and in the valley floors is composed of alder, birch, balsam and spruce. In areas of sparse tree cover and above tree line vegetation consists of buck brush, dwarf willow and moss.

Long cold winters, short cool summers and low total precipitation characterize the climate in the project area. January average temperatures range between -17 and -26 C and July average temperatures range from 21 to 9 C (Mayo, Yukon data). The mountainous area attracts significant rain during the summer months and deep snow in the winter months.

4.0 History and Previous Work

The general area has been extensively explored since the late 1960's and hosts two reported mineral resources, Andrew and Darcy, controlled by Overland Resources. Published resources for Andrew and Darcy are 7.7 Mt @ 5.8% Zn and 1.4% Pb and 5.5 Mt @ 4.7% Zn respectively (Overland Resources website). There are two MINFILE reports in the region, 105K 089 and 105K 090, which outline the exploration history in detail for the area. Numerous assessment reports have been filed in the map area over the last forty years.

The first claims were staked in the area in 1967 by the Hess Syndicate (Atlas Explorations Ltd, Quebec Cartier Mining Company and Phillips Brothers (Canada) Ltd). The syndicate carried out geological mapping, geochemical sampling, geophysical surveying, hand trenching, road construction, bulldozer trenching through 1969.

Cima Resources Ltd drilled the first two holes in the area totaling 14.8 m in 1977.

Ron Berdahl began acquiring claims in the area starting in 1996 and continued staking and prospecting in the area through 2000 when those claims were optioned to Noranda Incorporated. Noranda carried out airborne magnetic and EM geophysical surveying and geological mapping, prospecting, ground magnetic and gravity geophysical surveying, rock and soil geochemical sampling and drilled 15 holes totaling 2717.7 m in 2000 and 2001. Noranda drilled an additional 8 holes totaling 1838.3 m in 2002.

Overland Resources acquired the Andrew property in 2007 and drilled 10 holes totaling 2800 m. In 2008, Overland drilled 23,425 m in 134 drill holes to define and expand the resources at both the Andrew and Darcy deposits. A preliminary economic evaluation was completed in 2009 that indicated the potential viability of both open pit and underground mining operations at the Andrew property, including both the Andrew deposit and the Darcy deposit, together known as 'Yukon Base Metal Project'.

5.0 Geology

5.1 Regional Geologic Setting

The ZTZ 1-42 claims are located within the Selwyn Basin which consists of a thick package of Late Proterozoic-Paleozoic marine sediments extending east-southeast from the Dawson City area to the Yukon-Northwest Territory border. The northwest-southeast trending Tintina Fault defines the southwest boundary of the Selwyn Basin while the North American craton defines the northeast boundary. The Selwyn Basin stratigraphy consists of shallow shelf to off-shelf marine clastic and chemical sediments, as well as basinal clastic sediments derived from the Ancient North American Platform to the northeast with ages of deposition ranging from Late Precambrian through Permian. Two major episodes of rifting occurred in the basin; one during deposition of the Late Precambrian Hyland Group sediments and the second during deposition of the Devonian-Mississippian Earn Group sediments (see Appendix 1).

Extensive thrust faulting throughout the entire extent of the Selwyn Basin began during the Late Jurassic and extended through Early to Mid-Cretaceous time. The thrust belts strike west-northwest and dip to the southwest, sub-parallel to the stratigraphy. Major regional thrust faults that are well mapped to the north of the ZZT 1-42 claims include, from youngest to oldest, the Dawson, Tombstone, and Robert Service from north to south.

The Tombstone Plutonic Suite forms a narrow, west-northwest trending belt of weakly reduced, felsic intrusions extending 550 kilometers across the north-central Yukon (Mair, et al., 2006) that are spatially and temporally associated with gold and tungsten mineralization in the Selwyn Basin. The intrusions are thought to be late to post Mesozoic in age, post dating contractional deformation in the Selwyn Basin. In the Macmillan Pass area significant tungsten mineralization is developed as skarn replacement deposits with little associated gold, however in the Mayo area, gold mineralization is spatially associated with tungsten in sheeted vein systems. In general, gold mineralization is associated with As, Bi, and Sb trace element geochemistry.

The ZZT 1-42 claims occur within a broad deformation belt unofficially called the “Gold River Fold Belt” extending along the south side of the Hess River. Several west-northwest trending thrust faults, possibly re-activated as strike-slip faults, are associated with intense folding and imbrication of the sedimentary package and intrusion of the TPS stocks and plutons. South of the Hess River the TPS rocks form small stocks with associated dike and sill complexes. North of the Hess River, the TPS rocks form large, well-exposed plutonic complexes with significant peripheral contact metamorphism and associated skarn-style mineralization.

5.2 Property Geology

Property scale geology is known through regional reconnaissance mapping. Rock units exposed on the ZZT 1-42 claims are part of the Late Proterozoic through Paleozoic sedimentary rocks of the Selwyn Basin. Rock units include the coarse grained clastics of the Upper Proterozoic-Lower Cambrian Hyland Group, fine-grained, siliceous mudstone, chert and siltstone of the Late Ordovician through Early Devonian Road River Group and coarse-grained clastic of the Upper Devonian through Mississippian Earn Group. (Appendix 1). These deep water marine siliciclastic units were compressively deformed along low-angle thrust faults from Early Jurassic through the mid-Cretaceous time.

Regional mapping identifies three small mid Cretaceous granitic stocks approximately 3 kilometers west, north and south for the claim block respectively. Hydrothermal alteration with associated gold mineralization is not mapped on the claims, but is documented 3 kilometers to the west at the Myszka showing (MinFile 105K 090) and 6 kilometers to the southwest at the Andrew and Darcy Zn-Pb and Zn resources (MinFile 105k 089) held by Overland Resources. The base-metal mineralization is hosted in a series high-angle veins quartz-carbonate veins localized along late-stage, high-angle, extensional structures.

RGS regional stream sediment geochemistry in the general area is very anomalous in Zn and Pb, and locally for Au.

6.0 Exploration

6.1 Exploration Summary

The Phase I 2011 exploration program was completed on August 24th, 2011. Golden Predator collected 5 silt samples from active stream beds. A crew of 4 samplers, plus a cook and helicopter pilot were based in the Jeff Creek camp adjacent to the North Canal Road. All of the work was helicopter assisted using a Hughes 500 NOTAR supplied by Fireweed Helicopters of Whitehorse, YT, with a flight time of 0.8 hours for the program.

6.2 Sampling Methodology and Protocols

Stream Geochemical Program

Stream sediment samples were collected at intervals of approximately 750 m along first, second and third order streams, and immediately upstream of confluences. Samples were also collected in the vicinity of historical RGS stream anomalies to test repeatability.

Each sample was collected from several points along the active stream bed to produce a representative composite sample. The uppermost sediment was discarded to avoid spurious high content of Fe and Mn oxide coating. The active silt and fine to medium sand that has been recently transported by the stream was the target sediment. This type of sediment was generally located: 1) in the lee of large boulders or logs; 2) in low energy pools at the tail-end of bars; and 3) infilling voids below the surface of cobble-gravel bars.

Samples were sieved in the field to a fraction of less than one-eighth inch (<1/8" or 3.36 mm) and placed in labeled, double layered plastic sample bags. Sample sites were flagged and photographed. The sample weights varied between 4-12 kg. Large sample sizes were required to obtain sufficient fine material for the selected assay techniques.

If the drainage contained seasonal stream sediment deposition, but was currently dry, a sediment sample was collected by dry sieving the material. Occasionally the south-facing slopes had underground drainage that sporadically comes to surface, in which case sample spacing sometimes varied.

Sample data was recorded on data cards and included the following: geographic location, sample color, angularity of the clasts, sediment composition (percentage of gravel, sand, silt, clay and organics), slope direction, slope angle, stream flow, vegetation type and comments (see Appendix 3).

Samples were transported by land from the Jeff Creek camp to Whitehorse and were delivered by in-house personnel or insured professional expeditors to ALS Chemex's ISO 9001 certified preparation facility in Whitehorse. Samples were dried and screened to 180 microns (80 mesh).

The pulps were analyzed at ALS Chemex's ISO 9001 certified laboratory in North Vancouver using the ultra-trace ME-MS41 package. A 0.5 g sample is digested by aqua

regia techniques and 51 elements are analyzed through a combination of ICP-AES and ICP-MS.

The Au-ST44 method was used to analyze gold using a 50 g sample of <80 micron material. This method provides the lowest possible detection limit for gold of 0.0001 – 0.1 ppm, using aqua regia digestion with analysis by ICP-MS. The larger sample size for the gold analysis is used in an effort to reduce potential nugget effects. Samples exceeding the upper limit of Au detection (0.1 ppm) were re-analyzed using Au-OG44, an ore grade assay technique. A 50 g sample of 180 microns sediment is digested in an aqua regia solution and finished with ICP-MS methods to provide an Au detection range between 0.01 – 100 ppm.

ALS completes quality assurance/ quality control (QA/QC) data verification of their assays through internally inserted duplicates, standards and blanks. In addition, Golden Predator's QA/QC program included the insertion of field duplicates, blanks and standard reference material obtained from CDN Resource Laboratories of Langley, BC. Assay certificates are compiled in Appendix 2 along with the detailed methodology and detection limits.

The geographic location and a detailed description of the stream sediment sample are presented in Appendix 3. Analytical results for all of the stream sediment samples are presented in Appendix 2 and 3.

6.3 Results

Stream Sediments

The gold geochemical results are uniformly low ranging from 0.6 ppb to 4.2 ppb and these values are much lower than the 120 ppb Au value reported in the RGS dataset. Arsenic, antimony and bismuth trace element geochemistry is also uniformly low. The area is also anomalous in Zn with stream sediment geochemical values ranging from 299 to 633 ppm.

7.0 Conclusions

The ZTZ 1-42 claims cover portions of a regional stream sediment geochemical gold anomaly. The property is in the grassroots stage of exploration and is prospective for intrusion-related gold and/or Carlin-style gold systems, and also for polymetallic vein and Sedex mineralization. The 2011 field program collected 5 stream sediment samples that did not identify the source of the RGS anomaly. Additional prospecting in conjunction with ridge and spur soil sampling should be completed over the claim block to possibly identify the source of the 120 ppb Au RGS stream sediment sample.

8.0 Selected References

Gordey, S.P. and Anderson, R.G., 1996, Evolution of the Northern Cordilleran Miogeosyncline, Nahanni Map Area (105I), Yukon and Northwest Territories; Geological Survey of Canada, Memoir 428.

MinFile 105K 089, Yukon Geological Survey website, December 4, 2012,
<http://servlet.gov.yk.ca/ygsmin/occurrence.do?occurrenceID=105K+089>

MinFile 105K 090, Yukon Geological Survey website, December 4, 2012,
<http://servlet.gov.yk.ca/ygsmin/occurrence.do?occurrenceID=105K+090>

Mortensen, J.K., Hart, C.J.R., Murphy, D.C., and Heffernan, S., 2000, Temporal evolution of early and mid-Cretaceous magmatism in the Tintina gold belt, in Tucker, T.L. and Smith, M.T. eds., The Tintina gold belt: Concepts, exploration, and discoveries: Vancouver, British Columbia and Yukon Chamber of Mines Special Volume 2, p. 49-57.

Roots, C.F. Abbott, J.G. Cecile, M.P. Gordey, S.P., 1995, Bedrock Geology of Lansing Range Map Area (105N), East Half, Hess Mountains, Yukon; Exploration and Geological Services, Yukon Region, and Indian and Northern Affairs Canada.

Overland Resources, December 3, 2012, corporate website;
<http://www.overlandresources.com/content/index.php/projects/yukon-base-metal-project/andrew-zinc-project>

9.0 Expenditures

Description	Amount
<u>Wages</u>	
Golden Predator	\$ 975.00
Report Writing	\$ 500.00
<u>Transportation</u>	
Helicopter	\$ 880.00
Fuel	\$ 160.00
<u>Consumables</u>	
Camp, Food, Fixed Wing	\$ 1,707.00
<u>Samples</u>	
Stream Sediment Samples	\$ 275.00
<u>Total</u>	<u>\$ 4,497.00</u>

10.0 Statement of Qualifications

I, Jeffrey A. Cary, who resides in Durango, Colorado, USA, DO HEREBY CERTIFY THAT:

1) I am an employee and Senior Geologist with Golden Predator Canada Corp. whose address is 1 Lindeman Way, Whitehorse, Yukon Territory, Canada, Y1A 5Z7.

2) I hold the following academic qualifications:

Master of Science Degree in Geology in 1990 from Western Washington University in Bellingham, Washington, USA.

Bachelor of Science Degree in Geology in 1983 from Fort Lewis College, Durango, Colorado, USA.

3) I have been practicing my profession continuously in the United States, Canada, Mexico and Chile for thirty years as a professional geologist on a variety of exploration and development programs searching for precious metals, base metals, uranium and coal.

4) The information for this report is based on information as itemized in the Selected Reference section of this report and from work of Golden Predator Canada Corp. employees performed at the ZTZ 1-42 claims on August 21st, 2011.

Dated this 4th Day of December, 2012.




Respectfully Submitted

Jeffrey A. Cary, M.Sc.



Senior Geologist,

Golden Predator Canada Corp.

Golden Predator Canada Corp ZZT 1-42 Claim Map NAD 83 UTM Zone 8N



Golden Predator Canada Corp
ZZT 1-42 Claims
Sample Location and Regional Geology Map
NAD 83 UTM Zone 8N



Map Legend
ZZT 1-42 Quartz Claims
Golden Predator Canada Corp
November 2012

Au_2011_Silts

Au_ppb

- 0.05 - 16.00 (124)
- 16.01 - 40.00 (8)
- 40.01 - 101.00 (6)
- 101.01 - 410.00 (2)

ZZT_20111020_Claims

- SEL_Z8_SSed_20111207 UTM Zone 8
- REG_STREAM_2003_PT_250K_SVW

YDG_regional_units_cole

QUATERNARY

Q: QUATERNARY: unconsolidated glacial, glaciofluvial and glaciolacustrine deposits; fluvial silt, sand, and gravel, and local volcanic ash

MID-CRETACEOUS

- mKS: SELWYN SUITE: plutonic suite of intermediate (g) to more felsic composition (q) and rarely syenitic (y); equivalent felsic dykes (f)
- mKqS: SELWYN SUITE: equigranular to porphyritic (K-feldspar) biotite hornblende muscovite granite, quartz monzonite and granodiorite
- mKgS: SELWYN SUITE: resistant, fine to coarse grained equigranular to porphyritic (K-feldspar) biotite quartz monzonite and granodiorite and minor quartz diorite

MISSISSIPPIAN

- MK: KENO HILL: massive to thick bedded quartz arenite; thin to medium bedded quartz arenite interstratified with black shale or carbonaceous phyllite
- MT1: TAY: recessive, dark brown weathering, thin to medium bedded, calcareous, dark grey to brown siltstone and shale
- MT2: TAY: grey and buff weathering, generally thick bedded to massive, dark grey to black fetid limestone

DEVONIAN AND MISSISSIPPIAN

- DME: EARN: complex assemblage of submarine fan and channel deposits within black siliceous shale and chert, minor felsic volcanic rocks; barite and stratiform Pb-Zn
- DME1: EARN: thin bedded slate with interbedded quartz arenite and wacke; members of chert pebble conglomerate; siliceous siltstone; nodular and bedded barite; limestone
- DME2: EARN: black shale, argillite, cherty argillite and thin bedded chert; nodular and bedded barite; rare limestone
- DME3: EARN: massive felsic to intermediate volcanic flows, tuffs and subvolcanic plug(s); chert and minor slate; quartz eye phyllite; vesicular basalt
- DME4: EARN: chert and dark grey siliceous shale
- DME5: EARN: mudstone, chert-quartz sandstone and chert pebble conglomerate; shale and sandstone

ORDOVICIAN TO LOWER DEVONIAN

- ODR: ROAD RIVER - SELWYN: black shale and chert overlain by siltstone or platy limestone
- ODR1: ROAD RIVER - SELWYN: black graptolitic shale and black chert; thin to medium bedded, chert; minor argillaceous limestone
- ODR2: ROAD RIVER - SELWYN: argillite and dolomitic siltstone with partings of black shale and chert; minor dolostone
- ODR3: ROAD RIVER - SELWYN: black limestone; platy, silty limestone
- ODR4: ROAD RIVER - SELWYN: black shale; limestone, limestone conglomerate, and interstratified argillite and limestone

LOWER CAMBRIAN

- ICG: GULL LAKE: dominantly fine clastic assemblage (1) with local volcanic units (2)
- ICG1: GULL LAKE: shale, siltstone and mudstone, minor quartz sandstone; rare green-grey chert; limestone and limestone conglomerate; phyllite to mica schist
- ICG2: GULL LAKE: dark green massive to fragmental mafic metavolcanic and volcanoclastic rocks; siltstone and argillite

UPPER PROTEROZOIC TO LOWER CAMBRIAN

- PCH: HYLAND: coarse turbiditic clastics, limestone and fine clastics; may include scattered mafic volcanic rocks
- PCH1: HYLAND: shale, fine to coarse grained quartz-rich sandstone, grit, and quartz pebble conglomerate; minor argillaceous limestone; phyllite; minor marble
- PCH2: HYLAND: thin to thick bedded, limestone, locally sandy; calc-silicate and marble
- PCH2?: HYLAND: thin to thick bedded, limestone, locally sandy; calc-silicate and marble
- PCH3: HYLAND: recessive, interbedded maroon and apple-green slate; "Oldhamia" trace fossils; rare grey chert; local siltstone, sandstone and quartz-pebble conglomerate
- PCH4: HYLAND: quartzose clastic rocks as described in (1)
- PCH5: HYLAND: dark green volcanic rocks, commonly with calcite filled vesicles, breccia, tuff, and agglomerate; minor interbedded shale, chert, siltstone, and limestone

CodeTxt

Watercourse

FO_1030009_1

Contour (20m)

Depression
Elevation



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.
888 DUNSMUIR STREET
11TH FLOOR
VANCOUVER BC V6C 3K4

Page: 1
Finalized Date: 25- OCT- 2011
Account: GOPRED

CERTIFICATE WH11173045

Project: Selwyn
P.O. No.: GPD2011SELWYN006
This report is for 101 Stream Sediment samples submitted to our lab in Whitehorse, YT, Canada on 29- AUG- 2011.

The following have access to data associated with this certificate:

MIKE BURKE
LINDA LEWIS

ANDREW CALDWELL
MIKE MASLOWSKI

JACK COTE
BRUCE OTTO

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 21d	Sample logging - ClientBarCode Dup
SPL- 34	Pulp Splitting Charge
LOG- 22	Sample login - Rcd w/o BarCode
LOG- 23	Pulp Login - Rcvd with Barcode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ST44	Super Trace Au - 50g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: GOLDEN PREDATOR CANADA CORP.
ATTN: JACK COTE
888 DUNSMUIR STREET
11TH FLOOR
VANCOUVER BC V6C 3K4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.
 888 DUNSMUIR STREET
 11TH FLOOR
 VANCOUVER BC V6C 3K4

Page: 2 - A
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 25- OCT- 2011
 Account: GOPRED

Project: Selwyn

CERTIFICATE OF ANALYSIS WH11173045

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ST44 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
K735450		7.20	0.0032	1.22	0.74	19.8	<0.2	<10	1670	0.72	0.13	0.51	3.02	13.10	6.2	21
K735460		6.88	0.0036	0.85	0.66	23.1	<0.2	<10	1470	0.78	0.18	0.46	9.19	18.30	9.1	22
K735461		5.76	0.0062	1.62	0.70	49.5	<0.2	<10	1480	1.27	0.32	0.40	12.05	25.8	9.8	25
K735462		6.56	0.0035	0.71	0.80	24.7	<0.2	<10	790	0.70	0.23	0.36	5.72	25.6	7.9	18
K735463		6.76	0.0042	1.39	0.66	40.4	<0.2	<10	1060	0.86	0.18	0.51	10.65	20.8	9.4	27
K735464		9.86	0.0027	1.63	0.67	28.3	<0.2	<10	1080	0.84	0.12	0.62	30.2	24.5	9.9	34
K735465		<0.02	0.0023	1.63	0.69	29.1	<0.2	<10	1080	0.87	0.13	0.62	30.3	24.7	10.3	35
K735466		6.54	0.0035	0.79	0.95	24.0	<0.2	<10	720	0.81	0.22	0.47	6.06	25.3	11.0	25
K735467		6.90	0.0026	0.82	0.83	36.9	<0.2	<10	1120	0.69	0.16	0.46	7.91	24.8	7.6	23
K735468		6.20	0.0419	1.19	1.85	51.0	<0.2	<10	1260	2.16	0.15	0.45	99.0	21.3	63.2	24
K735501		7.12	0.0024	0.72	0.40	69.6	<0.2	<10	260	0.24	0.06	0.08	1.06	3.71	6.9	19
K735502		5.90	0.0067	1.32	0.87	16.6	<0.2	<10	1630	0.56	0.14	0.41	5.18	10.10	5.2	21
K735503		4.90	0.0026	1.25	1.91	73.9	<0.2	<10	1150	1.66	0.11	0.19	11.75	11.65	101.5	20
K735504		7.08	0.0024	1.10	0.36	14.7	<0.2	<10	1270	0.19	0.12	0.10	0.57	3.87	3.6	13
K735505		5.92	0.0017	1.54	1.98	55.0	<0.2	<10	700	1.19	0.12	0.09	2.81	7.17	4.4	20
K735506		7.52	0.0011	1.69	0.27	28.7	<0.2	<10	210	0.22	0.08	0.07	1.03	3.85	0.8	17
K735507		7.14	0.0022	2.28	0.76	33.2	<0.2	<10	1370	0.54	0.13	0.19	2.69	8.83	2.6	23
K735508		6.32	0.0018	0.88	0.29	21.0	<0.2	<10	60	0.15	0.07	0.06	0.38	2.77	1.9	19
K735509		6.28	0.0023	0.76	0.77	22.2	<0.2	<10	1440	0.54	0.12	0.05	1.40	6.27	3.2	12
K735510		6.16	0.0044	1.51	3.66	67.5	<0.2	<10	430	0.97	0.15	0.06	0.48	8.17	7.7	29
K735511		6.68	0.0014	1.16	0.77	63.4	<0.2	<10	1530	1.14	0.10	0.27	6.54	8.57	27.7	16
K735512		6.36	0.0016	4.29	0.48	21.5	<0.2	<10	1180	0.54	0.11	0.21	1.69	9.23	1.0	35
K735513		5.84	0.0017	0.52	1.27	43.4	<0.2	<10	1080	0.77	0.24	0.51	5.93	16.70	18.3	14
K735514		9.30	0.0015	0.53	0.84	39.2	<0.2	<10	1350	0.52	0.11	0.55	10.40	16.50	16.6	13
K735515		<0.02	0.0016	0.57	0.81	44.2	<0.2	<10	1270	0.64	0.15	0.56	11.30	14.80	17.6	13
K735516		6.16	0.0013	0.59	1.94	26.5	<0.2	<10	820	1.04	0.22	0.40	1.92	25.9	13.4	20
K735517		5.80	0.0020	0.94	0.70	17.9	<0.2	<10	1260	0.64	0.16	0.47	9.19	11.20	9.3	14
K735518		6.78	0.0012	0.86	0.70	16.0	<0.2	<10	1090	0.51	0.16	0.46	4.44	12.65	7.9	15
K735519		7.22	0.0013	0.50	0.85	17.1	<0.2	<10	1340	0.73	0.16	0.47	4.16	13.95	15.4	14
K735520		6.88	0.0072	0.52	0.79	12.5	<0.2	<10	430	0.67	0.21	0.37	1.46	17.35	8.9	16
K735521		5.96	0.0041	1.61	0.78	16.5	<0.2	<10	440	0.70	0.17	0.51	18.40	15.00	7.6	20
K735522		7.00	0.0054	1.04	0.71	15.2	<0.2	<10	480	0.70	0.18	0.39	4.95	18.50	7.8	17
K735523		6.54	0.0032	0.51	1.18	18.8	<0.2	<10	490	0.78	0.22	0.60	2.36	29.1	11.6	19
K735524		5.92	0.0051	0.75	1.35	60.6	<0.2	<10	720	2.35	0.29	0.36	49.8	35.2	37.2	18
K735525		6.86	0.0063	0.80	0.70	30.3	<0.2	<10	670	0.91	0.25	0.28	3.52	25.9	14.6	19
K735526		7.96	0.0598	0.64	1.30	195.5	<0.2	<10	590	1.03	2.43	0.39	4.11	28.6	10.8	20
K735527		6.24	0.0047	1.79	0.82	20.2	<0.2	<10	770	0.74	0.19	0.73	11.60	11.90	6.1	21
K735528		6.04	0.0034	1.19	0.73	17.1	<0.2	<10	990	0.60	0.17	0.51	5.24	11.45	6.6	19
K735529		6.26	0.0056	2.31	0.83	23.4	<0.2	<10	600	0.75	0.22	0.40	5.97	26.2	11.6	27
K735530		0.10	0.0016	0.25	1.02	3.9	<0.2	<10	80	0.21	0.06	0.64	0.18	10.80	7.2	32



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.
 888 DUNSMUIR STREET
 11TH FLOOR
 VANCOUVER BC V6C 3K4

Page: 2 - B
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 25- OCT- 2011
 Account: GOPRED

Project: Selwyn

CERTIFICATE OF ANALYSIS WH11173045

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
K735450		0.87	52.6	2.53	2.70	0.07	0.03	0.32	0.027	0.07	6.8	8.3	0.14	328	10.10	0.02
K735460		0.85	75.1	2.32	2.62	0.08	0.04	0.24	0.026	0.10	9.2	8.0	0.22	762	16.45	0.02
K735461		1.33	127.0	2.98	3.02	0.11	0.04	0.57	0.037	0.14	14.3	7.5	0.16	448	53.0	0.02
K735462		1.07	41.0	1.94	2.84	0.06	0.03	0.16	0.020	0.09	13.3	12.4	0.19	617	10.50	0.02
K735463		0.90	103.0	2.69	2.46	0.10	0.03	0.55	0.033	0.09	12.0	5.0	0.16	432	14.40	0.01
K735464		0.71	97.2	2.42	2.78	0.11	0.04	0.23	0.024	0.10	14.8	4.8	0.14	759	26.1	0.02
K735465		0.72	97.5	2.41	2.90	0.11	0.04	0.24	0.025	0.10	15.1	5.0	0.14	762	25.8	0.02
K735466		1.15	69.0	2.46	3.48	0.08	0.03	0.22	0.027	0.10	13.8	11.4	0.32	663	9.03	0.02
K735467		0.95	70.4	2.73	2.88	0.09	0.04	0.40	0.031	0.07	13.6	7.0	0.21	686	6.11	0.02
K735468		0.93	362	2.98	3.01	0.12	0.10	0.61	0.030	0.08	12.9	7.9	0.16	18450	35.6	0.02
K735501		0.98	42.4	10.35	1.32	0.17	0.03	0.21	0.054	0.04	1.7	1.3	0.02	272	74.9	0.01
K735502		1.39	43.7	1.97	2.70	0.07	0.03	0.67	0.024	0.08	5.4	5.9	0.11	479	8.64	0.02
K735503		1.37	79.6	4.77	2.82	0.14	0.06	20.2	0.025	0.07	5.7	5.8	0.08	6190	118.0	0.02
K735504		2.10	61.4	3.97	1.24	0.07	0.03	0.66	0.032	0.06	1.6	0.7	0.03	153	7.43	0.01
K735505		1.14	135.0	2.83	2.36	0.11	0.07	0.41	0.035	0.16	3.8	3.2	0.05	186	21.7	0.01
K735506		1.21	42.3	13.70	1.90	0.23	0.02	0.20	0.030	0.08	2.1	0.5	0.01	23	31.6	0.01
K735507		1.10	92.3	2.41	2.62	0.12	0.03	0.40	0.034	0.10	4.9	2.6	0.06	78	24.8	0.01
K735508		1.38	34.8	15.55	1.13	0.20	0.02	0.38	0.034	0.05	1.3	0.8	0.01	61	23.3	0.01
K735509		1.96	55.4	2.88	1.42	0.07	0.03	0.35	0.031	0.05	2.9	3.5	0.05	108	12.10	0.01
K735510		2.61	91.7	3.71	2.66	0.10	0.08	0.32	0.094	0.05	3.5	12.9	0.12	271	16.55	0.01
K735511		1.87	88.2	3.67	1.98	0.10	0.04	0.59	0.023	0.07	4.8	3.5	0.04	1490	32.7	0.02
K735512		1.05	93.7	1.43	2.64	0.14	0.03	1.01	0.024	0.09	6.5	1.7	0.03	34	27.5	0.01
K735513		1.45	30.0	4.98	3.16	0.10	0.03	0.14	0.022	0.07	7.5	17.7	0.23	1840	30.7	0.03
K735514		0.86	32.8	3.95	2.28	0.08	0.04	0.28	0.023	0.06	7.5	9.7	0.15	2180	12.65	0.02
K735515		0.91	33.5	4.09	2.33	0.06	0.04	0.33	0.029	0.05	7.2	11.2	0.15	2270	12.80	0.01
K735516		2.46	17.8	3.28	5.15	0.08	0.02	0.14	0.036	0.11	12.1	33.8	0.29	1200	6.93	0.02
K735517		1.28	63.8	2.28	1.98	0.07	0.03	0.28	0.033	0.08	6.0	7.7	0.12	619	10.10	0.01
K735518		1.20	41.8	2.43	2.26	0.05	0.02	0.26	0.031	0.06	5.9	9.9	0.14	420	7.21	0.01
K735519		1.13	40.8	3.29	2.19	0.06	0.04	0.23	0.030	0.06	7.0	13.7	0.15	750	7.50	0.01
K735520		1.23	60.4	2.53	2.89	0.06	0.04	0.20	0.030	0.10	9.4	12.4	0.21	581	4.09	0.01
K735521		0.86	74.1	1.96	2.51	0.07	0.02	0.35	0.026	0.08	8.7	5.9	0.12	591	9.85	0.01
K735522		0.94	61.9	2.33	2.41	0.07	0.03	0.21	0.028	0.10	9.5	7.4	0.14	473	7.88	0.01
K735523		1.54	44.1	2.58	4.14	0.08	0.05	0.23	0.030	0.15	14.7	23.1	0.57	723	4.06	0.01
K735524		1.94	157.5	2.77	3.54	0.12	0.04	0.29	0.035	0.12	20.0	17.9	0.23	14900	15.70	0.01
K735525		1.78	101.5	3.02	3.01	0.08	0.02	0.38	0.040	0.14	15.5	7.1	0.18	2130	8.33	0.01
K735526		2.87	77.7	2.57	4.80	0.08	0.02	0.12	0.040	0.13	15.4	18.2	0.37	665	7.42	0.01
K735527		0.82	63.9	1.85	2.36	0.06	0.05	0.47	0.026	0.08	6.4	6.6	0.16	678	9.56	0.01
K735528		0.84	61.1	2.10	2.44	0.06	0.02	0.33	0.024	0.08	6.2	7.3	0.19	324	9.19	0.01
K735529		1.17	86.8	2.68	3.27	0.08	0.02	0.35	0.036	0.09	15.6	9.9	0.17	805	11.75	0.01
K735530		0.32	21.7	2.01	3.94	0.09	0.27	0.03	0.016	0.06	4.8	7.5	0.46	313	4.06	0.05



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.
 888 DUNSMUIR STREET
 11TH FLOOR
 VANCOUVER BC V6C 3K4

Page: 2 - C
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 25- OCT- 2011
 Account: GOPRED

Project: Selwyn

CERTIFICATE OF ANALYSIS WH1173045

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	
		Nb ppm 0.05	Ni ppm 0.2	P ppm 10	Pb ppm 0.2	Rb ppm 0.1	Re ppm 0.001	S % 0.01	Sb ppm 0.05	Sc ppm 0.1	Se ppm 0.2	Sn ppm 0.2	Sr ppm 0.2	Ta ppm 0.01	Te ppm 0.01	Tb ppm 0.2
K735450		0.29	38.7	2520	11.1	9.3	0.004	0.06	4.06	3.0	4.8	0.4	150.5	<0.01	0.12	1.0
K735460		0.52	111.5	1100	12.5	14.0	0.006	0.07	6.94	2.7	4.8	0.4	80.2	<0.01	0.10	1.4
K735461		0.32	145.5	1320	19.4	15.7	0.002	0.08	15.45	4.0	7.1	0.7	88.8	0.01	0.15	1.1
K735462		0.57	71.0	1240	10.8	13.2	0.005	0.02	3.20	2.4	2.4	0.5	48.6	<0.01	0.06	1.7
K735463		0.22	108.5	2110	13.4	11.9	0.009	0.09	7.82	2.7	7.2	0.4	102.5	<0.01	0.14	0.8
K735464		0.33	289	2480	10.3	13.9	0.008	0.12	9.40	2.4	8.4	0.5	118.5	0.01	0.14	1.3
K735465		0.33	295	2460	10.6	14.0	0.008	0.12	9.32	2.4	8.3	0.5	116.5	<0.01	0.13	1.2
K735466		0.60	105.0	1580	13.6	16.4	0.006	0.05	4.58	2.9	3.4	0.4	82.1	<0.01	0.11	1.7
K735467		0.24	100.5	2740	14.0	11.1	0.007	0.16	2.89	2.7	4.3	0.3	105.5	<0.01	0.12	1.4
K735468		0.18	946	2710	12.7	10.1	0.007	0.21	5.68	3.5	7.8	0.3	131.5	0.01	0.14	2.0
K735501		0.14	17.3	5650	5.2	4.9	0.007	0.66	24.6	5.5	12.1	0.2	67.6	<0.01	0.14	1.1
K735502		0.24	101.0	2720	12.4	14.5	0.013	0.07	2.77	1.8	4.6	0.4	147.0	<0.01	0.11	0.4
K735503		0.34	108.0	8770	9.7	11.6	0.006	0.14	13.40	2.8	15.7	0.3	112.5	0.01	0.21	1.2
K735504		0.05	16.4	1310	9.1	7.3	0.006	0.27	3.05	4.6	3.4	0.2	81.7	<0.01	0.07	2.0
K735505		0.23	29.7	6600	13.8	13.6	0.010	0.43	8.14	3.4	13.3	0.4	101.0	0.01	0.20	1.0
K735506		0.13	10.2	3250	8.2	7.4	0.017	1.46	14.95	3.1	20.9	0.3	67.9	<0.01	0.22	1.0
K735507		0.17	27.5	4160	12.7	10.5	0.008	0.22	12.10	3.0	18.7	0.5	217	<0.01	0.24	0.7
K735508		0.14	9.7	2480	5.7	5.6	0.008	1.63	8.33	3.6	6.7	0.2	88.3	<0.01	0.08	1.1
K735509		0.13	18.7	1400	10.2	8.1	0.006	0.17	3.17	3.2	5.2	0.3	58.2	<0.01	0.10	1.1
K735510		0.30	29.0	5740	13.1	10.3	0.004	0.61	2.69	15.2	9.0	0.3	66.8	0.01	0.10	1.7
K735511		0.11	102.0	5790	8.0	9.7	0.013	0.12	8.34	2.8	9.0	0.3	115.5	<0.01	0.13	1.0
K735512		0.12	18.2	3610	10.2	10.2	0.015	0.18	12.80	2.5	16.7	0.5	170.0	<0.01	0.27	0.6
K735513		0.60	168.0	1930	9.4	14.8	0.008	0.04	2.03	2.2	3.0	0.4	47.7	<0.01	0.05	1.3
K735514		0.41	140.0	1720	9.5	10.7	0.008	0.05	2.37	2.7	2.9	0.3	65.6	<0.01	0.07	2.0
K735515		0.36	146.0	1800	10.6	9.2	0.011	0.05	2.78	2.5	3.1	0.3	66.4	<0.01	0.06	2.0
K735516		0.85	53.1	1010	14.2	23.8	0.011	0.04	1.45	2.5	3.4	0.6	37.3	<0.01	0.03	1.1
K735517		0.19	157.0	1850	13.3	9.9	0.006	0.11	4.49	2.4	5.8	0.3	103.5	<0.01	0.11	1.1
K735518		0.24	75.5	1680	10.8	10.0	0.008	0.06	3.21	2.4	3.7	0.3	96.8	<0.01	0.09	1.2
K735519		0.29	154.0	1190	11.2	9.5	0.008	0.06	2.38	2.6	2.6	0.3	68.0	<0.01	0.06	1.9
K735520		0.26	57.3	1070	15.0	13.3	0.003	0.05	1.94	2.5	1.7	0.3	50.3	<0.01	0.09	1.5
K735521		0.24	256	1880	11.6	10.6	0.006	0.05	4.06	1.9	4.9	0.4	85.1	<0.01	0.08	0.9
K735522		0.21	70.1	1510	12.0	9.6	0.003	0.05	3.62	2.5	3.9	0.3	58.6	<0.01	0.07	1.3
K735523		0.34	58.7	1900	14.7	17.0	0.005	0.05	1.61	2.6	2.7	0.4	64.2	<0.01	0.06	2.6
K735524		0.22	1175	1930	22.1	15.9	0.007	0.11	5.54	2.3	4.0	0.5	55.8	<0.01	0.12	1.5
K735525		0.14	83.1	1590	27.6	10.9	0.003	0.17	8.19	2.0	3.9	0.6	61.2	<0.01	0.11	0.8
K735526		0.78	95.3	1450	45.3	17.3	0.003	0.06	5.96	3.2	3.0	0.9	62.1	<0.01	0.13	2.6
K735527		0.22	150.0	1270	12.8	10.9	0.005	0.06	4.97	2.3	4.6	0.4	95.3	<0.01	0.10	0.9
K735528		0.32	77.7	1260	11.2	8.1	0.008	0.06	4.68	2.7	4.5	0.4	78.8	<0.01	0.11	1.3
K735529		0.23	130.5	1870	14.9	9.8	0.007	0.08	5.30	1.8	6.1	0.5	81.1	<0.01	0.14	0.6
K735530		0.22	23.7	500	2.5	3.1	0.002	0.04	0.36	4.2	0.6	0.4	29.1	<0.01	0.03	1.1



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.
 888 DUNSMUIR STREET
 11TH FLOOR
 VANCOUVER BC V6C 3K4

Page: 2 - D
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 25- OCT- 2011
 Account: GOPRED

Project: Selwyn

CERTIFICATE OF ANALYSIS WH11173045

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
K735450		0.007	0.29	3.14	137	0.17	14.50	203	0.5
K735460		0.018	0.34	5.63	179	0.11	16.35	1220	1.1
K735461		0.010	0.94	13.30	307	0.29	33.2	886	0.8
K735462		0.019	0.26	5.00	105	0.48	10.75	767	0.5
K735463		0.008	0.43	8.97	203	0.18	17.05	949	0.6
K735464		0.013	0.64	8.36	311	0.18	19.45	2790	0.9
K735465		0.013	0.66	8.77	322	0.79	19.10	2930	0.8
K735466		0.021	0.27	6.83	125	1.17	12.45	883	0.8
K735467		0.011	0.26	5.48	141	0.10	11.75	712	1.0
K735468		<0.005	0.38	17.65	179	0.13	50.0	4920	2.7
K735501		<0.005	0.34	2.86	275	0.08	7.38	134	0.8
K735502		0.008	0.35	3.56	115	0.10	11.20	515	0.5
K735503		0.009	1.93	4.08	437	0.24	18.80	499	1.5
K735504		<0.005	0.50	1.86	33	<0.05	6.45	81	2.0
K735505		0.007	0.64	4.32	185	0.20	16.80	199	2.2
K735506		<0.005	0.50	3.73	280	0.10	7.33	88	1.0
K735507		0.005	0.74	5.95	208	0.25	14.05	115	0.6
K735508		<0.005	0.45	1.54	338	<0.05	4.11	62	0.7
K735509		<0.005	0.24	2.46	69	0.10	8.47	164	0.7
K735510		0.005	0.41	7.50	198	0.14	11.30	133	1.7
K735511		<0.005	1.10	6.01	219	0.12	16.40	456	0.8
K735512		0.005	0.66	8.22	315	0.26	17.40	79	0.5
K735513		0.015	0.25	8.75	98	2.21	10.40	925	0.6
K735514		0.008	0.20	2.38	87	1.38	9.74	779	1.1
K735515		0.009	0.21	2.33	87	0.12	10.60	807	1.2
K735516		0.015	0.29	3.11	57	0.43	10.95	331	0.6
K735517		0.006	0.32	3.74	97	0.27	15.20	974	0.8
K735518		0.007	0.25	3.40	73	0.13	11.20	553	0.7
K735519		0.006	0.21	1.96	57	1.25	11.50	845	1.1
K735520		0.012	0.14	1.70	56	0.09	10.25	259	1.1
K735521		0.010	0.41	5.88	131	0.11	14.35	2590	0.8
K735522		0.009	0.26	3.45	93	0.09	14.60	527	0.9
K735523		0.015	0.20	2.35	70	0.07	12.00	301	1.5
K735524		0.010	0.32	3.22	92	0.07	32.2	2770	1.2
K735525		0.006	0.27	2.75	71	0.05	11.90	313	0.6
K735526		0.034	0.32	6.44	125	0.22	12.15	555	0.5
K735527		0.008	0.47	4.10	179	0.08	17.85	1820	1.3
K735528		0.010	0.28	3.22	129	0.13	14.95	760	0.7
K735529		0.011	0.52	5.64	149	0.14	18.30	830	0.5
K735530		0.105	0.06	0.29	48	11.80	7.60	48	7.2



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.
 888 DUNSMUIR STREET
 11TH FLOOR
 VANCOUVER BC V6C 3K4

Page: 3 - A
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 25- OCT- 2011
 Account: GOPRED

Project: Selwyn

CERTIFICATE OF ANALYSIS WH11173045

Sample Description	Method Analyte Units LOR	WEI- 21	Au- ST44	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
K735531		6.54	0.0068	0.75	0.62	19.7	<0.2	<10	430	0.69	0.22	0.46	3.46	24.0	12.3	17
K735532		7.12	0.0061	1.82	0.85	29.4	<0.2	<10	840	0.58	0.17	0.56	18.85	17.95	10.8	23
K735533		8.92	0.0044	1.15	0.81	28.1	<0.2	<10	680	0.85	0.19	0.42	9.14	25.0	12.4	25
K735534		5.58	0.0056	1.10	1.03	24.6	<0.2	<10	710	0.93	0.22	0.44	8.95	30.0	13.4	27
K735535		6.64	0.0019	0.23	1.18	26.3	<0.2	<10	370	0.84	0.26	0.36	1.75	50.4	14.7	19
K735536		6.18	0.0012	0.22	1.09	43.7	<0.2	<10	190	0.58	0.23	0.33	2.35	40.9	12.5	16
K735537		6.76	0.0026	0.39	0.64	14.5	<0.2	<10	550	0.45	0.17	0.38	3.13	28.0	12.0	8
K735538		5.94	0.0034	0.56	0.66	19.0	<0.2	<10	640	0.77	0.24	0.65	7.07	34.6	12.8	10
K735539		6.34	0.0042	0.76	0.64	19.1	<0.2	<10	510	0.77	0.24	0.75	5.38	39.4	11.7	10
K735540		6.86	0.0017	0.73	1.08	26.9	<0.2	<10	690	1.07	0.27	0.36	2.89	23.9	13.0	24
K735541		5.92	0.0027	0.84	0.86	11.7	<0.2	<10	390	0.39	0.18	0.13	0.46	17.75	2.2	18
K735542		6.96	0.0036	1.09	1.08	19.6	<0.2	<10	760	0.77	0.26	0.38	3.39	26.2	7.7	23
K735543		7.54	0.0013	0.26	0.97	12.1	<0.2	<10	700	0.81	0.11	0.48	0.95	17.85	15.7	10
K735544		7.46	0.0015	0.34	0.83	9.0	<0.2	<10	590	0.56	0.09	0.35	0.72	13.55	13.0	10
K735545		0.12	0.0785	0.15	1.23	52.8	0.2	<10	120	0.27	0.11	1.38	0.38	12.90	7.3	28
K735546		5.68	0.0041	1.46	0.73	49.3	<0.2	<10	990	0.58	0.14	0.72	7.10	13.80	6.0	22
K735547		5.62	0.0087	1.37	1.20	24.0	<0.2	<10	880	0.77	0.30	0.28	7.61	24.6	15.3	22
K735548		6.70	0.0054	0.89	1.74	64.3	<0.2	<10	1040	1.06	0.32	0.49	2.96	32.8	22.6	27
K735549		6.94	0.0091	1.62	0.62	28.9	<0.2	<10	1090	0.91	0.22	0.52	35.4	21.1	43.1	23
K735550		6.76	0.0055	0.71	0.81	19.9	<0.2	<10	830	0.69	0.23	0.33	10.10	20.9	10.6	20
K735551		7.92	0.0042	0.43	1.41	47.2	<0.2	<10	1200	0.81	0.15	0.09	0.76	12.55	21.3	13
K735552		8.62	0.0027	0.69	0.49	34.3	<0.2	<10	800	0.31	0.16	0.03	0.46	7.64	2.1	12
K735553		7.62	0.0018	0.41	0.71	13.9	<0.2	<10	850	0.48	0.14	0.74	1.30	13.55	7.0	11
K735554		8.76	0.0025	1.35	0.69	18.9	<0.2	<10	1160	0.83	0.16	0.53	13.45	11.00	15.8	16
K735555		8.04	0.0018	1.42	0.85	28.8	<0.2	<10	850	0.72	0.18	0.51	4.43	18.20	15.9	17
K735556		8.12	0.0017	0.47	0.64	22.8	<0.2	<10	890	0.29	0.15	0.55	3.46	11.00	6.0	12
K735557		6.74	0.0041	0.86	0.65	66.4	<0.2	<10	1260	0.50	0.10	0.55	6.05	10.50	5.2	16
K735558		7.18	0.0028	0.72	0.64	23.3	<0.2	<10	800	0.56	0.10	0.58	13.15	22.9	10.4	22
K735559		8.26	0.0039	1.46	0.63	26.4	<0.2	<10	710	0.63	0.08	0.73	16.75	13.65	10.8	30
K735560		7.44	0.0049	0.99	0.71	23.9	<0.2	<10	860	0.84	0.17	0.47	11.00	18.75	11.3	23
K735561		8.22	0.0057	1.06	0.61	31.1	<0.2	<10	770	0.72	0.13	0.46	10.00	16.30	17.4	22
K735562		7.08	0.0067	1.08	0.78	23.1	<0.2	<10	600	0.71	0.11	0.50	15.75	18.30	10.4	21
K735563		8.64	0.0059	1.13	0.90	23.1	<0.2	<10	500	0.64	0.14	0.45	6.59	14.65	9.4	27
K735564		7.80	0.0057	0.45	0.81	14.3	<0.2	<10	740	0.48	0.19	0.42	1.55	23.8	10.0	16
K735565		0.14	0.0026	0.17	0.97	3.5	<0.2	<10	80	0.14	<0.01	0.60	0.18	9.74	7.6	29
K735566		8.48	0.0049	0.45	0.87	30.4	<0.2	<10	690	0.66	0.14	0.33	4.12	21.4	12.4	24
K735567		7.64	0.0027	0.32	1.71	159.0	<0.2	<10	180	1.24	0.28	0.48	2.10	42.2	21.7	19
K735568		7.64	0.0022	0.13	1.42	95.0	<0.2	<10	200	1.06	0.39	0.35	1.71	53.7	16.3	19
K735569		8.56	0.0006	0.13	0.75	14.4	<0.2	<10	950	0.49	0.25	0.74	1.24	21.8	13.9	13
K735570		7.20	0.0031	0.43	0.83	18.3	<0.2	<10	1020	0.44	0.18	0.40	3.31	34.2	14.2	12



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.
 888 DUNSMUIR STREET
 11TH FLOOR
 VANCOUVER BC V6C 3K4

Page: 3 - B
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 25- OCT- 2011
 Account: GOPRED

Project: Selwyn

CERTIFICATE OF ANALYSIS WH1173045

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %
K735531		2.26	78.3	2.76	2.79	0.07	0.02	0.14	0.032	0.10	13.2	8.7	0.17	1660	6.70	0.01
K735532		0.82	43.3	2.21	3.13	0.09	0.03	0.64	0.024	0.08	10.1	8.3	0.18	700	19.85	0.01
K735533		1.13	94.9	2.85	2.92	0.10	0.02	0.57	0.031	0.12	14.7	9.6	0.22	1780	19.40	0.01
K735534		1.08	83.5	2.79	3.30	0.09	0.03	0.42	0.035	0.11	17.0	12.0	0.31	914	11.25	0.01
K735535		2.35	32.0	3.11	3.93	0.09	0.03	0.03	0.028	0.08	24.5	26.8	0.39	793	2.52	0.01
K735536		3.38	25.5	3.06	4.47	0.08	0.02	0.02	0.026	0.06	21.3	23.4	0.52	593	2.06	0.01
K735537		2.13	29.2	2.51	2.08	0.06	0.02	0.13	0.027	0.05	14.1	9.8	0.14	1700	4.70	0.01
K735538		2.52	47.7	2.78	1.89	0.09	0.03	0.16	0.038	0.07	17.4	7.7	0.12	1200	9.04	0.01
K735539		2.49	51.0	2.72	1.90	0.09	0.03	0.18	0.039	0.08	19.9	6.6	0.10	838	10.90	0.01
K735540		1.21	42.6	3.01	4.36	0.06	<0.02	0.15	0.027	0.10	12.2	14.8	0.22	2830	15.10	0.01
K735541		1.19	21.0	1.14	3.63	<0.05	<0.02	0.23	0.014	0.09	9.6	9.3	0.16	53	3.31	0.01
K735542		1.24	58.1	2.05	3.87	0.06	0.02	0.31	0.027	0.12	14.3	12.4	0.23	694	7.29	0.01
K735543		1.27	27.4	3.79	1.96	0.06	0.03	0.24	0.021	0.08	7.2	13.7	0.14	557	4.45	0.01
K735544		1.30	21.6	2.06	1.90	0.05	0.02	0.28	0.017	0.06	6.4	12.8	0.11	290	2.87	0.01
K735545		0.49	50.5	2.99	4.67	0.09	0.32	0.37	0.024	0.10	6.2	8.9	0.57	410	10.10	0.08
K735546		0.88	42.3	2.23	2.77	0.06	<0.02	0.47	0.017	0.09	7.8	7.7	0.13	1530	21.5	0.01
K735547		2.30	34.4	2.19	4.27	0.06	<0.02	0.46	0.026	0.12	10.7	15.7	0.20	2700	10.95	0.01
K735548		2.28	27.4	4.43	5.07	0.07	0.02	0.26	0.031	0.14	16.2	24.8	0.29	1110	13.80	0.02
K735549		1.12	135.0	3.62	2.39	0.09	0.02	0.40	0.044	0.12	11.3	5.2	0.26	5300	20.7	0.01
K735550		1.00	57.0	2.98	2.93	0.07	0.02	0.16	0.031	0.09	10.7	6.0	0.18	792	9.79	0.01
K735551		2.78	35.4	4.41	2.32	0.10	0.05	0.19	0.027	0.05	5.8	12.6	0.13	811	14.60	0.01
K735552		2.34	28.2	3.82	1.98	0.09	0.02	0.20	0.026	0.07	4.0	5.3	0.06	55	11.90	0.01
K735553		0.57	21.4	2.86	2.04	0.10	0.07	0.16	0.024	0.05	6.1	9.9	0.17	459	3.50	0.02
K735554		1.24	82.4	2.37	2.00	0.12	0.04	0.28	0.028	0.11	6.1	6.5	0.10	1310	13.90	0.02
K735555		1.44	56.3	4.15	2.67	0.14	0.04	0.34	0.028	0.09	9.9	12.6	0.15	936	15.60	0.02
K735556		0.95	37.1	3.71	1.89	0.09	0.06	0.39	0.024	0.05	5.1	7.8	0.12	522	10.95	0.01
K735557		0.68	62.0	3.85	2.55	0.10	0.07	0.44	0.017	0.06	5.8	4.9	0.13	6310	39.5	0.01
K735558		0.89	63.8	2.44	2.32	0.07	0.04	0.36	0.024	0.09	13.1	6.1	0.16	1450	14.95	0.01
K735559		0.57	80.8	1.94	2.30	0.09	0.04	0.47	0.021	0.09	8.3	4.2	0.11	1050	21.6	0.01
K735560		0.72	94.3	2.39	2.60	0.06	0.03	0.44	0.034	0.11	9.9	7.3	0.12	1000	13.10	0.01
K735561		0.73	110.5	3.89	2.25	0.10	0.04	0.32	0.027	0.11	8.8	5.0	0.11	4830	18.50	0.01
K735562		0.72	83.8	2.52	2.46	0.08	0.04	0.44	0.025	0.10	10.1	5.9	0.12	1200	16.45	0.01
K735563		1.21	73.3	2.47	3.51	0.06	0.04	0.34	0.027	0.10	8.1	8.9	0.16	723	13.35	0.01
K735564		1.12	51.9	2.55	2.84	0.06	0.04	0.27	0.029	0.09	12.6	11.8	0.23	650	5.12	0.01
K735565		0.30	22.2	1.96	3.83	0.08	0.24	0.07	0.015	0.06	4.4	7.1	0.45	300	4.24	0.05
K735566		1.07	112.0	4.44	2.82	0.09	0.04	0.31	0.032	0.13	11.5	9.1	0.26	1520	8.59	0.01
K735567		10.30	49.5	4.04	5.45	0.10	0.04	0.04	0.029	0.10	23.5	40.7	0.49	884	2.12	0.02
K735568		16.20	39.4	4.01	4.76	0.10	0.04	0.04	0.026	0.07	29.6	35.0	0.41	811	1.17	0.01
K735569		2.91	57.2	3.67	1.81	0.10	0.09	0.12	0.060	0.07	9.4	20.9	0.28	491	11.95	0.01
K735570		2.91	54.9	3.04	2.28	0.07	0.05	0.16	0.037	0.06	17.2	15.2	0.25	2160	7.93	0.01

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.
 888 DUNSMUIR STREET
 11TH FLOOR
 VANCOUVER BC V6C 3K4

Page: 3 - C
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 25- OCT- 2011
 Account: GOPRED

Project: Selwyn

CERTIFICATE OF ANALYSIS WH11173045

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	
		Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm
K735531		0.24	71.3	1620	14.6	10.1	0.008	0.08	2.66	1.9	4.2	0.4	59.4	<0.01	0.09	0.7
K735532		0.27	171.5	2730	11.7	9.4	0.016	0.05	4.82	2.1	9.1	0.5	61.9	<0.01	0.10	1.0
K735533		0.16	125.5	1790	13.1	10.8	0.009	0.12	7.28	2.6	6.2	0.3	110.0	<0.01	0.13	1.5
K735534		0.23	155.5	1820	14.8	11.3	0.007	0.06	4.96	3.3	4.1	0.4	100.0	<0.01	0.14	2.4
K735535		0.28	39.4	740	37.3	10.1	0.001	0.02	2.23	3.0	1.4	0.4	38.2	<0.01	0.05	4.1
K735536		0.27	33.5	690	60.2	10.3	0.001	0.03	3.03	1.8	1.1	0.3	25.3	<0.01	0.04	2.3
K735537		0.15	71.6	1070	23.6	7.7	0.005	0.04	2.34	2.2	2.1	0.3	48.4	<0.01	0.05	2.7
K735538		0.15	86.3	2130	28.2	9.9	0.007	0.05	3.62	3.2	3.1	0.3	69.6	<0.01	0.08	3.3
K735539		0.14	74.1	2880	24.6	10.7	0.007	0.02	3.61	3.7	3.5	0.3	80.2	<0.01	0.08	3.6
K735540		0.49	38.4	1350	11.5	16.3	0.007	0.04	3.48	1.8	4.1	0.6	47.2	<0.01	0.11	0.8
K735541		0.50	14.9	970	8.4	14.4	0.005	0.02	1.22	1.4	1.6	0.5	29.0	<0.01	0.03	0.9
K735542		0.51	44.2	1450	10.9	15.3	0.004	0.02	3.05	2.7	2.7	0.5	59.9	<0.01	0.08	1.7
K735543		0.19	83.4	1830	7.0	9.3	0.006	0.04	0.94	3.0	2.9	0.3	36.5	<0.01	0.02	3.0
K735544		0.27	65.1	1190	6.2	9.5	0.006	0.05	0.85	2.2	2.8	0.3	30.9	<0.01	0.02	1.9
K735545		0.23	35.3	760	3.3	4.8	0.004	0.12	1.01	5.1	1.0	1.8	40.0	<0.01	0.04	1.4
K735546		0.33	98.4	4910	8.3	12.0	0.006	0.07	3.77	1.9	7.9	0.4	83.7	<0.01	0.09	0.9
K735547		0.41	58.8	1450	11.4	23.0	0.006	0.07	3.41	1.6	4.7	0.6	56.5	<0.01	0.22	0.5
K735548		1.00	65.1	1980	12.6	23.7	0.009	0.05	2.76	3.6	4.3	0.8	52.6	<0.01	0.08	2.9
K735549		0.11	446	1370	14.5	9.6	0.011	0.14	8.14	4.5	7.0	0.3	110.0	<0.01	0.12	2.7
K735550		0.30	125.5	1550	14.1	12.6	0.009	0.05	3.30	1.9	3.2	0.4	58.1	<0.01	0.09	0.7
K735551		0.38	31.9	2270	10.9	10.2	0.004	0.14	4.16	3.8	4.1	0.3	30.5	0.01	0.05	1.9
K735552		0.26	12.6	830	10.8	9.2	0.020	0.16	5.06	3.1	5.8	0.3	24.7	<0.01	0.07	1.2
K735553		0.27	28.4	1510	9.2	7.8	0.009	0.06	0.87	3.1	2.5	0.2	56.5	<0.01	0.05	2.4
K735554		0.17	210	2440	13.9	10.5	0.007	0.19	6.14	2.9	8.4	0.3	139.0	0.01	0.21	1.2
K735555		0.44	118.0	1940	11.6	12.4	0.011	0.08	4.37	3.2	6.1	0.4	91.9	0.01	0.11	2.7
K735556		0.43	53.7	2190	9.9	8.2	0.011	0.08	5.25	2.5	10.8	0.3	61.9	0.01	0.05	1.7
K735557		0.45	91.3	2500	9.6	8.1	0.014	0.14	4.19	1.9	12.8	0.3	69.9	<0.01	0.06	0.7
K735558		0.38	154.0	2570	11.5	9.9	0.008	0.10	4.88	2.5	5.4	0.3	96.0	<0.01	0.09	1.9
K735559		0.34	228	3110	11.2	9.3	0.008	0.08	5.69	2.6	7.9	0.4	106.0	<0.01	0.11	1.0
K735560		0.26	122.0	2310	19.4	10.2	0.005	0.19	4.75	2.0	4.7	0.4	138.5	<0.01	0.17	0.7
K735561		0.29	218	2370	13.0	9.8	0.005	0.18	5.70	3.0	7.0	0.3	133.0	0.01	0.12	1.2
K735562		0.32	188.0	2390	13.2	10.5	0.006	0.10	4.71	2.8	5.9	0.3	99.9	<0.01	0.11	1.2
K735563		0.40	95.4	1920	16.3	11.9	0.004	0.07	3.59	2.2	3.6	0.5	80.6	<0.01	0.09	0.6
K735564		0.40	58.6	1490	11.8	9.8	0.005	0.07	2.00	2.6	2.5	0.4	48.4	<0.01	0.06	1.5
K735565		0.33	21.5	480	2.5	3.0	0.001	0.05	0.29	4.2	0.5	0.3	27.0	<0.01	0.01	1.1
K735566		0.36	88.6	1850	13.9	9.7	0.005	0.19	3.70	2.9	4.8	0.2	125.0	<0.01	0.12	2.0
K735567		1.67	56.5	1100	34.6	13.3	0.003	0.06	7.47	3.3	1.7	0.5	75.1	0.01	0.02	5.0
K735568		0.94	37.4	780	30.8	9.3	0.001	0.05	24.9	2.0	1.0	0.4	51.8	<0.01	0.02	4.7
K735569		0.33	94.6	2280	14.4	7.9	0.013	0.11	1.17	6.4	3.6	0.3	101.5	0.01	0.05	6.5
K735570		0.30	86.9	1050	21.3	6.9	0.006	0.08	2.69	3.5	2.8	0.2	56.4	<0.01	0.06	2.8



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.
 888 DUNSMUIR STREET
 11TH FLOOR
 VANCOUVER BC V6C 3K4

Page: 3 - D
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 25- OCT- 2011
 Account: GOPRED

Project: Selwyn

CERTIFICATE OF ANALYSIS WH11173045

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
K735531		0.010	0.22	2.18	59	0.10	11.70	486	<0.5
K735532		0.014	0.31	3.74	184	0.09	10.40	1040	0.8
K735533		0.008	0.43	6.72	197	0.11	19.10	749	0.8
K735534		0.008	0.35	7.86	156	0.54	18.25	1050	1.0
K735535		0.010	0.10	1.52	33	0.10	9.76	210	1.1
K735536		0.025	0.07	1.40	45	0.16	7.58	372	0.8
K735537		0.006	0.17	1.36	23	0.05	9.93	340	0.9
K735538		0.005	0.27	2.02	29	0.06	18.80	663	1.0
K735539		<0.005	0.27	2.31	28	0.05	23.0	539	1.0
K735540		0.014	0.24	2.34	148	0.48	10.60	292	<0.5
K735541		0.013	0.23	1.66	86	1.06	5.42	91	<0.5
K735542		0.013	0.27	4.39	126	0.50	13.80	270	0.7
K735543		0.006	0.25	1.50	38	0.11	14.40	364	0.6
K735544		0.009	0.27	1.36	41	0.14	9.16	249	<0.5
K735545		0.111	0.61	0.57	52	0.74	9.54	60	8.9
K735546		0.015	0.28	4.43	218	0.24	9.96	829	0.5
K735547		0.017	0.31	1.91	190	0.41	9.20	378	<0.5
K735548		0.025	0.35	2.29	156	1.30	12.20	517	0.6
K735549		<0.005	0.41	7.85	173	0.06	21.7	3000	0.9
K735550		0.014	0.29	7.85	107	0.17	11.90	988	0.5
K735551		0.005	0.54	2.32	60	0.17	11.25	209	1.2
K735552		<0.005	0.40	2.43	91	0.11	5.38	60	0.6
K735553		<0.005	0.16	1.07	30	<0.05	11.35	134	1.6
K735554		0.005	0.43	6.66	140	0.15	20.1	1200	0.8
K735555		0.009	0.30	5.64	104	0.15	14.20	635	0.8
K735556		0.006	0.17	2.72	70	0.13	10.60	279	1.3
K735557		0.009	0.22	6.97	110	0.17	9.87	411	1.8
K735558		0.006	0.27	5.22	154	0.17	15.80	1100	1.1
K735559		0.007	0.40	7.64	228	0.16	18.30	2210	0.9
K735560		0.006	0.32	12.05	173	0.12	20.6	865	0.6
K735561		0.006	0.34	5.52	152	0.14	19.25	799	0.9
K735562		0.007	0.30	10.05	149	0.12	19.50	1570	0.8
K735563		0.007	0.33	5.38	160	0.17	14.20	813	0.6
K735564		0.010	0.14	2.50	59	1.40	11.50	350	0.9
K735565		0.096	0.06	0.28	43	11.30	6.82	32	7.1
K735566		0.006	0.15	6.07	104	0.15	14.30	359	1.2
K735567		0.042	0.10	8.48	42	0.41	16.70	223	0.9
K735568		0.023	0.08	4.56	31	0.15	14.60	229	0.7
K735569		<0.005	0.22	1.27	17	0.05	24.3	233	3.3
K735570		0.005	0.31	2.19	25	0.06	13.20	299	1.0



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.
 888 DUNSMUIR STREET
 11TH FLOOR
 VANCOUVER BC V6C 3K4

Page: 4 - A
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 25- OCT- 2011
 Account: GOPRED

Project: Selwyn

CERTIFICATE OF ANALYSIS WH11173045

Sample Description	Method Analyte Units LOR	WEI- 21	Au- ST44	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
K735571		8.58	0.0046	0.74	1.05	26.5	<0.2	<10	740	0.83	0.16	0.38	4.65	18.30	12.4	23
K735572		8.22	0.0044	0.53	1.11	44.1	<0.2	<10	640	0.84	0.09	0.37	3.42	15.60	21.2	18
K735573		7.66	0.0297	0.37	0.78	34.1	<0.2	<10	790	0.54	0.12	0.35	2.21	15.30	14.5	14
K735574		7.36	0.0016	0.23	0.93	71.3	<0.2	<10	650	1.07	0.08	0.47	4.54	11.00	29.9	9
K735575		7.50	0.0030	0.37	0.97	39.3	<0.2	<10	1090	0.74	0.17	0.50	6.92	16.00	23.3	14
K735576		8.58	0.0087	0.43	1.11	34.0	<0.2	<10	1430	0.65	0.23	0.46	4.49	18.95	16.0	18
K735577		7.74	0.0023	0.34	1.22	23.5	<0.2	<10	760	0.54	0.19	0.46	2.06	23.8	9.9	21
K735578		6.64	0.0032	0.37	1.87	72.3	<0.2	<10	970	0.84	0.28	0.27	0.55	18.75	19.5	27
K735579		7.40	0.0043	1.23	0.70	62.8	<0.2	<10	1240	0.72	0.18	0.67	29.1	22.7	7.5	28
K735580		0.12	0.0115	0.51	0.51	258	<0.2	<10	110	0.63	8.30	17.70	2.21	22.5	4.5	24
K735581		7.36	0.0015	0.51	1.26	50.5	<0.2	<10	190	0.44	0.27	0.53	5.03	26.4	3.7	23
K735582		6.28	0.0034	0.58	2.46	208	<0.2	<10	420	0.82	1.45	0.72	12.70	72.0	16.4	43
K735583		7.16	0.0024	0.50	1.41	74.3	<0.2	<10	480	0.62	0.55	0.63	7.45	43.8	8.0	30
K735584		6.12	0.0026	0.86	4.04	142.5	<0.2	<10	310	4.93	0.95	0.44	136.0	57.7	326	35
K735585		7.84	0.0038	0.86	1.25	183.5	<0.2	<10	800	0.99	1.18	0.77	42.1	32.7	10.6	40
K919995		0.14	0.0016	0.12	0.98	3.9	<0.2	<10	80	0.30	<0.01	0.61	0.26	10.75	7.5	29
K919996		5.70	0.0012	0.45	1.03	21.0	<0.2	<10	820	0.34	0.13	0.30	1.05	6.93	10.8	12
K919997		7.56	0.0029	0.19	1.46	17.0	<0.2	<10	1310	0.67	0.18	0.29	5.93	20.6	44.1	11
K919998		8.22	0.0024	0.54	1.15	18.4	<0.2	<10	1010	0.41	0.15	0.06	0.36	13.55	3.5	14
K919999		8.82	0.0023	0.42	1.55	74.9	<0.2	<10	1100	0.65	0.15	0.07	0.58	13.20	4.5	14
K920000		9.24	0.0015	0.52	0.78	29.2	<0.2	<10	970	0.29	0.12	0.02	0.66	9.24	2.5	12



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.
 888 DUNSMUIR STREET
 11TH FLOOR
 VANCOUVER BC V6C 3K4

Page: 4 - B
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 25- OCT- 2011
 Account: GOPRED

Project: Selwyn

CERTIFICATE OF ANALYSIS WH11173045

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	
		Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
K735571		1.78	89.7	2.87	3.64	0.07	0.03	0.41	0.030	0.15	9.5	11.1	0.19	924	9.28	0.01
K735572		1.84	63.1	7.17	3.12	0.11	0.04	0.53	0.024	0.12	8.0	8.9	0.15	1780	11.25	0.01
K735573		2.14	43.4	4.96	2.71	0.08	0.03	0.24	0.022	0.10	7.7	8.1	0.14	3100	17.80	0.01
K735574		1.91	33.2	9.21	1.98	0.11	0.04	0.37	0.019	0.08	5.8	6.6	0.11	2100	31.0	0.01
K735575		1.59	38.7	4.52	3.18	0.07	0.04	0.62	0.029	0.12	7.9	9.2	0.16	2020	17.30	0.01
K735576		2.56	51.4	4.42	3.38	0.08	0.04	0.36	0.035	0.13	9.4	10.8	0.22	3610	9.66	0.02
K735577		1.45	27.2	2.49	3.96	0.06	0.03	0.17	0.023	0.11	11.9	18.9	0.27	903	8.05	0.01
K735578		2.58	20.4	8.36	5.70	0.10	0.02	0.29	0.030	0.11	9.5	16.2	0.23	1360	15.80	0.01
K735579		1.38	80.4	3.39	2.31	0.10	0.03	0.52	0.030	0.09	13.2	5.1	0.16	929	14.60	0.02
K735580		2.46	72.9	2.43	2.99	0.07	0.21	2.02	0.688	0.15	14.4	4.3	3.40	1680	75.7	0.02
K735581		1.63	22.5	1.18	3.93	0.06	<0.02	0.10	0.015	0.04	13.9	13.9	0.24	156	3.21	0.03
K735582		7.77	42.8	3.46	8.53	0.14	0.05	0.08	0.073	0.47	35.0	34.8	0.88	1960	9.33	0.09
K735583		3.86	41.4	2.34	5.02	0.10	0.02	0.22	0.035	0.21	24.1	20.0	0.46	624	7.27	0.05
K735584		3.57	1515	6.52	5.90	0.28	0.25	0.08	0.042	0.16	47.4	14.5	0.39	19350	51.9	0.02
K735585		3.77	200	2.86	4.66	0.14	0.03	0.14	0.044	0.14	18.7	13.1	0.46	723	14.60	0.04
K919995		0.32	23.9	1.94	4.02	0.07	0.28	0.05	0.016	0.06	4.9	8.8	0.45	303	4.21	0.05
K919996		2.12	17.7	4.77	2.33	0.09	0.04	0.15	0.027	0.05	2.9	9.2	0.24	768	6.15	0.04
K919997		2.30	80.1	3.71	2.37	0.12	0.09	0.12	0.036	0.06	9.1	18.3	0.27	3580	9.84	0.04
K919998		2.98	26.7	2.40	2.81	0.06	0.02	0.29	0.023	0.05	7.2	11.6	0.15	99	6.43	0.04
K919999		2.66	32.8	6.46	2.49	0.11	0.04	0.24	0.033	0.06	6.5	8.6	0.12	110	17.25	0.04
K920000		2.07	31.9	3.65	1.82	0.07	0.03	0.18	0.026	0.05	4.6	4.7	0.06	87	10.10	0.04



ALS Canada Ltd.
 2103 Doilarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.
 888 DUNSMUIR STREET
 11TH FLOOR
 VANCOUVER BC V6C 3K4

Page: 4 - C
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 25- OCT- 2011
 Account: GOPRED

Project: Selwyn

CERTIFICATE OF ANALYSIS WH11173045

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
K735571		0.66	60.3	1710	13.6	16.3	0.007	0.06	3.33	2.8	5.3	0.5	64.2	<0.01	0.09	1.2
K735572		0.82	79.9	2490	9.3	17.0	0.008	0.06	2.50	3.3	8.3	0.4	51.9	<0.01	0.07	2.3
K735573		0.71	56.0	2420	12.1	11.9	0.004	0.07	2.64	2.5	3.9	1.2	55.3	<0.01	0.06	2.1
K735574		0.57	204	1600	7.6	15.2	0.005	0.07	2.72	2.2	3.8	0.3	44.8	0.01	0.04	1.8
K735575		0.84	174.5	1420	13.9	15.5	0.007	0.07	3.97	3.4	5.6	0.5	57.7	<0.01	0.09	2.5
K735576		0.95	94.8	1690	13.2	16.2	0.010	0.09	3.05	3.4	5.7	0.5	55.1	<0.01	0.10	2.6
K735577		1.27	50.9	1570	12.0	18.0	0.009	0.06	2.13	2.6	3.1	0.7	48.8	<0.01	0.03	2.1
K735578		1.30	35.5	1540	12.8	19.3	0.011	0.05	2.99	2.4	4.7	0.8	42.5	<0.01	0.09	1.0
K735579		0.55	229	3160	12.4	12.9	0.013	0.13	8.01	2.3	8.6	0.5	126.0	<0.01	0.17	1.1
K735580		0.23	72.1	1200	19.6	14.3	0.058	1.01	7.00	4.1	3.7	3.2	222	0.01	0.31	3.3
K735581		0.68	29.6	1960	21.7	7.4	0.005	0.05	2.88	0.8	2.4	0.6	36.5	0.01	0.03	0.4
K735582		5.04	80.9	1350	97.6	52.9	0.004	0.05	5.23	5.7	4.0	2.3	45.6	<0.01	0.05	13.7
K735583		2.24	75.0	1630	39.0	28.6	0.006	0.06	4.57	3.2	3.7	1.3	62.3	<0.01	0.07	5.5
K735584		1.12	1100	1770	21.7	17.8	0.006	0.27	17.50	2.5	12.1	0.7	62.4	0.03	0.19	4.4
K735585		1.02	403	2680	27.3	21.9	0.005	0.18	34.3	2.2	10.9	1.6	102.5	<0.01	0.31	1.7
K919995		0.32	22.2	480	2.5	3.1	0.002	0.05	0.37	4.2	0.5	0.4	28.6	<0.01	0.02	1.2
K919996		0.20	43.4	1600	8.7	11.7	0.004	0.06	2.64	2.4	4.5	0.3	28.2	<0.01	0.05	1.4
K919997		0.10	210	1200	14.3	7.1	0.005	0.14	1.45	5.2	2.5	0.3	58.7	0.02	0.07	2.8
K919998		0.51	20.1	780	11.2	11.8	0.003	0.06	2.36	2.2	3.6	0.4	21.7	<0.01	0.04	0.9
K919999		0.45	23.8	3260	11.2	10.7	0.004	0.21	3.53	3.6	5.4	0.4	38.1	0.01	0.06	1.6
K920000		0.27	11.7	860	8.6	8.6	0.010	0.12	3.34	2.7	4.9	0.3	19.8	<0.01	0.05	1.4



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.
 888 DUNSMUIR STREET
 11TH FLOOR
 VANCOUVER BC V6C 3K4

Page: 4 - D
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 25- OCT- 2011
 Account: GOPRED

Project: Selwyn

CERTIFICATE OF ANALYSIS WH11173045

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
K735571		0.013	0.23	3.34	141	0.53	12.35	347	0.6
K735572		0.012	0.25	2.42	110	0.38	12.00	515	1.3
K735573		0.014	0.18	2.00	83	0.33	8.26	287	0.7
K735574		0.009	0.66	3.18	66	0.26	14.05	1200	0.9
K735575		0.013	0.47	3.79	95	0.43	9.99	643	1.1
K735576		0.018	0.31	2.59	81	0.40	10.70	590	0.8
K735577		0.029	0.20	1.86	113	0.48	8.38	414	0.6
K735578		0.024	0.22	1.73	166	0.74	7.90	249	<0.5
K735579		0.016	0.47	13.80	187	0.24	16.90	2110	0.6
K735580		<0.005	0.68	12.20	147	16.40	21.2	449	9.2
K735581		0.045	0.15	17.65	78	0.51	5.47	246	<0.5
K735582		0.232	0.52	22.1	90	4.76	13.20	888	1.3
K735583		0.114	0.34	10.65	108	1.04	11.55	898	0.7
K735584		0.044	0.37	56.9	148	2.54	212	8690	4.5
K735585		0.051	0.48	9.50	198	0.39	15.95	3990	0.7
K919995		0.101	0.07	0.40	44	10.85	7.17	57	7.7
K919996		<0.005	0.29	1.05	50	0.05	5.28	216	1.3
K919997		<0.005	0.24	1.79	21	0.07	46.6	786	1.5
K919998		0.010	0.48	1.22	59	0.25	5.20	136	0.5
K919999		0.005	0.46	2.01	107	0.53	14.25	178	1.0
K920000		<0.005	0.31	2.28	75	2.62	7.68	69	0.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.
888 DUNSMUIR STREET
11TH FLOOR
VANCOUVER BC V6C 3K4

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 25- OCT- 2011
Account: GOPRED

Project: Selwyn

CERTIFICATE OF ANALYSIS WH11173045

Method	CERTIFICATE COMMENTS
ME- MS41 ME- MS41	Interference: Ca> 10% on ICP- MS As, ICP- AES results shown. Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ZZT 1-42 Quartz Mining Claims
Sample Descriptions and Geochemistry

Sample_No	Claim_Grou	SampleDate	SampleBy	Grid	Zone	Easting	Northing	Elevation	Sample_Typ	Angularity	Color	_Gravel	_Sand	_Silt	_Clay	_Organics	Slope_Dire
K735537	ZZT	2011_08_24	JPchl Jan Pic	UTM83-8 Frd	8	648379.17	6985342.04	1077.742	SSed Stream	SR	BRD	0	8	2			S
K735538	ZZT	2011_08_24	JPchl Jan Pic	UTM83-8 Frd	8	647882.22	6985570.57	1097.223	SSed Stream	SR	BR	6	2	2			S
K735539	ZZT	2011_08_24	JPchl Jan Pic	UTM83-8 Frd	8	647386.81	6985100.21	1219.812	SSed Stream	SA	BR	7	2	1			SW
K735569	ZZT	2011_08_24	ZGrzd Zuzka	UTM83-8 Frd	8	646087.61	6986934.39	1065.78	SSed Stream	SA	GYD	7	2	0		1	W
K735570	ZZT	2011_08_24	ZGrzd Zuzka	UTM83-8 Frd	8	646258.61	6985982.22	1204.45	SSed Stream	SR	BR	7	3	0			W
Sample_No	Slope_Angl	Stream_Flo	Vegetation	Photo	Comments	Au_ppb	Au_ppm_ST4	Ag_ppm	Al__	As_ppm	Au_ppm	B_ppm	Ba_ppm	Be_ppm	Bi_ppm	Ca__	Cd_ppm
K735537	2	3	D	Y	sed rocks	2.6	0.0026	0.39	0.64	14.5	0.1	5	550	0.45	0.17	0.38	3.13
K735538	2	3	C	Y	sed, metase	3.4	0.0034	0.56	0.66	19	0.1	5	640	0.77	0.24	0.65	7.07
K735539	2	3	C	Y	metaseds, Q-	4.2	0.0042	0.76	0.64	19.1	0.1	5	510	0.77	0.24	0.75	5.38
K735569	2	4	D	Y	lots of fines.	0.6	0.0006	0.13	0.75	14.4	0.1	5	950	0.49	0.25	0.74	1.24
K735570	3	5	C	Y	phyllite and s	3.1	0.0031	0.43	0.83	18.3	0.1	5	1020	0.44	0.18	0.4	3.31
Sample_No	Ce_ppm	Co_ppm	Cr_ppm	Cs_ppm	Cu_ppm	Fe__	Ga_ppm	Ge_ppm	Hf_ppm	Hg_ppm	In_ppm	K__	La_ppm	Li_ppm	Mg__	Mn_ppm	Mo_ppm
K735537	28	12	8	2.13	29.2	2.51	2.08	0.06	0.02	0.13	0.027	0.05	14.1	9.8	0.14	1700	4.7
K735538	34.6	12.8	10	2.52	47.7	2.78	1.89	0.09	0.03	0.16	0.038	0.07	17.4	7.7	0.12	1200	9.04
K735539	39.4	11.7	10	2.49	51	2.72	1.9	0.09	0.03	0.18	0.039	0.08	19.9	6.6	0.1	838	10.9
K735569	21.8	13.9	13	2.91	57.2	3.67	1.81	0.1	0.09	0.12	0.06	0.07	9.4	20.9	0.28	491	11.95
K735570	34.2	14.2	12	2.91	54.9	3.04	2.28	0.07	0.05	0.16	0.037	0.06	17.2	15.2	0.25	2160	7.93
Sample_No	Na__	Nb_ppm	Ni_ppm	P_ppm	Pb_ppm	Rb_ppm	Re_ppm	S__	Sb_ppm	Sc_ppm	Se_ppm	Sn_ppm	Sr_ppm	Ta_ppm	Te_ppm	Th_ppm	Ti__
K735537	0.01	0.15	71.6	1070	23.6	7.7	0.005	0.04	2.34	2.2	2.1	0.3	48.4	0.005	0.05	2.7	0.006
K735538	0.01	0.15	86.3	2130	28.2	9.9	0.007	0.05	3.62	3.2	3.1	0.3	69.6	0.005	0.08	3.3	0.005
K735539	0.01	0.14	74.1	2880	24.6	10.7	0.007	0.02	3.61	3.7	3.5	0.3	80.2	0.005	0.08	3.6	0.0025
K735569	0.01	0.33	94.6	2280	14.4	7.9	0.013	0.11	1.17	6.4	3.6	0.3	101.5	0.01	0.05	6.5	0.0025
K735570	0.01	0.3	86.9	1050	21.3	6.9	0.006	0.08	2.69	3.5	2.8	0.2	56.4	0.005	0.06	2.8	0.005
Sample_No	Tl_ppm	U_ppm	V_ppm	W_ppm	Y_ppm	Zn_ppm	Zr_ppm	Au_ppm_OG4									
K735537	0.17	1.36	23	0.05	9.93	340	0.9										
K735538	0.27	2.02	29	0.06	18.8	663	1										
K735539	0.27	2.31	28	0.05	23	539	1										
K735569	0.22	1.27	17	0.05	24.3	233	3.3										
K735570	0.31	2.19	25	0.06	13.2	299	1										