

**2012 GEOCHEMICAL ASSESSMENT REPORT
ON THE SILVER CITY PROJECT**

Klondike Gold Corp.

Claims:

STEPH 1 – 100 YE71601 – YE71700

Dawson Mining District
NTS Map Sheets 116B/05

Coordinates of the centre of the claim group are: 555000 E, 7133000 N
UTM NAD 83 zone 7N

Work performed May 23 - 27, 2012

Claim Owner: Klondike Gold Corp.

By: W.D. MANN, M.Sc., P.GEO.

TABLE OF CONTENTS

1.0	Executive Summary	3
2.0	Introduction.....	3
3.0	Property Description and Location	3
4.0	Accessibility, Climate, Local Resources, Infrastructure and Physiography	6
5.0	History.....	7
6.0	Geological Setting and Mineralization	9
	Yukon-Tanana Terrane	9
	Geology.....	10
	Structural Geology	10
	Mineralization	10
	Quaternary Geology.....	10
	Property geology.....	11
7.0	Deposit Types	13
8.0	Exploration.....	13
	May 2012 Soil and Rock Sampling	13
9.0	Drilling.....	19
10.0	Sample Preparation, Analyses and Security.....	19
11.0	Data Verification	19
12.0	Environmental Studies, Permitting and Social or Community Impact	19
13.0	Adjacent Properties	20
14.0	Interpretation and Conclusions	20
15.0	Recommendations	21
16.0	References	22

LIST OF FIGURES

1.	LOCATION MAP & YUKON GEOLOGICAL TERRANES	5
2.	PROPERTY PHYSIOGRAPHY (photograph)	7

3.	SOIL & ROCK LOCATION MAP WITH CLAIMS	(1:25,000)	15
4.	SILVER GEOCHEMISTRY MAP	(1:25,000)	16
5.	GOLD GEOCHEMISTRY MAP	(1:25,000)	17
6.	SAMPLE 1418861 OUTCROP (a) & SAMPLE (b) (photographs)		18

LIST OF TABLES

1.	CLAIM SUMMARY	4
----	---------------	---

LIST OF APPENDICES

I	STATEMENT OF QUALIFICATIONS
II	STATEMENT OF EXPENDITURES
III	SOIL ANALYTICAL CERTIFICATES
IV	ROCK ANALYTICAL CERTIFICATES
V	SAMPLE LOCATION TABLE

1.0 EXECUTIVE SUMMARY

The author was engaged as a consultant by Klondike Gold Corp. to supervise a gold and silver exploration program in 2012 at the Silver City claim group on the Yukon river, northwest of Dawson City, Yukon. The one hundred claim project surrounds a block of nine claims owned by a competitor, and covers an area roughly 6 by 4km.

The presence of high grade silver-lead vein material in float has been known in the area since 1895, and considerable effort has been expended in a small area centered on the competitor's claims with the driving of several adits and hydraulic monitoring of loose material on the steep slopes nearby. There are no well documented vein showings in the area, and very little modern exploration has been conducted.

The 2012 work program was very limited, with a focus on soil and rock geochemistry. Gold and silver in soil and rock anomalies were identified, including some multiple adjacent anomalous samples. Most of the claim block has seen very little if any exploration beyond undocumented prospecting, and warrants further examination including soil geochemistry and geological mapping.

2.0 INTRODUCTION

Exploration during 2012 was limited to five days of ridge and spur rock and auger soil samples, generally collected at about 50m intervals. The work was conducted to meet assessment requirements on the STEPH claims, and was filed to meet the June 23rd deadline. The work was conducted by Franz Vidmar, Max Mikhailytchev and Matt Little as contract workers who collected and documented samples.

This report is to cover the 2012 assessment filing for the group of claims, a contiguous block of 100 claims that extends along the northern shore of the Yukon river, south and west of the Fifteenmile river.

The author, working as a consultant directed the work program on the claims but did not visit the property.

3.0 PROPERTY DESCRIPTION AND LOCATION

The Silver City Project consists of a block of 100 claims that extends along the northern shore of the Yukon river about 35km downstream from Dawson City, just downstream of the mouth of the Fifteenmile river.

The claims lie on NTS map sheet 116B/05 within the Dawson mining district. Locations on the property are located by handheld GPS, using NAD 83 UTM coordinates. Property location is shown in figure 1.

The property consists of the following claims:

TABLE 1

Silver City Project Claim Summary		NTS 116B/05	
Claim Names	Owner	Grant Numbers	Expiry Date
Steph 1 - 12	Klondike Gold Corp.	YE71601 - YE71612	2014-07-26
Steph 13 - 18	Klondike Gold Corp.	YE71613 - YE71618	2013-07-26
Steph 19 - 24	Klondike Gold Corp.	YE71619 - YE71624	2014-07-26
Steph 25 - 30	Klondike Gold Corp.	YE71625 - YE71630	2013-07-26
Steph 31 - 34	Klondike Gold Corp.	YE71631 - YE71634	2014-07-26
Steph 35 - 40	Klondike Gold Corp.	YE71635 - YE71640	2013-07-26
Steph 41 - 48	Klondike Gold Corp.	YE71641 - YE71648	2014-07-26
Steph 49 - 56	Klondike Gold Corp.	YE71649 - YE71656	2013-07-26
Steph 57 - 62	Klondike Gold Corp.	YE71657 - YE71662	2014-07-26
Steph 63 - 100	Klondike Gold Corp.	YE71663 - YE71700	2013-07-26

The expiry dates listed above are contingent on acceptance of this assessment report.




Figure 1. Location - Silver City Project - Steph Claims

4.0 ACCESSIBILITY, CLIMATE, LOCAL RESOURCES, INFRASTRUCTURE AND PHYSIOGRAPHY

The Silver City project area consists of rugged topography of rounded hills and V-section valleys, and lies at the contact between glaciated and non-glaciated terrane. Cliffs are prominent and common along the Yukon River valley, and this is the dominant land form on the south side of the property (Fig. 2). Weathering of the region has had a lengthy history, resulting in few natural fresh rock exposures. The Silver City project is situated on the boundary between the Yukon Plateau- North and the Klondike Plateau ecoregions, both part of the Boreal Cordillera ecozone (Smith et al, 2004).

Dawson City is on the Yukon River at 1050' (320m). Elevation on the claims ranges from about 1000' (300m) at river level to about 3000' (1000m) on the ridge above the river. The region surrounding the claims is covered by spruce, poplar, birch and alder.

Dawson City is approximately 480 km from Whitehorse along the Klondike Highway which is a completely sealed two-lane road. A 5000'x100' gravel surface lighted Yukon Government airfield at 1214' (370m) elevation is located in the Klondike River valley. Dawson is served by a scheduled service of twin-engined turboprop aircraft from Whitehorse and by highway there is a regular freight service. Dawson City offers normal town facilities such as hotels, restaurants, grocery, clothing and hardware stores, engineering supplies and two bulk fuel depots.

The claim block is easily accessed by river boat or helicopter, lying about 35km downstream from Dawson City. A winter trail bulldozed from Dawson to the claims in 1973 is mostly overgrown, but could theoretically be used again in the future (with permits).

The property is within Central Yukon Basin climatic zone, characterized by a sub-arctic climate, with normally low annual precipitation (less than 400mm total precipitation). The workable exploration season extends from late May until October, by which time nightly temperatures are below freezing and there may be a few centimeters of snow on the ground. Winter temperatures may drop to at least -40°C for up to six weeks in January and February. Summer rainfall is highly variable and unpredictable.

Exploration in 2012 was conducted by boat from Dawson, with a tent camp across the river from the property. The camp site used was more level than any available on the property, and was located near a creek with fresh water.



Figure 2. Project physiography – steep, rocky slopes with sparse vegetation along the Yukon river.

5.0 HISTORY

Much of the work described below occurs on the competitors claims (Allos & SC) which are surrounded by the STEPH claims of Klondike Gold Corp's Silver City project. The Silver City occurrence is identified in the Yukon Minfile as occurrence 116B 037. Minfile occurrences 116B 074 WINAGE and 116B 075 HEALY are located on the western edge of the property, or just off the claims but on the same side of the river.

The Silver City adits are thought to be located just west of the boundary between the Step 41 and Allos 2 claims, however there are no accurate maps of the adit locations with respect to the current claims. Most of the work was either poorly documented or the documentation is not available to the author. Most work in recent decades consists of brief field examinations with little exploration work conducted. There are references to silver-lead float having been found to the northeast, perhaps near the Fifteenmile river, however no documentation is available.

- 1895 – Silver-lead float discovered on the river bank by William Ogilvie.
- 1899 - Staked as Carbonate cl (315).
- 1902 - Restaked as Yukon Beauty & Australia Girl cl (5723). Strong rumours persist that a 9.1 tonne shipment was made about 1902.

- 1905- 1906 - Restaked as Jeanerette group (Yukon Maid, Camp Bird & Yukon Chief) cl (7254) by Jeremiah O'Neill and partners, who drove a 198 m adit and a 15 m raise near the river bank. Highest assay: 800 oz/t Ag, 75% Pb, \$12 Au per ton.
- 1926 - The property was restaked as the Lava, Beaver, etc cl (15082) around the Jeanerette groups by J. Lawrence and P. Rost, which triggered a small staking rush. Rost later shipped 4.5 tonnes of hand-cobbed float from surface to the Tacoma Smelter.
- 1927 – property examined by the GSC (Cockfield, 1927).
- 1927 Black Mike Winage staked the White Owl claim that is the basis of the Winage minfile occurrence to the west of Silver City.
- 1927 – Four claims were staked from the western river bank to the ridge by W.H. Taylor at the HEALY minfile occurrence.
- 1929 - J. Risco optioned the property and drove a 39.6 m adit 130 m above the river.
- 1942 - H. Wadcock restaked as Macbeth cl (4230).
- 1952 - Risco restaked as Eureka cl (57764).
- 1953 – report written by J.F.V. Millar, Mining Engineer for Y.C.G.C. (not available).
- 1958 - Risco restaked as Silver King, etc cl (78604). Attempted to reopen his adit.
- 1962 - Risco optioned his claims to L. Patnode and W. Kaufman, who drove a 84m adit 91 m above the river and performed hydraulic monitor trenching in 1962 and 1963. The first 28m of the adit was in overburden, and after that point in crumpled schist.
- 1964 - Silver City ML was formed and it continued hydraulicking in 1964-65. The 1964 hydraulic cut exposed Risco's 1929 adit and two older adits (Mineral Industry Report 1971- 72). The hydraulic cuts totalled 75,000 cubic yards. The hydraulic cut closest to the river, below the 1963 adit exposed some galena-bearing talus.
- 1963 – report written by Ken Rose for Newmont Mining Corporation (not available).
- 1963 - report written by C. J. Brown for White Pass and Yukon Route (not available).
- 1964 - report written by Dr. W.V. Smitheringale, for Silver City ML (not available).
- 1964 - report written by Ace R. Parker, for Silver City ML (not available).
- 1961 - 1964 – Mapping and geological investigations by the Geological Survey of Canada (GSC maps 13-1962 and 1284a- 1972).
- 1965 - Silver City ML drove a 56 m adit (38 m east of the 1929 adit and also 130m above the river) at North 4°E, and drilled two underground holes (61.0 m).
- 1965 – prospectus report written by Ace R. Parker, for Silver City ML (not available).
- 1965 - report written by A.W. Poole, for Silver City ML (not available).
- 1966 - J.E.M. horizontal loop EM survey conducted by Exploration Geophysics (Yukon) Ltd.
- 1967 – summary report written for Silver City ML prospectus (Sevensma, 1967a).
- 1967 - a grid soil survey was conducted to the east of the Fifteenmile river at the Fitch minfile occurrence (Sevensma, 1967b).
- 1968- 1969 - an attempt to reopen the lower adit.

- 1971 - Restaked as Plata cl (Y65002) by L. Patnode, who carried out geochem, mag and VLF-EM surveys later that year (Ogilvy & Presunka, 1971). Four EM conductors were identified.
- 1973 - L. Patnode built a 62.8 km winter road and bulldozer trenched.
- 1974 - L. Patnode drilled 5 holes (164.6 m) in 1974.
- 1975- 1976 – L. Patnode drilled 2 short holes at the Winage occurrence.
- 1976 - L. Patnode hand trenched.
- 1977 – Regional Geochemical survey of the area (Goodfellow & Lynch, 1978). The creeks on the property were not sampled.
- 1978 - L. Patnode restaked as Allos cl (YA31737).
- 1979 – S. Kormendy added DSN & DSS cl (YA47092) to the west. L. Patnode performed bulldozer trenching. A dozer road extends from the river bank to the upper adit, with a couple of switchbacks.
- 1984, 1986 and 1988 - Patnode performed hand trenching.
- 1985 - Noranda partially restaked DSN group as SC cl (YA87471).
- 1986 – property examination by United Keno Hill Mines (Stubens & Patnode).
- 1988 - Noranda staked Kelly cl (YB4934) to the east.
- 1988 – geological mapping at 1:250,000 scale, southwest of the Tintina fault (Mortensen).
- 1989 - The Allos and SC claims were transferred to K. Potter, who holds these claims to date.
- 1989 - R. Wondga performed rotary drilling on the Kelly claims (east of the adits). No documentation of this work is available.
- 1994 - Phase I Environmental Assessment of the Silver City Abandoned Mine Site.
- 1996 – Surficial geological mapping by Geological Survey of Canada (Duk-Rodkin).
- 1997 - Phase II Environmental Assessment of the Silver City Abandoned Mine Site.
- 2011 – STEPH claims staked.

6.0 GEOLOGICAL SETTING AND MINERALIZATION

The Silver City project area has seen little modern geological investigation. The 1:250,000 scale geology was originally mapped in the 1960s (Green & Roddick, 1962) and more recently in the 1980s (Mortensen, 1988). The airborne magnetics data is from the 1960s, and is therefore of poor resolution. No property scale geological mapping is available.

YUKON-TANANA TERRANE

The project is underlain by the Yukon-Tanana terrane which extends from Alaska to the southern Yukon and B.C. (Fig. 1.) The terrane is now considered to be those Devonian-Mississippian

strata of continental affinity which are overlain by volcanic arc successions that include backarc and island arc tectonic settings (Colpron, 2006). These units are polydeformed and, over a regional scale, show a range of metamorphic grade from lower greenschist to amphibolite facies. Structural styles are consistent with deformation during east to northeastward directed accretion and crustal shortening.

GEOLOGY

The area is underlain by upper Devonian to lower Mississippian rocks of the Finlayson Assemblage (formerly Nasina Assemblage) of the Yukon Tanana Terrane: mafic to felsic metavolcanic rocks of arc and back-arc affinities; carbonaceous pelite, metachert, minor quartzite; metavolcaniclastic rocks; marble (Colpron, 2006). The metamorphic rocks are greenschist to lower amphibolite grade.

Late Cretaceous Carmacks volcanics (basalt & agglomerate) occur about 3km to the east of the property. This unit coincides with a prominent magnetic high in the regional airborne magnetic survey.

Mid Cretaceous granitic rocks occur as a stock along the Yukon river about 20km northwest of the property (the Mt. Carmacks pluton). A smaller stock occurs a few kilometers to the southeast at the mouth of Fresno creek.

STRUCTURAL GEOLOGY

The project lies about 3km southwest of the Tintina fault. The metamorphic rocks have undergone at least four distinct phases of deformation, including abundant low angle thrust faults.

An east- west trending anticline lies central to the property, with gently dipping layers of quartzite, greenstone and schist that are bound by two or three thrust faults. Serpentinized ultramafic lenses are present within the thrusts. An east-west trending, steeply dipping zone of fault gouge is reported in one of the adits.

MINERALIZATION

A variety of styles of mineralization occur within the region, including stratiform, porphyry and skarn base metal occurrences and gold &/or silver bearing mesothermal and epithermal veins. Asbestos occurs in serpentinite lenses, notably the Woodchopper occurrence located across the river to the southwest.

QUATERNARY GEOLOGY

The Silver City project lies at the contact between unglaciated terrane and the edge of pre-Reid and Reid aged glaciated terrane at the western margin of the Cordilleran ice sheet limits. The Fifteenmile river valley along the northern edge of the claims was affected by glaciation, as well

as the westernmost ridge top, while the upland area in the centre of the claims and the west and south-facing slopes were not glaciated (Duk-Rodkin, 1996).

The project is in the zone of widespread discontinuous permafrost, with permafrost generally present on north and east facing slopes.

Upland soils in the area, dominated by colluvium have been described further south by Bond & Sanborn (2006): “... a thin veneer (<25 cm) of loess is preserved on moderate upland slopes. On slopes with a south-facing aspect the loess forms a distinct unit at the top of the B horizon. A minor component of coarser locally derived colluvium appears to have been incorporated in the loess by slope processes in many places. On north-facing slopes, permafrost is commonly present (or has been present), which enhances the colluviation of the surficial deposits. On these slopes, the loess has been incorporated in the underlying colluvium by cryoturbation.”

PROPERTY GEOLOGY

On the property quartzite and carbonaceous pelite are found in the uppermost layer, mafic metavolcanics (greenstone) with local serpentinite in the middle layer and quartz- mica schist with marble (or dolomite?) layers found in the lowest layer. Some graphite-rich schist layers are reported, and chlorite is locally abundant in the schist. The ultramafic rocks do not show a magnetic anomaly on the regional airborne survey, and are thought therefore to be totally serpentinitized.

A felsic dyke has been mapped by Mortensen in his field notes, but it is not shown on the final map due to the scale. The dyke cuts stratigraphy in a northeasterly trend from around river level to near the ridgetop. This unit is mainly recessive and brownish colour, with a couple of rusty brown weathering small knobs. Sevensma described this unit as a rhyolite porphyry, with very large talus blocks. A few mafic dykes with a north-south trend are shown by Mortensen along the riverbank near the sharp southern bend in the river (on his field map). The age of these dykes is unknown.

The following description of mineralization at Silver City is adapted mostly from Yukon Minfile: Mineralized float has been found in the lower 150 m of a 600 m slope in an area of multiple slides caused by erosion along steep faults which strike east-west parallel to the river.

Mapping of the slide material on surface and underground indicates that the lower slope is composed of a quartz-carbonate rock, interbedded with sericite-graphite schist, which is overlain by dioritic rocks, and in turn, quartzite and argillite of probable Paleozoic age.

The quartz-carbonate rock is host to the mineralization, which consists of galena, tetrahedrite, sphalerite, chalcopyrite and siderite. The quartz-carbonate rock is interpreted as a flat-lying altered ultramafic sill that lies above the old workings. Sevensma (1967) notes that “a light-brown weathering quartz-dolomite rock with both mariposite and occasional nickel stain is the most significant member and is the host rock of all the reported mineralized occurrences”.

A stibnite showing occurs about 1.6 km to the west (therefore likely close to the felsic dyke). Specimens of silicified andesite containing 1 to 20% stibnite that were taken from the old dump in 1986 assayed 0.07 g/t Au, 1.1% As and 9.5% Sb.

Grab samples of vein float show average silver-lead ratios between 5:1 and 10:1, and silver assays as high as 27 427.8 g/t. The 1929 adit is rumoured to have cut 15.8m of disseminated mineralization before intersecting a 90 cm vein of galena which assayed 20,673 g/t Ag.

Cockfield (1927) describes one- to eight-inch seams of galena and sphalerite, with subordinate chalcopyrite, malachite and azurite in highly faulted lenses of dolomite. The shipment made (ca. 1926) of 5 tons was from material that occurred as float on the beach. Picked samples of this float have yielded 200 to 500 oz of silver per ton. Quartz stringers up to eight inches thick and sparsely mineralized with galena and chalcopyrite were noted east of the beach zone and 700 feet above the river.

7.0 DEPOSIT TYPES

Exploration on the Silver City Property is not sufficiently advanced to assign specific deposit types to the property, however high grade silver-lead veins are known immediately adjacent to the claims on competitors ground. Potential is thought to exist on the property for several other types of deposit, including orogenic gold and intrusion-related gold +/- silver. Stibnite is reported from the area, so antimony is also a potential target.

8.0 EXPLORATION

MAY 2012 SOIL AND ROCK SAMPLING

Prospectors Max Mikhailytchev, Matt Little and Franz Vidmar spent 5 days on the claims. Two river boats were used to transport the crew, supplies, samples and equipment to and from the claims. No suitable campsites were found on the claims due to steep slopes, so the workers set up camp on the opposite side of the river, and travelled by boat each day across the river.

154 soil and 27 rock samples were collected. Vidmar focused his efforts on prospecting, and collected most of the 27 rock samples. Most of the rocks were collected from the riverbank just south of the claims, and on the area around the old workings on the competitor's claims. Mikhailytchev and Little collected all but two of the 154 soil samples, and attempted to cover as much of the property as possible following ridges and spurs. The soils on the northern slopes of the claims were still frozen in May, so this area was not examined.

Ridge and spur traverses were conducted by prospectors starting from the river bank and proceeding up to the ridge crest and back. Soil samples were collected using Dutch augers to penetrate as deep as possible, generally to collect C horizon soil. The steep south-facing slope is covered in blocky talus, making soil sampling difficult.

Soil samples were photographed, sites marked with flagging tape and the location recorded by GPS. Soil and rock sample numbers and locations are presented in figure 3 at 1:25,000 scale.

The samples of rock and soil were delivered directly to the AcmeLabs preparation laboratory in Dawson for aqua regia digestion and 36 element ICP-MS analysis. Soil and Rock sample analytical results are presented in Appendices III and IV respectively. Sample UTM locations and summary geochemical results are presented in Appendix V.


Gold and silver were found in anomalous amounts in several locations (Figs. 4, 5). 9 of 27 rock samples returned greater than 20ppb gold, with maximum values of **260 and 159.5 ppb Au**. The highest silver value from rock was **3.5 g/t Ag**, with elevated lead, zinc and gold. These best rock samples were all collected along the riverbank just southwest of the claim block. The best material was a rusty vein-fault in outcrop.

Gold in soil was generally low, with only 8 of 154 samples above 10ppb gold. However, there was one sample that returned **780.3 ppb Au**, collected near the ridgetop in the northwest part of the property. This highlight sample gives encouragement for further work on the north side of the claims. Silver in soils returned a maximum value of **10.1 ppm Ag** from the south-central part of the claims. Silver values were generally low, with only three samples over 1 ppm Ag, and 31 of 154 sample above the detection limit of 0.1 ppm Ag. The west side of the property has most of the samples above detection limit, with some clusters of several adjacent anomalous samples.

Silver is associated with locally elevated Mo, Cu, Pb, Zn, Cd, Bi, Cu, Mo, Sb, Hg & Se, while gold is sporadically associated with arsenic, silver and it's associates. The highest gold in soil value did not have any strongly anomalous pathfinder elements associated, however other multi-element anomalies that include gold and silver are also found along the ridge crest.




FIGURE 3




- Soil Samples
- Rock Samples
- Claim Boundary

PLAN SPECS:

REF. PT. E, N	555200 m	7133000 m
EXTENTS	7235 m	6213 m



Klondike Gold Corp.
 Silver City
 July 23, 2012
 Rocks and Soils



— Claim Boundary

Soils Ag ppm


- > 5
- 1 - 5
- 0.5 - 1
- 0.3 - 0.5
- 0.1 - 0.3
- < 0.1

Rocks Ag ppm

- > 5
- 1 - 5
- 0.5 - 1
- 0.3 - 0.5
- 0.1 - 0.3
- < 0.1

PLAN SPECS:


REF. PT. E, N 555200 m 7133000 m
 EXTENTS 7235 m 6213 m



Klondike Gold Corp.
 Silver City
 July 23, 2012
 Rocks and Soils



KLONDIKE GOLD CORP.
CANADIAN GOLD AND BASE METAL EXPLORATION



Au ppb Rocks

- > 500
- 100 - 500
- 50 - 100
- 20 - 50
- 10 - 20
- < 10

Au ppb Soils


- > 500
- 100 - 500
- 50 - 100
- 20 - 50
- 10 - 20
- < 10

— Claim Boundary


PLAN SPECS:

REF. PT. E, N	555200 m	7133000 m
EXTENTS	7235 m	6213 m

SCALE 1 : 25000



*unknown



Klondike Gold Corp.
Silver City
Au ppb Soils and Rocks
Figure



Figure 6a



Figure 6b

Outcrop sample 1418861 returned elevated Pb, Zn, Ag, As & Au (261ppb).

9.0 DRILLING

No drilling was conducted on the claim group in 2012. Previous drilling known on (or adjacent to) the claims includes 2 holes from underground in 1965, 5 holes in 1974, 2 holes at the Winage occurrence in 1975- 1976 and rotary drilling in 1989. No documentation of this drilling is available.

10.0 SAMPLE PREPARATION, ANALYSES AND SECURITY

Soil samples were partly dried in the Klondike Gold office building, then delivered in batches by company personnel directly to the AcmeLabs preparatory facility in Dawson City. Samples were dried in a 60°C oven, then sieved to -80 mesh. The sieved sample was sent to the AcmeLab laboratory in Vancouver. A 15g subsample was leached in aqua regia at 95°C. Analysis was by ICP-MS for 36 elements (method 1DX2). Gold was analyzed with a 0.5ppb detection limit.

Rock samples were delivered by company personnel in batches directly to the AcmeLabs preparatory facility in Dawson City. Acme then transported the samples to its rock preparatory lab in Whitehorse, where samples were dried. The samples were prepared by crushing to 80% passing 10 mesh, then a 250g split was pulverized to 85% passing 200 mesh. The pulverized sample was sent to the AcmeLab laboratory in Vancouver. A 15g subsample was leached in aqua regia at 95°C. Analysis was by ICP-MS for 36 elements (method 1DX2). Gold was analyzed with a 0.5ppb detection limit.

11.0 DATA VERIFICATION

No standard or blank samples were inserted into the sample stream by the company, as it was not considered to be necessary for a small program of early stage work. AcmeLabs presents its internal quality control results for each sample batch, including standards, blanks and pulp and reject duplicates. This data was reviewed for major discrepancies.

12.0 ENVIRONMENTAL STUDIES, PERMITTING AND SOCIAL OR COMMUNITY IMPACT

The claims of the Silver City group are at an early stage of exploration, and therefore there have been no environmental studies done to date. No Social or Community Impact studies have been undertaken directly related to the Silver City group of claims.

13.0 ADJACENT PROPERTIES

The property partially surrounds 9 SC & Allos claims held by a competitor. These claims have silver vein mineral occurrences, but no known significant deposits.

A few other competitor properties are located within 5km of the Silver City property, however they are at an early stage of exploration. Nearby minfile occurrences include:

116B 036 ROAL – Pb-Zn skarn with adit driven in 1927, to the northwest.

116B 038 FITCH – geochem anomaly coincident with an airo mag low, to the east.

116B 044 WOODCHOPPER – asbestos showing across river to the southwest.

116B 073 RISCO – unknown occurrence across river to the south.

14.0 INTERPRETATION AND CONCLUSIONS

The Silver City project has reasonable potential to host high grade (over 20,000 g/t Ag) silver deposits, antimony deposits and orogenic, epithermal or intrusion-related gold deposits. The presence of numerous soil and rock geochemical anomalies in several locations on the property is encouraging, as is the complex geological setting.

The presence of thrust faults containing lenses of serpentized ultramafics is considered to be favourable for orogenic gold. The felsic dyke appears to be spatially associated with silver-gold anomalous rocks and soils near the riverbank, and with antimony mineralization higher on the slope.

Although the property has a long history of exploration, almost all of the known work was focused on silver-lead veins near the adits, while no modern exploration has been conducted. Exploration has targeted high grade silver veins, while there also appears to be good untested potential for gold based on favourable structures, lithologies and anomalous samples collected in 2012.

The westernmost soil samples were collected from an area of morrainal veneer and gravel terrace (as mapped by Duk-Rodkin), and therefore these samples are not likely to reflect bedrock. The samples from this area (numbered 1418751 – 1418768) are all below detection limit for silver, have generally low metal values, and have a best gold value of 18ppb. This area would be better sampled at about mid slope on the east facing slope above Fifteenmile river where thin colluvium is present at surface.

15.0 RECOMMENDATIONS

Open ground to the west and southwest of the Silver City claim group should be staked to cover showings on the riverbank discovered in 2012 and to cover favourable ground near minfile occurrences. Ten to twenty additional claims should be adequate for this purpose.

Prospecting to follow up on anomalies along the ridge crest is recommended. Specifically, prospecting should be conducted around sample sites 1418536, 1418704, 1418747 & 1418901 which all returned multi-element anomalies, and sample 1418707 which returned 780ppb Au.

The ridges and creek beds on the north and west slopes of the property should also be prospected. Lead silver float is rumoured to be present somewhere on the north slope, and silt sampling of the two creeks at 200m intervals is recommended. There are minfile occurrences on the west slope that have little documentation and may yield showings if prospected thoroughly, especially the Winage occurrence which was the subject to drilling in 1975 & 1976.

Geological mapping at a scale of 1:10,000 is recommended to help focus exploration. It might be possible to trace the favourable host quartz-carbonate altered ultramafic to the east and north on the property. The dykes and adjacent altered rocks should also be mapped and sampled. The location of the adits, access road, hydraulic pipe, competitor claim posts and any drill hole collars should be mapped with GPS to determine if any of these features lie on the project claims.

Soil geochemistry should be an effective exploration tool for much of the property, and the northern half of the project area should be tested by a ridge & spur sampling program. The deep auger method with conventional -80 mesh soil analysis is recommended for upland areas. A detailed grid should be laid out in the southwest corner of the claims, uphill from the mineralization exposed on the riverbank. The talus slide on the southern slope is not suitable for soil sampling, nor is the glaciated part of the upland area on the west side of the property. The northern slope should be sampled in August or early September due to permafrost.

The overall geochemical database should be evaluated for more subtle elemental patterns in addition to gold and silver distribution. This might assist in identifying polymetallic mineralization.

An airborne geophysical survey (magnetics +/- radiometrics or EM) would be beneficial for further exploration.

The exploration of the north slope of the property should be done with helicopter support, as the Fifteenmile river is not passable by riverboat and the area is too far from the Yukon river to access and return on a daily basis.

16.0 REFERENCES

- Bond, J.D. and Sanborn, P.T., 2006. Morphology and geochemistry of soils formed on colluviated weathered bedrock: Case studies from unglaciated upland slopes in west-central Yukon. YGS Open File 2006-19.
- Cockfield, W.E., 1927. Silver-Lead Deposits of Fifteenmile creek. Sum. Rept., 1927, pt A, pp 1-13.
- Colpron, M. (compiler), 2006. Tectonic assemblage map of Yukon-Tanana and related terranes in Yukon and northern British Columbia (1:1 000 000 scale). Yukon Geological Survey, Open File 2006-1.
- DIAND Technical Services, 1994. Assessment Report 116-B-05-1 Silver City. Environmental Assessment.
- Duk-Rodkin, A., 1996. Surficial Geology, Dawson, Yukon Territory. Geological Survey of Canada Open File 3288, scale 1:250,000.
- Goodfellow, W.D. & Lynch, J.J., 1978. National geochemical reconnaissance release NGR 31-1977, regional stream sediment and water geochemical reconnaissance data, central Yukon Territory. Geological Survey of Canada, Open File, 520.
- Green, L. H. & Roddick, J.A., 1962. GSC Paper 62-7 (& map 13-1962).
- Green, L. H., Geology of Nash Creek, Larsen Creek and Dawson map areas. GSC Memoir 364 (& map 1284A).
- Environmental Services, Public Works and Government Services Canada, 1997. Phase II Environmental Assessment of the Silver City Abandoned Mine Site.
- Liverton, T. and Mann, W., 2011. Quartz vein gold mineralization in the Klondike Schist: The Mitchell-Sheba system, central Klondike district, Yukon. In: Yukon Exploration and Geology, K.E. MacFarlane, L.H. Weston and C. Relf (eds.), Yukon Geological Survey, p. 149-160.
- Mortensen, J.K., 1988. Geology, southwestern Dawson map Area, Yukon. Geological Survey of Canada, Open File, 1927.
- Ogilvy, A.C. & Presunka, S., 1971. Geophysical report on the Plata 1- 4 claims. Yukon Assessment Report #061134.
- Sevensma, P.H., 1967a. Report on the Silver City Group. In 1968 prospectus for Silver City ML. Yukon Assessment Report #061677.
- Sevensma, P.H., 1967b. Geochemical report on the ABW Group for Consolidated Skeena Mines Ltd. Yukon Assessment Report #017945.

Stubens, T.C., & Patnode, B.R., 1986. Silver City Project, Geology & Prospecting Report. Yukon Assessment Report #091876.

Smith, C.A.S., Meikle, J.C. & Roots, C.F. (editors), 2004. Ecoregions of the Yukon Territory: Biophysical properties of Yukon landscapes.

Yukon MINFILE - Occurrences 116B 036, 037, 038, 044, 073, 074 & 075. Yukon Geological Survey, Energy, Mines and Resources, Yukon Government. Available on the internet at: <http://servlet.gov.yk.ca/ygsmin/index.do>

APPENDIX I

STATEMENT OF QUALIFICATIONS

WILLIAM D. MANN, M.Sc., P.Geo.

19 HAYES CRESCENT, WHITEHORSE, YUKON Y1A 0E1

1. I am a member in good standing of the Association of Professional Engineers and Geoscientists of BC, Licence #31907.
2. I am a Graduate of Queen's University, 1986, with a Master of Science Degree in Mineral Exploration Geology.
3. I am a Graduate of the University of British Columbia, 1983, with a Bachelor of Science Degree in Geology.
4. I have worked in mineral exploration and mining continuously since 1979.
5. I designed and supervised the work program on the SILVER CITY Project in 2012.
6. I am consulting geologist for Klondike Gold Corp., owner of the claims. I hold no interest in the SILVER CITY property. I hold shares and share purchase options of Klondike Gold Corp.

January 10, 2013

William D. Mann, M.Sc., P.Geo.

2012 Silver City Project (STEPH claims) Statement of Expenditures - Klondike Gold Corp.

NTS 116B/05

DATE	SUPPLIER	ITEM	COST TOTAL	
Prospecting and geochemical survey				
<u>Instruction & Supervision</u>				
QP geologist	W.D. Mann	pre and post trip	600.00	
			600.00	\$600.00
<u>Expenses and Equipment Rental</u>				
	Klondike Gold Corp.	flagging tape, sample bags etc.	200.00	
2012-01E	Max Mikhailytchev	expenses and boat rental	1,121.29	
201E	Matt Little	expenses	470.00	
320312, 320313	Franz Vidmar	expenses and boat rental	1,101.73	
			2,893.02	\$2,893.02
<u>Contractors and Consultant Fees</u>				
2012-1	Max Mikhailytchev	Prospector	1,750.00	
201	Matt Little	Prospector	1,675.00	
320311- 320313	Franz Vidmar	Prospector	1,643.00	
			5,068.00	\$5,068.00
<u>Geochemical Analysis</u>				
VANI131664	Acme Analytical	total 154 soils and 27 rocks	3,423.04	
VANI132348	Acme Analytical		45.04	
VANI133375	Acme Analytical		646.86	
			4,114.94	\$4,114.94
<u>Reporting</u>				
		maps and report writing		\$1,000.00
			TOTAL EXPENDITURES:	\$13,675.96

field work conducted at Silver City May 23- 28, 2012

Signed:

Date: July

2012

agent for Klondike Gold Corp.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Klondike Gold Corp.
711 - 675 W. Hastings St.
Vancouver BC V6B 1N2 Canada

Submitted By: Iain Mitchell
Receiving Lab: Canada-Dawson City
Received: June 04, 2012
Report Date: June 15, 2012
Page: 1 of 7

CERTIFICATE OF ANALYSIS

DAW12000005.1

CLIENT JOB INFORMATION

Project: Silver City
Shipment ID: 20120604
P.O. Number
Number of Samples: 152

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT-SOIL Store Soil Reject - RJSV Charges Apply

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


Invoice To: Klondike Gold Corp.
711 - 675 W. Hastings St.
Vancouver BC V6B 1N2
Canada

CC: Katie Dodd
Bill Mann
Tim Liverton

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	152	Dry at 60C			DAW
SS80	152	Dry at 60C sieve 100g to -80 mesh			DAW
RJSV	152	Saving all or part of Soil Reject			DAW
1DX2	152	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Klondike Gold Corp.**
 711 - 675 W. Hastings St.
 Vancouver BC V6B 1N2 Canada

Project: Silver City
 Report Date: June 15, 2012

Page: 2 of 7

Part: 1 of 2

CERTIFICATE OF ANALYSIS

DAW1200005.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	
				ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm			
				0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1418701	Soil			2.5	68.7	36.5	131	0.4	90.9	21.5	568	3.74	13.6	6.1	4.4	110	0.8	0.8	0.2	66	3.98	0.103	29	
1418702	Soil			1.7	62.9	8.3	101	0.3	140.2	31.5	484	4.91	14.6	2.8	3.9	51	0.3	0.7	0.1	83	1.31	0.102	31	
1418703	Soil			1.1	55.2	16.4	67	0.1	63.8	22.3	684	4.48	13.4	3.8	4.0	26	0.2	0.7	0.1	58	0.53	0.060	27	
1418704	Soil			31.3	130.6	21.0	289	0.9	165.1	25.9	558	4.23	24.1	4.9	4.3	60	2.7	3.0	0.2	117	1.16	0.365	21	
1418705	Soil			2.6	51.8	15.5	100	0.3	80.7	27.0	577	5.11	15.5	2.9	6.2	64	0.7	1.3	0.1	41	1.65	0.333	44	
1418706	Soil			0.8	24.5	11.2	65	<0.1	24.3	8.8	315	2.33	8.1	2.6	4.0	27	0.1	0.8	0.2	49	0.56	0.053	15	
1418707	Soil			1.1	19.5	16.6	59	0.2	35.3	10.8	315	2.96	9.6	780.3	5.3	15	0.1	0.5	0.2	69	0.17	0.039	15	
1418708	Soil			0.7	31.8	15.2	69	<0.1	54.5	12.9	295	3.47	6.6	1.2	8.5	21	0.1	0.4	0.1	67	0.33	0.040	33	
1418709	Soil			0.9	14.3	20.0	47	<0.1	24.5	6.9	181	2.41	8.2	0.6	4.0	14	<0.1	0.4	0.3	60	0.14	0.019	13	
1418710	Soil			1.2	15.1	11.3	60	<0.1	26.7	8.7	283	3.25	13.1	1.6	5.4	14	0.1	0.6	0.2	67	0.16	0.032	13	
1418711	Soil			0.7	40.0	26.2	105	<0.1	82.0	21.3	648	3.96	4.3	2.4	18.5	36	<0.1	0.3	0.1	71	0.48	0.051	50	
1418712	Soil			1.2	19.1	11.7	72	<0.1	26.9	10.9	330	2.99	11.2	2.7	5.6	15	<0.1	0.6	0.2	67	0.16	0.057	13	
1418713	Soil			1.3	20.6	17.4	61	0.2	52.9	9.4	214	2.85	39.9	2.1	9.2	16	0.1	1.7	0.1	42	0.17	0.040	30	
1418714	Soil			1.0	12.6	11.5	55	0.2	27.5	7.2	238	2.49	7.9	6.1	6.0	16	0.1	0.4	0.1	50	0.19	0.036	21	
1418715	Soil			1.3	27.1	21.7	81	0.3	36.0	9.0	484	2.55	8.1	1.8	5.8	18	0.4	0.6	0.3	44	0.25	0.049	31	
1418716	Soil			1.2	16.1	27.7	64	0.1	49.2	6.7	195	2.57	8.6	1.2	7.6	8	0.2	0.6	0.1	41	0.07	0.034	28	
1418717	Soil			1.0	27.3	19.2	56	0.1	23.6	8.4	259	2.76	11.5	3.0	6.6	15	<0.1	0.8	0.2	56	0.15	0.018	15	
1418718	Soil			1.3	18.7	11.6	63	0.2	22.2	8.3	367	3.05	12.6	2.3	4.4	19	0.3	0.6	0.2	57	0.23	0.092	14	
1418719	Soil			0.9	23.1	22.5	83	<0.1	17.7	7.2	296	2.34	4.6	1.3	9.4	12	<0.1	0.4	0.1	28	0.15	0.031	30	
1418720	Soil			1.0	20.5	16.5	59	0.2	18.7	7.7	266	2.39	8.9	3.4	6.9	16	0.2	0.5	0.1	49	0.18	0.042	19	
1418721	Soil			0.8	14.6	20.4	51	<0.1	14.9	5.9	171	2.16	6.9	1.7	6.2	13	0.1	0.4	0.2	44	0.14	0.019	21	
1418722	Soil			1.0	11.8	20.9	46	0.1	11.2	4.1	141	1.76	5.9	1.4	4.1	12	<0.1	0.4	0.2	32	0.13	0.031	22	
1418723	Soil			0.9	16.4	17.0	43	0.2	15.8	6.4	136	2.31	8.5	1.8	5.0	13	<0.1	0.5	0.2	49	0.16	0.036	17	
1418724	Soil			0.9	21.2	18.0	58	<0.1	18.4	7.0	242	2.05	5.3	1.7	6.8	17	<0.1	0.5	0.1	38	0.19	0.023	27	
1418725	Soil			0.7	10.8	23.8	45	0.3	8.5	3.6	109	1.71	4.4	2.1	8.0	11	0.1	0.3	0.2	35	0.13	0.027	24	
1418726	Soil			0.8	30.9	16.8	60	<0.1	60.1	14.7	620	3.10	5.9	6.0	12.6	20	<0.1	0.6	0.2	44	0.20	0.030	36	
1418727	Soil			0.7	22.8	29.2	44	<0.1	29.1	8.1	225	2.22	12.3	1.4	11.4	11	<0.1	0.9	0.2	34	0.08	0.013	33	
1418728	Soil			1.0	16.8	18.9	46	<0.1	18.8	6.0	290	2.12	8.5	1.5	9.8	12	<0.1	0.8	0.2	33	0.10	0.023	35	
1418729	Soil			1.2	39.3	35.0	104	0.1	43.9	11.6	504	2.98	29.1	1.2	10.6	21	0.2	0.9	0.4	31	0.23	0.084	50	
1418730	Soil			1.6	34.0	26.1	181	0.5	19.0	9.3	959	2.58	9.6	1.8	5.7	15	1.0	0.7	0.4	48	0.17	0.044	26	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Klondike Gold Corp.**
 711 - 675 W. Hastings St.
 Vancouver BC V6B 1N2 Canada

Project: Silver City
 Report Date: June 15, 2012

Page: 2 of 7

Part: 2 of 2

CERTIFICATE OF ANALYSIS

DAW1200005.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
1418701	Soil	100	1.40	319	0.031	3	1.92	0.014	0.06	0.2	0.09	5.4	<0.1	<0.05	6	0.8	<0.2
1418702	Soil	154	1.96	199	0.023	3	2.40	0.010	0.04	0.1	0.05	10.0	<0.1	<0.05	7	<0.5	<0.2
1418703	Soil	69	0.95	205	0.022	2	1.93	0.011	0.05	0.2	0.04	7.5	<0.1	<0.05	5	<0.5	<0.2
1418704	Soil	71	0.71	197	0.018	3	1.11	0.008	0.07	<0.1	0.13	5.6	<0.1	<0.05	3	2.5	<0.2
1418705	Soil	68	1.07	189	0.008	2	1.80	0.006	0.06	<0.1	0.04	5.4	<0.1	<0.05	5	0.7	<0.2
1418706	Soil	38	0.55	401	0.043	1	1.43	0.011	0.05	0.2	0.05	5.5	<0.1	<0.05	4	<0.5	<0.2
1418707	Soil	71	0.72	191	0.057	1	2.04	0.007	0.05	0.2	0.02	3.4	0.1	<0.05	7	<0.5	<0.2
1418708	Soil	105	1.19	359	0.034	2	2.40	0.008	0.11	0.1	0.02	6.5	0.2	<0.05	7	<0.5	<0.2
1418709	Soil	58	0.55	184	0.063	<1	1.70	0.008	0.04	0.1	0.02	3.1	0.2	<0.05	6	<0.5	<0.2
1418710	Soil	59	0.65	160	0.068	2	1.76	0.007	0.04	0.2	0.02	3.4	0.1	<0.05	6	<0.5	<0.2
1418711	Soil	179	2.94	547	0.226	1	3.13	0.008	0.38	0.1	0.02	8.9	0.3	<0.05	11	0.6	<0.2
1418712	Soil	52	0.65	192	0.065	<1	1.92	0.008	0.09	0.2	0.02	4.1	0.1	<0.05	5	<0.5	<0.2
1418713	Soil	47	0.42	188	0.028	1	1.26	0.007	0.10	0.1	0.02	3.5	0.1	<0.05	4	<0.5	<0.2
1418714	Soil	57	0.57	244	0.044	1	1.48	0.008	0.06	0.2	0.04	3.6	0.1	<0.05	5	<0.5	<0.2
1418715	Soil	62	0.51	528	0.031	<1	1.31	0.008	0.09	0.2	0.03	4.6	0.1	<0.05	4	<0.5	<0.2
1418716	Soil	92	0.54	129	0.027	<1	1.25	0.005	0.10	0.1	0.03	3.2	0.1	<0.05	4	<0.5	<0.2
1418717	Soil	40	0.48	317	0.048	<1	1.68	0.010	0.05	0.1	0.03	4.0	<0.1	<0.05	5	<0.5	<0.2
1418718	Soil	39	0.58	300	0.046	<1	1.58	0.007	0.08	0.2	0.01	3.2	0.1	<0.05	5	<0.5	<0.2
1418719	Soil	32	1.00	235	0.045	<1	1.61	0.006	0.08	<0.1	0.03	3.4	0.2	<0.05	5	<0.5	<0.2
1418720	Soil	34	0.48	265	0.046	1	1.52	0.008	0.06	0.2	0.03	3.4	<0.1	<0.05	4	<0.5	<0.2
1418721	Soil	30	0.42	288	0.036	<1	1.46	0.007	0.06	0.1	0.02	3.4	0.1	<0.05	4	<0.5	<0.2
1418722	Soil	21	0.28	238	0.024	<1	1.06	0.006	0.09	0.1	0.03	2.3	<0.1	<0.05	3	<0.5	<0.2
1418723	Soil	28	0.40	377	0.037	<1	1.62	0.007	0.04	0.2	0.04	2.9	0.1	<0.05	5	<0.5	<0.2
1418724	Soil	28	0.63	787	0.042	<1	1.27	0.007	0.07	0.1	0.03	3.7	<0.1	<0.05	4	<0.5	<0.2
1418725	Soil	20	0.36	401	0.023	<1	1.50	0.006	0.07	<0.1	0.02	2.7	0.1	<0.05	5	<0.5	<0.2
1418726	Soil	98	1.49	490	0.101	<1	2.07	0.006	0.09	0.2	0.01	4.7	<0.1	<0.05	6	<0.5	<0.2
1418727	Soil	44	0.59	440	0.026	<1	1.45	0.005	0.09	0.1	0.02	3.5	<0.1	<0.05	3	<0.5	<0.2
1418728	Soil	25	0.30	440	0.016	<1	1.49	0.005	0.09	0.2	<0.01	2.5	0.1	<0.05	4	<0.5	<0.2
1418729	Soil	42	0.84	664	0.006	1	1.56	0.006	0.11	<0.1	<0.01	2.6	<0.1	<0.05	4	<0.5	<0.2
1418730	Soil	29	0.48	702	0.024	1	1.72	0.009	0.07	0.2	0.02	3.1	<0.1	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Klondike Gold Corp.**
 711 - 675 W. Hastings St.
 Vancouver BC V6B 1N2 Canada

Project: Silver City
 Report Date: June 15, 2012

Page: 3 of 7

Part: 1 of 2

CERTIFICATE OF ANALYSIS

DAW12000005.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
				ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm		
				0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	1
1418731	Soil			1.7	7.4	26.0	74	<0.1	9.2	5.4	543	1.93	11.4	<0.5	7.0	14	0.3	1.5	0.3	25	0.26	0.031	21
1418732	Soil			1.0	14.0	15.3	49	<0.1	15.5	6.0	190	2.18	10.7	1.3	5.2	13	<0.1	3.4	0.2	37	0.12	0.011	17
1418733	Soil			1.1	6.3	27.1	41	<0.1	5.6	3.9	361	1.69	21.0	0.6	6.6	14	<0.1	1.4	0.3	17	0.22	0.019	22
1418734	Soil			0.9	13.2	10.0	45	<0.1	15.0	5.3	181	1.90	10.8	0.9	4.5	11	<0.1	1.0	0.2	35	0.13	0.020	15
1418735	Soil			1.0	20.5	20.6	39	<0.1	15.2	7.7	271	2.11	13.1	1.0	4.9	13	<0.1	1.2	0.3	37	0.22	0.012	18
1418736	Soil			1.0	16.4	14.7	52	<0.1	16.9	7.4	278	2.12	12.6	1.2	4.9	14	<0.1	0.9	0.3	40	0.21	0.015	18
1418737	Soil			1.0	16.7	21.8	39	<0.1	9.9	6.4	334	1.66	21.7	0.8	4.8	15	<0.1	1.8	0.6	27	0.28	0.018	20
1418738	Soil			1.1	25.9	14.8	36	<0.1	17.1	9.2	191	2.18	41.1	1.8	5.3	11	<0.1	2.3	0.2	44	0.17	0.012	24
1418739	Soil			1.2	83.9	48.8	58	<0.1	38.0	24.3	671	3.85	43.4	2.5	4.9	19	<0.1	2.4	0.3	85	0.37	0.015	19
1418740	Soil			1.6	34.1	16.9	64	<0.1	314.5	46.8	637	4.09	28.2	0.7	4.1	8	0.1	1.7	0.5	63	0.12	0.022	17
1418741	Soil			1.0	41.4	17.0	94	<0.1	30.5	16.9	801	3.25	13.4	<0.5	4.3	15	0.2	0.7	1.0	62	0.27	0.092	17
1418742	Soil			1.2	28.1	35.5	91	<0.1	25.9	15.5	712	3.48	14.9	1.4	2.9	16	0.2	0.6	0.3	87	0.29	0.062	17
1418743	Soil			0.8	31.1	17.0	63	0.2	33.1	13.0	400	2.81	17.1	1.1	4.0	19	<0.1	0.8	0.3	64	0.29	0.028	13
1418744	Soil			0.9	73.3	21.6	88	0.4	48.8	27.6	695	4.76	15.0	0.5	3.2	18	0.2	0.8	0.2	117	0.43	0.034	12
1418745	Soil			0.9	19.5	26.8	62	0.1	28.1	11.7	417	2.68	13.0	<0.5	8.5	18	0.1	0.6	0.2	39	0.30	0.058	33
1418746	Soil			0.5	40.1	10.0	80	0.2	212.2	46.0	860	7.43	36.3	4.8	2.9	177	0.1	0.4	0.5	139	7.88	0.256	39
1418747	Soil			11.5	87.3	41.1	259	0.5	263.0	42.2	1945	7.14	436.8	17.6	6.5	59	1.4	2.9	0.4	102	0.52	0.142	23
1418748	Soil			1.4	47.0	28.1	82	0.2	62.8	20.7	694	4.63	40.3	3.1	6.0	27	0.2	0.8	0.2	69	0.40	0.065	28
1418749	Soil			1.3	47.6	16.5	64	0.2	52.0	18.6	706	4.15	34.9	5.9	5.8	33	<0.1	0.9	0.2	65	0.72	0.065	24
1418750	Soil			1.2	57.8	17.1	73	0.3	63.3	23.9	771	4.25	36.1	5.8	5.5	51	0.3	1.1	0.2	73	2.06	0.095	24
1418751	Soil			1.0	26.1	11.6	63	<0.1	35.8	12.0	318	3.04	11.1	1.1	5.2	22	0.1	0.7	0.2	65	0.26	0.052	16
1418752	Soil			1.2	25.5	15.7	58	<0.1	34.2	11.3	375	3.05	12.8	2.8	6.1	22	0.1	0.7	0.2	69	0.42	0.036	20
1418753	Soil			0.8	30.4	10.5	52	<0.1	29.3	10.7	378	2.67	12.9	4.5	5.3	28	<0.1	0.7	0.2	58	0.55	0.021	19
1418754	Soil			1.0	22.8	13.4	59	<0.1	35.0	13.3	569	3.06	8.6	2.9	4.9	21	<0.1	0.6	0.2	74	0.44	0.035	18
1418755	Soil			1.1	23.8	14.4	72	<0.1	39.4	13.0	539	3.32	10.9	1.1	4.4	21	0.1	0.5	0.2	82	0.45	0.045	19
1418756	Soil			0.9	18.2	11.4	72	<0.1	28.5	10.1	497	2.62	9.0	<0.5	4.5	24	0.1	0.6	0.2	69	0.32	0.025	14
1418757	Soil			0.9	25.9	11.3	46	<0.1	26.0	10.3	262	2.82	11.5	5.3	5.6	25	<0.1	0.7	0.1	66	0.24	0.014	20
1418758	Soil			1.5	31.3	12.4	61	<0.1	51.9	14.6	280	4.16	15.4	2.3	5.9	23	0.2	0.7	0.2	83	0.41	0.045	17
1418759	Soil			1.3	37.6	11.2	60	<0.1	45.5	16.5	494	3.74	13.8	1.5	5.1	20	0.1	0.9	0.2	70	0.27	0.032	13
1418760	Soil			0.9	16.7	9.1	41	<0.1	16.8	8.2	258	2.30	7.8	18.0	4.7	25	<0.1	0.4	0.1	57	0.34	0.039	17

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Klondike Gold Corp.**
 711 - 675 W. Hastings St.
 Vancouver BC V6B 1N2 Canada

Project: Silver City
 Report Date: June 15, 2012

Page: 3 of 7

Part: 2 of 2

CERTIFICATE OF ANALYSIS

DAW1200005.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
1418731	Soil	15	0.22	479	0.008	<1	1.04	0.007	0.07	0.2	0.02	3.4	<0.1	<0.05	3	<0.5	<0.2
1418732	Soil	21	0.54	181	0.016	1	1.65	0.006	0.04	0.1	0.02	3.2	<0.1	<0.05	4	<0.5	<0.2
1418733	Soil	9	0.19	480	0.003	<1	0.89	0.006	0.05	<0.1	<0.01	2.4	<0.1	<0.05	3	<0.5	<0.2
1418734	Soil	20	0.40	206	0.022	<1	1.15	0.007	0.05	<0.1	0.02	2.4	<0.1	<0.05	3	<0.5	<0.2
1418735	Soil	22	0.47	316	0.021	<1	1.25	0.009	0.06	<0.1	<0.01	4.1	<0.1	<0.05	3	<0.5	<0.2
1418736	Soil	28	0.35	315	0.025	<1	1.30	0.008	0.06	0.1	<0.01	3.7	<0.1	<0.05	4	<0.5	<0.2
1418737	Soil	18	0.26	479	0.008	2	1.08	0.007	0.10	<0.1	0.02	3.0	<0.1	<0.05	2	<0.5	<0.2
1418738	Soil	39	0.42	210	0.009	2	1.36	0.006	0.04	<0.1	0.02	5.1	<0.1	<0.05	3	<0.5	<0.2
1418739	Soil	76	1.09	348	0.020	1	2.32	0.012	0.05	<0.1	0.02	17.0	<0.1	<0.05	6	<0.5	<0.2
1418740	Soil	371	1.08	288	0.015	2	2.02	0.007	0.05	0.1	0.02	8.7	0.1	<0.05	6	<0.5	<0.2
1418741	Soil	44	0.74	402	0.031	<1	1.88	0.007	0.10	0.1	0.01	4.6	<0.1	<0.05	6	<0.5	<0.2
1418742	Soil	40	0.63	518	0.051	1	2.25	0.008	0.09	0.1	0.01	4.9	<0.1	<0.05	7	<0.5	<0.2
1418743	Soil	52	0.75	364	0.055	1	1.80	0.008	0.06	0.1	0.01	5.1	<0.1	<0.05	5	<0.5	<0.2
1418744	Soil	56	1.90	339	0.108	2	3.11	0.008	0.09	<0.1	0.03	10.9	<0.1	<0.05	8	<0.5	<0.2
1418745	Soil	37	0.48	188	0.018	2	1.35	0.007	0.11	<0.1	0.02	3.1	<0.1	<0.05	4	<0.5	<0.2
1418746	Soil	360	5.31	1415	0.117	3	3.94	0.006	0.13	<0.1	0.04	18.9	0.3	<0.05	13	<0.5	<0.2
1418747	Soil	201	1.07	603	0.007	3	1.77	0.007	0.21	0.2	0.05	11.7	0.1	0.10	6	2.6	<0.2
1418748	Soil	87	1.00	284	0.048	2	1.98	0.011	0.15	<0.1	0.04	7.6	<0.1	<0.05	6	0.6	<0.2
1418749	Soil	66	0.85	277	0.058	2	1.89	0.014	0.09	0.1	0.04	7.1	<0.1	<0.05	6	<0.5	<0.2
1418750	Soil	89	0.99	412	0.060	3	1.93	0.013	0.07	0.1	0.05	8.0	<0.1	<0.05	6	0.6	<0.2
1418751	Soil	52	0.58	312	0.067	2	1.92	0.011	0.10	0.1	0.01	5.9	<0.1	<0.05	6	<0.5	<0.2
1418752	Soil	49	0.52	404	0.062	2	2.01	0.013	0.08	0.2	0.03	7.7	<0.1	<0.05	6	<0.5	<0.2
1418753	Soil	36	0.52	354	0.060	2	1.45	0.017	0.07	0.2	0.04	5.8	<0.1	<0.05	4	<0.5	<0.2
1418754	Soil	60	0.59	461	0.072	2	2.20	0.012	0.10	0.2	0.02	6.7	0.1	<0.05	7	<0.5	<0.2
1418755	Soil	65	0.64	512	0.074	2	2.61	0.016	0.08	0.2	0.02	7.8	0.2	<0.05	8	<0.5	<0.2
1418756	Soil	44	0.52	389	0.066	1	1.96	0.011	0.04	0.1	0.01	4.1	0.1	<0.05	6	<0.5	<0.2
1418757	Soil	42	0.52	382	0.063	2	1.92	0.013	0.05	0.1	0.05	7.4	0.1	<0.05	5	<0.5	<0.2
1418758	Soil	84	0.74	448	0.140	2	2.38	0.018	0.06	0.2	0.02	5.9	<0.1	<0.05	7	<0.5	<0.2
1418759	Soil	59	0.67	344	0.063	1	2.53	0.009	0.06	0.2	0.03	6.0	0.1	<0.05	6	<0.5	<0.2
1418760	Soil	32	0.43	316	0.061	<1	1.57	0.012	0.04	0.2	0.03	4.9	<0.1	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Klondike Gold Corp.**
 711 - 675 W. Hastings St.
 Vancouver BC V6B 1N2 Canada

Project: Silver City
 Report Date: June 15, 2012

Page: 4 of 7

Part: 1 of 2

CERTIFICATE OF ANALYSIS

DAW12000005.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
				ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	%	ppm		
				0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	1
1418761	Soil			0.7	32.3	10.9	60	<0.1	29.8	9.2	305	2.73	10.1	3.1	5.6	33	0.1	0.8	0.2	59	0.47	0.057	19
1418762	Soil			1.1	28.9	12.3	68	<0.1	35.2	11.7	540	3.23	14.9	11.4	5.6	29	0.2	0.8	0.2	65	0.51	0.057	20
1418763	Soil			0.6	27.5	9.4	51	<0.1	26.8	9.8	308	2.65	11.7	3.0	5.2	25	<0.1	0.7	0.1	57	0.39	0.048	19
1418764	Soil			0.8	33.5	11.0	58	<0.1	30.8	10.2	304	2.84	10.8	3.0	5.7	29	<0.1	0.8	0.2	65	0.39	0.038	21
1418765	Soil			0.6	36.1	10.4	55	<0.1	28.5	10.0	363	2.73	10.9	3.4	5.2	31	<0.1	0.9	0.2	65	0.39	0.036	19
1418766	Soil			0.9	17.5	10.1	41	<0.1	19.4	8.0	210	2.39	8.5	1.1	4.3	20	<0.1	0.4	0.2	62	0.22	0.014	16
1418767	Soil			0.8	23.0	9.5	46	<0.1	21.7	8.7	216	2.57	10.8	2.8	4.4	19	<0.1	0.6	0.1	60	0.21	0.019	18
1418768	Soil			0.6	26.4	8.4	52	<0.1	23.0	8.1	245	2.30	9.2	5.7	4.6	29	0.1	0.7	0.1	48	0.39	0.062	17
1418769	Soil			0.9	19.1	9.3	52	<0.1	21.3	7.7	198	2.35	9.4	13.0	4.3	29	0.1	0.5	0.1	54	0.41	0.055	16
1418770	Soil			0.8	21.4	9.5	50	0.1	21.4	7.4	226	2.37	8.2	4.0	4.6	31	<0.1	0.5	0.2	53	0.46	0.039	17
1418771	Soil			1.1	28.2	14.3	71	0.1	27.3	9.2	271	2.74	8.2	3.8	5.4	36	0.2	0.7	0.2	61	0.51	0.047	17
1418772	Soil			0.9	34.3	10.3	64	<0.1	56.9	17.0	453	3.73	8.6	6.3	5.1	50	<0.1	0.8	0.2	83	0.60	0.050	20
1418773	Soil			1.1	56.7	11.0	98	<0.1	157.5	34.4	812	7.09	16.4	6.1	5.7	41	0.2	1.3	0.3	109	0.78	0.163	31
1418774	Soil			0.8	21.1	10.1	50	<0.1	27.6	10.5	415	2.80	11.4	3.2	5.0	27	<0.1	0.6	0.2	56	0.41	0.025	17
1418775	Soil			0.7	107.3	9.1	111	<0.1	313.2	56.5	1230	8.30	4.3	4.1	3.9	32	<0.1	0.4	<0.1	233	0.47	0.084	49
1418776	Soil			1.0	21.7	42.8	90	<0.1	34.2	11.6	483	3.27	13.4	21.3	5.6	23	0.2	0.7	0.2	59	0.32	0.032	16
1418777	Soil			1.3	88.7	14.0	119	1.3	144.9	37.6	1760	6.88	35.7	8.0	3.9	38	<0.1	0.9	0.1	79	0.89	0.076	20
1418501	Soil			0.9	32.4	11.7	52	<0.1	32.0	12.0	427	2.95	10.5	4.6	6.7	30	<0.1	0.7	0.3	49	0.34	0.034	30
1418502	Soil			0.5	54.1	11.4	33	0.1	39.2	17.7	572	3.40	9.6	2.0	14.6	57	<0.1	0.7	0.3	26	1.19	0.065	53
1418503	Soil			0.6	29.6	15.3	45	0.1	32.9	15.2	1084	3.19	8.1	2.0	8.0	74	<0.1	0.6	0.3	35	1.35	0.036	35
1418504	Soil			0.6	32.8	14.6	53	0.1	34.2	15.9	782	3.59	9.8	4.5	8.4	59	0.1	1.0	0.3	37	1.17	0.043	33
1418505	Soil			0.8	38.1	18.4	52	0.1	36.6	14.5	603	3.30	11.4	1.9	9.5	61	0.2	0.8	0.3	37	0.96	0.053	36
1418506	Soil			0.7	24.9	13.4	56	0.1	30.8	11.0	497	2.74	10.0	2.0	3.6	39	<0.1	0.5	0.2	49	0.58	0.061	19
1418507	Soil			1.4	31.7	8.8	59	<0.1	29.3	10.4	366	3.55	3.4	1.9	12.6	27	0.1	0.5	0.2	23	0.26	0.039	51
1418508	Soil			1.0	41.5	8.3	61	<0.1	40.1	18.0	392	4.01	6.2	2.2	4.4	22	<0.1	0.5	0.1	77	0.30	0.063	20
1418509	Soil			1.6	40.9	6.8	63	<0.1	84.1	36.8	2437	8.98	23.5	2.8	2.8	25	0.1	1.7	<0.1	27	0.77	0.261	13
1418510	Soil			1.4	102.3	15.0	51	0.2	69.6	24.8	1798	5.43	16.6	3.8	11.3	81	0.1	1.0	0.3	29	3.53	0.076	38
1418511	Soil			1.0	104.9	22.5	70	<0.1	60.8	19.4	1606	3.00	20.0	2.8	5.7	17	0.2	2.8	0.2	39	0.21	0.052	24
1418512	Soil			0.8	13.4	17.1	30	<0.1	11.1	4.0	233	1.35	5.3	2.6	4.5	13	<0.1	1.1	0.2	25	0.15	0.020	22
1418513	Soil			0.7	33.3	13.4	55	<0.1	34.7	14.4	496	2.88	10.4	2.3	5.7	19	<0.1	0.7	0.2	61	0.20	0.019	18

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Klondike Gold Corp.**
 711 - 675 W. Hastings St.
 Vancouver BC V6B 1N2 Canada

Project: Silver City
 Report Date: June 15, 2012

Page: 4 of 7

Part: 2 of 2

CERTIFICATE OF ANALYSIS

DAW1200005.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
				ppm	%	ppm	%	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm		
				1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.05	1	0.5	0.2		
1418761	Soil			40	0.52	417	0.072	1	1.75	0.016	0.05	0.1	0.06	6.1	<0.1	<0.05	5	<0.5	<0.2
1418762	Soil			54	0.59	413	0.094	2	2.03	0.013	0.07	0.1	0.05	6.1	<0.1	<0.05	6	<0.5	<0.2
1418763	Soil			40	0.50	418	0.069	2	1.64	0.012	0.05	0.2	0.05	6.0	<0.1	<0.05	5	<0.5	<0.2
1418764	Soil			41	0.49	368	0.102	<1	2.00	0.015	0.05	0.2	0.05	6.9	<0.1	<0.05	6	<0.5	<0.2
1418765	Soil			40	0.54	494	0.068	<1	1.71	0.018	0.05	0.2	0.06	7.0	<0.1	<0.05	5	<0.5	<0.2
1418766	Soil			33	0.43	277	0.072	<1	1.86	0.013	0.04	0.1	0.02	5.1	0.1	<0.05	6	<0.5	<0.2
1418767	Soil			36	0.43	221	0.062	2	1.65	0.010	0.04	0.1	0.02	5.3	<0.1	<0.05	5	<0.5	<0.2
1418768	Soil			29	0.46	291	0.056	2	1.24	0.014	0.05	0.2	0.03	4.6	<0.1	<0.05	4	0.5	<0.2
1418769	Soil			29	0.44	332	0.047	<1	1.49	0.014	0.04	0.2	0.03	4.1	<0.1	<0.05	5	<0.5	<0.2
1418770	Soil			32	0.46	355	0.050	1	1.60	0.013	0.05	0.1	0.03	4.5	<0.1	<0.05	5	<0.5	<0.2
1418771	Soil			37	0.50	357	0.059	2	1.80	0.020	0.07	0.1	0.03	5.8	<0.1	<0.05	5	<0.5	<0.2
1418772	Soil			86	0.83	408	0.109	2	2.44	0.022	0.07	0.2	0.04	8.5	0.1	<0.05	8	<0.5	<0.2
1418773	Soil			154	1.13	602	0.014	3	2.64	0.009	0.08	<0.1	0.02	13.3	0.2	<0.05	10	<0.5	<0.2
1418774	Soil			36	0.49	335	0.043	2	1.59	0.012	0.05	0.1	0.04	6.2	<0.1	<0.05	5	<0.5	<0.2
1418775	Soil			549	4.56	256	0.054	<1	4.17	0.004	0.04	<0.1	0.04	31.3	<0.1	<0.05	16	<0.5	<0.2
1418776	Soil			38	0.46	346	0.035	1	1.65	0.011	0.05	0.1	0.04	5.1	<0.1	<0.05	5	<0.5	<0.2
1418777	Soil			118	0.48	484	0.002	1	1.77	0.004	0.12	<0.1	0.08	28.5	<0.1	<0.05	3	<0.5	<0.2
1418501	Soil			33	0.45	296	0.040	2	1.62	0.013	0.04	0.2	0.07	6.4	0.1	<0.05	5	<0.5	<0.2
1418502	Soil			20	0.29	182	0.018	2	1.11	0.008	0.05	<0.1	0.04	5.3	<0.1	<0.05	3	<0.5	<0.2
1418503	Soil			23	0.47	271	0.027	2	1.22	0.009	0.04	0.1	0.05	5.3	<0.1	<0.05	4	<0.5	<0.2
1418504	Soil			24	0.51	215	0.031	2	1.32	0.010	0.04	0.1	0.05	4.5	<0.1	<0.05	4	<0.5	<0.2
1418505	Soil			24	0.30	223	0.029	2	1.11	0.008	0.04	0.2	0.05	5.4	<0.1	<0.05	3	<0.5	<0.2
1418506	Soil			36	0.48	312	0.035	3	1.31	0.014	0.03	0.1	0.06	5.1	<0.1	<0.05	4	<0.5	<0.2
1418507	Soil			24	0.46	266	0.016	1	1.32	0.008	0.13	<0.1	0.03	3.2	<0.1	<0.05	4	<0.5	<0.2
1418508	Soil			53	0.95	244	0.044	2	2.19	0.009	0.04	0.1	0.02	7.2	<0.1	<0.05	8	<0.5	<0.2
1418509	Soil			32	0.29	292	0.014	3	0.82	0.006	0.09	<0.1	0.03	6.9	<0.1	<0.05	3	<0.5	<0.2
1418510	Soil			46	0.86	281	0.015	2	1.43	0.007	0.06	<0.1	0.04	5.0	<0.1	<0.05	4	<0.5	<0.2
1418511	Soil			31	0.39	452	0.024	1	1.14	0.005	0.05	0.2	0.04	5.2	<0.1	<0.05	4	<0.5	<0.2
1418512	Soil			16	0.19	298	0.031	<1	0.82	0.007	0.09	0.1	<0.01	2.9	<0.1	<0.05	3	<0.5	<0.2
1418513	Soil			49	0.60	270	0.061	<1	1.77	0.010	0.05	0.1	0.07	7.3	<0.1	<0.05	5	<0.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Klondike Gold Corp.**
 711 - 675 W. Hastings St.
 Vancouver BC V6B 1N2 Canada

Project: Silver City
 Report Date: June 15, 2012

Page: 5 of 7

Part: 1 of 2

CERTIFICATE OF ANALYSIS

DAW12000005.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
				ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm		
				0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	1
1418514	Soil			1.0	32.0	17.7	66	<0.1	58.3	13.6	413	3.14	10.1	3.8	7.8	26	<0.1	0.7	0.2	65	0.27	0.021	28
1418515	Soil			0.8	24.0	15.4	77	<0.1	31.2	14.0	216	3.34	5.5	1.3	13.3	10	0.1	0.5	0.2	45	0.10	0.027	37
1418516	Soil			1.0	26.6	15.2	67	<0.1	29.2	13.2	461	3.13	10.5	3.0	9.4	13	<0.1	0.7	0.2	47	0.13	0.024	28
1418517	Soil			0.6	13.0	18.7	109	<0.1	111.3	19.2	568	4.24	2.8	<0.5	12.7	10	0.2	0.3	0.1	45	0.11	0.029	26
1418518	Soil			1.1	17.6	13.6	54	<0.1	19.4	8.0	277	2.57	10.3	2.3	5.8	10	0.1	0.6	0.2	51	0.08	0.020	16
1418519	Soil			1.4	15.3	19.4	71	<0.1	26.9	10.7	640	3.23	7.9	0.7	5.7	11	0.3	0.4	0.2	62	0.11	0.054	23
1418520	Soil			0.5	18.1	10.9	71	<0.1	86.7	10.9	301	3.23	3.1	0.8	10.2	10	0.1	0.3	0.2	31	0.09	0.030	38
1418521	Soil			1.3	21.8	16.6	69	0.1	49.2	12.4	417	3.42	9.6	1.2	6.0	11	0.3	0.6	0.2	50	0.10	0.040	18
1418522	Soil			1.3	288.0	12.2	139	0.2	16.2	8.2	866	4.03	7.1	3.3	12.2	16	0.5	0.5	0.4	35	0.15	0.030	33
1418523	Soil			1.1	36.9	26.9	44	0.1	10.2	6.8	500	1.96	11.7	<0.5	7.0	8	<0.1	0.7	0.2	13	0.07	0.033	47
1418524	Soil			4.1	76.9	11.1	154	<0.1	76.7	28.5	1811	3.50	7.9	3.4	4.2	18	1.4	0.8	0.1	73	0.28	0.041	22
1418525	Soil			0.7	66.1	13.8	61	<0.1	35.8	20.9	886	3.84	4.0	2.2	3.7	22	<0.1	0.3	<0.1	88	0.38	0.060	11
1418526	Soil			0.8	56.1	11.2	67	<0.1	27.4	11.0	331	3.09	12.4	3.8	6.4	20	0.1	0.7	0.2	59	0.19	0.019	19
1418527	Soil			0.5	116.2	7.9	68	<0.1	69.7	39.9	1067	4.00	3.7	1.2	2.1	22	<0.1	0.3	0.1	77	0.54	0.098	7
1418528	Soil			0.9	33.0	11.9	59	<0.1	22.8	12.1	345	3.00	10.2	1.7	3.6	23	<0.1	0.6	0.2	66	0.25	0.030	9
1418529	Soil			0.4	79.9	9.2	76	<0.1	33.1	23.3	1093	4.44	4.8	1.0	2.3	26	0.1	0.3	<0.1	126	0.50	0.052	5
1418530	Soil			0.7	54.9	7.7	80	<0.1	77.2	29.1	1287	4.68	3.3	0.7	2.3	40	<0.1	0.3	<0.1	104	0.61	0.089	9
1418531	Soil			0.7	72.5	9.3	64	<0.1	35.4	19.6	452	3.19	6.2	1.8	5.4	17	<0.1	0.4	0.1	66	0.25	0.035	16
1418532	Soil			0.6	32.7	6.6	65	<0.1	37.0	19.0	447	3.39	5.9	3.0	4.2	19	<0.1	0.4	0.2	44	0.28	0.031	8
1418533	Soil			1.0	25.0	11.6	54	<0.1	41.6	13.3	369	3.16	10.1	1.1	3.8	13	<0.1	0.7	0.2	81	0.27	0.031	10
1418534	Soil			1.1	29.2	10.1	64	<0.1	30.8	10.8	312	2.95	13.0	1.8	4.4	13	<0.1	0.8	0.2	65	0.13	0.025	11
1418535	Soil			1.1	32.2	10.9	64	0.1	26.9	11.9	437	3.07	9.8	0.9	2.9	18	0.1	0.6	0.2	76	0.18	0.045	9
1418536	Soil			26.0	78.9	33.6	110	0.7	53.5	9.9	355	4.24	27.4	5.3	6.4	43	0.7	4.2	0.4	45	0.05	0.088	27
1418537	Soil			2.9	32.8	12.2	67	0.2	33.8	13.8	421	2.99	15.0	3.7	4.9	17	0.5	1.2	0.2	61	0.11	0.023	18
1418538	Soil			4.8	36.0	11.3	72	0.2	39.9	10.0	296	2.72	15.2	3.2	5.1	11	0.4	1.1	0.2	53	0.07	0.020	11
1418539	Soil			0.9	37.4	7.4	61	<0.1	44.5	19.0	500	3.51	6.7	1.9	3.7	34	<0.1	0.7	<0.1	108	0.45	0.028	7
1418540	Soil			0.7	55.5	9.6	72	<0.1	52.8	20.4	931	3.63	7.8	0.6	3.2	34	<0.1	0.5	<0.1	102	0.59	0.040	8
1418541	Soil			7.6	56.3	17.2	156	1.8	41.2	13.6	273	3.08	12.9	6.3	5.1	16	2.2	2.3	0.2	55	0.08	0.030	12
1418542	Soil			3.0	40.4	28.5	109	0.1	42.5	17.2	426	3.85	9.1	0.8	8.3	14	1.2	0.7	0.3	34	0.11	0.042	20
1418543	Soil			3.1	60.5	41.2	125	0.1	49.3	22.4	645	4.13	11.3	3.7	9.3	18	1.3	1.5	0.9	35	0.11	0.040	26

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Klondike Gold Corp.**
 711 - 675 W. Hastings St.
 Vancouver BC V6B 1N2 Canada

Project: Silver City
 Report Date: June 15, 2012

Page: 5 of 7

Part: 2 of 2

CERTIFICATE OF ANALYSIS

DAW1200005.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
1418514	Soil	106	0.94	329	0.082	1	2.14	0.014	0.07	0.1	0.05	6.8	<0.1	<0.05	7	<0.5	<0.2
1418515	Soil	37	0.92	180	0.106	2	2.11	0.007	0.41	0.1	0.02	3.1	0.4	<0.05	6	<0.5	<0.2
1418516	Soil	39	0.47	248	0.036	1	1.56	0.007	0.08	0.1	0.04	5.3	0.1	<0.05	4	<0.5	<0.2
1418517	Soil	240	3.04	486	0.133	1	3.71	0.008	0.54	<0.1	0.01	6.5	0.4	<0.05	12	<0.5	<0.2
1418518	Soil	32	0.46	163	0.047	1	1.58	0.007	0.05	0.2	0.03	3.6	0.1	<0.05	5	<0.5	<0.2
1418519	Soil	60	0.70	184	0.056	1	1.55	0.007	0.14	0.1	0.02	5.4	0.1	<0.05	7	<0.5	<0.2
1418520	Soil	104	1.46	252	0.020	3	2.38	0.005	0.13	<0.1	0.02	5.9	0.2	<0.05	6	<0.5	<0.2
1418521	Soil	95	0.65	209	0.026	1	2.00	0.006	0.10	0.1	0.03	4.8	0.1	<0.05	6	<0.5	<0.2
1418522	Soil	21	0.78	659	0.020	1	1.79	0.005	0.10	<0.1	0.04	4.0	<0.1	<0.05	6	<0.5	<0.2
1418523	Soil	6	0.08	373	0.003	1	0.43	0.004	0.12	<0.1	0.05	2.3	<0.1	<0.05	1	<0.5	<0.2
1418524	Soil	73	0.79	261	0.029	<1	2.15	0.007	0.07	<0.1	0.09	8.9	<0.1	<0.05	6	<0.5	<0.2
1418525	Soil	41	1.92	668	0.218	1	2.41	0.006	0.06	0.1	0.02	6.2	<0.1	<0.05	7	<0.5	<0.2
1418526	Soil	34	0.79	201	0.106	2	2.00	0.007	0.07	<0.1	0.03	4.9	0.1	<0.05	6	<0.5	<0.2
1418527	Soil	84	1.40	233	0.292	1	2.25	0.005	0.06	<0.1	0.05	6.6	<0.1	<0.05	6	<0.5	<0.2
1418528	Soil	27	1.04	206	0.132	2	2.20	0.007	0.05	0.2	0.02	3.3	<0.1	<0.05	6	<0.5	<0.2
1418529	Soil	39	2.23	190	0.308	1	2.76	0.005	0.05	0.2	0.02	5.0	<0.1	<0.05	9	<0.5	<0.2
1418530	Soil	124	1.68	245	0.201	1	2.74	0.006	0.05	<0.1	0.04	6.8	<0.1	<0.05	9	<0.5	<0.2
1418531	Soil	36	0.96	192	0.133	1	1.97	0.007	0.07	0.1	0.06	6.7	<0.1	<0.05	6	<0.5	<0.2
1418532	Soil	24	0.75	191	0.170	2	2.12	0.005	0.09	<0.1	0.03	3.5	<0.1	<0.05	5	0.5	<0.2
1418533	Soil	70	1.26	177	0.139	2	2.64	0.009	0.04	0.2	0.02	5.7	0.1	<0.05	7	<0.5	<0.2
1418534	Soil	41	0.60	176	0.077	2	2.18	0.007	0.04	0.2	0.04	3.7	0.1	<0.05	5	<0.5	<0.2
1418535	Soil	37	0.89	182	0.089	2	2.22	0.008	0.04	0.2	0.03	3.6	0.1	<0.05	6	<0.5	<0.2
1418536	Soil	38	0.91	129	0.008	<1	1.55	0.005	0.04	<0.1	0.43	1.8	0.3	<0.05	5	3.5	<0.2
1418537	Soil	41	0.60	215	0.055	2	1.86	0.009	0.07	0.2	0.10	7.6	0.2	<0.05	5	1.4	<0.2
1418538	Soil	38	0.58	162	0.041	2	1.76	0.007	0.05	0.2	0.04	3.5	0.1	<0.05	4	<0.5	<0.2
1418539	Soil	56	1.32	146	0.436	1	2.50	0.008	0.04	<0.1	0.02	4.8	<0.1	<0.05	7	0.5	<0.2
1418540	Soil	46	1.31	302	0.315	1	2.88	0.008	0.03	0.2	0.04	5.5	<0.1	<0.05	7	<0.5	<0.2
1418541	Soil	33	0.50	186	0.036	3	1.89	0.007	0.04	0.2	0.16	3.3	0.2	<0.05	5	2.2	<0.2
1418542	Soil	27	0.66	209	0.013	<1	2.02	0.006	0.05	<0.1	0.04	3.0	<0.1	<0.05	6	0.6	<0.2
1418543	Soil	31	0.67	200	0.019	2	2.10	0.007	0.07	<0.1	0.08	5.3	<0.1	<0.05	6	<0.5	0.3

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Klondike Gold Corp.**
 711 - 675 W. Hastings St.
 Vancouver BC V6B 1N2 Canada

Project: Silver City
 Report Date: June 15, 2012

Page: 6 of 7

Part: 1 of 2

CERTIFICATE OF ANALYSIS

DAW12000005.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
				Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
				ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm		
				0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1418544	Soil			2.1	51.1	100.0	84	<0.1	37.7	14.6	373	3.60	9.3	2.7	7.2	27	0.5	1.2	0.3	44	0.22	0.034	18
1418545	Soil			1.0	25.4	10.6	62	<0.1	25.3	9.1	352	2.28	8.5	0.8	4.4	28	0.1	0.8	0.1	48	0.35	0.068	15
1418546	Soil			1.2	28.7	49.9	53	<0.1	26.7	8.8	330	2.47	9.2	3.9	4.6	25	<0.1	0.9	0.2	58	0.30	0.034	16
1418547	Soil			1.2	29.8	10.3	66	<0.1	25.7	8.0	200	2.46	9.3	3.9	5.1	24	0.1	1.1	0.2	46	0.28	0.049	18
1418548	Soil			1.3	32.5	41.7	65	0.1	30.2	10.7	313	2.69	10.1	2.8	4.4	30	0.2	1.0	0.1	57	0.43	0.068	15
1418549	Soil			1.2	51.4	16.0	82	<0.1	35.5	15.1	833	3.71	7.0	2.0	6.7	27	0.2	0.8	0.2	54	0.38	0.060	28
1418550	Soil			0.7	83.2	50.7	65	<0.1	32.2	26.6	1283	5.32	2.1	<0.5	5.1	26	0.1	0.3	<0.1	57	0.60	0.149	18
1418551	Soil			1.1	30.3	11.0	54	<0.1	33.4	13.0	658	2.99	8.7	4.7	3.9	21	0.2	0.6	0.1	65	0.22	0.033	9
1418552	Soil			1.0	194.6	58.3	101	<0.1	61.2	31.2	1268	5.09	4.6	1.5	4.3	24	0.1	0.7	<0.1	80	0.48	0.062	9
1418553	Soil			2.4	35.3	24.9	80	0.1	35.6	13.0	279	3.90	8.8	3.1	6.4	12	0.4	0.7	0.3	34	0.12	0.069	23
1418554	Soil			1.2	21.3	32.7	56	<0.1	24.6	8.2	236	2.56	6.4	2.5	4.7	14	0.2	0.5	0.2	37	0.14	0.036	15
1418555	Soil			1.5	36.3	11.8	65	0.3	28.0	9.8	306	2.65	10.0	4.3	5.4	18	<0.1	0.9	0.1	51	0.12	0.015	21
1418556	Soil			1.3	83.8	33.7	127	0.2	65.1	26.6	1189	2.82	7.1	9.7	5.4	21	0.3	1.4	0.2	26	0.11	0.027	17
1418557	Soil			1.3	58.6	16.9	92	0.1	46.1	13.6	615	3.14	7.1	6.9	7.5	18	0.2	1.1	0.3	29	0.17	0.034	17
1418558	Soil			1.2	34.2	18.4	68	<0.1	31.9	10.3	395	2.86	11.0	4.0	5.6	18	<0.1	0.9	0.2	54	0.17	0.023	19
1418559	Soil			1.7	55.7	45.2	81	<0.1	44.5	32.9	787	4.47	13.1	6.5	10.8	18	0.1	2.5	0.8	29	0.13	0.045	20
1418560	Soil			2.2	83.6	44.7	113	0.3	49.6	13.8	544	3.18	7.6	11.1	6.9	12	0.2	2.4	0.2	39	0.10	0.020	20
1418561	Soil			5.1	98.0	33.3	105	<0.1	49.3	35.0	583	5.51	12.5	1.8	20.7	27	0.2	4.4	0.6	29	0.17	0.052	59
1418562	Soil			3.1	62.1	22.7	133	<0.1	40.7	10.8	621	3.03	9.5	5.0	6.0	18	0.8	1.7	0.2	52	0.16	0.026	24
1418563	Soil			1.5	43.2	19.9	68	<0.1	31.5	11.2	274	3.14	9.7	3.2	9.5	24	0.3	1.4	0.3	37	0.18	0.026	35
1418564	Soil			3.0	63.2	22.5	103	0.1	45.7	24.9	876	3.84	9.9	5.0	9.8	12	0.3	3.1	0.4	32	0.09	0.048	39
1418565	Soil			1.0	34.5	9.0	61	0.1	26.3	8.6	317	2.42	12.6	3.9	4.9	25	0.1	1.0	0.1	49	0.25	0.049	17
1418566	Soil			1.2	33.9	22.7	56	<0.1	48.7	15.6	338	3.00	14.0	2.4	5.6	21	<0.1	0.8	0.2	66	0.29	0.027	26
1418567	Soil			1.1	33.2	11.8	85	<0.1	49.3	16.7	293	3.21	17.3	2.8	4.9	14	0.5	1.4	0.1	63	0.15	0.029	14
1418568	Soil			0.6	39.7	18.1	57	<0.1	82.7	21.4	477	2.83	5.7	5.9	5.3	17	0.2	0.5	0.1	53	0.45	0.050	27
1418569	Soil			0.6	18.1	16.4	35	<0.1	12.1	5.2	143	1.69	18.5	7.4	5.5	10	<0.1	0.8	<0.1	33	0.10	0.011	25
1418570	Soil			0.9	78.9	21.6	54	<0.1	35.6	17.3	547	3.94	9.8	10.5	4.9	22	<0.1	0.8	0.1	94	0.28	0.015	19
1418571	Soil			1.0	44.0	11.1	61	<0.1	36.5	15.7	565	3.18	13.4	3.4	4.9	24	<0.1	0.8	0.2	74	0.33	0.017	17
1418572	Soil			0.9	21.9	16.1	53	<0.1	22.7	8.4	299	2.64	12.2	4.9	6.2	15	<0.1	0.7	0.2	58	0.15	0.017	18
1418573	Soil			1.1	12.8	18.3	54	<0.1	12.7	5.3	230	2.57	12.5	33.2	4.8	9	<0.1	1.1	0.1	41	0.08	0.016	13

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Klondike Gold Corp.**
 711 - 675 W. Hastings St.
 Vancouver BC V6B 1N2 Canada

Project: Silver City
 Report Date: June 15, 2012

Page: 6 of 7

Part: 2 of 2

CERTIFICATE OF ANALYSIS

DAW1200005.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
1418544	Soil	35	0.63	304	0.043	<1	1.89	0.010	0.06	<0.1	0.09	5.6	<0.1	<0.05	5	0.8	<0.2
1418545	Soil	32	0.43	280	0.069	2	1.17	0.015	0.06	0.2	0.04	5.4	<0.1	<0.05	4	<0.5	<0.2
1418546	Soil	38	0.43	270	0.093	<1	1.55	0.019	0.06	0.2	0.04	7.7	0.1	<0.05	5	<0.5	<0.2
1418547	Soil	32	0.42	298	0.064	<1	1.31	0.012	0.05	0.1	0.04	5.0	<0.1	<0.05	4	<0.5	<0.2
1418548	Soil	39	0.47	294	0.082	1	1.32	0.023	0.07	0.2	0.04	6.4	<0.1	<0.05	4	<0.5	<0.2
1418549	Soil	29	0.70	639	0.036	1	2.04	0.010	0.10	0.1	0.07	6.9	<0.1	<0.05	6	<0.5	<0.2
1418550	Soil	15	1.86	428	0.053	1	2.57	0.005	0.09	<0.1	0.03	4.4	<0.1	<0.05	6	<0.5	<0.2
1418551	Soil	50	0.58	206	0.129	1	1.96	0.007	0.05	<0.1	0.04	3.7	<0.1	<0.05	5	<0.5	<0.2
1418552	Soil	54	1.64	326	0.202	<1	2.59	0.008	0.06	<0.1	0.13	8.6	<0.1	<0.05	7	0.6	<0.2
1418553	Soil	29	0.67	184	0.018	<1	1.91	0.006	0.05	<0.1	0.01	2.9	<0.1	<0.05	6	1.2	<0.2
1418554	Soil	25	0.44	135	0.034	<1	1.23	0.007	0.04	<0.1	0.05	2.7	<0.1	<0.05	4	0.6	<0.2
1418555	Soil	33	0.43	240	0.057	2	1.52	0.011	0.07	0.2	0.09	7.4	<0.1	<0.05	4	1.1	<0.2
1418556	Soil	18	0.20	295	0.021	2	0.74	0.016	0.06	<0.1	0.20	5.6	<0.1	<0.05	2	3.3	<0.2
1418557	Soil	26	0.63	212	0.022	<1	1.50	0.005	0.06	<0.1	0.15	4.5	<0.1	<0.05	4	1.8	0.2
1418558	Soil	33	0.47	295	0.062	1	1.73	0.014	0.08	0.2	0.07	7.3	<0.1	<0.05	5	0.6	<0.2
1418559	Soil	27	0.57	341	0.014	2	1.82	0.006	0.08	<0.1	0.10	4.9	<0.1	<0.05	5	0.9	0.4
1418560	Soil	36	0.63	272	0.024	2	1.72	0.010	0.07	<0.1	0.19	5.5	<0.1	<0.05	5	2.7	<0.2
1418561	Soil	28	0.38	290	0.016	<1	1.51	0.005	0.08	<0.1	0.10	4.7	<0.1	<0.05	5	3.5	<0.2
1418562	Soil	31	0.44	322	0.041	<1	1.47	0.008	0.07	0.2	0.12	7.4	<0.1	<0.05	4	2.8	<0.2
1418563	Soil	30	0.50	234	0.044	<1	1.69	0.009	0.06	0.1	0.06	5.8	<0.1	<0.05	5	1.1	<0.2
1418564	Soil	27	0.51	152	0.011	<1	1.52	0.004	0.05	<0.1	0.05	4.2	<0.1	<0.05	4	1.4	0.2
1418565	Soil	32	0.45	254	0.056	1	1.31	0.010	0.05	0.2	0.05	5.8	<0.1	<0.05	4	0.7	<0.2
1418566	Soil	73	0.68	364	0.053	2	2.18	0.011	0.05	0.2	0.04	9.6	<0.1	<0.05	6	<0.5	<0.2
1418567	Soil	56	0.56	221	0.038	1	2.03	0.009	0.04	<0.1	0.02	6.3	<0.1	<0.05	5	0.9	<0.2
1418568	Soil	88	0.56	244	0.122	<1	1.81	0.011	0.04	0.2	0.06	9.5	<0.1	<0.05	5	<0.5	<0.2
1418569	Soil	23	0.27	240	0.012	2	1.26	0.006	0.10	0.1	0.02	3.7	<0.1	<0.05	3	<0.5	<0.2
1418570	Soil	63	0.85	334	0.047	1	2.24	0.010	0.06	<0.1	0.06	14.5	<0.1	<0.05	5	<0.5	<0.2
1418571	Soil	73	0.90	385	0.068	1	2.13	0.013	0.05	0.1	0.05	8.7	0.1	<0.05	5	<0.5	<0.2
1418572	Soil	37	0.51	291	0.048	<1	1.96	0.009	0.07	0.1	0.02	4.1	0.1	<0.05	5	<0.5	<0.2
1418573	Soil	24	0.29	179	0.014	<1	1.51	0.006	0.07	0.1	0.02	3.3	0.1	<0.05	4	<0.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Klondike Gold Corp.**
 711 - 675 W. Hastings St.
 Vancouver BC V6B 1N2 Canada

Project: Silver City
 Report Date: June 15, 2012

Page: 7 of 7

Part: 1 of 2

CERTIFICATE OF ANALYSIS

DAW12000005.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	1	
1418574	Soil	0.8	17.2	17.2	52	<0.1	18.7	5.7	215	2.25	8.6	3.0	6.2	21	<0.1	0.6	0.1	45	0.26	0.029	12
1418575	Soil	0.5	77.8	8.1	61	<0.1	28.3	25.7	957	5.16	5.7	2.1	3.5	219	<0.1	0.7	<0.1	168	0.63	0.019	11



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Klondike Gold Corp.**
 711 - 675 W. Hastings St.
 Vancouver BC V6B 1N2 Canada

Project: Silver City
 Report Date: June 15, 2012

Page: 7 of 7

Part: 2 of 2

CERTIFICATE OF ANALYSIS

DAW12000005.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1418574	Soil	25	0.48	225	0.015	<1	2.62	0.008	0.06	0.1	0.02	3.9	<0.1	<0.05	6	<0.5	<0.2
1418575	Soil	109	1.18	602	0.012	<1	5.14	0.040	0.03	<0.1	0.05	31.2	<0.1	<0.05	10	<0.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Klondike Gold Corp.**
711 - 675 W. Hastings St.
Vancouver BC V6B 1N2 Canada

Project: Silver City
Report Date: June 15, 2012

Page: 1 of 1

Part: 1 of 2

QUALITY CONTROL REPORT

DAW12000005.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1	
Pulp Duplicates																					
1418726	Soil	0.8	30.9	16.8	60	<0.1	60.1	14.7	620	3.10	5.9	6.0	12.6	20	<0.1	0.6	0.2	44	0.20	0.030	36
REP 1418726	QC	0.8	31.8	16.7	59	<0.1	58.6	14.8	604	3.05	6.1	2.4	12.5	19	<0.1	0.6	0.2	43	0.19	0.032	36
1418762	Soil	1.1	28.9	12.3	68	<0.1	35.2	11.7	540	3.23	14.9	11.4	5.6	29	0.2	0.8	0.2	65	0.51	0.057	20
REP 1418762	QC	1.1	29.8	12.8	68	<0.1	35.8	11.9	558	3.23	15.2	14.4	5.6	30	0.2	0.7	0.2	67	0.52	0.059	20
1418521	Soil	1.3	21.8	16.6	69	0.1	49.2	12.4	417	3.42	9.6	1.2	6.0	11	0.3	0.6	0.2	50	0.10	0.040	18
REP 1418521	QC	1.5	23.0	16.7	70	0.1	49.6	12.6	420	3.47	10.2	0.5	6.1	11	0.2	0.6	0.1	51	0.10	0.039	18
1418557	Soil	1.3	58.6	16.9	92	0.1	46.1	13.6	615	3.14	7.1	6.9	7.5	18	0.2	1.1	0.3	29	0.17	0.034	17
REP 1418557	QC	1.3	58.0	16.6	91	0.1	44.7	13.6	615	3.12	6.5	6.4	7.4	19	0.1	1.2	0.3	28	0.17	0.033	17
Reference Materials																					
STD DS8	Standard	12.8	109.8	121.6	317	1.8	38.4	7.6	612	2.48	26.2	123.5	6.7	78	2.3	5.8	6.6	42	0.71	0.083	15
STD DS8	Standard	14.0	118.0	133.8	336	1.9	41.4	8.1	638	2.54	27.1	129.0	7.3	72	2.7	5.9	7.1	46	0.74	0.085	16
STD DS8	Standard	13.7	110.5	130.1	320	1.9	38.2	7.5	618	2.50	25.5	119.2	7.0	69	2.5	5.9	7.2	42	0.71	0.081	15
STD DS8	Standard	14.9	113.8	135.6	334	1.9	40.0	7.8	655	2.60	26.5	123.6	7.6	77	2.7	6.3	7.0	45	0.75	0.081	18
STD DS8	Standard	13.5	106.5	122.2	307	1.8	39.1	7.6	607	2.39	24.1	127.8	7.0	67	2.1	5.4	6.2	43	0.70	0.075	17
STD DS9	Standard	13.7	107.3	125.1	322	1.8	40.9	7.5	586	2.36	27.0	120.5	6.4	86	2.6	5.8	6.7	41	0.77	0.083	14
STD DS9	Standard	13.9	109.8	131.7	329	1.8	40.3	7.5	582	2.37	25.9	120.6	6.6	76	2.4	5.8	7.1	40	0.74	0.085	14
STD DS9	Standard	12.6	104.5	130.4	315	1.8	38.8	7.4	578	2.33	25.8	110.4	6.5	73	2.3	5.6	6.9	41	0.72	0.079	14
STD DS9	Standard	13.8	108.1	135.0	321	1.9	40.4	7.8	616	2.40	26.7	116.8	7.3	82	2.4	5.9	7.3	44	0.78	0.087	16
STD DS9	Standard	13.8	103.1	121.8	300	1.8	39.6	7.2	571	2.23	23.0	117.3	6.5	69	2.0	5.2	6.3	40	0.70	0.075	15
STD DS9 Expected		12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	118	6.38	69.6	2.4	4.94	6.32	40	0.7201	0.0819	13.3
STD DS8 Expected		13.44	110	123	312	1.69	38.1	7.5	615	2.46	26	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7	0.08	14.6
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Klondike Gold Corp.**
 711 - 675 W. Hastings St.
 Vancouver BC V6B 1N2 Canada

Project: Silver City
 Report Date: June 15, 2012

Page: 1 of 1

Part: 2 of 2

QUALITY CONTROL REPORT

DAW12000005.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																	
1418726	Soil	98	1.49	490	0.101	<1	2.07	0.006	0.09	0.2	0.01	4.7	<0.1	<0.05	6	<0.5	<0.2
REP 1418726	QC	97	1.49	477	0.096	1	2.05	0.006	0.08	0.2	0.02	4.8	<0.1	<0.05	6	<0.5	<0.2
1418762	Soil	54	0.59	413	0.094	2	2.03	0.013	0.07	0.1	0.05	6.1	<0.1	<0.05	6	<0.5	<0.2
REP 1418762	QC	53	0.58	413	0.095	2	1.99	0.013	0.07	0.2	0.03	6.2	<0.1	<0.05	6	<0.5	<0.2
1418521	Soil	95	0.65	209	0.026	1	2.00	0.006	0.10	0.1	0.03	4.8	0.1	<0.05	6	<0.5	<0.2
REP 1418521	QC	96	0.65	213	0.026	2	2.00	0.006	0.10	0.1	0.02	4.8	0.1	<0.05	6	0.5	<0.2
1418557	Soil	26	0.63	212	0.022	<1	1.50	0.005	0.06	<0.1	0.15	4.5	<0.1	<0.05	4	1.8	0.2
REP 1418557	QC	25	0.62	210	0.021	<1	1.44	0.005	0.05	<0.1	0.14	4.2	<0.1	<0.05	4	1.6	<0.2
Reference Materials																	
STD DS8	Standard	118	0.62	289	0.117	2	0.99	0.111	0.41	3.0	0.22	3.1	5.4	0.10	5	6.5	5.0
STD DS8	Standard	128	0.64	297	0.122	2	0.97	0.103	0.43	3.4	0.21	2.9	6.2	0.14	5	5.6	5.5
STD DS8	Standard	119	0.62	293	0.115	4	0.93	0.093	0.42	3.2	0.22	2.9	5.7	0.13	5	5.2	5.1
STD DS8	Standard	129	0.65	309	0.132	3	1.00	0.112	0.46	3.0	0.21	3.5	5.6	0.11	5	5.7	5.7
STD DS8	Standard	121	0.62	275	0.118	2	0.95	0.093	0.41	2.8	0.22	2.5	5.4	0.17	5	4.8	5.5
STD DS9	Standard	119	0.62	313	0.118	3	1.03	0.123	0.42	2.9	0.19	3.4	5.3	0.10	5	5.7	5.3
STD DS9	Standard	119	0.61	320	0.114	3	0.95	0.086	0.40	3.1	0.22	2.7	5.9	0.11	5	5.6	5.1
STD DS9	Standard	117	0.60	321	0.109	3	0.92	0.090	0.39	3.0	0.21	2.7	5.5	0.14	5	5.1	5.0
STD DS9	Standard	126	0.63	328	0.123	3	1.02	0.100	0.42	3.0	0.20	3.0	5.6	0.14	5	4.9	5.8
STD DS9	Standard	119	0.61	299	0.114	3	0.94	0.082	0.38	3.0	0.19	2.7	5.3	0.20	5	4.9	5.0
STD DS9 Expected		121	0.6165	295	0.1108		0.9577	0.0853	0.395	2.89	0.2	2.5	5.3	0.1615	4.59	5.2	5.02
STD DS8 Expected		115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	2.3	5.4	0.1679	4.7	5.23	5
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Klondike Gold Corp.
711 - 675 W. Hastings St.
Vancouver BC V6B 1N2 Canada

Submitted By: Iain Mitchell
Receiving Lab: Canada-Dawson City
Received: June 13, 2012
Report Date: June 21, 2012
Page: 1 of 2

CERTIFICATE OF ANALYSIS

DAW12000019.1

CLIENT JOB INFORMATION

Project: Silver City
Shipment ID:
P.O. Number
Number of Samples: 2

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT-SOIL Store Soil Reject - RJSV Charges Apply

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


Invoice To: Klondike Gold Corp.
711 - 675 W. Hastings St.
Vancouver BC V6B 1N2
Canada

CC: Katie Dodd
Bill Mann
Tim Liverton
Jennifer Parrott

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Table with 6 columns: Method Code, Number of Samples, Code Description, Test Wgt (g), Report Status, Lab. Rows include methods like Dry at 60C, SS80, RJSV, and 1DX2.

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client, Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Klondike Gold Corp.**
 711 - 675 W. Hastings St.
 Vancouver BC V6B 1N2 Canada

Project: Silver City
 Report Date: June 21, 2012

Page: 2 of 2

Part: 1 of 2

CERTIFICATE OF ANALYSIS

DAW12000019.1

	Method	1DX15																			
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Analyte	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	Unit																				
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1418901	Soil	6.9	57.4	138.3	831	10.1	72.5	18.6	346	3.03	112.5	7.8	6.0	124	2.6	31.1	0.4	16	4.62	0.116	12
1418902	Soil	5.0	7.4	24.9	110	0.2	3.3	3.1	205	10.92	252.1	13.8	10.2	46	<0.1	0.8	0.4	<2	0.60	0.076	4



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Klondike Gold Corp.**
 711 - 675 W. Hastings St.
 Vancouver BC V6B 1N2 Canada

Project: Silver City
 Report Date: June 21, 2012

Page: 2 of 2

Part: 2 of 2

CERTIFICATE OF ANALYSIS

DAW12000019.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1418901	Soil	10	0.28	213	<0.001	5	0.52	0.006	0.07	<0.1	0.13	5.0	0.2	0.15	1	8.3	<0.2
1418902	Soil	<1	0.02	81	<0.001	5	0.08	0.011	1.14	<0.1	0.03	1.8	0.9	3.45	<1	<0.5	0.5



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Klondike Gold Corp.
711 - 675 W. Hastings St.
Vancouver BC V6B 1N2 Canada

Project: Silver City
Report Date: June 21, 2012

Page: 1 of 1

Part: 1 of 2

QUALITY CONTROL REPORT

DAW12000019.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1	
Reference Materials																					
STD DS8	Standard	14.3	110.7	122.9	300	1.9	38.1	7.5	605	2.40	25.4	144.9	7.0	69	2.5	5.6	6.7	39	0.68	0.083	15
STD DS9	Standard	14.4	109.9	122.4	299	1.8	40.0	7.9	577	2.31	26.5	111.2	6.8	71	2.3	6.0	6.8	42	0.69	0.086	14
STD DS9 Expected		12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	118	6.38	69.6	2.4	4.94	6.32	40	0.7201	0.0819	13.3
STD DS8 Expected		13.44	110	123	312	1.69	38.1	7.5	615	2.46	26	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7	0.08	14.6
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Klondike Gold Corp.
711 - 675 W. Hastings St.
Vancouver BC V6B 1N2 Canada

Project: Silver City
Report Date: June 21, 2012

Page: 1 of 1

Part: 2 of 2

QUALITY CONTROL REPORT

DAW12000019.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Reference Materials																	
STD DS8	Standard	118	0.60	291	0.112	2	0.85	0.088	0.40	2.9	0.21	2.6	5.4	0.16	5	5.4	4.9
STD DS9	Standard	119	0.60	317	0.112	4	0.92	0.083	0.36	2.9	0.24	2.4	5.4	0.17	4	4.7	4.7
STD DS9 Expected		121	0.6165	295	0.1108		0.9577	0.0853	0.395	2.89	0.2	2.5	5.3	0.1615	4.59	5.2	5.02
STD DS8 Expected		115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	2.3	5.4	0.1679	4.7	5.23	5
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Klondike Gold Corp.
711 - 675 W. Hastings St.
Vancouver BC V6B 1N2 Canada

Submitted By: Iain Mitchell
Receiving Lab: Canada-Whitehorse
Received: June 14, 2012
Report Date: June 27, 2012
Page: 1 of 2

CERTIFICATE OF ANALYSIS

WHI12000097.1

CLIENT JOB INFORMATION

Project: Silver City
Shipment ID: KGR-004
P.O. Number
Number of Samples: 27

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Table with 6 columns: Method Code, Number of Samples, Code Description, Test Wgt (g), Report Status, Lab. Contains two rows of sample preparation data.

SAMPLE DISPOSAL


STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT Store After 90 days Invoice for Storage

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Klondike Gold Corp.
711 - 675 W. Hastings St.
Vancouver BC V6B 1N2
Canada

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Klondike Gold Corp.**
 711 - 675 W. Hastings St.
 Vancouver BC V6B 1N2 Canada

Project: Silver City
 Report Date: June 27, 2012

Page: 2 of 2

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI12000097.1

Method	Analyte	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit	MDL	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1418651	Rock	0.70	0.9	2.1	34.8	33	0.1	2.0	2.1	387	1.65	18.3	9.9	5.0	49	0.2	0.3	<0.1	<2	0.15	0.014
1418652	Rock	0.62	0.5	10.3	14.4	9	0.1	1.3	0.8	131	3.05	91.0	159.5	4.9	21	<0.1	0.4	<0.1	<2	0.04	0.015
1418852	Rock	3.29	0.1	9569	3.6	37	0.7	10.3	9.3	2465	5.18	12.0	18.4	<0.1	278	0.3	55.2	0.5	16	12.07	0.007
1418853	Rock	1.48	104.5	42.7	38.5	77	0.2	65.1	42.0	376	12.15	34.1	9.8	2.0	38	<0.1	0.8	1.7	101	0.67	0.232
1418854	Rock	2.94	2.8	34.1	79.2	88	0.6	1.3	1.3	47	1.52	24.3	7.0	4.6	19	<0.1	2.8	1.4	<2	0.06	0.022
1418855	Rock	2.68	3.0	22.0	77.9	627	0.3	5.4	5.6	386	5.42	62.3	15.9	11.3	40	0.4	1.7	0.4	3	1.39	0.054
1418856	Rock	1.21	5.4	5.6	15.6	128	<0.1	3.9	5.8	2941	4.33	16.4	4.2	23.0	186	0.4	0.5	<0.1	<2	6.75	0.052
1418857	Rock	1.82	1.4	41.8	349.5	925	0.4	4.1	8.5	1488	3.58	104.8	96.1	20.7	54	6.7	0.5	<0.1	<2	1.43	0.060
1418858	Rock	0.96	0.7	14.7	8084	3300	3.5	3.9	3.0	1813	4.40	441.3	66.5	19.3	65	18.9	1.8	0.3	<2	1.40	0.063
1418859	Rock	1.59	1.0	33.7	560.2	2615	0.7	3.4	3.5	1240	3.36	194.3	21.6	24.6	68	20.2	0.7	<0.1	<2	1.36	0.074
1418860	Rock	1.09	1.4	54.9	1773	2127	1.5	4.7	12.0	2850	8.86	173.5	84.9	10.2	161	17.8	1.4	0.2	3	4.55	0.051
1418861	Rock	2.36	0.8	17.1	275.0	5139	0.7	3.8	10.6	956	5.55	>10000	260.3	14.0	51	35.2	4.8	0.1	<2	1.17	0.056
1418862	Rock	1.32	1.2	2.1	753.6	85	1.5	1.0	0.7	51	1.49	35.6	16.9	9.9	61	0.6	0.7	3.9	<2	1.27	0.044
1418863	Rock	1.03	0.3	3.8	212.7	219	0.3	2.2	1.9	375	1.78	29.6	4.0	3.2	81	1.2	0.3	0.7	<2	0.47	0.099
1418864	Rock	1.55	0.2	4.7	16.3	168	<0.1	2.4	1.5	498	2.75	28.9	18.9	8.1	63	0.1	0.6	0.2	<2	0.05	0.066
1418865	Rock	1.18	0.8	1.9	17.1	13	0.3	2.8	2.5	37	1.99	40.9	42.5	5.6	20	<0.1	1.0	0.3	<2	0.31	0.016
1418866	Rock	2.47	2.6	15.4	59.8	558	0.2	7.2	4.3	934	5.84	387.1	7.4	4.6	80	0.8	1.2	<0.1	<2	2.20	0.015
1418867	Rock	1.07	2.6	13.9	8.7	53	0.1	14.1	13.0	775	2.93	11.4	<0.5	6.7	135	0.1	0.5	0.1	12	2.92	0.202
1418868	Rock	1.53	0.6	5.5	17.6	5	<0.1	0.5	0.3	33	0.89	4.0	2.0	2.2	7	<0.1	0.2	0.9	<2	0.04	0.004
1418869	Rock	0.93	1.0	2.0	6.9	13	<0.1	1.5	1.0	819	0.87	38.8	<0.5	0.3	181	<0.1	0.9	<0.1	<2	5.51	0.005
1418870	Rock	0.79	0.1	1.1	21.5	<1	<0.1	0.3	0.3	140	0.30	2.2	<0.5	<0.1	119	<0.1	0.2	0.1	<2	2.82	0.003
1418871	Rock	0.94	0.2	235.5	7.1	36	<0.1	24.0	24.1	614	3.05	16.0	0.9	0.8	331	<0.1	0.9	<0.1	75	3.06	0.030
1418872	Rock	1.05	0.2	74.7	4.3	8	<0.1	2.3	0.8	374	0.61	5.0	28.5	0.3	131	<0.1	3.3	<0.1	<2	3.97	0.002
1418873	Rock	1.21	<0.1	1.3	4.0	<1	<0.1	1.0	0.6	360	0.31	3.7	22.7	<0.1	448	<0.1	0.3	<0.1	<2	9.19	<0.001
1418874	Rock	0.66	0.2	7.9	8.5	7	<0.1	0.8	0.6	37	0.34	11.3	2.2	6.3	4	<0.1	4.1	<0.1	<2	0.21	0.005
1418875	Rock	1.28	<0.1	196.1	39.8	17	0.4	1.2	0.9	215	0.45	17.3	1.0	0.1	110	0.4	82.4	0.3	4	4.24	0.001
1418851	Rock	3.04	0.5	20.9	11.5	22	<0.1	30.3	14.7	954	3.21	3.4	2.8	0.8	438	<0.1	1.7	<0.1	75	12.24	0.007



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Klondike Gold Corp.**
 711 - 675 W. Hastings St.
 Vancouver BC V6B 1N2 Canada

Project: Silver City
 Report Date: June 27, 2012

Page: 2 of 2

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI12000097.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.01	0.05	1	0.5	0.2	
1418651	Rock	14	3	0.01	255	<0.001	1	0.08	0.003	0.08	<0.1	<0.01	2.1	<0.1	0.34	<1	<0.5	<0.2
1418652	Rock	12	3	0.01	753	0.001	1	0.09	0.007	0.10	<0.1	<0.01	0.7	<0.1	0.21	<1	1.0	<0.2
1418852	Rock	1	5	6.29	46	<0.001	2	0.03	0.004	0.02	<0.1	0.01	4.4	<0.1	0.54	<1	0.9	0.2
1418853	Rock	7	10	3.58	68	0.011	2	3.96	0.039	0.05	<0.1	<0.01	8.6	<0.1	2.76	14	3.3	<0.2
1418854	Rock	11	2	0.02	393	0.001	2	0.19	0.005	0.37	<0.1	0.08	0.3	0.4	0.37	<1	<0.5	<0.2
1418855	Rock	17	1	0.04	54	0.002	3	0.19	0.006	0.34	<0.1	0.07	1.4	1.4	1.65	<1	0.6	0.2
1418856	Rock	7	1	0.17	72	0.001	3	0.26	0.003	0.28	<0.1	0.02	4.2	0.2	2.02	<1	<0.5	<0.2
1418857	Rock	29	1	0.05	150	0.001	5	0.31	0.005	0.33	<0.1	0.01	2.2	0.2	1.02	<1	<0.5	<0.2
1418858	Rock	41	1	0.03	479	0.001	4	0.26	0.005	0.35	<0.1	0.17	3.5	<0.1	0.28	<1	3.0	<0.2
1418859	Rock	44	1	0.07	281	0.001	6	0.35	0.004	0.36	<0.1	0.04	2.4	0.1	0.47	1	<0.5	<0.2
1418860	Rock	7	<1	0.17	49	0.002	3	0.22	0.011	0.35	<0.1	0.12	8.3	0.5	2.92	<1	1.0	<0.2
1418861	Rock	20	1	0.09	27	0.001	4	0.30	0.005	0.30	<0.1	0.10	2.8	<0.1	3.29	<1	1.3	<0.2
1418862	Rock	14	1	<0.01	56	<0.001	4	0.25	0.006	0.40	0.2	0.05	0.6	0.1	1.49	<1	0.8	0.3
1418863	Rock	7	2	0.02	90	<0.001	3	0.18	0.004	0.23	0.1	0.02	0.9	<0.1	0.83	<1	<0.5	<0.2
1418864	Rock	25	1	<0.01	232	<0.001	3	0.19	0.006	0.25	0.2	0.03	1.8	<0.1	0.46	<1	<0.5	<0.2
1418865	Rock	17	2	<0.01	55	<0.001	2	0.17	0.007	0.29	0.1	<0.01	0.2	<0.1	1.72	<1	1.0	0.5
1418866	Rock	5	1	0.06	61	<0.001	3	0.09	0.005	0.15	0.2	0.06	5.1	<0.1	1.31	<1	3.6	1.3
1418867	Rock	48	4	1.05	207	0.003	3	0.38	0.032	0.28	<0.1	<0.01	4.8	<0.1	0.55	1	<0.5	<0.2
1418868	Rock	13	1	<0.01	140	<0.001	2	0.22	0.060	0.15	<0.1	<0.01	0.2	<0.1	0.17	<1	<0.5	<0.2
1418869	Rock	1	1	0.02	312	<0.001	<1	0.04	0.004	0.02	<0.1	<0.01	0.7	<0.1	<0.05	<1	<0.5	<0.2
1418870	Rock	<1	2	<0.01	16	<0.001	1	0.01	0.003	<0.01	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1418871	Rock	1	59	1.74	22	0.182	1	1.87	0.074	<0.01	0.1	<0.01	4.2	<0.1	0.05	3	<0.5	<0.2
1418872	Rock	<1	2	0.10	166	<0.001	5	0.11	0.002	0.02	<0.1	<0.01	3.8	<0.1	<0.05	<1	<0.5	<0.2
1418873	Rock	<1	1	0.03	13	<0.001	<1	0.01	0.002	<0.01	<0.1	<0.01	1.1	<0.1	<0.05	<1	<0.5	<0.2
1418874	Rock	14	1	<0.01	65	<0.001	3	0.16	0.032	0.11	<0.1	<0.01	0.7	<0.1	<0.05	<1	<0.5	<0.2
1418875	Rock	1	2	0.09	226	<0.001	1	0.02	0.002	<0.01	<0.1	<0.01	2.0	<0.1	<0.05	<1	<0.5	<0.2
1418851	Rock	3	48	3.73	56	<0.001	<1	0.17	0.009	0.04	<0.1	0.03	9.0	<0.1	<0.05	<1	<0.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Klondike Gold Corp.**
 711 - 675 W. Hastings St.
 Vancouver BC V6B 1N2 Canada

Project: Silver City
 Report Date: June 27, 2012

Page: 1 of 1

Part: 1 of 2

QUALITY CONTROL REPORT

WHI12000097.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
Pulp Duplicates																					
REP G1-WHI	QC	<0.1	3.2	2.8	46	<0.1	2.1	4.1	554	1.91	0.6	<0.5	5.9	58	<0.1	<0.1	<0.1	39	0.48	0.079	
1418651	Rock	0.70	0.9	2.1	34.8	33	0.1	2.0	2.1	387	1.65	18.3	9.9	5.0	49	0.2	0.3	<0.1	<2	0.15	0.014
REP 1418651	QC		0.8	2.7	34.5	32	0.1	1.8	2.1	370	1.63	18.2	10.4	4.8	47	0.2	0.4	<0.1	<2	0.16	0.014
Reference Materials																					
STD DS9	Standard	14.6	118.2	132.6	326	2.0	44.6	8.1	616	2.42	27.2	139.8	7.3	79	2.5	6.4	7.3	44	0.77	0.085	
STD DS9 Expected		12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	118	6.38	69.6	2.4	4.94	6.32	40	0.7201	0.0819	
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	
Prep Wash																					
G1-WHI	Prep Blank																				
G1-WHI	Prep Blank	<0.1	3.4	2.9	44	<0.1	2.7	4.2	542	1.86	<0.5	<0.5	5.5	59	<0.1	<0.1	<0.1	37	0.49	0.079	
G1-WHI	Prep Blank	<0.1	3.4	2.9	44	<0.1	2.6	4.2	555	1.94	0.9	<0.5	5.9	59	<0.1	<0.1	<0.1	39	0.47	0.080	



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Klondike Gold Corp.**
 711 - 675 W. Hastings St.
 Vancouver BC V6B 1N2 Canada

Project: Silver City
 Report Date: June 27, 2012

Page: 1 of 1

Part: 2 of 2

QUALITY CONTROL REPORT

WHI12000097.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																		
REP G1-WHI	QC	14	6	0.49	167	0.126	2	0.87	0.081	0.46	0.2	<0.01	2.6	0.3	<0.05	5	<0.5	<0.2
1418651	Rock	14	3	0.01	255	<0.001	1	0.08	0.003	0.08	<0.1	<0.01	2.1	<0.1	0.34	<1	<0.5	<0.2
REP 1418651	QC	13	2	0.01	333	<0.001	<1	0.08	0.003	0.08	<0.1	<0.01	2.0	<0.1	0.34	<1	<0.5	<0.2
Reference Materials																		
STD DS9	Standard	14	132	0.63	325	0.124	3	1.00	0.091	0.41	3.1	0.19	2.8	5.8	0.17	5	5.5	4.9
STD DS9 Expected		13.3	121	0.6165	295	0.1108		0.9577	0.0853	0.395	2.89	0.2	2.5	5.3	0.1615	4.59	5.2	5.02
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
Prep Wash																		
G1-WHI	Prep Blank																	
G1-WHI	Prep Blank	11	6	0.50	168	0.122	1	0.87	0.079	0.47	<0.1	<0.01	2.2	0.3	<0.05	5	<0.5	<0.2
G1-WHI	Prep Blank	14	5	0.49	172	0.127	2	0.88	0.081	0.47	0.2	<0.01	2.4	0.3	<0.05	5	<0.5	<0.2

APPENDIX V **SAMPLE LOCATIONS**

Silver City 2012 Soil Sample Summary

116B/05

Sample ID	UTM East	North	Mo PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	As PPM	Au PPB
1418501	552485	7134333	0.9	32.4	11.7	52	<0.1	10.5	4.6
1418502	552552	7134270	0.5	54.1	11.4	33	0.1	9.6	2.0
1418503	552615	7134209	0.6	29.6	15.3	45	0.1	8.1	2.0
1418504	552688	7134159	0.6	32.8	14.6	53	0.1	9.8	4.5
1418505	552747	7134087	0.8	38.1	18.4	52	0.1	11.4	1.9
1418506	552828	7134059	0.7	24.9	13.4	56	0.1	10.0	2.0
1418507	552896	7133993	1.4	31.7	8.8	59	<0.1	3.4	1.9
1418508	552959	7133920	1.0	41.5	8.3	61	<0.1	6.2	2.2
1418509	553024	7133843	1.6	40.9	6.8	63	<0.1	23.5	2.8
1418510	553086	7133758	1.4	102.3	15.0	51	0.2	16.6	3.8
1418511	553162	7133692	1.0	104.9	22.5	70	<0.1	20.0	2.8
1418512	553228	7133615	0.8	13.4	17.1	30	<0.1	5.3	2.6
1418513	553211	7133475	0.7	33.3	13.4	55	<0.1	10.4	2.3
1418514	553224	7133381	1.0	32.0	17.7	66	<0.1	10.1	3.8
1418515	553268	7133171	0.8	24.0	15.4	77	<0.1	5.5	1.3
1418516	553334	7133097	1.0	26.6	15.2	67	<0.1	10.5	3.0
1418517	553410	7133031	0.6	13.0	18.7	109	<0.1	2.8	<0.5
1418518	553546	7132730	1.1	17.6	13.6	54	<0.1	10.3	2.3
1418519	553633	7132677	1.4	15.3	19.4	71	<0.1	7.9	0.7
1418520	553718	7132615	0.5	18.1	10.9	71	<0.1	3.1	0.8
1418521	553757	7132653	1.3	21.8	16.6	69	0.1	9.6	1.2
1418522	553806	7132656	1.3	288.0	12.2	139	0.2	7.1	3.3
1418523	553846	7132685	1.1	36.9	26.9	44	0.1	11.7	<0.5
1418524	553889	7132682	4.1	76.9	11.1	154	<0.1	7.9	3.4
1418525	553934	7132707	0.7	66.1	13.8	61	<0.1	4.0	2.2
1418526	553975	7132719	0.8	56.1	11.2	67	<0.1	12.4	3.8
1418527	554020	7132739	0.5	116.2	7.9	68	<0.1	3.7	1.2
1418528	554057	7132770	0.9	33.0	11.9	59	<0.1	10.2	1.7
1418529	554117	7132792	0.4	79.9	9.2	76	<0.1	4.8	1.0
1418530	554169	7132818	0.7	54.9	7.7	80	<0.1	3.3	0.7
1418531	554219	7132831	0.7	72.5	9.3	64	<0.1	6.2	1.8
1418532	554263	7132843	0.6	32.7	6.6	65	<0.1	5.9	3.0
1418533	554314	7132852	1.0	25.0	11.6	54	<0.1	10.1	1.1
1418534	554364	7132875	1.1	29.2	10.1	64	<0.1	13.0	1.8
1418535	554411	7132898	1.1	32.2	10.9	64	0.1	9.8	0.9
1418536	554433	7132944	26.0	78.9	33.6	110	0.7	27.4	5.3
1418537	554482	7132967	2.9	32.8	12.2	67	0.2	15.0	3.7
1418538	554538	7132944	4.8	36.0	11.3	72	0.2	15.2	3.2
1418539	554581	7132914	0.9	37.4	7.4	61	<0.1	6.7	1.9
1418540	554618	7132877	0.7	55.5	9.6	72	<0.1	7.8	0.6
1418541	554664	7132846	7.6	56.3	17.2	156	1.8	12.9	6.3
1418542	554691	7132789	3.0	40.4	28.5	109	0.1	9.1	0.8
1418543	554728	7132748	3.1	60.5	41.2	125	0.1	11.3	3.7
1418544	554777	7132732	2.1	51.1	100.0	84	<0.1	9.3	2.7
1418545	554837	7132727	1.0	25.4	10.6	62	<0.1	8.5	0.8
1418546	554890	7132714	1.2	28.7	49.9	53	<0.1	9.2	3.9

Sample ID	UTM East	North	Mo PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	As PPM	Au PPB
1418547	554957	7132683	1.2	29.8	10.3	66	<0.1	9.3	3.9
1418548	554989	7132654	1.3	32.5	41.7	65	0.1	10.1	2.8
1418549	555040	7132606	1.2	51.4	16.0	82	<0.1	7.0	2.0
1418550	555088	7132607	0.7	83.2	50.7	65	<0.1	2.1	<0.5
1418551	555145	7132597	1.1	30.3	11.0	54	<0.1	8.7	4.7
1418552	555201	7132615	1.0	194.6	58.3	101	<0.1	4.6	1.5
1418553	555268	7132586	2.4	35.3	24.9	80	0.1	8.8	3.1
1418554	555315	7132578	1.2	21.3	32.7	56	<0.1	6.4	2.5
1418555	555367	7132588	1.5	36.3	11.8	65	0.3	10.0	4.3
1418556	555426	7132618	1.3	83.8	33.7	127	0.2	7.1	9.7
1418557	555478	7132631	1.3	58.6	16.9	92	0.1	7.1	6.9
1418558	555529	7132645	1.2	34.2	18.4	68	<0.1	11.0	4.0
1418559	555578	7132664	1.7	55.7	45.2	81	<0.1	13.1	6.5
1418560	555627	7132684	2.2	83.6	44.7	113	0.3	7.6	11.1
1418561	555684	7132695	5.1	98.0	33.3	105	<0.1	12.5	1.8
1418562	555737	7132690	3.1	62.1	22.7	133	<0.1	9.5	5.0
1418563	555784	7132687	1.5	43.2	19.9	68	<0.1	9.7	3.2
1418564	555837	7132691	3.0	63.2	22.5	103	0.1	9.9	5.0
1418565	555885	7132674	1.0	34.5	9.0	61	0.1	12.6	3.9
1418566	555938	7132674	1.2	33.9	22.7	56	<0.1	14.0	2.4
1418567	555989	7132666	1.1	33.2	11.8	85	<0.1	17.3	2.8
1418568	556042	7132676	0.6	39.7	18.1	57	<0.1	5.7	5.9
1418569	556123	7132610	0.6	18.1	16.4	35	<0.1	18.5	7.4
1418570	556175	7132595	0.9	78.9	21.6	54	<0.1	9.8	10.5
1418571	556227	7132594	1.0	44.0	11.1	61	<0.1	13.4	3.4
1418572	556270	7132546	0.9	21.9	16.1	53	<0.1	12.2	4.9
1418573	556316	7132524	1.1	12.8	18.3	54	<0.1	12.5	33.2
1418574	556370	7132489	0.8	17.2	17.2	52	<0.1	8.6	3.0
1418575	556401	7132443	0.5	77.8	8.1	61	<0.1	5.7	2.1
1418701	552483	7133510	2.5	68.7	36.5	131	0.4	13.6	6.1
1418702	552578	7133528	1.7	62.9	8.3	101	0.3	14.6	2.8
1418703	552669	7133531	1.1	55.2	16.4	67	0.1	13.4	3.8
1418704	552749	7133551	31.3	130.6	21.0	289	0.9	24.1	4.9
1418705	552848	7133550	2.6	51.8	15.5	100	0.3	15.5	2.9
1418706	552938	7133510	0.8	24.5	11.2	65	<0.1	8.1	2.6
1418707	552993	7133426	1.1	19.5	16.6	59	0.2	9.6	780.3
1418708	552987	7133362	0.7	31.8	15.2	69	<0.1	6.6	1.2
1418709	553034	7133263	0.9	14.3	20.0	47	<0.1	8.2	0.6
1418710	553044	7133188	1.2	15.1	11.3	60	<0.1	13.1	1.6
1418711	553052	7133122	0.7	40.0	26.2	105	<0.1	4.3	2.4
1418712	553064	7133058	1.2	19.1	11.7	72	<0.1	11.2	2.7
1418713	553081	7132989	1.3	20.6	17.4	61	0.2	39.9	2.1
1418714	553098	7132932	1.0	12.6	11.5	55	0.2	7.9	6.1
1418715	553104	7132863	1.3	27.1	21.7	81	0.3	8.1	1.8
1418716	553099	7132763	1.2	16.1	27.7	64	0.1	8.6	1.2
1418717	553125	7132705	1.0	27.3	19.2	56	0.1	11.5	3.0
1418718	553141	7132645	1.3	18.7	11.6	63	0.2	12.6	2.3
1418719	553154	7132578	0.9	23.1	22.5	83	<0.1	4.6	1.3

Sample ID	UTM East	North	Mo PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	As PPM	Au PPB
1418720	553161	7132507	1.0	20.5	16.5	59	0.2	8.9	3.4
1418721	553161	7132431	0.8	14.6	20.4	51	<0.1	6.9	1.7
1418722	553152	7132359	1.0	11.8	20.9	46	0.1	5.9	1.4
1418723	553172	7132287	0.9	16.4	17.0	43	0.2	8.5	1.8
1418724	553176	7132231	0.9	21.2	18.0	58	<0.1	5.3	1.7
1418725	553185	7132169	0.7	10.8	23.8	45	0.3	4.4	2.1
1418726	553249	7132039	0.8	30.9	16.8	60	<0.1	5.9	6.0
1418727	553256	7131986	0.7	22.8	29.2	44	<0.1	12.3	1.4
1418728	553219	7131941	1.0	16.8	18.9	46	<0.1	8.5	1.5
1418729	553185	7131879	1.2	39.3	35.0	104	0.1	29.1	1.2
1418730	553153	7131808	1.6	34.0	26.1	181	0.5	9.6	1.8
1418731	553150	7131744	1.7	7.4	26.0	74	<0.1	11.4	<0.5
1418732	553161	7131688	1.0	14.0	15.3	49	<0.1	10.7	1.3
1418733	553121	7131633	1.1	6.3	27.1	41	<0.1	21.0	0.6
1418734	553065	7131602	0.9	13.2	10.0	45	<0.1	10.8	0.9
1418735	553026	7131546	1.0	20.5	20.6	39	<0.1	13.1	1.0
1418736	552990	7131495	1.0	16.4	14.7	52	<0.1	12.6	1.2
1418737	552957	7131445	1.0	16.7	21.8	39	<0.1	21.7	0.8
1418738	552919	7131377	1.1	25.9	14.8	36	<0.1	41.1	1.8
1418739	552881	7131322	1.2	83.9	48.8	58	<0.1	43.4	2.5
1418740	552841	7131269	1.6	34.1	16.9	64	<0.1	28.2	0.7
1418741	552794	7131227	1.0	41.4	17.0	94	<0.1	13.4	<0.5
1418742	552768	7131168	1.2	28.1	35.5	91	<0.1	14.9	1.4
1418743	552713	7131123	0.8	31.1	17.0	63	0.2	17.1	1.1
1418744	552686	7131065	0.9	73.3	21.6	88	0.4	15.0	0.5
1418745	552666	7131010	0.9	19.5	26.8	62	0.1	13.0	<0.5
1418746	552643	7130945	0.5	40.1	10.0	80	0.2	36.3	4.8
1418747	552615	7130879	11.5	87.3	41.1	259	0.5	436.8	17.6
1418748	552566	7130837	1.4	47.0	28.1	82	0.2	40.3	3.1
1418749	552533	7130793	1.3	47.6	16.5	64	0.2	34.9	5.9
1418750	552484	7130740	1.2	57.8	17.1	73	0.3	36.1	5.8
1418751	557616	7130996	1.0	26.1	11.6	63	<0.1	11.1	1.1
1418752	557611	7131060	1.2	25.5	15.7	58	<0.1	12.8	2.8
1418753	557607	7131119	0.8	30.4	10.5	52	<0.1	12.9	4.5
1418754	557600	7131189	1.0	22.8	13.4	59	<0.1	8.6	2.9
1418755	557602	7131256	1.1	23.8	14.4	72	<0.1	10.9	1.1
1418756	557596	7131315	0.9	18.2	11.4	72	<0.1	9.0	<0.5
1418757	557573	7131372	0.9	25.9	11.3	46	<0.1	11.5	5.3
1418758	557552	7131447	1.5	31.3	12.4	61	<0.1	15.4	2.3
1418759	557557	7131516	1.3	37.6	11.2	60	<0.1	13.8	1.5
1418760	557519	7131635	0.9	16.7	9.1	41	<0.1	7.8	18.0
1418761	557535	7131688	0.7	32.3	10.9	60	<0.1	10.1	3.1
1418762	557560	7131767	1.1	28.9	12.3	68	<0.1	14.9	11.4
1418763	557578	7131850	0.6	27.5	9.4	51	<0.1	11.7	3.0
1418764	557608	7131904	0.8	33.5	11.0	58	<0.1	10.8	3.0
1418765	557594	7131963	0.6	36.1	10.4	55	<0.1	10.9	3.4
1418766	557549	7132007	0.9	17.5	10.1	41	<0.1	8.5	1.1
1418767	557506	7132040	0.8	23.0	9.5	46	<0.1	10.8	2.8

Sample ID	UTM East	North	Mo PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	As PPM	Au PPB
1418768	557444	7132042	0.6	26.4	8.4	52	<0.1	9.2	5.7
1418769	557247	7132022	0.9	19.1	9.3	52	<0.1	9.4	13.0
1418770	557184	7131970	0.8	21.4	9.5	50	0.1	8.2	4.0
1418771	557116	7131976	1.1	28.2	14.3	71	0.1	8.2	3.8
1418772	557038	7131987	0.9	34.3	10.3	64	<0.1	8.6	6.3
1418773	556951	7131960	1.1	56.7	11.0	98	<0.1	16.4	6.1
1418774	556890	7131965	0.8	21.1	10.1	50	<0.1	11.4	3.2
1418775	556821	7131967	0.7	107.3	9.1	111	<0.1	4.3	4.1
1418776	556725	7131971	1.0	21.7	42.8	90	<0.1	13.4	21.3
1418777	556632	7131952	1.3	88.7	14.0	119	1.3	35.7	8.0
1418901	555542	7131977	6.9	57.4	138.3	831	10.1	112.5	7.8
1418902	552411	7130576	5.0	7.4	24.9	110	0.2	252.1	13.8

Silver City 2012 Rock Sample Summary

Sample ID	UTM East	North	Mo PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	As PPM	Au PPB
-	-	-	-	-	-	-	-	-	-
1418651	551691	7130342	0.9	2.1	34.8	33	0.1	18.3	9.9
1418652	551618	7130358	0.5	10.3	14.4	9	0.1	91.0	159.5
1418851	555500	7132164	0.5	20.9	11.5	22	<0.1	3.4	2.8
1418852	555545	7131974	0.1	9569.4	3.6	37	0.7	12.0	18.4
1418853	552517	7130598	104.5	42.7	38.5	77	0.2	34.1	9.8
1418854	552435	7130579	2.8	34.1	79.2	88	0.6	24.3	7.0
1418855	552425	7130580	3.0	22.0	77.9	627	0.3	62.3	15.9
1418856	552410	7130578	5.4	5.6	15.6	128	<0.1	16.4	4.2
1418857	552392	7130571	1.4	41.8	349.5	925	0.4	104.8	96.1
1418858	552358	7130553	0.7	14.7	8083.5	3300	3.5	441.3	66.5
1418859	552358	7130553	1.0	33.7	560.2	2615	0.7	194.3	21.6
1418860	552358	7130553	1.4	54.9	1772.9	2127	1.5	173.5	84.9
1418861	552356	7130556	0.8	17.1	275.0	5139	0.7	>10000.0	260.3
1418862	552318	7130541	1.2	2.1	753.6	85	1.5	35.6	16.9
1418863	552317	7130538	0.3	3.8	212.7	219	0.3	29.6	4.0
1418864	552336	7130549	0.2	4.7	16.3	168	<0.1	28.9	18.9
1418865	552254	7130513	0.8	1.9	17.1	13	0.3	40.9	42.5
1418866	552253	7130518	2.6	15.4	59.8	558	0.2	387.1	7.4
1418867	553428	7131080	2.6	13.9	8.7	53	0.1	11.4	<0.5
1418868	553547	7131178	0.6	5.5	17.6	5	<0.1	4.0	2.0
1418869	553564	7131198	1.0	2.0	6.9	13	<0.1	38.8	<0.5
1418870	553489	7131420	0.1	1.1	21.5	<1	<0.1	2.2	<0.5
1418871	553444	7131444	0.2	235.5	7.1	36	<0.1	16.0	0.9
1418872	553446	7131460	0.2	74.7	4.3	8	<0.1	5.0	28.5
1418873	553444	7131457	<0.1	1.3	4.0	<1	<0.1	3.7	22.7
1418874	553419	7131541	0.2	7.9	8.5	7	<0.1	11.3	2.2
1418875	553408	7131376	<0.1	196.1	39.8	17	0.4	17.3	1.0

UTM NAD 83 ZONE 7N