



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.
888 DUNSMUIR STREET
11TH FLOOR
VANCOUVER BC V6C 3K4

Page: 1
Finalized Date: 9-OCT-2011
Account: GOPRED

CERTIFICATE WH11175618

Project: Selwyn

P.O. No.: GPD2011SELWYN005

This report is for 35 Rock samples submitted to our lab in Whitehorse, YT, Canada on 29-AUG-2011.

The following have access to data associated with this certificate:

MIKE BURKE
LINDA LEWIS

ANDREW CALDWELL
MIKE MASLOWSKI

JACK COTE
BRUCE OTTO

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|--------------------------------|
| WEI-21 | Received Sample Weight |
| LOG-21 | Sample logging - ClientBarCode |
| CRU-31 | Fine crushing - 70% <2mm |
| SPL-21 | Split sample - riffle splitter |
| PUL-31 | Pulverize split to 85% <75 um |
| LOG-23 | Pulp Login - Rcvd with Barcode |
| CRU-QC | Crushing QC Test |
| PUL-QC | Pulverizing QC Test |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|----------|-------------------------------|------------|
| Au-AA23 | Au 30g FA-AA finish | AAS |
| Au-GRA21 | Au 30g FA-GRAV finish | WST-SIM |
| ME-ICP41 | 35 Element Aqua Regia ICP-AES | ICP-AES |

To: GOLDEN PREDATOR CANADA CORP.
ATTN: ANDREW CALDWELL
888 DUNSMUIR STREET
11TH FLOOR
VANCOUVER BC V6C 3K4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

Project: Selwyn

Total # Pages: 2 (A - C)

Account: GOPRED

CERTIFICATE OF ANALYSIS WH11175618

| Sample Description | Method Analyte Units LOR | WEI-21 | Au-AA23 | Au-GRA21 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|--------------------------|-----------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Recvd Wt. | Au | Au | Ag | Al | As | B | Ba | Be | Bi | Ca | Cd | Co | Cr | Cu |
| | | kg | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm |
| | | 0.02 | 0.005 | 0.05 | 0.2 | 0.01 | 2 | 10 | 10 | 0.5 | 2 | 0.01 | 0.5 | 1 | 1 | 1 |
| J971496 | | 1.66 | <0.005 | | 0.8 | 0.51 | <2 | 10 | 430 | 0.5 | 4 | 3.73 | <0.5 | 5 | 6 | 29 |
| J971497 | | 2.81 | <0.005 | | 0.2 | 2.44 | 37 | <10 | 170 | 0.7 | 4 | 0.92 | <0.5 | 15 | 35 | 52 |
| J971498 | | 1.29 | 0.005 | | 0.3 | 2.00 | 34 | <10 | 300 | 0.8 | 3 | 1.10 | <0.5 | 17 | 30 | 67 |
| J971499 | | 2.38 | <0.005 | | 0.3 | 1.30 | 57 | <10 | 170 | 0.9 | 5 | 0.61 | <0.5 | 27 | 14 | 85 |
| J971500 | | 2.39 | 0.007 | | 1.1 | 1.98 | 43 | <10 | 220 | 0.6 | 3 | 1.12 | <0.5 | 3 | 26 | 41 |
| J971501 | | 1.17 | <0.005 | | 0.6 | 4.67 | 10 | <10 | 250 | 1.0 | <2 | 1.89 | <0.5 | 7 | 55 | 81 |
| J971502 | | 1.53 | 0.006 | | 1.4 | 0.54 | 75 | <10 | 190 | 0.5 | 2 | 0.16 | 1.2 | 7 | 7 | 86 |
| J971503 | | 3.34 | 0.005 | | 4.2 | 0.14 | 4 | <10 | 120 | <0.5 | 3 | 0.07 | 1.9 | 2 | 27 | 16 |
| J971504 | | 1.82 | <0.005 | | 0.6 | 0.10 | 14 | <10 | 230 | <0.5 | 3 | 0.03 | <0.5 | 1 | 14 | 6 |
| J971505 | | 2.44 | <0.005 | | <0.2 | 0.47 | 8 | <10 | 2500 | <0.5 | 4 | 0.16 | <0.5 | 1 | 22 | 15 |
| J971506 | | 0.91 | 0.033 | | 0.3 | 0.65 | 106 | <10 | 80 | <0.5 | 13 | 0.01 | <0.5 | 2 | 15 | 49 |
| J971507 | | 2.51 | <0.005 | | 1.5 | 6.71 | 8 | <10 | 70 | 1.2 | 29 | 7.9 | <0.5 | 10 | 22 | 232 |
| J971508 | | 2.20 | <0.005 | | <0.2 | 1.05 | 4 | <10 | 140 | 0.8 | 7 | 0.02 | <0.5 | 10 | 25 | 16 |
| J971509 | | 0.68 | <0.005 | | 1.6 | 2.66 | 5 | <10 | 110 | 1.6 | 2 | 1.50 | 4.1 | 9 | 98 | 111 |
| J971510 | | 1.05 | 0.012 | | 0.2 | 1.96 | 1400 | <10 | 230 | 0.7 | 4 | 1.59 | 0.6 | 19 | 74 | 46 |
| J971511 | | 2.65 | <0.005 | | 0.5 | 0.14 | 34 | <10 | 190 | <0.5 | 2 | 0.42 | 0.8 | 1 | 9 | 26 |
| J971512 | | 0.18 | 0.010 | | <0.2 | 0.16 | 53 | <10 | 10 | <0.5 | 3 | 0.04 | <0.5 | 2 | 4 | 49 |
| J971513 | | 1.35 | <0.005 | | <0.2 | 0.19 | 8 | 60 | 30 | <0.5 | 5 | 0.05 | <0.5 | 2 | 5 | 9 |
| J971514 | | 1.86 | <0.005 | | <0.2 | 0.53 | 24 | 10 | 70 | 0.5 | 4 | 0.06 | <0.5 | 13 | 6 | 23 |
| J971515 | | 0.39 | <0.005 | | <0.2 | 2.48 | 17 | 10 | 240 | 0.6 | <2 | 0.06 | <0.5 | 8 | 22 | 52 |
| J971516 | | 3.81 | <0.005 | | <0.2 | 0.21 | 12 | 20 | 20 | <0.5 | 3 | 0.04 | <0.5 | 2 | 6 | 11 |
| J971517 | | 0.09 | 0.226 | | 0.2 | 0.17 | 477 | <10 | 1710 | <0.5 | 3 | 1.07 | <0.5 | 2 | 22 | 63 |
| J971518 | | 2.71 | <0.005 | | 1.1 | 0.13 | 15 | <10 | 250 | <0.5 | 3 | 0.01 | <0.5 | 1 | 15 | 7 |
| J971519 | | 2.84 | <0.005 | | 0.5 | 0.06 | 3 | <10 | 110 | <0.5 | 3 | 0.01 | <0.5 | 1 | 21 | 2 |
| J971520 | | 0.56 | <0.005 | | 1.1 | 0.04 | 28 | <10 | 50 | <0.5 | 4 | >25.0 | <0.5 | 3 | 2 | 3 |
| J971521 | | 4.32 | <0.005 | | 0.3 | 3.08 | 7 | <10 | 160 | 1.3 | <2 | 1.20 | <0.5 | 14 | 50 | 43 |
| J971522 | | 0.88 | >10.0 | 27.5 | 6.0 | 0.11 | >10000 | <10 | 10 | <0.5 | 35 | 0.38 | 1.7 | 6 | 5 | 52 |
| J971523 | | 1.88 | 0.019 | | 0.5 | 0.38 | 71 | <10 | 120 | 0.8 | 3 | 0.09 | <0.5 | 9 | 9 | 2420 |
| J971524 | | 1.95 | 0.193 | | 0.2 | 1.02 | 199 | <10 | 310 | <0.5 | <2 | 0.03 | 0.6 | 2 | 18 | 153 |
| J971525 | | 0.56 | 0.008 | | <0.2 | 1.17 | 14 | <10 | 90 | <0.5 | <2 | <0.01 | <0.5 | <1 | 2 | 59 |
| J971526 | | 2.13 | 0.021 | | 0.4 | 0.35 | 12 | <10 | 610 | <0.5 | 3 | <0.01 | <0.5 | 2 | 6 | 9 |
| J971527 | | 2.88 | <0.005 | | 0.9 | 0.16 | 22 | <10 | 650 | <0.5 | 3 | 0.02 | <0.5 | 1 | 17 | 21 |
| J971528 | | 0.11 | <0.005 | | 0.2 | 1.04 | 6 | <10 | 80 | <0.5 | 2 | 0.66 | <0.5 | 8 | 31 | 21 |
| J971529 | | 2.47 | 0.016 | | 0.9 | 1.98 | 66 | <10 | 2390 | <0.5 | 2 | 0.05 | <0.5 | 2 | 28 | 81 |
| J971530 | | 2.91 | 0.009 | | <0.2 | 3.19 | 13 | <10 | 610 | 0.7 | <2 | 1.42 | 2.1 | 10 | 45 | 11 |
| | | | | | | | | | | | | | | | | |



2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Fax: 604 984 0218 www.alsglobal.com

888 DUNSMUIR STREET

VANCOUVER BC V6C 3K4

Total # Pages: 2 (A - C)

Account: GOPRED

CERTIFICATE OF ANALYSIS WH11175618

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | |
|--------------------|--------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----|
| | | Fe | Ga | Hg | K | La | Mg | Mn | Mo | Na | Ni | P | Pb | S | Sb | Sc |
| | | % | ppm | ppm | % | ppm | % | ppm | ppm | % | ppm | ppm | ppm | % | ppm | ppm |
| | | 0.01 | 10 | 1 | 0.01 | 10 | 0.01 | 5 | 1 | 0.01 | 1 | 10 | 2 | 0.01 | 2 | 1 |
| J971496 | | 1.80 | <10 | <1 | 0.23 | 10 | 1.01 | 183 | 1 | 0.02 | 23 | 380 | 7 | 0.32 | <2 | 5 |
| J971497 | | 3.92 | 10 | <1 | 0.94 | 10 | 0.89 | 188 | 1 | 0.10 | 29 | 1120 | 21 | 1.19 | <2 | 3 |
| J971498 | | 2.62 | 10 | 1 | 0.91 | 20 | 0.77 | 176 | 1 | 0.03 | 39 | 3850 | 12 | 0.50 | <2 | 2 |
| J971499 | | 2.48 | <10 | 1 | 0.48 | 20 | 0.47 | 139 | 1 | 0.03 | 41 | 1780 | 15 | 0.88 | <2 | 1 |
| J971500 | | 1.79 | 10 | <1 | 0.98 | 10 | 0.88 | 102 | 36 | 0.09 | 7 | 3950 | 26 | 1.02 | 5 | 3 |
| J971501 | | 3.60 | 10 | <1 | 1.50 | 10 | 1.98 | 222 | 1 | 0.12 | 19 | 600 | 20 | 1.45 | <2 | 9 |
| J971502 | | 3.87 | <10 | 1 | 0.26 | 20 | 0.04 | 63 | 42 | 0.01 | 26 | 730 | 29 | 0.25 | 17 | 3 |
| J971503 | | 0.73 | <10 | <1 | 0.06 | <10 | <0.01 | 250 | 5 | 0.01 | 38 | 250 | 19 | 0.10 | <2 | 1 |
| J971504 | | 0.93 | <10 | <1 | 0.02 | <10 | <0.01 | 42 | 7 | 0.01 | 3 | 2160 | 10 | 0.02 | <2 | 1 |
| J971505 | | 1.29 | <10 | <1 | 0.02 | <10 | 0.11 | 51 | <1 | 0.03 | 5 | 120 | 6 | 0.08 | <2 | 1 |
| J971506 | | 2.87 | 10 | 1 | <0.01 | 10 | <0.01 | 19 | 1 | 0.01 | 1 | 130 | 10 | 0.04 | 4 | 1 |
| J971507 | | 1.05 | 20 | <1 | 0.06 | 20 | 0.14 | 225 | 2 | 0.12 | 26 | 310 | 5 | 0.45 | 2 | 2 |
| J971508 | | 5.41 | <10 | <1 | 0.47 | 20 | 0.15 | 183 | <1 | 0.02 | 12 | 230 | 10 | 0.55 | <2 | 2 |
| J971509 | | 2.20 | 10 | <1 | 0.79 | 10 | 1.33 | 154 | 5 | 0.24 | 51 | 3990 | 21 | 1.63 | 5 | 5 |
| J971510 | | 2.69 | 10 | <1 | 0.56 | 20 | 1.36 | 320 | <1 | 0.14 | 17 | 1030 | 47 | 0.63 | <2 | 8 |
| J971511 | | 2.66 | <10 | <1 | 0.08 | <10 | <0.01 | 42 | 6 | 0.02 | 2 | 6930 | 4 | 0.08 | 2 | <1 |
| J971512 | | 3.74 | <10 | <1 | 0.01 | <10 | 0.06 | 64 | 6 | 0.02 | 9 | 180 | 12 | 0.06 | 3 | 1 |
| J971513 | | 2.01 | <10 | <1 | 0.06 | 30 | <0.01 | 192 | <1 | 0.03 | 3 | 570 | 4 | 0.25 | <2 | <1 |
| J971514 | | 2.38 | <10 | <1 | 0.19 | 30 | 0.10 | 250 | <1 | 0.02 | 15 | 390 | 16 | 0.31 | <2 | 1 |
| J971515 | | 8.43 | 10 | <1 | 1.54 | 30 | 0.85 | 1005 | <1 | 0.03 | 12 | 540 | 8 | 0.20 | <2 | 4 |
| J971516 | | 1.12 | <10 | <1 | 0.09 | 10 | <0.01 | 39 | 1 | 0.02 | 1 | 340 | 27 | 0.03 | 2 | <1 |
| J971517 | | 3.82 | <10 | 3 | 0.06 | <10 | <0.01 | 103 | 17 | 0.02 | 16 | 60 | 16 | 0.15 | 29 | 1 |
| J971518 | | 0.97 | <10 | <1 | 0.09 | <10 | <0.01 | 24 | 2 | 0.01 | 5 | 570 | 29 | 0.25 | 3 | 1 |
| J971519 | | 0.47 | <10 | <1 | 0.04 | <10 | <0.01 | 50 | <1 | 0.01 | 1 | 70 | 12 | 0.06 | <2 | <1 |
| J971520 | | 1.41 | <10 | <1 | 0.01 | <10 | 0.14 | 616 | <1 | 0.02 | 3 | 2060 | 6 | 0.04 | <2 | 1 |
| J971521 | | 4.22 | 10 | 1 | 0.76 | 10 | 1.42 | 291 | <1 | 0.28 | 34 | 490 | 9 | 2.21 | <2 | 6 |
| J971522 | | 6.21 | 10 | 1 | 0.03 | <10 | <0.01 | 79 | <1 | 0.01 | 2 | 2910 | 1500 | 3.94 | 897 | 1 |
| J971523 | | 1.59 | <10 | <1 | 0.18 | 10 | 0.02 | 64 | 4 | 0.01 | 13 | 240 | 70 | 0.07 | <2 | 3 |
| J971524 | | 12.55 | <10 | 1 | 0.15 | <10 | 0.12 | 149 | 2 | 0.02 | 20 | 1830 | 18 | 0.45 | 6 | 3 |
| J971525 | | >50 | <10 | 2 | 0.01 | <10 | <0.01 | <5 | <1 | 0.01 | <1 | 1010 | 14 | 1.48 | <2 | <1 |
| J971526 | | 1.16 | <10 | <1 | 0.13 | <10 | <0.01 | 13 | 3 | 0.02 | 3 | 60 | 10 | 0.25 | <2 | 1 |
| J971527 | | 0.79 | <10 | <1 | 0.05 | <10 | <0.01 | 17 | 12 | 0.01 | 8 | 2850 | 2 | 0.08 | 6 | 1 |
| J971528 | | 2.01 | <10 | <1 | 0.06 | <10 | 0.48 | 316 | 4 | 0.06 | 20 | 520 | <2 | 0.05 | <2 | 4 |
| J971529 | | 3.75 | <10 | 1 | 0.05 | 10 | 0.23 | 53 | 1 | 0.03 | 28 | 1140 | 12 | 0.13 | 2 | 14 |
| J971530 | | 2.53 | 10 | <1 | 0.91 | 30 | 0.97 | 413 | <1 | 0.29 | 26 | 590 | 9 | 0.05 | <2 | 4 |
| | | | | | | | | | | | | | | | | |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.
888 DUNSMUIR STREET
11TH FLOOR
VANCOUVER BC V6C 3K4

Page: 2 - C
Total # Pages: 2 (A - C)
Finalized Date: 9-OCT-2011
Account: GOPRED

Project: Selwyn

CERTIFICATE OF ANALYSIS WH11175618

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|-----------------------------------|----------|-----------|-----------|-----------|-----------|----------|-----------|
| | | Sr | Th | Ti | Ti | U | V | W |
| | | ppm 1 | ppm 20 | % 0.01 | ppm 10 | ppm 10 | ppm 1 | ppm 10 |
| J971496 | | 113 | <20 | <0.01 | <10 | <10 | 22 | <10 |
| J971497 | | 36 | <20 | 0.07 | <10 | <10 | 40 | <10 |
| J971498 | | 15 | <20 | 0.05 | <10 | <10 | 49 | <10 |
| J971499 | | 11 | <20 | 0.02 | <10 | <10 | 19 | <10 |
| J971500 | | 30 | <20 | 0.03 | <10 | 10 | 99 | <10 |
| J971501 | | 103 | <20 | 0.16 | <10 | <10 | 86 | <10 |
| J971502 | | 16 | <20 | <0.01 | <10 | <10 | 43 | <10 |
| J971503 | | 22 | <20 | <0.01 | <10 | <10 | 26 | <10 |
| J971504 | | 11 | <20 | <0.01 | <10 | <10 | 20 | <10 |
| J971505 | | 25 | <20 | 0.01 | <10 | <10 | 20 | <10 |
| J971506 | | 57 | <20 | <0.01 | <10 | <10 | 29 | <10 |
| J971507 | | 818 | 20 | 0.19 | <10 | <10 | 24 | <10 |
| J971508 | | 5 | <20 | 0.03 | <10 | <10 | 28 | <10 |
| J971509 | | 53 | <20 | 0.07 | <10 | <10 | 188 | <10 |
| J971510 | | 74 | 30 | 0.16 | <10 | <10 | 74 | <10 |
| J971511 | | 52 | <20 | <0.01 | <10 | 10 | 42 | <10 |
| J971512 | | 1 | <20 | <0.01 | <10 | <10 | 20 | <10 |
| J971513 | | 6 | 20 | <0.01 | <10 | <10 | 3 | <10 |
| J971514 | | 8 | <20 | <0.01 | <10 | <10 | 5 | <10 |
| J971515 | | 18 | <20 | 0.12 | <10 | <10 | 27 | <10 |
| J971516 | | 18 | <20 | <0.01 | <10 | <10 | 2 | <10 |
| J971517 | | 33 | <20 | 0.01 | 10 | <10 | 10 | <10 |
| J971518 | | 6 | <20 | <0.01 | <10 | <10 | 17 | <10 |
| J971519 | | 21 | <20 | <0.01 | <10 | <10 | 4 | <10 |
| J971520 | | 736 | <20 | <0.01 | <10 | 10 | 1 | <10 |
| J971521 | | 72 | <20 | 0.12 | <10 | <10 | 73 | <10 |
| J971522 | | 9 | <20 | <0.01 | <10 | 10 | 2 | <10 |
| J971523 | | 21 | <20 | <0.01 | <10 | <10 | 46 | <10 |
| J971524 | | 21 | <20 | <0.01 | <10 | <10 | 787 | <10 |
| J971525 | | <1 | <20 | <0.01 | <10 | <10 | 461 | <10 |
| J971526 | | 7 | <20 | <0.01 | <10 | <10 | 20 | <10 |
| J971527 | | 57 | <20 | <0.01 | <10 | <10 | 105 | <10 |
| J971528 | | 29 | <20 | 0.11 | <10 | <10 | 48 | <10 |
| J971529 | | 215 | <20 | <0.01 | <10 | <10 | 89 | <10 |
| J971530 | | 98 | 20 | 0.31 | <10 | <10 | 58 | <10 |
| | | | | | | | | |