



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KAMINAK GOLD CORPORATION
1020 - 800 WEST PENDER STREET
VANCOUVER BC V6C 2V6

Page: 1
Finalized Date: 29-MAY-2012
This copy reported on
2-NOV-2012
Account: KAMGOL

CERTIFICATE WH12110365

Project: Coffee

P.O. No.: KGC-12-1213

This report is for 73 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 16-MAY-2012.

The following have access to data associated with this certificate:

TOM BOKENFOHR

JAMES SCOTT

TIM SMITH

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
LOG-21	Sample logging - ClientBarCode
WEI-21	Received Sample Weight
SPLIT-Z	Pulp split for send out
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: KAMINAK GOLD CORPORATION
ATTN: ALS MINERALS

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KAMINAK GOLD CORPORATION
1020 - 800 WEST PENDER STREET
VANCOUVER BC V6C 2V6

Page: 2 - A
Total # Pages: 3 (A - C)
Plus Appendix Pages
Finalized Date: 29-MAY-2012
Account: KAMGOL

Project: Coffee

CERTIFICATE OF ANALYSIS WH12110365

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-ICP21 Au ppm	Au-ICP21 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm
		0.02	0.001	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
KAM081558		1.02	0.006		<0.2	2.93	24	<10	360	1.1	2	2.30	<0.5	30	99	38
KAM081559		1.12	0.008		<0.2	2.29	28	<10	310	1.4	24	6.38	<0.5	20	114	15
KAM081560		0.05	0.006		0.4	1.64	5	<10	90	<0.5	<2	0.87	<0.5	10	30	24
KAM081561		1.14	0.005		<0.2	2.71	3	<10	200	1.5	4	4.17	<0.5	27	138	23
KAM081562		0.99	<0.001		<0.2	3.52	4	<10	470	1.7	3	4.78	<0.5	25	178	18
KAM081563		1.17	<0.001		<0.2	2.92	<2	<10	500	1.3	<2	5.46	<0.5	25	196	26
KAM081564		0.96	0.001		<0.2	2.52	2	<10	310	1.5	<2	4.94	<0.5	26	188	26
KAM081565		1.00	0.002		<0.2	2.17	20	<10	140	1.9	<2	5.70	<0.5	21	149	15
KAM081566		0.99	0.002		<0.2	1.27	58	<10	50	1.7	<2	6.40	<0.5	19	111	8
KAM081567		1.05	0.007		<0.2	0.92	52	<10	60	1.2	<2	5.89	<0.5	19	62	10
KAM081568		1.15	0.074		<0.2	0.62	91	<10	30	0.9	<2	5.92	<0.5	11	36	4
KAM081569		1.21	5.91		0.2	0.83	2360	<10	130	1.6	<2	6.17	<0.5	19	133	8
KAM081570		0.05	0.981		1.1	1.70	18	<10	140	<0.5	<2	1.06	1.1	10	32	379
KAM081571		0.62	>10.0	11.05	0.2	0.54	2950	<10	130	1.0	<2	2.23	<0.5	25	16	27
KAM081572		1.11	9.16		0.4	0.57	3990	<10	740	1.3	<2	5.14	<0.5	18	43	10
KAM081573		1.01	3.36		0.3	0.54	3280	<10	1030	1.2	<2	3.80	<0.5	18	34	11
KAM081574		1.27	0.098		<0.2	0.79	1145	<10	320	1.4	<2	6.37	<0.5	15	54	10
KAM081575		1.25	0.053		0.5	0.83	1410	<10	100	1.5	<2	5.83	<0.5	19	38	67
KAM081576		1.30	0.053		<0.2	0.74	464	<10	200	0.8	<2	4.76	<0.5	9	15	7
KAM081577		0.76	0.013		<0.2	0.57	106	<10	240	0.5	<2	2.57	<0.5	3	3	10
KAM081578		1.23	0.008		<0.2	0.79	81	<10	260	0.6	2	4.44	<0.5	5	6	6
KAM081579		1.11	0.002		<0.2	1.12	22	<10	170	1.2	<2	4.68	<0.5	11	78	8
KAM081580		0.04	0.002		0.3	1.69	5	<10	100	<0.5	<2	0.86	<0.5	10	32	33
KAM081581		1.22	0.001		<0.2	2.25	7	<10	800	0.9	<2	4.38	<0.5	18	132	9
KAM081582		1.27	0.002		<0.2	2.07	5	<10	230	0.8	<2	3.85	<0.5	18	113	11
KAM081583		1.40	0.006		<0.2	2.34	11	<10	700	0.7	<2	3.24	<0.5	22	109	18
KAM081584		1.07	0.005		<0.2	2.87	47	<10	150	0.9	<2	5.00	<0.5	19	278	7
KAM081585		1.29	0.003		<0.2	2.17	9	<10	220	0.9	<2	6.07	0.6	17	260	6
KAM081586		1.14	<0.001		<0.2	1.76	2	<10	30	<0.5	<2	2.90	<0.5	10	82	1
KAM081587		2.22	0.001		<0.2	2.35	5	<10	70	0.6	<2	3.52	<0.5	14	125	5
KAM081588		2.33	<0.001		<0.2	2.11	3	<10	980	0.5	<2	2.93	<0.5	13	84	11
KAM081589		2.33	0.001		<0.2	2.36	8	<10	330	0.6	<2	3.68	<0.5	14	133	15
KAM081590		0.04	NSS		0.4	0.18	492	<10	1630	<0.5	<2	1.06	<0.5	6	18	35
KAM081591		1.93	0.002		<0.2	2.62	5	<10	70	0.7	<2	2.72	<0.5	14	90	7
KAM081592		2.53	0.002		<0.2	2.46	7	<10	130	0.7	<2	3.74	<0.5	15	122	6
KAM081593		1.16	0.001		<0.2	2.38	5	<10	180	0.6	<2	4.82	<0.5	13	79	4
KAM081594		1.15	0.001		<0.2	2.45	5	<10	520	1.2	<2	4.35	<0.5	16	162	2
KAM081595		1.09	0.001		<0.2	1.21	29	<10	30	1.6	<2	5.07	<0.5	26	80	8
KAM081596		1.19	0.002		<0.2	1.28	72	<10	40	1.8	<2	5.84	<0.5	26	49	11
KAM081597		1.05	0.002		<0.2	1.02	23	<10	30	1.3	<2	5.02	<0.5	22	51	3



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KAMINAK GOLD CORPORATION
1020 - 800 WEST PENDER STREET
VANCOUVER BC V6C 2V6

Page: 2 - B
Total # Pages: 3 (A - C)
Plus Appendix Pages
Finalized Date: 29-MAY-2012
Account: KAMGOL

Project: Coffee

CERTIFICATE OF ANALYSIS WH12110365

Sample Description	Method Analyte Units LOR	ME-ICP41 Fe %	ME-ICP41 Ga ppm	ME-ICP41 Hg ppm	ME-ICP41 K %	ME-ICP41 La ppm	ME-ICP41 Mg %	ME-ICP41 Mn ppm	ME-ICP41 Mo ppm	ME-ICP41 Na %	ME-ICP41 Ni ppm	ME-ICP41 P ppm	ME-ICP41 Pb ppm	ME-ICP41 S %	ME-ICP41 Sb ppm	ME-ICP41 Sc ppm
		0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
KAM081558		3.72	10	<1	1.10	20	2.43	860	<1	0.04	92	910	14	<0.01	4	7
KAM081559		4.01	10	<1	1.33	30	2.34	955	<1	0.03	35	1250	30	0.03	<2	14
KAM081560		2.54	<10	<1	0.13	<10	0.78	405	2	0.08	23	610	2	0.04	<2	5
KAM081561		4.83	10	<1	1.98	20	3.69	958	4	0.04	40	1310	43	1.24	6	22
KAM081562		5.06	10	<1	2.82	20	4.66	1215	<1	0.03	39	1320	34	0.73	5	22
KAM081563		4.39	10	<1	1.75	20	3.50	983	<1	0.04	36	1420	18	0.46	<2	20
KAM081564		4.38	10	<1	1.19	20	3.47	952	<1	0.04	39	1360	11	0.35	4	23
KAM081565		3.85	<10	<1	0.82	30	3.11	904	<1	0.03	55	850	11	0.20	3	18
KAM081566		3.66	<10	<1	0.56	20	3.01	814	<1	0.02	51	430	15	0.15	10	12
KAM081567		3.04	<10	<1	0.45	20	2.73	693	<1	0.01	42	160	9	0.06	4	12
KAM081568		2.28	<10	<1	0.27	30	2.79	553	<1	0.02	22	80	25	0.01	2	6
KAM081569		3.54	<10	<1	0.37	10	2.93	878	<1	0.02	44	170	23	0.02	7	15
KAM081570		3.35	10	<1	0.23	10	0.81	515	9	0.11	27	680	291	0.12	4	5
KAM081571		2.50	<10	<1	0.23	10	0.90	895	1	0.01	64	30	22	0.01	19	5
KAM081572		3.60	<10	<1	0.31	<10	2.25	977	<1	0.01	45	30	36	0.07	10	10
KAM081573		3.34	<10	<1	0.29	20	1.77	721	<1	0.01	37	210	74	0.22	8	9
KAM081574		3.18	<10	<1	0.43	20	2.88	908	1	0.02	42	370	38	0.60	3	7
KAM081575		3.59	<10	<1	0.46	20	2.53	891	<1	0.02	40	500	187	1.56	12	8
KAM081576		1.73	<10	<1	0.39	40	0.22	499	1	0.01	15	240	40	0.01	2	3
KAM081577		0.99	<10	<1	0.27	50	0.07	395	<1	0.01	4	160	35	<0.01	3	<1
KAM081578		1.40	<10	<1	0.27	40	0.14	527	<1	0.01	12	160	49	<0.01	<2	1
KAM081579		2.29	<10	<1	0.45	30	2.01	552	<1	0.04	36	440	16	0.05	<2	8
KAM081580		2.61	10	<1	0.13	<10	0.78	407	3	0.08	30	630	8	0.06	<2	5
KAM081581		3.14	10	<1	0.84	10	2.82	686	2	0.04	60	750	8	0.14	2	10
KAM081582		3.18	10	<1	0.76	10	2.62	629	1	0.04	48	680	9	0.34	2	9
KAM081583		3.45	10	<1	0.72	10	2.27	632	1	0.05	48	700	10	0.25	<2	9
KAM081584		3.47	10	<1	0.51	10	2.70	791	<1	0.03	67	390	19	0.01	4	11
KAM081585		3.17	10	<1	0.40	20	2.86	907	1	0.03	76	360	41	0.19	<2	11
KAM081586		2.36	10	<1	0.09	30	1.76	520	1	0.04	31	460	10	0.01	<2	7
KAM081587		3.41	10	<1	0.11	30	2.22	721	2	0.04	33	590	10	0.13	<2	11
KAM081588		2.85	10	<1	0.10	20	2.07	572	1	0.05	21	470	13	0.16	<2	8
KAM081589		3.00	10	<1	0.10	30	2.40	560	1	0.06	25	450	10	0.04	<2	9
KAM081590		3.29	<10	3	0.07	<10	0.03	45	16	0.02	11	60	15	0.17	28	1
KAM081591		3.09	10	<1	0.39	20	2.42	613	1	0.03	38	620	9	0.03	<2	7
KAM081592		2.90	10	<1	0.36	20	2.35	727	2	0.05	43	560	10	0.04	<2	8
KAM081593		3.16	10	<1	0.16	20	2.14	802	1	0.04	34	610	8	0.06	<2	10
KAM081594		3.41	10	<1	0.32	20	2.54	841	<1	0.03	54	570	7	0.10	2	13
KAM081595		3.23	<10	<1	0.23	20	1.99	834	<1	0.02	51	640	18	0.62	2	15
KAM081596		4.40	<10	<1	0.25	20	2.44	960	1	0.02	40	880	16	0.60	2	17
KAM081597		2.48	<10	1	0.16	20	1.98	649	<1	0.02	58	640	10	0.21	3	13



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KAMINAK GOLD CORPORATION
 1020 - 800 WEST PENDER STREET
 VANCOUVER BC V6C 2V6

Page: 2 - C
 Total # Pages: 3 (A - C)
 Plus Appendix Pages
 Finalized Date: 29-MAY-2012
 Account: KAMGOL

Project: Coffee

CERTIFICATE OF ANALYSIS WH12110365

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Sr	Th	Ti	Ti	U	V	W
		ppm 1	ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10
KAM081558		36	<20	0.12	<10	<10	54	<10
KAM081559		68	<20	0.11	<10	<10	106	<10
KAM081560		41	<20	0.14	<10	<10	63	20
KAM081561		64	<20	0.15	<10	<10	174	<10
KAM081562		94	<20	0.20	<10	<10	159	<10
KAM081563		118	<20	0.17	<10	<10	134	<10
KAM081564		113	<20	0.10	<10	<10	130	<10
KAM081565		112	<20	0.05	<10	<10	99	<10
KAM081566		136	<20	0.02	<10	<10	54	<10
KAM081567		139	<20	0.01	<10	<10	33	<10
KAM081568		119	20	<0.01	<10	<10	22	<10
KAM081569		212	<20	<0.01	<10	<10	43	<10
KAM081570		56	<20	0.15	<10	<10	70	10
KAM081571		129	20	<0.01	<10	<10	9	<10
KAM081572		282	<20	<0.01	<10	<10	20	<10
KAM081573		177	<20	<0.01	<10	<10	18	<10
KAM081574		190	<20	0.01	<10	<10	23	<10
KAM081575		156	<20	0.01	<10	<10	23	<10
KAM081576		43	20	0.01	<10	<10	12	<10
KAM081577		37	30	<0.01	<10	<10	3	<10
KAM081578		37	30	<0.01	<10	<10	4	<10
KAM081579		115	20	0.02	<10	<10	52	<10
KAM081580		41	<20	0.14	<10	<10	63	20
KAM081581		150	<20	0.09	<10	<10	69	<10
KAM081582		106	<20	0.09	<10	<10	61	<10
KAM081583		91	<20	0.11	<10	<10	71	<10
KAM081584		106	<20	0.12	<10	<10	72	<10
KAM081585		126	20	0.03	<10	<10	72	<10
KAM081586		56	20	0.01	<10	<10	44	<10
KAM081587		65	<20	0.01	<10	<10	59	<10
KAM081588		78	<20	0.02	<10	<10	54	<10
KAM081589		69	20	0.01	<10	<10	61	<10
KAM081590		31	<20	0.01	10	<10	11	30
KAM081591		69	<20	0.10	<10	<10	58	<10
KAM081592		83	<20	0.12	<10	<10	61	<10
KAM081593		76	<20	0.03	<10	<10	56	<10
KAM081594		106	<20	0.04	<10	<10	71	<10
KAM081595		117	<20	0.01	<10	<10	62	<10
KAM081596		133	<20	0.01	<10	<10	65	<10
KAM081597		100	<20	<0.01	<10	<10	47	<10



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KAMINAK GOLD CORPORATION
1020 - 800 WEST PENDER STREET
VANCOUVER BC V6C 2V6

Page: 3 - A
Total # Pages: 3 (A - C)
Plus Appendix Pages
Finalized Date: 29-MAY-2012
Account: KAMGOL

Project: Coffee

CERTIFICATE OF ANALYSIS WH12110365

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-ICP21 Au ppm	Au-ICP21 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm
		0.02	0.001	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
KAM081598		1.02	0.011		<0.2	1.06	60	<10	70	1.5	<2	4.79	<0.5	21	56	9
KAM081599		0.84	0.046		<0.2	0.61	1280	<10	130	1.0	<2	2.26	<0.5	18	20	12
KAM081600		0.04	0.003		0.3	1.69	6	<10	100	<0.5	<2	0.88	<0.5	9	31	25
KAM081601		1.05	4.75		0.2	0.77	4340	<10	170	1.6	<2	4.82	<0.5	34	65	21
KAM081602		0.97	0.082		<0.2	1.50	876	<10	70	1.7	<2	6.08	<0.5	23	142	2
KAM081603		1.08	0.007		<0.2	1.19	199	<10	50	1.6	<2	6.57	<0.5	16	118	1
KAM081604		1.06	0.757		<0.2	0.69	5390	<10	100	1.4	<2	4.83	<0.5	20	40	4
KAM081605		1.18	8.98		0.4	0.48	6270	<10	40	1.2	<2	6.46	<0.5	16	43	6
KAM081606		1.17	3.70		0.2	0.48	5460	<10	60	0.9	<2	7.9	<0.5	20	54	2
KAM081607		0.95	0.057		<0.2	0.70	2040	<10	80	1.7	<2	8.9	<0.5	25	90	2
KAM081608		1.15	0.629		<0.2	0.78	2190	<10	110	1.5	<2	6.39	<0.5	16	125	2
KAM081609		1.04	0.080		<0.2	0.64	603	<10	260	1.0	<2	5.36	<0.5	15	34	3
KAM081610		0.05	0.244		0.3	0.17	494	<10	1660	<0.5	<2	1.06	<0.5	6	18	34
KAM081611		1.05	1.105		<0.2	0.39	3200	<10	80	0.6	<2	7.8	<0.5	13	27	4
KAM081612		0.45	0.010		<0.2	0.97	471	<10	110	1.7	<2	6.96	<0.5	28	185	10
KAM081613		1.10	0.008		<0.2	1.07	202	<10	30	1.5	<2	7.7	<0.5	16	131	3
KAM081614		0.92	0.025		<0.2	1.03	1250	<10	90	1.1	<2	5.99	<0.5	15	87	7
KAM081615		1.03	1.890		<0.2	0.86	4230	<10	110	1.6	<2	4.86	<0.5	20	27	33
KAM081616		1.04	0.019		<0.2	2.11	56	<10	370	1.6	2	4.18	<0.5	13	44	14
KAM081617		1.17	0.005		<0.2	2.69	8	<10	410	0.6	<2	3.86	<0.5	17	46	12
KAM081618		1.12	0.002		<0.2	3.16	8	<10	140	0.8	<2	2.40	<0.5	21	56	7
KAM081619		1.34	0.004		<0.2	1.97	29	<10	170	0.9	2	4.40	<0.5	15	108	6
KAM081620		0.05	0.018		<0.2	1.67	5	<10	100	<0.5	<2	0.88	<0.5	9	30	24
KAM081621		1.03	0.221		<0.2	1.39	407	<10	100	1.2	<2	5.22	<0.5	12	57	1
KAM081622		1.26	0.002		<0.2	0.99	10	<10	60	<0.5	<2	2.09	<0.5	7	30	4
KAM081623		0.97	0.024		<0.2	2.18	45	<10	100	0.7	<2	2.53	<0.5	19	59	39
KAM081624		1.16	0.006		<0.2	3.08	11	<10	220	0.8	<2	2.39	<0.5	20	54	13
KAM081625		0.87	0.007		<0.2	3.39	8	<10	180	0.8	2	2.04	<0.5	21	45	54
KAM081626		1.53	0.004		<0.2	2.76	11	<10	80	0.6	<2	2.70	<0.5	18	59	6
KAM081627		0.99	0.002		<0.2	1.54	2	<10	40	<0.5	<2	2.08	<0.5	9	74	1
KAM081628		1.15	0.001		<0.2	2.21	2	<10	50	0.5	2	2.84	<0.5	11	134	11
KAM081629		1.01	0.003		<0.2	2.79	5	<10	140	0.7	<2	1.71	<0.5	18	42	21
KAM081630		0.05	1.975		0.3	1.92	9	<10	110	<0.5	2	1.00	<0.5	10	33	35



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KAMINAK GOLD CORPORATION
 1020 - 800 WEST PENDER STREET
 VANCOUVER BC V6C 2V6

Page: 3 - B
 Total # Pages: 3 (A - C)
 Plus Appendix Pages
 Finalized Date: 29-MAY-2012
 Account: KAMGOL

Project: Coffee

CERTIFICATE OF ANALYSIS WH12110365

Sample Description	Method Analyte Units LOR	ME-ICP41 Fe %	ME-ICP41 Ga ppm	ME-ICP41 Hg ppm	ME-ICP41 K %	ME-ICP41 La ppm	ME-ICP41 Mg %	ME-ICP41 Mn ppm	ME-ICP41 Mo ppm	ME-ICP41 Na %	ME-ICP41 Ni ppm	ME-ICP41 P ppm	ME-ICP41 Pb ppm	ME-ICP41 S %	ME-ICP41 Sb ppm	ME-ICP41 Sc ppm
		0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
KAM081598		3.48	<10	<1	0.20	20	1.17	769	1	0.02	49	620	15	0.06	<2	9
KAM081599		3.03	<10	1	0.19	20	0.14	586	1	0.01	28	510	14	0.01	4	7
KAM081600		2.60	10	<1	0.13	<10	0.79	408	3	0.08	24	630	3	0.05	2	5
KAM081601		5.43	<10	<1	0.33	20	0.41	1475	1	0.01	91	360	26	0.02	26	11
KAM081602		4.57	<10	<1	0.18	20	0.77	710	<1	0.02	74	600	14	0.01	16	13
KAM081603		3.40	<10	<1	0.17	10	2.79	832	<1	0.03	67	410	9	0.04	9	13
KAM081604		3.64	<10	1	0.26	10	2.21	674	1	0.02	54	310	13	1.55	11	8
KAM081605		3.91	<10	<1	0.25	10	2.83	908	1	0.02	51	70	15	0.69	13	10
KAM081606		3.64	<10	<1	0.24	<10	3.71	987	<1	0.02	26	240	16	1.76	3	12
KAM081607		4.10	<10	<1	0.27	10	2.44	1040	<1	0.01	56	340	16	0.12	47	12
KAM081608		3.50	<10	<1	0.20	10	2.59	842	1	0.02	37	330	14	0.28	12	12
KAM081609		3.05	<10	<1	0.27	30	1.02	575	1	0.02	29	350	25	0.04	12	4
KAM081610		3.26	<10	3	0.07	<10	0.03	44	15	0.02	10	60	15	0.17	27	1
KAM081611		2.96	<10	<1	0.26	20	2.56	783	1	0.02	27	300	19	0.31	10	6
KAM081612		4.41	<10	<1	0.25	20	1.33	846	1	0.02	103	490	29	0.02	14	13
KAM081613		3.15	<10	<1	0.19	10	1.61	814	1	0.02	43	300	10	0.07	11	14
KAM081614		2.90	<10	1	0.23	20	0.49	542	1	0.01	31	400	17	0.02	7	10
KAM081615		5.13	<10	<1	0.33	20	0.92	799	2	0.02	27	560	24	0.03	12	11
KAM081616		3.59	10	<1	0.36	30	1.31	737	<1	0.05	19	760	9	0.09	4	17
KAM081617		3.90	10	<1	0.22	10	2.48	872	<1	0.03	15	750	5	0.31	2	13
KAM081618		4.09	10	<1	0.53	10	2.69	840	<1	0.03	18	750	7	0.04	2	11
KAM081619		3.15	10	<1	0.44	10	2.31	749	1	0.04	35	620	5	0.17	5	8
KAM081620		2.60	<10	<1	0.13	<10	0.78	402	2	0.09	21	630	<2	0.05	<2	5
KAM081621		2.91	<10	<1	0.47	30	2.24	759	1	0.03	23	560	8	0.11	9	6
KAM081622		1.77	<10	<1	0.20	40	1.00	369	<1	0.05	7	290	4	0.06	5	4
KAM081623		3.92	10	<1	0.42	20	1.65	708	1	0.04	16	750	8	0.01	<2	9
KAM081624		3.87	10	<1	0.86	10	2.42	795	<1	0.04	21	700	8	0.01	<2	11
KAM081625		4.67	10	<1	0.76	10	2.59	834	<1	0.04	13	910	7	<0.01	<2	12
KAM081626		3.52	10	<1	0.41	10	2.47	835	<1	0.04	21	710	5	<0.01	<2	10
KAM081627		2.02	10	<1	0.22	10	1.34	450	<1	0.07	16	560	3	0.03	<2	5
KAM081628		2.83	10	<1	0.29	10	2.00	586	<1	0.07	33	730	2	0.01	<2	10
KAM081629		3.44	10	<1	0.50	10	2.38	693	<1	0.04	14	760	4	<0.01	<2	6
KAM081630		3.12	10	<1	0.16	<10	0.86	462	3	0.11	24	640	5	0.04	4	6



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KAMINAK GOLD CORPORATION
 1020 - 800 WEST PENDER STREET
 VANCOUVER BC V6C 2V6

Page: 3 - C
 Total # Pages: 3 (A - C)
 Plus Appendix Pages
 Finalized Date: 29-MAY-2012
 Account: KAMGOL

Project: Coffee

CERTIFICATE OF ANALYSIS WH12110365

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Sr	Th	Ti	Ti	U	V	W
		ppm 1	ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10
KAM081598		77	<20	<0.01	<10	<10	40	<10
KAM081599		28	<20	<0.01	<10	<10	20	<10
KAM081600		42	<20	0.14	<10	<10	63	20
KAM081601		71	<20	<0.01	<10	10	30	<10
KAM081602		47	<20	<0.01	<10	<10	55	<10
KAM081603		132	<20	<0.01	<10	<10	64	<10
KAM081604		144	<20	<0.01	<10	<10	28	<10
KAM081605		208	<20	<0.01	<10	<10	19	<10
KAM081606		377	<20	<0.01	<10	<10	23	<10
KAM081607		151	<20	<0.01	<10	<10	42	<10
KAM081608		191	<20	<0.01	<10	<10	48	<10
KAM081609		114	<20	<0.01	<10	<10	21	<10
KAM081610		30	<20	0.01	10	<10	10	30
KAM081611		234	<20	<0.01	<10	<10	15	<10
KAM081612		96	<20	<0.01	<10	<10	64	<10
KAM081613		96	<20	<0.01	<10	<10	70	<10
KAM081614		55	<20	<0.01	<10	<10	46	<10
KAM081615		114	<20	<0.01	<10	<10	26	<10
KAM081616		85	<20	0.02	<10	<10	74	<10
KAM081617		89	<20	0.04	<10	<10	73	<10
KAM081618		78	<20	0.08	<10	<10	78	<10
KAM081619		95	<20	0.12	<10	<10	50	<10
KAM081620		42	<20	0.14	<10	<10	62	20
KAM081621		127	<20	0.02	<10	<10	38	<10
KAM081622		41	30	0.01	<10	<10	27	<10
KAM081623		49	<20	0.04	<10	<10	55	<10
KAM081624		68	<20	0.10	<10	<10	73	<10
KAM081625		73	<20	0.09	<10	<10	72	<10
KAM081626		69	<20	0.11	<10	<10	67	<10
KAM081627		43	<20	0.12	<10	<10	40	<10
KAM081628		51	<20	0.14	<10	<10	63	<10
KAM081629		61	<20	0.18	<10	<10	58	<10
KAM081630		49	<20	0.16	<10	<10	73	20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KAMINAK GOLD CORPORATION
1020 - 800 WEST PENDER STREET
VANCOUVER BC V6C 2V6

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 29-MAY-2012
Account: KAMGOL

Project: Coffee

CERTIFICATE OF ANALYSIS WH12110365

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non-sufficient sample.