



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KAMINAK GOLD CORPORATION
1020 - 800 WEST PENDER STREET
VANCOUVER BC V6C 2V6

Page: 1
Finalized Date: 14-JUN-2012
This copy reported on
5-NOV-2012
Account: KAMGOL

CERTIFICATE WH12128720

Project: Coffee

P.O. No.: KGC-12-1384

This report is for 110 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 7-JUN-2012.

The following have access to data associated with this certificate:

TOM BOKENFOHR

JAMES SCOTT

TIM SMITH

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
LOG-21	Sample logging - ClientBarCode
WEI-21	Received Sample Weight
SPLIT-Z	Pulp split for send out
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: KAMINAK GOLD CORPORATION
ATTN: ALS MINERALS

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Comments: ***Corrected copy for all samples for Au-ICP21***

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KAMINAK GOLD CORPORATION
1020 - 800 WEST PENDER STREET
VANCOUVER BC V6C 2V6

Page: 2 - A
Total # Pages: 4 (A - C)
Finalized Date: 14-JUN-2012
Account: KAMGOL

Project: Coffee

CERTIFICATE OF ANALYSIS WH12128720

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-ICP21 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
KAM083293		1.91	0.013	<0.2	0.69	39	<10	240	<0.5	<2	1.08	<0.5	4	8	18	1.32
KAM083294		2.01	0.009	<0.2	1.15	18	<10	350	0.9	<2	1.81	<0.5	12	57	18	3.40
KAM083295		1.46	0.037	<0.2	1.18	58	<10	170	1.0	<2	0.23	<0.5	11	25	15	2.87
KAM083296		1.05	0.010	<0.2	0.87	74	<10	130	0.8	<2	0.13	<0.5	7	10	11	1.62
KAM083297		1.14	1.150	3.3	0.54	395	<10	120	0.8	2	0.09	0.5	23	21	143	3.24
KAM083298		1.14	0.151	0.4	0.94	384	<10	90	0.8	<2	0.20	<0.5	10	20	19	2.37
KAM083299		0.93	0.019	<0.2	2.05	108	<10	200	1.5	<2	0.76	<0.5	20	48	32	4.37
KAM083300		0.03	0.008	0.4	1.67	5	<10	100	<0.5	<2	0.88	<0.5	10	31	26	2.45
KAM083301		1.01	0.011	<0.2	1.19	133	<10	230	0.8	<2	1.13	<0.5	9	7	6	2.49
KAM083302		1.42	0.014	<0.2	1.87	89	<10	290	1.1	<2	1.92	<0.5	13	30	14	3.50
KAM083303		1.39	0.043	<0.2	1.30	67	<10	450	1.3	<2	2.96	<0.5	12	15	18	2.86
KAM083304		1.85	0.016	<0.2	1.40	104	<10	160	1.1	<2	0.62	<0.5	11	28	19	2.71
KAM083305		1.11	0.009	<0.2	1.49	83	<10	190	1.1	<2	2.77	<0.5	13	263	19	2.60
KAM083306		1.18	0.007	<0.2	0.57	25	<10	200	0.6	<2	0.12	<0.5	2	4	4	0.82
KAM083307		0.89	0.006	<0.2	1.89	34	<10	340	0.8	<2	0.81	<0.5	12	9	8	2.69
KAM083308		1.40	0.003	<0.2	0.97	65	<10	160	0.7	<2	0.23	<0.5	6	8	3	1.71
KAM083309		1.17	0.003	<0.2	1.13	122	<10	150	0.9	<2	0.24	<0.5	7	46	6	1.90
KAM083310		0.03	5.92	1.3	1.65	39	<10	240	<0.5	<2	0.66	<0.5	9	35	84	3.30
KAM083311		1.48	0.008	<0.2	0.96	91	<10	280	0.7	2	1.98	<0.5	5	21	3	1.38
KAM083312		1.00	0.010	<0.2	1.48	182	<10	200	1.3	2	4.02	<0.5	14	146	4	3.72
KAM083313		0.84	0.007	<0.2	1.02	34	<10	300	0.8	<2	3.94	<0.5	10	107	4	2.34
KAM083314		1.04	0.016	0.2	0.58	142	<10	310	<0.5	<2	3.53	<0.5	5	6	8	1.34
KAM083315		1.05	0.522	<0.2	0.47	1390	<10	100	0.5	<2	1.42	<0.5	6	6	7	1.58
KAM083316		0.91	0.019	<0.2	0.72	308	<10	820	0.5	2	3.38	<0.5	6	11	5	1.51
KAM083317		1.05	0.158	0.2	0.61	2720	<10	1650	0.7	<2	0.75	<0.5	9	8	29	2.33
KAM083318		0.75	1.310	0.3	0.44	1620	<10	870	<0.5	<2	0.13	<0.5	12	12	38	2.20
KAM083319		0.61	9.38	0.5	0.46	1470	<10	320	0.6	2	0.11	<0.5	10	14	28	2.38
KAM083320		0.07	0.011	0.2	1.72	6	<10	100	<0.5	<2	0.91	<0.5	10	31	24	2.50
KAM083321		1.18	3.20	0.3	0.46	1575	<10	140	0.5	2	0.11	<0.5	9	13	19	2.21
KAM083322		0.57	0.794	<0.2	0.50	2270	<10	150	0.6	2	0.17	<0.5	11	15	21	3.09
KAM083323		0.82	0.231	<0.2	0.52	2460	<10	1660	0.9	2	0.19	<0.5	12	14	13	3.05
KAM083324		1.13	0.036	<0.2	0.63	499	<10	410	0.6	<2	1.49	<0.5	7	13	5	1.90
KAM083325		1.12	0.020	<0.2	0.73	29	<10	260	0.7	<2	2.53	<0.5	8	17	7	1.88
KAM083326		0.93	0.006	<0.2	0.48	17	<10	410	<0.5	<2	1.80	<0.5	3	8	3	0.86
KAM083327		0.95	0.006	<0.2	0.70	30	<10	510	0.7	<2	3.74	<0.5	5	27	3	1.31
KAM083328		0.85	0.008	<0.2	0.76	117	<10	140	0.7	<2	4.58	<0.5	9	71	3	1.62
KAM083329		0.87	0.004	<0.2	0.85	64	<10	60	0.7	<2	3.13	<0.5	4	42	2	1.30
KAM083330		0.03	3.00	0.6	1.18	7	<10	110	<0.5	<2	0.80	<0.5	9	42	40	2.60
KAM083331		0.90	0.008	<0.2	0.77	121	<10	100	0.6	<2	1.62	<0.5	2	4	4	1.07
KAM083332		0.50	0.006	<0.2	0.77	305	<10	40	0.9	<2	0.11	<0.5	3	6	1	1.35

Comments: ***Corrected copy for all samples for Au-ICP21***



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KAMINAK GOLD CORPORATION
1020 - 800 WEST PENDER STREET
VANCOUVER BC V6C 2V6

Page: 2 - B
Total # Pages: 4 (A - C)
Finalized Date: 14-JUN-2012
Account: KAMGOL

Project: Coffee

CERTIFICATE OF ANALYSIS WH12128720

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
		ppm 10	ppm 1	% 0.01	ppm 10	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 2	ppm 1
KAM083293		<10	<1	0.24	30	0.13	257	<1	0.03	6	230	5	0.04	3	1
KAM083294		10	<1	0.42	40	0.41	653	<1	0.04	31	640	5	0.02	2	6
KAM083295		<10	<1	0.50	30	0.32	451	<1	0.02	31	430	6	0.01	4	4
KAM083296		<10	<1	0.40	40	0.14	277	<1	0.01	14	340	11	0.01	12	2
KAM083297		<10	1	0.25	30	0.05	311	1	0.01	22	250	728	0.02	71	2
KAM083298		<10	<1	0.41	30	0.11	339	<1	0.01	29	440	37	0.01	22	3
KAM083299		10	<1	1.01	40	0.66	335	1	0.02	49	850	8	0.01	5	6
KAM083300		10	<1	0.13	<10	0.74	404	2	0.08	24	600	2	0.04	<2	5
KAM083301		<10	<1	0.43	50	0.32	557	<1	0.01	6	670	10	<0.01	6	3
KAM083302		<10	<1	0.86	30	0.70	559	<1	0.02	21	540	10	<0.01	6	7
KAM083303		<10	<1	0.59	40	0.30	603	<1	0.01	24	520	16	0.01	2	4
KAM083304		<10	<1	0.61	30	0.42	325	<1	0.02	27	390	13	<0.01	7	4
KAM083305		<10	<1	0.59	30	0.80	468	<1	0.02	165	360	13	<0.01	5	5
KAM083306		<10	<1	0.27	40	0.07	113	<1	0.05	1	210	5	<0.01	<2	1
KAM083307		<10	<1	1.11	20	1.14	420	<1	0.07	6	740	4	<0.01	2	4
KAM083308		<10	<1	0.36	20	0.37	295	<1	0.06	7	400	4	<0.01	5	3
KAM083309		<10	<1	0.56	40	0.46	308	<1	0.03	36	480	4	<0.01	13	3
KAM083310		<10	2	0.16	<10	0.65	523	615	0.07	29	530	87	0.77	19	4
KAM083311		<10	<1	0.30	30	0.30	208	<1	0.03	53	220	6	0.01	3	2
KAM083312		<10	<1	0.46	30	0.45	777	1	0.01	150	420	11	0.01	11	8
KAM083313		<10	<1	0.38	20	0.26	659	1	<0.01	94	200	9	0.01	<2	4
KAM083314		<10	<1	0.27	40	0.08	286	<1	<0.01	24	180	7	0.01	2	1
KAM083315		<10	<1	0.28	30	0.07	262	<1	<0.01	22	130	13	0.01	2	1
KAM083316		<10	<1	0.26	20	0.11	317	1	<0.01	23	150	18	0.04	2	2
KAM083317		<10	<1	0.30	40	0.22	228	1	<0.01	18	240	24	0.21	8	2
KAM083318		<10	<1	0.31	30	0.04	277	<1	<0.01	22	200	10	0.02	12	1
KAM083319		<10	<1	0.28	20	0.06	398	<1	<0.01	29	150	25	0.01	12	2
KAM083320		<10	<1	0.13	<10	0.76	413	2	0.08	23	610	2	0.05	<2	5
KAM083321		<10	<1	0.32	30	0.04	307	<1	<0.01	22	120	17	<0.01	7	2
KAM083322		<10	<1	0.30	30	0.05	374	<1	<0.01	31	230	16	<0.01	14	3
KAM083323		<10	<1	0.31	30	0.05	358	<1	<0.01	30	270	16	0.04	11	3
KAM083324		<10	<1	0.34	50	0.07	397	<1	<0.01	23	290	9	0.01	2	2
KAM083325		<10	<1	0.26	30	0.18	325	1	<0.01	24	260	5	0.02	<2	3
KAM083326		<10	<1	0.20	20	0.37	200	<1	<0.01	7	70	4	0.01	<2	2
KAM083327		<10	<1	0.16	20	0.21	335	1	<0.01	10	90	6	0.02	<2	4
KAM083328		<10	<1	0.17	30	0.10	402	1	<0.01	11	340	6	0.01	2	6
KAM083329		<10	<1	0.15	30	0.07	264	<1	<0.01	5	170	7	0.01	<2	4
KAM083330		<10	<1	0.10	<10	0.54	406	5	0.07	30	490	7	0.15	3	4
KAM083331		<10	<1	0.16	30	0.05	187	<1	<0.01	3	140	5	0.01	4	1
KAM083332		<10	<1	0.10	20	0.04	126	<1	<0.01	5	240	4	<0.01	25	2

Comments: ***Corrected copy for all samples for Au-ICP21***



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KAMINAK GOLD CORPORATION
1020 - 800 WEST PENDER STREET
VANCOUVER BC V6C 2V6

Page: 2 - C
Total # Pages: 4 (A - C)
Finalized Date: 14-JUN-2012
Account: KAMGOL

Project: Coffee

CERTIFICATE OF ANALYSIS WH12128720

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm	%	ppm	ppm	ppm	ppm	ppm
		20	0.01	10	10	1	10	2
KAM083293		30	0.01	<10	<10	9	<10	15
KAM083294		20	0.03	<10	<10	44	<10	61
KAM083295		20	0.04	<10	<10	26	<10	44
KAM083296		30	0.02	<10	<10	12	<10	25
KAM083297		20	<0.01	<10	<10	30	10	114
KAM083298		20	0.01	<10	<10	15	<10	52
KAM083299		20	0.10	<10	<10	41	<10	76
KAM083300		<20	0.15	<10	<10	63	20	47
KAM083301		30	0.02	<10	<10	26	<10	38
KAM083302		20	0.09	<10	<10	47	<10	53
KAM083303		20	0.04	<10	<10	26	<10	45
KAM083304		20	0.06	<10	<10	22	<10	44
KAM083305		20	0.02	<10	<10	23	<10	47
KAM083306		40	0.01	<10	<10	3	<10	7
KAM083307		30	0.15	<10	<10	60	<10	46
KAM083308		40	0.03	<10	<10	24	<10	22
KAM083309		30	0.04	<10	<10	21	<10	27
KAM083310		<20	0.11	<10	<10	56	10	70
KAM083311		30	0.01	<10	<10	9	<10	19
KAM083312		20	0.02	<10	<10	33	<10	65
KAM083313		20	0.01	<10	<10	19	<10	34
KAM083314		30	<0.01	<10	<10	4	<10	20
KAM083315		20	<0.01	<10	<10	4	<10	12
KAM083316		20	<0.01	<10	<10	8	<10	26
KAM083317		20	<0.01	<10	<10	5	<10	18
KAM083318		<20	<0.01	<10	<10	7	<10	20
KAM083319		<20	<0.01	<10	<10	9	<10	32
KAM083320		<20	0.15	<10	<10	62	20	45
KAM083321		<20	<0.01	<10	<10	7	<10	33
KAM083322		<20	<0.01	<10	<10	11	<10	46
KAM083323		20	<0.01	<10	<10	7	<10	38
KAM083324		30	<0.01	<10	<10	9	<10	29
KAM083325		20	<0.01	<10	<10	14	<10	34
KAM083326		30	<0.01	<10	<10	9	<10	15
KAM083327		30	<0.01	<10	<10	17	<10	27
KAM083328		20	<0.01	<10	<10	23	<10	34
KAM083329		30	<0.01	<10	<10	20	<10	24
KAM083330		<20	0.12	<10	<10	54	20	48
KAM083331		30	<0.01	<10	<10	4	<10	15
KAM083332		20	<0.01	<10	<10	5	<10	15

Comments: ***Corrected copy for all samples for Au-ICP21***



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KAMINAK GOLD CORPORATION
1020 - 800 WEST PENDER STREET
VANCOUVER BC V6C 2V6

Page: 3 - A
Total # Pages: 4 (A - C)
Finalized Date: 14-JUN-2012
Account: KAMGOL

Project: Coffee

CERTIFICATE OF ANALYSIS WH12128720

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-ICP21 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
KAM083333		0.46	0.005	<0.2	0.73	152	<10	40	0.6	2	0.05	<0.5	1	2	2	0.82
KAM083334		0.78	0.006	<0.2	0.74	121	<10	50	0.5	<2	1.05	<0.5	2	3	1	0.92
KAM083335		0.93	0.005	<0.2	0.83	133	<10	50	0.6	<2	1.90	<0.5	3	4	1	1.22
KAM083336		1.10	0.008	<0.2	1.05	213	<10	70	0.8	<2	1.07	<0.5	5	9	2	1.55
KAM083337		0.61	0.012	<0.2	0.93	317	<10	60	1.1	<2	0.36	<0.5	10	28	6	2.07
KAM083338		0.73	0.014	<0.2	0.88	370	<10	70	1.3	<2	0.78	<0.5	9	23	5	2.34
KAM083339		0.91	0.011	<0.2	1.14	301	<10	80	1.3	<2	0.41	<0.5	14	34	14	2.96
KAM083340		0.03	0.002	0.3	1.73	6	<10	100	<0.5	<2	0.94	<0.5	10	31	25	2.61
KAM083341		1.02	0.008	<0.2	1.57	132	<10	210	1.2	<2	0.43	<0.5	11	44	17	2.92
KAM083342		0.87	0.007	<0.2	0.89	135	<10	180	0.7	<2	3.13	<0.5	7	17	4	1.88
KAM083343		0.88	0.005	<0.2	1.16	57	<10	70	1.0	<2	3.92	<0.5	11	45	2	2.61
KAM083344		1.02	0.003	<0.2	1.05	43	<10	100	0.9	<2	3.38	<0.5	7	30	3	2.12
KAM083345		0.81	0.009	<0.2	1.33	30	<10	150	1.0	<2	2.41	<0.5	10	29	10	2.35
KAM083346		0.98	0.010	<0.2	1.83	168	<10	350	1.5	<2	2.28	<0.5	12	42	5	3.25
KAM083347		0.97	0.005	<0.2	2.16	123	<10	300	1.6	<2	3.15	<0.5	13	48	4	3.35
KAM083348		0.78	0.009	<0.2	1.10	77	<10	280	1.1	<2	1.14	<0.5	7	17	7	2.09
KAM083349		0.76	0.005	<0.2	0.90	177	<10	210	1.3	<2	2.25	<0.5	10	20	1	2.77
KAM083350		0.03	0.467	0.2	0.70	609	<10	1700	<0.5	<2	0.66	<0.5	2	102	10	6.40
KAM083351		1.00	0.002	<0.2	0.85	22	<10	90	1.1	<2	2.54	<0.5	7	16	2	2.06
KAM083352		0.94	0.003	<0.2	0.89	38	<10	40	1.0	<2	2.48	<0.5	6	21	3	1.74
KAM083353		0.94	0.007	<0.2	0.80	101	<10	70	0.8	<2	2.72	<0.5	9	12	4	2.08
KAM083354		0.92	0.005	<0.2	0.78	142	<10	120	0.7	<2	3.75	<0.5	6	11	1	2.00
KAM083355		0.72	0.005	<0.2	0.82	1345	<10	60	0.5	<2	0.38	<0.5	9	7	8	2.31
KAM083356		0.83	0.003	<0.2	0.68	2240	<10	150	0.7	2	2.93	<0.5	6	9	1	2.14
KAM083357		1.01	0.005	<0.2	0.86	1055	<10	370	0.7	2	2.84	<0.5	8	22	<1	2.19
KAM083358		0.43	4.94	0.2	0.58	2690	<10	190	0.9	2	0.31	<0.5	6	8	8	2.05
KAM083359		0.94	0.024	<0.2	0.71	446	<10	780	0.7	<2	2.91	<0.5	8	25	3	2.35
KAM083360		0.02	0.002	0.2	1.65	7	<10	90	<0.5	<2	0.90	<0.5	10	30	24	2.51
KAM083361		0.66	0.032	<0.2	0.71	227	<10	1630	0.7	<2	5.49	<0.5	10	72	2	2.76
KAM083362		0.91	0.006	<0.2	0.76	219	<10	710	0.6	<2	3.28	<0.5	7	20	2	2.33
KAM083363		0.88	0.048	<0.2	0.58	380	<10	240	0.6	<2	2.58	<0.5	5	6	18	2.05
KAM083364		1.05	0.177	<0.2	0.49	1130	10	400	0.7	2	3.52	<0.5	7	53	6	2.55
KAM083365		0.57	0.183	<0.2	0.57	4240	10	200	1.1	5	1.43	<0.5	6	11	7	2.49
KAM083366		1.03	0.091	<0.2	0.65	3670	10	110	1.4	3	0.66	<0.5	11	10	2	2.41
KAM083367		0.89	0.346	<0.2	0.65	3850	10	520	1.6	2	0.24	<0.5	21	10	23	3.56
KAM083368		0.67	5.74	<0.2	0.60	1055	10	100	1.0	<2	0.11	<0.5	5	8	5	1.90
KAM083369		0.98	6.35	<0.2	0.48	901	10	220	0.8	<2	0.10	<0.5	5	7	4	1.75
KAM083370		0.02	0.266	0.4	0.18	493	<10	2320	<0.5	<2	1.04	<0.5	6	18	34	3.22
KAM083371		0.56	5.91	0.5	0.55	856	10	130	0.8	3	0.22	<0.5	4	5	2	1.30
KAM083372		0.93	1.355	<0.2	0.46	905	<10	790	0.7	<2	2.14	<0.5	4	3	4	1.38

Comments: ***Corrected copy for all samples for Au-ICP21***



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KAMINAK GOLD CORPORATION
1020 - 800 WEST PENDER STREET
VANCOUVER BC V6C 2V6

Page: 3 - B
Total # Pages: 4 (A - C)
Finalized Date: 14-JUN-2012
Account: KAMGOL

Project: Coffee

CERTIFICATE OF ANALYSIS WH12128720

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
		ppm 10	ppm 1	% 0.01	ppm 10	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 2	ppm 1
KAM083333		<10	<1	0.08	20	0.02	127	<1	<0.01	3	50	3	<0.01	7	2
KAM083334		<10	<1	0.12	20	0.03	123	<1	<0.01	4	80	3	<0.01	2	2
KAM083335		<10	<1	0.11	10	0.05	220	<1	<0.01	11	70	5	<0.01	3	3
KAM083336		<10	<1	0.14	30	0.06	255	<1	0.01	11	280	5	0.01	8	4
KAM083337		<10	<1	0.15	30	0.09	210	<1	0.01	20	280	9	0.01	23	6
KAM083338		<10	<1	0.14	20	0.09	230	<1	0.01	21	290	9	0.01	23	5
KAM083339		10	<1	0.30	20	0.17	404	<1	0.01	37	310	10	0.01	14	6
KAM083340		10	<1	0.13	<10	0.80	414	2	0.09	24	630	<2	0.05	<2	5
KAM083341		10	<1	0.75	20	0.63	422	<1	0.01	34	310	5	0.01	6	7
KAM083342		<10	<1	0.15	30	0.12	346	<1	0.01	13	330	8	0.02	4	6
KAM083343		<10	<1	0.31	30	0.99	463	1	0.02	19	570	6	0.11	2	7
KAM083344		<10	<1	0.37	30	0.92	348	1	0.01	35	510	4	0.02	2	4
KAM083345		<10	<1	0.60	30	0.46	312	<1	0.02	27	290	4	0.02	5	5
KAM083346		10	<1	0.67	20	0.68	459	<1	0.02	29	400	6	0.02	11	12
KAM083347		10	<1	0.90	20	0.91	455	<1	0.03	30	450	7	0.02	5	10
KAM083348		<10	<1	0.36	30	0.28	249	<1	0.05	12	310	4	0.02	4	4
KAM083349		<10	<1	0.18	30	0.19	645	<1	0.05	21	300	6	0.01	7	4
KAM083350		<10	12	0.11	20	0.04	13	3	0.04	7	410	3	0.30	44	2
KAM083351		<10	<1	0.24	30	0.81	395	2	0.04	18	270	6	0.10	<2	4
KAM083352		<10	<1	0.23	30	0.72	316	<1	0.02	15	330	5	0.09	<2	4
KAM083353		<10	<1	0.22	40	0.39	399	<1	0.02	18	300	5	0.09	3	3
KAM083354		<10	<1	0.18	30	0.45	468	3	0.01	18	180	15	0.05	2	3
KAM083355		<10	1	0.18	20	0.12	312	1	0.01	15	120	11	0.43	7	3
KAM083356		<10	1	0.13	20	1.06	620	<1	0.02	13	190	13	0.56	7	4
KAM083357		<10	<1	0.13	20	0.66	433	<1	0.01	25	70	11	0.29	4	6
KAM083358		<10	1	0.18	10	0.09	110	<1	0.01	12	40	17	0.04	6	4
KAM083359		<10	1	0.16	20	0.17	365	<1	0.01	20	40	8	0.12	3	7
KAM083360		<10	<1	0.13	<10	0.76	397	2	0.09	23	600	<2	0.05	<2	5
KAM083361		<10	1	0.19	20	0.65	549	1	0.02	20	120	8	0.10	2	8
KAM083362		<10	1	0.15	10	0.08	309	1	0.01	20	50	12	0.07	3	5
KAM083363		<10	<1	0.23	30	0.07	256	1	0.01	10	130	14	0.12	3	2
KAM083364		<10	1	0.27	30	0.63	567	1	0.01	16	90	16	0.08	6	6
KAM083365		<10	<1	0.29	30	0.41	557	1	0.01	14	210	17	0.21	8	4
KAM083366		<10	1	0.31	40	0.20	456	1	0.01	20	310	18	0.02	6	4
KAM083367		<10	1	0.33	40	0.09	611	1	0.01	20	160	20	0.04	11	3
KAM083368		<10	<1	0.33	40	0.07	286	<1	0.01	11	110	12	0.01	16	2
KAM083369		<10	<1	0.31	30	0.05	260	<1	0.01	4	110	18	0.02	10	1
KAM083370		<10	3	0.07	<10	0.03	43	15	0.03	10	60	14	0.19	30	1
KAM083371		<10	<1	0.32	20	0.05	264	<1	0.01	5	90	33	0.01	6	2
KAM083372		<10	<1	0.25	20	0.13	303	1	<0.01	4	150	14	0.04	3	1

Comments: ***Corrected copy for all samples for Au-ICP21***



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KAMINAK GOLD CORPORATION
1020 - 800 WEST PENDER STREET
VANCOUVER BC V6C 2V6

Page: 3 - C
Total # Pages: 4 (A - C)
Finalized Date: 14-JUN-2012
Account: KAMGOL

Project: Coffee

CERTIFICATE OF ANALYSIS WH12128720

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm	%	ppm	ppm	ppm	ppm	ppm
		20	0.01	10	10	1	10	2
KAM083333		20	<0.01	<10	<10	3	<10	9
KAM083334		30	<0.01	<10	<10	4	<10	16
KAM083335		20	<0.01	<10	<10	7	<10	33
KAM083336		20	<0.01	<10	<10	11	<10	27
KAM083337		20	0.01	<10	<10	19	<10	29
KAM083338		20	<0.01	<10	<10	19	<10	34
KAM083339		20	0.02	<10	<10	32	<10	46
KAM083340		<20	0.15	<10	<10	64	20	45
KAM083341		20	0.08	<10	<10	40	<10	42
KAM083342		20	0.01	<10	<10	30	<10	34
KAM083343		20	0.01	<10	<10	39	<10	40
KAM083344		<20	0.02	<10	<10	23	<10	21
KAM083345		20	0.05	<10	<10	29	<10	27
KAM083346		<20	0.06	<10	<10	59	<10	45
KAM083347		<20	0.07	<10	<10	57	<10	46
KAM083348		20	0.02	<10	<10	20	<10	28
KAM083349		20	<0.01	<10	<10	26	<10	32
KAM083350		<20	0.01	10	<10	95	10	15
KAM083351		20	0.01	<10	<10	22	<10	29
KAM083352		20	0.01	<10	<10	20	<10	22
KAM083353		20	<0.01	<10	<10	16	<10	27
KAM083354		20	<0.01	<10	<10	13	<10	28
KAM083355		20	<0.01	<10	<10	9	<10	8
KAM083356		<20	<0.01	<10	<10	11	<10	9
KAM083357		20	<0.01	<10	<10	17	<10	27
KAM083358		<20	<0.01	<10	10	10	<10	23
KAM083359		<20	<0.01	<10	<10	19	<10	24
KAM083360		<20	0.15	<10	<10	62	20	44
KAM083361		<20	<0.01	<10	<10	36	<10	31
KAM083362		<20	<0.01	<10	<10	23	<10	22
KAM083363		20	<0.01	<10	<10	6	<10	21
KAM083364		<20	<0.01	<10	<10	15	<10	34
KAM083365		<20	<0.01	<10	<10	6	<10	21
KAM083366		<20	<0.01	<10	<10	5	<10	29
KAM083367		20	<0.01	<10	<10	7	<10	32
KAM083368		20	<0.01	<10	<10	8	<10	28
KAM083369		20	<0.01	<10	<10	6	<10	27
KAM083370		<20	0.01	10	<10	10	40	19
KAM083371		<20	<0.01	<10	<10	4	<10	16
KAM083372		20	<0.01	<10	<10	3	<10	23

Comments: ***Corrected copy for all samples for Au-ICP21***



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KAMINAK GOLD CORPORATION
1020 - 800 WEST PENDER STREET
VANCOUVER BC V6C 2V6

Page: 4 - A
Total # Pages: 4 (A - C)
Finalized Date: 14-JUN-2012
Account: KAMGOL

Project: Coffee

CERTIFICATE OF ANALYSIS WH12128720

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-ICP21 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
KAM083373		0.86	0.096	0.2	0.52	347	<10	1480	<0.5	<2	2.27	<0.5	5	3	3	1.18
KAM083374		0.88	0.010	<0.2	0.71	195	<10	310	0.6	<2	2.67	<0.5	4	4	1	1.25
KAM083375		0.94	0.004	<0.2	0.71	141	<10	360	0.6	<2	3.30	<0.5	3	5	6	1.37
KAM083376		0.91	0.021	<0.2	0.75	2100	<10	200	1.1	<2	2.78	<0.5	9	10	26	3.31
KAM083377		0.91	0.051	<0.2	0.57	1595	<10	260	0.8	<2	1.63	<0.5	6	6	7	1.94
KAM083378		0.86	0.055	0.2	0.64	551	<10	700	1.0	<2	1.08	<0.5	10	9	9	2.59
KAM083379		1.00	0.008	<0.2	0.54	56	<10	110	0.5	<2	3.84	<0.5	3	5	7	1.53
KAM083380		0.02	0.006	<0.2	1.65	4	<10	70	<0.5	<2	0.89	<0.5	9	30	24	2.56
KAM083381		0.88	0.008	<0.2	0.72	29	<10	30	0.5	<2	2.87	<0.5	2	4	14	1.45
KAM083382		1.04	0.004	<0.2	0.46	143	<10	50	<0.5	<2	2.27	<0.5	3	3	3	1.35
KAM083383		0.74	0.006	<0.2	0.69	231	<10	70	0.7	<2	0.58	<0.5	3	5	6	1.61
KAM083384		1.15	0.008	<0.2	0.79	157	<10	30	0.8	<2	3.22	<0.5	5	11	6	2.21
KAM083385		0.88	0.006	<0.2	0.89	24	<10	20	1.0	<2	3.54	<0.5	7	21	4	1.98
KAM083386		0.86	0.011	<0.2	0.70	317	<10	40	1.4	<2	3.53	<0.5	6	8	4	2.08
KAM083387		1.20	0.004	<0.2	0.94	322	<10	40	1.1	<2	4.66	<0.5	5	5	4	1.95
KAM083388		0.89	0.006	<0.2	0.86	263	<10	40	0.9	<2	2.34	<0.5	4	5	2	1.61
KAM083389		1.07	0.011	<0.2	0.98	203	<10	60	0.9	<2	3.82	<0.5	6	7	2	2.00
KAM083390		0.03	2.13	0.3	1.94	10	<10	90	<0.5	<2	1.02	<0.5	11	34	35	3.18
KAM083391		1.53	0.027	<0.2	0.93	142	<10	30	0.9	<2	0.58	<0.5	5	6	3	1.19
KAM083392		1.30	0.005	<0.2	1.90	27	<10	200	1.1	<2	1.51	<0.5	7	6	3	1.92
KAM083393		1.74	0.003	<0.2	1.94	8	<10	120	1.1	<2	2.55	<0.5	8	12	2	2.43
KAM083394		1.69	0.002	<0.2	1.21	8	<10	50	0.9	<2	1.46	<0.5	5	7	4	1.58
KAM083395		1.69	0.002	<0.2	1.10	7	<10	30	0.9	<2	1.80	<0.5	6	12	1	1.44
KAM083396		1.99	0.002	<0.2	1.01	11	<10	60	0.7	<2	1.05	<0.5	4	8	2	1.24
KAM083397		1.63	0.002	<0.2	1.96	40	<10	80	1.1	<2	1.76	<0.5	8	43	2	2.26
KAM083398		2.01	0.004	<0.2	1.49	18	<10	430	0.8	<2	2.15	<0.5	13	55	5	2.19
KAM083399		2.08	0.003	<0.2	1.24	27	<10	500	1.2	<2	4.66	<0.5	12	29	7	2.21
KAM083400		0.04	0.009	0.3	1.71	4	<10	80	<0.5	<2	0.92	<0.5	10	31	24	2.62
KAM083401		1.88	0.003	<0.2	2.24	89	<10	380	1.1	<2	3.07	<0.5	13	87	5	2.71
KAM083402		1.90	0.007	<0.2	2.44	55	<10	240	1.1	<2	3.29	<0.5	13	72	4	2.72

Comments: ***Corrected copy for all samples for Au-ICP21***



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KAMINAK GOLD CORPORATION
1020 - 800 WEST PENDER STREET
VANCOUVER BC V6C 2V6

Page: 4 - B
Total # Pages: 4 (A - C)
Finalized Date: 14-JUN-2012
Account: KAMGOL

Project: Coffee

CERTIFICATE OF ANALYSIS WH12128720

Sample Description	Method Analyte Units LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
KAM083373		<10	1	0.23	30	0.07	462	1	<0.01	3	210	12	0.06	<2	1	67
KAM083374		<10	<1	0.15	20	0.39	338	1	0.01	3	100	11	0.03	<2	2	60
KAM083375		<10	<1	0.13	20	0.17	265	2	0.01	6	60	9	0.03	<2	2	41
KAM083376		<10	2	0.22	30	0.07	377	1	0.01	14	160	26	0.03	18	3	32
KAM083377		<10	1	0.18	40	0.05	635	<1	<0.01	10	150	14	0.02	27	2	36
KAM083378		<10	<1	0.20	30	0.05	493	1	<0.01	12	180	16	0.04	36	3	50
KAM083379		<10	<1	0.12	30	0.07	325	1	0.01	3	100	3	0.02	4	1	33
KAM083380		10	<1	0.13	<10	0.76	413	2	0.09	22	610	2	0.05	<2	5	42
KAM083381		<10	<1	0.12	30	0.05	247	1	0.01	3	110	4	0.01	3	1	30
KAM083382		<10	<1	0.18	30	0.06	298	<1	0.01	3	180	4	0.01	20	2	31
KAM083383		<10	<1	0.10	20	0.05	375	<1	0.01	3	90	5	0.01	31	1	21
KAM083384		<10	<1	0.13	30	0.14	357	2	0.01	11	200	6	0.02	15	4	33
KAM083385		<10	<1	0.20	20	0.16	296	3	0.01	13	180	5	0.02	2	4	53
KAM083386		<10	<1	0.13	20	0.08	376	<1	0.01	6	80	9	0.01	34	3	68
KAM083387		<10	<1	0.17	20	0.12	387	<1	0.01	3	170	10	0.01	48	3	58
KAM083388		<10	<1	0.16	20	0.08	260	<1	0.01	3	270	12	0.01	28	4	30
KAM083389		<10	<1	0.17	30	0.10	431	<1	0.01	5	310	17	0.01	20	4	34
KAM083390		10	<1	0.16	<10	0.87	488	4	0.11	26	650	5	0.05	2	6	49
KAM083391		<10	<1	0.22	30	0.14	163	<1	0.01	2	410	12	0.01	8	4	13
KAM083392		10	<1	0.71	40	0.76	370	<1	0.02	4	460	9	0.01	3	3	30
KAM083393		10	<1	1.15	30	1.12	442	<1	0.03	5	580	6	0.01	<2	5	45
KAM083394		<10	<1	0.55	30	0.46	208	1	0.05	5	340	5	0.01	<2	3	23
KAM083395		<10	<1	0.49	40	0.50	237	1	0.04	7	350	5	0.01	<2	3	31
KAM083396		<10	<1	0.43	20	0.41	184	<1	0.06	4	320	3	0.01	2	3	30
KAM083397		10	<1	1.17	20	1.41	415	<1	0.05	20	520	2	0.01	6	4	56
KAM083398		<10	<1	0.84	20	1.06	417	<1	0.07	35	370	<2	0.02	<2	2	81
KAM083399		<10	<1	0.30	10	0.74	650	<1	0.05	18	270	<2	0.03	<2	1	133
KAM083400		10	<1	0.13	<10	0.78	423	3	0.09	23	620	<2	0.05	<2	5	43
KAM083401		10	1	1.13	20	1.51	611	<1	0.05	21	560	3	0.01	5	6	57
KAM083402		10	<1	1.43	20	2.03	625	<1	0.05	28	570	2	0.01	2	5	54

Comments: ***Corrected copy for all samples for Au-ICP21***



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KAMINAK GOLD CORPORATION
 1020 - 800 WEST PENDER STREET
 VANCOUVER BC V6C 2V6

Page: 4 - C
 Total # Pages: 4 (A - C)
 Finalized Date: 14-JUN-2012
 Account: KAMGOL

Project: Coffee

CERTIFICATE OF ANALYSIS WH12128720

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm	%	ppm	ppm	ppm	ppm	ppm
		20	0.01	10	10	1	10	2
KAM083373		20	<0.01	<10	<10	3	<10	12
KAM083374		20	<0.01	<10	<10	6	<10	20
KAM083375		20	<0.01	<10	<10	10	<10	23
KAM083376		20	<0.01	<10	<10	15	<10	31
KAM083377		20	<0.01	<10	<10	7	<10	16
KAM083378		20	<0.01	<10	<10	16	<10	22
KAM083379		20	<0.01	<10	<10	8	<10	20
KAM083380		<20	0.15	<10	<10	63	20	45
KAM083381		20	<0.01	<10	<10	6	<10	19
KAM083382		20	<0.01	<10	<10	6	<10	17
KAM083383		20	<0.01	<10	<10	6	<10	16
KAM083384		20	<0.01	<10	<10	18	<10	30
KAM083385		20	<0.01	<10	<10	23	<10	24
KAM083386		20	<0.01	<10	<10	14	<10	25
KAM083387		20	<0.01	<10	<10	14	<10	23
KAM083388		20	<0.01	<10	<10	14	<10	21
KAM083389		20	<0.01	<10	<10	18	<10	25
KAM083390		<20	0.17	<10	<10	75	20	55
KAM083391		20	0.01	<10	<10	11	<10	18
KAM083392		30	0.05	<10	<10	23	<10	33
KAM083393		20	0.09	<10	<10	37	<10	36
KAM083394		20	0.04	<10	<10	13	<10	20
KAM083395		20	0.04	<10	<10	18	<10	17
KAM083396		20	0.03	<10	<10	12	<10	14
KAM083397		20	0.11	<10	<10	30	<10	33
KAM083398		20	0.13	<10	<10	26	<10	31
KAM083399		<20	0.09	<10	<10	16	<10	19
KAM083400		<20	0.15	<10	<10	65	20	46
KAM083401		20	0.14	<10	<10	44	<10	41
KAM083402		20	0.16	<10	<10	42	<10	44

Comments: ***Corrected copy for all samples for Au-ICP21***