



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KAMINAK GOLD CORPORATION
1020 - 800 WEST PENDER STREET
VANCOUVER BC V6C 2V6

Page: 1
Finalized Date: 20-JUN-2012
This copy reported on
5-NOV-2012
Account: KAMGOL

CERTIFICATE WH12131623

Project: Coffee

P.O. No.: KGC-12-1394

This report is for 40 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 11-JUN-2012.

The following have access to data associated with this certificate:

TOM BOKENFOHR

JAMES SCOTT

TIM SMITH

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|--------------------------------|
| LOG-21 | Sample logging - ClientBarCode |
| WEI-21 | Received Sample Weight |
| SPLIT-Z | Pulp split for send out |
| LOG-23 | Pulp Login - Rcvd with Barcode |
| CRU-QC | Crushing QC Test |
| CRU-31 | Fine crushing - 70% <2mm |
| PUL-QC | Pulverizing QC Test |
| SPL-21 | Split sample - riffle splitter |
| PUL-31 | Pulverize split to 85% <75 um |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|----------|-------------------------------|------------|
| Au-ICP21 | Au 30g FA ICP-AES Finish | ICP-AES |
| ME-ICP41 | 35 Element Aqua Regia ICP-AES | ICP-AES |

To: KAMINAK GOLD CORPORATION
ATTN: ALS MINERALS

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KAMINAK GOLD CORPORATION
1020 - 800 WEST PENDER STREET
VANCOUVER BC V6C 2V6

Page: 2 - A
Total # Pages: 2 (A - C)
Finalized Date: 20-JUN-2012
Account: KAMGOL

Project: Coffee

CERTIFICATE OF ANALYSIS WH12131623

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-ICP21 Au ppm | ME-ICP41 Ag ppm | ME-ICP41 Al % | ME-ICP41 As ppm | ME-ICP41 B ppm | ME-ICP41 Ba ppm | ME-ICP41 Be ppm | ME-ICP41 Bi ppm | ME-ICP41 Ca % | ME-ICP41 Cd ppm | ME-ICP41 Co ppm | ME-ICP41 Cr ppm | ME-ICP41 Cu ppm | ME-ICP41 Fe % |
|--------------------|-----------------------------------|---------------------------|-----------------------|-----------------------|---------------------|-----------------------|----------------------|-----------------------|-----------------------|-----------------------|---------------------|-----------------------|-----------------------|-----------------------|-----------------------|---------------------|
| | | 0.02 | 0.001 | 0.2 | 0.01 | 2 | 10 | 10 | 0.5 | 2 | 0.01 | 0.5 | 1 | 1 | 1 | 0.01 |
| KAM084601 | | 2.18 | 0.002 | <0.2 | 1.21 | 6 | <10 | 350 | <0.5 | <2 | 0.33 | <0.5 | 5 | 6 | 5 | 1.72 |
| KAM084602 | | 2.35 | 0.002 | <0.2 | 1.31 | 2 | <10 | 350 | <0.5 | <2 | 0.59 | <0.5 | 5 | 8 | 3 | 1.80 |
| KAM084603 | | 2.16 | 0.001 | <0.2 | 1.54 | 4 | <10 | 230 | 0.6 | <2 | 0.83 | <0.5 | 9 | 12 | 6 | 2.23 |
| KAM084604 | | 2.18 | 0.001 | <0.2 | 1.21 | 2 | <10 | 230 | <0.5 | 3 | 0.60 | <0.5 | 5 | 6 | 5 | 1.97 |
| KAM084605 | | 2.13 | <0.001 | <0.2 | 1.83 | <2 | <10 | 330 | 0.6 | 14 | 1.13 | <0.5 | 10 | 54 | 5 | 2.63 |
| KAM084606 | | 2.06 | 0.002 | <0.2 | 1.19 | 4 | <10 | 140 | <0.5 | 2 | 0.54 | <0.5 | 6 | 6 | 2 | 1.83 |
| KAM084607 | | 1.98 | 0.004 | <0.2 | 1.98 | 6 | <10 | 400 | 0.6 | <2 | 1.44 | <0.5 | 12 | 45 | 13 | 2.81 |
| KAM084608 | | 2.10 | 0.002 | <0.2 | 1.00 | 3 | <10 | 210 | <0.5 | <2 | 0.58 | <0.5 | 8 | 12 | 3 | 1.80 |
| KAM084609 | | 2.17 | 0.004 | <0.2 | 1.03 | 7 | <10 | 230 | <0.5 | <2 | 0.37 | <0.5 | 11 | 6 | 6 | 2.31 |
| KAM084610 | | 0.04 | 2.02 | 0.4 | 1.90 | 7 | <10 | 110 | <0.5 | <2 | 1.03 | <0.5 | 10 | 34 | 36 | 3.07 |
| KAM084611 | | 2.12 | 0.005 | <0.2 | 1.06 | 7 | <10 | 610 | <0.5 | <2 | 0.73 | <0.5 | 10 | 8 | 5 | 2.24 |
| KAM084612 | | 2.17 | 0.002 | <0.2 | 0.93 | 6 | <10 | 100 | <0.5 | <2 | 0.51 | <0.5 | 8 | 10 | 6 | 1.84 |
| KAM084613 | | 1.82 | 0.004 | <0.2 | 1.34 | 9 | <10 | 190 | 0.5 | <2 | 0.61 | <0.5 | 9 | 9 | 6 | 2.27 |
| KAM084614 | | 2.20 | 0.002 | <0.2 | 2.19 | 14 | <10 | 210 | 0.8 | <2 | 0.47 | <0.5 | 16 | 15 | 7 | 3.51 |
| KAM084615 | | 1.97 | 0.001 | <0.2 | 1.44 | 16 | <10 | 450 | 0.6 | <2 | 0.71 | <0.5 | 10 | 5 | 9 | 2.40 |
| KAM084616 | | 1.96 | 0.001 | <0.2 | 1.03 | 4 | <10 | 210 | <0.5 | <2 | 1.21 | <0.5 | 6 | 7 | 21 | 1.64 |
| KAM084617 | | 2.17 | 0.001 | <0.2 | 1.13 | 3 | <10 | 130 | <0.5 | <2 | 1.02 | <0.5 | 6 | 6 | 11 | 1.96 |
| KAM084618 | | 2.01 | 0.002 | 0.3 | 1.26 | 6 | <10 | 120 | 0.6 | 2 | 0.52 | <0.5 | 5 | 9 | 19 | 1.84 |
| KAM084619 | | 2.21 | 0.001 | <0.2 | 0.91 | 8 | <10 | 110 | <0.5 | <2 | 1.75 | <0.5 | 4 | 6 | 4 | 1.45 |
| KAM084620 | | 0.04 | 0.003 | 0.4 | 1.69 | <2 | <10 | 100 | <0.5 | <2 | 0.95 | <0.5 | 10 | 31 | 25 | 2.62 |
| KAM084621 | | 2.15 | <0.001 | <0.2 | 0.65 | 6 | <10 | 110 | <0.5 | <2 | 1.28 | <0.5 | 2 | 5 | 3 | 1.19 |
| KAM084622 | | 2.08 | 0.001 | <0.2 | 0.90 | 11 | <10 | 120 | 0.5 | <2 | 2.24 | <0.5 | 4 | 4 | 3 | 1.58 |
| KAM084623 | | 2.06 | 0.002 | 0.2 | 1.39 | 6 | <10 | 200 | 0.5 | 2 | 0.58 | <0.5 | 13 | 7 | 13 | 3.02 |
| KAM084624 | | 2.16 | 0.002 | <0.2 | 2.48 | <2 | <10 | 670 | 0.8 | <2 | 1.39 | <0.5 | 17 | 52 | 24 | 3.63 |
| KAM084625 | | 2.04 | 0.002 | <0.2 | 2.86 | 2 | <10 | 460 | 0.7 | <2 | 2.04 | <0.5 | 19 | 42 | 15 | 4.27 |
| KAM084626 | | 2.07 | 0.001 | <0.2 | 1.53 | <2 | <10 | 150 | <0.5 | <2 | 0.54 | <0.5 | 11 | 7 | 14 | 2.84 |
| KAM084627 | | 2.11 | 0.001 | <0.2 | 1.01 | <2 | <10 | 70 | 0.5 | <2 | 0.98 | <0.5 | 6 | 7 | 5 | 2.28 |
| KAM084628 | | 1.93 | <0.001 | <0.2 | 1.58 | 3 | <10 | 140 | <0.5 | <2 | 0.93 | <0.5 | 6 | 18 | 3 | 2.33 |
| KAM084629 | | 2.20 | <0.001 | <0.2 | 1.89 | 12 | <10 | 160 | <0.5 | <2 | 1.02 | <0.5 | 8 | 18 | 5 | 2.75 |
| KAM084630 | | 0.04 | 5.92 | 1.2 | 1.54 | 33 | <10 | 130 | <0.5 | <2 | 0.65 | <0.5 | 8 | 34 | 82 | 3.37 |
| KAM084631 | | 2.16 | 0.003 | <0.2 | 1.41 | <2 | <10 | 140 | <0.5 | <2 | 1.14 | <0.5 | 5 | 9 | 2 | 2.24 |
| KAM084632 | | 2.21 | <0.001 | <0.2 | 1.17 | <2 | <10 | 100 | <0.5 | <2 | 0.71 | <0.5 | 3 | 8 | 6 | 1.97 |
| KAM084633 | | 2.21 | 0.001 | <0.2 | 1.13 | 4 | <10 | 90 | <0.5 | <2 | 0.56 | <0.5 | 3 | 8 | 5 | 1.87 |
| KAM084634 | | 2.19 | 0.001 | 0.2 | 1.12 | 9 | <10 | 120 | <0.5 | 2 | 0.40 | <0.5 | 3 | 7 | 5 | 1.94 |
| KAM084635 | | 2.15 | 0.002 | <0.2 | 1.08 | 3 | <10 | 90 | <0.5 | <2 | 0.68 | <0.5 | 3 | 7 | 5 | 1.93 |
| KAM084636 | | 2.23 | 0.002 | <0.2 | 1.11 | <2 | <10 | 110 | <0.5 | <2 | 0.96 | <0.5 | 5 | 9 | 5 | 1.88 |
| KAM084637 | | 2.30 | 0.004 | <0.2 | 1.14 | 4 | <10 | 100 | <0.5 | <2 | 0.97 | <0.5 | 5 | 12 | 7 | 2.14 |
| KAM084638 | | 1.88 | 0.005 | <0.2 | 1.02 | 7 | <10 | 90 | 0.5 | 2 | 1.01 | <0.5 | 5 | 9 | 5 | 2.12 |
| KAM084639 | | 2.26 | 0.002 | <0.2 | 1.19 | 7 | <10 | 160 | 0.5 | 2 | 0.92 | <0.5 | 6 | 13 | 3 | 2.20 |
| KAM084640 | | 0.04 | 0.003 | 0.3 | 1.59 | 5 | <10 | 90 | <0.5 | <2 | 0.85 | <0.5 | 9 | 29 | 24 | 2.52 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KAMINAK GOLD CORPORATION
1020 - 800 WEST PENDER STREET
VANCOUVER BC V6C 2V6

Page: 2 - B
Total # Pages: 2 (A - C)
Finalized Date: 20-JUN-2012
Account: KAMGOL

Project: Coffee

CERTIFICATE OF ANALYSIS WH12131623

| Sample Description | Method Analyte Units LOR | ME-ICP41 Ga ppm 10 | ME-ICP41 Hg ppm 1 | ME-ICP41 K % 0.01 | ME-ICP41 La ppm 10 | ME-ICP41 Mg % 0.01 | ME-ICP41 Mn ppm 5 | ME-ICP41 Mo ppm 1 | ME-ICP41 Na % 0.01 | ME-ICP41 Ni ppm 1 | ME-ICP41 P ppm 10 | ME-ICP41 Pb ppm 2 | ME-ICP41 S % 0.01 | ME-ICP41 Sb ppm 2 | ME-ICP41 Sc ppm 1 | ME-ICP41 Sr ppm 1 |
|--------------------|-----------------------------------|-----------------------------|----------------------------|----------------------------|-----------------------------|-----------------------------|----------------------------|----------------------------|-----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| KAM084601 | | 10 | <1 | 0.75 | 60 | 0.65 | 313 | 1 | 0.07 | 2 | 340 | 4 | 0.17 | <2 | 2 | 26 |
| KAM084602 | | <10 | <1 | 0.85 | 70 | 0.69 | 339 | 1 | 0.09 | 1 | 380 | 3 | 0.15 | <2 | 2 | 37 |
| KAM084603 | | <10 | <1 | 1.01 | 70 | 0.99 | 431 | 2 | 0.07 | 2 | 460 | 3 | 0.14 | <2 | 2 | 59 |
| KAM084604 | | <10 | <1 | 0.77 | 70 | 0.55 | 435 | 2 | 0.08 | 2 | 370 | 3 | 0.21 | <2 | 1 | 32 |
| KAM084605 | | 10 | <1 | 1.17 | 50 | 1.42 | 574 | 3 | 0.09 | 11 | 500 | 5 | 0.30 | <2 | 4 | 49 |
| KAM084606 | | <10 | <1 | 0.75 | 60 | 0.56 | 355 | 2 | 0.08 | 1 | 370 | 4 | 0.17 | <2 | 1 | 33 |
| KAM084607 | | 10 | <1 | 1.35 | 40 | 1.62 | 535 | 2 | 0.06 | 14 | 530 | 3 | 0.11 | <2 | 4 | 54 |
| KAM084608 | | <10 | <1 | 0.33 | 50 | 0.73 | 304 | 5 | 0.14 | 3 | 450 | 3 | 0.12 | <2 | 4 | 32 |
| KAM084609 | | 10 | <1 | 0.35 | 50 | 0.66 | 274 | 2 | 0.09 | 2 | 370 | 4 | 0.31 | <2 | 3 | 37 |
| KAM084610 | | 10 | <1 | 0.16 | <10 | 0.87 | 486 | 3 | 0.11 | 26 | 640 | 6 | 0.06 | <2 | 6 | 50 |
| KAM084611 | | 10 | <1 | 0.34 | 60 | 0.67 | 377 | 1 | 0.10 | 2 | 330 | 3 | 0.22 | <2 | 3 | 83 |
| KAM084612 | | 10 | <1 | 0.50 | 40 | 0.45 | 261 | 1 | 0.15 | 2 | 340 | 4 | 0.04 | <2 | 2 | 32 |
| KAM084613 | | 10 | <1 | 0.83 | 50 | 0.89 | 419 | 2 | 0.09 | 3 | 450 | 3 | 0.07 | <2 | 2 | 59 |
| KAM084614 | | 10 | <1 | 1.55 | 70 | 1.55 | 535 | 4 | 0.07 | 9 | 410 | 4 | 0.20 | <2 | 3 | 30 |
| KAM084615 | | 10 | <1 | 0.99 | 70 | 0.86 | 383 | 3 | 0.08 | 2 | 420 | 6 | 0.35 | <2 | 3 | 119 |
| KAM084616 | | <10 | <1 | 0.66 | 60 | 0.47 | 264 | 4 | 0.07 | 2 | 370 | 6 | 0.20 | <2 | 2 | 40 |
| KAM084617 | | <10 | <1 | 0.76 | 60 | 0.56 | 378 | 1 | 0.07 | 2 | 340 | 8 | 0.62 | 2 | 2 | 23 |
| KAM084618 | | <10 | <1 | 0.81 | 60 | 0.67 | 285 | 2 | 0.06 | 3 | 450 | 14 | 0.16 | <2 | 3 | 27 |
| KAM084619 | | <10 | <1 | 0.57 | 60 | 0.53 | 370 | 2 | 0.06 | 3 | 290 | 4 | 0.11 | <2 | 1 | 32 |
| KAM084620 | | 10 | <1 | 0.13 | <10 | 0.80 | 425 | 2 | 0.09 | 22 | 630 | 3 | 0.06 | <2 | 5 | 45 |
| KAM084621 | | <10 | <1 | 0.42 | 60 | 0.51 | 306 | 1 | 0.05 | 2 | 210 | 8 | 0.07 | <2 | 1 | 34 |
| KAM084622 | | <10 | <1 | 0.53 | 60 | 0.44 | 527 | 2 | 0.06 | 2 | 290 | 7 | 0.08 | <2 | 2 | 37 |
| KAM084623 | | 10 | <1 | 0.98 | 60 | 0.78 | 477 | 4 | 0.07 | 2 | 350 | 5 | 0.43 | <2 | 3 | 20 |
| KAM084624 | | 10 | <1 | 1.79 | 30 | 2.12 | 664 | 5 | 0.07 | 24 | 710 | 3 | 0.30 | <2 | 5 | 65 |
| KAM084625 | | 10 | <1 | 2.15 | 30 | 2.31 | 797 | 1 | 0.07 | 18 | 1270 | 3 | 0.31 | <2 | 6 | 77 |
| KAM084626 | | 10 | <1 | 0.91 | 50 | 0.76 | 479 | 3 | 0.06 | 1 | 360 | 5 | 0.28 | <2 | 2 | 28 |
| KAM084627 | | 10 | <1 | 0.72 | 50 | 0.66 | 402 | 6 | 0.03 | 2 | 310 | 3 | 0.08 | <2 | 3 | 39 |
| KAM084628 | | 10 | <1 | 1.10 | 50 | 0.86 | 431 | 1 | 0.09 | 7 | 510 | 3 | 0.08 | <2 | 3 | 41 |
| KAM084629 | | 10 | <1 | 1.33 | 50 | 1.07 | 589 | 1 | 0.06 | 8 | 590 | 3 | 0.11 | <2 | 2 | 31 |
| KAM084630 | | 10 | 2 | 0.14 | 10 | 0.67 | 527 | 612 | 0.07 | 28 | 540 | 84 | 0.77 | 19 | 4 | 44 |
| KAM084631 | | 10 | <1 | 0.96 | 50 | 0.68 | 495 | 1 | 0.08 | 2 | 560 | 9 | 0.11 | <2 | 2 | 40 |
| KAM084632 | | 10 | <1 | 0.79 | 60 | 0.48 | 383 | 2 | 0.10 | 1 | 320 | 12 | 0.10 | <2 | 2 | 57 |
| KAM084633 | | 10 | <1 | 0.79 | 60 | 0.44 | 333 | 2 | 0.08 | 3 | 340 | 8 | 0.08 | <2 | 1 | 28 |
| KAM084634 | | 10 | <1 | 0.74 | 50 | 0.45 | 300 | 2 | 0.09 | 1 | 320 | 42 | 0.46 | <2 | 1 | 20 |
| KAM084635 | | <10 | <1 | 0.71 | 60 | 0.41 | 309 | 2 | 0.09 | 2 | 320 | 5 | 0.48 | <2 | 1 | 21 |
| KAM084636 | | <10 | <1 | 0.75 | 50 | 0.47 | 378 | 3 | 0.07 | 2 | 420 | 4 | 0.35 | <2 | 1 | 28 |
| KAM084637 | | <10 | <1 | 0.64 | 50 | 0.59 | 410 | 2 | 0.08 | 8 | 330 | 7 | 0.72 | <2 | 1 | 28 |
| KAM084638 | | <10 | <1 | 0.49 | 50 | 0.50 | 307 | 1 | 0.07 | 4 | 340 | 4 | 0.82 | 2 | 2 | 48 |
| KAM084639 | | 10 | <1 | 0.76 | 50 | 0.59 | 333 | 2 | 0.09 | 6 | 370 | 3 | 0.64 | <2 | 2 | 57 |
| KAM084640 | | <10 | <1 | 0.12 | <10 | 0.76 | 400 | 2 | 0.08 | 21 | 610 | 2 | 0.04 | <2 | 5 | 40 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KAMINAK GOLD CORPORATION
1020 - 800 WEST PENDER STREET
VANCOUVER BC V6C 2V6

Page: 2 - C
Total # Pages: 2 (A - C)
Finalized Date: 20-JUN-2012
Account: KAMGOL

Project: Coffee

CERTIFICATE OF ANALYSIS WH12131623

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|-----------------------------------|----------|----------|----------|----------|----------|----------|----------|
| | | Th | Ti | Ti | U | V | W | Zn |
| | | ppm | % | ppm | ppm | ppm | ppm | ppm |
| | | 20 | 0.01 | 10 | 10 | 1 | 10 | 2 |
| KAM084601 | | 30 | 0.06 | <10 | <10 | 9 | <10 | 25 |
| KAM084602 | | 30 | 0.08 | <10 | <10 | 8 | <10 | 25 |
| KAM084603 | | 30 | 0.11 | <10 | <10 | 25 | <10 | 29 |
| KAM084604 | | 30 | 0.08 | <10 | <10 | 8 | <10 | 26 |
| KAM084605 | | 20 | 0.14 | <10 | <10 | 28 | <10 | 39 |
| KAM084606 | | 30 | 0.09 | <10 | <10 | 9 | <10 | 26 |
| KAM084607 | | 20 | 0.14 | <10 | <10 | 50 | <10 | 38 |
| KAM084608 | | 30 | 0.04 | <10 | <10 | 15 | <10 | 25 |
| KAM084609 | | 30 | 0.03 | <10 | <10 | 12 | <10 | 28 |
| KAM084610 | | <20 | 0.17 | <10 | <10 | 75 | 20 | 56 |
| KAM084611 | | 30 | 0.04 | <10 | <10 | 12 | <10 | 29 |
| KAM084612 | | 30 | 0.08 | <10 | <10 | 11 | <10 | 18 |
| KAM084613 | | 30 | 0.11 | <10 | <10 | 21 | <10 | 33 |
| KAM084614 | | 40 | 0.17 | <10 | <10 | 24 | <10 | 53 |
| KAM084615 | | 30 | 0.11 | <10 | <10 | 15 | <10 | 38 |
| KAM084616 | | 30 | 0.06 | <10 | <10 | 9 | <10 | 24 |
| KAM084617 | | 30 | 0.07 | <10 | <10 | 8 | <10 | 29 |
| KAM084618 | | 30 | 0.07 | <10 | <10 | 13 | <10 | 29 |
| KAM084619 | | 30 | 0.04 | <10 | <10 | 6 | <10 | 23 |
| KAM084620 | | <20 | 0.15 | <10 | <10 | 65 | 20 | 46 |
| KAM084621 | | 30 | 0.02 | <10 | <10 | 4 | <10 | 19 |
| KAM084622 | | 30 | 0.03 | <10 | <10 | 6 | <10 | 22 |
| KAM084623 | | 30 | 0.10 | <10 | <10 | 11 | <10 | 42 |
| KAM084624 | | 20 | 0.20 | <10 | <10 | 56 | <10 | 59 |
| KAM084625 | | <20 | 0.32 | <10 | <10 | 90 | <10 | 66 |
| KAM084626 | | 30 | 0.10 | <10 | <10 | 14 | <10 | 40 |
| KAM084627 | | 30 | 0.08 | <10 | <10 | 32 | <10 | 30 |
| KAM084628 | | 20 | 0.16 | <10 | <10 | 23 | <10 | 31 |
| KAM084629 | | 20 | 0.19 | <10 | <10 | 18 | <10 | 40 |
| KAM084630 | | <20 | 0.11 | <10 | <10 | 55 | 10 | 71 |
| KAM084631 | | 30 | 0.14 | <10 | <10 | 16 | <10 | 44 |
| KAM084632 | | 30 | 0.12 | <10 | <10 | 12 | <10 | 43 |
| KAM084633 | | 30 | 0.13 | <10 | <10 | 12 | <10 | 35 |
| KAM084634 | | 30 | 0.12 | <10 | <10 | 9 | <10 | 29 |
| KAM084635 | | 30 | 0.10 | <10 | <10 | 8 | <10 | 21 |
| KAM084636 | | 30 | 0.10 | <10 | <10 | 9 | <10 | 20 |
| KAM084637 | | 30 | 0.06 | <10 | <10 | 9 | <10 | 28 |
| KAM084638 | | 30 | 0.04 | <10 | <10 | 10 | <10 | 20 |
| KAM084639 | | 20 | 0.09 | <10 | <10 | 17 | <10 | 22 |
| KAM084640 | | <20 | 0.14 | <10 | <10 | 60 | 20 | 45 |