

2012 GEOCHEMICAL ASSESSMENT REPORT

on the

RHYS PROJECT

Yukon Territory, Canada

RHYS 1 – 312 YD109901 – YD110212

RHYS 329 – 354 YD110229 - YD110254

RHY 1 - 6 YD116313 - YD116318

N.T.S. 115I/12

62° 32' to 62° 35' North

137° 33' to 137° 50' West

Whitehorse Mining District

Work performed July 8- 13, 2012

prepared for:
0899948 B.C. Ltd.
701 – 675 West Hastings St.
Vancouver, B.C.
V6B 1N2

By:
William D. Mann, M.Sc., P.Geo.
19 Hayes Cres.
Whitehorse, Y.T.
Y1A 0E1

Effective Date: February 25, 2013

TABLE OF CONTENTS

1.0	Executive Summary.....	5
2.0	Introduction.....	6
2.1	Qualified Person and Participating Personnel	6
2.2	Terms, Definitions and Units.....	6
2.3	Source Documents	6
2.4	Limitations, Restrictions and Assumptions.....	7
2.5	Scope	7
3.0	Reliance on Other Experts	7
4.0	Property Description and Location.....	8
4.1	Location.....	8
4.2	Land Tenure.....	8
5.0	Accessibility, Climate, Local Resources, Infrastructure and Physiography	14
5.1	Access, Local Resources and Infrastructure.....	14
5.2	Climate and Physiography.....	14
6.0	History	16
7.0	Geological Setting and Mineralization	17
7.1	Regional Geology	17
7.2	Property Geology	20
7.3	Structural Geology	21
7.4	Quaternary Geology	21
8.0	Deposit Types.....	25
9.0	Exploration.....	25
10.0	Drilling	32
11.0	Sample Preparation, Analyses and Security	32
12.0	Data Verification.....	32
13.0	Mineral Processing and Metallurgical Testing	33
14.0	Mineral Resource Estimates	33
15.0	Adjacent Properties	33
16.0	Other Relevant Data and Information	35
17.0	Interpretation and Conclusions	35

18.0	Recommendations	36
19.0	References	38
20.0	Statement Of Qualifications	41

List of Figures	Page
Figure 1. Location and Geological Terrane Map	11
Figure 2. Regional Land Tenures Map	12
Figure 3. RHYS Project Claim Map	13
Figure 4. RHYS Project Physiography Photo	15
Figure 5. RHYS Project Regional Geology Map	19
Figure 6. RHYS Alpine Soil Sample Photo	22
Figure 7. Property Geology – RHYS Project Map	24
Figure 8. Gold Geochemistry – RHYS Project Map	28
Figure 9. Silver Geochemistry – RHYS Project Map	29
Figure 10. Residual Total Magnetism – RHYS Project Map	30
Figure 11. First Vertical Derivative Magnetism – RHYS Project Map	31

List of Tables

Table 1. CLAIM DATA	9
---------------------	---

List of Appendices

APPENDIX 1.	STATEMENT OF 2012 EXPENDITURES
APPENDIX 2.	CLAIM LIST – RHYS PROJECT
APPENDIX 3.	AGAT LABORATORIES – GEOCHEMICAL PROCEDURES
APPENDIX 4.	CERTIFICATES OF ANALYSIS – ROCK

APPENDIX 5. CERTIFICATES OF ANALYSIS – SOIL

APPENDIX 6. SAMPLE LOCATIONS AND DESCRIPTIONS

1.0 EXECUTIVE SUMMARY

0899948 B.C. Ltd. holds a 100% interest in the RHYS property in the Dawson Range district of Yukon Territory. The property covers approximately 6,966 hectares, and is located 85km northwest of the village of Carmacks.

The RHYS Property is underlain by the Yukon-Tanana Terrane, and is intruded by rocks of the Dawson Range and Prospector Mountain suites. Much of the property is covered by younger volcanic rocks. The property is bisected by the Wolverine fault which is a significant structure that connects to the Hoochekoo fault, a major regional structure.

The RHYS project is considered prospective for discovery of several types of mineral targets, with gold and silver the primary commodities of interest. Intrusive related and epithermal gold and silver deposits such as found at Mt. Freegold, Prospector Mountain and Sonora Gulch to the south, west and northwest are the main target.

A first phase program of geochemistry in 2011 was successful in confirming the potential of the property to host gold and silver mineralization. A coherent Ag- Au multi-element soil anomaly found west of Mt. Pitts appears to have significant potential, as confirmed by a one kilometer square grid sampled in 2012 which produced an anomaly roughly 900m by 500m that is open to the south. A program of test pitting or backhoe trenching, expanded grid soil geochemistry and prospecting is warranted and recommended to further explore the RHYS property.

2.0 INTRODUCTION

This assessment report is prepared for 0899948 B.C. Ltd. (0899948). This report documents the historic and recent exploration work completed on the RHYS Property in the Dawson Range region of west-central Yukon. The RHYS Property is considered an early stage exploration property under NI 43-101.

2.1 Qualified Person and Participating Personnel

Mr. William D. Mann, P.Geo. was commissioned by 0899948 B.C. Ltd. of Vancouver, British Columbia to examine and evaluate the geology and mineral potential on the RHYS Project (consisting of the Rhys 1- 312, 329- 354 and Rhy 1 to 6 claims) and to make recommendations for the next phase of exploration work on the property. The report is based on historical information, a review of recent exploration in the area, and work conducted on the property by the author during August 17- 22, 2011. Additional geochemical sampling was conducted on the RHYS project July 8 to 13, 2012, which is reported here. The 2012 sampling was conducted by Mr. Matt Little, prospector, Mr. Max Mikhailytchev, prospector and Mr. Mike Linley, prospector. Messrs. Little and Mikhailytchev also accompanied the author during the 2011 exploration program.

2.2 Terms, Definitions and Units

- All costs contained in this report are denominated in Canadian dollars.
- Distances are reported in metres (m) and kilometres (km).
- GPS refers to global positioning system with co-ordinates reported in UTM grid, Zone 8N, NAD 83 projection.
- Minfile showing refers to documented mineral occurrences on file with the Yukon Geological Survey.
- DDH refers to diamond drill hole.
- The term ppm refers to parts per million, which is equivalent to grams per metric tonne (g/t) and ppb refers to parts per billion.
- The abbreviation oz/ton and oz/t refers to troy ounces per imperial short ton. The symbol % refers to weight percent unless otherwise stated.
- Elemental abbreviations used in this report include: gold (Au), silver (Ag), molybdenum (Mo), antimony (Sb), iron (Fe), arsenic (As), and bismuth (Bi). Minerals found on the property include pyrite, limonite, hematite and goethite (iron oxides).
- The term “ma” refers to million years and “ka” to thousand years.

2.3 Source Documents

Sources of information are detailed below and include available public domain information and private company data.

- Research of the Yukon Minfile data available for the area at <http://servlet.gov.yk.ca/ygsmin/index.do> .
- Research of mineral titles and annual assessment reports filed with the government at <http://www.yukonminingrecorder.ca> .
- Review of geological maps and reports completed by the Yukon Geological Survey or its predecessors, mostly available in digital format at: <http://www.geology.gov.yk.ca>
- Review of geological maps and reports completed by the Geological Survey of Canada at: <http://geoscan.ess.nrcan.gc.ca/geoscan-index.html>
- Review of published scientific papers on the geology and mineral deposits of the region and on mineral deposit types.
- The author has previous independent experience and knowledge of the area from exploration and mining work between 1993 and the present.
- Work on the property by the author during August, 2011.

2.4 Limitations, Restrictions and Assumptions

The author has assumed that the previous documented work in the region and on the property is valid and has not encountered any information to discredit such work.

2.5 Scope

This report describes the geology, previous exploration history and mineral potential of the RHYS Project. Research included a review of the historical work that related to the immediate and surrounding area of the property. Regional geological data and current exploration information have been reviewed to determine the geological setting of the mineralization and to obtain an indication of the level of industry activity in the area.

The property was examined and evaluated by the author and a crew of three workers on August 17- 22, 2011, for 0899948 B.C. Ltd. Work consisted of geological and geochemical sampling and evaluation. A crew of three workers continued the geochemical sampling July 8- 13, 2012 which is the focus of this report.

The RHYS Property is located some 85 kilometers northwest of Carmacks, 60 kilometers southwest of Pelly Crossing, and about 230 kilometers N-NW of the city of Whitehorse, Yukon. The property lies within the Whitehorse Mining District, and comprises 344 mineral claims which lie adjacent to the northern border of Northern Tiger Resources Ltd.'s Chopin property, and the eastern boundary of Teck Resources Ltd.'s BC claims.

3.0 RELIANCE ON OTHER EXPERTS

The author has relied in part upon work and reports completed by others within the White Gold District and Dawson Range District in the preparation of this report. Thorough checks to confirm

the results of such work and reports have not been done. The author has no reason to doubt the correctness of such work and reports. Unless otherwise stated the author has not independently confirmed the accuracy of the data.

This report is based primarily upon current government geological maps and an airborne total field magnetic survey. There is limited published data. Reports filed with the Yukon Government comprise assessment reports and government geological reports. All reports have been identified throughout the text, and are listed under section 19.0 References.

Further, while title documents and option agreements were reviewed for this study, this report does not constitute nor is it intended to represent a legal, or any other, opinion as to the validity of the title.

4.0 PROPERTY DESCRIPTION AND LOCATION

4.1 Location

The RHYS property is located on NTS map sheets 115I/12 in the Yukon Territory, Canada. The property covers rounded mountainous terrane within the Wolverine Creek drainage into the Yukon River to the northwest. Mt. Pitts is the highest point on the claims, with an elevation of 5214 feet (1589m).

The property is geographically centered at 62°33' N and 137°40' W or UTM 6940000 N and 362000 E (NAD 83, Zone 8N)(Fig. 1).

The RHYS property is located roughly 85 km northwest of Carmacks, 60 kilometers southwest of Pelly Crossing and 15km west of Minto copper-gold mine.

4.2 Land Tenure

The RHYS property consists of 344 Yukon Quartz Mining claims covering an area of approximately 6,960 hectares in the Whitehorse Mining District (Figs. 2 and 3). The mineral claims were located by GPS and compass and staked in accordance with the Yukon Quartz Mining Act on claim sheet 115I/12, available for viewing in the Whitehorse Mining Recorder's Office. Several sets of claim posts were observed by the author on the property, and they all appeared to meet the requirements of the Act. Claim boundaries have not been legally surveyed. A table summarizing pertinent claim data follows, and a detailed statement of claims is shown in Appendix I.

TABLE 1: CLAIM DATA

Claim Name	Grant No.	No. of Claims	Record Date	Expiry Date
RHYS 1- 66	YD109901- YD109966	66	2010-10-22	2013-10-22
RHYS 67- 80	YD109967- YD109980	14	2010-10-22	2014-10-22
RHYS 81- 104	YD109981- YD110004	24	2010-10-22	2013-10-22
RHYS 105- 124	YD110005- YD110024	20	2010-10-22	2014-10-22
RHYS 125- 146	YD110025- YD110046	22	2010-10-22	2013-10-22
RHYS 147- 248	YD110047- YD110148	102	2010-10-22	2014-10-22
RHYS 249- 254	YD110149- YD110154	6	2010-10-22	2015-10-22
RHYS 255- 292	YD110155- YD110192	38	2010-10-22	2014-10-22
RHYS 293- 312	YD110193- YD110212	20	2010-10-22	2013-10-22
RHYS 329- 354	YD110229- YD110254	26	2010-10-22	2013-10-22
RHY 1 - 6	YD116313 - YD116318	6	2011-09-14	2013-12-14
Total		344		

The expiry dates in this table assume that 2012 work is accepted for assessment.

The RHYS claims were staked in October, 2010 and the RHY claims were staked in September, 2011, by Seafeld Explorations Ltd. Seafeld transferred 100% ownership of the claims to 0899948 B.C. Ltd. (an associated company) in early 2013.

0899948 B.C. Ltd. conducted field work including ridge and spur soil sampling, rock sampling and ground prospecting, to fulfill requirements for assessment work on the RHYS claims in 2011. 0899948 B.C. Ltd. conducted a further program of ridge and spur soil sampling and a soil grid for assessment work on the RHYS & RHY claims in 2012.

First Nations have settled their land claims in the area. The nearest First Nations surveyed land occurs five kilometers to the south of the property at Big Creek (land claim block SFN R-9A) and eleven kilometers to the east in the Minto mine area (land claim block SFN R-6A) (Fig. 2).

The property lies entirely within the traditional territory of the Selkirk First Nation, based in Pelly Crossing. The land in which the mineral claims are situated is Crown Land, and the mineral claims fall under the jurisdiction of the Yukon Government. Surface rights would have to be obtained from the government if the property were to go into development. It is recommended that 0899948 initiate contact with the Chief and Council of the Selkirk Band to present plans for each years exploration program. It is the author's understanding that there are no pending or ongoing actions taken by or on behalf of any native persons pursuant to the assertion of any land claims with respect to lands included in the Property.


A mineral claim holder is required to perform assessment work and is required to document this work to maintain the title as outlined in the regulations of the Yukon Quartz Mining Act. The

amount of work required is equivalent to \$100.00 of assessment work per quartz claim unit per year. Alternatively, the claim holder may pay the equivalent amount per claim unit per year to the Yukon Government as “Pay in Lieu” to maintain title to the claims. The 344 RHYS & RHY claims were due to expire in September or October, 2012 or 2013, however filing of work performed in 2012 will extend the expiry date for these claims by one to two years. The six RHY claims have been extended by 1.25 years so the expiry date will now be in December, 2013. Many of the claims require additional assessment work to be done in 2013.

Preliminary exploration activities do not require permitting, but significant drilling, trenching, blasting, cut lines, and excavating may require a Mining Land Use Permit that must be approved under the Yukon Environmental Socioeconomic Assessment Act (YESSA). To the author’s knowledge, the RHYS Project area is not subject to any environmental liability.


A summary of major regional land tenures is presented in figure 2, and a detailed map of the RHYS project claims is presented in figure 3.

fig. 1 Location



SEAFIELD EXPLORATIONS LTD.

1. RHYS Project Location, Yukon Terranes



Source: A Digital Atlas of Terranes for the Northern Cordillera, Maurice Colpron (Yukon Geological Survey) and JoAnne Nelson (BC Geological Survey) December 2011 – Copyright © 2011 – YGS/BCGS

fig 2 Tenures





fig 3 - claims



0899948 B.C. Ltd.

5.0 ACCESSIBILITY, CLIMATE, LOCAL RESOURCES, INFRASTRUCTURE AND PHYSIOGRAPHY

5.1 Access, Local Resources and Infrastructure

The property can be accessed by helicopter from Carmacks, located about 85km to the southeast, or by staging from the Minto airstrip located about 37km to the northeast, or from the Mt. Freegold area located about 20km to the southeast.

A winter trail from the Mt. Freegold area to the Casino property cuts from Big Creek to Hayes Creek, located about 7km west of the property. This trail appeared to be very swampy where observed in the summer. A 1975 bulldozer track crosses the property on the west side of Wolverine creek leading up to minfile occurrence 115I 100 on the Chopin property of competitor Northern Tiger Resources Ltd. Four long trenches were dug at that time, one of which extends onto the RHYS property.

Carmacks, some 85km to the southeast, can provide limited personnel and services for re-supply of a camp in this area. Most major supplies like larger food orders, professional personnel, fuel and other mainstays, are obtained from Whitehorse some 230km southeast and are trucked to the closest point of contact and flown in from there. Carmacks is located along the Klondike Highway (Highway #2) connecting Whitehorse and Dawson City.

The Yukon hydroelectric power grid extends to the Minto copper-gold mine located about 15km east of the property, and follows the Klondike Highway.

5.2 Climate and Physiography

The area lies within the Central Yukon Basin climatic zone characterized by a wide temperature range with warm summers, long cold winters and light precipitation. The mean annual temperature is about -5°C. Summers are warm, with daily averages in July of 23°C dropping to 8°C at night. Winters are cold, with January temperatures of -23°C during the day, dropping to an average of -32°C overnight. Annual precipitation averages about 300 millimetres, including about 150 mm of rain and 150 mm of snow. The exploration season lasts from late May until October.

The property is drained by Wolverine creek, which drains northward then eastward into the Yukon river.

The RHYS property lies within the Boreal Cordillera Ecozone, and straddles the boundary between the Klondike Plateau and Yukon Plateau Central ecoregions (Smith et.al., 2004).

The highest peaks and ridges on the property have not been glaciated, however the lower elevations were subjected to pre-Reid aged glaciation (ca. 3 Ma). Glacial flow in this area was northward to northwestward (Duk-Rodkin, 2001).

The property is underlain by extensive discontinuous permafrost. Treeline in the region lies around 4500 feet elevation, and the highest point on the property is Mt. Pitts at 5214 feet (1589m). The lowest part of the property is at Wolverine creek at 2600 feet (792m) elevation. The claims are mostly well forested, with minor grasslands on south facing slopes, stunted black spruce, moss and labrador tea on frozen north facing slopes and mixed forests of black and white spruce, poplar, birch and pine on warmer slopes. Alpine tundra covers the ridge tops above treeline.



Figure 4. RHYS project physiography. Looking west across Wolverine creek valley.

6.0 HISTORY

The property lies in the Dawson Range, which has been a region of intermittent mineral exploration since the Gold Rush. The Klondike gold rush of 1898 led to a fairly thorough exploration of streams in the area for placer gold, including the staking of Hayes creek west of the property in 1898. The discovery of gold at Mt. Freegold in the 1930s caused a second rush of exploration for both placer and hardrock gold.

The region opened to large scale porphyry copper exploration programs in the 1960's during which period the Casino deposit was discovered (currently held by Western Copper and Gold Corp., with a NI43-101 Proven and Probable Reserve estimate of 976 MMT @ 0.20% Cu, 0.24 g Au/t, 0.023% Mo and 1.73 g/t Ag) and multiple mineral occurrences along the regional Big Creek Fault were identified. During a second wave of porphyry exploration in the 1980's and 1990's as many as 17 porphyry prospects, many with gold anomalies were investigated in the Dawson Range.

The rise in the price of gold led to a re-evaluation of the area for gold and gold-enriched copper deposits in the 1980s through the 2000s. The White Gold discovery within the past decade has led to the current focus on gold exploration, with numerous successes.

Placer mining and exploration has been conducted to the south, west and northwest of the project area. The winter trail between the Casino project and Mt. Freegold is still used as a winter road for mobilization of heavy equipment to local placer mines.

There are three Yukon Minfile occurrences recorded on or immediately adjacent to the property:

115I 033 Terra – Located in the east-central part of the RHYS claims, this minfile occurrence is related to claims that were staked in 1969 in an area underlain by mafic tuff which forms part of the Carmacks Volcanics. Geochemical sampling for Samson ML and Monarch ML prior to 1969 returned anomalous values. Sampling in 1970 failed to verify the earlier results. 2012 soil sampling returned sporadic gold anomalies up to 53ppb near this location.

115I 099 Rand – This occurrence is located on the northern boundary of the RHYS claims, west of Wolverine creek. Staked in 1975 as Rand claims by the DC Syndicate (Dome and Cominco), which conducted mapping and geochemical sampling. The claims covered a small silicified zone in hornblende-biotite orthogneiss. The orthogneiss has a granodiorite composition and contains sills and lenses of aplite, and layers of amphibolite. No mineralization was found in 1975. Scattered anomalous samples were collected in this vicinity in 2011.

115I 100 Pitts – This occurrence is partly covered by the Chopin claims of Northern Tiger, and partly by the RHYS property. It was first staked as the Rainbow claims in 1975 by DC Syndicate (Dome Exploration Ltd and Cominco Ltd) which performed geochemical sampling, mapping and bulldozer trenching. Four long trenches test the Rainbow Zone, and partially extend onto ground now covered by the RHYS claims. Weak arsenic and antimony soil anomalies were obtained

from a steep, north-trending shear zone up to 168 m wide that cut a mid-Cretaceous quartz monzonite stock near a contact with Late Cretaceous Carmacks Group olivine basalt flows. The shear zone locally contains angular breccia fragments in a siliceous matrix but elsewhere it is composed of closely spaced quartz veinlets. Weak argillic alteration extends up to 30 m into the quartz monzonite on either side of the shear zone. The northern and western ends of the zone occur on the RHYS claims. The zone was restaked and examined in 1980, 1983 and most recently in 2007 & 2008. The results from 2007 & 2008 are not yet publically available. Gold and silver values are typically very low, however one sample of sheared schistose granite returned 5.5 g/t gold.

In 1980 the Yukon Exploration and Geological Services Division (now part of the Yukon Geological Survey) located a zone of chalcedonic veining within the stock about 750 m northwest of the Rainbow zone (Morin, 1980). Samples from the veining returned up to 77 ppb gold. Gas chromatography, x-ray and fluid inclusion studies completed by Canadian Nickel Company and the banded nature of the chalcedonic quartz indicate an epithermal origin (Manson, 1984). It is thought that the zone of alteration and quartz veining may represent a very high level within a vertically stratified epithermal system, and that drilling to depth might result in the discovery of bonanza grade mineralization.

The general area of the RHYS property is well mineralized, and is discussed in greater detail below (see section 15.0 Adjacent Properties).

7.0 GEOLOGICAL SETTING AND MINERALIZATION

The RHYS property lies on map sheet 115I, which has been mapped geologically by various parties since the mid 1930s (Bostock, 1936), however this report relies mostly on 1990s mapping (Johnston, 1995) and mapping in progress (Ryan et. al., 2013). The geology of the area and the property is presented in figures 4 and 5, derived from the Yukon digital compilation map (Gordey & Makepeace, 1999). The 1995 regional mapping benefits from airborne magnetics surveys flown in 1993 and 1994 at 500m spacing which covered only the western and southern parts of the claims, while the bulk of the property is only covered by airborne magnetics from the regional Canada Residual Total Field Compilation, 1952-1962.

A recent airborne magnetics survey covers the entire property (Kiss, 2012), and has been incorporated into a regional magnetic compilation (Hayward et. al., 2012). These newest magnetic results are being used to inform government regional geological mapping in progress.

7.1 Regional Geology

The RHYS project area is situated southwest of the Tintina fault and northeast of the Denali fault (Fig. 1). It also lies southwest of the Teslin fault, a major terrane bounding structure, and

immediately northeast of the Big Creek fault, an important structure associated with mineralization.


The RHYS property is situated within the Dawson Range portion of the Yukon-Tanana Terrane. The Dawson Range is characterized by metamorphosed basement rocks of the Yukon-Tanana Terrane (YTT) intruded by numerous and voluminous Jurassic to Cretaceous intrusions, primarily of the Mid Cretaceous Dawson Range Batholith (mKgW, mKqW) (Fig. 5). In the region the Yukon-Tanana Terrane consists of the Nasina Subterrane, which includes dominantly Mid Paleozoic basement schists and gneisses of continental margin origin (DMgPW) superposed with Devonian-Mississippian arc volcanic to plutonic rocks (DMN).

The 250 km long northwest trending Dawson Range copper-gold-(molybdenum-silver) and gold porphyry belt extends from Freegold Mountain into Alaska. Within this belt, significant porphyry style, and related epithermal style mineralization, is associated with the northwest to north-northwest trending Big Creek Fault, extending from Freegold Mountain in the southeast to the Casino Deposit in the northwest, a distance of 100 km. Mineralization is associated with Mid to Late Cretaceous intrusions (primarily small plugs and breccia bodies of the Late Cretaceous Prospector Mountain Suite) that have intruded within an extensional environment, bounded by northwest trending faults and is hosted by the intrusions and/or the older metamorphosed basement complex of the Yukon-Tanana Terrane. Descriptions of some of these deposits are presented in section 15.0, Adjacent Properties.

The major structural features close to the property are a network of mid to late Cretaceous faults that formed in an extensional environment, and are associated with intrusions and mineralization. The northwest-southeast trending Big Creek fault is located a few kilometres west of the property. This fault extends from the Freegold Mountain area south of RHYS and continues on the northwest trend until it reaches Sonora Gulch. Here, under Hayes Creek valley the fault merges with the dextral Hoochekoo fault (also known as the Minto- Battle fault), and deflects to the west and continues on towards Casino. The recently identified Coffee fault, associated with mineralization at the Coffee property of Kaminak Gold may also extend southeastward into this structurally complex area. The Wolverine Creek fault splays southwards off of the Hoochekoo fault about 15km east of this fault junction.

The elongate northwest-trending middle Cretaceous Dawson Range batholith has a margin-parallel foliation, a sub-horizontal stretching lineation, and records syn-intrusive dextral shearing. The Big Creek dextral strike-slip fault forms the northern margin of the batholith and accommodated a minimum of 20 km of slip. Observations imply that the batholith invaded an active shear zone, accommodated shearing while crystallizing, and focused post-crystallization fault development. The batholith is estimated to have accommodated 45 km of syn-intrusive shearing (Johnston, 1999).

fig 5 regional geology



7.2 Property Geology

The property is underlain by Devonian to Mississippian rocks of the Simpson Range orthogneiss assemblage of the Yukon Tanana terrane (unit **DMgPW**), formerly called the Pelly Gneiss, consisting of foliated biotite granite to hornblende granodiorite gneiss (Fig. 7).

This terrane also includes lenses of marble that are a volumetrically minor part of the metasediments, but are resistant to weathering and support less vegetation and are therefore one of the most prominently outcropping units in the area (unit **DMN2** in Fig. 7). The marble might also be a favourable host for skarn or replacement mineralization.

The metamorphic rocks are intruded at least two ages of granitic rocks. The earliest stage are of the Whitehorse Suite (**mKqW**), which form the Dawson Range batholith and are spatially associated with two minfile occurrences. The largest outcrop of these rocks is at the Rainbow zone (PITTS minfile occurrence 115I 100), where a pink biotite granite is present and locally argillic altered. Some fine-grained felsic dyke phases were also observed in this area.

The youngest intrusive phase occurs east of the Wolverine Creek fault on the RHYS claims. Late Cretaceous unit **LKyP** is described as light brown to orange weathering, blue-grey, massive, equigranular, medium grained, leucocratic potassic syenite, (peripheral/marginal to LKuP stock); and Light pink weathering, varicoloured pink to green, medium grained, equigranular, leucocratic, pyroxene biotite monzo-syenite. No alteration or veining of this rock was observed by the author, save for a one cm quartz pyrite veinlet in float with anomalous gold and silver on the west flank of Mt. Pitts. Further southwest, on lower slopes is mapped unit **LKfP**, which is described as grey to black weathering, dark grey aphanitic, flow banded, cherty rhyolite and dacite plugs. In the field this unit may be difficult to distinguish from some felsic members of the overlying Carmacks volcanics. Late Cretaceous aged intrusions, assigned to the Prospector Mountain Suite are closely associated with most of the mineralization in the Dawson Range.

Rocks of the Upper Cretaceous Carmacks Group cover most of the southern and eastern part of the property (unit **uKC1**, Fig. 7), and are the most abundant unit on the map. They generally form in relatively thin, gently dipping layers, and are defined by high magnetic anomalies in the aeromagnetic data (Figs. 10, 11). The Carmacks Group largely comprises dacite and rhyodacite, and minor brown to black basalt and basaltic andesite. This unit may be the extrusive equivalent of the Prospector Mountain Suite. These volcanics host high grade silver-gold vein mineralization at Prospector Mountain, 10km to the southwest.

The property is cut by the north-south trending Wolverine Creek fault, a significant branch off the Hoochekoo fault to the north. The Hoochekoo fault is a major regional fault that trends east-west, and joins the Big Creek fault in the Sonora Gulch area. The Wolverine fault is interpreted by offset of geological units, and by interpretation of airborne magnetics, as it forms a topographic low.

The Rainbow Zone of the Pitts minfile occurrence extends onto the RHYS property at both ends. It is described as a shear zone containing breccia, silicification, argillic alteration and banded chalcedony veining. A prominent silicified, rusty outcrop knob in the forest on the Chopin property a few hundred metres from the RHYS claims led to the discovery of this zone. On the hilltop above the knob lies the property boundary, and at this location the granite is grus weathered. Considerable hematite-epidote veining and alteration is present along the ridge to the northeast of this zone.

7.3 Structural Geology

The Yukon-Tanana terrane in the RHYS area is characterized by at least two phases of isoclinal folding and development of transposition foliations. The main foliation observed in these rocks developed at upper greenschist to amphibolite facies conditions and may be representative of a second generation fabric. Metaplutonic rocks of the Simpson Range suite generally only exhibit this second regionally pervasive foliation that developed in the Late Permian. This dominant foliation is itself deformed by two younger sets of open folds that are defined by an axial planar crenulation cleavage that likely developed during episodes of less pervasive Triassic and/or Jurassic deformation and metamorphism.

The Big Creek Fault is a major mid-Cretaceous break that lies a few kilometers to the southwest of the property. It is spatially associated with considerable intrusive-related mineralization. The Wolverine creek dextral strike-slip fault has been mapped crossing the RHYS property northerly through the Wolverine Creek valley to join with the Hoochekoo fault (figs. 5 & 7). This is likely a mid-Cretaceous “second order” fault relative to the Hoochekoo (or Minto-Battle) and Big creek faults (Johnston, 1999). The southern extension of the Wolverine fault is covered by late Cretaceous Carmacks volcanics. This structure may extend southward under cover to the Mt. Freegold or Cash areas.

The Rainbow zone of the Pitts minfile occurrence trends northwesterly across the adjacent Chopin claims, and extends in both directions onto the RHYS claims. The Rainbow zone is described as a shear zone and a breccia, with associated chalcedonic silicification and argillic alteration. This zone is located near the contact between granitic and overlying volcanic rocks.

7.4 Quaternary Geology

The RHYS project area lies between the area affected by Reid age glaciation (ca. 200ka) to the east and unglaciated terrane to the west. Glacial limits mapping shows that Pre-Reid glaciation (ca. 3ma) affected most of the property below treeline, with glacial transport in a northwesterly direction (Duk-Rodkin, 2001). Surficial mapping shows that colluvium dominates the mid-slope areas due to erosion after this early glacial episode (Jackson, 1997).

The highest elevations on the property escaped glaciation entirely, with felsenmeer and very rocky soils dominant at higher elevations, and bedrock exposed as tors and aretes. Collection of high quality soil samples is often difficult above treeline due to permafrost and high rock content.




Figure 6. Typical RHYS alpine soil sample hole showing angular rocks removed from hole and sparse mineral soil.

A colluvium blanket of mixed fragments, sand and mud is the most common surficial material at mid elevations on the property. Therefore the soils on the side hills are locally derived, which is favourable for the use of soil geochemical surveys as an exploration technique.

The creek valleys are covered by a mixture of fluvial and morainal till permafrost covered with organic bog material. These areas are therefore not suitable for soil sampling. A small eolian sand dune is mapped alongside Wolverine creek west of Mt. Pitts. Only the highest reaches of the creeks are likely to provide useful stream sediment samples due to dilution by glacial sediment.

A collapsed open-system pingo is present adjacent to a creek on the northern edge of the property, west of Wolverine creek. A small landslide is present in the northwest corner of the property (Jackson, 1997).

fig 7 property geology



SEAFIELD EXPLORATIONS LTD.

5. RHYS Property Geology, Tintina Gold Belt, Yukon Territory

Yukon 250k Bedrock Geology, Exploration and Geological Services Division, Yukon Region, Indian and Northern Affairs Canada.
<http://miningyukon.com/geologicalmapsdata/data/regionalprojectdata/>

Projection: Canada Albers
Equal Area Conic

Minfile Occurrence: Number & Name

Deposit

Fault

RHYS PROJECT BOUNDARY

TERTIARY(?) AND QUATERNARY

TQS: Basalt flows; minor pillow basalts; basaltic tuffs and breccias

LATE CRETACEOUS

LKyP: PROSPECTOR MOUNTAIN SUITE: syenite

LKfP: PROSPECTOR MOUNTAIN SUITE: quartz-feldspar porphyry

MID-CRETACEOUS

mKqW: WHITEHORSE SUITE: biotite quartz-monzonite, biotite granite and leucogranite

mKgW: WHITEHORSE SUITE: biotite-hornblende granodiorite, minor hornblende and quartz diorite

UPPER CRETACEOUS

uKC1: CARMACKS: Basalt andesite and dacite flows and breccias

uKC3: CARMACKS: medium-bedded, poorly sorted, sandstone, pebble conglomerate, shale, tuff, and coal; pebble to boulder conglomerate

LATE DEVONIAN TO MISSISSIPPIAN

DMgPW: PELLY GNEISS SUITE - SOUTHWEST: Foliated biotite granite to hornblende granodiorite gneiss

DEVONIAN, MISSISSIPPIAN AND(?) OLDER

DMN2: NASINA: marble

DMN5: NASINA: dark grey to black strongly graphitic quartzite, lesser grey micaceous quartzite and quartz mica schist

8.0 DEPOSIT TYPES

Exploration on the RHYS Property is not sufficiently advanced to assign specific deposit types to the property. Potential is thought to exist on the property for several types of deposit.

Regionally, the Dawson Range - White Gold District experienced approximately 40 million years of protracted intrusive activity from the Late Cretaceous to the Early Tertiary. Multiple gold veins and breccia bodies (Antoniuk), including epithermal (Mt. Freegold, Coffee, Bomber Vein), intrusion-related (Mt. Freegold), porphyry (Casino, Cash, Tad-Toro), and auriferous skarn (Sonora Gulch, Guder) occurrences are related to the tectonic environment (Bennett et.al., 2010). The White Gold deposits most closely resemble a form of low sulphidation epithermal gold mineralization that may be related to Cretaceous intrusive activity (Weiershäuser et. al., 2010). Several deposits similar to White Gold have been found northwest of RHYS at the Coffee property (Wainwright et.al., 2011), and more recently closer to RHYS at the Mascot Creek anomaly of Ethos Gold, emphasizing the regional potential for this target. Some of these deposits will be described in more detail in section 15.0, Adjacent Properties.

The Yukon Tanana terrane, which underlies much of the RHYS property also hosts orogenic type gold deposits the Klondike area to the northwest (Mackenzie et. al., 2008). Gold mineralization of the orogenic type is also a potential target at RHYS.

The Rainbow target adjacent to the Chopin claims appears to be an epithermal target of unknown age. The silver-gold anomaly located west of Mt. Pitts seems geochemically similar to the polymetallic veins present at Prospector Mountain.

9.0 EXPLORATION

Exploration by 0899948 B.C. Ltd. since staking of the RHYS project in 2011 consists of the geological and geochemical survey conducted under the supervision of the author in August, 2011 and followup geochemical sampling in July, 2012. The 2011 work was mainly ridge and spur soil geochemical sampling with minor stream sediment sampling, prospecting and rock sampling. The 2011 work is described in an assessment report (Mann, 2012).

The 2012 program was conducted by prospectors Matt Little, Max Mikhailytchev, and Mike Linley from July 8 to 13. The work was cut short by an intense wind storm the night of July 12 that destroyed their camp.

The 2012 program had two objectives. The first was to conduct additional ridge and spur soil sampling in areas not covered in 2011. There were 230 samples collected at roughly 50m to 100m spacing in this phase, and now a fairly comprehensive soil geochemical evaluation of the overall property has been completed. The second objective was to sample a small grid to cover a

cluster of silver-gold multi-element soil anomalies identified in 2011 to the west of the Mt. Pitts summit. 82 soils were collected on the grid at roughly 100m spacing.

Samples were generally collected using the deep auger technique. A dutch soil auger was used to dig as deeply as possible, with the objective to have the sample represent the local bedrock as much as possible. This method penetrates layers of organics, volcanic ash and loess which tend to dilute the bedrock geochemical signature. The depth of sample collected during the program was typically 20 to 40cm near ridge crests and 40 to 80cm on lower slopes. Soil sampling in some areas near ridge crests is inhibited by the occurrence of broken bedrock covered by 10 to 30cm of moss, grass and organic material, with very little mineral soil present (fig. 6). All samples were located and recorded by GPS in the field using UTM coordinates, NAD 83 datum, placed into kraft paper sample bags with a unique sample tag, numbered and secured in the field. Sample locations were marked in the field with flagging tape. A total of 312 soil samples were collected, including one stream sediment sample.

There is very little rock outcrop on the RHYS property, less than 1% of the total area. There is however a considerable amount of boulders and subcropping rock rubble. The outcrop exposed is mostly on ridge crests and steeper slopes, and in bulldozer cuts extending onto the property from the adjacent Chopin property.

Two grab samples from float rock were collected in 2012 (details presented in Appendix 6). Samples were located and recorded by GPS in the field using UTM coordinates, NAD 83 datum, placed into poly ore bags with a unique sample tag, numbered and secured in the field. Sample locations were marked in the field with flagging tape. These samples did not return values of interest.

Analysis of the samples collected in the 2011 and 2012 RHYS exploration program indicates many areas with anomalous gold in soils (Fig. 8). Work by the author (and others) in the region has led to a general understanding that 10ppb gold in soil should be considered anomalous and 20ppb to be significantly anomalous. The 2012 results show 58 of 312 samples greater than or equal to 20ppb gold, with the highest value 214ppb. About half of these anomalous values are clustered in the grid area, however the rest are distributed all over the property.

Silver values in soil were below the detection limit (0.2 ppm) over almost the entire property, with the exception of a cluster of very silver-rich samples in the grid area west of the Mt. Pitts summit (Fig. 9). This area was identified in the 2011 program as a significant multi-element anomaly, and a soil grid was sampled in this area in 2012. A strong cluster of silver values up to 13.3ppm was identified.

The grid samples were collected on roughly 100m centers, with sample locations adjusted due to patches of boulders and a recessive boggy area that runs across the grid with deep (greater than 1m thick) organic material. Results from the grid are presented as insets on figures 8 & 9. The broad nature of this multi-element anomaly has been confirmed by this sampling grid, with an

area of roughly 900m by 500m returning highly anomalous values. The southernmost line returned consistently strong gold and silver values, and the grid should be expanded in this direction.

The highest gold value in rock collected by the company was 63 ppb, with 22.9 ppm silver from a 2011 sample of pyritic quartz vein in float near the grid area. This sample also carried elevated levels of As, Hg, Mo, Cu, Pb, Sb and Zn. The soils in the grid also contain elevated levels of these base metals and pathfinder elements.

Laboratory procedures are presented in Appendix 3, and analytical data is presented in Appendices 4 and 5. QAQC data is included along with the analyses. Sample locations and descriptions are presented in Appendix 6.

fig 8 gold geochemistry




fig. 9 silver geochemistry




fig 10 magnetics

SEAFIELD EXPLORATIONS LTD.

7. Residual Total Magnetics, RHYS Project, Tintina Gold Belt, Yukon Territory

Geophysical Data: Canada Geoscience Data Server,
Enhanced Regional MAG - Residual Total Field - 100m

Projection: NAD 1983 Zone 8

RHYS Project

0 2,500 5,000 Meters

fig. 11 FVD magnetics

350000

360000

370000

380000

SEAFIELD EXPLORATIONS LTD.

8. First Vertical Derivative Magnetics, RHYS Project, Tintina Gold Belt, Yukon Territory

Geophysical Data: Canada Geoscience Data Server,
Enhanced Regional MAG - First Vertical Derivative - 100m

Projection: NAD 1983 Zone 8

6950000

6940000

6930000

RHYS Project

0 2,500 5,000 Meters

10.0 DRILLING

No drilling has been conducted on the RHYS project or on any immediately adjacent property.

11.0 SAMPLE PREPARATION, ANALYSES AND SECURITY

The 2012 samples were placed into rice bags in the field by the crew, sealed and secured. The samples were delivered to the author immediately after the field work was completed, who delivered them directly to the Whitehorse preparation facility of AGAT Laboratories. AGAT Laboratories is accredited and certified to the International Organization for Standardization for ISO 9001 and ISO/IEC 17025 standards.

At the preparation facility samples were dried at 60°C. Soil samples were sieved to -80 mesh. Rocks were crushed to 90% minus 2mm, then a 250g split was pulverized to 85% minus 75um. The samples were then transported from Whitehorse to the Burnaby mineral geochemistry laboratory of AGAT.

The samples were analyzed by AGAT method #202051 for Gold, determined by fire assay of 30g with AAS finish. They were also analyzed by method #201073 for 46 elements by ICP-OES after digestion of 0.5g by aqua regia.

Quality control procedures were implemented at the laboratory, involving the regular insertion of blanks and standards and repeat analyses on the samples. The procedures for each process and analytical method are presented in Appendix 3. Quality Assurance data is provided for each batch of samples and included with each analytical certificate (Appendices 4 & 5).

There was no evidence of any tampering with the samples during collection or shipping. All sample preparation was conducted by the laboratory.

A sampling protocol should be implemented, involving the routine and regular insertion of blanks, standards and duplicates sent to the primary laboratory, and re-assaying of selected mineralized pulps at a second independent laboratory in future trenching and drill programs on the project.

12.0 DATA VERIFICATION

The 2012 geochemical data was verified by reviewing the original analytical certificates and digital data. Analytical data quality assurance and quality control was indicated by the favourable reproducibility obtained in laboratory standards, blanks and duplicates.

13.0 MINERAL PROCESSING AND METALLURGICAL TESTING

The RHYS Project is at an early exploration stage and no metallurgical testing has been carried out.

14.0 MINERAL RESOURCE ESTIMATES

There has not been sufficient work on the RHYS Project to undertake a resource calculation.

15.0 ADJACENT PROPERTIES

The RHYS property was staked to the east of the Tad-Toro project (Tad, Nit and other claims) of Dawson Gold Corp. and adjacent to north and east of the Chopin project of Northern Tiger.

The BC claims of Teck Resources Ltd. lie along the northwestern boundary of the RHYS property. These claims cover a large section of the Big Creek fault structure from the Prospector Mtn. area to southeast of the Sonora Gulch property. They are not known to contain any significant mineral occurrences.

Active placer claims and leases are present to the south of the property in the Mt. Freegold area, to the west of the property near the Tad Toro project, and to the northwest of the property in the Sonora Gulch area. Several other creeks in the Hayes creek drainage have placer baselines surveyed, indicating placer potential.

There is considerable exploration activity for gold and copper in the Dawson Range and an operating Cu-Au mine at Minto. Reviewing all of the active Dawson Range area projects is beyond the scope of this report, however, several projects close to RHYS are of note and deserve mention as all are probably the same age.

The most significant in terms of contained metal is Western Copper and Gold Corporation's Casino Project located 55 km northwest of RHYS, followed by Northern Freegold Resources Ltd's Freegold Mountain Project located 25 km southeast of RHYS, Northern Tiger's Sonora Gulch project 15 km to the northwest, Tarsis Resources- Independence Gold JV's Prospector Mountain property located 10 km southwest of RHYS, and Dawson Gold Corp's Tad-Toro property located 8 km due west of RHYS.

All of these properties host mineralization related to either the Prospector Mountain or the slightly younger Carmacks igneous suites. In particular, both Sonora Gulch and Casino have Carmacks age (75 ma.) porphyries. Casino is a large, structurally complex, low grade copper-gold-molybdenum-silver porphyry with the most recent 43-101 report (M3 Engineering, 2011) showing a Proven and Probable Reserve estimate of 976 MMT @ 0.20% Cu, 0.24 g Au/t, 0.023% Mo and 1.73 g/t Ag. Within this resource is a substantial supergene enriched zone with

252 million tons at 0.26% copper, 0.25 g Au/t, 0.021% molybdenum and 1.81 g Ag/t. Also included in the global Measured and Indicated resource is a substantial oxide zone with 84 million tons at 0.4 g Au/t. Currently Western Copper and Gold is advancing the Casino Project through Pre-feasibility studies.

Northern Freegold Resources' Freegold Mountain property, like Sonora Gulch, lies on the Big Creek Fault with Freegold's property position covering 35 km of strike along this major structure. The economically important mineralizing events at Mt. Freegold took place over a period of at least 40 Ma (Bineli Betsi & Bennett, 2010). The Freegold Mountain area is underlain by Paleozoic metamorphic rocks intruded by a diverse suite of igneous rocks of the Granite Mountain, Big Creek, Dawson Range, Prospector Mountain and Carmacks groups. Deposits at Mt. Freegold include Nucleus, Revenue, Tinta, Antoniuk, La Forma and numerous other showings.

The Nucleus Zone is the most advanced target area on the large property and has an Indicated Resource of 48,498,000 tonnes of 0.70 g/t Au, 0.90 g/t Ag and 0.06% Cu, and an Inferred Resource of 41,448,000 tonnes of 0.47 g/t Au, 0.98 g/t Ag and 0.07% Cu (Armitage & Campbell, 2011). The Revenue Zone has Inferred Resources of 100,983,000 tonnes of 0.34 g/t Au, 3.14 g/t Ag, 0.13% Cu, 0.04% Mo (Armitage et. al., 2011).

The Prospector Mountain property of Tarsis Resources Ltd. (optioned to Silver Quest Resources Ltd., now Independence Gold Corp.), approximately 10 km southwest of the RHYS project, covers an area of hydrothermal alteration and mineralization indicative of both a porphyry copper-gold (Bonanza zone) and epithermal polymetallic gold-silver mineralizing environment (Western Vein zone). The Bonanza zone is a series of narrow, high grade gold-silver-copper showings along a 1,200m northwesterly structural trend, with results of: 82.8 g/t Au, 299 g/t Ag and 1.49% Cu; 14.0 g/t Au, 1,340 g/t Ag and 11.65 % Cu; 55.7 g/t Au, 1,375 g/t Ag and 7.38% Cu; and 82.2 g/t Au, 888 g/t Ag and 5.97 % Cu. Mineralization is characterized by hematized and tourmalinized breccias with elevated copper and gold values.

Re-sampling of 1980's trenches in the Western Vein area yielded 1840 g/t Ag, 28.78% Pb, 0.70 g/t Au across 0.72m in Area A, 196 g/t Ag, 7.03% Pb, 0.73 g/t Au across 1.16m and 58.9 g/t Ag, 2.38% Pb, 2.02 g/t Au across 0.54m in Area C and 613 g/t Ag, 28.94% Pb, 3.51 g/t Au across 0.17m in Area D. All Western veins examined are hosted by late Cretaceous to early Tertiary Carmacks suite volcanic rocks primarily associated with north to northeast-trending recessive lineaments (*Tarsis Resources corporate website, 2012*). The volcanic host rocks rest at least in part on a Prospector Mountain Suite monzonite intrusion. This pluton underlies the eastern portion of the property and exhibits potassic alteration and low grade copper mineralization. The Bonanza zone is a north-south trending structural zone separating the monzonite on the west from the Carmacks rocks on the east.

The Tad- Toro project of Dawson Gold lies about 7km to the west of RHYS. This property hosts multiple mineralized zones of varying character over a large area, with local strong values in Au, Ag, Mo, Cu, and Zn in porphyry and epithermal environments (Hart, 1998 and Pautler, 2009). The Moly zone is associated with mid Cretaceous granitic rocks, but most of the other mineralization is related to late Cretaceous Prospector Mountain suite intrusives.

Recent exploration on the Sonora Gulch Project of Northern Tiger Resources has highlighted the presence of two important mineralized zones: the Nightmusic zone, a mesothermal Au-enriched base metal skarn, and the Amadeus zone, an epithermal Au-Ag system (Bennett et. al., 2009, Page, 2011). Both zones are associated with intrusions of Prospector Mountain suite age (74-75ma.).

The author has been unable to verify the information above, and the information is not necessarily indicative of the mineralization on the RHYS property.

Other Yukon Minfile occurrences near the RHYS project:

115I 101 Panther – This occurrence is located on the Chopin property of Northern Tiger, and lies a few kilometres to the south of the Rainbow zone (Pitts). The Mineral Industry Report for 1975 reports that weak arsenic and antimony soil anomalies are associated with a silicified zone that cuts mid-Cretaceous granite of the Dawson Range Batholith and olivine basalt flows of the Late Cretaceous Carmacks Group, 1.5 km northeast of the Big Creek Fault. Gold values as high as 1.03 g/t were obtained in surface sampling. Subsequent work has failed to relocate the showing or to find granitic rocks in this area.

115I 030 Chat - This occurrence is located about 5km northwest of RHYS. Staked in 1968 with mapping and soil sampling in 1970. No mineralization was found.

16.0 OTHER RELEVANT DATA AND INFORMATION

To the author's knowledge, there is no additional information or explanation necessary to make this technical report understandable and not misleading.

17.0 INTERPRETATION AND CONCLUSIONS

The RHYS Project constitutes a property of merit based on favourable geological setting, geology, geochemistry, magnetic geophysical signature and similarities and proximity to the Tad- Toro project of Dawson Gold Corp. which lies 7 kilometres to the west and the Minto mine of Capstone Mining Corp. which lies 15 kilometres to the east.

The presence of both Dawson Range and Prospector Mountain intrusive suites is favourable, as is the Wolverine Creek fault, a major structure. The strong alteration and breccia texture, chalcedonic veining with pyrite and iron oxides, and trace levels of gold, silver and pathfinder elements at the Rainbow zone on the Chopin property which continues onto the RHYS property appears to have significant size and strength. This zone may represent the upper levels of a low-sulphidation epithermal system. This target may require deep drilling to test for significant gold and/ or silver values.

A strong multi-element Ag-Au soil anomaly has been discovered on the west flank of Mt. Pitts, as indicated by the 2012 soil grid. This area warrants followup. The target is probably polymetallic veins similar to those found on Prospector mountain, and similarly related to a late Cretaceous intrusion at Mt. Pitts. A mag low appears to wrap around Mt. Pitts and includes the grid area.

The Rainbow zone target on the adjacent Chopin claims (Pitts minfile occurrence) continues onto the RHYS property. This epithermal target has considerable potential, however further exploration might be better conducted on a combined project basis.

Exploration on the RHYS Project has been hampered by lack of exposure, thick overburden cover and variable but generally poor soil profiles. The property is considered to have considerable untested exploration potential.

18.0 RECOMMENDATIONS

Based on the favourable geological setting, geology, geochemistry, magnetic geophysical signature and similarities and proximity to the Tad-Toro project of Dawson Gold Corp., the Prospector Mountain project of Tarsis Resources, and the Minto mine of Capstone Mining Corp., further work is recommended on the RHYS Project.

More claims should be staked to the north of Mt. Pitts, as the grid area lies only about one kilometer from the property boundary. A mining land use permit should be obtained for the RHYS property. This will allow trenching and drilling to proceed expeditiously, if results warrant.

The soil geochemical grid should be expanded 600m to the south, with lines 100m apart and samples at 50m or 100m spacing depending on soil availability and quality. An “ultra-trace” multi-element ICP method should be used for soils to better define pathfinder elemental distribution. This might particularly be beneficial near the Rainbow epithermal anomaly which is better defined by pathfinder elements, as gold and silver anomalies are sporadic at this target.

Prospecting should be carried out near strong gold anomalies (greater than 50ppb Au). Hand pitting of some of the strongest gold and coincident pathfinder element anomalies might reveal mineralized rocks. In the grid area, hand pitting of strong coincident gold-silver anomalies, or trenching with a small helicopter-portable excavator is warranted.

Detailed airborne magnetics (helicopter-borne with 100m line spacing) would be beneficial for identifying subtle cross structures that might correlate with mineralization.

19.0 REFERENCES

Armitage, A., Campbell, J., and Sexton, A., 2011. Technical Report On The Resource Estimate For The Revenue Au-Cu-Mo Porphyry Deposit, Freegold Mountain Project. NI43-101 Report for Northern Freegold Resources Ltd. Website at www.sedar.com/.

Armitage, A., Campbell, J., 2011. Technical report on the Revised Resource Estimate on the Nucleus Au-Cu-Ag Deposit, Freegold Mountain Project. NI43-101 Report for Northern Freegold Resources Ltd. Website at www.sedar.com/.

Bennett, V., Colpron, M., and Burke, M., 2010. Current thinking on Dawson Range Tectonics and Metallogeny. Yukon Geological Survey Miscellaneous Report 2.

Bineli Betsi, T. and Bennett, V., 2010. New U-Pb age constraints at Freegold Mountain: Evidence for multiple phases of polymetallic mid- to Late Cretaceous mineralization. In: Yukon Exploration and Geology 2009, K.E. MacFarlane, L.H. Weston and L.R. Blackburn (eds.), Yukon Geological Survey, p. 57-84.

Bostock, H.S., 1936. Carmacks district, Yukon. Geological Survey of Canada, Memoir 217, 32p. Map 340A at scale 1:253 440.

Deklerk, R. (compiler), 2008. Yukon MINFILE 2008 - A database of mineral occurrences. Yukon Geological Survey.

Duk-Rodkin, A., 2001. Glacial limits of Carmacks, Yukon Territory (115-I); Geological Survey of Canada. Open File 3805, scale 1:250 000.

Geological Survey of Canada, 1966. Airborne Magnetic Survey, Carmacks map sheet (115-I), GSC Geophysical Series Map 3348G.

Geological Survey of Canada, 1985. Regional Stream Sediment and Water Geochemical Reconnaissance Data, Southern Yukon, NTS 115I, Open File 1220.

Gordey, S.P. and Makepeace, A.J., 1999. Yukon digital geology. Exploration and Geological Services Division, Yukon, Indian and Northern Affairs Canada, Open File 1999-1(D); Geological Survey of Canada, Open File D3826, scale 1:1,000,000.

Hart, C.J.R., 1998. Tad – an unusual porphyry occurrence in the Dawson Range, Yukon. In: Yukon Exploration and Geology 1997; Exploration and Geological Services Division, Yukon, Indian and Northern Affairs Canada, p.145-151.

Hayward, N. and Oneschuk, D., 2011. Geophysical Series, Detailed Geophysical Compilation Project, Yukon Plateau, Yukon, NTS 115-i, j, k, n, o, p and 116a and b; Geological Survey of Canada, Open File 6841; scale 1:350 000.

Hayward, N., Miles, W. and Oneschuk, D., 2012. Geophysical Series, Detailed Geophysical Compilation Project, Yukon Plateau, Yukon, NTS 115-I, J, K, N, O, P and 116A and B; Geological Survey of Canada, Open File 7279; scale 1:350 000.

Hood, S., Hickey, K., Colpron, M. and Mercer, B., 2009. High-grade hydrothermal copper-gold mineralization in foliated granitoids at the Minto mine, central Yukon. *In: Yukon Exploration and Geology 2008*, L.H. Weston, L.R. Blackburn and L.L. Lewis (eds.), Yukon Geological Survey, p. 137-146.

Jackson, L.E., 1997. Surficial geology, Victoria Rock, Yukon Territory [cartographic material] /surficial geology 1988-1992. "A" Series map no. 1877A, Geological Survey of Canada. Scale 1:100,000.

Johnston, S.T. and Hachey, N., 1993a. Preliminary results of 1:50 000-scale geologic mapping in Wolverine Creek map area (115 I/12), Dawson Range, southwest Yukon. *In: Yukon Exploration and Geology 1992*, Exploration and Geological Services Division, Yukon, Indian and Northern Affairs Canada.

Johnston, S.T. and Hachey, N., 1993b. Preliminary results of 1:50 000 scale geological mapping in Wolverine Creek map area (115 I/12), Dawson Range, southwest Yukon. *In: Yukon Exploration and Geology, 1992*, Exploration and Geological Services Division, Yukon, Indian and Northern Affairs Canada, p. 49-60.

Johnston, S.T., 1995. Geological compilation with interpretation from geophysical surveys of the northern Dawson Range, central Yukon (115 J/9 & 10; 115 I/12). Exploration and Geological Services Division, Yukon, Indian and Northern Affairs Canada, Open File 1995-2(G), 1:100 000 scale.

Johnston, S.T., Wynne, P.J., Francis, D., Hart, C.J.R., Enkin, R.J. & Engegreton, D.C. , 1996. Yellowstone in Yukon: The Late Cretaceous Carmacks Group. *Geology* v. 24, no. 11, p. 997-1000.

Johnston, S.T., 1999. Large-scale coast-parallel displacements in the Cordillera: A granitic resolution to a paleomagnetic dilemma. *Journal of Structural Geology*, vol. 21, p. 1103-1108.

Kiss, F., 2012. Aeromagnetic Survey of the Scroggie Creek and Wolverine Creek Areas, NTS 115-I/11 and parts of 115-I/5, 6, 12 ; Geological Survey of Canada, Open File 7178; Yukon Geological Survey, Open File 2012-15, scale 1:50 000. <http://gdr.nrcan.gc.ca/aeromag/>

M3 Engineering, 2011. Casino Project NI43-101 Technical Report Prefeasibility Study Update. Website at www.sedar.com/.

MacKenzie, D., Craw, D., Mortensen J.K. and Liverton, T., 2008. Disseminated gold mineralization associated with orogenic veins in the Klondike Schist, Yukon. *In: Yukon Exploration and Geology 2007*, D.S. Emond, L.R. Blackburn, R.P. Hill and L.H. Weston (eds.), Yukon Geological Survey, p. 215-224.

Mann, W.D., 2012. 2011 Geochemical Assessment Report on the RHYS Project. Yukon Assessment report #095794.

Manson, W.O., 1984. Geological, Geophysical and Geochemical Report, Rain Project. Canadian Nickel Company Ltd. Yukon Assessment report #091530.

Morin, J.A., 1980. Element Distribution in Yukon Gold-Silver Deposits. Yukon Geology and Exploration 1979-80. p. 68-84.

Mortensen, J.K., Appel, V.L. and Hart, C.J.R., 2003. Geological and U-Pb age constraints on base and precious metal vein systems in the Mount Nansen area, eastern Dawson Range, Yukon. *In: Yukon Exploration and Geology 2002*, D.S. Emond and L.L. Lewis (eds.), Exploration and Geological Services Division, Yukon Region, Indian and Northern Affairs Canada, p. 165-174.

Page, R.H., 2011. Technical Report On The Sonora Gulch Project, Whitehorse Mining Division, Yukon Territory. NI 43-101 report prepared for Northern Tiger Resources Inc. Website at www.sedar.com/.

Pautler, J., 2009. Technical Report on the Tad/Toro Project. NI 43-101 report prepared for 0851045 BC Ltd. (Dawson Gold Corp.) Website at www.sedar.com/.

Smith, C.A.S., Meikle, J.C. & Roots, C.F. (editors), 2004. Ecoregions of the Yukon Territory: Biophysical properties of Yukon landscapes.

Smuk, K.A., Williams-Jones, A.E., Francis, D., 1997. The Carmacks Hydrothermal Event: An Alteration Study in the Southern Dawson Range, Yukon. *In: Yukon Exploration and Geology 1996*, Exploration and Geological Services Division, Yukon, Indian and Northern Affairs Canada, p. 92-106.

Wainwright, A.J., Simmons, A.T., Finnigan, C.S., Smith, T.R. and Carpenter, R.L., 2011. Geology of new gold discoveries in the Coffee Creek area, White Gold District, west-central Yukon. *In: Yukon Exploration and Geology 2010*, K.E. MacFarlane, L.H. Weston and C. Relf (eds.), Yukon Geological Survey, p. 233-247.

Weiershäuser, L., Nowak, M., Barnett, W., 2010. White Gold Property, Dawson Range, Yukon, Canada. Prepared for Underworld Resources Ltd. by SRK Consulting (Canada) Inc. and reviewed by Gilles Arseneau. Available at www.sedar.com/.

20.0 STATEMENT OF QUALIFICATIONS

WILLIAM D. MANN, M.Sc., P.Geo.

19 HAYES CRESCENT, WHITEHORSE, YUKON Y1A 0E1

1. I am a member in good standing of the Association of Professional Engineers and Geoscientists of BC, Licence #31907.
2. I am a Graduate of Queen's University, 1986, with a Master of Science Degree in Mineral Exploration Geology.
3. I am a Graduate of the University of British Columbia, 1983, with a Bachelor of Science Degree in Geology.
4. I have worked in mineral exploration and mining continuously since 1979.
5. I designed and supervised the work program on the RHYS Project in 2012, and worked on the property in 2011.
6. I am a consulting geologist for 0899948 BC Ltd. and Seafeld Explorations Ltd., owners of the claims. I hold no interest in the RHYS property. I do not hold shares or options in 0899948 BC Ltd. or Seafeld Explorations Ltd.

February 25, 2013

William D. Mann, M.Sc., P.Geo.

APPENDIX 1.**STATEMENT OF EXPENDITURES**

0899948 B.C. LTD. - RHYS CLAIMS 2012

Date	Invoice No.	Company Name	Item	Total Cost
2012-07-30	571	Trans North	Helicopter services	\$ 10,086.91
2012-07-31	632	Trans North	Helicopter services	\$ 2,260.91
		W.D. Mann, P.Geo.	Preparation	\$ 630.00
2012-07-10	203	Matt Little	expense advance	\$ 600.00
2012-08-14	205	Matt Little	Exploration Services	\$ 3,587.50
2012-08-14	n/a	Matt Little	Expense claim	\$ 1,133.82
2012-08-14	2	Mike Linley	Exploration Services	\$ 3,390.00
2012-08-14	2012 05	Max Mikhailytchev	Exploration Services	\$ 3,510.00
		AGAT Laboratories Ltd.	2 rocks @ \$25.80	\$ 51.60
		AGAT Laboratories Ltd.	313 soils @ \$22.80	\$ 7,136.40
Subtotal:				\$ 32,387.14
W.D. Mann, P.Geo. Assessment Report (10%)				\$ 3,238.71
Total Cost:				\$ 35,625.85

Field Work Conducted July 8- 13, 2012

Anniversary dates: Sept. 14, Oct. 22

signed:

date:

agent for 0899948 B.C. Ltd. & Seafield Explorations Ltd.

APPENDIX 2 - CLAIM LIST**RHYS project, Whitehorse mining district, UTM 115I12**

Grant No.	Claim	No.	Claim Owner	Recorded	Expiry
YD109901	RHYS	1	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD109902	RHYS	2	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD109903	RHYS	3	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD109904	RHYS	4	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD109905	RHYS	5	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD109906	RHYS	6	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD109907	RHYS	7	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD109908	RHYS	8	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD109909	RHYS	9	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD109910	RHYS	10	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD109911	RHYS	11	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD109912	RHYS	12	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD109913	RHYS	13	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD109914	RHYS	14	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD109915	RHYS	15	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD109916	RHYS	16	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD109917	RHYS	17	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD109918	RHYS	18	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD109919	RHYS	19	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD109920	RHYS	20	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD109921	RHYS	21	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD109922	RHYS	22	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD109923	RHYS	23	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD109924	RHYS	24	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD109925	RHYS	25	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD109926	RHYS	26	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD109927	RHYS	27	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD109928	RHYS	28	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD109929	RHYS	29	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD109930	RHYS	30	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD109931	RHYS	31	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD109932	RHYS	32	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD109933	RHYS	33	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD109934	RHYS	34	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD109935	RHYS	35	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD109936	RHYS	36	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD109937	RHYS	37	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD109938	RHYS	38	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD109939	RHYS	39	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD109940	RHYS	40	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD109941	RHYS	41	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD109942	RHYS	42	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD109943	RHYS	43	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD109944	RHYS	44	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD109945	RHYS	45	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD109946	RHYS	46	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD109947	RHYS	47	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD109948	RHYS	48	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22

[illegible]

Grant No.	Claim	No.	Claim Owner	Recorded	Expiry
YD109999	RHYS	99	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD110000	RHYS	100	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD110001	RHYS	101	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD110002	RHYS	102	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD110003	RHYS	103	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD110004	RHYS	104	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD110005	RHYS	105	0899948 B.C. Ltd. - 100%	2010-10-22	2014-10-22
YD110006	RHYS	106	0899948 B.C. Ltd. - 100%	2010-10-22	2014-10-22
YD110007	RHYS	107	0899948 B.C. Ltd. - 100%	2010-10-22	2014-10-22
YD110008	RHYS	108	0899948 B.C. Ltd. - 100%	2010-10-22	2014-10-22
YD110009	RHYS	109	0899948 B.C. Ltd. - 100%	2010-10-22	2014-10-22
YD110010	RHYS	110	0899948 B.C. Ltd. - 100%	2010-10-22	2014-10-22
YD110011	RHYS	111	0899948 B.C. Ltd. - 100%	2010-10-22	2014-10-22
YD110012	RHYS	112	0899948 B.C. Ltd. - 100%	2010-10-22	2014-10-22
YD110013	RHYS	113	0899948 B.C. Ltd. - 100%	2010-10-22	2014-10-22
YD110014	RHYS	114	0899948 B.C. Ltd. - 100%	2010-10-22	2014-10-22
YD110015	RHYS	115	0899948 B.C. Ltd. - 100%	2010-10-22	2014-10-22
YD110016	RHYS	116	0899948 B.C. Ltd. - 100%	2010-10-22	2014-10-22
YD110017	RHYS	117	0899948 B.C. Ltd. - 100%	2010-10-22	2014-10-22
YD110018	RHYS	118	0899948 B.C. Ltd. - 100%	2010-10-22	2014-10-22
YD110019	RHYS	119	0899948 B.C. Ltd. - 100%	2010-10-22	2014-10-22
YD110020	RHYS	120	0899948 B.C. Ltd. - 100%	2010-10-22	2014-10-22
YD110021	RHYS	121	0899948 B.C. Ltd. - 100%	2010-10-22	2014-10-22
YD110022	RHYS	122	0899948 B.C. Ltd. - 100%	2010-10-22	2014-10-22
YD110023	RHYS	123	0899948 B.C. Ltd. - 100%	2010-10-22	2014-10-22
YD110024	RHYS	124	0899948 B.C. Ltd. - 100%	2010-10-22	2014-10-22
YD110025	RHYS	125	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD110026	RHYS	126	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD110027	RHYS	127	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD110028	RHYS	128	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD110029	RHYS	129	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD110030	RHYS	130	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD110031	RHYS	131	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD110032	RHYS	132	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD110033	RHYS	133	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD110034	RHYS	134	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD110035	RHYS	135	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD110036	RHYS	136	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD110037	RHYS	137	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD110038	RHYS	138	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD110039	RHYS	139	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD110040	RHYS	140	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD110041	RHYS	141	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD110042	RHYS	142	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD110043	RHYS	143	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD110044	RHYS	144	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD110045	RHYS	145	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD110046	RHYS	146	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD110047	RHYS	147	0899948 B.C. Ltd. - 100%	2010-10-22	2014-10-22
YD110048	RHYS	148	0899948 B.C. Ltd. - 100%	2010-10-22	2014-10-22

[illegible]

Grant No.	Claim	No.	Claim Owner	Recorded	Expiry
YD110099	RHYS	199	0899948 B.C. Ltd. - 100%	2010-10-22	2014-10-22
YD110100	RHYS	200	0899948 B.C. Ltd. - 100%	2010-10-22	2014-10-22
YD110101	RHYS	201	0899948 B.C. Ltd. - 100%	2010-10-22	2014-10-22
YD110102	RHYS	202	0899948 B.C. Ltd. - 100%	2010-10-22	2014-10-22
YD110103	RHYS	203	0899948 B.C. Ltd. - 100%	2010-10-22	2014-10-22
YD110104	RHYS	204	0899948 B.C. Ltd. - 100%	2010-10-22	2014-10-22
YD110105	RHYS	205	0899948 B.C. Ltd. - 100%	2010-10-22	2014-10-22
YD110106	RHYS	206	0899948 B.C. Ltd. - 100%	2010-10-22	2014-10-22
YD110107	RHYS	207	0899948 B.C. Ltd. - 100%	2010-10-22	2014-10-22
YD110108	RHYS	208	0899948 B.C. Ltd. - 100%	2010-10-22	2014-10-22
YD110109	RHYS	209	0899948 B.C. Ltd. - 100%	2010-10-22	2014-10-22
YD110110	RHYS	210	0899948 B.C. Ltd. - 100%	2010-10-22	2014-10-22
YD110111	RHYS	211	0899948 B.C. Ltd. - 100%	2010-10-22	2014-10-22
YD110112	RHYS	212	0899948 B.C. Ltd. - 100%	2010-10-22	2014-10-22
YD110113	RHYS	213	0899948 B.C. Ltd. - 100%	2010-10-22	2014-10-22
YD110114	RHYS	214	0899948 B.C. Ltd. - 100%	2010-10-22	2014-10-22
YD110115	RHYS	215	0899948 B.C. Ltd. - 100%	2010-10-22	2014-10-22
YD110116	RHYS	216	0899948 B.C. Ltd. - 100%	2010-10-22	2014-10-22
YD110117	RHYS	217	0899948 B.C. Ltd. - 100%	2010-10-22	2014-10-22
YD110118	RHYS	218	0899948 B.C. Ltd. - 100%	2010-10-22	2014-10-22
YD110119	RHYS	219	0899948 B.C. Ltd. - 100%	2010-10-22	2014-10-22
YD110120	RHYS	220	0899948 B.C. Ltd. - 100%	2010-10-22	2014-10-22
YD110121	RHYS	221	0899948 B.C. Ltd. - 100%	2010-10-22	2014-10-22
YD110122	RHYS	222	0899948 B.C. Ltd. - 100%	2010-10-22	2014-10-22
YD110123	RHYS	223	0899948 B.C. Ltd. - 100%	2010-10-22	2014-10-22
YD110124	RHYS	224	0899948 B.C. Ltd. - 100%	2010-10-22	2014-10-22
YD110125	RHYS	225	0899948 B.C. Ltd. - 100%	2010-10-22	2014-10-22
YD110126	RHYS	226	0899948 B.C. Ltd. - 100%	2010-10-22	2014-10-22
YD110127	RHYS	227	0899948 B.C. Ltd. - 100%	2010-10-22	2014-10-22
YD110128	RHYS	228	0899948 B.C. Ltd. - 100%	2010-10-22	2014-10-22
YD110129	RHYS	229	0899948 B.C. Ltd. - 100%	2010-10-22	2014-10-22
YD110130	RHYS	230	0899948 B.C. Ltd. - 100%	2010-10-22	2014-10-22
YD110131	RHYS	231	0899948 B.C. Ltd. - 100%	2010-10-22	2014-10-22
YD110132	RHYS	232	0899948 B.C. Ltd. - 100%	2010-10-22	2014-10-22
YD110133	RHYS	233	0899948 B.C. Ltd. - 100%	2010-10-22	2014-10-22
YD110134	RHYS	234	0899948 B.C. Ltd. - 100%	2010-10-22	2014-10-22
YD110135	RHYS	235	0899948 B.C. Ltd. - 100%	2010-10-22	2014-10-22
YD110136	RHYS	236	0899948 B.C. Ltd. - 100%	2010-10-22	2014-10-22
YD110137	RHYS	237	0899948 B.C. Ltd. - 100%	2010-10-22	2014-10-22
YD110138	RHYS	238	0899948 B.C. Ltd. - 100%	2010-10-22	2014-10-22
YD110139	RHYS	239	0899948 B.C. Ltd. - 100%	2010-10-22	2014-10-22
YD110140	RHYS	240	0899948 B.C. Ltd. - 100%	2010-10-22	2014-10-22
YD110141	RHYS	241	0899948 B.C. Ltd. - 100%	2010-10-22	2014-10-22
YD110142	RHYS	242	0899948 B.C. Ltd. - 100%	2010-10-22	2014-10-22
YD110143	RHYS	243	0899948 B.C. Ltd. - 100%	2010-10-22	2014-10-22
YD110144	RHYS	244	0899948 B.C. Ltd. - 100%	2010-10-22	2014-10-22
YD110145	RHYS	245	0899948 B.C. Ltd. - 100%	2010-10-22	2014-10-22
YD110146	RHYS	246	0899948 B.C. Ltd. - 100%	2010-10-22	2014-10-22
YD110147	RHYS	247	0899948 B.C. Ltd. - 100%	2010-10-22	2014-10-22
YD110148	RHYS	248	0899948 B.C. Ltd. - 100%	2010-10-22	2014-10-22

[illegible]

Grant No.	Claim	No.	Claim Owner	Recorded	Expiry
YD110199	RHYS	299	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD110200	RHYS	300	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD110201	RHYS	301	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD110202	RHYS	302	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD110203	RHYS	303	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD110204	RHYS	304	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD110205	RHYS	305	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD110206	RHYS	306	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD110207	RHYS	307	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD110208	RHYS	308	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD110209	RHYS	309	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD110210	RHYS	310	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD110211	RHYS	311	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD110212	RHYS	312	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD110229	RHYS	329	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD110230	RHYS	330	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD110231	RHYS	331	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD110232	RHYS	332	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD110233	RHYS	333	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD110234	RHYS	334	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD110235	RHYS	335	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD110236	RHYS	336	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD110237	RHYS	337	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD110238	RHYS	338	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD110239	RHYS	339	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD110240	RHYS	340	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD110241	RHYS	341	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD110242	RHYS	342	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD110243	RHYS	343	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD110244	RHYS	344	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD110245	RHYS	345	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD110246	RHYS	346	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD110247	RHYS	347	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD110248	RHYS	348	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD110249	RHYS	349	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD110250	RHYS	350	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD110251	RHYS	351	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD110252	RHYS	352	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD110253	RHYS	353	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD110254	RHYS	354	0899948 B.C. Ltd. - 100%	2010-10-22	2013-10-22
YD116313	RHY	1	0899948 B.C. Ltd. - 100%	2011-09-14	2013-12-14
YD116314	RHY	2	0899948 B.C. Ltd. - 100%	2011-09-14	2013-12-14
YD116315	RHY	3	0899948 B.C. Ltd. - 100%	2011-09-14	2013-12-14
YD116316	RHY	4	0899948 B.C. Ltd. - 100%	2011-09-14	2013-12-14
YD116317	RHY	5	0899948 B.C. Ltd. - 100%	2011-09-14	2013-12-14
YD116318	RHY	6	0899948 B.C. Ltd. - 100%	2011-09-14	2013-12-14

APPENDIX 3.

AGAT LABORATORIES – ANALYTICAL PROCEDURES, 2012



Mining Division ▪ Whitehorse

AGAT Method Code: 224 022, 224 001, 224 006, 224 009, 224 010, 224 012, 224 013, 224 040

AGAT SOP: MIN-12007, MIN-200-12007, MIN-12008, MIN-12009, MIN-12010, MIN-12011, MIN-200-12012, MIN-12013, MIN-200- 12013

Method Description

- Sample Reception – Laboratory Information Management System (LIMS) – Mining
- Drying of Geological Samples – Mining Branches
- Crushing Mineralogical Samples – Mining Branches
- Sample Size Reduction of Mineralogical Samples – Mining Branches
- Milling of Mineralogical Samples, Screen Analysis and Particle Size Distribution, Sieve Cataloguing, Maintenance and Cleaning – Mining Branches
- Standard Operating Procedure for Compressed Air Usage, Compressed Air Usage – Mining Branches.

Sample Reception

- Samples arrives via courier, client drop-off or picked up by AGAT Laboratories or an AGAT Representative.
- Samples are inspected and compared to the Chain of Custody (COC) and logged into the AGAT LIMS program.
- Deviations from the COC are noted in AGAT's Sample Integrity Report (SIR) and sent immediately to the client via email and posted on the clients AGAT *WebMINING* account.

Drying: Specified samples are dried to 60 °C.

Crushing and Splitting: Unless instructed by the client, specified samples are crushed to 75% passing 10 mesh (2mm) and split to 250g using a Jones riffler splitter or rotary split.

Pulverizing: Unless instructed by the client, specified samples are pulverized to 85% passing 200 mesh (75µm).

Screening: Specified samples, after drying, are shaken on 80 mesh sieve with the + fraction stored and the – minus fraction sent to the laboratory for analysis.

All equipment is cleaned using quartz and air from a compressed air source.

Blanks, sample replicates, duplicates, and internal reference materials (both aqueous and geochemical standards) are routinely used as part of AGAT Laboratories quality assurance program.

Rocklabs Boyd Crusher with RSD Combo, TM-2 Pulverizers are routinely used in sample preparation procedures.





AGAT Method Code: 201 051 and 202 551

AGAT SOP: MIN-200-12019

Method Description: Determination of Gold, Platinum and Palladium in Geological Samples by Lead Fusion Fire Assay with Atomic Absorption Spectroscopy (AAS) Finish

Prepared samples are fused using accepted fire assay techniques, cupelled and parted in nitric acid and hydrochloric acid. Sample splits of 30g are routinely used though 50g may also be used (AGAT Code 202551).

Blanks, sample replicates, duplicates, and internal reference materials (both aqueous and geochemical standards) are routinely used as part of AGAT Laboratories quality assurance program.

PerkinElmer AAnalyst 400 AAS instruments are used in the analysis.



AGAT Laboratories

Service Beyond Analysis
■ www.agatlabs.com



AGAT Method Code: 201 073

AGAT SOP: MIN-200-12020

Method Description: Aqua Regia Digestion followed by ICP-OES Finish

Prepared samples are digested with aqua regia for one hour using temperature controlled hot blocks. Resulting digests are diluted to 50mL with de-ionized water. Sample splits of 1g are routinely used.

Solubility of elements can be dependent on the mineral species present and as such, data reported from the aqua regia leach should be considered as representing only the leachable portion of a particular analyte.

Blanks, sample replicates, duplicates, and internal reference materials (both aqueous and geochemical standards) are routinely used as part of AGAT Laboratories quality assurance program.

PerkinElmer 7300DV and 8300DV ICP-OES instruments are used in the analysis. Inter-Element Correction (IEC) techniques are used to correct for any spectral interferences.

Analytical Range					
Analyte	(ppm)	Analyte	(ppm)	Analyte	(ppm)
Ag	0.2 - 100	Hg	1 - 10,000	Sc	0.5 - 10,000
Al	0.01% - 25%	In	1 - 1,000	Se	10 - 10,000
As	1 - 10,000	K	0.01% - 10%	Sn	5 - 1,000
B	5 - 10,000	La	1 - 10,000	Sr	0.5 - 10,000
Ba	1 - 10,000	Li	1 - 10,000	Ta	10 - 1,000
Be	0.5 - 1000	Mg	0.01% - 25%	Te	10 - 1,000
Bi	1 - 10,000	Mn	1 - 50,000	Th	5 - 10,000
Ca	0.01% - 25%	Mo	1 - 10,000	Ti	0.01% - 25%
Cd	0.5 - 1,000	Na	0.01% - 25%	Tl	5 - 10,000
Ce	1 - 10,000	Ni	0.5 - 10,000	U	5 - 10,000
Co	0.5 - 10,000	P	10 - 10,000	V	0.5 - 10,000
Cr	0.5 - 10,000	Pb	0.5 - 10,000	W	1 - 10,000
Cu	0.5 - 10,000	Rb	10 - 10,000	Y	1 - 1,000
Fe	0.01% - 50%	S	0.005% - 10%	Zn	0.5 - 10,000
Ga	5 - 10,000	Sb	1 - 10,000	Zr	5 - 1,000



CLIENT NAME: 0899948 BC LTD
701-675 WEST HASTINGS STREET
VANCOUVER, BC V6B1N2
(604) 639-4533

ATTENTION TO: RASOOL MOHAMMAD

PROJECT NO: RHYS

AGAT WORK ORDER: 12Y622188

SOLID ANALYSIS REVIEWED BY: David Tye, General Manager, Mining Operations

DATE REPORTED: Sep 05, 2012

PAGES (INCLUDING COVER): 6

Should you require any information regarding this analysis please contact your client services representative at (905) 501-9998

*NOTES

All samples are stored at no charge for 90 days. Please contact the lab if you require additional sample storage time.



Certificate of Analysis

AGAT WORK ORDER: 12Y622188

PROJECT NO: RHYS

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: 0899948 BC LTD

ATTENTION TO: RASOOL MOHAMMAD

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)															
DATE SAMPLED: Jul 19, 2012				DATE RECEIVED: Jul 19, 2012				DATE REPORTED: Sep 05, 2012				SAMPLE TYPE: Rock			
	Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
	Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
Sample Description	RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
1417601		0.3	2.97	10	8	55	1.7	<1	2.96	<0.5	13	28.8	249	61.5	5.21
1417602		<0.2	2.55	<1	6	80	2.8	<1	1.76	<0.5	31	26.7	325	34.7	4.30
	Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
	Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description	RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
1417601		15	<1	<1	0.05	6	26	3.93	1520	<0.5	0.02	60.6	1680	3.6	<10
1417602		15	<1	<1	0.04	14	17	3.97	1110	<0.5	0.02	20.3	1640	<0.5	<10
	Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
	Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description	RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	5	5	0.5	1
1417601		0.005	5	15.6	<10	<5	87.3	<10	<10	<5	0.19	<5	5	164	<1
1417602		<0.005	3	15.3	<10	<5	56.9	<10	<10	<5	0.31	6	<5	144	<1
	Analyte:	Y	Zn	Zr											
	Unit:	ppm	ppm	ppm											
Sample Description	RDL:	1	0.5	5											
1417601		10	101	<5											
1417602		17	85.2	19											

Comments: RDL - Reported Detection Limit

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y622188

PROJECT NO: RHYS

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: 0899948 BC LTD

ATTENTION TO: RASOOL MOHAMMAD

Fire Assay - Trace Au, AAS finish (202051)

DATE SAMPLED: Jul 19, 2012

DATE RECEIVED: Jul 19, 2012

DATE REPORTED: Sep 05, 2012

SAMPLE TYPE: Rock

Analyte:	Sample Login Weight	Au
Unit:	kg	ppm
Sample Description	RDL:	0.01 0.002
1417601		0.38 0.009
1417602		0.56 <0.002

Comments: RDL - Reported Detection Limit

Certified By:

Quality Assurance

CLIENT NAME: 0899948 BC LTD

AGAT WORK ORDER: 12Y622188

PROJECT NO: RHYS

ATTENTION TO: RASOOL MOHAMMAD

Solid Analysis											
RPT Date: Sep 05, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
Aqua Regia Digest - Metals Package, ICP-OES finish (201073)											
Ag	1	3533337	< 0.2	< 0.2	0.0%	< 0.2	13.3	14	95%	80%	120%
Al	1	3533337	2.55	2.57	0.8%	< 0.01				80%	120%
As	1	3533337	< 1	< 1	0.0%	4				80%	120%
B	1	3533337	6	7	15.4%	< 5				80%	120%
Ba	1	3533337	80	82	2.5%	< 1				80%	120%
Be	1	3533337	2.8	2.8	0.0%	< 0.5	0.3	0.4	87%	80%	120%
Bi	1	3533337	< 1	< 1	0.0%	< 1				80%	120%
Ca	1	3533337	1.76	1.73	1.7%	0.01				80%	120%
Cd	1	3533337	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Ce	1	3533337	31	31	0.0%	< 1				80%	120%
Co	1	3533337	26.7	27.2	1.9%	< 0.5				80%	120%
Cr	1	3533337	325	333	2.4%	< 0.5				80%	120%
Cu	1	3533337	34.7	33.5	3.5%	4.6	5341	6000	89%	80%	120%
Fe	1	3533337	4.30	4.34	0.9%	0.01				80%	120%
Ga	1	3533337	15	15	0.0%	< 5				80%	120%
Hg	1	3533337	< 1	< 1	0.0%	< 1				80%	120%
In	1	3533337	< 1	< 1	0.0%	< 1				80%	120%
K	1	3533337	0.04	0.04	0.0%	< 0.01				80%	120%
La	1	3533337	14	14	0.0%	< 1				80%	120%
Li	1	3533337	17	16	6.1%	< 1				80%	120%
Mg	1	3533337	3.97	3.90	1.8%	< 0.01				80%	120%
Mn	1	3533337	1110	1150	3.5%	< 1				80%	120%
Mo	1	3533337	< 0.5	< 0.5	0.0%	< 0.5	316	360	87%	80%	120%
Na	1	3533337	0.02	0.02	0.0%	< 0.01				80%	120%
Ni	1	3533337	20.3	20.4	0.5%	< 0.5				80%	120%
P	1	3533337	1640	1670	1.8%	< 10	600	600	100%	80%	120%
Pb	1	3533337	< 0.5	0.8		< 0.5				80%	120%
Rb	1	3533337	< 10	< 10	0.0%	< 10	14	13	104%	80%	120%
S	1	3533337	< 0.005	< 0.005	0.0%	< 0.005	0.98	0.80	122%	80%	120%
Sb	1	3533337	3	3	0.0%	2				80%	120%
Sc	1	3533337	15.3	15.2	0.7%	< 0.5				80%	120%
Se	1	3533337	< 10	< 10	0.0%	< 10				80%	120%
Sn	1	3533337	< 5	< 5	0.0%	< 5				80%	120%
Sr	1	3533337	56.9	53.4	6.3%	< 0.5				80%	120%
Ta	1	3533337	< 10	< 10	0.0%	< 10				80%	120%
Te	1	3533337	< 10	< 10	0.0%	< 10				80%	120%
Th	1	3533337	< 5	< 5	0.0%	< 5				80%	120%
Ti	1	3533337	0.31	0.30	3.3%	< 0.01				80%	120%
Tl	1	3533337	6	< 5		< 5				80%	120%
U	1	3533337	< 5	< 5	0.0%	< 5				80%	120%
V	1	3533337	144	145	0.7%	< 0.5				80%	120%
W	1	3533337	< 1	< 1	0.0%	< 1				80%	120%
Y	1	3533337	17	17	0.0%	< 1	6	7	88%	80%	120%
Zn	1	3533337	85.2	87.7	2.9%	< 0.5				80%	120%



Quality Assurance

CLIENT NAME: 0899948 BC LTD

AGAT WORK ORDER: 12Y622188

PROJECT NO: RHYS

ATTENTION TO: RASOOL MOHAMMAD

Solid Analysis (Continued)

RPT Date: Sep 05, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Zr	1	3533337	19	18	5.4%	< 5				80% 120%
Fire Assay - Trace Au, AAS finish (202051)										
Au	1	3533337	< 0.002	< 0.002	0.0%	< 0.002	0.262	0.264	99%	90% 110%

Certified By: _____

Method Summary

CLIENT NAME: 0899948 BC LTD

AGAT WORK ORDER: 12Y622188

PROJECT NO: RHYS

ATTENTION TO: RASOOL MOHAMMAD

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Ag	MIN-200-12020		ICP/OES
Al	MIN-200-12020		ICP/OES
As	MIN-200-12020		ICP/OES
B	MIN-200-12020		ICP/OES
Ba	MIN-200-12020		ICP/OES
Be	MIN-200-12020		ICP/OES
Bi	MIN-200-12020		ICP/OES
Ca	MIN-200-12020		ICP/OES
Cd	MIN-200-12020		ICP/OES
Ce	MIN-200-12020		ICP/OES
Co	MIN-200-12020		ICP/OES
Cr	MIN-200-12020		ICP/OES
Cu	MIN-200-12020		ICP/OES
Fe	MIN-200-12020		ICP/OES
Ga	MIN-200-12020		ICP/OES
Hg	MIN-200-12020		ICP/OES
In	MIN-200-12020		ICP/OES
K	MIN-200-12020		ICP/OES
La	MIN-200-12020		ICP/OES
Li	MIN-200-12020		ICP/OES
Mg	MIN-200-12020		ICP/OES
Mn	MIN-200-12020		ICP/OES
Mo	MIN-200-12020		ICP/OES
Na	MIN-200-12020		ICP/OES
Ni	MIN-200-12020		ICP/OES
P	MIN-200-12020		ICP/OES
Pb	MIN-200-12020		ICP/OES
Rb	MIN-200-12020		ICP/OES
S	MIN-200-12020		ICP/OES
Sb	MIN-200-12020		ICP/OES
Sc	MIN-200-12020		ICP/OES
Se	MIN-200-12020		ICP/OES
Sn	MIN-200-12020		ICP/OES
Sr	MIN-200-12020		ICP/OES
Ta	MIN-200-12020		ICP/OES
Te	MIN-200-12020		ICP/OES
Th	MIN-200-12020		ICP/OES
Ti	MIN-200-12020		ICP/OES
Tl	MIN-200-12020		ICP/OES
U	MIN-200-12020		ICP/OES
V	MIN-200-12020		ICP/OES
W	MIN-200-12020		ICP/OES
Y	MIN-200-12020		ICP/OES
Zn	MIN-200-12020		ICP/OES
Zr	MIN-200-12020		ICP/OES
Sample Login Weight	MIN-12009		BALANCE
Au	MIN-200-12019	BUGBEE, E: A Textbook of Fire Assaying	AAS

CLIENT NAME: 0899948 BC LTD
701-675 WEST HASTINGS STREET
VANCOUVER, BC V6B1N2
(604) 639-4533

ATTENTION TO: RASOOL MOHAMMAD

PROJECT NO: RHYS

AGAT WORK ORDER: 12Y622204

SOLID ANALYSIS REVIEWED BY: David Tye, General Manager, Mining Operations

DATE REPORTED: Sep 05, 2012

PAGES (INCLUDING COVER): 62

Should you require any information regarding this analysis please contact your client services representative at (905) 501-9998

*NOTES



Certificate of Analysis

AGAT WORK ORDER: 12Y622204

PROJECT NO: RHYS

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: 0899948 BC LTD

ATTENTION TO: RASOOL MOHAMMAD

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jul 19, 2012

DATE RECEIVED: Jul 19, 2012

DATE REPORTED: Sep 05, 2012

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
1417901	0.4	1.16	11	<5	110	0.6	<1	0.24	<0.5	16	4.5	30.2	9.9	1.78
1417902	<0.2	1.41	3	<5	141	1.2	<1	0.52	<0.5	40	14.6	44.8	14.9	2.65
1417903	<0.2	1.83	2	<5	208	1.3	<1	0.52	<0.5	32	14.1	62.2	17.9	2.87
1417904	0.3	1.69	2	<5	211	1.2	<1	0.46	<0.5	26	10.0	56.0	32.3	2.42
1417905	<0.2	1.86	3	<5	204	1.2	<1	0.49	<0.5	37	9.1	37.9	17.6	2.87
1417906	<0.2	2.33	6	<5	133	1.4	<1	0.23	<0.5	25	6.9	39.7	19.3	3.14
1417907	<0.2	2.84	6	<5	179	1.9	<1	0.26	<0.5	29	11.4	42.8	20.2	3.79
1417908	0.5	1.99	6	<5	242	1.6	<1	0.61	<0.5	39	12.1	35.4	28.1	3.05
1417909	<0.2	2.18	7	<5	286	2.3	<1	0.51	<0.5	62	16.2	43.5	34.2	3.54
1417910	<0.2	1.83	7	<5	158	1.8	<1	0.38	<0.5	44	10.3	36.7	23.9	3.03
1417911	<0.2	1.49	4	<5	130	1.4	<1	0.38	<0.5	39	7.8	31.5	14.1	2.56
1417912	<0.2	1.95	3	<5	116	1.3	<1	0.20	<0.5	31	5.1	32.0	9.8	2.66
1417913	<0.2	1.63	6	<5	123	1.4	<1	0.25	<0.5	31	6.4	32.4	13.1	2.88
1417914	<0.2	1.82	3	<5	190	1.4	<1	0.42	<0.5	42	8.0	36.7	15.4	2.81
1417915	<0.2	1.28	32	<5	97	0.8	<1	0.45	<0.5	25	7.1	34.8	25.9	2.13
1417916	0.5	1.90	32	<5	220	1.4	<1	0.39	<0.5	34	13.9	58.3	23.6	2.78
1417917	<0.2	1.38	7	<5	145	1.4	<1	0.42	<0.5	45	8.9	36.7	17.5	2.74
1417918	<0.2	2.18	11	<5	137	1.2	<1	0.28	<0.5	27	6.0	37.6	15.1	3.60
1417919	<0.2	1.88	8	<5	120	1.7	<1	0.36	<0.5	39	11.4	36.0	15.3	2.70
1417920	<0.2	1.33	7	<5	126	1.5	<1	0.47	<0.5	43	9.7	34.2	13.3	2.80
1417921	<0.2	2.26	6	<5	145	1.3	<1	0.24	<0.5	27	9.4	35.4	12.8	2.90
1417922	<0.2	1.16	4	<5	127	1.6	<1	0.52	<0.5	46	8.3	31.1	17.6	2.94
1417923	<0.2	2.87	<1	<5	368	2.0	<1	0.79	<0.5	43	12.5	49.8	26.7	3.40
1417924	<0.2	2.12	<1	5	231	1.7	<1	0.62	<0.5	35	14.3	59.8	20.2	2.91
1417925	<0.2	2.41	<1	<5	219	2.1	<1	0.84	<0.5	39	17.7	168	39.0	2.99
1417926	<0.2	2.36	<1	6	245	3.4	<1	1.37	<0.5	28	30.2	104	57.1	4.20
1417927	<0.2	2.79	<1	7	273	1.8	<1	0.89	<0.5	22	22.9	103	51.4	3.84
1417928	<0.2	2.53	2	<5	248	1.6	<1	0.80	<0.5	31	13.5	52.6	20.5	3.09
1417929	<0.2	2.61	<1	<5	384	1.8	<1	0.85	<0.5	27	19.5	70.5	23.4	3.79
1417930	<0.2	2.95	4	6	181	1.8	<1	0.34	<0.5	29	16.9	61.5	19.3	3.37
1417931	<0.2	2.66	4	<5	204	1.4	<1	0.33	<0.5	22	13.7	44.3	15.2	2.91
1417932	<0.2	2.43	<1	<5	169	2.0	<1	0.69	<0.5	29	15.6	73.3	37.9	3.48

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y622204

PROJECT NO: RHYS

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: 0899948 BC LTD

ATTENTION TO: RASOOL MOHAMMAD

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jul 19, 2012		DATE RECEIVED: Jul 19, 2012					DATE REPORTED: Sep 05, 2012					SAMPLE TYPE: Soil				
	Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe	
	Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	
Sample Description	RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01	
1417933		<0.2	2.31	22	<5	169	1.3	<1	0.33	<0.5	21	12.9	48.4	41.4	2.87	
1417934		<0.2	2.44	1	<5	150	2.0	<1	0.65	<0.5	19	16.1	89.6	31.0	3.35	
1417935		<0.2	2.58	1	<5	134	1.8	<1	0.44	<0.5	18	14.4	109	35.6	3.38	
1417936		<0.2	3.45	4	<5	199	2.1	<1	0.29	<0.5	23	14.8	57.1	45.0	3.55	
1417937		<0.2	3.41	1	<5	194	1.7	<1	0.48	0.6	19	20.5	84.2	64.8	4.20	
1417938		<0.2	2.50	<1	10	125	2.5	<1	0.73	0.9	21	22.0	87.6	76.9	4.05	
1417939		<0.2	2.65	<1	6	134	2.5	<1	0.52	0.9	24	21.7	112	59.6	4.10	
1417940		<0.2	2.52	<1	<5	172	1.8	<1	0.41	0.6	25	15.6	57.0	31.3	3.31	
1417941		<0.2	2.08	7	<5	169	1.8	<1	0.41	0.7	40	15.3	48.2	29.7	3.36	
1417942		<0.2	2.39	14	<5	280	4.3	<1	0.72	0.5	93	11.8	53.0	40.8	4.46	
1417943		<0.2	2.00	6	<5	147	2.3	<1	0.24	0.6	32	7.9	37.0	18.5	2.83	
1417944		<0.2	2.70	7	<5	337	5.9	<1	0.54	0.6	109	11.8	62.2	58.7	4.75	
1417945		<0.2	2.66	6	<5	177	2.2	<1	0.23	0.5	31	11.7	41.6	15.4	3.61	
1417946		<0.2	3.64	3	<5	166	1.3	<1	0.22	0.9	22	14.3	55.4	14.2	3.39	
1417947		<0.2	3.65	<1	<5	260	1.3	<1	0.55	0.6	25	16.6	65.3	32.3	3.76	
1417948		<0.2	3.17	2	<5	194	1.1	<1	0.51	0.6	21	16.7	57.8	24.1	3.59	
1417949		<0.2	3.23	<1	6	226	1.2	<1	0.88	0.8	23	21.0	233	36.1	3.16	
1417950		<0.2	2.46	<1	<5	210	1.1	<1	0.78	0.6	25	12.2	71.3	19.7	3.07	
1417951		<0.2	2.73	<1	<5	181	1.0	<1	0.88	0.6	27	14.6	77.8	16.7	3.63	
1417952		<0.2	3.75	<1	<5	246	1.1	<1	0.73	0.7	21	12.7	59.2	11.0	3.73	
1417953		<0.2	3.46	<1	<5	199	1.2	<1	1.01	0.6	29	13.6	46.9	13.7	4.40	
1417954		<0.2	3.78	<1	<5	161	1.1	<1	0.28	0.9	14	13.6	80.8	9.5	3.41	
1417955		<0.2	2.67	<1	<5	163	0.8	<1	0.95	<0.5	16	11.6	90.4	30.6	2.87	
1417956		<0.2	3.00	<1	<5	178	1.0	<1	0.59	0.7	21	19.1	106	27.8	3.16	
1417957		<0.2	3.70	1	11	192	1.5	<1	0.72	0.9	31	19.2	293	48.6	3.82	
1417958		<0.2	3.89	<1	8	230	1.2	<1	0.88	0.8	24	26.5	289	32.0	4.09	
1417959		<0.2	3.35	1	<5	162	1.1	<1	0.31	0.7	20	14.6	95.5	20.5	3.84	
1417960		<0.2	2.96	<1	7	183	1.2	<1	0.61	0.8	22	21.5	171	34.6	3.28	
1417961		<0.2	2.35	<1	<5	141	0.9	<1	0.84	0.6	15	16.5	114	26.5	3.23	
1417962		<0.2	2.26	<1	8	201	1.0	<1	1.34	0.6	25	17.8	173	45.7	3.18	
1417963		<0.2	2.32	<1	<5	229	1.0	<1	1.50	0.6	27	16.0	124	36.5	3.00	
1417964		<0.2	2.29	3	<5	167	1.1	<1	1.17	<0.5	26	15.1	75.1	32.9	3.01	

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y622204

PROJECT NO: RHYS

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: 0899948 BC LTD

ATTENTION TO: RASOOL MOHAMMAD

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jul 19, 2012

DATE RECEIVED: Jul 19, 2012

DATE REPORTED: Sep 05, 2012

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
1417965	<0.2	2.53	<1	<5	163	1.0	<1	0.85	0.6	23	13.5	105	20.9	3.22
1417966	<0.2	2.31	<1	<5	153	0.8	<1	0.89	<0.5	22	10.5	68.3	17.2	3.04
1417967	<0.2	2.01	<1	<5	153	0.8	<1	0.90	<0.5	25	10.1	55.2	13.3	2.19
1417968	<0.2	2.10	2	<5	183	1.2	<1	0.67	0.7	32	13.2	61.4	23.2	3.15
1417969	<0.2	1.87	<1	<5	122	1.6	<1	0.49	0.6	23	18.1	123	24.6	2.78
1417970	<0.2	2.38	<1	<5	157	1.5	<1	0.24	0.6	24	10.9	65.2	22.7	3.11
1417971	<0.2	1.82	3	<5	137	1.3	<1	0.47	<0.5	29	24.2	121	22.0	3.01
1417972	<0.2	1.72	2	<5	142	1.2	<1	0.52	<0.5	29	16.0	94.1	39.7	2.55
1417973	<0.2	1.54	<1	<5	130	1.2	<1	0.55	<0.5	29	15.5	95.3	25.4	2.33
1417974	<0.2	1.97	1	<5	174	1.1	<1	0.45	<0.5	17	22.1	104	22.3	3.15
1417975	<0.2	2.35	<1	<5	132	1.5	<1	0.32	0.6	21	15.9	113	30.2	3.27
1417976	<0.2	2.02	3	<5	120	1.3	<1	0.40	<0.5	22	12.9	86.8	21.3	2.86
1417977	<0.2	1.93	10	<5	168	1.4	<1	0.42	<0.5	20	12.2	79.0	36.3	2.89
1417978	<0.2	2.06	6	<5	160	1.6	<1	0.59	<0.5	31	16.3	97.3	43.9	3.09
1417979	<0.2	2.02	1	<5	168	1.2	<1	0.59	<0.5	22	12.6	88.5	20.1	3.17
1417980	<0.2	1.84	6	<5	164	1.3	<1	0.50	<0.5	25	18.4	85.5	26.8	2.96
1417981	0.4	1.80	2	7	269	1.3	<1	0.76	<0.5	35	13.0	74.8	41.7	2.30
1417982	<0.2	1.93	2	<5	298	1.0	<1	0.55	<0.5	29	11.1	59.2	29.4	2.63
1417983	<0.2	2.29	<1	<5	406	1.1	<1	0.88	<0.5	32	10.7	67.5	40.2	3.15
1417984	<0.2	1.98	3	<5	341	1.0	<1	0.88	<0.5	28	11.5	64.3	31.9	3.25
1417985	<0.2	2.43	4	<5	329	1.0	<1	0.75	<0.5	28	12.9	64.6	31.1	3.23
1417986	<0.2	2.70	4	<5	354	1.1	<1	0.64	<0.5	25	15.9	69.5	29.1	3.96
1417987	<0.2	2.75	3	<5	236	1.8	<1	0.83	<0.5	21	11.0	106	119	4.29
1417988	<0.2	2.14	3	<5	301	1.1	<1	0.59	<0.5	26	13.5	62.9	22.6	3.08
1417989	<0.2	2.63	4	<5	261	0.9	<1	0.59	<0.5	22	12.1	65.0	14.9	3.51
1417990	<0.2	2.53	<1	<5	266	1.6	<1	0.80	<0.5	33	13.1	84.9	47.8	3.65
1417991	<0.2	2.80	<1	<5	295	1.5	<1	0.68	<0.5	30	14.8	70.6	31.0	3.81
1417992	<0.2	1.82	<1	6	164	2.3	<1	0.82	<0.5	36	17.3	71.4	35.0	3.16
1417993	<0.2	2.13	<1	<5	237	1.8	<1	1.17	<0.5	34	13.5	57.4	37.7	3.00
1418051	<0.2	2.25	<1	<5	147	1.8	<1	0.70	<0.5	26	21.9	173	51.9	3.51
1418052	0.2	2.20	1	<5	162	1.5	<1	0.41	<0.5	22	13.4	110	22.1	3.20
1418053	0.6	1.76	37	<5	122	1.6	<1	0.46	<0.5	33	14.3	118	53.1	3.23

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y622204

PROJECT NO: RHYS

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: 0899948 BC LTD

ATTENTION TO: RASOOL MOHAMMAD

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jul 19, 2012

DATE RECEIVED: Jul 19, 2012

DATE REPORTED: Sep 05, 2012

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
1418054	1.7	2.01	66	<5	191	1.8	<1	0.46	1.5	48	14.4	46.0	95.6	3.20
1418055	0.8	2.38	22	<5	292	1.5	<1	0.35	1.2	27	13.2	62.2	42.9	3.67
1418056	2.9	1.72	22	<5	270	0.9	<1	0.34	1.0	27	14.0	29.8	43.5	2.40
1418057	3.2	2.40	21	<5	265	1.2	<1	0.29	1.6	29	9.1	38.1	22.4	3.67
1418058	0.4	1.94	17	<5	173	1.2	<1	0.40	<0.5	34	10.8	45.3	25.6	3.26
1418059	3.2	0.81	41	<5	92	<0.5	<1	0.11	<0.5	22	2.9	26.3	4.7	1.88
1418060	3.3	0.56	14	<5	58	<0.5	<1	0.10	<0.5	10	1.6	13.8	2.8	1.07
1418061	1.5	0.42	6	<5	92	<0.5	<1	0.16	<0.5	7	1.7	14.0	7.1	0.73
1418062	13.3	3.31	36	<5	250	3.1	<1	0.25	2.8	96	14.1	44.9	110	4.42
1418063	2.7	1.85	17	<5	212	1.8	<1	0.38	3.2	55	8.5	33.4	53.5	3.09
1418064	4.9	2.34	13	<5	253	1.5	<1	0.44	1.0	48	6.9	36.8	37.2	2.91
1418065	1.8	2.15	60	<5	114	1.1	<1	0.31	<0.5	27	8.2	21.6	58.8	3.40
1418066	2.1	1.74	61	<5	219	1.3	<1	0.53	<0.5	36	8.0	32.5	143	3.17
1418067	2.3	1.63	117	<5	156	1.2	<1	0.30	<0.5	40	7.9	30.8	41.3	3.10
1418068	1.5	2.06	98	<5	145	1.8	<1	0.29	0.8	42	8.1	37.3	42.8	3.26
1418069	1.0	1.79	45	<5	149	1.5	<1	0.36	0.7	34	14.0	93.1	43.6	3.09
1418070	<0.2	1.85	4	<5	101	2.1	<1	0.47	<0.5	33	16.0	171	44.8	3.08
1418071	<0.2	2.16	4	<5	79	1.9	<1	0.58	<0.5	24	23.4	161	86.6	3.17
1418072	<0.2	1.97	15	<5	139	1.6	<1	0.51	<0.5	30	10.3	66.9	44.7	3.54
1418073	<0.2	2.03	22	<5	162	1.7	<1	0.45	<0.5	25	15.8	90.6	28.7	3.64
1418074	1.2	2.17	113	<5	100	1.8	<1	0.23	0.9	39	13.1	56.9	39.8	3.10
1418075	1.5	1.84	53	<5	137	1.7	<1	0.29	2.4	45	9.7	30.3	29.4	3.06
1418076	<0.2	2.10	66	<5	222	1.8	<1	0.53	1.7	47	8.6	42.4	76.7	3.17
1418077	5.0	2.09	80	<5	180	1.6	<1	0.45	2.0	45	11.8	37.3	135	3.12
1418078	<0.2	2.15	48	<5	132	1.5	<1	0.39	1.8	36	11.8	37.9	52.5	3.10
1418079	2.9	2.04	21	<5	224	1.7	<1	0.44	1.6	52	10.6	39.4	41.8	2.60
1418080	0.9	1.95	43	<5	156	1.6	<1	0.35	3.0	39	10.9	39.1	30.2	3.21
1418081	3.3	1.80	17	<5	237	2.1	<1	0.36	7.5	59	11.6	32.7	84.5	2.59
1418082	<0.2	3.08	<1	<5	155	2.7	<1	0.70	1.0	28	21.3	38.3	78.6	4.19
1418083	<0.2	3.22	5	<5	134	3.0	<1	0.41	0.7	33	12.8	45.6	49.6	3.49
1418084	<0.2	3.63	<1	9	168	2.6	<1	0.52	1.2	23	28.7	37.0	68.3	4.82
1418085	<0.2	2.35	2	5	131	1.7	<1	0.77	1.0	25	31.6	46.6	28.4	4.57

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y622204

PROJECT NO: RHYS

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: 0899948 BC LTD

ATTENTION TO: RASOOL MOHAMMAD

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jul 19, 2012		DATE RECEIVED: Jul 19, 2012				DATE REPORTED: Sep 05, 2012				SAMPLE TYPE: Soil					
Analyte:		Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:		0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description															
1418086		<0.2	3.72	2	7	209	2.7	<1	0.52	1.2	21	32.4	144	51.5	4.94
1418087		<0.2	2.27	<1	<5	117	1.9	<1	0.30	0.6	18	17.5	37.5	28.6	4.08
1418088		<0.2	3.25	<1	9	136	3.6	<1	0.78	1.1	20	28.8	38.2	22.7	7.36
1418089		<0.2	2.29	<1	<5	141	2.2	<1	0.80	<0.5	29	13.8	41.3	18.9	3.39
1418090		<0.2	2.26	2	<5	138	2.0	<1	0.55	0.6	24	12.3	45.0	21.4	3.68
1418091		<0.2	2.32	2	<5	141	2.0	<1	0.57	0.6	24	13.0	44.6	22.0	3.79
1418092		<0.2	2.36	3	<5	189	1.6	<1	0.51	0.5	26	11.9	56.4	27.7	2.90
1418093		<0.2	2.30	2	<5	129	1.7	<1	0.33	0.8	27	11.7	63.2	14.5	3.64
1418094		<0.2	2.29	14	<5	123	1.8	<1	0.51	0.5	21	14.3	73.6	33.5	3.86
1418095		<0.2	3.37	5	<5	203	2.4	<1	0.43	0.8	36	15.4	56.3	28.2	3.82
1418096		<0.2	3.09	6	<5	198	1.9	<1	0.39	0.6	34	11.8	62.3	22.4	3.24
1418097		<0.2	3.13	5	<5	225	2.0	<1	0.47	0.7	39	13.8	74.3	31.1	3.29
1418098		<0.2	2.95	2	<5	157	1.9	<1	0.59	0.7	29	12.6	63.4	17.3	3.12
1418099		<0.2	2.35	5	<5	117	1.6	<1	0.30	0.6	24	8.3	39.4	11.9	3.12
1418100		<0.2	2.72	5	<5	152	1.7	<1	0.32	0.9	28	12.0	43.5	15.6	3.06
1418101		<0.2	2.74	27	6	221	2.1	<1	0.26	1.4	30	16.7	87.0	22.8	3.23
1418102		<0.2	2.36	16	<5	152	1.5	<1	0.27	1.3	26	11.1	42.0	16.4	3.05
1418103		<0.2	1.98	49	<5	158	1.8	<1	0.55	1.3	37	13.7	49.6	31.0	3.16
1418104		0.5	1.94	19	<5	137	1.2	<1	0.34	1.1	27	6.9	37.5	16.2	2.35
1418105		0.4	2.02	91	<5	159	1.3	<1	0.41	1.0	41	5.0	36.2	16.3	3.47
1418106		0.2	2.30	12	<5	115	1.5	<1	0.35	0.9	33	7.3	39.2	11.5	2.93
1418107		0.3	1.93	14	<5	164	1.7	<1	0.40	1.1	46	11.8	41.3	23.5	2.70
1418108		<0.2	1.60	13	<5	165	2.0	<1	0.59	1.2	59	10.1	44.1	28.4	3.55
1418109		<0.2	2.08	15	<5	162	2.1	<1	0.38	1.0	51	11.8	39.3	22.2	3.29
1418110		<0.2	2.12	13	<5	164	2.2	<1	0.43	0.8	58	11.5	41.5	26.1	3.36
1418111		0.8	2.48	13	<5	204	2.9	<1	0.38	1.5	72	11.8	45.8	36.7	3.57
1418112		<0.2	1.72	33	<5	123	1.6	<1	0.47	0.8	41	10.9	42.2	43.7	3.37
1418113		2.0	1.80	33	<5	133	1.6	<1	0.37	1.9	39	7.1	37.4	25.9	3.55
1418114		1.2	1.52	15	<5	156	1.3	<1	0.26	1.7	39	7.0	26.5	26.5	2.10
1418115		0.9	2.13	29	<5	158	1.4	<1	0.37	1.3	35	9.8	43.1	27.6	2.43
1418116		0.2	1.62	6	<5	133	1.2	<1	0.42	0.7	36	5.5	33.8	19.0	2.09
1418117		<0.2	1.73	8	<5	133	1.3	<1	0.44	0.8	37	6.6	37.5	19.0	2.13

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y622204

PROJECT NO: RHYS

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: 0899948 BC LTD

ATTENTION TO: RASOOL MOHAMMAD

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jul 19, 2012

DATE RECEIVED: Jul 19, 2012

DATE REPORTED: Sep 05, 2012

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
1418118	<0.2	2.07	14	<5	169	1.5	<1	0.27	0.9	25	8.2	48.4	17.9	3.12
1418119	<0.2	2.07	14	<5	97	1.2	<1	0.19	1.0	25	6.3	35.8	12.8	2.50
1418120	<0.2	2.43	14	<5	149	1.7	<1	0.26	0.7	31	13.6	57.9	21.1	3.16
1418121	<0.2	1.75	38	5	141	1.8	<1	0.40	1.0	25	22.5	178	22.0	3.43
1418122	<0.2	2.04	14	<5	146	1.8	<1	0.28	0.6	23	21.2	86.5	27.9	3.22
1418123	1.1	2.13	26	<5	164	1.3	<1	0.37	1.0	30	10.0	45.4	26.1	2.57
1418124	<0.2	2.20	25	<5	86	1.6	<1	0.22	1.7	25	11.0	45.5	17.5	3.19
1418125	0.2	1.63	24	<5	134	1.3	<1	0.36	2.2	32	11.1	35.7	31.0	2.79
1418126	<0.2	1.61	24	<5	138	1.2	<1	0.36	2.2	31	10.6	38.4	30.4	2.77
1418127	1.8	2.12	39	<5	176	1.8	<1	0.42	1.6	44	15.1	42.2	38.5	2.89
1418128	<0.2	1.21	15	<5	132	1.1	<1	0.24	1.6	23	3.3	24.1	8.6	2.68
1418129	0.2	1.24	19	<5	116	1.5	<1	0.45	1.7	42	9.5	33.9	15.8	2.81
1418130	<0.2	1.79	39	<5	139	1.6	<1	0.32	1.4	33	9.5	35.8	24.1	3.19
1418131	<0.2	1.99	4	<5	233	1.4	<1	0.81	0.6	33	13.5	45.6	36.5	2.71
1418132	<0.2	2.01	2	<5	235	1.5	<1	0.86	<0.5	32	12.3	43.9	30.8	2.84
1418133	<0.2	1.92	2	<5	230	1.6	<1	0.89	<0.5	34	11.9	44.8	37.7	2.92
1418134	<0.2	2.23	33	<5	121	2.3	<1	1.08	0.6	35	18.9	42.0	80.4	3.43
1418135	<0.2	2.40	1	7	148	2.1	<1	0.81	0.8	28	19.8	50.6	32.3	3.47
1418136	<0.2	2.49	<1	<5	171	1.7	<1	0.72	0.6	27	18.7	62.3	25.9	3.63
1418137	<0.2	2.31	9	<5	123	1.5	<1	0.40	<0.5	25	21.6	69.3	30.0	3.21
1418138	<0.2	2.38	3	<5	180	1.5	<1	0.64	0.5	25	13.5	58.5	26.4	2.99
1418139	<0.2	1.39	2	<5	130	1.2	<1	0.63	<0.5	20	9.0	31.4	31.6	1.83
1418140	<0.2	2.66	1	<5	194	1.3	<1	0.78	0.5	25	15.7	66.5	26.2	3.19
1418141	<0.2	2.44	<1	<5	114	1.4	<1	0.27	0.6	19	9.1	53.2	18.2	3.11
1418142	<0.2	1.67	2	<5	89	1.0	<1	0.17	<0.5	18	4.9	39.4	12.5	2.59
1418143	<0.2	2.35	1	5	188	1.5	<1	0.72	0.5	24	16.5	55.0	30.5	3.08
1418144	<0.2	1.77	1	<5	152	1.3	<1	0.50	0.6	23	15.8	61.0	21.6	2.52
1418145	<0.2	2.20	2	5	183	1.4	<1	0.49	0.6	26	13.3	77.7	24.2	2.81
1418146	<0.2	2.00	1	8	179	1.5	<1	0.49	0.8	28	20.7	73.9	22.9	2.92
1418147	<0.2	2.03	2	<5	188	1.2	<1	0.47	<0.5	25	12.9	59.6	16.8	2.66
1418148	<0.2	1.97	1	<5	191	1.0	<1	0.53	<0.5	21	16.4	59.8	12.9	2.28
1418149	<0.2	1.89	<1	<5	177	1.3	<1	0.49	<0.5	26	15.9	71.9	16.5	2.45

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y622204

PROJECT NO: RHYS

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: 0899948 BC LTD

ATTENTION TO: RASOOL MOHAMMAD

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jul 19, 2012

DATE RECEIVED: Jul 19, 2012

DATE REPORTED: Sep 05, 2012

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
1418150	<0.2	2.24	<1	7	208	1.2	<1	0.58	0.7	22	18.3	71.0	20.7	2.62
1418151	<0.2	1.76	<1	<5	162	1.1	<1	0.45	<0.5	18	12.0	61.1	17.7	2.23
1418152	<0.2	1.65	<1	<5	157	1.1	<1	0.46	<0.5	23	17.9	76.6	15.3	2.90
1418153	<0.2	1.50	1	<5	134	1.2	<1	0.39	0.6	24	19.8	82.7	17.0	2.77
1418154	<0.2	1.50	32	6	125	1.4	<1	0.59	<0.5	28	20.4	87.1	55.9	2.84
1418155	<0.2	1.91	7	<5	183	1.5	<1	0.49	<0.5	37	16.1	55.5	29.9	2.77
1418156	<0.2	1.77	2	<5	131	1.4	<1	0.59	<0.5	37	13.8	60.4	30.4	2.76
1418157	<0.2	1.63	5	<5	68	1.1	<1	0.13	<0.5	21	4.5	36.1	14.3	3.23
1418158	<0.2	2.07	14	6	160	1.7	<1	0.53	0.6	30	22.8	70.8	45.9	3.43
1418159	<0.2	2.24	6	<5	295	1.4	<1	0.57	0.6	44	13.6	43.8	40.6	2.96
1418160	<0.2	2.37	5	<5	154	1.7	<1	0.47	<0.5	34	17.6	52.4	45.4	3.03
1418161	<0.2	2.87	5	<5	179	1.1	<1	0.34	0.7	18	19.6	154	21.8	3.95
1418162	<0.2	3.98	5	10	277	1.2	<1	0.83	1.1	16	28.3	182	34.0	4.15
1418163	<0.2	2.62	14	<5	169	1.6	<1	0.18	0.5	47	13.2	57.7	12.4	3.04
1418164	<0.2	3.72	11	<5	159	1.7	<1	0.23	0.9	27	14.7	82.7	24.5	3.08
1418165	<0.2	4.32	12	<5	159	1.4	<1	0.28	0.8	26	20.4	104	22.5	3.97
1418166	<0.2	3.20	16	<5	135	1.4	<1	0.19	0.7	24	14.5	81.4	20.5	3.39
1418167	<0.2	3.78	9	<5	215	1.6	<1	0.30	0.7	20	17.5	107	19.5	3.54
1418168	<0.2	4.71	34	<5	150	1.5	<1	0.22	0.8	23	15.6	78.4	21.5	3.97
1418169	<0.2	3.52	24	<5	143	1.2	<1	0.19	0.6	20	13.8	75.7	20.3	3.21
1418170	<0.2	3.99	142	<5	652	2.2	<1	0.48	0.6	51	15.5	94.0	53.4	3.21
1418171	<0.2	2.64	42	<5	233	1.3	<1	0.21	0.6	28	14.0	70.6	24.7	2.61
1418172	<0.2	3.48	34	<5	134	1.2	<1	0.20	0.7	23	18.1	95.5	16.3	3.78
1418173	<0.2	1.95	21	<5	177	1.1	<1	0.32	<0.5	24	8.1	72.1	14.6	3.03
1418174	<0.2	3.33	17	<5	203	1.4	<1	0.27	0.7	30	17.5	88.5	17.3	3.12
1418175	<0.2	3.77	19	<5	318	1.9	<1	0.33	0.7	44	13.6	90.9	24.5	3.43
1418176	<0.2	2.47	40	<5	319	1.1	<1	0.40	<0.5	34	12.2	62.0	26.1	2.91
1418177	<0.2	3.31	25	<5	139	1.1	<1	0.20	0.6	22	11.7	76.8	19.5	3.94
1418178	<0.2	1.84	23	<5	129	0.9	<1	0.20	<0.5	18	7.7	51.9	26.7	2.80
1418179	<0.2	3.00	25	<5	184	1.5	<1	0.20	0.7	30	12.7	66.7	18.9	3.29
1418180	<0.2	3.26	16	<5	179	1.6	<1	0.20	0.6	46	8.8	64.0	16.6	3.23
1418181	<0.2	2.31	61	<5	111	1.0	<1	0.18	0.5	33	8.0	50.8	11.1	3.11

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y622204

PROJECT NO: RHYS

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: 0899948 BC LTD

ATTENTION TO: RASOOL MOHAMMAD

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jul 19, 2012		DATE RECEIVED: Jul 19, 2012				DATE REPORTED: Sep 05, 2012				SAMPLE TYPE: Soil					
Sample Description	Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
	Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:		0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
1418182		<0.2	2.17	58	<5	106	0.9	<1	0.16	<0.5	28	7.4	47.0	9.9	3.00
1418183		<0.2	2.29	40	<5	179	1.0	<1	0.44	<0.5	31	14.9	58.0	12.4	3.10
1418184		<0.2	2.26	38	<5	165	1.0	<1	0.28	<0.5	30	10.3	56.5	13.5	3.00
1418185		<0.2	2.44	44	<5	165	1.2	<1	0.28	0.6	31	13.1	61.3	16.0	3.06
1418186		<0.2	2.28	21	<5	174	1.0	<1	0.34	<0.5	27	14.0	60.9	16.9	3.10
1418187		<0.2	2.37	6	<5	212	1.1	<1	0.48	0.5	30	12.6	70.9	22.8	2.84
1418188		<0.2	2.34	10	<5	186	1.4	<1	0.47	0.6	33	15.0	78.2	22.5	3.06
1418189		<0.2	2.27	7	<5	174	1.0	<1	0.45	<0.5	25	13.7	67.0	17.5	3.44
1418190		<0.2	2.23	5	<5	193	1.2	<1	0.44	0.5	33	14.6	75.5	21.2	2.89
1418191		<0.2	2.66	4	12	207	1.1	<1	0.35	1.3	33	18.4	146	7.2	4.59
1418192		<0.2	1.60	13	5	537	0.8	<1	1.36	<0.5	41	15.5	26.5	21.3	4.05
1418193		<0.2	2.96	<1	<5	257	1.1	<1	0.55	0.6	17	18.7	249	34.8	3.76
1418194		<0.2	3.52	30	<5	248	1.0	<1	0.94	0.9	11	26.5	36.8	58.6	6.07
1418195		<0.2	2.85	<1	<5	252	1.1	<1	0.66	0.7	23	17.1	49.8	22.3	4.47
1418196		<0.2	2.88	<1	<5	166	1.4	<1	0.88	0.5	11	16.8	35.7	23.5	3.43
1418197		<0.2	2.74	2	<5	155	1.0	<1	0.40	0.6	14	15.6	37.1	19.1	3.38
1418198		<0.2	2.95	37	<5	246	1.0	<1	0.88	0.7	23	17.7	55.7	79.7	3.58
1418199		<0.2	2.96	<1	<5	495	2.2	<1	0.58	0.8	19	21.6	467	59.7	3.37
1418200		<0.2	2.61	2	<5	190	1.6	<1	0.82	0.7	33	24.2	174	39.6	4.00
1418201		<0.2	2.49	9	<5	313	1.6	<1	0.53	0.6	69	20.1	161	40.5	3.31
1418202		<0.2	2.60	<1	6	285	1.6	<1	0.62	0.8	51	22.6	274	29.9	4.03
1418203		<0.2	3.07	<1	9	290	1.5	<1	0.36	1.1	57	25.3	341	48.8	5.01
1418204		<0.2	2.30	<1	<5	177	1.7	<1	0.61	0.6	26	19.2	170	41.9	3.21
1418205		<0.2	3.12	<1	7	172	1.9	<1	0.71	0.9	45	24.3	355	73.6	3.85
1418206		<0.2	2.66	<1	<5	230	1.8	<1	0.76	0.7	40	20.6	245	43.9	3.36
1418207		<0.2	2.31	<1	<5	137	1.7	<1	0.64	<0.5	25	16.7	214	28.5	2.93
1418208		<0.2	3.50	3	7	244	2.0	<1	0.46	1.0	38	24.9	64.4	29.8	3.49
1418209		<0.2	2.83	<1	<5	494	1.3	<1	0.85	0.6	35	17.9	144	19.7	3.37
1418210		<0.2	2.35	3	<5	294	1.0	<1	1.17	0.5	36	18.9	139	19.9	3.92
1418211		<0.2	2.71	4	8	214	1.3	<1	0.23	1.1	25	16.0	56.7	49.7	3.29
1418212		<0.2	1.77	2	<5	145	1.2	<1	0.72	0.5	29	12.5	40.5	16.2	2.77
1418213		<0.2	2.18	2	<5	229	1.3	<1	0.84	0.5	35	14.0	64.4	37.4	2.99

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y622204

PROJECT NO: RHYS

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: 0899948 BC LTD

ATTENTION TO: RASOOL MOHAMMAD

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jul 19, 2012

DATE RECEIVED: Jul 19, 2012

DATE REPORTED: Sep 05, 2012

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
1418214	<0.2	2.57	2	6	174	1.6	<1	0.62	0.9	28	15.8	37.8	79.9	3.50
1418215	<0.2	2.63	2	7	175	1.7	<1	0.66	1.0	29	16.7	40.0	81.5	3.57
1418216	<0.2	2.84	4	<5	185	1.6	<1	0.74	0.7	22	16.5	45.1	66.3	3.72
1418217	<0.2	2.00	7	5	151	1.2	<1	0.52	0.6	24	17.6	39.2	47.2	3.14
1418218	<0.2	2.70	10	<5	166	1.5	<1	0.62	0.6	29	11.1	46.2	25.3	3.24
1418219	<0.2	2.81	54	<5	137	2.2	<1	1.00	0.6	43	15.2	76.5	28.7	4.10
1418220	<0.2	1.89	9	<5	155	1.2	<1	0.55	<0.5	48	7.3	30.9	12.7	2.69
1418251	<0.2	2.21	3	7	137	2.0	<1	0.38	0.9	29	13.8	49.3	16.5	2.72
1418252	<0.2	2.38	1	5	187	2.1	<1	0.49	0.9	37	13.9	47.5	22.8	3.08
1418253	<0.2	1.93	3	<5	365	1.2	<1	0.14	<0.5	20	8.0	27.3	75.0	2.88
1418254	<0.2	3.01	6	<5	324	1.7	<1	0.25	0.7	27	13.1	43.4	36.3	3.30
1418255	<0.2	2.70	6	<5	200	1.4	<1	0.19	0.6	16	13.0	35.2	21.4	3.65
1418256	<0.2	2.74	3	<5	160	1.6	<1	0.23	0.7	25	13.5	46.0	23.5	3.08
1418257	<0.2	2.24	2	<5	306	1.6	<1	0.82	<0.5	34	15.1	85.0	35.9	2.99
1418258	<0.2	2.09	5	<5	282	2.2	<1	0.76	0.8	36	20.6	120	50.5	3.75
1418259	<0.2	2.13	2	8	253	1.9	<1	0.59	0.7	39	13.9	107	36.8	3.23
1418260	<0.2	1.57	2	<5	122	0.9	<1	0.21	<0.5	19	8.3	36.6	13.7	2.80
1418261	<0.2	2.49	5	10	175	1.7	<1	0.25	0.8	21	12.0	52.1	30.0	3.15
1418262	<0.2	2.37	5	<5	186	1.5	<1	0.16	0.7	19	11.8	37.1	31.3	3.07
1418263	<0.2	2.07	5	<5	313	1.6	<1	0.18	<0.5	21	10.3	36.0	51.4	3.63
1418264	<0.2	1.90	9	<5	171	1.1	<1	0.17	0.5	19	7.7	31.7	28.6	2.97
1418265	<0.2	2.63	3	11	395	2.2	<1	0.75	0.7	39	17.2	121	101	2.98
1418266	<0.2	2.31	4	11	239	1.5	<1	0.83	<0.5	38	13.8	99.5	55.4	2.54
1418267	<0.2	2.25	3	8	242	1.6	<1	0.75	0.6	45	19.2	120	71.9	2.83
1418268	<0.2	3.69	5	7	247	1.1	<1	0.47	<0.5	10	40.1	203	61.7	5.45
1418269	<0.2	1.58	<1	<5	168	0.6	<1	0.29	1.7	18	6.6	63.1	15.1	2.15
1418270	<0.2	3.04	2	<5	191	1.2	<1	0.28	1.1	20	9.4	49.6	13.3	2.65
1418271	<0.2	2.14	4	<5	76	0.7	<1	0.18	0.7	14	5.7	33.2	7.4	2.94
1418272	<0.2	2.34	<1	<5	110	1.1	<1	0.28	1.1	15	9.4	47.8	11.7	2.75
1418273	<0.2	2.03	<1	<5	226	1.0	<1	0.85	1.1	29	12.2	85.1	24.1	2.68
1418274	<0.2	3.04	24	8	244	1.1	<1	0.56	0.7	24	16.5	61.8	20.3	3.32
1418275	<0.2	2.61	9	6	265	1.2	<1	0.48	<0.5	37	20.3	60.6	31.1	3.81

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y622204

PROJECT NO: RHYS

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: 0899948 BC LTD

ATTENTION TO: RASOOL MOHAMMAD

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jul 19, 2012

DATE RECEIVED: Jul 19, 2012

DATE REPORTED: Sep 05, 2012

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
1418276	<0.2	3.17	8	6	214	1.2	<1	0.23	0.9	23	12.6	48.6	20.1	3.09
1418277	<0.2	3.32	3	<5	67	1.1	<1	0.35	<0.5	37	10.1	14.0	18.5	3.37
1418278	<0.2	1.84	4	<5	89	0.7	<1	0.24	<0.5	14	5.8	27.1	7.5	3.07
1418279	<0.2	2.14	2	<5	105	0.9	<1	0.39	1.1	20	10.4	35.2	9.8	2.57
1418280	<0.2	2.14	2	<5	157	1.0	<1	0.55	1.1	26	12.4	43.5	14.2	2.66
1418281	<0.2	1.71	10	<5	140	1.2	<1	0.87	1.2	20	15.8	78.0	14.6	2.56
1418282	<0.2	2.48	<1	6	159	1.1	<1	0.65	0.7	15	12.0	39.5	20.1	3.16
1418283	<0.2	2.83	1	6	129	1.0	<1	0.86	<0.5	25	14.1	32.7	28.8	3.78
1418284	<0.2	2.37	2	5	199	1.1	<1	0.60	0.9	31	9.6	36.2	21.1	2.90
1418285	<0.2	2.67	8	8	278	1.4	<1	0.80	<0.5	39	19.0	109	27.7	3.48
1418286	<0.2	2.02	70	<5	204	1.1	<1	0.66	<0.5	18	19.0	46.2	24.7	4.85
1418287	<0.2	2.20	3	<5	156	0.7	<1	0.63	1.1	17	11.0	58.0	14.1	2.71
1418288	<0.2	1.78	18	<5	133	0.8	<1	0.80	1.4	17	10.3	36.5	37.5	2.44
1418289	<0.2	2.47	13	<5	178	1.1	<1	0.74	0.7	25	13.4	54.4	28.8	3.11
1418290	<0.2	2.53	29	<5	173	0.9	<1	0.54	<0.5	18	16.2	56.3	31.7	3.48
1418291	<0.2	1.87	3	<5	122	0.7	<1	0.25	1.3	31	5.1	25.6	7.1	2.44
1418292	<0.2	1.97	10	<5	225	0.9	<1	0.47	1.1	44	9.8	37.7	16.9	2.61
1418293	<0.2	1.62	8	<5	97	0.9	<1	0.39	1.6	29	7.7	31.8	10.0	2.27
1418294	<0.2	1.88	11	<5	181	1.2	<1	0.37	1.1	61	10.6	64.1	22.6	2.70
1418295	<0.2	2.09	6	<5	160	1.1	<1	0.20	1.2	27	8.2	33.7	12.8	2.64
1418296	<0.2	2.45	14	<5	249	1.4	<1	0.46	1.0	56	12.1	51.2	21.8	2.90
1418297	<0.2	2.04	22	<5	187	1.1	<1	0.30	1.3	51	8.1	33.0	26.5	2.67
1418298	<0.2	2.13	2	<5	116	1.3	<1	0.11	1.4	54	7.9	35.2	7.7	2.62
1418299	<0.2	2.06	6	<5	230	1.2	<1	0.46	1.3	44	8.5	53.3	27.2	2.51
1418300	<0.2	2.16	2	<5	209	1.4	<1	0.47	0.6	60	16.8	99.0	27.7	3.18

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y622204

PROJECT NO: RHYS

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: 0899948 BC LTD

ATTENTION TO: RASOOL MOHAMMAD

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jul 19, 2012		DATE RECEIVED: Jul 19, 2012				DATE REPORTED: Sep 05, 2012				SAMPLE TYPE: Soil					
Analyte:		Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:		ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:		5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description															
1417901		<5	<1	<1	0.05	8	6	0.34	194	1.0	0.02	13.1	937	29.3	18
1417902		6	<1	<1	0.09	18	10	0.55	583	<0.5	0.02	18.0	1420	10.2	32
1417903		9	<1	<1	0.11	15	16	0.80	835	0.7	0.02	29.4	1180	10.6	42
1417904		6	<1	<1	0.08	13	13	0.61	542	2.0	0.02	31.6	1340	12.1	41
1417905		7	<1	<1	0.12	17	19	0.64	595	2.2	0.02	20.7	1240	20.3	43
1417906		11	<1	<1	0.09	12	20	0.55	303	1.8	0.01	20.4	569	33.4	35
1417907		11	<1	<1	0.11	14	36	0.63	462	2.7	0.01	26.2	791	40.1	40
1417908		7	<1	<1	0.09	19	22	0.67	858	2.8	0.02	24.9	1240	51.5	38
1417909		9	<1	<1	0.18	28	27	0.80	1010	3.9	0.02	29.0	1580	32.3	63
1417910		8	<1	<1	0.10	19	23	0.58	585	1.3	0.02	23.4	1100	22.4	34
1417911		6	<1	<1	0.07	18	15	0.44	370	<0.5	0.02	19.2	955	12.0	25
1417912		11	<1	<1	0.06	15	15	0.29	211	1.5	0.01	12.5	320	14.1	23
1417913		9	<1	<1	0.09	15	16	0.44	352	1.9	0.01	16.3	670	23.1	39
1417914		9	<1	<1	0.13	21	20	0.67	326	1.9	0.02	19.5	1360	24.6	53
1417915		<5	<1	<1	0.06	12	10	0.53	217	1.6	0.02	18.4	1210	30.9	23
1417916		7	<1	<1	0.08	17	13	0.61	409	0.5	0.02	38.4	1060	47.6	35
1417917		6	<1	<1	0.09	21	17	0.51	502	<0.5	0.02	19.4	1140	24.3	34
1417918		9	<1	<1	0.09	13	20	0.48	310	2.6	0.01	17.4	652	34.6	32
1417919		6	<1	<1	0.08	18	19	0.47	492	<0.5	0.02	23.6	1040	23.6	27
1417920		6	<1	<1	0.09	20	18	0.49	522	0.5	0.02	19.8	1220	20.4	31
1417921		8	<1	<1	0.06	12	16	0.44	328	1.0	0.01	20.9	460	13.5	24
1417922		<5	<1	<1	0.10	21	17	0.50	529	0.8	0.02	18.7	1370	16.6	32
1417923		8	<1	<1	0.07	20	14	1.09	256	<0.5	0.07	23.2	1370	3.1	25
1417924		9	<1	<1	0.06	16	10	0.71	834	<0.5	0.04	28.4	1300	3.5	22
1417925		9	<1	1	0.12	19	12	1.84	305	<0.5	0.06	89.4	1330	4.4	47
1417926		11	<1	<1	0.17	14	15	4.22	717	<0.5	0.03	236	1830	1.3	49
1417927		10	<1	<1	0.06	12	15	2.22	655	<0.5	0.07	42.3	950	<0.5	19
1417928		7	<1	<1	0.07	14	14	1.15	494	<0.5	0.03	23.9	988	2.4	22
1417929		9	<1	<1	0.05	11	14	1.93	723	<0.5	0.03	27.6	754	1.2	20
1417930		10	<1	<1	0.07	11	17	1.03	411	<0.5	0.02	35.4	533	3.5	26
1417931		9	<1	<1	0.06	10	16	0.92	404	<0.5	0.01	30.6	488	2.8	20
1417932		9	<1	<1	0.07	13	18	1.68	546	<0.5	0.03	49.4	805	7.0	25

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y622204

PROJECT NO: RHYS

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: 0899948 BC LTD

ATTENTION TO: RASOOL MOHAMMAD

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jul 19, 2012

DATE RECEIVED: Jul 19, 2012

DATE REPORTED: Sep 05, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
1417933	8	<1	<1	0.07	10	13	0.83	341	1.0	0.01	42.4	399	7.7	25
1417934	10	<1	<1	0.06	9	16	1.55	454	<0.5	0.02	64.3	775	5.0	21
1417935	10	<1	<1	0.05	8	17	1.37	376	<0.5	0.01	44.7	459	9.9	26
1417936	9	<1	<1	0.08	11	14	0.88	503	<0.5	0.02	36.6	594	4.4	33
1417937	11	<1	<1	0.11	9	22	1.49	482	1.8	0.02	41.6	648	0.9	28
1417938	12	<1	<1	0.12	9	17	1.75	674	<0.5	0.02	45.0	1020	1.1	42
1417939	12	<1	<1	0.16	9	16	1.66	451	<0.5	0.02	50.4	510	1.0	41
1417940	9	<1	<1	0.08	12	15	1.18	444	<0.5	0.02	29.6	494	4.6	27
1417941	9	<1	<1	0.15	18	16	0.92	427	<0.5	0.02	29.7	1680	5.2	47
1417942	12	<1	<1	0.36	41	34	1.19	618	<0.5	0.02	36.3	3070	19.9	118
1417943	8	<1	2	0.09	16	18	0.55	296	0.8	0.01	23.3	694	12.5	36
1417944	13	<1	<1	0.36	39	74	1.20	896	1.5	0.03	41.6	2090	61.3	142
1417945	8	<1	<1	0.09	14	26	0.69	414	<0.5	0.01	28.6	342	10.2	31
1417946	10	<1	<1	0.08	10	15	0.59	342	<0.5	0.01	22.7	480	5.4	24
1417947	9	<1	<1	0.09	10	10	0.95	584	<0.5	0.03	25.4	877	2.1	22
1417948	8	<1	<1	0.09	11	11	0.84	398	3.0	0.03	24.6	952	4.0	19
1417949	11	<1	<1	0.15	12	9	1.34	736	<0.5	0.06	30.8	1130	1.8	41
1417950	8	<1	<1	0.09	13	10	0.99	513	<0.5	0.06	18.1	712	1.8	24
1417951	8	<1	<1	0.10	11	10	1.07	607	<0.5	0.06	14.7	1160	1.5	26
1417952	10	<1	<1	0.13	9	13	1.02	488	<0.5	0.03	17.9	604	2.4	33
1417953	10	<1	<1	0.16	13	13	1.53	848	<0.5	0.07	11.2	1210	1.9	38
1417954	12	<1	<1	0.10	7	14	0.97	318	<0.5	0.02	18.6	317	2.1	28
1417955	7	<1	<1	0.09	8	12	1.10	446	0.7	0.03	24.2	527	0.7	25
1417956	8	<1	<1	0.08	8	11	1.62	574	<0.5	0.04	38.0	479	0.7	23
1417957	13	<1	<1	0.42	18	15	1.93	987	<0.5	0.02	40.6	761	2.1	109
1417958	12	<1	<1	0.40	10	17	1.73	976	<0.5	0.02	43.6	1010	<0.5	96
1417959	11	<1	<1	0.11	9	16	0.88	403	<0.5	0.02	31.3	512	1.9	30
1417960	11	<1	<1	0.13	11	16	1.64	505	<0.5	0.04	39.4	612	4.5	37
1417961	9	<1	<1	0.10	7	12	1.30	542	<0.5	0.05	27.1	642	2.9	28
1417962	9	<1	<1	0.19	12	11	1.27	626	<0.5	0.02	24.1	1310	2.0	36
1417963	8	<1	<1	0.09	13	12	1.07	714	<0.5	0.03	21.6	1040	2.8	24
1417964	7	<1	<1	0.11	16	11	0.93	436	4.5	0.03	17.1	862	4.6	29

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y622204

PROJECT NO: RHYS

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: 0899948 BC LTD

ATTENTION TO: RASOOL MOHAMMAD

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jul 19, 2012

DATE RECEIVED: Jul 19, 2012

DATE REPORTED: Sep 05, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
1417965	9	<1	<1	0.09	11	11	0.87	540	<0.5	0.03	15.4	893	1.4	26
1417966	7	<1	<1	0.10	10	10	0.80	503	<0.5	0.02	12.0	687	2.9	25
1417967	7	<1	<1	0.12	12	9	0.74	492	<0.5	0.06	16.0	1010	3.9	28
1417968	8	<1	<1	0.07	14	10	0.70	443	<0.5	0.05	23.0	962	3.8	21
1417969	9	<1	<1	0.27	11	14	1.91	413	<0.5	0.02	147	947	3.0	60
1417970	9	<1	<1	0.13	11	19	0.85	390	<0.5	0.02	52.7	511	4.9	50
1417971	9	<1	<1	0.21	13	12	2.50	502	<0.5	0.02	188	900	1.8	77
1417972	7	<1	<1	0.19	16	11	1.79	311	<0.5	0.03	132	993	2.9	68
1417973	7	<1	<1	0.20	14	10	1.61	352	<0.5	0.03	120	1100	2.4	62
1417974	8	<1	<1	0.20	9	11	1.76	885	0.6	0.02	111	768	3.1	86
1417975	10	<1	<1	0.28	11	16	1.51	402	1.2	0.02	102	597	4.4	78
1417976	7	<1	<1	0.16	10	16	1.14	396	<0.5	0.02	68.5	431	4.0	49
1417977	9	<1	<1	0.13	10	13	0.93	444	0.7	0.02	57.0	618	4.9	44
1417978	8	<1	<1	0.17	17	14	1.20	664	<0.5	0.03	75.9	777	4.6	58
1417979	7	<1	<1	0.14	10	14	1.23	414	<0.5	0.02	63.7	549	3.8	40
1417980	7	<1	<1	0.12	14	12	1.06	539	5.8	0.02	53.1	471	7.3	35
1417981	8	<1	<1	0.09	19	11	0.74	586	<0.5	0.02	47.0	1200	5.3	31
1417982	7	<1	<1	0.12	16	12	0.70	508	<0.5	0.02	29.0	706	3.4	29
1417983	6	<1	<1	0.11	20	13	0.89	447	<0.5	0.02	32.2	739	2.4	27
1417984	6	<1	<1	0.10	14	12	0.74	520	<0.5	0.02	29.5	730	3.4	25
1417985	8	<1	<1	0.12	14	13	0.68	571	<0.5	0.02	25.6	518	3.0	34
1417986	9	<1	<1	0.11	11	15	0.78	741	<0.5	0.02	27.8	292	3.0	37
1417987	11	<1	<1	0.20	17	17	0.48	410	<0.5	0.01	21.6	1010	1.6	50
1417988	8	<1	<1	0.09	11	14	0.79	546	<0.5	0.02	22.2	312	3.4	23
1417989	8	<1	<1	0.11	10	15	0.77	433	<0.5	0.02	22.6	204	2.7	28
1417990	8	<1	<1	0.11	19	13	0.83	516	<0.5	0.03	26.5	624	3.0	27
1417991	8	<1	<1	0.12	14	15	1.00	564	<0.5	0.03	26.1	442	3.1	29
1417992	8	<1	<1	0.10	14	11	1.31	663	<0.5	0.06	52.5	1230	2.1	31
1417993	8	<1	<1	0.11	17	12	1.12	581	<0.5	0.07	34.9	1140	2.9	29
1418051	9	<1	<1	0.44	12	18	2.51	549	<0.5	0.03	144	1040	15.1	126
1418052	9	<1	<1	0.17	10	15	0.96	491	<0.5	0.02	50.7	742	13.3	70
1418053	7	<1	<1	0.25	18	12	1.29	568	1.3	0.02	74.3	892	75.7	83

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y622204

PROJECT NO: RHYS

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: 0899948 BC LTD

ATTENTION TO: RASOOL MOHAMMAD

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jul 19, 2012		DATE RECEIVED: Jul 19, 2012				DATE REPORTED: Sep 05, 2012				SAMPLE TYPE: Soil					
Analyte:		Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:		ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:		5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description															
1418054		8	<1	<1	0.17	23	12	0.71	1090	2.7	0.02	29.9	836	85.4	85
1418055		9	<1	<1	0.16	14	14	0.80	713	3.9	0.02	32.0	627	30.0	71
1418056		7	<1	<1	0.12	13	10	0.58	920	2.1	0.02	16.3	640	87.2	47
1418057		7	<1	<1	0.13	13	13	0.54	936	1.6	0.01	25.5	507	154	51
1418058		7	<1	<1	0.12	17	12	0.66	782	1.1	0.02	23.3	1130	73.6	36
1418059		<5	<1	<1	0.12	11	3	0.17	258	1.5	0.02	9.4	724	115	23
1418060		<5	<1	<1	0.06	5	1	0.07	125	1.0	0.02	4.6	884	43.1	11
1418061		<5	<1	<1	0.06	4	1	0.10	134	0.9	0.02	5.3	1380	8.9	11
1418062		10	<1	<1	0.10	88	26	0.60	1060	2.0	0.01	23.1	781	513	50
1418063		7	<1	<1	0.14	35	18	0.53	698	1.6	0.02	16.6	885	121	66
1418064		7	<1	1	0.12	33	21	0.65	361	1.6	0.02	18.5	1030	121	41
1418065		7	<1	<1	0.14	14	11	0.50	360	1.5	0.02	12.1	506	93.2	45
1418066		5	<1	<1	0.12	18	12	0.66	450	1.8	0.03	19.6	951	74.0	36
1418067		5	<1	<1	0.12	21	12	0.52	428	2.8	0.02	16.6	709	94.1	32
1418068		6	<1	<1	0.13	23	12	0.55	429	1.5	0.02	21.4	625	126	41
1418069		7	<1	<1	0.28	18	12	1.07	578	1.6	0.02	61.7	874	59.5	87
1418070		8	<1	<1	0.21	15	14	1.08	465	0.5	0.02	66.1	1220	15.6	66
1418071		9	<1	<1	0.28	11	19	2.07	471	2.1	0.03	128	692	40.5	64
1418072		9	<1	<1	0.13	14	18	1.03	438	1.5	0.03	33.1	411	14.9	39
1418073		9	<1	<1	0.30	12	15	1.10	751	1.2	0.03	43.5	788	61.7	117
1418074		6	<1	<1	0.13	18	12	0.67	437	<0.5	0.02	35.3	404	69.1	39
1418075		9	<1	<1	0.11	24	12	0.48	618	1.5	0.01	17.8	727	82.8	38
1418076		7	<1	<1	0.13	22	12	0.66	394	2.9	0.02	24.1	909	74.3	33
1418077		6	<1	<1	0.11	21	13	0.65	447	1.7	0.03	20.5	1210	231	22
1418078		6	<1	<1	0.09	15	11	0.65	773	0.8	0.02	24.2	881	169	16
1418079		7	<1	<1	0.11	29	18	0.64	1100	1.6	0.02	21.3	1190	94.8	35
1418080		9	<1	<1	0.14	18	23	0.59	1110	2.3	0.01	18.1	1030	132	63
1418081		8	<1	<1	0.09	50	14	0.44	1320	2.4	0.01	18.9	741	125	43
1418082		11	<1	<1	0.06	14	17	1.51	656	<0.5	0.03	42.1	784	7.5	14
1418083		10	<1	<1	0.09	16	16	0.91	401	<0.5	0.02	27.9	636	5.0	24
1418084		11	<1	<1	0.07	10	13	1.48	744	0.7	0.04	40.3	1260	1.2	20
1418085		12	<1	<1	0.07	10	12	1.84	1160	4.5	0.10	39.0	1790	7.2	17

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y622204

PROJECT NO: RHYS

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: 0899948 BC LTD

ATTENTION TO: RASOOL MOHAMMAD

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jul 19, 2012

DATE RECEIVED: Jul 19, 2012

DATE REPORTED: Sep 05, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
1418086	11	<1	<1	0.12	6	15	2.60	666	<0.5	0.04	64.3	563	2.0	32
1418087	13	<1	<1	0.06	8	13	0.89	751	0.5	0.01	23.5	912	7.0	22
1418088	19	<1	<1	0.07	10	24	2.43	1380	1.0	0.02	10.8	1200	14.6	24
1418089	7	<1	<1	0.08	14	13	1.28	542	<0.5	0.05	20.2	1070	3.7	13
1418090	10	<1	<1	0.08	12	13	0.97	584	<0.5	0.03	19.8	1160	5.8	18
1418091	11	<1	<1	0.08	12	14	1.01	629	0.5	0.03	20.4	1210	5.8	16
1418092	7	<1	<1	0.07	12	14	0.98	480	<0.5	0.02	25.1	618	5.0	15
1418093	11	<1	<1	0.08	13	19	0.89	440	1.2	0.02	21.1	815	7.3	23
1418094	10	<1	<1	0.08	10	17	1.30	516	1.5	0.02	21.8	1110	5.9	22
1418095	9	<1	<1	0.11	14	20	1.18	541	<0.5	0.02	35.2	739	5.2	20
1418096	7	<1	<1	0.10	14	17	0.86	441	<0.5	0.02	30.2	598	5.7	19
1418097	7	<1	1	0.11	14	17	1.06	578	0.6	0.03	36.4	537	6.6	16
1418098	8	<1	<1	0.09	14	15	1.18	451	<0.5	0.02	23.0	1010	3.7	18
1418099	9	<1	<1	0.09	11	18	0.64	406	<0.5	0.01	15.1	733	5.8	35
1418100	8	<1	<1	0.11	12	16	0.70	419	<0.5	0.02	26.5	766	7.5	20
1418101	9	<1	<1	0.09	14	18	0.75	591	1.0	0.02	48.5	508	45.4	30
1418102	7	<1	<1	0.08	11	15	0.59	381	<0.5	0.02	28.5	692	20.1	19
1418103	7	<1	<1	0.16	18	14	0.68	509	2.9	0.04	31.0	1830	70.7	37
1418104	7	<1	<1	0.10	14	13	0.47	333	1.1	0.02	18.4	951	44.7	21
1418105	7	<1	<1	0.12	20	13	0.56	241	2.8	0.02	15.6	1170	117	26
1418106	8	<1	<1	0.09	16	20	0.54	383	1.5	0.02	17.8	847	60.9	24
1418107	6	<1	<1	0.10	21	17	0.52	1630	1.7	0.02	21.1	1240	60.3	25
1418108	<5	<1	<1	0.13	30	15	0.57	838	2.0	0.03	22.5	1800	81.1	28
1418109	8	<1	<1	0.12	22	22	0.58	828	1.9	0.02	24.9	1350	45.2	35
1418110	7	<1	<1	0.10	24	20	0.59	907	1.8	0.02	26.8	1360	37.6	33
1418111	10	<1	<1	0.13	40	25	0.61	751	3.8	0.02	26.8	1120	51.3	53
1418112	7	<1	<1	0.10	19	21	0.56	614	2.5	0.02	23.1	1240	30.4	20
1418113	8	<1	2	0.12	19	20	0.52	548	3.4	0.02	18.8	1110	251	41
1418114	6	<1	<1	0.09	21	12	0.33	675	2.4	0.02	12.7	715	133	28
1418115	7	<1	<1	0.11	18	13	0.63	278	1.6	0.02	24.8	1250	99.4	26
1418116	6	<1	<1	0.09	18	16	0.59	219	1.0	0.02	17.1	1260	47.1	30
1418117	6	<1	<1	0.10	18	17	0.57	362	0.7	0.02	17.2	1300	57.5	29

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y622204

PROJECT NO: RHYS

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: 0899948 BC LTD

ATTENTION TO: RASOOL MOHAMMAD

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jul 19, 2012

DATE RECEIVED: Jul 19, 2012

DATE REPORTED: Sep 05, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
1418118	7	<1	<1	0.10	12	14	0.59	341	0.9	0.02	26.1	609	31.2	30
1418119	7	<1	<1	0.06	12	12	0.37	220	0.8	0.01	16.3	597	24.6	22
1418120	6	<1	<1	0.12	12	18	0.86	416	0.6	0.02	47.4	492	24.8	30
1418121	6	<1	<1	0.18	11	17	1.92	727	<0.5	0.02	116	894	36.7	64
1418122	6	<1	<1	0.21	12	15	1.24	495	4.7	0.02	66.6	839	16.2	51
1418123	6	<1	<1	0.12	16	13	0.70	249	1.6	0.02	26.9	1170	93.0	39
1418124	8	<1	<1	0.08	12	14	0.52	485	0.9	0.01	23.6	938	48.4	24
1418125	5	<1	<1	0.11	16	11	0.60	543	0.9	0.02	20.0	842	54.9	29
1418126	6	<1	<1	0.11	16	11	0.59	502	1.1	0.02	20.0	865	55.5	28
1418127	7	<1	<1	0.12	27	21	0.61	530	9.0	0.02	21.7	1020	97.3	38
1418128	9	<1	<1	0.09	11	9	0.29	403	2.6	0.01	9.0	652	55.7	37
1418129	7	<1	<1	0.09	19	13	0.45	1080	1.9	0.02	16.9	1320	127	26
1418130	8	<1	<1	0.11	16	20	0.51	698	3.6	0.02	20.7	987	97.6	50
1418131	6	<1	<1	0.10	15	10	0.77	706	0.5	0.03	35.2	1340	5.6	22
1418132	6	<1	<1	0.09	15	10	0.90	529	<0.5	0.04	30.4	1290	3.3	24
1418133	6	<1	<1	0.13	16	9	1.03	476	<0.5	0.05	36.6	1480	2.7	26
1418134	8	<1	<1	0.07	17	12	1.65	415	1.8	0.06	39.7	1510	1.7	19
1418135	10	<1	1	0.05	13	12	1.60	653	<0.5	0.03	28.5	1170	3.4	14
1418136	8	<1	<1	0.08	12	14	1.37	754	<0.5	0.04	38.7	1170	3.6	23
1418137	8	<1	<1	0.08	16	15	1.02	485	9.5	0.03	25.6	665	9.7	24
1418138	8	<1	<1	0.10	11	15	1.13	534	<0.5	0.02	35.9	959	2.9	36
1418139	<5	<1	1	0.07	10	7	0.52	409	<0.5	0.04	25.9	850	3.1	17
1418140	7	<1	<1	0.13	12	15	1.30	545	0.6	0.03	54.2	1080	4.2	46
1418141	8	<1	<1	0.10	10	13	0.77	288	<0.5	0.03	33.3	306	3.4	40
1418142	8	<1	<1	0.07	8	7	0.41	215	1.0	0.01	17.3	452	6.5	21
1418143	8	<1	<1	0.19	11	11	1.50	526	<0.5	0.04	84.3	1280	3.0	63
1418144	6	<1	<1	0.10	10	9	1.09	575	<0.5	0.03	65.9	1240	3.5	37
1418145	8	<1	<1	0.11	12	10	1.07	412	<0.5	0.03	68.4	1370	4.6	41
1418146	9	<1	<1	0.10	13	11	1.25	712	<0.5	0.03	79.2	1340	4.1	42
1418147	6	<1	<1	0.08	11	11	0.99	426	<0.5	0.03	54.8	1210	4.9	30
1418148	6	<1	<1	0.08	10	10	0.85	854	<0.5	0.03	46.3	1250	3.4	28
1418149	5	<1	<1	0.07	12	10	0.96	518	<0.5	0.02	59.3	1120	3.3	25

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y622204

PROJECT NO: RHYS

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: 0899948 BC LTD

ATTENTION TO: RASOOL MOHAMMAD

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jul 19, 2012

DATE RECEIVED: Jul 19, 2012

DATE REPORTED: Sep 05, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
1418150	8	<1	<1	0.11	10	12	1.13	650	<0.5	0.03	75.5	1240	3.5	53
1418151	6	<1	<1	0.08	9	9	0.97	340	<0.5	0.02	64.6	964	3.0	27
1418152	5	<1	<1	0.09	11	11	1.57	543	<0.5	0.02	92.6	1000	4.2	30
1418153	7	<1	<1	0.09	11	11	1.74	600	<0.5	0.02	121	1020	3.6	29
1418154	6	<1	<1	0.19	13	10	1.77	514	2.2	0.04	114	1480	2.6	45
1418155	6	<1	<1	0.09	19	13	1.03	355	2.9	0.02	59.3	1190	7.3	24
1418156	6	<1	<1	0.13	17	12	1.43	320	<0.5	0.03	84.7	1420	3.6	38
1418157	11	<1	<1	0.06	10	7	0.39	214	1.4	<0.01	13.1	387	6.5	17
1418158	9	<1	<1	0.16	13	13	2.09	652	1.2	0.03	125	1550	4.3	39
1418159	7	<1	<1	0.11	20	15	0.92	390	<0.5	0.03	41.9	1450	6.8	31
1418160	7	<1	<1	0.15	16	12	1.39	495	<0.5	0.03	80.0	1290	5.1	43
1418161	11	<1	<1	0.09	8	18	0.71	557	0.9	0.02	36.7	473	5.3	28
1418162	12	<1	<1	0.23	6	15	0.94	1020	<0.5	0.04	38.1	1140	3.5	70
1418163	8	<1	<1	0.11	25	10	0.41	736	0.7	<0.01	25.4	296	23.5	30
1418164	7	<1	<1	0.11	13	14	0.67	554	0.9	0.02	33.0	695	4.9	31
1418165	8	<1	<1	0.12	12	20	0.79	734	<0.5	0.02	37.6	850	5.4	27
1418166	10	<1	<1	0.10	11	15	0.62	539	<0.5	0.01	30.5	469	15.8	32
1418167	8	<1	<1	0.18	10	16	0.74	350	<0.5	0.02	33.4	499	4.2	43
1418168	8	<1	<1	0.11	11	18	0.60	577	<0.5	0.01	30.6	816	6.9	28
1418169	7	<1	<1	0.10	9	15	0.62	422	<0.5	0.02	28.7	697	6.2	30
1418170	9	<1	<1	0.17	31	12	0.61	565	4.8	0.02	34.0	1750	15.7	55
1418171	8	<1	<1	0.10	16	10	0.45	849	0.8	0.01	24.2	825	9.9	28
1418172	9	<1	<1	0.12	11	20	0.75	677	0.7	0.01	30.8	441	9.9	27
1418173	8	<1	<1	0.15	13	8	0.54	427	1.2	0.01	18.9	396	9.2	55
1418174	8	<1	<1	0.12	15	15	0.76	618	<0.5	0.02	28.7	394	9.5	31
1418175	10	<1	<1	0.13	23	16	0.71	781	0.8	0.01	28.6	733	13.7	42
1418176	9	<1	<1	0.13	17	11	0.59	403	1.2	0.02	19.4	552	15.9	39
1418177	9	<1	<1	0.10	11	19	0.64	492	0.7	0.01	24.7	593	10.1	26
1418178	8	<1	<1	0.09	9	9	0.43	389	1.3	0.01	19.3	478	11.4	22
1418179	9	<1	<1	0.09	14	15	0.62	627	0.8	0.01	27.8	438	16.5	26
1418180	9	<1	1	0.10	24	15	0.56	361	0.9	0.01	19.6	293	13.6	31
1418181	8	<1	<1	0.06	16	11	0.36	499	1.2	0.01	16.7	345	22.7	13

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y622204

PROJECT NO: RHYS

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: 0899948 BC LTD

ATTENTION TO: RASOOL MOHAMMAD

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jul 19, 2012

DATE RECEIVED: Jul 19, 2012

DATE REPORTED: Sep 05, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
1418182	7	<1	<1	0.06	14	10	0.34	440	1.2	0.01	16.3	325	22.1	12
1418183	6	<1	<1	0.10	15	11	0.56	795	1.8	0.02	18.3	651	17.2	25
1418184	6	<1	<1	0.08	15	10	0.51	490	1.4	0.02	18.8	727	15.5	24
1418185	8	<1	<1	0.09	16	11	0.53	496	3.0	0.02	20.0	751	17.3	26
1418186	7	<1	<1	0.09	13	11	0.60	826	0.8	0.02	20.7	786	9.3	22
1418187	7	<1	<1	0.09	14	12	0.77	474	<0.5	0.03	25.7	911	7.7	25
1418188	9	<1	<1	0.10	16	11	0.80	448	<0.5	0.03	26.8	1010	8.1	25
1418189	6	<1	<1	0.08	12	11	0.76	508	<0.5	0.03	23.6	999	6.3	21
1418190	6	<1	<1	0.09	15	10	0.70	633	<0.5	0.03	25.3	982	5.8	23
1418191	13	<1	<1	0.12	14	13	0.96	483	<0.5	0.02	49.4	370	<0.5	36
1418192	7	<1	<1	0.15	30	8	0.37	1060	<0.5	0.02	13.2	1310	0.8	28
1418193	8	<1	<1	0.09	9	22	1.52	493	0.6	0.03	88.8	269	1.6	18
1418194	13	<1	<1	0.17	5	20	1.76	1070	2.0	0.06	16.5	612	<0.5	35
1418195	12	<1	<1	0.11	9	15	1.27	881	0.7	0.04	24.1	341	<0.5	38
1418196	7	<1	<1	0.09	7	15	1.37	642	<0.5	0.05	19.0	508	<0.5	18
1418197	9	<1	<1	0.08	6	14	1.08	455	<0.5	0.03	19.1	247	<0.5	27
1418198	8	<1	<1	0.07	11	15	1.07	630	2.1	0.04	28.8	455	2.1	15
1418199	11	<1	<1	0.64	6	28	3.72	385	1.4	0.01	286	804	<0.5	113
1418200	11	<1	<1	0.14	15	22	1.91	532	<0.5	0.02	60.0	1570	0.9	35
1418201	10	<1	<1	0.14	38	21	1.24	461	4.0	0.02	53.3	1050	8.4	44
1418202	12	<1	<1	0.33	28	19	1.71	636	<0.5	0.02	61.2	1570	4.1	96
1418203	16	<1	<1	0.22	29	22	2.25	591	<0.5	<0.01	84.2	1120	7.7	61
1418204	9	<1	<1	0.15	14	21	1.48	525	<0.5	0.02	58.9	1080	18.0	42
1418205	12	<1	<1	0.12	22	30	2.29	616	<0.5	0.01	105	1090	8.6	42
1418206	11	<1	<1	0.16	17	28	1.97	622	<0.5	0.01	78.0	2050	8.8	41
1418207	10	<1	<1	0.09	11	19	1.81	351	<0.5	0.02	59.8	874	14.7	32
1418208	11	<1	<1	0.10	16	12	0.77	676	0.6	0.02	24.6	346	6.0	29
1418209	10	<1	<1	0.13	16	13	1.24	906	<0.5	0.02	36.0	1030	4.5	38
1418210	9	<1	<1	0.16	14	11	1.06	850	<0.5	0.02	35.4	1350	6.9	33
1418211	10	<1	<1	0.10	12	14	0.89	462	<0.5	0.01	34.6	228	5.8	20
1418212	6	<1	<1	0.10	15	10	0.75	534	<0.5	0.04	20.9	982	5.4	15
1418213	7	<1	<1	0.13	18	12	1.01	558	<0.5	0.03	35.7	1150	4.2	34

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y622204

PROJECT NO: RHYS

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: 0899948 BC LTD

ATTENTION TO: RASOOL MOHAMMAD

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jul 19, 2012

DATE RECEIVED: Jul 19, 2012

DATE REPORTED: Sep 05, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
1418214	10	<1	<1	0.07	14	18	0.80	503	<0.5	0.03	22.8	553	2.3	21
1418215	12	<1	<1	0.07	15	18	0.83	537	0.5	0.03	23.8	609	3.4	24
1418216	10	<1	<1	0.08	12	16	0.84	524	1.8	0.03	24.7	653	5.4	22
1418217	8	<1	<1	0.05	11	11	0.70	768	<0.5	0.03	23.2	604	6.0	14
1418218	10	<1	<1	0.11	15	18	0.85	457	<0.5	0.02	25.1	536	5.0	36
1418219	13	<1	1	0.11	15	26	1.28	742	<0.5	0.02	36.2	2150	9.4	43
1418220	7	<1	<1	0.14	28	11	0.53	432	0.8	0.02	15.5	488	5.9	36
1418251	7	<1	<1	0.09	13	12	0.72	524	<0.5	0.02	23.0	959	5.0	19
1418252	8	<1	<1	0.15	16	14	0.97	501	<0.5	0.02	21.8	1240	16.5	37
1418253	7	<1	<1	0.08	9	10	0.24	366	<0.5	<0.01	21.3	1020	6.6	21
1418254	7	<1	<1	0.07	12	16	0.55	444	<0.5	0.02	33.5	626	5.6	21
1418255	7	<1	<1	0.06	8	19	0.39	318	<0.5	0.01	29.2	815	3.9	15
1418256	8	<1	<1	0.06	11	18	0.51	302	<0.5	0.01	32.5	396	4.8	14
1418257	6	<1	<1	0.09	16	15	0.69	751	<0.5	0.02	47.3	1510	3.9	21
1418258	7	<1	<1	0.18	16	12	0.97	531	<0.5	0.04	90.1	1470	3.0	52
1418259	8	<1	<1	0.09	17	15	0.66	320	<0.5	0.03	48.7	1300	5.0	20
1418260	7	<1	<1	0.09	9	8	0.33	407	3.7	<0.01	15.4	871	7.4	29
1418261	11	<1	<1	0.13	10	16	0.46	452	0.8	0.01	33.6	872	6.6	40
1418262	8	<1	<1	0.07	9	14	0.31	268	1.0	0.01	29.0	898	6.0	17
1418263	6	<1	<1	0.09	10	19	0.40	371	0.6	0.01	30.8	739	7.5	17
1418264	8	<1	<1	0.08	9	16	0.30	260	0.6	<0.01	18.6	600	7.0	26
1418265	9	<1	<1	0.31	16	7	0.67	683	<0.5	0.02	90.8	2150	1.9	57
1418266	7	<1	<1	0.45	17	6	0.65	466	0.7	0.01	82.4	2510	7.4	72
1418267	7	<1	<1	0.46	21	9	0.90	432	<0.5	0.02	141	2570	5.1	66
1418268	11	<1	<1	0.06	5	13	2.31	1100	<0.5	0.03	98.0	396	<0.5	<10
1418269	7	<1	<1	0.11	8	13	0.86	320	<0.5	0.02	10.4	378	3.5	19
1418270	6	<1	<1	0.08	9	16	0.66	347	<0.5	0.02	20.2	228	2.4	<10
1418271	8	<1	<1	0.05	7	11	0.31	203	<0.5	0.01	12.9	355	4.5	<10
1418272	9	<1	<1	0.09	8	14	0.63	275	<0.5	0.02	17.7	204	3.2	20
1418273	7	<1	<1	0.16	14	18	1.02	522	<0.5	0.03	20.5	854	4.2	33
1418274	10	<1	<1	0.14	12	20	0.82	726	<0.5	0.02	28.6	409	7.2	45
1418275	10	<1	<1	0.14	21	14	0.93	779	3.7	0.03	32.8	422	8.3	31

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y622204

PROJECT NO: RHYS

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: 0899948 BC LTD

ATTENTION TO: RASOOL MOHAMMAD

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jul 19, 2012

DATE RECEIVED: Jul 19, 2012

DATE REPORTED: Sep 05, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
1418276	10	<1	<1	0.07	11	15	0.53	426	<0.5	0.02	28.2	241	7.6	17
1418277	9	<1	<1	0.16	21	12	0.72	430	<0.5	0.01	4.7	250	33.1	34
1418278	8	<1	<1	0.07	7	11	0.43	241	1.2	0.02	13.7	268	5.8	12
1418279	5	<1	<1	0.07	10	15	0.67	344	<0.5	0.02	20.1	224	4.0	12
1418280	8	<1	<1	0.08	13	14	0.74	682	<0.5	0.03	22.9	414	5.9	15
1418281	5	<1	<1	0.19	10	11	1.86	593	<0.5	0.06	86.9	1000	4.2	32
1418282	10	<1	<1	0.12	7	16	0.82	475	<0.5	0.04	20.9	313	5.6	16
1418283	11	<1	<1	0.09	13	16	1.06	611	<0.5	0.04	17.6	504	1.2	11
1418284	9	<1	<1	0.10	19	15	0.71	495	<0.5	0.03	20.1	422	4.3	18
1418285	10	<1	<1	0.10	18	19	1.49	681	<0.5	0.04	87.6	407	4.4	20
1418286	7	<1	<1	0.13	8	11	0.67	567	<0.5	0.02	23.9	467	<0.5	31
1418287	7	<1	<1	0.08	8	13	0.80	440	<0.5	0.04	22.5	251	4.7	18
1418288	6	<1	<1	0.07	9	10	0.72	431	1.1	0.05	16.3	408	3.3	<10
1418289	9	<1	<1	0.10	12	14	0.85	513	<0.5	0.04	28.1	503	3.9	17
1418290	10	<1	<1	0.10	10	16	0.82	430	2.1	0.03	27.8	261	4.3	29
1418291	9	<1	<1	0.13	13	10	0.46	266	0.6	0.01	10.4	209	6.3	33
1418292	7	<1	<1	0.09	22	14	0.59	421	<0.5	0.02	20.5	297	5.1	17
1418293	5	<1	<1	0.13	19	12	0.56	322	<0.5	0.02	16.4	174	5.5	31
1418294	6	<1	<1	0.13	28	12	0.55	396	<0.5	0.02	36.6	153	5.9	28
1418295	6	<1	<1	0.10	10	11	0.40	266	0.7	0.01	25.1	145	11.3	29
1418296	8	<1	<1	0.09	41	14	0.58	477	<0.5	0.02	32.1	261	10.0	24
1418297	9	<1	<1	0.13	24	16	0.54	303	1.2	0.02	19.3	186	8.4	34
1418298	10	<1	<1	0.26	11	18	0.54	362	<0.5	0.01	20.8	121	8.1	89
1418299	6	<1	<1	0.10	27	14	0.66	369	<0.5	0.03	31.3	173	5.0	17
1418300	10	<1	<1	0.18	24	19	0.91	618	<0.5	0.01	57.7	429	6.2	60

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y622204

PROJECT NO: RHYS

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: 0899948 BC LTD

ATTENTION TO: RASOOL MOHAMMAD

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jul 19, 2012

DATE RECEIVED: Jul 19, 2012

DATE REPORTED: Sep 05, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	5	5	0.5	1
Sample Description														
1417901	0.063	<1	1.5	<10	<5	19.3	<10	<10	<5	0.07	<5	<5	39.9	<1
1417902	0.018	<1	4.4	<10	<5	30.3	<10	<10	7	0.14	<5	<5	78.4	<1
1417903	0.033	<1	5.0	<10	<5	34.1	<10	<10	<5	0.15	<5	<5	86.2	<1
1417904	0.070	<1	4.5	<10	<5	35.2	<10	<10	<5	0.10	<5	<5	70.8	<1
1417905	0.040	2	3.8	<10	<5	31.5	<10	<10	<5	0.14	<5	<5	75.9	<1
1417906	0.016	1	4.6	<10	<5	20.7	<10	<10	9	0.15	<5	<5	88.6	<1
1417907	0.028	3	4.5	<10	<5	21.3	<10	<10	10	0.15	<5	<5	91.4	<1
1417908	0.050	2	4.5	<10	<5	42.0	<10	<10	8	0.12	<5	<5	72.3	<1
1417909	0.019	2	6.5	<10	<5	34.3	<10	<10	12	0.17	<5	<5	91.3	<1
1417910	0.021	3	4.1	<10	<5	23.6	<10	<10	13	0.15	<5	<5	77.4	<1
1417911	0.016	<1	3.0	<10	<5	24.2	<10	<10	8	0.12	<5	<5	71.1	<1
1417912	0.013	2	3.4	<10	<5	19.3	<10	<10	9	0.14	<5	<5	80.5	<1
1417913	0.017	2	3.4	<10	<5	19.1	<10	<10	9	0.15	<5	<5	82.4	<1
1417914	0.029	<1	3.8	<10	<5	24.1	<10	<10	9	0.16	<5	<5	80.3	1
1417915	0.029	1	2.5	<10	<5	26.4	<10	<10	<5	0.12	<5	<5	66.2	<1
1417916	0.039	<1	4.7	<10	<5	36.9	<10	<10	6	0.13	<5	<5	79.0	<1
1417917	0.010	<1	3.8	<10	<5	25.5	<10	<10	14	0.14	<5	<5	84.5	<1
1417918	0.026	1	3.4	<10	<5	22.1	<10	<10	7	0.14	<5	<5	90.6	<1
1417919	0.015	<1	3.5	<10	<5	21.4	<10	<10	13	0.13	<5	<5	73.5	<1
1417920	0.014	<1	3.1	<10	<5	26.5	<10	<10	13	0.14	<5	<5	82.2	<1
1417921	0.020	<1	3.3	<10	<5	19.3	<10	<10	7	0.12	<5	<5	73.1	<1
1417922	0.010	1	3.2	<10	<5	26.5	<10	<10	13	0.13	<5	<5	78.0	<1
1417923	0.013	<1	8.7	<10	<5	75.4	<10	<10	<5	0.11	<5	<5	99.4	<1
1417924	0.016	<1	8.1	<10	<5	60.5	<10	<10	7	0.11	<5	<5	95.3	<1
1417925	0.022	<1	12.1	<10	<5	93.1	<10	<10	<5	0.11	<5	<5	91.3	<1
1417926	0.009	<1	8.7	<10	<5	154	<10	<10	6	0.24	<5	<5	112	<1
1417927	0.017	<1	15.6	<10	<5	75.1	<10	<10	5	0.10	<5	<5	125	<1
1417928	0.032	<1	7.8	<10	<5	64.1	<10	<10	<5	0.10	<5	<5	85.2	<1
1417929	0.012	<1	9.3	<10	<5	57.0	<10	<10	<5	0.18	<5	<5	103	<1
1417930	0.012	<1	6.4	<10	<5	29.0	<10	<10	7	0.16	<5	<5	100	<1
1417931	0.007	<1	5.2	<10	<5	28.8	<10	<10	5	0.12	<5	<5	79.3	<1
1417932	0.010	<1	7.5	<10	<5	46.3	<10	<10	<5	0.19	<5	<5	105	<1

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y622204

PROJECT NO: RHYS

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: 0899948 BC LTD

ATTENTION TO: RASOOL MOHAMMAD

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jul 19, 2012

DATE RECEIVED: Jul 19, 2012

DATE REPORTED: Sep 05, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	5	5	0.5	1
Sample Description														
1417933	0.013	<1	3.9	<10	<5	26.5	<10	<10	<5	0.11	<5	<5	71.4	<1
1417934	0.010	2	5.7	<10	<5	48.7	<10	<10	<5	0.20	<5	<5	102	<1
1417935	0.010	<1	6.0	<10	<5	38.8	<10	<10	<5	0.20	<5	<5	98.4	<1
1417936	0.014	<1	5.2	<10	<5	26.0	<10	<10	6	0.13	<5	<5	90.8	<1
1417937	0.014	1	7.2	<10	<5	40.7	<10	<10	<5	0.22	5	<5	109	<1
1417938	0.010	<1	6.2	<10	<5	48.7	<10	<10	7	0.26	<5	<5	135	<1
1417939	0.008	<1	6.4	<10	<5	40.0	<10	<10	6	0.28	5	<5	127	<1
1417940	0.010	1	5.7	<10	<5	33.0	<10	<10	6	0.24	<5	<5	97.2	<1
1417941	0.015	<1	5.5	<10	<5	25.5	<10	<10	7	0.18	<5	<5	96.9	<1
1417942	0.015	<1	5.6	<10	<5	31.8	<10	<10	18	0.25	6	<5	96.9	<1
1417943	0.015	<1	3.6	<10	<5	18.6	<10	<10	11	0.13	<5	<5	72.6	<1
1417944	0.015	<1	5.4	<10	<5	23.5	<10	<10	28	0.26	<5	<5	94.4	2
1417945	0.011	<1	4.7	<10	<5	20.7	<10	<10	9	0.14	<5	<5	75.0	<1
1417946	0.020	<1	6.1	<10	<5	20.3	<10	<10	8	0.13	<5	<5	85.1	<1
1417947	0.014	<1	8.3	<10	<5	67.2	<10	<10	<5	0.14	<5	<5	112	<1
1417948	0.021	<1	6.7	<10	<5	53.8	<10	<10	5	0.13	<5	<5	102	<1
1417949	0.023	<1	19.4	<10	<5	124	<10	<10	<5	0.10	<5	<5	98.3	<1
1417950	0.026	<1	13.1	<10	<5	90.2	<10	<10	<5	0.11	<5	<5	96.4	<1
1417951	0.022	<1	14.0	<10	<5	92.6	<10	<10	<5	0.11	5	<5	112	<1
1417952	0.015	<1	11.7	<10	<5	82.1	<10	<10	<5	0.13	<5	<5	110	<1
1417953	0.021	<1	15.1	<10	<5	102	<10	<10	<5	0.12	6	<5	114	<1
1417954	0.009	<1	10.9	<10	<5	33.5	<10	<10	5	0.12	<5	<5	106	<1
1417955	0.041	<1	8.4	<10	<5	103	<10	<10	<5	0.10	<5	<5	80.8	<1
1417956	0.011	<1	9.1	<10	<5	70.2	<10	<10	<5	0.12	<5	<5	88.7	<1
1417957	0.012	2	23.2	<10	<5	76.8	<10	<10	<5	0.08	<5	<5	130	<1
1417958	0.016	<1	19.3	<10	<5	70.4	<10	<10	<5	0.13	6	<5	136	<1
1417959	0.015	<1	7.5	<10	<5	31.3	<10	<10	<5	0.15	<5	<5	104	<1
1417960	0.010	3	11.9	<10	<5	57.3	<10	<10	5	0.12	<5	<5	107	<1
1417961	0.028	<1	8.4	<10	<5	70.8	<10	<10	<5	0.12	<5	<5	97.4	<1
1417962	0.051	2	15.0	<10	<5	72.9	<10	<10	<5	0.06	<5	<5	110	<1
1417963	0.053	3	13.5	<10	<5	84.6	<10	<10	<5	0.07	<5	<5	95.5	<1
1417964	0.041	1	11.8	<10	<5	78.6	<10	<10	<5	0.11	<5	<5	86.7	<1

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y622204

PROJECT NO: RHYS

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: 0899948 BC LTD

ATTENTION TO: RASOOL MOHAMMAD

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jul 19, 2012

DATE RECEIVED: Jul 19, 2012

DATE REPORTED: Sep 05, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	5	5	0.5	1
Sample Description														
1417965	0.015	1	13.1	<10	<5	54.7	<10	<10	<5	0.10	<5	<5	108	<1
1417966	0.025	<1	10.1	<10	<5	59.2	<10	<10	<5	0.10	<5	<5	79.9	<1
1417967	0.041	1	7.6	<10	<5	76.4	<10	<10	<5	0.12	<5	<5	59.8	<1
1417968	0.018	2	9.4	<10	<5	54.6	<10	<10	7	0.12	<5	<5	100	<1
1417969	0.012	1	3.2	<10	<5	32.1	<10	<10	<5	0.21	<5	<5	88.7	<1
1417970	0.014	<1	3.6	<10	<5	20.9	<10	<10	<5	0.19	<5	<5	93.1	<1
1417971	0.006	2	3.6	<10	<5	24.0	<10	<10	<5	0.19	5	<5	74.2	<1
1417972	0.009	<1	4.3	<10	<5	29.5	<10	<10	<5	0.16	<5	<5	63.6	<1
1417973	0.007	<1	4.0	<10	<5	29.9	<10	<10	<5	0.17	<5	<5	66.2	<1
1417974	0.013	<1	3.7	<10	<5	32.6	<10	<10	<5	0.19	<5	<5	76.0	<1
1417975	0.010	<1	3.8	<10	<5	23.5	<10	<10	<5	0.23	<5	<5	96.8	<1
1417976	0.009	1	3.7	<10	<5	25.0	<10	<10	<5	0.17	<5	<5	80.0	<1
1417977	0.013	<1	4.1	<10	<5	27.2	<10	<10	<5	0.15	<5	<5	85.5	<1
1417978	0.018	1	7.3	<10	<5	39.4	<10	<10	5	0.13	<5	<5	87.2	<1
1417979	0.009	<1	4.5	<10	<5	34.9	<10	<10	<5	0.15	<5	<5	81.5	<1
1417980	0.008	<1	5.4	<10	<5	31.7	<10	<10	<5	0.16	<5	<5	78.2	<1
1417981	0.034	2	8.4	<10	<5	42.3	<10	<10	6	0.08	<5	<5	73.2	<1
1417982	0.012	<1	7.7	<10	<5	33.7	<10	<10	5	0.07	<5	<5	68.7	<1
1417983	0.028	<1	9.3	<10	<5	47.7	<10	<10	<5	0.08	<5	<5	67.8	<1
1417984	0.029	<1	9.1	<10	<5	44.7	<10	<10	<5	0.07	<5	<5	74.4	<1
1417985	0.019	<1	10.9	<10	<5	42.1	<10	<10	<5	0.07	<5	<5	82.3	<1
1417986	0.009	<1	9.5	<10	<5	41.0	<10	<10	<5	0.10	<5	<5	92.0	<1
1417987	0.019	1	26.7	<10	<5	36.5	<10	<10	5	0.03	<5	<5	128	<1
1417988	0.009	<1	7.2	<10	<5	36.2	<10	<10	<5	0.11	<5	<5	85.7	<1
1417989	0.008	<1	6.9	<10	<5	34.7	<10	<10	<5	0.10	<5	<5	90.2	<1
1417990	0.018	2	12.1	<10	<5	45.2	<10	<10	<5	0.15	<5	<5	92.7	<1
1417991	0.008	1	10.0	<10	<5	46.0	<10	<10	<5	0.13	<5	<5	95.4	<1
1417992	0.008	<1	8.9	<10	<5	71.0	<10	<10	7	0.14	<5	<5	99.8	<1
1417993	0.031	<1	8.5	<10	<5	89.3	<10	<10	<5	0.13	<5	<5	78.8	<1
1418051	0.016	<1	4.2	<10	<5	44.3	<10	<10	<5	0.20	<5	<5	88.1	<1
1418052	0.021	1	3.2	<10	<5	31.2	<10	<10	<5	0.16	<5	<5	90.3	<1
1418053	0.066	4	3.3	<10	<5	33.6	<10	<10	5	0.14	6	<5	70.6	<1

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y622204

PROJECT NO: RHYS

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: 0899948 BC LTD

ATTENTION TO: RASOOL MOHAMMAD

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jul 19, 2012		DATE RECEIVED: Jul 19, 2012					DATE REPORTED: Sep 05, 2012					SAMPLE TYPE: Soil			
	Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
	Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description	RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	5	5	0.5	1
1418054		0.062	1	4.6	<10	<5	42.0	<10	<10	8	0.10	<5	<5	68.3	<1
1418055		0.031	1	4.7	<10	<5	39.7	<10	<10	<5	0.14	<5	<5	85.3	<1
1418056		0.030	2	3.4	<10	<5	37.3	<10	<10	<5	0.12	<5	<5	61.9	<1
1418057		0.052	<1	3.5	<10	<5	25.4	<10	<10	7	0.09	<5	<5	66.0	<1
1418058		0.017	2	4.2	<10	<5	28.2	<10	<10	7	0.12	<5	<5	73.0	<1
1418059		0.087	2	0.8	<10	<5	17.7	<10	<10	<5	0.04	<5	<5	41.6	<1
1418060		0.075	1	<0.5	<10	<5	13.7	<10	<10	<5	0.02	<5	<5	23.2	<1
1418061		0.116	<1	<0.5	<10	<5	14.8	<10	<10	<5	0.01	<5	<5	16.6	<1
1418062		0.032	4	8.5	<10	<5	22.1	<10	<10	15	0.07	5	9	76.7	<1
1418063		0.020	3	5.0	<10	<5	25.6	<10	<10	13	0.12	<5	<5	70.1	<1
1418064		0.040	2	4.8	<10	<5	30.4	<10	<10	6	0.10	<5	<5	61.6	<1
1418065		0.145	2	2.5	<10	<5	43.5	<10	<10	5	0.07	<5	<5	64.6	<1
1418066		0.047	1	5.0	<10	<5	39.9	<10	<10	6	0.15	<5	<5	75.9	<1
1418067		0.096	3	2.9	<10	<5	29.6	<10	<10	13	0.10	<5	<5	51.4	<1
1418068		0.092	2	3.8	<10	<5	30.5	<10	<10	10	0.09	<5	<5	57.1	<1
1418069		0.062	2	3.0	<10	<5	30.3	<10	<10	6	0.12	<5	<5	70.7	<1
1418070		0.013	2	4.4	<10	<5	31.0	<10	<10	8	0.19	<5	<5	108	<1
1418071		0.031	2	3.2	<10	<5	36.8	<10	<10	<5	0.16	6	<5	81.8	<1
1418072		0.028	<1	4.6	<10	<5	51.0	<10	<10	<5	0.19	<5	<5	109	<1
1418073		0.034	3	4.3	<10	<5	40.7	<10	<10	5	0.19	<5	<5	101	<1
1418074		0.095	2	3.9	<10	<5	27.3	<10	<10	12	0.11	<5	<5	64.4	<1
1418075		0.062	<1	3.2	<10	<5	31.9	<10	<10	16	0.07	<5	<5	61.8	<1
1418076		0.029	4	6.2	<10	<5	44.2	<10	<10	13	0.14	<5	<5	63.4	<1
1418077		0.036	3	6.2	<10	<5	40.0	<10	<10	8	0.16	7	<5	83.7	<1
1418078		0.038	<1	3.6	<10	<5	26.3	<10	<10	7	0.15	5	<5	83.9	<1
1418079		0.034	2	5.5	<10	<5	30.7	<10	<10	13	0.12	<5	<5	63.5	<1
1418080		0.022	6	3.9	<10	<5	23.7	<10	<10	13	0.11	<5	<5	74.3	<1
1418081		0.034	<1	3.6	<10	<5	29.6	<10	<10	11	0.09	5	<5	62.2	<1
1418082		0.015	<1	4.2	<10	<5	47.5	<10	<10	7	0.21	<5	5	103	<1
1418083		0.012	<1	5.5	<10	<5	36.1	<10	<10	9	0.18	<5	<5	94.7	<1
1418084		0.024	<1	3.2	<10	<5	55.5	<10	<10	9	0.18	<5	7	108	<1
1418085		0.011	<1	2.9	<10	<5	114	<10	<10	8	0.15	<5	7	81.0	<1

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y622204

PROJECT NO: RHYS

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: 0899948 BC LTD

ATTENTION TO: RASOOL MOHAMMAD

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jul 19, 2012		DATE RECEIVED: Jul 19, 2012					DATE REPORTED: Sep 05, 2012					SAMPLE TYPE: Soil			
	Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
	Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description	RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	5	5	0.5	1
1418086		0.015	<1	9.6	<10	<5	61.1	<10	<10	7	0.21	7	10	148	<1
1418087		0.014	<1	3.2	<10	<5	19.6	<10	<10	7	0.22	6	8	129	<1
1418088		0.019	<1	7.5	<10	<5	49.6	<10	<10	11	0.35	10	14	215	<1
1418089		0.011	<1	5.5	<10	<5	66.6	<10	<10	6	0.22	<5	<5	92.5	<1
1418090		0.023	<1	4.3	<10	<5	42.8	<10	<10	6	0.22	5	<5	113	<1
1418091		0.023	<1	4.3	<10	<5	43.4	<10	<10	6	0.22	<5	5	113	<1
1418092		0.009	<1	5.2	<10	<5	35.8	<10	<10	5	0.14	<5	<5	77.2	<1
1418093		0.013	<1	4.8	<10	<5	26.9	<10	<10	8	0.20	<5	<5	116	<1
1418094		0.021	<1	4.5	<10	<5	33.7	<10	<10	6	0.23	<5	5	110	<1
1418095		0.017	<1	5.3	<10	<5	37.7	<10	<10	8	0.20	<5	<5	92.9	<1
1418096		0.019	<1	5.2	<10	<5	36.8	<10	<10	8	0.17	<5	<5	88.6	<1
1418097		0.013	<1	6.2	<10	<5	46.3	<10	<10	8	0.18	<5	<5	84.1	<1
1418098		0.011	<1	7.1	<10	<5	53.2	<10	<10	7	0.17	<5	<5	90.6	<1
1418099		0.022	<1	3.9	<10	<5	36.4	<10	<10	5	0.14	<5	<5	87.7	<1
1418100		0.029	1	4.5	<10	<5	29.8	<10	<10	7	0.14	<5	<5	80.9	<1
1418101		0.018	1	4.7	<10	<5	25.8	<10	<10	11	0.15	<5	5	92.1	<1
1418102		0.040	2	3.0	<10	<5	23.2	<10	<10	7	0.14	6	<5	91.1	<1
1418103		0.038	<1	4.3	<10	<5	41.2	<10	<10	8	0.18	6	<5	102	<1
1418104		0.040	1	3.3	<10	<5	30.5	<10	<10	<5	0.13	<5	<5	69.4	<1
1418105		0.040	3	3.3	<10	<5	32.2	<10	<10	12	0.14	<5	<5	79.1	<1
1418106		0.018	2	3.7	<10	<5	26.9	<10	<10	10	0.17	<5	<5	71.2	<1
1418107		0.016	<1	4.4	<10	<5	26.1	<10	<10	13	0.14	7	<5	68.6	<1
1418108		0.015	2	4.7	<10	<5	39.9	<10	<10	17	0.17	<5	<5	99.2	<1
1418109		0.022	<1	4.0	<10	<5	26.2	<10	<10	16	0.15	<5	<5	84.9	<1
1418110		0.021	<1	4.2	<10	<5	27.3	<10	<10	17	0.16	<5	<5	88.7	<1
1418111		0.031	2	5.9	<10	<5	31.6	<10	<10	18	0.17	5	6	93.2	<1
1418112		0.019	<1	3.3	<10	<5	29.5	<10	<10	15	0.17	<5	<5	87.3	<1
1418113		0.027	9	3.5	<10	<5	27.1	<10	<10	17	0.14	7	<5	83.8	<1
1418114		0.033	1	2.8	<10	<5	22.2	<10	<10	<5	0.10	<5	<5	52.1	<1
1418115		0.036	2	4.4	<10	<5	32.8	<10	<10	6	0.13	<5	<5	60.4	<1
1418116		0.026	<1	3.0	<10	<5	22.6	<10	<10	9	0.13	<5	<5	56.5	<1
1418117		0.020	1	3.6	<10	<5	25.1	<10	<10	11	0.15	<5	<5	59.5	<1

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y622204

PROJECT NO: RHYS

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: 0899948 BC LTD

ATTENTION TO: RASOOL MOHAMMAD

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jul 19, 2012

DATE RECEIVED: Jul 19, 2012

DATE REPORTED: Sep 05, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	5	5	0.5	1
Sample Description														
1418118	0.030	<1	2.7	<10	<5	26.2	<10	<10	6	0.15	<5	<5	83.8	<1
1418119	0.043	<1	2.2	<10	<5	20.4	<10	<10	<5	0.10	<5	<5	71.3	<1
1418120	0.024	1	3.3	<10	<5	25.2	<10	<10	6	0.18	7	<5	76.5	<1
1418121	0.023	1	3.5	<10	<5	26.7	<10	<10	7	0.20	6	<5	88.6	<1
1418122	0.049	<1	2.8	<10	<5	21.8	<10	<10	5	0.19	<5	<5	85.6	<1
1418123	0.036	<1	4.3	<10	<5	31.6	<10	<10	6	0.12	<5	<5	60.9	<1
1418124	0.055	1	2.7	<10	<5	22.5	<10	<10	8	0.14	<5	<5	80.8	<1
1418125	0.054	2	3.2	<10	<5	35.6	<10	<10	6	0.13	<5	<5	66.7	<1
1418126	0.058	<1	3.2	<10	<5	35.7	<10	<10	6	0.13	<5	<5	63.8	<1
1418127	0.031	3	4.1	<10	<5	30.5	<10	<10	10	0.13	<5	<5	72.9	<1
1418128	0.021	<1	2.1	<10	<5	25.4	<10	<10	7	0.15	<5	<5	86.0	<1
1418129	0.015	2	2.6	<10	<5	26.2	<10	<10	14	0.13	6	<5	73.2	<1
1418130	0.041	2	3.0	<10	<5	22.6	<10	<10	13	0.13	<5	<5	79.1	<1
1418131	0.019	<1	6.2	<10	<5	56.1	<10	<10	6	0.12	<5	<5	65.8	<1
1418132	0.022	<1	6.3	<10	<5	73.2	<10	<10	6	0.13	<5	<5	71.9	<1
1418133	0.012	<1	6.8	<10	<5	76.0	<10	<10	6	0.14	<5	<5	69.0	<1
1418134	0.025	<1	6.9	<10	<5	115	<10	<10	6	0.15	<5	<5	68.9	<1
1418135	0.023	<1	6.2	<10	<5	71.6	<10	<10	7	0.14	<5	<5	80.1	<1
1418136	0.024	<1	5.3	<10	<5	68.6	<10	<10	<5	0.15	<5	<5	101	<1
1418137	0.019	<1	4.6	<10	<5	44.7	<10	<10	5	0.15	<5	<5	88.5	<1
1418138	0.031	<1	4.9	<10	<5	51.4	<10	<10	<5	0.13	<5	<5	77.6	<1
1418139	0.060	<1	2.7	<10	<5	55.6	<10	<10	<5	0.07	<5	<5	43.2	<1
1418140	0.065	<1	5.2	<10	<5	68.5	<10	<10	<5	0.12	<5	<5	70.7	<1
1418141	0.016	<1	3.6	<10	<5	28.3	<10	<10	5	0.15	<5	<5	77.1	<1
1418142	0.021	<1	2.3	<10	<5	19.3	<10	<10	<5	0.14	<5	<5	82.3	<1
1418143	0.055	2	3.9	<10	<5	66.3	<10	<10	<5	0.12	<5	<5	69.7	<1
1418144	0.040	<1	3.6	<10	<5	47.2	<10	<10	<5	0.10	<5	<5	62.8	<1
1418145	0.049	<1	4.6	<10	<5	45.7	<10	<10	<5	0.11	<5	<5	74.4	<1
1418146	0.033	<1	4.2	<10	<5	45.8	<10	<10	7	0.12	<5	<5	83.1	<1
1418147	0.034	<1	3.8	<10	<5	44.7	<10	<10	<5	0.11	<5	<5	63.3	<1
1418148	0.062	<1	3.3	<10	<5	48.0	<10	<10	<5	0.10	<5	<5	52.7	<1
1418149	0.030	<1	4.1	<10	<5	39.9	<10	<10	<5	0.11	<5	<5	57.7	<1

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y622204

PROJECT NO: RHYS

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: 0899948 BC LTD

ATTENTION TO: RASOOL MOHAMMAD

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jul 19, 2012

DATE RECEIVED: Jul 19, 2012

DATE REPORTED: Sep 05, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	5	5	0.5	1
Sample Description														
1418150	0.062	1	4.3	<10	<5	50.2	<10	<10	<5	0.10	<5	<5	62.8	<1
1418151	0.047	<1	3.2	<10	<5	40.4	<10	<10	<5	0.09	<5	<5	55.1	<1
1418152	0.020	<1	2.4	<10	<5	34.1	<10	<10	<5	0.11	<5	<5	56.6	<1
1418153	0.017	<1	2.6	<10	<5	31.5	<10	<10	5	0.10	<5	<5	60.2	<1
1418154	0.015	<1	2.4	<10	<5	42.1	<10	<10	<5	0.13	<5	<5	66.2	<1
1418155	0.010	<1	4.6	<10	<5	40.6	<10	<10	6	0.14	<5	<5	66.2	<1
1418156	0.008	<1	3.8	<10	<5	45.0	<10	<10	7	0.14	<5	<5	58.9	<1
1418157	0.017	<1	2.1	<10	<5	14.9	<10	<10	6	0.17	<5	<5	117	<1
1418158	0.022	2	2.7	<10	<5	37.0	<10	<10	7	0.14	5	<5	73.9	<1
1418159	0.019	<1	5.7	<10	<5	52.3	<10	<10	7	0.13	6	<5	70.5	<1
1418160	0.027	<1	4.3	<10	<5	49.7	<10	<10	5	0.12	<5	<5	64.6	<1
1418161	0.025	<1	9.0	<10	<5	45.1	<10	<10	8	0.12	<5	6	108	<1
1418162	0.039	<1	13.3	<10	<5	118	<10	<10	10	0.07	<5	8	131	<1
1418163	0.017	1	5.0	<10	<5	46.7	<10	<10	31	0.03	<5	<5	59.3	<1
1418164	0.023	1	6.3	<10	<5	26.0	<10	<10	12	0.10	<5	<5	69.3	<1
1418165	0.021	<1	7.2	<10	<5	29.5	<10	<10	11	0.11	7	<5	75.8	<1
1418166	0.023	<1	6.1	<10	<5	25.9	<10	<10	14	0.11	<5	<5	80.2	<1
1418167	0.013	<1	8.3	<10	<5	29.6	<10	<10	9	0.10	<5	5	83.9	<1
1418168	0.037	1	6.0	<10	<5	24.1	<10	<10	14	0.10	<5	<5	73.5	<1
1418169	0.035	1	5.5	<10	<5	22.3	<10	<10	7	0.10	<5	<5	72.8	<1
1418170	0.149	6	9.7	<10	<5	59.2	<10	<10	6	0.02	<5	<5	58.8	<1
1418171	0.032	2	5.6	<10	<5	27.7	<10	<10	6	0.05	<5	<5	57.1	<1
1418172	0.014	1	7.2	<10	<5	24.5	<10	<10	15	0.11	<5	<5	83.6	<1
1418173	0.020	<1	6.4	<10	<5	41.3	<10	<10	9	0.13	5	<5	85.1	<1
1418174	0.013	<1	7.2	<10	<5	33.0	<10	<10	17	0.12	<5	<5	73.4	<1
1418175	0.023	1	8.4	<10	<5	43.1	<10	<10	16	0.09	7	<5	75.9	<1
1418176	0.021	1	5.8	<10	<5	61.9	<10	<10	13	0.06	<5	<5	72.3	<1
1418177	0.029	1	5.7	<10	<5	24.1	<10	<10	11	0.10	<5	<5	81.8	<1
1418178	0.030	2	3.7	<10	<5	24.6	<10	<10	7	0.10	<5	<5	76.9	<1
1418179	0.023	<1	5.4	<10	<5	24.3	<10	<10	20	0.12	6	<5	79.5	<1
1418180	0.010	<1	7.2	<10	<5	25.7	<10	<10	16	0.14	6	<5	81.3	<1
1418181	0.017	4	3.7	<10	<5	22.2	<10	<10	23	0.10	<5	<5	69.3	<1

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y622204

PROJECT NO: RHYS

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: 0899948 BC LTD

ATTENTION TO: RASOOL MOHAMMAD

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jul 19, 2012

DATE RECEIVED: Jul 19, 2012

DATE REPORTED: Sep 05, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	5	5	0.5	1
Sample Description														
1418182	0.015	4	3.3	<10	<5	21.3	<10	<10	21	0.09	<5	<5	62.1	<1
1418183	0.028	5	5.9	<10	<5	39.2	<10	<10	17	0.09	5	<5	72.4	<1
1418184	0.025	4	5.1	<10	<5	25.7	<10	<10	12	0.10	<5	<5	70.6	<1
1418185	0.024	6	5.6	<10	<5	28.9	<10	<10	15	0.11	<5	6	79.8	<1
1418186	0.042	4	5.2	<10	<5	33.4	<10	<10	7	0.10	5	<5	77.8	<1
1418187	0.035	<1	6.5	<10	<5	46.9	<10	<10	7	0.10	<5	<5	69.6	<1
1418188	0.025	<1	7.0	<10	<5	48.0	<10	<10	9	0.11	<5	<5	81.2	<1
1418189	0.032	<1	5.6	<10	<5	44.4	<10	<10	7	0.09	<5	<5	74.5	<1
1418190	0.019	2	6.9	<10	<5	44.3	<10	<10	7	0.11	5	<5	71.2	<1
1418191	0.009	1	11.0	<10	<5	20.8	<10	<10	14	0.05	<5	9	109	<1
1418192	0.060	<1	17.9	<10	<5	41.0	<10	<10	10	0.02	<5	<5	79.3	<1
1418193	0.008	1	8.0	<10	<5	31.0	<10	<10	<5	0.13	6	6	93.3	<1
1418194	0.017	<1	14.8	<10	<5	40.1	<10	<10	8	0.12	<5	13	166	<1
1418195	0.009	<1	9.0	<10	<5	32.8	<10	<10	9	0.11	<5	6	112	<1
1418196	0.007	<1	6.9	<10	<5	34.6	<10	<10	6	0.19	6	6	97.8	<1
1418197	0.008	<1	8.4	<10	<5	24.6	<10	<10	8	0.11	<5	6	96.8	<1
1418198	0.018	<1	11.1	<10	<5	45.4	<10	<10	8	0.09	5	<5	104	<1
1418199	0.008	5	6.1	<10	<5	22.7	<10	<10	5	0.30	<5	7	116	<1
1418200	0.008	2	9.9	<10	<5	47.1	<10	<10	9	0.14	6	<5	120	<1
1418201	0.012	1	11.8	<10	<5	34.2	<10	<10	12	0.14	7	<5	93.0	<1
1418202	0.008	2	9.6	<10	<5	34.0	<10	<10	14	0.15	<5	<5	115	<1
1418203	0.010	3	12.9	<10	<5	26.0	<10	<10	15	0.04	6	5	157	<1
1418204	0.008	<1	6.7	<10	<5	35.7	<10	<10	8	0.19	<5	<5	98.4	<1
1418205	0.015	4	8.3	<10	<5	35.7	<10	<10	10	0.19	<5	<5	122	<1
1418206	0.017	2	4.7	<10	<5	33.6	<10	<10	7	0.23	6	<5	104	<1
1418207	0.012	1	4.0	<10	<5	34.7	<10	<10	<5	0.25	<5	<5	93.5	<1
1418208	0.015	<1	12.5	<10	<5	39.4	<10	<10	10	0.11	7	<5	125	<1
1418209	0.011	1	8.6	<10	<5	50.7	<10	<10	8	0.10	<5	<5	93.3	<1
1418210	0.030	1	8.6	<10	<5	76.5	<10	<10	8	0.04	<5	<5	97.3	<1
1418211	0.009	<1	6.8	<10	<5	25.7	<10	<10	12	0.08	5	6	92.3	<1
1418212	0.034	<1	5.7	<10	<5	39.9	<10	<10	7	0.13	<5	<5	66.6	<1
1418213	0.034	<1	9.0	<10	<5	43.4	<10	<10	7	0.11	<5	<5	78.9	<1

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y622204

PROJECT NO: RHYS

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: 0899948 BC LTD

ATTENTION TO: RASOOL MOHAMMAD

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jul 19, 2012

DATE RECEIVED: Jul 19, 2012

DATE REPORTED: Sep 05, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	5	5	0.5	1
Sample Description														
1418214	0.017	<1	12.1	<10	<5	32.6	<10	<10	10	0.15	<5	<5	112	<1
1418215	0.019	<1	12.6	<10	<5	35.4	<10	<10	11	0.16	<5	6	116	<1
1418216	0.014	<1	9.9	<10	<5	34.3	<10	<10	9	0.18	5	5	119	<1
1418217	0.020	<1	8.4	<10	<5	27.2	<10	<10	8	0.12	<5	<5	95.4	<1
1418218	0.007	<1	6.2	<10	<5	41.8	<10	<10	12	0.14	<5	<5	77.4	<1
1418219	0.008	<1	4.5	<10	<5	71.0	<10	<10	15	0.22	7	5	77.5	<1
1418220	0.013	1	3.5	<10	<5	36.2	<10	<10	10	0.09	5	<5	48.9	<1
1418251	0.021	<1	4.8	<10	<5	56.8	<10	<10	9	0.15	<5	<5	91.4	<1
1418252	0.025	<1	5.8	<10	<5	70.1	<10	<10	8	0.16	<5	<5	92.0	<1
1418253	0.025	<1	2.8	<10	<5	26.3	<10	<10	<5	0.06	<5	<5	119	<1
1418254	0.013	<1	4.5	<10	<5	25.7	<10	<10	8	0.11	<5	<5	86.4	<1
1418255	0.019	<1	3.5	<10	<5	20.1	<10	<10	8	0.08	<5	<5	100	<1
1418256	0.009	<1	5.4	<10	<5	26.4	<10	<10	8	0.12	<5	<5	106	<1
1418257	0.046	<1	8.9	<10	<5	86.4	<10	<10	<5	0.09	<5	<5	101	<1
1418258	0.025	1	11.4	<10	<5	93.4	<10	<10	8	0.11	7	<5	112	<1
1418259	0.020	<1	12.1	<10	<5	65.5	<10	<10	11	0.10	<5	<5	100	<1
1418260	0.015	<1	3.2	<10	<5	27.2	<10	<10	<5	0.08	<5	<5	93.0	<1
1418261	0.010	<1	4.9	<10	<5	34.1	<10	<10	9	0.11	5	6	108	<1
1418262	0.017	<1	3.2	<10	<5	22.1	<10	<10	7	0.09	<5	<5	103	<1
1418263	0.020	<1	4.3	<10	<5	22.7	<10	<10	6	0.07	<5	<5	116	<1
1418264	0.017	<1	2.2	<10	<5	21.2	<10	<10	6	0.08	<5	<5	94.8	<1
1418265	0.016	1	8.5	<10	<5	83.5	<10	<10	10	0.03	<5	<5	102	<1
1418266	0.023	1	5.7	<10	<5	121	<10	<10	8	0.03	<5	<5	79.2	<1
1418267	0.023	<1	6.7	<10	<5	145	<10	<10	9	0.02	<5	<5	67.2	<1
1418268	0.013	1	14.6	<10	<5	59.9	<10	<10	<5	0.10	6	7	127	<1
1418269	0.013	<1	5.9	<10	<5	23.7	<10	<10	<5	0.09	<5	<5	67.9	<1
1418270	0.007	2	6.3	<10	<5	29.4	<10	<10	<5	0.12	<5	<5	73.4	<1
1418271	0.013	1	2.9	<10	<5	18.4	<10	<10	<5	0.10	<5	<5	82.6	<1
1418272	0.007	<1	5.1	<10	<5	25.5	<10	<10	<5	0.16	<5	<5	85.9	<1
1418273	0.027	1	12.6	<10	<5	49.5	<10	<10	<5	0.08	<5	<5	80.7	<1
1418274	0.017	1	12.8	<10	<5	30.4	<10	<10	<5	0.06	<5	<5	108	<1
1418275	0.013	<1	16.5	<10	<5	33.8	<10	<10	7	0.10	<5	<5	109	<1

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y622204

PROJECT NO: RHYS

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: 0899948 BC LTD

ATTENTION TO: RASOOL MOHAMMAD

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jul 19, 2012

DATE RECEIVED: Jul 19, 2012

DATE REPORTED: Sep 05, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	5	5	0.5	1
Sample Description														
1418276	0.012	2	6.0	<10	<5	17.7	<10	<10	9	0.12	<5	<5	88.8	<1
1418277	0.007	1	15.1	<10	<5	12.8	<10	<10	9	0.01	<5	<5	74.7	1
1418278	0.012	<1	3.6	<10	<5	18.2	<10	<10	<5	0.13	<5	<5	83.8	<1
1418279	0.009	<1	5.0	<10	<5	24.9	<10	<10	<5	0.12	<5	<5	63.7	<1
1418280	0.013	<1	5.9	<10	<5	34.1	<10	<10	<5	0.12	<5	<5	68.2	<1
1418281	0.016	1	5.1	<10	<5	129	<10	<10	<5	0.11	<5	<5	62.5	<1
1418282	0.011	2	7.2	<10	<5	35.3	<10	<10	5	0.16	<5	<5	84.3	<1
1418283	0.008	<1	12.1	<10	<5	43.1	<10	<10	<5	0.09	<5	<5	95.9	<1
1418284	0.006	1	8.2	<10	<5	34.8	<10	<10	6	0.12	<5	<5	79.6	<1
1418285	0.010	3	13.1	<10	<5	41.1	<10	<10	10	0.10	<5	<5	104	<1
1418286	0.007	7	21.2	<10	<5	23.4	<10	<10	6	0.03	<5	<5	118	1
1418287	0.008	2	7.1	<10	<5	31.1	<10	<10	<5	0.11	<5	<5	76.4	<1
1418288	0.013	<1	6.7	<10	<5	41.8	<10	<10	<5	0.12	<5	<5	68.4	<1
1418289	0.005	2	9.7	<10	<5	36.8	<10	<10	5	0.13	<5	<5	89.1	<1
1418290	0.008	4	8.9	<10	<5	32.8	<10	<10	6	0.10	<5	<5	106	<1
1418291	0.007	1	4.8	<10	<5	17.5	<10	<10	6	0.07	<5	<5	55.4	<1
1418292	0.007	3	6.2	<10	<5	26.4	<10	<10	9	0.09	<5	<5	62.1	<1
1418293	0.006	4	5.3	<10	<5	23.3	<10	<10	11	0.09	<5	<5	50.2	<1
1418294	<0.005	1	10.4	<10	<5	20.8	<10	<10	20	0.07	<5	<5	56.2	<1
1418295	0.006	<1	4.9	<10	<5	16.3	<10	<10	17	0.06	<5	<5	50.8	<1
1418296	0.008	3	8.4	<10	<5	27.1	<10	<10	21	0.07	<5	<5	67.1	<1
1418297	0.011	<1	5.4	<10	<5	19.8	<10	<10	14	0.08	<5	<5	61.7	<1
1418298	0.006	<1	5.6	<10	<5	9.4	<10	<10	18	0.08	<5	<5	43.8	<1
1418299	<0.005	3	8.6	<10	<5	29.3	<10	<10	14	0.11	<5	<5	60.1	<1
1418300	0.007	2	11.7	<10	<5	15.0	<10	<10	17	0.07	<5	<5	67.4	<1

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y622204

PROJECT NO: RHYS

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: 0899948 BC LTD

ATTENTION TO: RASOOL MOHAMMAD

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jul 19, 2012

DATE RECEIVED: Jul 19, 2012

DATE REPORTED: Sep 05, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
1417901		3	54.3	<5
1417902		10	60.1	<5
1417903		8	73.9	<5
1417904		8	71.7	<5
1417905		8	85.2	<5
1417906		5	83.1	<5
1417907		6	90.2	<5
1417908		10	98.7	<5
1417909		16	131	<5
1417910		9	82.5	<5
1417911		8	61.7	<5
1417912		5	42.6	<5
1417913		6	76.8	<5
1417914		9	85.3	<5
1417915		6	104	<5
1417916		10	127	<5
1417917		10	88.5	<5
1417918		5	83.2	<5
1417919		8	81.9	<5
1417920		9	88.5	<5
1417921		5	84.6	<5
1417922		11	74.4	<5
1417923		15	62.1	9
1417924		11	62.2	9
1417925		19	68.8	5
1417926		15	67.5	21
1417927		18	62.9	<5
1417928		11	63.7	<5
1417929		10	62.9	<5
1417930		7	70.5	<5
1417931		6	63.8	6
1417932		9	67.9	7

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y622204

PROJECT NO: RHYS

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: 0899948 BC LTD

ATTENTION TO: RASOOL MOHAMMAD

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jul 19, 2012

DATE RECEIVED: Jul 19, 2012

DATE REPORTED: Sep 05, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
1417933		4	58.1	<5
1417934		6	61.9	7
1417935		5	61.9	5
1417936		6	66.8	7
1417937		7	72.9	<5
1417938		9	60.6	<5
1417939		6	47.0	<5
1417940		7	67.3	<5
1417941		10	70.3	<5
1417942		23	84.7	<5
1417943		7	57.5	<5
1417944		22	127	<5
1417945		6	72.1	5
1417946		5	53.1	8
1417947		9	64.8	<5
1417948		8	58.1	<5
1417949		15	60.3	<5
1417950		17	52.7	<5
1417951		13	58.6	<5
1417952		7	61.6	<5
1417953		16	72.2	<5
1417954		4	56.2	9
1417955		7	45.9	<5
1417956		6	53.6	5
1417957		19	56.7	7
1417958		8	75.9	5
1417959		5	55.6	<5
1417960		9	66.4	6
1417961		6	61.2	<5
1417962		16	67.3	<5
1417963		16	58.3	<5
1417964		15	59.3	<5

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y622204

PROJECT NO: RHYS

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: 0899948 BC LTD

ATTENTION TO: RASOOL MOHAMMAD

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jul 19, 2012

DATE RECEIVED: Jul 19, 2012

DATE REPORTED: Sep 05, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
1417965		10	60.9	<5
1417966		9	48.6	<5
1417967		9	69.8	<5
1417968		13	62.9	9
1417969		6	53.8	<5
1417970		4	61.3	<5
1417971		6	45.6	<5
1417972		9	39.7	<5
1417973		8	43.4	<5
1417974		5	54.7	<5
1417975		4	57.8	<5
1417976		5	50.0	<5
1417977		5	54.7	<5
1417978		12	63.7	<5
1417979		6	56.0	<5
1417980		6	62.3	<5
1417981		17	63.3	<5
1417982		10	53.8	<5
1417983		22	54.0	<5
1417984		13	59.4	<5
1417985		13	58.8	<5
1417986		9	66.6	6
1417987		28	72.6	7
1417988		7	54.9	7
1417989		5	57.8	6
1417990		23	55.5	7
1417991		10	63.1	10
1417992		14	64.0	12
1417993		19	62.5	6
1418051		6	59.4	<5
1418052		4	71.9	<5
1418053		8	204	<5

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y622204

PROJECT NO: RHYS

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: 0899948 BC LTD

ATTENTION TO: RASOOL MOHAMMAD

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jul 19, 2012

DATE RECEIVED: Jul 19, 2012

DATE REPORTED: Sep 05, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
1418054		15	286	<5
1418055		7	230	<5
1418056		6	160	<5
1418057		5	372	<5
1418058		8	161	<5
1418059		3	142	<5
1418060		2	87.8	<5
1418061		2	93.4	<5
1418062		29	425	<5
1418063		15	338	<5
1418064		14	401	<5
1418065		4	256	<5
1418066		13	226	<5
1418067		7	182	<5
1418068		12	336	<5
1418069		8	246	<5
1418070		8	71.8	<5
1418071		6	68.1	<5
1418072		6	70.0	<5
1418073		6	192	<5
1418074		6	224	<5
1418075		11	318	<5
1418076		14	237	<5
1418077		15	369	<5
1418078		8	263	<5
1418079		13	269	<5
1418080		8	489	<5
1418081		19	473	<5
1418082		8	98.2	<5
1418083		9	65.7	10
1418084		7	93.8	<5
1418085		9	126	<5

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y622204

PROJECT NO: RHYS

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: 0899948 BC LTD

ATTENTION TO: RASOOL MOHAMMAD

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jul 19, 2012

DATE RECEIVED: Jul 19, 2012

DATE REPORTED: Sep 05, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
1418086		6	75.5	15
1418087		4	75.0	6
1418088		7	110	12
1418089		9	76.5	6
1418090		7	75.3	<5
1418091		7	78.4	<5
1418092		7	65.4	<5
1418093		5	62.5	<5
1418094		5	69.6	<5
1418095		7	83.6	7
1418096		7	72.2	<5
1418097		7	83.1	6
1418098		8	74.2	<5
1418099		5	63.5	<5
1418100		6	75.2	<5
1418101		6	144	<5
1418102		6	98.0	<5
1418103		10	192	<5
1418104		6	143	<5
1418105		9	173	<5
1418106		7	131	<5
1418107		9	193	<5
1418108		14	250	<5
1418109		10	146	<5
1418110		11	131	<5
1418111		18	114	<5
1418112		9	96.0	<5
1418113		8	338	<5
1418114		7	148	<5
1418115		9	247	<5
1418116		8	119	<5
1418117		9	136	<5

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y622204

PROJECT NO: RHYS

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: 0899948 BC LTD

ATTENTION TO: RASOOL MOHAMMAD

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jul 19, 2012

DATE RECEIVED: Jul 19, 2012

DATE REPORTED: Sep 05, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
1418118		5	91.7	<5
1418119		5	81.2	<5
1418120		6	90.4	<5
1418121		6	115	<5
1418122		5	87.7	<5
1418123		8	229	<5
1418124		5	164	<5
1418125		7	246	<5
1418126		7	243	<5
1418127		10	247	<5
1418128		3	152	<5
1418129		9	307	<5
1418130		7	171	<5
1418131		12	78.6	<5
1418132		13	72.3	<5
1418133		14	80.8	8
1418134		17	85.4	5
1418135		10	91.7	<5
1418136		8	87.8	<5
1418137		6	83.8	<5
1418138		7	82.5	<5
1418139		7	41.8	<5
1418140		8	82.7	<5
1418141		4	66.7	<5
1418142		3	47.1	<5
1418143		8	72.5	<5
1418144		8	68.4	<5
1418145		8	72.7	<5
1418146		9	74.7	<5
1418147		7	61.6	<5
1418148		6	57.6	<5
1418149		8	63.6	<5

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y622204

PROJECT NO: RHYS

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: 0899948 BC LTD

ATTENTION TO: RASOOL MOHAMMAD

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jul 19, 2012

DATE RECEIVED: Jul 19, 2012

DATE REPORTED: Sep 05, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
1418150		7	75.6	<5
1418151		5	59.5	<5
1418152		6	63.6	<5
1418153		6	67.0	<5
1418154		8	63.2	<5
1418155		10	66.3	<5
1418156		12	65.1	<5
1418157		3	44.8	<5
1418158		8	88.9	<5
1418159		15	95.6	<5
1418160		11	75.0	<5
1418161		4	53.9	<5
1418162		6	58.9	6
1418163		11	79.1	6
1418164		6	73.4	7
1418165		6	75.3	7
1418166		6	80.0	<5
1418167		5	70.1	5
1418168		6	68.9	6
1418169		5	60.0	<5
1418170		39	84.1	<5
1418171		8	71.5	<5
1418172		5	77.4	9
1418173		6	81.9	<5
1418174		6	80.0	6
1418175		12	83.9	<5
1418176		10	73.1	<5
1418177		5	77.7	<5
1418178		3	55.5	<5
1418179		6	85.0	5
1418180		10	61.7	9
1418181		6	65.0	<5

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y622204

PROJECT NO: RHYS

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: 0899948 BC LTD

ATTENTION TO: RASOOL MOHAMMAD

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jul 19, 2012

DATE RECEIVED: Jul 19, 2012

DATE REPORTED: Sep 05, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
1418182		6	60.0	<5
1418183		8	72.1	<5
1418184		7	67.4	<5
1418185		8	76.1	<5
1418186		7	71.4	<5
1418187		8	71.1	<5
1418188		8	75.8	<5
1418189		6	69.7	<5
1418190		10	69.6	<5
1418191		8	69.7	<5
1418192		41	65.6	<5
1418193		5	67.0	<5
1418194		7	99.0	<5
1418195		10	65.7	<5
1418196		7	62.7	<5
1418197		4	59.6	<5
1418198		11	64.1	<5
1418199		4	76.6	<5
1418200		12	74.7	<5
1418201		19	79.2	<5
1418202		9	93.6	<5
1418203		8	93.1	<5
1418204		8	73.7	<5
1418205		9	74.6	<5
1418206		5	66.3	<5
1418207		4	54.5	<5
1418208		15	72.2	<5
1418209		8	71.3	<5
1418210		8	94.3	<5
1418211		5	91.9	<5
1418212		9	77.4	<5
1418213		18	82.8	<5

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y622204

PROJECT NO: RHYS

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: 0899948 BC LTD

ATTENTION TO: RASOOL MOHAMMAD

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jul 19, 2012

DATE RECEIVED: Jul 19, 2012

DATE REPORTED: Sep 05, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
1418214		17	89.4	<5
1418215		18	94.2	<5
1418216		9	89.0	<5
1418217		10	68.4	<5
1418218		8	67.2	6
1418219		8	130	6
1418220		10	64.5	<5
1418251		7	72.9	<5
1418252		11	83.5	<5
1418253		3	52.3	<5
1418254		5	78.2	<5
1418255		3	65.0	<5
1418256		5	67.9	<5
1418257		13	61.9	<5
1418258		16	83.9	10
1418259		16	77.7	6
1418260		4	52.1	<5
1418261		4	67.5	<5
1418262		4	59.9	<5
1418263		5	71.5	<5
1418264		3	52.4	<5
1418265		12	57.3	<5
1418266		10	44.5	6
1418267		13	49.8	5
1418268		8	68.8	<5
1418269		5	39.6	<5
1418270		5	49.3	7
1418271		3	40.0	<5
1418272		3	51.8	<5
1418273		12	62.9	<5
1418274		10	62.3	<5
1418275		20	79.3	<5

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y622204

PROJECT NO: RHYS

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: 0899948 BC LTD

ATTENTION TO: RASOOL MOHAMMAD

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jul 19, 2012

DATE RECEIVED: Jul 19, 2012

DATE REPORTED: Sep 05, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
1418276		5	59.0	7
1418277		22	41.9	<5
1418278		3	39.2	<5
1418279		5	49.7	<5
1418280		8	62.4	<5
1418281		8	62.8	<5
1418282		7	67.0	<5
1418283		15	74.2	5
1418284		21	59.0	6
1418285		15	57.5	12
1418286		12	72.6	<5
1418287		6	64.3	<5
1418288		6	51.0	<5
1418289		10	65.3	9
1418290		7	66.4	<5
1418291		7	48.2	<5
1418292		12	56.6	<5
1418293		14	48.6	<5
1418294		23	55.6	11
1418295		12	63.9	10
1418296		32	60.9	9
1418297		10	63.5	6
1418298		10	73.0	11
1418299		27	54.2	10
1418300		27	71.9	6

Comments: RDL - Reported Detection Limit

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y622204

PROJECT NO: RHYS

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: 0899948 BC LTD

ATTENTION TO: RASOOL MOHAMMAD

Fire Assay - Trace Au, AAS finish (202051)

DATE SAMPLED: Jul 19, 2012

DATE RECEIVED: Jul 19, 2012

DATE REPORTED: Sep 05, 2012

SAMPLE TYPE: Soil

Analyte:	Sample Login Weight	Au
Unit:	kg	ppm
Sample Description	RDL:	
1417901	0.28	0.005
1417902	0.50	<0.002
1417903	0.50	<0.002
1417904	0.46	<0.002
1417905	0.35	0.004
1417906	0.41	0.045
1417907	0.40	0.004
1417908	0.32	0.007
1417909	0.49	0.004
1417910	0.49	0.003
1417911	0.46	0.005
1417912	0.43	0.006
1417913	0.43	0.037
1417914	0.57	0.003
1417915	0.42	0.021
1417916	0.38	0.011
1417917	0.59	0.010
1417918	0.43	0.039
1417919	0.50	0.012
1417920	0.49	0.010
1417921	0.44	0.004
1417922	0.58	0.002
1417923	0.24	<0.002
1417924	0.40	<0.002
1417925	0.40	0.042
1417926	0.55	<0.002
1417927	0.54	<0.002
1417928	0.54	0.003
1417929	0.47	<0.002
1417930	0.49	0.036
1417931	0.55	0.003

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y622204

PROJECT NO: RHYS

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: 0899948 BC LTD

ATTENTION TO: RASOOL MOHAMMAD

Fire Assay - Trace Au, AAS finish (202051)

DATE SAMPLED: Jul 19, 2012

DATE RECEIVED: Jul 19, 2012

DATE REPORTED: Sep 05, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.002
1417932		0.58	0.003
1417933		0.47	<0.002
1417934		0.48	<0.002
1417935		0.51	0.053
1417936		0.47	0.003
1417937		0.52	<0.002
1417938		0.57	0.002
1417939		0.58	<0.002
1417940		0.52	<0.002
1417941		0.54	0.045
1417942		0.49	<0.002
1417943		0.51	<0.002
1417944		0.52	<0.002
1417945		0.56	<0.002
1417946		0.49	<0.002
1417947		0.50	<0.002
1417948		0.47	<0.002
1417949		0.51	<0.002
1417950		0.56	<0.002
1417951		0.61	<0.002
1417952		0.53	0.126
1417953		0.47	<0.002
1417954		0.47	<0.002
1417955		0.45	<0.002
1417956		0.49	<0.002
1417957		0.52	<0.002
1417958		0.63	0.039
1417959		0.47	0.002
1417960		0.49	<0.002
1417961		0.52	<0.002
1417962		0.45	<0.002

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y622204

PROJECT NO: RHYS

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: 0899948 BC LTD

ATTENTION TO: RASOOL MOHAMMAD

Fire Assay - Trace Au, AAS finish (202051)

DATE SAMPLED: Jul 19, 2012

DATE RECEIVED: Jul 19, 2012

DATE REPORTED: Sep 05, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.002
1417963		0.50	<0.002
1417964		0.50	0.088
1417965		0.58	0.003
1417966		0.58	<0.002
1417967		0.43	<0.002
1417968		0.61	<0.002
1417969		0.46	0.045
1417970		0.44	0.043
1417971		0.54	0.003
1417972		0.48	0.002
1417973		0.56	0.003
1417974		0.48	<0.002
1417975		0.56	<0.002
1417976		0.59	0.003
1417977		0.49	<0.002
1417978		0.49	0.004
1417979		0.48	0.007
1417980		0.53	<0.002
1417981		0.52	<0.002
1417982		0.57	0.007
1417983		0.56	0.003
1417984		0.49	0.003
1417985		0.52	<0.002
1417986		0.56	0.006
1417987		0.51	0.005
1417988		0.64	0.046
1417989		0.66	<0.002
1417990		0.61	0.008
1417991		0.57	0.006
1417992		0.68	<0.002
1417993		0.59	0.004

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y622204

PROJECT NO: RHYS

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: 0899948 BC LTD

ATTENTION TO: RASOOL MOHAMMAD

Fire Assay - Trace Au, AAS finish (202051)

DATE SAMPLED: Jul 19, 2012

DATE RECEIVED: Jul 19, 2012

DATE REPORTED: Sep 05, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.002
1418051		0.42	0.081
1418052		0.46	<0.002
1418053		0.52	0.063
1418054		0.52	0.055
1418055		0.42	0.005
1418056		0.40	0.008
1418057		0.50	0.027
1418058		0.42	0.012
1418059		0.36	0.009
1418060		0.30	0.005
1418061		0.34	0.214
1418062		0.38	0.012
1418063		0.60	0.006
1418064		0.50	0.011
1418065		0.59	0.021
1418066		0.64	0.027
1418067		0.61	0.068
1418068		0.64	0.100
1418069		0.39	0.029
1418070		0.51	0.006
1418071		0.38	0.004
1418072		0.50	0.005
1418073		0.42	0.062
1418074		0.47	0.073
1418075		0.45	0.014
1418076		0.59	0.017
1418077		0.60	0.038
1418078		0.50	0.024
1418079		0.63	0.007
1418080		0.54	0.004
1418081		0.39	0.004

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y622204

PROJECT NO: RHYS

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: 0899948 BC LTD

ATTENTION TO: RASOOL MOHAMMAD

Fire Assay - Trace Au, AAS finish (202051)

DATE SAMPLED: Jul 19, 2012

DATE RECEIVED: Jul 19, 2012

DATE REPORTED: Sep 05, 2012

SAMPLE TYPE: Soil

Analyte:	Sample Login Weight	Au
Unit:	kg	ppm
Sample Description	RDL:	
1418082	0.49	0.003
1418083	0.44	0.005
1418084	0.49	<0.002
1418085	0.53	<0.002
1418086	0.48	<0.002
1418087	0.56	<0.002
1418088	0.48	<0.002
1418089	0.46	<0.002
1418090	0.41	0.046
1418091	0.40	0.006
1418092	0.52	0.002
1418093	0.48	<0.002
1418094	0.48	<0.002
1418095	0.50	0.002
1418096	0.49	0.004
1418097	0.49	0.004
1418098	0.48	0.002
1418099	0.30	<0.002
1418100	0.54	<0.002
1418101	0.47	0.006
1418102	0.36	0.003
1418103	0.60	0.090
1418104	0.39	0.047
1418105	0.43	0.013
1418106	0.45	0.005
1418107	0.56	0.013
1418108	0.64	0.051
1418109	0.46	0.015
1418110	0.57	0.005
1418111	0.47	0.014
1418112	0.55	0.011

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y622204

PROJECT NO: RHYS

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: 0899948 BC LTD

ATTENTION TO: RASOOL MOHAMMAD

Fire Assay - Trace Au, AAS finish (202051)

DATE SAMPLED: Jul 19, 2012

DATE RECEIVED: Jul 19, 2012

DATE REPORTED: Sep 05, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.002
1418113		0.40	0.007
1418114		0.34	0.004
1418115		0.50	0.062
1418116		0.62	0.103
1418117		0.65	0.004
1418118		0.54	0.004
1418119		0.51	0.007
1418120		0.42	0.003
1418121		0.42	0.004
1418122		0.37	0.003
1418123		0.46	0.031
1418124		0.34	0.007
1418125		0.52	0.024
1418126		0.54	0.064
1418127		0.55	0.010
1418128		0.40	0.003
1418129		0.41	0.024
1418130		0.40	0.004
1418131		0.61	0.003
1418132		0.56	0.002
1418133		0.68	0.065
1418134		0.60	0.003
1418135		0.58	<0.002
1418136		0.51	<0.002
1418137		0.45	0.004
1418138		0.56	0.029
1418139		0.32	<0.002
1418140		0.42	0.003
1418141		0.37	<0.002
1418142		0.50	0.002
1418143		0.41	<0.002

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y622204

PROJECT NO: RHYS

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: 0899948 BC LTD

ATTENTION TO: RASOOL MOHAMMAD

Fire Assay - Trace Au, AAS finish (202051)

DATE SAMPLED: Jul 19, 2012

DATE RECEIVED: Jul 19, 2012

DATE REPORTED: Sep 05, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.002
1418144		0.41	0.040
1418145		0.44	0.002
1418146		0.49	0.005
1418147		0.46	<0.002
1418148		0.39	0.054
1418149		0.57	0.003
1418150		0.39	0.002
1418151		0.48	<0.002
1418152		0.71	0.004
1418153		0.61	0.002
1418154		0.53	<0.002
1418155		0.63	0.031
1418156		0.58	0.002
1418157		0.38	<0.002
1418158		0.53	0.006
1418159		0.69	<0.002
1418160		0.58	0.046
1418161		0.44	<0.002
1418162		0.45	<0.002
1418163		0.54	<0.002
1418164		0.43	0.003
1418165		0.53	0.002
1418166		0.52	0.039
1418167		0.58	0.002
1418168		0.53	0.003
1418169		0.38	0.003
1418170		0.39	0.007
1418171		0.48	0.002
1418172		0.56	0.002
1418173		0.45	<0.002
1418174		0.57	0.003

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y622204

PROJECT NO: RHYS

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: 0899948 BC LTD

ATTENTION TO: RASOOL MOHAMMAD

Fire Assay - Trace Au, AAS finish (202051)

DATE SAMPLED: Jul 19, 2012

DATE RECEIVED: Jul 19, 2012

DATE REPORTED: Sep 05, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.002
1418175		0.53	0.003
1418176		0.50	<0.002
1418177		0.45	0.002
1418178		0.35	0.053
1418179		0.42	0.004
1418180		0.61	<0.002
1418181		0.52	<0.002
1418182		0.57	0.004
1418183		0.42	0.003
1418184		0.48	0.057
1418185		0.47	0.003
1418186		0.49	0.004
1418187		0.47	0.004
1418188		0.43	<0.002
1418189		0.42	0.002
1418190		0.66	0.006
1418191		0.52	<0.002
1418192		0.42	0.128
1418193		0.61	<0.002
1418194		0.55	<0.002
1418195		0.62	0.004
1418196		0.61	<0.002
1418197		0.59	0.050
1418198		0.62	<0.002
1418199		0.64	<0.002
1418200		0.58	<0.002
1418201		0.66	0.004
1418202		0.68	<0.002
1418203		0.54	<0.002
1418204		0.74	<0.002
1418205		0.63	0.048

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y622204

PROJECT NO: RHYS

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: 0899948 BC LTD

ATTENTION TO: RASOOL MOHAMMAD

Fire Assay - Trace Au, AAS finish (202051)

DATE SAMPLED: Jul 19, 2012

DATE RECEIVED: Jul 19, 2012

DATE REPORTED: Sep 05, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.002
1418206		0.50	<0.002
1418207		0.48	<0.002
1418208		0.48	<0.002
1418209		0.57	0.046
1418210		0.57	<0.002
1418211		0.66	0.003
1418212		0.64	<0.002
1418213		0.54	0.004
1418214		0.63	0.052
1418215		0.53	0.004
1418216		0.59	0.003
1418217		0.41	0.003
1418218		0.57	0.002
1418219		0.56	<0.002
1418220		0.56	<0.002
1418251		0.55	0.049
1418252		0.48	0.002
1418253		0.40	0.002
1418254		0.46	0.002
1418255		0.41	0.052
1418256		0.56	0.003
1418257		0.41	0.003
1418258		0.53	0.003
1418259		0.36	0.005
1418260		0.41	0.003
1418261		0.53	0.002
1418262		0.41	0.006
1418263		0.40	0.004
1418264		0.37	0.038
1418265		0.47	0.014
1418266		0.34	0.004

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y622204

PROJECT NO: RHYS

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: 0899948 BC LTD

ATTENTION TO: RASOOL MOHAMMAD

Fire Assay - Trace Au, AAS finish (202051)

DATE SAMPLED: Jul 19, 2012

DATE RECEIVED: Jul 19, 2012

DATE REPORTED: Sep 05, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.002
1418267		0.40	0.003
1418268		0.42	0.003
1418269		0.46	0.004
1418270		0.45	0.003
1418271		0.30	0.023
1418272		0.48	<0.002
1418273		0.57	0.003
1418274		0.44	0.003
1418275		0.58	0.003
1418276		0.42	0.005
1418277		0.54	0.003
1418278		0.46	0.005
1418279		0.47	<0.002
1418280		0.52	0.004
1418281		0.59	<0.002
1418282		0.44	<0.002
1418283		0.48	0.028
1418284		0.55	0.004
1418285		0.54	<0.002
1418286		0.65	0.003
1418287		0.52	<0.002
1418288		0.63	0.006
1418289		0.54	0.003
1418290		0.50	<0.002
1418291		0.48	0.004
1418292		0.52	0.003
1418293		0.49	0.027
1418294		0.49	0.005
1418295		0.53	<0.002
1418296		0.49	0.003
1418297		0.53	<0.002

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y622204

PROJECT NO: RHYS

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: 0899948 BC LTD

ATTENTION TO: RASOOL MOHAMMAD

Fire Assay - Trace Au, AAS finish (202051)

DATE SAMPLED: Jul 19, 2012

DATE RECEIVED: Jul 19, 2012

DATE REPORTED: Sep 05, 2012

SAMPLE TYPE: Soil

Analyte:	Sample Login Weight	Au
Unit:	kg	ppm
Sample Description	RDL:	
1418298	0.01	0.002
1418298	0.50	<0.002
1418299	0.62	0.004
1418300	0.54	0.023

Comments: RDL - Reported Detection Limit

Certified By:

Quality Assurance

CLIENT NAME: 0899948 BC LTD

AGAT WORK ORDER: 12Y622204

PROJECT NO: RHYS

ATTENTION TO: RASOOL MOHAMMAD

Solid Analysis											
RPT Date: Sep 05, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper

Fire Assay - Trace Au, AAS finish (202051)

Au	1	3533630	0.003	0.003	0.0%	< 0.002	0.266	0.263	101%	90%	110%
----	---	---------	-------	-------	------	---------	-------	-------	------	-----	------

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

Ag	1	3533655	< 0.2	< 0.2	0.0%	< 0.2	14.4	13.0	110%	80%	120%
Al	1	3533655	1.78	1.90	6.5%	< 0.01				80%	120%
As	1	3533354	11	11	0.0%	4				80%	120%
B	1	3533655	< 5	< 5	0.0%	< 5				80%	120%
Ba	1	3533655	133	144	7.9%	< 1				80%	120%
Be	1	3533655	0.8	0.8	0.0%	< 0.5	0.3	0.4	84%	80%	120%
Bi	1	3533655	< 1	< 1	0.0%	< 1				80%	120%
Ca	1	3533655	0.797	0.780	2.2%	0.01				80%	120%
Cd	1	3533655	1.4	1.4	0.0%	4.5				80%	120%
Ce	1	3533655	17	18	5.7%	< 1				80%	120%
Co	1	3533655	10.3	11.2	8.4%	< 0.5				80%	120%
Cr	1	3533655	36.5	39.9	8.9%	< 0.5				80%	120%
Cu	1	3533354	9.93	9.24	7.2%	4.6	6096	4700	130%	80%	120%
Fe	1	3533655	2.44	2.56	4.8%	0.02	1.64	1.31	125%	80%	120%
Ga	1	3533655	6	7	15.4%	< 5				80%	120%
Hg	1	3533655	< 1	< 1	0.0%	< 1				80%	120%
In	1	3533655	< 1	< 1	0.0%	< 1				80%	120%
K	1	3533655	0.07	0.07	0.0%	< 0.01				80%	120%
La	1	3533655	9	9	0.0%	< 1				80%	120%
Li	1	3533655	10	11	9.5%	< 1				80%	120%
Mg	1	3533655	0.72	0.76	5.4%	< 0.01				80%	120%
Mn	1	3533655	431	462	6.9%	< 1				80%	120%
Mo	1	3533354	1.0	0.9	10.5%	< 0.5	322	280	115%	80%	120%
Na	1	3533655	0.05	0.05	0.0%	< 0.01				80%	120%
Ni	1	3533655	16.3	18.0	9.9%	< 0.5				80%	120%
P	1	3533655	408	455	10.9%	< 10	515	600	86%	80%	120%
Pb	1	3533655	3.3	2.8	16.4%	0.5				80%	120%
Rb	1	3533655	< 10	< 10	0.0%	< 10	14	13	104%	80%	120%
S	1	3533655	0.013	0.013	0.0%	< 0.005	0.98	0.80	122%	80%	120%
Sb	1	3533404	< 1	< 1	0.0%	< 1				80%	120%
Sc	1	3533655	6.7	7.2	7.2%	< 0.5				80%	120%
Se	1	3533655	< 10	< 10	0.0%	< 10				80%	120%
Sn	1	3533655	< 5	< 5	0.0%	< 5	8.4	7.1	118%	80%	120%
Sr	1	3533354	19.3	16.5	15.6%	< 0.5				80%	120%
Ta	1	3533655	< 10	< 10	0.0%	< 10				80%	120%
Te	1	3533655	< 10	< 10	0.0%	< 10				80%	120%
Th	1	3533655	4	5	22.2%	< 5				80%	120%
Ti	1	3533655	0.12	0.12	0.0%	< 0.01				80%	120%
Tl	1	3533655	< 5	< 5	0.0%	< 5				80%	120%
U	1	3533655	< 5	< 5	0.0%	< 5				80%	120%
V	1	3533655	68.4	75.0	9.2%	< 0.5				80%	120%

Quality Assurance

CLIENT NAME: 0899948 BC LTD

AGAT WORK ORDER: 12Y622204

PROJECT NO: RHYS

ATTENTION TO: RASOOL MOHAMMAD

Solid Analysis (Continued)											
RPT Date: Sep 05, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
W	1	3533655	< 1	< 1	0.0%	< 1				80%	120%
Y	1	3533655	6	7	15.4%	< 1	6	7	90%	80%	120%
Zn	1	3533655	51.0	56.2	9.7%	< 0.5				80%	120%
Zr	1	3533655	< 5	< 5	0.0%	< 5				80%	120%
Fire Assay - Trace Au, AAS finish (202051)											
Au	1	3533643	0.005	0.004	22.2%	< 0.002	1.58	1.52	104%	90%	110%
Fire Assay - Trace Au, AAS finish (202051)											
Au	1	3533655	< 0.002	< 0.002	0.0%	< 0.002	0.275	0.263	105%	90%	110%
Fire Assay - Trace Au, AAS finish (202051)											
Au	1	3533392	< 0.002	< 0.002	0.0%	< 0.002				90%	110%
Fire Assay - Trace Au, AAS finish (202051)											
Au	1	3533404	< 0.002	< 0.002	0.0%	< 0.002				90%	110%
Fire Assay - Trace Au, AAS finish (202051)											
Au	1	3533417	0.088	0.004		< 0.002				90%	110%
Fire Assay - Trace Au, AAS finish (202051)											
Au	1	3533429	0.003	0.086		< 0.002				90%	110%
Fire Assay - Trace Au, AAS finish (202051)											
Au	1	3533442	< 0.002	< 0.002	0.0%	< 0.002				90%	110%
Fire Assay - Trace Au, AAS finish (202051)											
Au	1	3533454	0.012	0.009	28.6%	< 0.002				90%	110%
Fire Assay - Trace Au, AAS finish (202051)											
Au	1	3533467	0.004	0.005	22.2%	< 0.002				90%	110%
Fire Assay - Trace Au, AAS finish (202051)											
Au	1	3533479	0.0047	0.0038	21.2%	< 0.002				90%	110%
Fire Assay - Trace Au, AAS finish (202051)											
Au	1	3533492	0.004	0.071		< 0.002				90%	110%
Fire Assay - Trace Au, AAS finish (202051)											
Au	1	3533504	0.051	0.010		< 0.002				90%	110%
Fire Assay - Trace Au, AAS finish (202051)											
Au	1	3533517	0.004	0.067		< 0.002				90%	110%
Fire Assay - Trace Au, AAS finish (202051)											
Au	1	3533529	0.065	0.003		< 0.002				90%	110%
Fire Assay - Trace Au, AAS finish (202051)											
Au	1	3533542	0.0047	0.0039	18.6%	< 0.002				90%	110%
Fire Assay - Trace Au, AAS finish (202051)											
Au	1	3533554	0.006	0.009		< 0.002				90%	110%

Quality Assurance

CLIENT NAME: 0899948 BC LTD

AGAT WORK ORDER: 12Y622204

PROJECT NO: RHYS

ATTENTION TO: RASOOL MOHAMMAD

Solid Analysis (Continued)											
RPT Date: Sep 05, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

Ag	1	3533379	< 0.2	< 0.2	0.0%	< 0.2	13.6	13.0	104%	80%	120%
Al	1	3533379	2.36	2.37	0.4%	0.04				80%	120%
As	1	3533379	< 1	< 1	0.0%	< 1				80%	120%
B	1	3533379	6	6	0.0%	< 5				80%	120%
Ba	1	3533379	245	246	0.4%	2				80%	120%
Be	1	3533379	3.4	3.4	0.0%	< 0.5	0.3	0.4	84%	80%	120%
Bi	1	3533379	< 1	< 1	0.0%	< 1				80%	120%
Ca	1	3533379	1.37	1.38	0.7%	< 0.01				80%	120%
Cd	1	3533379	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Ce	1	3533379	28	28	0.0%	< 1				80%	120%
Co	1	3533379	30.2	30.7	1.6%	< 0.5				80%	120%
Cr	1	3533379	104	104	0.0%	< 0.5				80%	120%
Cu	1	3533379	57.1	56.4	1.2%	< 0.5	5735	4700	122%	80%	120%
Fe	1	3533379	4.20	4.24	0.9%	0.04				80%	120%
Ga	1	3533379	11	12	8.7%	< 5				80%	120%
Hg	1	3533379	< 1	< 1	0.0%	< 1	1.1	1.3	84%	80%	120%
In	1	3533379	< 1	< 1	0.0%	< 1				80%	120%
K	1	3533379	0.17	0.17	0.0%	< 0.01				80%	120%
La	1	3533379	14	14	0.0%	< 1				80%	120%
Li	1	3533379	15	15	0.0%	< 1				80%	120%
Mg	1	3533379	4.22	4.23	0.2%	< 0.01				80%	120%
Mn	1	3533379	717	734	2.3%	1				80%	120%
Mo	1	3533379	< 0.5	< 0.5	0.0%	< 0.5	307	280	110%	80%	120%
Na	1	3533379	0.03	0.03	0.0%	< 0.01				80%	120%
Ni	1	3533379	236	234	0.9%	< 0.5				80%	120%
P	1	3533379	1830	1850	1.1%	< 10	487	600	81%	80%	120%
Pb	1	3533504	81.1	82.1	1.2%	0.5				80%	120%
Rb	1	3533379	49	47	4.2%	< 10	13	13	101%	80%	120%
S	1	3533379	0.009	0.009	0.0%	< 0.005				80%	120%
Sb	1	3533379	< 1	< 1	0.0%	< 1				80%	120%
Sc	1	3533379	8.67	8.60	0.8%	< 0.5				80%	120%
Se	1	3533379	< 10	< 10	0.0%	< 10				80%	120%
Sn	1	3533379	< 5	< 5	0.0%	< 5	8.7	7.1	123%	80%	120%
Sr	1	3533379	154	155	0.6%	1.5	293	390	75%	80%	120%
Ta	1	3533379	< 10	< 10	0.0%	< 10	0.9	0.9	102%	80%	120%
Te	1	3533379	< 10	< 10	0.0%	< 10				80%	120%
Th	1	3533504	17	17	0.0%	< 5				80%	120%
Ti	1	3533379	0.243	0.245	0.8%	< 0.01				80%	120%
Tl	1	3533379	5	6	18.2%	< 5				80%	120%
U	1	3533379	< 5	< 5	0.0%	< 5				80%	120%
V	1	3533379	112	112	0.0%	< 0.5				80%	120%
W	1	3533379	< 1	< 1	0.0%	< 1				80%	120%
Y	1	3533379	15	15	0.0%	< 1	6	7	92%	80%	120%

Quality Assurance

CLIENT NAME: 0899948 BC LTD

AGAT WORK ORDER: 12Y622204

PROJECT NO: RHYS

ATTENTION TO: RASOOL MOHAMMAD

Solid Analysis (Continued)											
RPT Date: Sep 05, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
Zn	1	3533379	67.5	67.5	0.0%	< 0.5				80%	120%
Zr	1	3533379	21	21	0.0%	< 5				80%	120%
Aqua Regia Digest - Metals Package, ICP-OES finish (201073)											
Ag	1	3533529	< 0.2	< 0.2	0.0%	< 0.2	14.9	13.0	114%	80%	120%
Al	1	3533454	1.94	1.93	0.5%	< 0.01				80%	120%
As	1	3533454	17	19	11.1%	< 1				80%	120%
B	1	3533454	< 5	< 5	0.0%	< 5	5.33	7.00	76%	80%	120%
Ba	1	3533454	173	172	0.6%	< 1				80%	120%
Be	1	3533454	1.23	1.26	2.4%	< 0.5	0.4	0.4	98%	80%	120%
Bi	1	3533454	< 1	< 1	0.0%	< 1				80%	120%
Ca	1	3533454	0.396	0.388	2.0%	< 0.01				80%	120%
Cd	1	3533454	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Ce	1	3533454	34	34	0.0%	< 1				80%	120%
Co	1	3533454	10.8	10.8	0.0%	< 0.5				80%	120%
Cr	1	3533454	45.3	45.4	0.2%	< 0.5				80%	120%
Cu	1	3533454	25.6	26.0	1.6%	< 0.5	3714	4700	79%	80%	120%
Fe	1	3533454	3.26	3.26	0.0%	< 0.01	1.62	1.31	123%	80%	120%
Ga	1	3533454	7	7	0.0%	< 5				80%	120%
Hg	1	3533454	< 1	< 1	0.0%	< 1				80%	120%
In	1	3533454	< 1	< 1	0.0%	< 1				80%	120%
K	1	3533454	0.12	0.12	0.0%	< 0.01				80%	120%
La	1	3533454	17	16	6.1%	< 1				80%	120%
Li	1	3533454	12	12	0.0%	< 1				80%	120%
Mg	1	3533454	0.66	0.65	1.5%	< 0.01				80%	120%
Mn	1	3533454	782	792	1.3%	< 1				80%	120%
Mo	1	3533529	< 0.5	< 0.5	0.0%	0.5	360	280	129%	80%	120%
Na	1	3533454	0.02	0.02	0.0%	< 0.01				80%	120%
Ni	1	3533454	23.3	23.7	1.7%	< 0.5				80%	120%
P	1	3533454	1130	1140	0.9%	< 10	691	600	115%	80%	120%
Pb	1	3533454	73.6	76.3	3.6%	< 0.5				80%	120%
Rb	1	3533454	36	35	2.8%	< 10	14	13	107%	80%	120%
S	1	3533454	0.017	0.017	0.0%	< 0.005	1	0.80	125%	80%	120%
Sb	1	3533529	< 1	< 1	0.0%	< 1				80%	120%
Sc	1	3533454	4.20	4.27	1.7%	< 0.5				80%	120%
Se	1	3533454	< 10	< 10	0.0%	< 10				80%	120%
Sn	1	3533454	< 5	< 5	0.0%	< 5	8.9	7.1	126%	80%	120%
Sr	1	3533454	28.2	26.7	5.5%	< 0.5				80%	120%
Ta	1	3533454	< 10	< 10	0.0%	< 10				80%	120%
Te	1	3533454	< 10	< 10	0.0%	< 10				80%	120%
Th	1	3533454	7	7	0.0%	< 5				80%	120%
Ti	1	3533454	0.12	0.12	0.0%	< 0.01				80%	120%
Tl	1	3533454	4	5	22.2%	< 5				80%	120%
U	1	3533454	< 5	< 5	0.0%	< 5				80%	120%
V	1	3533454	73.0	73.2	0.3%	< 0.5				80%	120%

Quality Assurance

CLIENT NAME: 0899948 BC LTD

AGAT WORK ORDER: 12Y622204

PROJECT NO: RHYS

ATTENTION TO: RASOOL MOHAMMAD

Solid Analysis (Continued)											
RPT Date: Sep 05, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
W	1	3533454	< 1	< 1	0.0%	< 1				80%	120%
Y	1	3533454	8	8	0.0%	< 1	7	7	103%	80%	120%
Zn	1	3533454	161	162	0.6%	< 0.5				80%	120%
Zr	1	3533454	< 5	< 5	0.0%	< 5				80%	120%
Aqua Regia Digest - Metals Package, ICP-OES finish (201073)											
Ag	1	3533554	< 0.2	< 0.2	0.0%	< 0.2	15.2	13.0	117%	80%	120%
Al	1	3533554	2.07	2.02	2.4%	0.02				80%	120%
As	1	3533554	14	3		< 1				80%	120%
B	1	3533554	6	5	18.2%	< 5				80%	120%
Ba	1	3533554	160	155	3.2%	2				80%	120%
Be	1	3533554	1.7	1.7	0.0%	< 0.5	0.4	0.4	92%	80%	120%
Bi	1	3533554	< 1	< 1	0.0%	< 1				80%	120%
Ca	1	3533554	0.528	0.480	9.5%	< 0.01				80%	120%
Cd	1	3533554	0.6	0.6	0.0%	< 0.5				80%	120%
Ce	1	3533554	30	28	6.9%	< 1				80%	120%
Co	1	3533554	22.8	21.7	4.9%	< 0.5				80%	120%
Cr	1	3533554	70.8	67.2	5.2%	< 0.5				80%	120%
Cu	1	3533554	45.9	28.7		0.6				80%	120%
Fe	1	3533554	3.43	3.35	2.4%	0.02				80%	120%
Ga	1	3533554	9	8	11.8%	< 5				80%	120%
Hg	1	3533554	< 1	< 1	0.0%	< 1				80%	120%
In	1	3533554	< 1	< 1	0.0%	< 1				80%	120%
K	1	3533554	0.16	0.16	0.0%	< 0.01				80%	120%
La	1	3533554	13	12	8.0%	< 1				80%	120%
Li	1	3533554	13	13	0.0%	< 1				80%	120%
Mg	1	3533554	2.09	2.02	3.4%	< 0.01				80%	120%
Mn	1	3533554	652	634	2.8%	2				80%	120%
Mo	1	3533554	1.2	< 0.5		< 0.5	357	280	127%	80%	120%
Na	1	3533554	0.03	0.03	0.0%	< 0.01				80%	120%
Ni	1	3533554	125	118	5.8%	0.7				80%	120%
P	1	3533554	1550	1460	6.0%	16	676	600	113%	80%	120%
Pb	1	3533554	4.3	3.4	23.4%	< 0.5				80%	120%
Rb	1	3533554	39	40	2.5%	< 10	14	13	110%	80%	120%
S	1	3533554	0.022	0.019	14.6%	< 0.005				80%	120%
Sb	1	3533554	2	< 1		< 1				80%	120%
Sc	1	3533554	2.7	2.6	3.8%	< 0.5				80%	120%
Se	1	3533554	< 10	< 10	0.0%	< 10				80%	120%
Sn	1	3533554	< 5	< 5	0.0%	< 5				80%	120%
Sr	1	3533554	37.0	32.8	12.0%	2.9				80%	120%
Ta	1	3533554	< 10	< 10	0.0%	< 10				80%	120%
Te	1	3533554	< 10	< 10	0.0%	< 10				80%	120%
Th	1	3533554	7	6	15.4%	< 5				80%	120%
Ti	1	3533554	0.14	0.14	0.0%	< 0.01				80%	120%
Tl	1	3533554	5	5	0.0%	< 5				80%	120%

Quality Assurance

CLIENT NAME: 0899948 BC LTD

AGAT WORK ORDER: 12Y622204

PROJECT NO: RHYS

ATTENTION TO: RASOOL MOHAMMAD

Solid Analysis (Continued)											
RPT Date: Sep 05, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
U	1	3533554	< 5	< 5	0.0%	< 5				80%	120%
V	1	3533554	73.9	69.7	5.8%	< 0.5				80%	120%
W	1	3533554	< 1	< 1	0.0%	< 1				80%	120%
Y	1	3533554	8	8	0.0%	< 1	7	7	100%	80%	120%
Zn	1	3533554	88.9	83.5	6.3%	< 0.5				80%	120%
Zr	1	3533554	< 5	< 5	0.0%	< 5				80%	120%
Aqua Regia Digest - Metals Package, ICP-OES finish (201073)											
Ag	1	3533580	< 0.2	< 0.2	0.0%	< 0.2	14.6	13.0	112%	80%	120%
Al	1	3533580	2.29	2.16	5.8%	< 0.01				80%	120%
As	1	3533580	40	41	2.5%	< 1				80%	120%
B	1	3533580	< 5	< 5	0.0%	< 5				80%	120%
Ba	1	3533580	179	167	6.9%	< 1				80%	120%
Be	1	3533580	1.0	1.0	0.0%	< 0.5	0.4	0.4	99%	80%	120%
Bi	1	3533580	< 1	< 1	0.0%	< 1				80%	120%
Ca	1	3533580	0.436	0.414	5.2%	< 0.01				80%	120%
Cd	1	3533580	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Ce	1	3533580	31	31	0.0%	< 1				80%	120%
Co	1	3533580	14.9	14.7	1.4%	< 0.5				80%	120%
Cr	1	3533580	58.0	57.8	0.3%	< 0.5				80%	120%
Cu	1	3533580	12.4	12.4	0.0%	< 0.5	6069	4700	129%	80%	120%
Fe	1	3533580	3.10	2.87	7.7%	< 0.01				80%	120%
Ga	1	3533580	6	6	0.0%	< 5				80%	120%
Hg	1	3533580	< 1	< 1	0.0%	< 1				80%	120%
In	1	3533580	< 1	< 1	0.0%	< 1				80%	120%
K	1	3533580	0.10	0.10	0.0%	< 0.01				80%	120%
La	1	3533580	15	16	6.5%	< 1				80%	120%
Li	1	3533580	11	10	9.5%	< 1				80%	120%
Mg	1	3533580	0.56	0.53	5.5%	< 0.01				80%	120%
Mn	1	3533580	795	763	4.1%	< 1				80%	120%
Mo	1	3533580	1.82	2.21	19.4%	< 0.5	351	280	125%	80%	120%
Na	1	3533580	0.02	0.02	0.0%	< 0.01				80%	120%
Ni	1	3533580	18.3	18.5	1.1%	< 0.5				80%	120%
P	1	3533580	651	661	1.5%	< 10	674	600	112%	80%	120%
Pb	1	3533580	17.2	18.2	5.6%	< 0.5				80%	120%
Rb	1	3533580	25	23	8.3%	< 10	13	13	103%	80%	120%
S	1	3533580	0.028	0.028	0.0%	< 0.005				80%	120%
Sb	1	3533580	5	5	0.0%	< 1				80%	120%
Sc	1	3533580	5.9	5.7	3.4%	< 0.5				80%	120%
Se	1	3533580	< 10	< 10	0.0%	< 10				80%	120%
Sn	1	3533580	< 5	< 5	0.0%	< 5				80%	120%
Sr	1	3533580	39.2	35.9	8.8%	< 0.5				80%	120%
Ta	1	3533580	< 10	< 10	0.0%	< 10				80%	120%
Te	1	3533580	< 10	< 10	0.0%	< 10				80%	120%
Th	1	3533580	17	17	0.0%	< 5				80%	120%

Quality Assurance

CLIENT NAME: 0899948 BC LTD

AGAT WORK ORDER: 12Y622204

PROJECT NO: RHYS

ATTENTION TO: RASOOL MOHAMMAD

Solid Analysis (Continued)											
RPT Date: Sep 05, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
Ti	1	3533580	0.092	0.097	5.3%	< 0.01				80%	120%
TI	1	3533580	5	< 5		< 5				80%	120%
U	1	3533580	< 5	< 5	0.0%	< 5				80%	120%
V	1	3533580	72.4	70.9	2.1%	< 0.5				80%	120%
W	1	3533580	< 1	< 1	0.0%	< 1				80%	120%
Y	1	3533580	8	8	0.0%	< 1	7	7	101%	80%	120%
Zn	1	3533580	72.1	72.5	0.6%	< 0.5				80%	120%
Zr	1	3533580	< 5	< 5	0.0%	< 5				80%	120%
Aqua Regia Digest - Metals Package, ICP-OES finish (201073)											
Ag	1	3533605	< 0.2	< 0.2	0.0%	< 0.2	14.5	13.0	112%	80%	120%
Al	1	3533605	3.50	3.78	7.7%	< 0.01				80%	120%
As	1	3533605	3	3	0.0%	< 1				80%	120%
B	1	3533605	7	7	0.0%	< 5				80%	120%
Ba	1	3533605	244	265	8.3%	< 1				80%	120%
Be	1	3533605	2.0	2.1	4.9%	< 0.5	0.3	0.4	86%	80%	120%
Bi	1	3533605	< 1	< 1	0.0%	< 1				80%	120%
Ca	1	3533605	0.460	0.496	7.5%	< 0.01				80%	120%
Cd	1	3533605	1.0	1.0	0.0%	< 0.5				80%	120%
Ce	1	3533605	38	41	7.6%	< 1				80%	120%
Co	1	3533605	24.9	26.1	4.7%	< 0.5				80%	120%
Cr	1	3533605	64.4	68.5	6.2%	< 0.5				80%	120%
Cu	1	3533605	29.8	31.7	6.2%	< 0.5	6071	4700	129%	80%	120%
Fe	1	3533605	3.49	3.75	7.2%	< 0.01				80%	120%
Ga	1	3533605	11	12	8.7%	< 5				80%	120%
Hg	1	3533605	< 1	< 1	0.0%	< 1				80%	120%
In	1	3533605	< 1	< 1	0.0%	< 1				80%	120%
K	1	3533605	0.097	0.106	8.9%	< 0.01				80%	120%
La	1	3533605	16	18	11.8%	< 1				80%	120%
Li	1	3533605	12	13	8.0%	< 1				80%	120%
Mg	1	3533605	0.77	0.83	7.5%	< 0.01				80%	120%
Mn	1	3533605	676	708	4.6%	< 1				80%	120%
Mo	1	3533605	0.6	0.9		< 0.5	347	280	124%	80%	120%
Na	1	3533605	0.02	0.02	0.0%	< 0.01				80%	120%
Ni	1	3533605	24.6	26.3	6.7%	< 0.5				80%	120%
P	1	3533605	346	371	7.0%	< 10	636	600	106%	80%	120%
Pb	1	3533605	6.0	5.5	8.7%	< 0.5				80%	120%
Rb	1	3533605	29	25	14.8%	< 10	11	13	84%	80%	120%
S	1	3533605	0.015	0.016	6.5%	< 0.005				80%	120%
Sb	1	3533605	< 1	< 1	0.0%	< 1				80%	120%
Sc	1	3533605	12.5	13.3	6.2%	< 0.5				80%	120%
Se	1	3533605	< 10	< 10	0.0%	< 10				80%	120%
Sn	1	3533605	< 5	< 5	0.0%	< 5				80%	120%
Sr	1	3533605	39.4	42.4	7.3%	< 0.5				80%	120%
Ta	1	3533605	< 10	< 10	0.0%	< 10				80%	120%

Quality Assurance

CLIENT NAME: 0899948 BC LTD

AGAT WORK ORDER: 12Y622204

PROJECT NO: RHYS

ATTENTION TO: RASOOL MOHAMMAD

Solid Analysis (Continued)											
RPT Date: Sep 05, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
Te	1	3533605	< 10	< 10	0.0%	< 10				80%	120%
Th	1	3533605	10	11	9.5%	< 5				80%	120%
Ti	1	3533605	0.11	0.11	0.0%	< 0.01				80%	120%
Tl	1	3533605	7	< 5		< 5				80%	120%
U	1	3533605	< 5	< 5	0.0%	< 5				80%	120%
V	1	3533605	125	132	5.4%	< 0.5				80%	120%
W	1	3533605	< 1	< 1	0.0%	< 1				80%	120%
Y	1	3533605	15	16	6.5%	< 1	6	7	91%	80%	120%
Zn	1	3533605	72.2	78.0	7.7%	< 0.5				80%	120%
Zr	1	3533605	< 5	< 5	0.0%	< 5				80%	120%
Aqua Regia Digest - Metals Package, ICP-OES finish (201073)											
Ag	1	3533630	< 0.2	< 0.2	0.0%	< 0.2				80%	120%
Al	1	3533630	2.07	1.83	12.3%	< 0.01				80%	120%
As	1	3533630	5	4	22.2%	< 1				80%	120%
B	1	3533630	< 5	7		< 5				80%	120%
Ba	1	3533630	313	267	15.9%	< 1				80%	120%
Be	1	3533630	1.60	1.79	11.2%	< 0.5	0.4	0.4	90%	80%	120%
Bi	1	3533630	< 1	< 1	0.0%	< 1				80%	120%
Ca	1	3533630	0.18	0.17	5.7%	< 0.01				80%	120%
Cd	1	3533630	< 0.5	0.7		< 0.5				80%	120%
Ce	1	3533630	21	23	9.1%	< 1				80%	120%
Co	1	3533630	10.3	10.9	5.7%	< 0.5				80%	120%
Cr	1	3533630	36.0	37.8	4.9%	< 0.5				80%	120%
Cu	1	3533630	51.4	52.8	2.7%	< 0.5				80%	120%
Fe	1	3533630	3.63	3.04	17.7%	< 0.01				80%	120%
Ga	1	3533630	6	8	28.6%	< 5				80%	120%
Hg	1	3533630	< 1	< 1	0.0%	< 1				80%	120%
In	1	3533630	< 1	< 1	0.0%	< 1				80%	120%
K	1	3533630	0.087	0.083	4.7%	< 0.01				80%	120%
La	1	3533630	10	10	0.0%	< 1				80%	120%
Li	1	3533630	19	17	11.1%	< 1				80%	120%
Mg	1	3533630	0.399	0.344	14.8%	< 0.01				80%	120%
Mn	1	3533630	371	370	0.3%	< 1				80%	120%
Mo	1	3533630	0.6	0.9		< 0.5				80%	120%
Na	1	3533630	0.01	< 0.01		< 0.01				80%	120%
Ni	1	3533630	30.8	31.6	2.6%	< 0.5				80%	120%
P	1	3533630	739	771	4.2%	< 10				80%	120%
Pb	1	3533630	7.5	6.9	8.3%	< 0.5				80%	120%
Rb	1	3533630	17	16	6.1%	< 10				80%	120%
S	1	3533630	0.020	0.021	4.9%	< 0.005				80%	120%
Sb	1	3533630	< 1	< 1	0.0%	< 1				80%	120%
Sc	1	3533630	4.3	4.3	0.0%	< 0.5				80%	120%
Se	1	3533630	< 10	< 10	0.0%	< 10				80%	120%
Sn	1	3533630	< 5	< 5	0.0%	< 5				80%	120%
Sr	1	3533630	22.7	25.0	9.6%	< 0.5				80%	120%

Quality Assurance

CLIENT NAME: 0899948 BC LTD

AGAT WORK ORDER: 12Y622204

PROJECT NO: RHYS

ATTENTION TO: RASOOL MOHAMMAD

Solid Analysis (Continued)

RPT Date: Sep 05, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Ta	1	3533630	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3533630	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3533630	6	8	28.6%	< 5				80% 120%
Ti	1	3533630	0.07	0.08	13.3%	< 0.01				80% 120%
TI	1	3533630	< 5	< 5	0.0%	< 5				80% 120%
U	1	3533630	4	5	22.2%	< 5				80% 120%
V	1	3533630	116	119	2.6%	< 0.5				80% 120%
W	1	3533630	< 1	< 1	0.0%	< 1				80% 120%
Y	1	3533630	5	5	0.0%	< 1				80% 120%
Zn	1	3533630	71.5	73.5	2.8%	< 0.5				80% 120%
Zr	1	3533630	< 5	< 5	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES finish (201073)										
Be	1					< 0.5	0.5	0.4	114%	80% 120%
Ti	1					< 0.01	0.05	0.07	70%	80% 120%
Aqua Regia Digest - Metals Package, ICP-OES finish (201073)										
Be	1					< 0.5	0.3	0.4	82%	80% 120%
Aqua Regia Digest - Metals Package, ICP-OES finish (201073)										
Ag	1					< 0.2	14.8	13.0	114%	80% 120%
Be	1					< 0.5	0.4	0.4	99%	80% 120%
Cu	1					< 0.5	5992	4700	127%	80% 120%
Mo	1					< 0.5	354	280	126%	80% 120%
P	1					< 10	735	600	123%	80% 120%
Y	1					< 1	7	7	96%	80% 120%
Aqua Regia Digest - Metals Package, ICP-OES finish (201073)										
Ag	1					< 0.2	14.6	13.0	113%	80% 120%
Be	1					< 0.5	0.4	0.4	102%	80% 120%
Cu	1					< 0.5	5919	4700	126%	80% 120%
Mo	1					< 0.5	350	280	125%	80% 120%
P	1					< 10	762	600	127%	80% 120%
Y	1					< 1	7	7	94%	80% 120%

Certified By:





Method Summary

CLIENT NAME: 0899948 BC LTD

AGAT WORK ORDER: 12Y622204

PROJECT NO: RHYS

ATTENTION TO: RASOOL MOHAMMAD

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Ag	MIN-200-12020		ICP/OES
Al	MIN-200-12020		ICP/OES
As	MIN-200-12020		ICP/OES
B	MIN-200-12020		ICP/OES
Ba	MIN-200-12020		ICP/OES
Be	MIN-200-12020		ICP/OES
Bi	MIN-200-12020		ICP/OES
Ca	MIN-200-12020		ICP/OES
Cd	MIN-200-12020		ICP/OES
Ce	MIN-200-12020		ICP/OES
Co	MIN-200-12020		ICP/OES
Cr	MIN-200-12020		ICP/OES
Cu	MIN-200-12020		ICP/OES
Fe	MIN-200-12020		ICP/OES
Ga	MIN-200-12020		ICP/OES
Hg	MIN-200-12020		ICP/OES
In	MIN-200-12020		ICP/OES
K	MIN-200-12020		ICP/OES
La	MIN-200-12020		ICP/OES
Li	MIN-200-12020		ICP/OES
Mg	MIN-200-12020		ICP/OES
Mn	MIN-200-12020		ICP/OES
Mo	MIN-200-12020		ICP/OES
Na	MIN-200-12020		ICP/OES
Ni	MIN-200-12020		ICP/OES
P	MIN-200-12020		ICP/OES
Pb	MIN-200-12020		ICP/OES
Rb	MIN-200-12020		ICP/OES
S	MIN-200-12020		ICP/OES
Sb	MIN-200-12020		ICP/OES
Sc	MIN-200-12020		ICP/OES
Se	MIN-200-12020		ICP/OES
Sn	MIN-200-12020		ICP/OES
Sr	MIN-200-12020		ICP/OES
Ta	MIN-200-12020		ICP/OES
Te	MIN-200-12020		ICP/OES
Th	MIN-200-12020		ICP/OES
Ti	MIN-200-12020		ICP/OES
Tl	MIN-200-12020		ICP/OES
U	MIN-200-12020		ICP/OES
V	MIN-200-12020		ICP/OES
W	MIN-200-12020		ICP/OES
Y	MIN-200-12020		ICP/OES
Zn	MIN-200-12020		ICP/OES
Zr	MIN-200-12020		ICP/OES
Sample Login Weight	MIN-12009		BALANCE
Au	MIN-200-12019	BUGBEE, E: A Textbook of Fire Assaying	AAS

APPENDIX 6 - 2012 RHYS Sample Data:

Collected by Matt Little, Max Mikhailytchev, and Mike Linley

Samples

Rocks 2

Silt 1

Soils 311

Total: 314**Rocks:**

						Ag	Au
Sample #	Easting	Northing		Notes		ppm	ppb
1417601	366104	6940715		vuggy, porous, felsic Green with vuggy oxides. Fine-grained.		0.3	9
1417602	366977	6939772		Subcrop		<0.2	<2

Soils:

Sample #	Easting	Northing	Depth (cm)	Color	Slope (degrees)	Notes	Ag ppm	Au ppb
1417901	365030	6942300	40-50	brown	25	frozen ground	0.4	5
1417902	365244	6942319	40-50	brown	15	frozen ground	<0.2	<2
1417903	365327	6942315	40-50	grey brown	15	frozen ground	<0.2	<2
1417904	365434	6942321	50-60	grey brown	10	frozen ground	0.3	<2
1417905	365531	6942302	40-50	brown	5	frozen ground	<0.2	4
1417906	365620	6942311	30-40	orange brown	5	frozen ground	<0.2	45
1417907	365710	6942296	30-40	orange brown	5	rocky	<0.2	4
1417908	365804	6942298	40-50	brown	10	frozen ground	0.5	7
1417909	365900	6942304	50-60	orange brown	10	rocky	<0.2	4
1417910	365896	6942204	50-60	light brown	20	rocky	<0.2	3
1417911	365803	6942204	50-60	light brown	20	rocky	<0.2	5
1417912	365632	6942203	50-60	light brown	20	rocky	<0.2	6
1417913	365510	6942197	40-50	light brown	20	rocky	<0.2	37
1417914	365353	6942204	50-60	brown	5	frozen, sand	<0.2	3
1417915	365126	6942164	50-60	brown	10	frozen ground	<0.2	21
1417916	365102	6942109	50-60	brown	10	frozen, rocky	0.5	11
1417917	365412	6942110	50-60	brown	5	rocky	<0.2	10
1417918	365506	6942107	50-60	brown	5	rocky	<0.2	39
1417919	365601	6942093	50-60	orange brown	5	rocky	<0.2	12
1417920	365698	6942090	40-50	light brown	20	rocky	<0.2	10
1417921	365797	6942108	50-60	light brown	20	rocky	<0.2	4
1417922	365895	6942106	50-60	brown	20	rocky	<0.2	2
1417923	367725	6937291	50-60	light brown	0	swampy	<0.2	<2
1417924	367731	6937352	50-60	grey	0	swampy	<0.2	<2
1417925	367734	6937412	50-60	grey	0	swampy	<0.2	42
1417926	367739	6937474	50-60	grey	0	swampy	<0.2	<2
1417927	367734	6937541	50-60	brown	0	swampy	<0.2	<2
1417928	367725	6937606	50-60	brown	5	swampy	<0.2	3
1417929	367731	6937674	50-60	light brown	5	swampy	<0.2	<2
1417930	367724	6937731	30-40	orange brown	5	swampy	<0.2	36
1417931	367723	6937799	30-40	orange brown	5	swampy	<0.2	3
1417932	367676	6937875	40-50	light brown	5	swampy	<0.2	3
1417933	367658	6937947	50-60	brown	10	swampy	<0.2	<2
1417934	367652	6938001	50-60	brown	5	rocky, sand	<0.2	<2
1417935	367644	6938067	50-60	light brown	5	rocky	<0.2	<2
1417936	367625	6938129	40-50	light brown	5	rocky	<0.2	3
1417937	367613	6938189	50-60	light brown	5	rocky	<0.2	<2
1417938	367564	6938235	50-60	light brown	5	rocky	<0.2	2
1417939	367552	6938302	50-60	light brown	20	rocky	<0.2	<2
1417940	367526	6938364	50-60	orange brown	10	rocky	<0.2	<2

Soils:								Ag	Au
Sample #	Easting	Northing	Depth (cm)	Color	Slope (degrees)	Notes		ppm	ppb
1417941	367508	6938453	40-50	orange brown	5	gruss		<0.2	45
1417942	367483	6938513	40-50	grey brown	5	gruss		<0.2	<2
1417943	367479	6938587	50-60	brown	5	siltsand		<0.2	<2
1417944	367444	6938655	40-50	brown	5	gruss		<0.2	<2
1417945	367411	6938717	40-50	light brown	5	siltsand		<0.2	<2
1417946	360487	6937420	30-40	orange brown	0	rocky		<0.2	<2
1417947	360575	6937454	50-60	brown	5	rocky, siltsand		<0.2	<2
1417948	360662	6937480	40-50	orange brown	10	rocky		<0.2	<2
1417949	360756	6937526	50-60	brown	10	frozen		<0.2	<2
1417950	360852	6937573	50-60	light brown	10	frozen		<0.2	<2
1417951	360952	6937624	60-70	brown	5	swampy		<0.2	<2
1417952	361049	6937665	50-60	brown	5	siltsand		<0.2	126
1417953	361141	6937665	50-60	brown	5	frozen, siltsand		<0.2	<2
1417954	361229	6937733	40-50	light brown	5	siltsand		<0.2	<2
1417955	361337	6937778	50-60	brown	5	swampy		<0.2	<2
1417956	361426	6937813	60-70	light brown	5	siltsand		<0.2	<2
1417957	361521	6937848	60-70	brown	5	swampy, siltsand		<0.2	<2
1417958	361613	6937883	50-60	brown	5	swampy		<0.2	39
1417959	361708	6937917	50-60	light brown	5	swampy		<0.2	2
1417960	361803	6937954	50-60	brown	5	rocky		<0.2	<2
1417961	361925	6937976	50-60	brown	5	rocky		<0.2	<2
1417962	362025	6937995	50-60	brown	5	swampy		<0.2	<2
1417963	362123	6938025	60-70	brown	10	rocky, swampy		<0.2	<2
1417964	362218	6938063	70-80	brown	10	swampy		<0.2	88
1417965	362330	6938103	70-80	brown	10	swampy		<0.2	3
1417966	362424	6938137	60-70	brown	5	swampy		<0.2	<2
1417967	362511	6938165	40-50	grey brown	5	swampy		<0.2	<2
1417968	362622	6938209	50-60	grey brown	5	swampy		<0.2	<2
1417969	364524	6939437	30-40	light brown	30	siltsand, below outcrop		<0.2	45
1417970	364481	6939394	40-50	light brown	30	siltsand		<0.2	43
1417971	364458	6939339	40-50	light brown	30	siltsand		<0.2	3
1417972	364417	6939295	50-60	grey brown	5	siltsand		<0.2	2
1417973	364396	6939237	50-60	light brown	5	siltsand		<0.2	3
1417974	364354	6939185	40-50	light brown	10	siltsand		<0.2	<2
1417975	364343	6939125	50-60	light brown	20	siltsand		<0.2	<2
1417976	364295	6939074	50-60	light brown	20	siltsand		<0.2	3
1417977	364246	6939009	50-60	brown	20	siltsand		<0.2	<2
1417978	364217	6938948	50-60	brown	10	gruss		<0.2	4
1417979	364162	6938898	30-40	light brown	10	siltsand		<0.2	7
1417980	364115	6938838	50-60	light brown	5	siltsand		<0.2	<2
1417981	364080	6938780	60-70	brown	5	siltsand		0.4	<2
1417982	364039	6938724	60-70	light brown	10	siltsand		<0.2	7
1417983	363999	6938675	60-70	grey brown	10	siltsand		<0.2	3
1417984	363958	6938627	60-70	grey brown	5	siltsand		<0.2	3
1417985	363922	6938564	50-60	brown	10	siltsand		<0.2	<2
1417986	363894	6938513	50-60	light brown	10	sand		<0.2	6
1417987	363845	6938463	60-70	pink-brown	5	clay, very unique soil		<0.2	5
1417988	363787	6938442	50-60	brown	10	sand		<0.2	46
1417989	363747	6938399	50-60	brown	10	siltsand		<0.2	<2
1417990	363696	6938355	60-70	grey-brown	5	siltsand		<0.2	8
1417991	363644	6938331	50-60	brown	5	sand		<0.2	6
1417992	363578	6938289	70-80	grey brown	5	sand		<0.2	<2
1417993	363501	6938274	60-70	grey brown	5	siltsand		<0.2	4
1418051	364956	6941381	15	brown	30	steep, rocky, hard to get		<0.2	81
1418052	365014	6941396	60	brown	30	difficult		0.2	<2

Soils:							Ag	Au
Sample #	Easting	Northing	Depth (cm)	Color	Slope (degrees)	Notes	ppm	ppb
1418053	365104	6941396	60	brown	30		0.6	63
1418054	365197	6941404	50	brown	30		1.7	55
1418055	365302	6941395	50	brown	35		0.8	5
1418056	365399	6941402	60	brown	30		2.9	8
1418057	365498	6941405	50	brown	25		3.2	27
1418058	365640	6941383	50	brown	5	valley	0.4	12
1418059	365700	6941398	40	brown	30	rocky	3.2	9
1418060	365802	6941389	10	brown	35	from scree under moss	3.3	5
1418061	365891	6941394	20	grey brown	35	under moss, above scree	1.5	214
1418062	365826	6941494	40	brown	20	rocky	13.3	12
1418063	365786	6941498	60	brown	30		2.7	6
1418064	365699	6941485	70	orange grey	15		4.9	11
1418065	365474	6941506	70	red brown	35		1.8	21
1418066	365388	6941484	50	brown	10		2.1	27
1418067	365299	6941503	50	brown	5		2.3	68
1418068	365197	6941501	60	brown	10		1.5	100
1418069	365104	6941510	40	orange brown	25		1	29
1418070	365005	6941501	60	brown	30		<0.2	6
1418071	364889	6941495	50	brown	35		<0.2	4
1418072	364903	6941602	50	brown	20		<0.2	5
1418073	364995	6941598	50	brown	15		<0.2	62
1418074	365089	6941597	60	brown	20		1.2	73
1418075	365203	6941601	60	brown	15		1.5	14
1418076	365293	6941601	70	brown	5		<0.2	17
1418077	365388	6941599	50	orange brown	5		5	38
1418078	365554	6941601	50	orange brown	5		<0.2	24
1418079	365618	6941604	50	orange brown	5	wet	2.9	7
1418080	365701	6941616	50	orange brown	10		0.9	4
1418081	365805	6941601	30	orange brown	30		3.3	4
1418082	369010	6939993	30	orange brown	5		<0.2	3
1418083	368864	6940009	30	orange brown	5		<0.2	5
1418084	368788	6940075	30	orange brown	5		<0.2	<2
1418085	368730	6940171	30	orange brown	5		<0.2	<2
1418086	368666	6940242	30	orange brown	5		<0.2	<2
1418087	368592	6940306	20	orange brown	5		<0.2	<2
1418088	368543	6940397	20	orange brown	5		<0.2	<2
1418089	368489	6940471	20	brown	5		<0.2	<2
1418090	368382	6940517	20	brown	5		<0.2	46
1418091	368315	6940603	20	orange brown	5		<0.2	6
1418092	368240	6940679	60	brown	5		<0.2	2
1418093	368174	6940750	40	orange brown	20		<0.2	<2
1418094	368168	6940821	30	orange grey	30		<0.2	<2
1418095	368114	6940946	45	orange brown	30		<0.2	2
1418096	368050	6941044	50	brown	25		<0.2	4
1418097	367956	6941083	40	brown	10	ridge	<0.2	4
1418098	367911	6941173	60	brown	5		<0.2	2
1418099	367882	6941270	25	brown	5		<0.2	<2
1418100	367731	6941298	5	brown	5	ridge, rocky	<0.2	<2
1418101	364900	6942000	60	brown			<0.2	6
1418102	365028	6941957	80	brown			<0.2	3
1418103	365107	6941970	50	brown			<0.2	90
1418104	365208	6941964	40	brown		permafrost	0.5	47
1418105	365303	6941958	40	brown		permafrost	0.4	13
1418106	365403	6941937	40	brown		permafrost	0.2	5
1418107	365487	6941939	50	brown			0.3	13

Soils:							Ag	Au
Sample #	Easting	Northing	Depth (cm)	Color	Slope (degrees)	Notes	ppm	ppb
1418108	365617	6941934	70	brown			<0.2	51
1418109	365706	6941910	40	brown			<0.2	15
1418110	365793	6941904	40	brown			<0.2	5
1418111	365868	6941898	40	brown			0.8	14
1418112	365885	6941837	60	brown			<0.2	11
1418113	365801	6941827	40	brown			2	7
1418114	365704	6941844	50	brown			1.2	4
1418115	365601	6941850	40	brown			0.9	62
1418116	365508	6941842	40	brown		permafrost	0.2	103
1418117	365376	6941854	30	brown		permafrost	<0.2	4
1418118	365195	6941870	50	brown		permafrost	<0.2	4
1418119	365102	6941883	60	brown			<0.2	7
1418120	365011	6941889	20	brown			<0.2	3
1418121	364892	6941883	50	brown			<0.2	4
1418122	364960	6941865	40	brown			<0.2	3
1418123	365030	6941818	50	brown			1.1	31
1418124	365101	6941789	40	brown			<0.2	7
1418125	365204	6941789	50	grey brown			0.2	24
1418126	365322	6941786	60	grey brown			<0.2	64
1418127	365582	6941796	50	brown			1.8	10
1418128	365743	6941788	40	brown			<0.2	3
1418129	365809	6941784	30	brown			0.2	24
1418130	365903	6941780	30	brown			<0.2	4
1418131	368797	6939302	80	grey brown			<0.2	3
1418132	368745	6939315	80	grey brown			<0.2	2
1418133	368694	6939328	70	grey brown			<0.2	65
1418134	368638	6939334	60	grey brown			<0.2	3
1418135	368582	6939339	60	brown			<0.2	<2
1418136	368531	6939353	50	brown			<0.2	<2
1418137	368472	6939367	50	brown			<0.2	4
1418138	368410	6939380	60	brown			<0.2	29
1418139	368351	6939400	50	brown		permafrost	<0.2	<2
1418140	368283	6939406	40	brown		permafrost	<0.2	3
1418141	368236	6939365	50	brown		permafrost	<0.2	<2
1418142	368174	6939350	40	brown			<0.2	2
1418143	368109	6939344	30	brown		permafrost	<0.2	<2
1418144	368049	6939322	40	brown		permafrost	<0.2	40
1418145	367992	6939320	50	brown		permafrost	<0.2	2
1418146	367938	6939320	60	brown			<0.2	5
1418147	367875	6939322	50	brown			<0.2	<2
1418148	367820	6939311	40	grey brown			<0.2	54
1418149	367753	6939312	60	brown			<0.2	3
1418150	367701	6939288	40	brown			<0.2	2
1418151	367658	6939290	50	brown			<0.2	<2
1418152	367609	6939310	60	brown			<0.2	4
1418153	367556	6939327	70	brown			<0.2	2
1418154	367516	6939360	60	brown			<0.2	<2
1418155	367466	6939377	40	brown			<0.2	31
1418156	367425	6939410	50	light brown			<0.2	2
1418157	367388	6939432	40	brown			<0.2	<2
1418158	367350	6939474	50	brown			<0.2	6
1418159	367293	6939473	60	grey brown			<0.2	<2
1418160	367251	6939469	40	brown			<0.2	46
1418161	360024	6937799	50	brown			<0.2	<2
1418162	360051	6937857	40	brown		permafrost	<0.2	<2

Soils:							Ag	Au
Sample #	Easting	Northing	Depth (cm)	Color	Slope (degrees)	Notes	ppm	ppb
1418163	360092	6937893	50	red brown			<0.2	<2
1418164	360119	6937935	40	brown			<0.2	3
1418165	360147	6937978	50	brown			<0.2	2
1418166	360180	6938021	50	brown			<0.2	39
1418167	360212	6938095	50	brown			<0.2	2
1418168	360228	6938152	60	brown			<0.2	3
1418169	360253	6938195	40	brown			<0.2	3
1418170	360270	6938247	40	brown			<0.2	7
1418171	360295	6938295	50	brown			<0.2	2
1418172	360319	6938341	40	brown			<0.2	2
1418173	360344	6938389	50	brown			<0.2	<2
1418174	360361	6938439	50	brown			<0.2	3
1418175	360403	6938469	60	brown			<0.2	3
1418176	360400	6938524	40	brown			<0.2	<2
1418177	360409	6938580	50	brown			<0.2	2
1418178	360431	6938632	30	brown			<0.2	53
1418179	360455	6938681	40	brown			<0.2	4
1418180	360464	6938725	40	brown			<0.2	<2
1418181	360475	6938780	50	brown			<0.2	<2
1418182	360481	6938830	40	brown			<0.2	4
1418183	360490	6938878	30	brown		permafrost	<0.2	3
1418184	360512	6938920	60	brown		permafrost	<0.2	57
1418185	360534	6938972	40	brown		permafrost	<0.2	3
1418186	360543	6939020	50	brown			<0.2	4
1418187	360552	6939068	60	brown			<0.2	4
1418188	360570	6939112	60	brown			<0.2	<2
1418189	360604	6939154	50	brown			<0.2	2
1418190	360649	6939203	60	brown			<0.2	6
1418191	361398	6941104	60	brown			<0.2	<2
1418192	361330	6941034	60	black brown			<0.2	128
1418193	361264	6940879	60	brown			<0.2	<2
1418194	361236	6940824	50	brown			<0.2	<2
1418195	361208	6940763	60	brown			<0.2	4
1418196	361195	6940699	60	brown			<0.2	<2
1418197	361195	6940618	70	brown			<0.2	50
1418198	361158	6940559	60	brown			<0.2	<2
1418199	361115	6940489	70	brown			<0.2	<2
1418200	361079	6940444	80	brown			<0.2	<2
1418201	361063	6940370	70	brown			<0.2	4
1418202	361035	6940294	80	brown			<0.2	<2
1418203	361002	6940222	50	brown			<0.2	<2
1418204	360977	6940148	60	grey brown			<0.2	<2
1418205	360948	6940073	60	brown			<0.2	48
1418206	360916	6939997	70	brown			<0.2	<2
1418207	360872	6939922	50	brown			<0.2	<2
1418208	360812	6939867	60	brown			<0.2	<2
1418209	360756	6939811	80	brown			<0.2	46
1418210	360684	6939782	60	brown			<0.2	<2
1418211	360620	6939735	70	brown			<0.2	3
1418212	360582	6939664	60	grey brown			<0.2	<2
1418213	360562	6939599	70	black brown			<0.2	4
1418214	360537	6939529	60	brown			<0.2	52
1418215	360484	6939472	70	brown			<0.2	4
1418216	360444	6939415	40	light brown			<0.2	3
1418217	360392	6939358	50	brown			<0.2	3

Soils: Sample #	Easting	Northing	Depth (cm)	Color	Slope (degrees)	Notes	Ag ppm	Au ppb
1418218	360322	6939316	70	brown			<0.2	2
1418219	360240	6939283	50	brown			<0.2	<2
1418220	360169	6939255	70	brown			<0.2	<2
1418251	367653	6941375	50	brown	5		<0.2	49
1418252	367570	6941478	40	brown	5		<0.2	2
1418253	362762	6936664	25	orange brown	5		<0.2	2
1418254	362790	6936751	25	brown	5		<0.2	2
1418255	362825	6936818	15	orange brown	5		<0.2	52
1418256	362858	6936900	15	orange brown	5		<0.2	3
1418257	362854	6936991	25	orange brown	5	frozen	<0.2	3
1418258	362882	6937083	60	orange brown	5	permafrost	<0.2	3
1418259	362871	6937165	60	orange brown	5	permafrost	<0.2	5
1418260	362849	6937277	30	orange brown	5	dry	<0.2	3
1418261	362860	6937355	50	orange brown	5		<0.2	2
1418262	362859	6937431	40	orange brown	5		<0.2	6
1418263	362866	6937494	30	orange brown	5		<0.2	4
1418264	362879	6937586	20	orange brown	5		<0.2	38
1418265	362882	6937650	40	brown	5	permafrost	<0.2	14
1418266	362905	6937711	60	brown	5	permafrost	<0.2	4
1418267	362931	6937787	60	orange brown	5	permafrost	<0.2	3
1418268	362955	6937852	50	red orange	20		<0.2	3
1418269	362941	6937932	35	brown	20		<0.2	4
1418270	362964	6937995	40	orange brown	20		<0.2	3
1418271	362964	6938050	30	red brown	20		<0.2	23
1418272	362930	6938144	35	brown	30		<0.2	<2
1418273	362945	6938256	30	brown	20	permafrost	<0.2	3
1418274	356887	6940804	20	brown	0		<0.2	3
1418275	356966	6940884	50	brown	0		<0.2	3
1418276	357032	6940974	40	brown			<0.2	5
1418277	357087	6941041	60	orange			<0.2	3
1418278	357197	6941106	25	orange			<0.2	5
1418279	357334	6941132	20	brown			<0.2	<2
1418280	357385	6941193	40	brown			<0.2	4
1418281	357431	6941341	silt	brown		silt	<0.2	<2
1418282	357449	6941393	30	brown			<0.2	<2
1418283	357510	6941480	50	brown			<0.2	28
1418284	357622	6941532	60	brown			<0.2	4
1418285	357680	6941600	60	brown			<0.2	<2
1418286	357722	6941706	60	orange			<0.2	3
1418287	357791	6941752	70	brown			<0.2	<2
1418288	357874	6941827	60	brown			<0.2	6
1418289	357964	6941837	90	orange brown			<0.2	3
1418290	358049	6941965	60	orange brown			<0.2	<2
1418291	358114	6942016	70	orange brown			<0.2	4
1418292	358174	6942095	70	orange brown			<0.2	3
1418293	358218	6942192	60	orange brown			<0.2	27
1418294	358296	6942253	65	orange brown			<0.2	5
1418295	358388	6942314	60	orange brown			<0.2	<2
1418296	358469	6942377	50	brown			<0.2	3
1418297	358509	6942463	45	orange brown			<0.2	<2
1418298	358581	6942539	60	orange			<0.2	<2
1418299	358647	6942628	90	brown			<0.2	4
1418300	358696	6942694	90	orange brown			<0.2	23