

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 – 510 West Hastings Street
Vancouver, B.C. V6B 1L8

Telephone: 604-688-2568

Fax: 604-688-2578

ASSESSMENT REPORT

describing

SOIL AND ROCK GEOCHEMICAL SAMPLING

at the

GAS PROPERTY

Gas 1-42 YF23521-YF23562

NTS 095D/05 & 105A/08
Latitude 60°26'N; Longitude 128°00'W

Field work performed August 19 and August 20, 2012

located in the

Watson Lake Mining District
Yukon Territory

prepared by

Archer, Cathro & Associates (1981) Limited

for

STRATEGIC METALS LTD.

by

S. Drechsler, B.Sc. Geology, P.Geo.

November 2012

CONTENTS

INTRODUCTION	1
PROPERTY LOCATION, CLAIM DATA AND ACCESS	1
HISTORY AND PREVIOUS WORK	1
GEOMORPHOLOGY	2
REGIONAL GEOLOGY	2
PROPERTY GEOLOGY	3
REGIONAL MINERALIZATION	4
MINERALIZATION	4
SOIL GEOCHEMISTRY	5
DISCUSSION AND CONCLUSIONS	6
REFERENCES	7

APPENDICES

I	STATEMENT OF QUALIFICATIONS
II	ROCK SAMPLE DESCRIPTIONS
III	CERTIFICATES OF ANALYSIS
IV	STATEMENT OF EXPENDITURES

FIGURES

<u>No.</u>	<u>Description</u>	<u>Follows Page</u>
1	Property Location	1
2	Claim Locations	1
3	Tectonic Setting	2
4	Regional Geology	3
5	Property Geology	3
6	Sample Locations	4
7	Copper Geochemistry	5
8	Gold Geochemistry	5
9	Silver Geochemistry	5
10	Zinc Geochemistry	5
11	Molybdenum Geochemistry	5
12	Arsenic Geochemistry	5

TABLES

<u>No.</u>	<u>Description</u>	<u>Page</u>
I	Threshold and Peak Values for Soil Samples	5

INTRODUCTION

The Gas property is located in southeastern Yukon within a prospective metallogenic district that comprises the Hyland Gold (gold-silver), McMillan (zinc-lead-silver) and Mel (lead-zinc-barium) deposits. The property covers an area with elevated copper±gold±silver±zinc±molybdenum±arsenic soil geochemistry. It is wholly owned by Strategic Metals Ltd.

This report describes soil and rock geochemical sampling performed on August 19 and 20, 2012 by Archer, Cathro & Associates (1981) Limited on behalf of Strategic Metals. The author participated in the program. Appendix I contains the author's Statement of Qualifications.

PROPERTY LOCATION, CLAIM DATA AND ACCESS

The Gas property comprises 42 contiguous quartz claims, which are located in eastern Yukon at latitude 60°26' north and longitude 128°00' west on NTS map sheets 095D/05 and 105A/08 (Figure 1). The property covers an area of approximately 850 hectares (8.5 sq. km.). The claims are registered with the Watson Lake Mining Recorder in the name of Archer Cathro, which holds them in trust for Strategic Metals. Specifics concerning claim registration are tabulated below, while the locations of individual claims are shown on Figure 2.

<u>Claim Name</u>	<u>Grant Number</u>	<u>Expiry Date*</u>
Gas 1-42	YF23521-YF23562	March 26, 2017

* Expiry dates include 2012 work which has been filed for assessment credit but not yet accepted.

Access to and from the property was provided by a Bell 206 JetRanger helicopter owned and operated by Trans North Helicopters from its permanent base in Watson Lake, which is located 55 km to the southwest. Watson Lake is the nearest supply centre.

HISTORY AND PREVIOUS WORK

In 1973, during regional exploration around a nearby property (now the Hyland Gold Project), Hyland Joint Venture discovered mineralized veins within the bounds of the current Gas property. Mineralization comprised tetrahedrite, enargite and sphalerite in quartz-calcite veins (Deklerk and Traynor, 2005a). The mineralized area was not staked.

In late 1981, Kidd Creek Mines Ltd. staked the Aup 1 to 24 claims to cover the historical mineralization. In 1982, it performed geological mapping and collected 19 stream sediment and 228 soil geochemical samples on its property (Archer, 1982). The historical, mineralized quartz-calcite veins were relocated but not resampled (low gold and silver values were obtained from samples taken in 1973). Soil samples were collected at 50 m spacings on lines oriented east to west and located 300 m apart. The samples yielded spotty, elevated values for copper (peak of 1060 ppm), gold (peak of 28 ppb, typically less than 20 ppb), silver (several values between 2 and 19 ppm) and arsenic (numerous samples between 100 and 2430 ppm). Lead and tungsten values were subdued. The soil sample results are illustrated and further described in the Soil

STRATEGIC METALS LTD.

FIGURE 1
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

PROPERTY LOCATION

GAS PROPERTY

0 250 km

UTM ZONE 9, NAD 83, 105A/08

FILE: ...2012/GAS/FIGURES/LOCATION

DATE: NOV 2012

NORTHWEST TERRITORIES

ALASKA

Dawson

Mayo

Faro

Ross River

Carmacks

Whitehorse

Haines Junction

★ **GAS PROPERTY**

Watson Lake

Skagway

Atlin

Haines


BRITISH COLUMBIA

Dease Lake

Juneau

Telegraph Creek

PACIFIC OCEAN



Geochemistry section. The Aup claims were allowed to expire because Kidd Creek was unable to find a bulk tonnage, precious metal target.

In fall 2011, Strategic Metals staked the Gas 1 to 42 claims over and around the expired Aup claim block.

GEOMORPHOLOGY

The Gas property is situated in the Logan Mountains and is drained by creeks that flow into the Hyland River, which ultimately connects to the Arctic Ocean via the Liard and Mackenzie rivers.

The property straddles a north-trending, rounded ridge which slopes down to swampy drainages. Elevations on the property range from 1100 to 1620 m above sea level. Outcrop exposure is locally abundant but is generally restricted to the ridge top.

Approximately one-third of the property lies above treeline, which is at about 1450 m in the region. Slopes above that elevation are characterized by outcrop and alpine vegetation primarily comprising low grasses and staghorn moss. The density and size of vegetation gradually increases on lower slopes, and the valley floors are treed with fir and spruce. Understorey consists of low shrubs and moss. A large portion of the western slope of the ridge was burnt and is now primarily vegetated with poplar, willow and arctic birch.


Much of the overburden in the region is associated with the most recent Cordilleran ice sheet, the McConnell glaciation, which is believed to have covered south and central Yukon between 26,500 and 10,000 years ago (Yukon Geological Survey, 2010). The area was covered by the Liard Lobe of the ice sheet, which moved in an eastward to north-eastward direction.

The climate in the Gas property area is typical of northern continental regions with long, cold winters, truncated fall and spring seasons and short, mild summers. Although summers are relatively mild, snowfall can occur in any month at higher elevations. The property is mostly snow free from early June to late September.

REGIONAL GEOLOGY

The Geological Survey of Canada performed geological mapping in the vicinity of the Gas property (NTS map sheets 105A and 095D) at 1:250,000 scale in the late 1960s (Gabrielse, 1967 and Gabrielse and Blusson, 1969). In 2003, Gordey and Makepeace completed a compilation of Yukon-wide geology and updated lithological unit names in the Gas property area. The following geological descriptions are based on the published maps.

The property lies within Selwyn Basin (Figure 3), a tectonic element comprising deep water clastic rocks with minor carbonate facies, which accumulated along the North American continental margin during Paleozoic time (Pigage, 2004).



YA	Yakutat
PW	Prince William
CG	Chugach
PR	Pacific Rim
CR	Crescent
KY	Koyukuk, Nyak, Togiak
PE	Peninsular
AX	Alexander
WR	Wrangellia
KS	Kluane, Windy, Coast
AG	Angayucham/Tozitna/Innoko
AA	Arctic-Alaska, Hammond
RB	Coldfoot, Ruby, Seward
FW	Farewell
KB	Kilbuck

Outboard

Insular

Northern Alaska

MT	Methow
CD	Cadwallader
BR	Bridge River
CC	Cache Creek
HA	Harrison
CK	Chilliwack
ST	Stikinia
QN	Quesnellia
OK	Okanagan
YT	Yukon-Tanana
SM	Slide Mountain

Intermontane

CA	Cassiar
NAb	North America - basinal
NAp	North America - platform
NAc	North America - craton & cover

Taken from Colpron, M. and Nelson, J.L., 2011

STRATEGIC METALS LTD.

FIGURE 3

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

TECTONIC SETTING GAS PROPERTY

FILE: 2012\RYE\Figures\Rye-F_3_Tectonic_Settings.cdr

DATE: NOVEMBER 2012

Local surface geology is mapped as Upper Proterozoic to Lower Cambrian Hyland Group (PCH), which is conformably overlain by Upper Cambrian and Ordovician Rabbitkettle Formation (COR1) four kilometres to the west (Figure 4).

Hyland Group is largely undifferentiated in the area and upwardly consists of coarse turbiditic clastics, limestone and fine clastics typified by maroon and green shale. A local horizon of limestone is mapped in the northwest corner of the Gas property. This horizon belongs to Algae Lake Formation (PCH2), which is a sub-unit of Hyland Group. It comprises grey weathering, dark grey to white, thin to thick bedded, very fine crystalline limestone.

Rabbitkettle Formation is characterized by thin bedded, wavy banded, silty limestone and grey, lustrous, calcareous phyllite. It locally includes limestone intraclast breccia and conglomerate; massive to laminated, grey quartzose siltstone and chert; minor mafic flows, breccia and tuff; and rare black slate.

There are numerous large, high angle and thrust faults in the region, but no major structures have been recognized in the immediate vicinity of the Gas property.


PROPERTY GEOLOGY


Kidd Creek and Strategic Metals each performed one day of geological mapping along the north-trending ridge on the Gas property. Although outcrops are scattered along the well-vegetated flanks of the ridge, bedrock exposures are concentrated along its crest.

Mapping identified several sedimentary to weakly metasedimentary units along the ridge. The contacts between the units are largely obscured by overburden or vegetation, so their relationships are unknown. The uppermost unit comprises grey-green weathering, quartz-feldspar grit to pebble conglomerate with rare, narrow limestone horizons (Figure 5). This unit topographically overlies grey-green weathering, black, non-calcareous phyllite and tan to grey, non-calcareous sandstone and quartzite. The phyllite and sandstone/quartzite horizons are locally interbedded. Grey weathering, laminated to platy, silty to sandy, fetid, calcite-veined limestone underlies the phyllite and quartzite/sandstone units in the northern part of the map area. This limestone is in turn underlain by black, non-calcareous mudstone.

Bedding orientations vary from northwesterly with a southwesterly dip to northeasterly with a northwesterly dip. Dips are typically shallow to moderate (between 5 and 50 degrees). Local, small-scale folding was observed in some outcrops within the limestone horizon. Cleavage orientations within phyllite are coincident with general bedding orientations on the property. Fracture density is usually low to moderate and orientations are variable. Kidd Creek observed two orthogonal faults in the southern part of its map area. These faults juxtapose conglomerate against interbedded phyllite and quartzite/sandstone.

A small ferricrete kill zone was mapped by Kidd Creek within the limestone near its contact with quartzite.





REGIONAL MINERALIZATION

The Gas property lies within a locally rich metallogenic district comprising the Hyland Gold, McMillan and Mel deposits. Although these deposits contain a variety of mineralization types, the host rocks at each are similar to those found on the Gas property.

The McMillan deposit is situated five kilometres north-northeast of the Gas property. It comprises a mineralized, tabular, manto-like body that lies near the top of Hyland Group. This body has a published resource of 1.1 million tonnes grading 8.3% zinc, 4.1% lead and 62 g/t silver (Deklerk and Traynor, 2005b). The deposit is 600 by 150 m in plan and between 2 and 30 m thick. It is covered by extensive glacial till up to 50 m thick and is only locally exposed in a creek cut. A nearby, smaller mineralized body has a published resource of 0.4 million tonnes grading 1.72% zinc, 9.34% lead and 214 g/t silver (Deklerk and Traynor, 2005b).

The Hyland Gold deposit lies within Hyland Group clastic rocks about ten kilometres northeast of the Gas property (Deklerk and Traynor, 2005c). It comprises several areas and types of gold mineralization, of which the Main Zone is the most significant. Main Zone is characterized by structurally-controlled, iron oxide units containing semi-massive sulphide (mostly pyrite with lesser arsenopyrite), which occur along the base of a limestone horizon. The iron oxide units were previously believed to be stratigraphically controlled limestone replacement beds. An inferred mineral resource estimate for Main Zone is 12.5 million tonnes grading 0.6 g/t gold equivalent (Armitage and Gray, 2012).


The Mel deposit is a sedimentary exhalative occurrence that lies 35 km east-southeast of the Gas property. The deposit is defined by a concordant, folded lens of barite with coarse recrystallized galena and sphalerite, which occurs at the contact between Cambrian to Ordovician limestone and underlying calcareous slate and phyllite. The deposit reportedly contains a non- National Instrument 43-101 compliant indicated mineral resource of 6.8 million tonnes grading 7.1% zinc, 2.0% lead and 54.7% barite (Deklerk and Traynor, 2005d).

MINERALIZATION

In 1973 and 1982, quartz-calcite veins with small grains of tetrahedrite, enargite and sphalerite were reportedly discovered on the property (Archer, 1982). These veins yielded subdued values for gold and silver and their locations were not plotted in the historical assessment report. The veins were not relocated by Strategic Metals in 2012.

In 2012, Strategic Metals collected seven rock samples on the property. Rock geochemical sample sites on the property were marked with orange flagging tape labelled with the sample number. The location of each sample was determined using a handheld GPS unit. Sample locations are illustrated on Figure 6. Rock Sample Descriptions are given in Appendix II and Certificates of Analysis are provided in Appendix III.

The 2012 samples comprised ferricrete, limonitic phyllite, calcite vein, limonite, altered limestone and quartz vein float. Most samples yielded subdued values for all economic metals and their pathfinder elements. Weakly elevated values for copper and/or arsenic were obtained



from limonitic phyllite (1000 ppm arsenic), ferricrete (667 ppm copper), limonite (283 ppm copper and 243 ppm arsenic) and calcite vein (247 ppm copper and 2390 ppm arsenic). Results for copper, gold, silver, zinc, molybdenum and arsenic are plotted thematically on Figures 7 to 12.

The rock samples were sent to ALS Laboratory in Whitehorse, Yukon where they were dried, fine crushed to better than 70% passing 2 mm and a 250 g split was pulverized to better than 85% passing 75 microns. The samples then sent to ALS Laboratory in North Vancouver, B.C. where they were analyzed for gold using fire assay followed by inductively coupled plasma-atomic emission spectroscopy analysis (Au-ICP21) and for 51 elements using an aqua regia digestion followed by inductively coupled plasma combined with mass spectroscopy and atomic emission spectroscopy (ME-MS41).

SOIL GEOCHEMISTRY

In 2012, Strategic Metals took 292 grid soil samples at 50 by 100 m spacings to infill the 1982 Kidd Creek grid. Soil samples were collected from 10 to 40 cm deep holes dug using hand-held augers. They were placed into individually pre-numbered Kraft paper bags. Sample sites are marked by aluminum tags inscribed with the sample numbers and affixed to 0.5 m wooden lath that were driven into the ground. All soil sample locations were recorded using hand-held GPS units.


The soil samples were sent to ALS Laboratory in Whitehorse where they were dried, screened to -180 microns, and then to ALS Laboratory in North Vancouver where they were analyzed for gold and 51 elements using Au-ICP21 and ME-MS41.


Sample locations and results for copper, gold, silver, zinc, molybdenum and arsenic are plotted on Figures 6 to 12, respectively. Certificates of Analysis are provided in Appendix III. Table I lists the thresholds for weak, moderate and strong soil anomalies, plus peak values for each element.


Table I – Threshold and Peak Values for Soil Samples


Element	Anomalous Thresholds			
	Weak	Moderate	Strong	Peak
Copper	$\geq 100 < 200$	$\geq 200 < 500$	≥ 500	1060
Gold	$\geq 20 < 50$	≥ 50	-	61
Silver	$\geq 1 < 2$	$\geq 2 < 5$	≥ 5	19
Zinc	$\geq 200 < 500$	$\geq 500 < 1000$	≥ 1000	5440
Molybdenum	$\geq 5 < 10$	$\geq 10 < 20$	≥ 20	89
Arsenic	$\geq 100 < 200$	$\geq 200 < 500$	≥ 500	1870
Vanadium	$\geq 200 < 500$	$\geq 500 < 1000$	≥ 1000	2130


A kilometre-long band of moderately to strongly anomalous copper, silver, zinc and molybdenum values was defined in the northern part of the soil grid. This area is also anomalous for barium (up to 6190 ppm), vanadium (up to 2130 ppm) and nickel (up to 454 ppm). It appears to lie within the mudstone horizon, just below its contact with the overlying limestone.














A broad arsenic anomaly in the east-central portion of the grid encompasses numerous elevated silver values and a spot gold anomaly (61 ppb). This anomaly largely coincides with phyllite and quartzite/sandstone. Localized, elevated copper and silver values were obtained from the southern end of the arsenic anomaly within the grit-conglomerate unit near the highest point on the ridge.

DISCUSSION AND CONCLUSIONS

The Gas property reportedly hosts historical enargite-, tetrahedrite- and sphalerite-bearing quartz veins within Hyland Group sedimentary and metasedimentary units. Although these veins were not relocated in 2012, soil sampling identified two main areas of elevated soil geochemistry in the northern half of the property.

One area of interest is a kilometre long, coincident copper, silver, zinc, molybdenum, barium, vanadium and nickel anomaly that lies along the northern edge of the soil grid. It is geochemically similar to soil anomalies associated with some black shale units elsewhere in Yukon. Although the anomaly lies in a densely vegetated area with little bedrock exposure, scattered black mudstone outcrops were observed within it and may represent an unmapped horizon of Road River Group or other black shale unit. Road River Group rocks have been mapped four kilometres west of the property. Black shale units are typically not found within Hyland Group. If the anomalous values do mark a black shale unit, there is probably an unidentified high angle or thrust fault nearby. The geological setting of the anomaly is similar in many respects to the Mel deposit.

The other area of interest is a broad arsenic anomaly with locally elevated copper, gold and/or silver values, which lies to the southeast of the black shale type geochemical anomaly. The Hyland Gold deposit is marked by a large halo of strongly elevated arsenic values and is hosted in similar rocks. The gold values associated with this anomaly are likely too weak to be of interest.

Due to its close proximity and geological and geochemical similarities to the Hyland Gold and Mel deposits, the Gas property warrants additional work. Work should consist of hand pitting to test for mineralization and to determine the lithologies at the most anomalous soil sample sites within the densely vegetated areas of interest on the Gas property.

Respectfully submitted,

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED



S. Drechsler, B.Sc. Geology, P.Geo.

REFERENCES

- Archer, A.R.
1982 Report on geological and geochemical survey for Quartz Lake Project; assessment report (#091424) prepared for Kidd Creek Mines Ltd. by Archer, Cathro & Associates (1981) Limited.
- Armitage, A. and Gray, P.D.
2012 Technical report on the Hyland Gold property in the Yukon Territory, Canada; prepared for Argus Metals Corp.
- Colpron, M. and Nelson, J. L.
2011 A Digital atlas of terranes for the Northern Cordillera; Yukon Geological Survey and BC Geology Survey, BCGS GeoFile 2011-11
(http://www.geology.gov.yk.ca/pdf/CanCord_terranes_2011.pdf).
- Deklerk, R. and Traynor, S. (compilers)
2005a Minfile detail report on Aurum (105A 039); Yukon Minfile - A database of mineral occurrences, Yukon Geological Survey. Available at:
http://ygsftp.gov.yk.ca/publications/minfile/text_files/105A/105A039.pdf
- 2005b Minfile detail report on McMillan (095D006); Yukon Minfile - A database of mineral occurrences, Yukon Geological Survey. Available at:
http://ygsftp.gov.yk.ca/publications/minfile/text_files/095D/095D006.pdf
- 2005c Minfile detail report on Hyland Gold (095D011); Yukon Minfile - A database of mineral occurrences, Yukon Geological Survey. Available at:
http://ygsftp.gov.yk.ca/publications/minfile/text_files/095D/095D011.pdf
- 2005d Minfile detail report on Mel (095D005); Yukon Minfile - A database of mineral occurrences, Yukon Geological Survey. Available at:
http://ygsftp.gov.yk.ca/publications/minfile/text_files/095D/095D005.pdf
- Gabrielse, H.
1967 Geology of Watson Lake map sheet, Yukon Territory; Geological Survey of Canada, Preliminary map 19-1966.
- Gabrielse, H. and Blusson, S.L.
1969 Geology of Coal River map sheet, Yukon Territory and District of Mackenzie (95D); Geological Survey of Canada, Paper 68-38, 22 p.
- Gordey, S.P. and Makepeace, A.J.
2003 Yukon Digital Geology, version 2.0, S.P. Gordey and A.J. Makepeace (comp); Geological Survey of Canada, Open File 1749 and Yukon Geological Survey, Open File 2003-9 (D).

Pigage, L.C.

- 2004 Bedrock geology compilation of the Anvil District (parts of 105K/2, 3, 5, 7 and 11), central Yukon; Yukon Geological Survey, Bulletin 15.

Yukon Geological Survey

- 2010 Geoprocess File Summary Report for Watson Lake NTS 105A and Coal River NTS 095D Map Areas;

Available at: [http://ygsftp.gov.yk.ca/publications/openfile/2002/of2002_8d
_geoprocess_file/documents/map_specific](http://ygsftp.gov.yk.ca/publications/openfile/2002/of2002_8d_geoprocess_file/documents/map_specific)

APPENDIX I
STATEMENT OF QUALIFICATIONS

STATEMENT OF QUALIFICATIONS

I, Sarah Drechsler, geologist, with business addresses in Whitehorse, Yukon Territory and Vancouver, British Columbia and residential address in Squamish, British Columbia, hereby certify that:

1. I graduated from the University of British Columbia in 2007 with a B.Sc. in Honours Geological Sciences.
2. From 2002 to present, I have been actively engaged in mineral exploration in Yukon Territory, British Columbia and Northwest Territories.
3. I am a Professional Geoscientist (P.Geo.) with the Association of Professional Engineers and Geoscientists of British Columbia (Member Number 154922).
4. I have personally participated in the field work reported herein and have interpreted all data resulting from this work.



S. Drechsler, B.Sc. Geology, P.Geo.

APPENDIX II
ROCK SAMPLE DESCRIPTIONS

Rock Sample Descriptions			Project: <u>Gas</u>		Property: <u>Gas</u>		2012	
Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:		
G006030	UTM:	553989	E	UTM:	6701719	N	Sample Width:	Abundance:
	Elevation:	m						
Comments: 1 block of orange-green-brown weathering, pervasively dark grey-green-orange, highly reactive, altered limestone.								
Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:		
G006031	UTM:	553943	E	UTM:	6701752	N	Sample Width:	Abundance:
	Elevation:	m						
Comments: 1 cobble of rusty weathering, pervasively weakly limonitic, sucrosic quartz vein or white quartzite								
Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:		
G006032	UTM:	554021	E	UTM:	6701999	N	Sample Width:	Abundance:
	Elevation:	m						
Comments: 1 cobble of rusty-grey weathering, limonite-clay-quartz altered grey phyllite. In talus with unaltered grey phyllite.								
Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:		
G006033	UTM:	553619	E	UTM:	6702351	N	Sample Width:	Abundance:
	Elevation:	m						
Comments: 2 blocks of rusty ferricrete with phyllite clasts. Has been relocated from source to here (lying on limestone outcrop).								
Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:		
N832157	UTM:	553844	E	UTM:	6702451	N	Sample Width:	Abundance:
	Elevation:	m						
Comments: Brown weathered calcite vein								
Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:		
N8321558	UTM:	553899	E	UTM:	6702369	N	Sample Width:	Abundance:
	Elevation:	m						
Comments: grey phyllite, orange brown pitting on fractures								

Rock Sample Descriptions				Project: <u>Gas</u>	Property: <u>Gas</u>	2012
Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
N832159	UTM:	553899 E	UTM:	6702369 N	Sample Width:	Abundance:
	Elevation:	m				
Comments: orange purple limonite						

APPENDIX III
CERTIFICATES OF ANALYSIS



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 9- SEP- 2012
Account: MTT

CERTIFICATE WH12198526

Project: Gas

P.O. No.:

This report is for 7 Rock samples submitted to our lab in Whitehorse, YT, Canada on 23- AUG- 2012.

The following have access to data associated with this certificate:

SARAH EATON

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/ o BarCode
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
CRU- 31	Fine crushing - 70%<2mm
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85%< 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 9- SEP- 2012
 Account: MTT

Project: Gas

CERTIFICATE OF ANALYSIS WH12198526

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
N832157		0.27	0.013	6.06	1.97	2390	<0.2	<10	170	0.67	0.06	4.62	0.39	19.55	7.8	19
N832158		0.45	0.005	0.13	0.29	19.7	<0.2	<10	70	0.16	0.10	0.11	0.03	48.4	0.8	5
N832159		0.08	0.009	0.17	1.58	243	<0.2	<10	140	1.76	0.12	0.07	0.81	51.2	18.5	26
G006030		0.36	0.001	1.05	2.82	65	<0.2	<10	50	0.52	0.26	17.90	0.07	25.5	6.0	20
G006031		0.34	0.002	0.79	0.69	71.3	<0.2	<10	30	0.56	0.12	0.09	0.15	45.4	1.6	18
G006032		0.48	<0.001	0.36	0.92	1000	<0.2	<10	70	0.32	0.06	0.20	0.22	30.0	5.3	11
G006033		0.31	0.003	0.10	4.71	59.5	<0.2	<10	140	6.98	0.09	0.16	1.80	85.2	39.7	15



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 9- SEP- 2012
Account: MTT

Project: Gas

CERTIFICATE OF ANALYSIS WH12198526

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
N832157		2.02	547	3.93	10.40	0.05	0.20	0.01	0.019	0.17	13.0	92.0	1.44	701	0.60
N832158		0.68	6.5	0.34	1.12	<0.05	0.20	0.01	0.005	0.16	26.8	2.1	0.04	26	0.19
N832159		1.38	283	28.1	3.70	0.30	0.13	0.02	0.032	0.26	26.8	3.2	0.04	278	2.39
G006030		0.41	33.9	5.32	6.27	0.11	0.41	<0.01	0.043	0.01	13.0	49.2	5.43	3940	0.36
G006031		1.80	33.2	5.07	2.98	0.07	0.03	<0.01	0.203	0.05	23.3	5.9	0.16	372	0.46
G006032		3.11	55.8	4.97	3.28	0.07	0.12	<0.01	0.105	0.06	15.3	23.2	0.33	210	1.90
G006033		2.32	667	25.1	3.19	0.29	0.26	0.01	0.020	0.11	37.6	70.7	0.72	286	0.75



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 9- SEP- 2012
 Account: MTT

Project: Gas

CERTIFICATE OF ANALYSIS WH12198526

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
N832157		<0.05	18.9	540	5.5	15.7	<0.001	0.02	4.92	1.2	0.8	0.2	254	<0.01	0.01	7.0
N832158		<0.05	2.1	60	2.9	11.2	<0.001	<0.01	0.45	0.6	0.2	<0.2	12.8	<0.01	<0.01	13.2
N832159		0.29	38.7	1990	15.9	15.8	<0.001	0.05	1.90	3.2	1.3	<0.2	3.9	0.01	0.05	21.2
G006030		0.14	12.1	820	14.8	0.6	0.001	0.01	0.73	4.7	0.6	0.8	479	<0.01	0.06	5.2
G006031		0.05	3.2	690	123.0	2.7	<0.001	0.02	1.62	2.8	0.5	0.2	19.2	<0.01	0.01	3.1
G006032		<0.05	17.6	400	7.0	5.3	<0.001	0.01	3.78	1.9	0.7	0.2	7.4	<0.01	0.01	10.5
G006033		0.27	124.5	1040	20.8	4.9	0.001	0.04	0.85	4.8	1.1	<0.2	7.5	0.02	0.03	4.4



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 9- SEP- 2012
 Account: MTT

Project: Gas

CERTIFICATE OF ANALYSIS WH12198526

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
N832157		<0.005	0.32	0.76	75	0.08	5.78	54	8.6
N832158		<0.005	0.15	0.31	2	0.10	2.52	4	7.8
N832159		<0.005	0.37	3.40	22	0.45	13.25	271	7.2
G006030		0.073	0.06	1.58	24	0.20	7.48	43	16.3
G006031		0.005	0.07	0.70	16	0.08	3.70	127	1.4
G006032		<0.005	0.52	0.71	16	<0.05	4.92	53	4.9
G006033		0.007	0.28	10.05	13	0.50	42.1	583	10.3



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Gas

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 9- SEP- 2012
Account: MTT

CERTIFICATE OF ANALYSIS WH12198526

Method	CERTIFICATE COMMENTS
ME- MS41 ME- MS41	Interference: Ca> 10%on ICP- MS As,ICP- AES results shown. Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 14- SEP- 2012
Account: MTT

CERTIFICATE WH12198581

Project: GAS
P.O. No.:
This report is for 202 Soil samples submitted to our lab in Whitehorse, YT, Canada on 23- AUG- 2012.

The following have access to data associated with this certificate:

SARAH EATON

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/ o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 14- SEP- 2012
Account: MTT

Project: GAS

CERTIFICATE OF ANALYSIS WH12198581

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ44351		0.19	0.004	0.42	1.59	96.1	<0.2	<10	460	0.36	0.19	0.11	0.52	36.4	4.9	20
ZZ44352		0.20	0.005	0.33	0.62	82.6	<0.2	<10	190	0.15	0.19	0.03	0.29	28.2	3.1	12
ZZ44353		0.19	0.003	0.68	2.48	195.5	<0.2	<10	930	0.81	0.19	0.31	0.94	56.9	18.5	29
ZZ44354		0.23	0.002	0.47	0.87	48.6	<0.2	<10	120	0.19	0.29	0.04	0.32	36.0	3.5	12
ZZ44355		0.20	0.001	0.30	2.11	26.4	<0.2	<10	430	0.84	0.18	0.90	0.59	41.5	5.9	24
ZZ44356		0.18	0.003	1.08	1.22	30.0	<0.2	<10	320	0.36	0.26	0.21	3.16	29.9	6.5	21
ZZ44357		0.19	0.001	0.15	2.42	10.7	<0.2	<10	260	0.78	0.14	2.25	1.14	56.7	9.9	27
ZZ44358		0.13	0.002	0.16	1.85	17.8	<0.2	<10	410	0.72	0.17	1.46	0.34	40.7	7.3	22
ZZ44359		0.14	0.001	0.12	1.46	3.1	<0.2	<10	200	0.69	0.14	1.75	0.37	54.1	6.2	16
ZZ44360		0.13	0.002	0.11	1.89	6.6	<0.2	<10	240	0.72	0.18	0.98	0.26	35.0	7.7	23
ZZ44361		0.15	0.003	1.71	1.27	24.4	<0.2	<10	410	0.48	0.23	1.56	4.36	19.75	4.8	28
ZZ44362		0.18	0.015	5.26	1.73	54.1	<0.2	<10	1100	1.08	0.22	1.06	16.65	59.8	13.9	53
ZZ44363		0.16	0.004	1.38	1.09	19.2	<0.2	<10	1480	0.51	0.16	1.54	8.54	29.1	8.1	19
ZZ44364		0.18	0.002	2.01	1.63	21.0	<0.2	<10	1630	0.75	0.16	0.65	10.05	36.2	7.8	31
ZZ44365		0.17	0.003	0.53	2.01	25.9	<0.2	<10	730	0.92	0.21	0.68	5.87	46.1	8.4	35
ZZ44366		0.18	0.005	0.19	2.69	7.7	<0.2	<10	220	0.59	0.12	4.48	0.30	43.2	9.0	28
ZZ44367		0.21	0.003	0.09	1.98	11.8	<0.2	<10	300	0.73	0.17	0.71	0.67	48.8	7.7	23
ZZ44368		0.16	0.002	0.20	1.53	10.5	<0.2	<10	290	0.61	0.16	1.66	0.50	31.5	5.9	18
ZZ44369		0.16	0.001	0.22	1.78	8.6	<0.2	<10	250	0.80	0.15	1.44	1.10	45.4	7.6	20
ZZ44370		0.17	0.002	0.20	1.74	24.8	<0.2	<10	310	0.64	0.16	2.35	1.24	35.2	7.4	21
ZZ44371		0.17	0.004	0.38	1.19	196.5	<0.2	<10	450	0.43	0.19	0.56	1.11	29.5	6.6	18
ZZ44372		0.19	0.005	2.52	1.41	616	<0.2	<10	770	0.67	0.21	0.47	2.68	44.8	12.5	17
ZZ44373		0.18	0.002	0.89	1.28	233	<0.2	<10	220	0.40	0.27	0.30	0.47	31.6	4.4	21
ZZ44374		0.15	0.007	2.04	1.41	1120	<0.2	<10	190	0.44	0.25	0.17	0.22	52.6	11.5	22
ZZ44375		0.17	0.008	1.41	0.77	1260	<0.2	<10	300	0.31	0.38	0.18	0.42	88.6	13.0	18
ZZ44376		0.21	0.002	0.99	1.22	137.5	<0.2	<10	620	0.49	0.24	0.31	0.71	40.3	7.3	19
ZZ44377		0.22	0.002	0.53	1.40	146.0	<0.2	<10	280	0.46	0.28	0.07	0.44	45.0	7.5	22
ZZ44378		0.16	0.001	0.29	1.04	151.5	<0.2	<10	130	0.29	0.28	0.05	0.28	34.9	6.2	15
ZZ44379		0.18	0.013	1.11	1.15	1870	<0.2	<10	310	0.43	0.37	0.45	0.28	51.7	6.6	15
ZZ44380		0.17	0.004	0.81	0.98	691	<0.2	<10	250	0.45	0.33	0.19	0.64	68.5	6.7	14
ZZ44381		0.20	0.001	0.55	0.61	211	<0.2	<10	90	0.23	0.22	0.02	0.12	35.5	2.7	7
ZZ44382		0.17	0.005	0.30	0.62	164.0	<0.2	<10	70	0.18	0.25	0.02	0.22	34.8	3.4	9
ZZ44383		0.16	0.011	0.40	0.77	146.5	<0.2	<10	120	0.33	0.25	0.02	0.22	38.5	3.7	10
ZZ44384		0.18	0.010	0.25	0.92	251	<0.2	<10	120	0.37	0.33	0.02	0.20	51.5	6.5	12
ZZ44385		0.19	0.003	0.54	1.05	478	<0.2	<10	110	0.47	0.29	0.04	0.32	47.0	9.2	17
ZZ44386		0.21	0.002	0.77	1.13	353	<0.2	<10	150	0.41	0.31	0.02	0.21	50.9	6.1	15
ZZ44387		0.16	0.008	1.12	1.07	321	<0.2	<10	100	0.30	0.29	0.03	0.17	39.1	5.3	19
ZZ44388		0.19	0.003	0.64	1.33	277	<0.2	<10	100	0.30	0.31	0.06	0.23	39.1	5.3	20
ZZ44389		0.18	0.007	0.58	0.56	230	<0.2	<10	80	0.16	0.23	0.02	0.11	41.4	2.6	8
ZZ44390		0.15	0.003	1.02	1.16	324	<0.2	<10	80	0.31	0.27	0.04	0.20	46.3	6.5	21



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 14- SEP- 2012
Account: MTT

Project: GAS

CERTIFICATE OF ANALYSIS WH12198581

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ44351		1.22	15.0	2.07	5.31	<0.05	<0.02	0.02	0.019	0.04	17.9	21.5	0.46	139	3.75
ZZ44352		1.03	12.7	1.30	4.17	<0.05	<0.02	0.02	0.015	0.04	16.2	4.4	0.13	88	7.99
ZZ44353		1.70	25.7	3.19	6.11	<0.05	0.04	0.04	0.029	0.06	18.7	45.2	1.40	570	3.59
ZZ44354		0.97	15.4	1.60	5.17	<0.05	<0.02	0.03	0.012	0.03	18.9	5.9	0.11	97	3.08
ZZ44355		1.52	10.3	2.13	5.59	0.05	0.04	0.04	0.028	0.04	20.3	29.9	1.16	324	0.90
ZZ44356		1.70	19.9	3.16	5.05	<0.05	<0.02	0.05	0.028	0.05	14.6	15.0	0.49	298	8.06
ZZ44357		0.56	13.3	3.01	5.51	0.07	0.11	0.04	0.031	0.04	27.3	36.1	2.56	374	0.54
ZZ44358		0.68	11.9	2.36	4.55	<0.05	0.04	0.04	0.031	0.04	18.2	19.0	1.16	352	0.70
ZZ44359		0.35	8.9	2.15	3.67	0.06	0.05	0.05	0.031	0.04	25.2	18.5	0.92	572	0.32
ZZ44360		0.76	10.9	2.38	4.92	0.05	0.06	0.04	0.029	0.05	19.7	23.6	1.13	258	0.81
ZZ44361		2.60	108.0	1.46	4.18	<0.05	0.03	0.06	0.022	0.06	10.7	23.6	0.54	473	4.16
ZZ44362		3.91	118.5	2.62	5.02	0.11	0.05	0.10	0.051	0.14	41.4	32.6	1.29	223	33.9
ZZ44363		0.96	38.8	1.87	2.81	0.06	0.07	0.17	0.025	0.08	15.3	12.5	0.71	253	10.30
ZZ44364		1.10	36.7	1.93	4.35	0.06	0.06	0.12	0.029	0.08	18.2	21.9	1.09	240	12.95
ZZ44365		1.61	57.3	2.69	5.17	0.06	0.08	0.08	0.036	0.09	22.2	30.3	1.33	327	6.86
ZZ44366		2.17	23.9	2.86	6.92	0.08	0.10	0.04	0.021	0.10	21.6	39.5	3.66	232	0.74
ZZ44367		0.80	19.0	2.73	4.85	0.05	0.07	0.03	0.032	0.06	21.2	22.4	1.24	377	1.19
ZZ44368		0.98	15.6	2.11	4.05	0.05	0.05	0.06	0.027	0.06	15.4	16.9	0.81	304	1.28
ZZ44369		0.46	11.5	2.51	4.12	0.05	0.06	0.05	0.037	0.05	20.9	18.9	1.16	466	1.02
ZZ44370		1.31	17.9	2.31	4.64	0.05	0.06	0.05	0.028	0.06	18.5	24.1	1.34	417	1.19
ZZ44371		1.80	24.5	2.10	3.37	<0.05	0.06	0.05	0.025	0.06	16.3	21.1	0.58	249	3.86
ZZ44372		1.97	35.8	2.32	4.19	0.07	0.04	0.10	0.029	0.06	30.4	16.9	0.36	1640	3.57
ZZ44373		1.97	19.1	2.53	5.16	<0.05	<0.02	0.05	0.022	0.04	17.0	21.7	0.33	166	2.17
ZZ44374		3.44	39.0	2.50	4.60	0.07	<0.02	0.06	0.026	0.05	34.6	23.0	0.25	803	1.47
ZZ44375		2.54	47.9	2.90	2.59	0.07	0.02	0.04	0.025	0.06	46.1	16.2	0.19	532	2.79
ZZ44376		1.99	24.4	2.87	5.35	0.07	0.04	0.06	0.026	0.05	31.2	25.6	0.34	306	8.76
ZZ44377		3.14	20.3	2.79	5.01	0.05	0.03	0.04	0.031	0.05	24.9	23.1	0.35	238	4.84
ZZ44378		4.06	13.2	1.91	4.48	<0.05	<0.02	0.03	0.022	0.04	20.3	12.3	0.21	399	2.08
ZZ44379		4.86	25.8	2.18	4.53	0.06	<0.02	0.05	0.028	0.05	30.5	14.0	0.26	553	2.50
ZZ44380		5.93	30.5	2.50	3.91	0.07	0.02	0.04	0.028	0.07	36.0	14.4	0.26	544	3.25
ZZ44381		2.84	16.1	1.47	3.57	<0.05	<0.02	0.03	0.012	0.04	19.7	3.4	0.06	76	2.28
ZZ44382		3.99	19.1	1.93	3.65	<0.05	<0.02	0.02	0.013	0.04	18.8	5.5	0.06	191	2.07
ZZ44383		2.80	17.8	1.84	3.09	<0.05	<0.02	0.05	0.021	0.05	21.9	9.0	0.16	124	2.29
ZZ44384		3.30	23.9	2.72	4.13	0.05	0.02	0.03	0.025	0.05	26.6	10.6	0.23	249	2.87
ZZ44385		2.88	41.5	3.05	4.12	<0.05	0.02	0.03	0.029	0.05	24.6	21.4	0.36	441	2.53
ZZ44386		4.16	37.6	2.62	4.67	0.05	0.03	0.05	0.026	0.05	27.7	16.2	0.26	244	2.78
ZZ44387		3.57	42.6	3.11	4.72	<0.05	0.02	0.06	0.025	0.04	20.7	12.1	0.24	170	2.76
ZZ44388		1.91	33.5	2.74	5.96	<0.05	0.04	0.03	0.019	0.04	19.1	15.6	0.33	182	2.53
ZZ44389		1.83	21.5	1.55	3.61	<0.05	<0.02	0.02	0.013	0.04	24.8	3.4	0.08	78	1.94
ZZ44390		1.74	55.2	3.03	6.02	<0.05	0.02	0.04	0.024	0.05	21.3	15.9	0.38	240	2.45



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 14- SEP- 2012
Account: MTT

Project: GAS

CERTIFICATE OF ANALYSIS WH12198581

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ44351		0.73	22.7	370	15.4	10.2	<0.001	0.02	1.58	1.3	1.0	0.6	16.6	<0.01	0.03	2.6
ZZ44352		0.36	23.1	490	9.4	11.5	<0.001	0.02	2.68	0.3	2.0	0.6	12.8	<0.01	0.04	0.2
ZZ44353		0.83	46.8	780	19.9	14.1	<0.001	0.02	2.01	2.0	1.4	0.4	28.7	<0.01	0.03	4.5
ZZ44354		0.47	12.2	420	11.1	6.2	0.001	0.02	1.34	0.2	0.8	0.7	8.8	<0.01	0.05	0.3
ZZ44355		0.75	16.7	900	11.9	9.4	<0.001	0.03	0.63	2.6	1.0	0.5	47.7	<0.01	0.02	2.1
ZZ44356		1.18	33.3	920	14.4	10.2	<0.001	0.03	3.35	1.1	2.3	0.6	21.0	<0.01	0.07	0.9
ZZ44357		0.27	26.2	1650	13.2	7.4	<0.001	0.03	0.72	4.8	1.3	0.2	79.8	<0.01	0.02	4.3
ZZ44358		0.98	18.6	690	14.8	7.8	0.001	0.04	0.52	2.9	0.8	0.4	55.3	<0.01	0.01	1.8
ZZ44359		0.41	12.6	790	13.6	6.6	<0.001	0.05	0.23	2.8	0.5	0.2	66.2	<0.01	<0.01	1.4
ZZ44360		0.83	21.1	560	15.2	8.3	<0.001	0.03	0.49	3.3	0.6	0.4	38.6	<0.01	0.01	3.1
ZZ44361		1.24	47.3	750	76.9	19.0	<0.001	0.05	2.69	1.1	1.6	0.6	70.5	<0.01	0.05	0.6
ZZ44362		0.42	248	2030	20.7	19.1	0.002	0.06	8.73	2.4	12.6	1.7	99.1	<0.01	0.16	1.8
ZZ44363		0.45	75.7	1030	11.6	8.2	0.001	0.04	8.56	2.4	4.8	0.5	74.9	<0.01	0.07	2.1
ZZ44364		0.67	79.1	1190	12.6	7.8	0.001	0.03	5.35	3.0	6.1	0.7	53.2	<0.01	0.08	2.1
ZZ44365		0.71	63.5	600	17.8	12.1	<0.001	0.02	3.01	3.9	3.5	0.6	40.7	<0.01	0.06	3.7
ZZ44366		0.24	22.6	780	13.1	13.3	<0.001	0.04	0.75	4.6	1.0	0.3	159.0	<0.01	0.02	6.2
ZZ44367		0.69	21.7	590	16.9	6.5	<0.001	0.02	0.89	3.5	1.1	0.4	34.3	<0.01	0.02	2.6
ZZ44368		0.78	19.2	690	11.1	8.7	0.001	0.05	1.03	2.1	1.3	0.4	65.2	<0.01	0.01	1.3
ZZ44369		0.34	19.3	910	16.1	7.7	<0.001	0.04	0.86	2.8	0.7	0.3	50.1	<0.01	0.01	1.7
ZZ44370		0.71	21.2	950	10.9	9.9	<0.001	0.05	0.91	2.6	1.2	0.4	85.9	<0.01	0.01	1.7
ZZ44371		0.61	27.8	1090	12.7	15.7	0.001	0.05	2.28	1.5	1.5	0.4	50.5	<0.01	0.03	2.0
ZZ44372		0.42	22.9	2060	19.1	18.7	<0.001	0.10	2.09	0.9	2.3	0.4	45.4	<0.01	0.02	0.6
ZZ44373		0.63	16.1	620	14.4	10.8	<0.001	0.03	1.13	0.5	1.2	0.6	30.1	<0.01	0.03	0.2
ZZ44374		0.39	19.2	1100	25.4	13.2	<0.001	0.07	2.68	0.6	1.8	0.4	20.2	<0.01	0.02	0.6
ZZ44375		0.16	31.7	630	40.7	10.0	<0.001	0.04	2.83	1.3	1.3	0.3	16.2	<0.01	0.01	11.6
ZZ44376		0.51	39.5	870	17.4	10.5	0.001	0.03	3.71	1.4	2.3	0.8	33.0	<0.01	0.08	2.6
ZZ44377		0.70	27.5	670	21.7	11.7	0.001	0.03	2.92	1.4	1.6	0.6	18.0	<0.01	0.06	2.4
ZZ44378		0.31	12.2	720	15.6	10.9	0.001	0.05	1.68	0.4	0.6	0.6	11.7	<0.01	0.03	0.3
ZZ44379		0.37	13.5	1050	54.2	14.0	0.001	0.08	4.21	0.4	1.4	0.6	39.2	<0.01	0.05	0.3
ZZ44380		0.37	20.7	1020	24.5	14.9	0.001	0.07	4.25	1.1	1.3	0.5	25.0	<0.01	0.03	1.5
ZZ44381		0.20	7.8	670	23.3	8.9	0.002	0.04	2.57	0.3	0.6	0.5	11.3	<0.01	0.04	0.4
ZZ44382		0.27	8.4	770	20.7	6.4	0.001	0.05	2.06	0.5	0.4	0.6	9.4	<0.01	0.03	1.5
ZZ44383		0.29	13.0	920	18.6	8.1	0.001	0.05	2.74	0.6	0.7	0.5	9.9	<0.01	0.03	0.9
ZZ44384		0.28	18.5	690	25.9	9.2	0.001	0.04	3.41	0.9	0.8	0.5	12.4	<0.01	0.04	1.9
ZZ44385		0.40	22.4	650	38.8	11.2	0.001	0.04	3.44	1.2	0.6	0.5	15.4	<0.01	0.05	3.8
ZZ44386		0.37	17.2	670	36.5	12.8	0.002	0.04	2.98	1.2	0.8	0.5	14.4	<0.01	0.02	3.8
ZZ44387		0.55	16.0	890	46.4	10.9	0.001	0.06	2.69	0.7	0.8	0.5	17.2	<0.01	0.02	1.9
ZZ44388		1.03	18.3	500	36.9	9.7	0.002	0.03	1.98	1.4	0.6	0.7	24.7	<0.01	0.02	4.9
ZZ44389		0.24	8.0	580	23.4	7.8	0.001	0.03	1.74	0.6	0.3	0.5	9.8	<0.01	0.03	2.6
ZZ44390		1.15	21.9	540	48.6	11.3	0.001	0.04	2.57	1.1	1.1	0.6	13.9	<0.01	0.05	2.7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 14- SEP- 2012
Account: MTT

Project: GAS

CERTIFICATE OF ANALYSIS WH12198581

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ44351		0.010	0.30	0.45	82	0.18	2.97	132	<0.5
ZZ44352		0.012	0.25	0.50	100	0.21	2.30	114	<0.5
ZZ44353		0.012	0.30	0.78	77	0.18	7.33	190	1.2
ZZ44354		0.015	0.21	0.56	56	0.22	2.51	63	<0.5
ZZ44355		0.013	0.14	0.69	42	0.18	11.15	92	0.9
ZZ44356		0.026	0.19	0.68	131	0.23	3.16	204	<0.5
ZZ44357		0.007	0.06	0.55	20	<0.05	15.60	98	2.7
ZZ44358		0.017	0.09	0.64	35	0.11	10.25	58	1.3
ZZ44359		0.008	0.04	0.42	14	0.05	12.40	42	1.2
ZZ44360		0.013	0.09	0.52	30	0.09	12.25	74	1.7
ZZ44361		0.020	0.26	1.39	208	0.35	5.17	332	1.1
ZZ44362		0.009	1.55	3.02	507	0.72	31.6	1430	1.5
ZZ44363		0.010	0.42	1.06	95	0.31	13.65	526	2.3
ZZ44364		0.012	0.44	1.38	223	0.34	15.70	532	2.1
ZZ44365		0.012	0.31	0.91	179	0.24	17.60	304	2.2
ZZ44366		0.011	0.14	0.50	32	0.05	12.55	68	4.0
ZZ44367		0.013	0.11	0.60	45	0.24	12.80	76	1.7
ZZ44368		0.014	0.09	0.93	36	0.32	9.73	65	1.5
ZZ44369		0.006	0.08	0.53	46	0.11	12.90	115	1.5
ZZ44370		0.015	0.11	0.76	34	0.11	12.85	108	1.4
ZZ44371		0.012	0.19	1.05	57	0.18	9.63	172	1.4
ZZ44372		0.009	0.24	2.26	57	0.15	24.8	130	0.6
ZZ44373		0.020	0.27	1.08	43	0.20	7.02	68	<0.5
ZZ44374		0.007	0.54	1.39	34	0.09	13.75	62	<0.5
ZZ44375		<0.005	0.67	1.18	27	0.13	11.15	85	0.5
ZZ44376		0.010	0.33	0.95	78	0.23	11.35	199	1.1
ZZ44377		0.013	0.44	0.91	61	0.26	6.58	119	0.9
ZZ44378		0.014	0.29	0.77	35	0.19	4.22	55	<0.5
ZZ44379		0.011	0.46	1.16	31	0.16	9.24	56	<0.5
ZZ44380		0.010	0.64	1.28	39	0.14	11.80	81	<0.5
ZZ44381		0.010	0.25	0.55	23	0.14	3.10	29	<0.5
ZZ44382		0.010	0.16	0.74	21	0.12	2.65	33	<0.5
ZZ44383		0.008	0.24	0.93	23	0.14	4.28	43	<0.5
ZZ44384		0.008	0.25	0.92	28	0.17	5.64	60	<0.5
ZZ44385		0.011	0.26	0.93	26	0.12	5.78	75	0.7
ZZ44386		0.007	0.36	0.94	29	0.13	5.85	61	0.9
ZZ44387		0.012	0.38	0.99	30	0.12	4.72	62	0.6
ZZ44388		0.015	0.35	0.72	50	0.26	3.84	69	0.8
ZZ44389		0.006	0.37	0.55	22	0.12	3.33	36	<0.5
ZZ44390		0.022	0.31	0.76	44	0.19	4.96	82	<0.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 14- SEP- 2012
Account: MTT

Project: GAS

CERTIFICATE OF ANALYSIS WH12198581

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ44391		0.17	<0.001	0.27	0.73	62.5	<0.2	<10	90	0.15	0.20	0.04	0.13	28.2	2.2	10
ZZ44392		0.20	0.013	1.96	1.60	381	<0.2	<10	220	0.69	0.28	0.19	0.68	54.3	13.0	24
ZZ44393		0.18	0.060	0.39	1.18	698	<0.2	<10	130	0.45	0.32	0.10	0.47	53.0	9.5	19
ZZ44394		0.20	0.010	1.27	1.33	722	<0.2	<10	200	0.47	0.35	0.04	0.33	49.9	10.8	21
ZZ44395		0.18	0.012	0.72	1.02	405	<0.2	<10	380	0.49	0.27	0.15	0.52	50.3	13.6	12
ZZ44396		0.16	0.011	3.27	1.88	390	<0.2	<10	520	0.82	0.33	0.51	0.82	63.8	28.3	26
ZZ44397		0.19	0.009	1.39	0.70	181.0	<0.2	<10	210	0.33	0.16	0.52	0.37	34.5	5.4	9
ZZ44398		0.24	0.002	0.84	0.94	264	<0.2	<10	110	0.26	0.30	0.07	0.21	37.6	4.4	15
ZZ44399		0.17	0.013	1.45	1.05	276	<0.2	<10	200	0.37	0.33	0.12	0.21	36.2	5.5	14
ZZ44400		0.17	0.003	1.05	0.92	282	<0.2	<10	170	0.48	0.27	0.04	0.27	48.5	8.2	12
ZZ44401		0.20	0.008	0.92	1.08	504	<0.2	<10	120	0.56	0.35	0.04	0.25	44.6	14.6	13
ZZ44402		0.20	0.007	1.68	1.23	546	<0.2	<10	280	0.50	0.35	0.09	0.47	50.4	7.7	20
ZZ44403		0.13	0.003	4.89	2.04	684	<0.2	<10	430	1.42	0.31	0.34	0.75	73.1	9.0	32
ZZ44201		0.18	0.003	0.39	1.90	9.5	<0.2	<10	410	0.70	0.15	1.69	0.79	39.5	9.5	27
ZZ44202		0.15	0.003	0.24	1.76	4.2	<0.2	<10	220	0.63	0.14	1.38	0.58	44.8	10.1	25
ZZ44203		0.13	0.003	0.27	1.79	5.3	<0.2	<10	310	0.76	0.14	1.79	0.33	41.6	8.0	24
ZZ44204		0.12	0.002	0.22	1.84	7.6	<0.2	<10	360	0.70	0.14	1.71	1.41	43.6	9.1	25
ZZ44205		0.18	0.003	1.05	1.14	27.6	<0.2	<10	2070	0.61	0.12	5.76	6.09	30.3	5.5	33
ZZ44206		0.16	0.003	0.78	1.36	21.8	<0.2	<10	880	0.62	0.14	1.67	1.52	32.2	7.2	30
ZZ44207		0.18	0.004	1.03	1.49	38.4	<0.2	<10	750	0.68	0.16	1.46	2.04	36.8	6.8	24
ZZ44208		0.17	0.006	0.83	2.21	52.1	<0.2	<10	460	0.76	0.18	4.19	1.46	45.5	10.0	32
ZZ44209		0.17	0.004	1.01	1.79	22.3	<0.2	<10	690	0.72	0.16	1.13	2.62	44.7	8.0	31
ZZ44210		0.15	0.005	1.18	1.47	27.1	<0.2	<10	1340	0.75	0.16	1.32	3.90	41.6	7.4	34
ZZ44211		0.24	0.006	1.10	1.55	27.7	<0.2	<10	1380	0.73	0.15	2.14	3.75	38.2	7.5	36
ZZ44212		0.19	0.003	0.36	2.33	12.3	<0.2	<10	260	1.01	0.19	1.95	0.46	53.3	11.8	32
ZZ44213		0.15	0.002	0.24	1.62	7.3	<0.2	<10	270	0.69	0.14	2.72	1.26	34.0	7.9	22
ZZ44214		0.17	0.002	0.28	1.73	6.2	<0.2	<10	140	0.53	0.16	1.18	0.60	48.4	11.3	24
ZZ44215		0.19	0.003	0.36	1.89	11.2	<0.2	<10	200	0.59	0.16	2.46	0.62	46.6	11.6	26
ZZ44216		0.13	0.003	0.90	2.35	11.6	<0.2	<10	270	0.90	0.14	1.58	0.48	29.3	9.0	31
ZZ44217		0.20	0.003	0.80	2.34	20.8	<0.2	<10	350	1.08	0.14	3.91	0.61	32.8	11.0	30
ZZ44218		0.19	0.005	0.50	2.34	34.1	<0.2	<10	290	0.89	0.16	4.00	0.73	41.4	14.9	31
ZZ44219		0.17	0.006	0.82	2.24	75.0	<0.2	<10	340	1.19	0.16	1.64	0.95	46.9	10.2	30
ZZ44220		0.22	0.004	0.33	2.03	29.9	<0.2	<10	250	0.84	0.14	4.34	0.57	51.7	11.2	23
ZZ44221		0.17	0.013	1.52	2.47	69.1	<0.2	<10	230	1.71	0.15	2.05	0.92	52.2	11.3	31
ZZ44222		0.18	0.007	0.55	2.20	21.6	<0.2	<10	220	0.88	0.17	1.44	0.65	52.9	10.3	31
ZZ44223		0.16	0.006	1.36	1.67	26.1	<0.2	<10	1370	1.01	0.18	1.19	4.35	43.3	9.6	61
ZZ44224		0.15	0.007	2.18	1.00	14.1	<0.2	<10	1370	0.79	0.13	2.83	11.50	25.6	5.8	34
ZZ44225		0.18	0.002	9.05	1.66	66.4	<0.2	<10	1120	2.04	0.24	0.57	8.38	26.7	14.9	39
ZZ44226		0.13	0.002	13.00	1.65	34.1	<0.2	<10	680	1.10	0.24	0.66	10.30	38.6	8.3	41
ZZ44227		0.13	0.002	7.56	1.60	20.0	<0.2	<10	1410	0.84	0.31	0.88	7.00	29.4	6.0	40



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 14- SEP- 2012
Account: MTT

Project: GAS

CERTIFICATE OF ANALYSIS WH12198581

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ44391		0.93	12.8	1.16	5.57	<0.05	<0.02	0.02	0.011	0.03	14.7	5.3	0.13	65	1.53
ZZ44392		2.21	150.5	3.01	5.55	0.06	0.04	0.05	0.031	0.06	27.3	41.0	0.83	689	2.56
ZZ44393		2.31	76.3	3.24	3.79	0.06	0.02	0.01	0.026	0.04	27.9	23.7	0.47	393	2.58
ZZ44394		3.24	70.8	3.21	5.22	<0.05	0.02	0.03	0.028	0.08	28.4	21.6	0.42	479	3.52
ZZ44395		2.05	36.9	2.23	4.76	0.05	0.02	0.02	0.027	0.05	28.1	11.4	0.14	582	2.89
ZZ44396		3.92	68.9	3.44	6.29	0.07	0.05	0.08	0.035	0.09	33.3	40.0	0.61	1550	2.77
ZZ44397		2.76	36.4	1.29	2.97	<0.05	<0.02	0.03	0.015	0.05	18.7	11.3	0.19	208	1.31
ZZ44398		2.53	46.0	2.00	4.68	<0.05	<0.02	0.02	0.014	0.05	21.1	14.9	0.31	131	2.12
ZZ44399		3.43	37.2	2.51	4.03	<0.05	0.02	0.06	0.024	0.08	21.1	12.6	0.26	174	2.67
ZZ44400		2.68	28.9	2.45	3.26	0.05	0.04	0.03	0.024	0.05	24.9	14.9	0.26	289	2.49
ZZ44401		4.03	34.9	3.58	3.56	0.05	0.04	0.02	0.032	0.05	23.8	33.0	0.31	520	3.40
ZZ44402		4.93	61.9	2.91	4.74	0.05	0.02	0.04	0.029	0.06	27.3	25.2	0.37	499	3.57
ZZ44403		5.27	130.0	2.88	6.35	0.11	0.10	0.07	0.033	0.05	67.1	49.8	0.58	452	2.08
ZZ44201		0.85	23.8	2.54	5.61	0.07	0.08	0.06	0.030	0.07	23.5	26.8	1.63	337	1.76
ZZ44202		0.92	17.9	2.43	5.08	0.06	0.11	0.05	0.027	0.05	23.2	26.0	1.63	245	0.71
ZZ44203		0.72	23.1	2.28	5.10	0.06	0.10	0.06	0.031	0.04	21.4	27.2	1.51	642	0.41
ZZ44204		1.33	18.3	2.50	5.11	0.06	0.08	0.04	0.032	0.05	23.6	26.5	1.45	298	1.95
ZZ44205		1.33	65.9	1.78	3.61	0.08	0.08	0.16	0.021	0.11	22.2	14.2	1.01	135	20.6
ZZ44206		1.42	37.5	1.77	4.25	0.06	0.05	0.09	0.025	0.05	18.9	22.9	0.93	266	3.04
ZZ44207		1.10	46.3	2.03	4.25	0.05	0.07	0.07	0.021	0.06	21.9	22.6	0.96	330	3.56
ZZ44208		1.70	65.3	3.09	6.18	0.08	0.16	0.04	0.027	0.08	24.4	42.5	2.01	321	4.00
ZZ44209		1.36	38.4	2.50	5.07	0.07	0.07	0.06	0.025	0.07	22.5	30.0	1.61	353	4.51
ZZ44210		1.37	55.9	2.09	4.28	0.08	0.08	0.09	0.027	0.10	24.2	23.5	1.29	228	10.25
ZZ44211		1.09	51.1	2.09	4.46	0.07	0.08	0.09	0.020	0.09	21.1	22.6	1.23	265	10.90
ZZ44212		1.45	25.7	3.06	6.94	0.07	0.09	0.05	0.032	0.06	29.7	41.1	2.00	342	0.82
ZZ44213		0.77	16.1	2.13	4.38	0.05	0.07	0.05	0.026	0.05	18.2	23.1	1.40	353	0.51
ZZ44214		0.74	11.9	2.74	5.10	0.08	0.09	0.04	0.031	0.04	24.2	25.6	1.34	516	0.71
ZZ44215		1.19	22.3	2.86	5.75	0.09	0.12	0.04	0.029	0.05	24.8	31.6	1.76	278	1.16
ZZ44216		4.87	161.5	2.41	6.37	0.07	0.12	0.04	0.024	0.07	15.8	51.3	2.80	256	0.74
ZZ44217		11.15	106.5	2.34	6.17	0.09	0.11	0.04	0.024	0.09	14.6	61.0	2.73	335	0.91
ZZ44218		9.08	87.1	2.80	5.76	0.10	0.15	0.04	0.024	0.11	18.7	42.5	2.48	402	2.52
ZZ44219		3.98	93.5	2.70	5.94	0.07	0.10	0.05	0.029	0.08	23.6	48.0	2.27	449	1.71
ZZ44220		8.39	32.0	2.91	5.32	0.07	0.12	0.03	0.028	0.13	25.4	30.7	2.56	366	1.17
ZZ44221		5.97	116.0	2.73	6.97	0.07	0.10	0.04	0.026	0.08	25.3	62.1	2.12	616	0.95
ZZ44222		3.94	36.6	2.78	6.34	0.07	0.10	0.04	0.029	0.08	27.5	53.2	2.23	310	1.28
ZZ44223		2.63	111.0	2.03	5.25	0.07	0.08	0.07	0.028	0.12	29.6	28.1	1.48	285	2.56
ZZ44224		2.54	141.0	1.09	2.78	0.06	0.06	0.08	0.019	0.06	18.2	12.3	0.62	351	0.75
ZZ44225		4.78	91.1	5.24	4.95	0.07	0.03	0.10	0.020	0.04	11.6	12.6	0.25	285	21.4
ZZ44226		4.12	42.0	1.81	3.70	0.07	0.05	0.16	0.039	0.04	18.3	18.9	0.55	175	3.55
ZZ44227		2.40	59.7	1.68	6.25	0.05	0.08	0.08	0.029	0.04	12.5	17.0	0.37	162	1.91



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 14- SEP- 2012
Account: MTT

Project: GAS

CERTIFICATE OF ANALYSIS WH12198581

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
ZZ44391		0.81	6.9	320	16.3	5.5	0.001	0.02	0.94	0.6	0.2	0.8	8.3	<0.01	0.02
ZZ44392		0.57	27.9	810	176.5	14.0	0.001	0.03	2.84	2.3	1.4	0.5	26.0	<0.01	0.05
ZZ44393		0.50	22.9	640	67.8	10.7	0.001	0.03	3.54	1.4	1.1	0.4	22.2	<0.01	0.05
ZZ44394		0.47	25.7	670	53.7	19.3	0.001	0.03	3.32	1.4	0.6	0.5	17.9	<0.01	0.04
ZZ44395		0.35	15.4	680	42.0	11.7	0.001	0.04	2.41	1.1	1.1	0.6	23.4	<0.01	0.03
ZZ44396		0.49	31.0	830	71.8	18.3	0.001	0.05	2.27	2.8	1.3	0.5	44.9	<0.01	0.04
ZZ44397		0.17	12.7	670	23.3	9.7	0.001	0.04	1.51	0.7	0.8	0.4	35.6	<0.01	0.02
ZZ44398		0.57	15.1	330	36.2	9.9	0.001	0.03	1.74	1.1	0.8	0.5	19.4	<0.01	0.03
ZZ44399		0.33	18.8	930	35.5	13.6	<0.001	0.05	2.74	1.0	0.8	0.5	23.0	<0.01	0.04
ZZ44400		0.30	20.6	960	26.8	8.9	0.001	0.06	3.07	1.2	0.9	0.4	14.9	<0.01	0.04
ZZ44401		0.15	35.6	540	39.0	11.0	0.001	0.05	3.40	1.4	1.0	0.4	24.2	<0.01	0.04
ZZ44402		0.43	22.5	970	49.5	14.3	0.001	0.05	3.15	1.4	1.1	0.5	28.0	<0.01	0.04
ZZ44403		0.73	28.1	1500	41.9	17.6	0.001	0.06	1.53	2.5	1.6	0.7	50.0	0.01	0.03
ZZ44201		0.58	35.0	1220	16.0	7.3	0.002	0.06	1.05	3.2	0.8	0.4	70.4	<0.01	0.02
ZZ44202		0.47	31.8	1250	14.4	6.2	0.001	0.04	0.43	3.9	0.8	0.3	52.4	<0.01	0.01
ZZ44203		0.37	22.1	1130	15.2	4.6	0.001	0.07	0.57	3.4	1.0	0.4	68.6	<0.01	0.01
ZZ44204		0.45	30.4	990	16.1	7.7	0.001	0.04	1.05	4.3	1.3	0.3	67.8	<0.01	0.03
ZZ44205		1.41	105.0	1450	21.3	9.7	0.002	0.03	7.93	3.3	3.6	0.5	434	0.01	0.10
ZZ44206		1.07	43.4	1120	15.3	9.0	0.001	0.06	2.25	2.5	1.5	0.5	96.6	<0.01	0.06
ZZ44207		1.08	38.0	1170	22.2	8.9	0.001	0.04	2.31	2.7	1.8	0.4	84.8	<0.01	0.04
ZZ44208		0.93	44.8	1280	23.0	7.7	0.001	0.02	2.28	4.6	1.5	0.3	152.0	<0.01	0.05
ZZ44209		1.41	48.9	1260	23.0	8.7	0.001	0.03	2.16	3.9	1.6	0.4	70.0	<0.01	0.03
ZZ44210		2.35	73.5	1570	23.4	10.0	0.002	0.04	4.38	3.7	3.8	0.5	109.5	<0.01	0.04
ZZ44211		2.92	74.1	1550	19.5	8.5	0.001	0.04	4.57	3.1	4.0	0.5	181.5	<0.01	0.05
ZZ44212		0.77	32.4	1170	19.9	9.0	0.001	0.04	0.63	5.1	0.6	0.5	72.8	<0.01	<0.01
ZZ44213		0.60	19.9	1410	14.4	7.2	0.001	0.06	0.45	2.8	0.9	0.3	99.4	<0.01	<0.01
ZZ44214		0.44	25.5	1160	20.5	6.0	0.002	0.03	0.41	3.9	0.9	0.2	52.9	<0.01	<0.01
ZZ44215		0.56	33.8	1370	18.3	6.6	<0.001	0.04	0.76	4.5	0.8	0.3	95.9	<0.01	<0.01
ZZ44216		2.59	25.9	1030	27.9	13.4	0.001	0.05	1.18	4.2	0.5	0.4	68.8	<0.01	<0.01
ZZ44217		3.38	29.2	1410	26.0	17.7	0.001	0.05	1.54	4.4	1.5	0.5	175.0	<0.01	<0.01
ZZ44218		3.62	32.5	1410	42.4	15.6	0.001	0.04	1.52	4.2	1.4	0.4	140.5	<0.01	<0.01
ZZ44219		1.36	30.7	1450	35.0	11.7	0.001	0.05	1.75	4.1	1.3	0.4	64.1	0.01	<0.01
ZZ44220		1.02	26.1	1450	18.4	17.4	<0.001	0.03	1.63	5.0	0.5	0.4	152.0	<0.01	0.01
ZZ44221		2.30	25.4	1060	79.0	18.6	0.001	0.04	1.81	4.2	1.1	0.5	75.3	<0.01	<0.01
ZZ44222		0.76	30.9	1210	22.6	12.7	0.001	0.04	1.03	3.7	1.0	0.3	55.8	<0.01	0.01
ZZ44223		4.46	127.0	1720	35.8	14.7	0.001	0.05	1.98	4.4	2.3	0.6	136.5	<0.01	0.07
ZZ44224		3.00	91.5	1730	19.6	10.8	0.002	0.10	1.59	1.5	3.0	0.4	188.0	0.01	0.04
ZZ44225		5.00	114.5	1010	20.5	10.7	0.001	0.05	4.58	2.2	6.8	1.2	34.6	0.02	0.10
ZZ44226		2.56	110.0	1230	20.9	11.5	0.001	0.05	1.52	2.9	2.4	0.6	69.9	0.01	0.11
ZZ44227		6.81	61.5	660	37.9	7.4	0.001	0.04	1.23	2.4	0.7	1.4	73.6	0.04	0.14



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 14- SEP- 2012
Account: MTT

Project: GAS

CERTIFICATE OF ANALYSIS WH12198581

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ44391		0.019	0.19	0.40	36	0.19	1.97	32	<0.5
ZZ44392		0.012	0.28	1.10	39	0.26	10.50	250	1.1
ZZ44393		0.011	0.35	1.10	29	0.13	7.03	100	0.7
ZZ44394		0.009	0.48	1.25	38	0.16	7.95	110	0.6
ZZ44395		0.008	0.32	1.21	30	0.12	9.23	69	<0.5
ZZ44396		0.007	0.46	1.50	39	0.13	17.90	129	1.2
ZZ44397		0.007	0.27	0.82	16	0.08	7.66	47	<0.5
ZZ44398		0.013	0.35	0.74	29	0.15	4.11	62	0.5
ZZ44399		0.007	0.32	1.03	27	0.12	6.18	71	<0.5
ZZ44400		0.008	0.25	1.29	23	0.11	8.26	69	0.7
ZZ44401		<0.005	0.29	1.10	23	0.10	10.95	103	1.0
ZZ44402		0.011	0.41	1.37	40	0.16	10.55	100	0.6
ZZ44403		0.011	0.55	2.32	48	0.21	35.0	144	2.2
ZZ44201		0.015	0.16	0.81	65	0.10	19.00	210	2.3
ZZ44202		0.013	0.11	0.61	39	0.17	17.10	177	3.4
ZZ44203		0.010	0.09	0.92	36	0.08	19.50	79	3.0
ZZ44204		0.009	0.17	0.82	60	0.07	17.10	177	2.5
ZZ44205		0.031	0.77	2.50	307	0.31	22.1	745	4.6
ZZ44206		0.022	0.30	2.07	168	0.13	17.65	304	1.9
ZZ44207		0.022	0.23	1.30	101	0.35	17.95	232	2.2
ZZ44208		0.027	0.23	0.84	71	0.20	19.60	251	6.6
ZZ44209		0.035	0.24	1.03	123	0.21	16.50	321	2.9
ZZ44210		0.050	0.44	2.04	227	0.27	20.5	499	3.8
ZZ44211		0.050	0.37	2.26	263	0.27	17.25	467	3.5
ZZ44212		0.022	0.13	0.66	43	0.11	19.80	124	2.4
ZZ44213		0.016	0.09	0.84	28	0.06	11.05	109	2.2
ZZ44214		0.012	0.07	0.64	27	0.09	20.1	115	2.9
ZZ44215		0.015	0.09	0.63	36	0.08	19.35	141	3.3
ZZ44216		0.081	0.22	0.65	41	0.23	14.35	122	4.0
ZZ44217		0.107	0.38	0.80	36	0.28	13.90	137	4.2
ZZ44218		0.114	0.37	1.12	48	0.29	16.15	159	6.3
ZZ44219		0.039	0.26	0.67	46	0.23	17.20	140	3.5
ZZ44220		0.043	0.27	0.76	35	0.12	15.85	120	4.3
ZZ44221		0.061	0.41	0.67	35	0.29	17.35	136	3.1
ZZ44222		0.017	0.18	0.75	45	0.13	18.70	142	3.7
ZZ44223		0.085	0.41	4.14	381	0.21	36.7	725	3.4
ZZ44224		0.035	0.34	5.34	256	0.17	32.9	822	3.0
ZZ44225		0.111	0.37	2.68	497	0.53	19.50	811	1.8
ZZ44226		0.055	0.76	1.53	173	0.58	23.2	855	1.7
ZZ44227		0.158	0.27	2.59	339	0.76	20.2	621	3.7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 14- SEP- 2012
Account: MTT

Project: GAS

CERTIFICATE OF ANALYSIS WH12198581

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ44228		0.18	0.004	4.16	1.84	49.7	<0.2	<10	6190	2.15	0.28	3.74	19.35	45.8	4.8	112
ZZ44229		0.19	0.003	1.52	1.43	15.6	<0.2	<10	350	0.69	0.16	0.65	3.91	39.9	6.2	26
ZZ44230		0.20	0.012	0.75	1.52	8.2	<0.2	<10	270	0.56	0.12	0.71	0.52	41.1	5.5	26
ZZ44231		0.17	0.003	0.29	1.47	4.3	<0.2	<10	170	0.52	0.12	0.61	0.38	30.2	5.8	24
ZZ44232		0.21	0.006	0.21	1.39	7.6	<0.2	<10	140	0.78	0.12	0.68	0.24	48.2	8.3	27
ZZ44233		0.25	0.003	0.24	1.43	6.9	<0.2	<10	190	0.66	0.13	0.31	0.35	30.0	7.1	25
ZZ44234		0.24	0.006	0.59	1.73	28.4	<0.2	<10	830	0.71	0.17	0.31	1.02	34.7	7.4	28
ZZ44235		0.17	0.002	0.19	1.39	7.9	<0.2	<10	170	0.34	0.11	0.35	0.68	29.7	5.9	24
ZZ44236		0.23	0.003	0.65	1.59	8.8	<0.2	<10	530	0.68	0.16	0.80	1.61	32.8	7.6	23
ZZ44237		0.24	0.003	0.40	1.89	35.9	<0.2	<10	1050	0.61	0.18	0.10	1.11	30.9	7.2	35
ZZ44238		0.22	0.005	0.69	1.36	20.4	<0.2	<10	680	0.61	0.18	0.76	0.78	28.2	6.1	25
ZZ44239		0.21	0.003	0.26	1.58	8.1	<0.2	<10	280	0.61	0.12	0.88	0.41	22.7	6.9	29
ZZ44240		0.19	0.004	0.55	1.50	10.5	<0.2	<10	490	0.55	0.15	1.15	0.84	33.2	8.2	23
ZZ44241		0.22	0.004	0.34	1.64	11.8	<0.2	<10	500	0.65	0.13	1.00	0.65	28.8	6.2	30
ZZ44242		0.21	0.005	0.41	1.59	8.1	<0.2	<10	310	0.63	0.16	1.02	0.48	31.8	8.6	27
ZZ44243		0.19	0.005	0.69	1.89	86.0	<0.2	<10	550	0.66	0.21	0.40	0.98	57.8	8.2	30
ZZ44244		0.13	0.005	1.84	1.55	9.8	<0.2	<10	780	0.78	0.18	1.88	3.37	35.9	6.4	27
ZZ44245		0.19	0.003	0.63	1.38	18.8	<0.2	<10	850	0.64	0.12	1.41	5.27	34.8	5.6	36
ZZ44246		0.23	0.007	1.99	1.31	37.5	<0.2	<10	2220	0.92	0.10	1.79	13.60	38.7	4.6	79
ZZ44247		0.21	0.004	2.35	1.07	35.2	<0.2	<10	3130	1.50	0.13	5.58	12.15	30.7	4.7	100
ZZ44248		0.22	0.003	6.16	1.26	23.1	<0.2	<10	2060	1.65	0.18	4.82	22.8	28.7	5.2	106
ZZ44249		0.18	0.004	4.72	0.75	14.2	<0.2	<10	1670	1.43	0.10	3.63	30.9	16.65	3.5	26
ZZ44250		0.15	0.002	3.68	1.12	31.3	<0.2	<10	1510	1.68	0.22	2.11	37.7	19.30	6.0	42
ZZ44252		0.08	0.002	0.31	1.76	19.4	<0.2	<10	340	0.73	0.15	1.58	0.75	35.8	8.2	23
ZZ44253		0.17	0.011	0.39	0.94	15.6	<0.2	<10	340	0.46	0.10	3.48	0.60	18.80	9.9	6
ZZ44254		0.19	0.005	0.30	1.60	15.0	<0.2	<10	300	0.53	0.13	1.30	0.67	36.4	8.9	17
ZZ44255		0.19	0.005	0.31	1.75	16.0	<0.2	<10	410	0.62	0.14	1.57	0.85	36.6	9.2	19
ZZ44256		0.19	0.004	0.40	1.60	12.2	<0.2	<10	350	0.49	0.13	1.48	0.61	29.7	7.4	15
ZZ44257		0.22	0.008	0.68	1.75	24.9	<0.2	<10	260	0.76	0.22	0.96	1.12	47.7	11.2	19
ZZ44258		0.16	0.007	0.76	1.42	39.7	<0.2	<10	270	0.97	0.35	0.28	0.36	66.5	16.9	14
ZZ44259		0.11	0.004	0.79	1.20	25.4	<0.2	<10	200	0.64	0.32	0.10	0.36	57.6	10.8	13
ZZ44260		0.13	0.002	0.51	0.97	16.2	<0.2	<10	100	0.28	0.28	0.10	0.28	37.3	4.8	14
ZZ44261		0.20	0.002	0.51	1.07	42.3	<0.2	<10	120	0.54	0.30	0.15	0.15	54.5	8.5	11
ZZ44262		0.10	0.002	0.26	1.13	55.6	<0.2	<10	110	0.52	0.24	0.10	0.35	39.8	11.3	11
ZZ44263		0.16	0.005	0.99	1.06	665	<0.2	<10	170	0.49	0.27	0.03	0.65	39.3	16.1	15
ZZ44264		0.13	0.002	0.83	0.67	120.5	<0.2	<10	100	0.20	0.24	0.05	0.51	32.0	2.9	11
ZZ44265		0.15	0.001	1.40	0.56	32.3	<0.2	<10	70	0.15	0.28	0.06	0.17	27.8	2.6	11
ZZ44266		0.18	0.007	5.24	1.58	119.0	<0.2	<10	160	0.84	0.40	0.56	0.19	61.4	13.2	18
ZZ44267		0.18	0.001	1.08	1.10	98.0	<0.2	<10	120	0.39	0.34	0.17	0.20	41.2	7.1	17
ZZ44268		0.19	0.002	0.58	1.13	80.0	<0.2	<10	120	0.43	0.36	0.14	0.19	48.6	7.0	16



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 14- SEP- 2012
Account: MTT

Project: GAS

CERTIFICATE OF ANALYSIS WH12198581

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ44228		3.46	397	1.34	5.93	0.11	0.09	0.06	0.031	0.12	42.3	52.1	1.93	404	8.86
ZZ44229		7.23	123.0	1.65	3.77	0.08	0.07	0.03	0.020	0.12	19.6	27.6	1.85	163	4.53
ZZ44230		4.78	30.1	1.65	4.48	0.07	0.11	0.03	0.018	0.16	20.6	30.8	1.97	134	1.76
ZZ44231		2.55	23.3	1.49	4.08	0.06	0.09	0.02	0.013	0.12	14.5	27.6	2.02	164	1.40
ZZ44232		2.30	19.7	1.51	4.66	0.06	0.13	0.01	0.019	0.12	23.8	17.2	2.22	267	2.38
ZZ44233		1.86	28.1	1.72	4.27	<0.05	0.10	0.01	0.013	0.11	13.2	20.7	1.94	187	1.65
ZZ44234		2.21	47.0	2.40	4.61	0.06	0.05	0.05	0.021	0.15	18.3	31.2	1.59	159	5.97
ZZ44235		1.78	12.5	1.40	4.35	0.05	0.04	0.02	0.013	0.12	15.1	21.6	1.79	215	1.95
ZZ44236		2.43	48.6	1.89	4.22	0.07	0.04	0.07	0.016	0.11	20.0	23.9	1.64	371	2.14
ZZ44237		1.13	50.2	4.26	5.59	<0.05	0.03	0.02	0.023	0.10	16.2	37.1	0.77	186	9.20
ZZ44238		1.68	32.9	1.86	4.51	<0.05	0.04	0.06	0.017	0.10	15.3	19.9	1.10	326	3.37
ZZ44239		2.46	19.3	1.63	5.07	<0.05	0.05	0.02	0.016	0.12	11.2	20.5	2.10	300	1.71
ZZ44240		1.88	29.6	1.63	4.39	0.05	0.05	0.06	0.018	0.12	17.7	21.2	1.71	841	2.84
ZZ44241		1.97	27.8	1.78	5.01	0.05	0.05	0.03	0.018	0.14	15.1	21.1	1.99	220	2.53
ZZ44242		2.24	27.7	1.71	4.56	0.06	0.09	0.03	0.021	0.13	16.3	19.7	2.24	386	2.07
ZZ44243		2.24	40.4	2.14	6.80	0.09	0.05	0.06	0.023	0.11	29.8	44.7	1.73	183	6.59
ZZ44244		3.22	357	1.40	4.38	0.05	0.09	0.04	0.016	0.09	21.3	28.6	1.69	454	1.64
ZZ44245		2.03	66.5	1.34	3.74	0.07	0.06	0.04	0.017	0.10	21.2	24.7	1.54	292	2.37
ZZ44246		2.33	102.0	1.28	4.25	0.10	0.07	0.06	0.021	0.08	26.1	24.2	1.59	286	9.37
ZZ44247		2.46	116.5	0.79	3.45	0.12	0.09	0.08	0.016	0.10	36.0	16.3	1.14	256	5.50
ZZ44248		1.41	266	1.12	3.69	0.19	0.11	0.09	0.022	0.05	27.0	16.1	0.98	245	4.19
ZZ44249		0.67	169.0	0.69	1.87	0.08	0.07	0.08	0.012	0.03	15.2	6.2	0.31	839	0.67
ZZ44250		1.40	468	1.19	3.30	0.05	0.05	0.07	0.022	0.03	13.9	10.0	0.32	359	0.89
ZZ44252		2.74	20.1	2.33	4.39	0.06	0.06	0.06	0.023	0.06	16.1	35.0	1.25	218	3.07
ZZ44253		1.99	42.7	1.31	2.06	<0.05	0.08	0.10	0.013	0.04	10.2	5.2	0.31	976	0.84
ZZ44254		1.76	22.8	2.45	4.06	0.06	0.07	0.05	0.025	0.07	17.2	20.7	1.40	345	1.93
ZZ44255		1.83	25.3	2.61	4.19	0.06	0.09	0.07	0.023	0.07	21.0	18.8	1.58	435	2.02
ZZ44256		2.12	22.9	2.14	3.74	0.05	0.10	0.06	0.023	0.06	15.6	17.3	1.47	318	1.57
ZZ44257		4.30	55.5	2.98	4.01	0.07	0.14	0.07	0.034	0.08	25.5	21.5	1.76	353	4.32
ZZ44258		13.55	55.7	4.26	4.34	0.07	0.03	0.04	0.059	0.13	36.0	14.0	0.69	1190	4.19
ZZ44259		6.99	17.8	2.63	4.12	0.06	<0.02	0.06	0.027	0.09	32.5	11.7	0.33	642	2.02
ZZ44260		3.85	11.9	2.39	4.34	<0.05	<0.02	0.03	0.021	0.05	18.6	6.6	0.17	288	1.57
ZZ44261		6.95	15.0	2.36	3.94	0.05	<0.02	0.03	0.027	0.07	25.3	10.5	0.29	895	1.31
ZZ44262		8.05	13.3	2.70	3.93	<0.05	<0.02	0.05	0.027	0.10	16.7	13.3	0.35	1250	0.94
ZZ44263		2.82	42.7	3.33	4.20	0.05	<0.02	0.18	0.038	0.07	17.3	10.9	0.14	2240	1.62
ZZ44264		2.96	17.9	2.09	4.05	<0.05	<0.02	0.08	0.024	0.04	15.7	1.2	0.03	103	2.18
ZZ44265		4.91	13.4	1.47	4.74	<0.05	<0.02	0.06	0.014	0.03	14.1	1.3	0.03	99	1.34
ZZ44266		6.50	178.5	4.67	4.86	0.07	0.02	0.06	0.055	0.06	30.6	24.4	0.90	2970	1.69
ZZ44267		5.83	53.2	3.39	5.50	0.05	<0.02	0.03	0.034	0.05	21.0	9.7	0.36	1420	1.81
ZZ44268		9.18	17.9	2.89	5.93	0.05	<0.02	0.03	0.022	0.05	25.0	11.7	0.21	701	1.77



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 14- SEP- 2012
Account: MTT

Project: GAS

CERTIFICATE OF ANALYSIS WH12198581

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
ZZ44228		4.31	199.5	2660	443	11.6	0.003	0.04	3.34	5.1	4.0	0.8	475	<0.01	0.22
ZZ44229		1.82	44.3	660	47.2	17.9	0.002	0.03	1.96	2.7	3.9	0.5	32.9	<0.01	<0.01
ZZ44230		1.77	32.2	450	12.6	20.7	0.001	0.03	0.83	2.7	1.4	0.4	25.8	<0.01	<0.01
ZZ44231		1.89	24.4	310	7.9	13.4	0.001	0.02	0.56	2.2	0.9	0.3	24.1	<0.01	<0.01
ZZ44232		1.67	25.5	540	16.7	12.8	0.001	0.02	1.35	2.8	0.9	0.4	23.4	<0.01	<0.01
ZZ44233		0.54	26.0	300	11.9	10.4	0.001	0.02	0.77	2.3	0.6	0.4	16.7	<0.01	0.05
ZZ44234		2.26	44.0	590	30.1	16.3	0.001	0.03	2.43	2.7	2.1	0.5	31.0	<0.01	0.07
ZZ44235		0.93	17.0	450	9.8	16.9	0.001	0.03	0.57	1.8	0.4	0.3	17.7	<0.01	<0.01
ZZ44236		2.44	30.5	520	29.0	19.0	0.002	0.04	1.09	2.9	1.9	0.5	43.6	<0.01	0.01
ZZ44237		4.05	38.2	690	21.6	17.1	0.001	0.05	4.11	2.5	3.0	0.7	24.5	0.01	0.16
ZZ44238		1.95	24.2	620	26.6	18.9	0.002	0.04	1.21	2.2	2.3	0.5	41.1	<0.01	0.06
ZZ44239		1.65	21.9	500	12.3	18.2	0.001	0.04	0.68	2.7	1.0	0.4	39.0	<0.01	0.02
ZZ44240		1.41	23.4	820	15.2	16.3	0.002	0.06	1.18	2.0	1.9	0.4	49.8	<0.01	0.05
ZZ44241		1.85	26.8	460	14.2	17.3	0.001	0.03	1.25	2.8	0.8	0.4	41.7	<0.01	0.04
ZZ44242		1.52	26.7	600	11.6	15.1	0.001	0.03	0.93	2.6	1.1	0.4	29.5	<0.01	0.04
ZZ44243		1.36	37.4	410	29.2	19.1	0.001	0.03	2.27	2.9	3.5	0.6	19.7	<0.01	0.06
ZZ44244		1.29	36.9	670	98.1	16.8	0.002	0.07	1.42	2.0	3.0	0.4	88.9	<0.01	<0.01
ZZ44245		1.39	50.3	940	14.9	12.8	<0.001	0.02	1.70	2.1	1.5	0.3	126.0	<0.01	0.05
ZZ44246		4.34	172.0	1990	17.9	10.1	0.001	0.04	5.41	3.5	5.0	0.5	239	0.01	0.12
ZZ44247		2.82	193.0	3770	32.4	12.0	0.003	0.02	5.73	4.4	3.2	0.6	596	<0.01	0.15
ZZ44248		4.87	234	3260	57.9	6.4	0.002	0.03	3.05	4.2	2.3	0.7	298	0.01	0.27
ZZ44249		1.34	80.9	1330	22.4	3.9	0.002	0.09	1.26	0.9	3.4	0.3	227	0.01	0.06
ZZ44250		3.17	141.0	1070	31.2	6.6	0.003	0.05	1.83	2.2	2.8	0.6	142.0	0.01	0.14
ZZ44252		2.21	27.8	890	15.9	8.9	<0.001	0.03	1.92	3.2	1.4	0.4	78.4	<0.01	0.05
ZZ44253		0.41	15.6	1270	13.0	5.7	<0.001	0.14	1.39	1.1	1.5	0.2	198.5	<0.01	0.02
ZZ44254		0.36	25.5	990	13.1	9.4	<0.001	0.04	2.38	3.0	1.5	0.2	65.0	<0.01	0.04
ZZ44255		0.36	27.5	1060	14.9	8.3	<0.001	0.04	2.30	3.5	1.5	0.3	73.5	<0.01	0.02
ZZ44256		0.40	21.6	1060	10.0	6.6	<0.001	0.05	2.37	2.6	1.0	0.2	72.4	<0.01	0.03
ZZ44257		0.24	35.4	1360	25.4	8.9	<0.001	0.04	4.97	4.4	1.8	0.3	65.0	<0.01	0.03
ZZ44258		0.39	30.7	1410	34.9	20.3	<0.001	0.07	14.10	2.6	1.4	0.5	48.7	<0.01	0.07
ZZ44259		0.46	17.8	990	15.3	13.8	<0.001	0.05	6.27	0.9	0.9	0.5	14.6	<0.01	0.04
ZZ44260		0.47	11.0	570	11.3	12.5	<0.001	0.02	3.23	0.3	0.2	0.6	10.6	<0.01	0.04
ZZ44261		0.38	16.0	700	10.2	13.6	<0.001	0.04	4.83	0.5	0.6	0.5	13.3	<0.01	0.06
ZZ44262		0.81	18.9	530	8.1	14.8	<0.001	0.02	3.65	1.2	<0.2	0.5	11.8	<0.01	0.04
ZZ44263		0.42	14.2	1210	33.5	13.1	<0.001	0.11	4.89	0.4	1.0	0.5	10.0	<0.01	0.05
ZZ44264		0.52	10.2	970	26.1	7.8	<0.001	0.06	2.78	0.2	0.5	0.7	6.9	<0.01	0.03
ZZ44265		0.47	7.7	650	8.0	6.1	<0.001	0.04	2.32	0.1	0.4	0.8	7.1	<0.01	0.03
ZZ44266		0.83	27.2	660	18.0	13.8	<0.001	0.04	7.70	2.4	1.4	0.6	28.9	<0.01	0.06
ZZ44267		0.36	14.3	660	17.2	12.3	<0.001	0.03	3.15	0.3	0.7	0.8	12.9	<0.01	0.03
ZZ44268		0.84	12.3	680	17.6	11.1	<0.001	0.01	1.54	0.8	0.7	0.7	12.6	<0.01	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 14- SEP- 2012
Account: MTT

Project: GAS

CERTIFICATE OF ANALYSIS WH12198581

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ44228		0.056	0.59	5.45	1260	0.65	56.4	2100	5.0
ZZ44229		0.084	0.41	0.98	89	0.31	16.60	412	3.5
ZZ44230		0.086	0.31	1.11	35	0.15	18.85	118	4.4
ZZ44231		0.095	0.19	0.71	24	0.15	12.00	65	3.4
ZZ44232		0.131	0.25	0.65	26	0.88	13.10	45	4.9
ZZ44233		0.052	0.20	0.69	30	0.10	9.18	62	4.5
ZZ44234		0.065	0.32	1.52	72	0.25	12.65	209	2.3
ZZ44235		0.054	0.15	0.61	29	0.12	6.40	80	1.2
ZZ44236		0.090	0.30	3.28	45	0.18	27.9	121	1.5
ZZ44237		0.085	0.30	1.67	133	0.40	5.53	250	1.8
ZZ44238		0.056	0.21	2.01	61	0.26	10.95	88	1.2
ZZ44239		0.088	0.24	0.94	32	0.16	10.10	60	2.0
ZZ44240		0.057	0.26	1.89	41	0.17	14.35	88	1.9
ZZ44241		0.091	0.26	1.02	48	0.22	14.10	105	2.1
ZZ44242		0.082	0.22	1.51	32	0.19	15.30	78	3.4
ZZ44243		0.037	0.34	1.10	98	0.26	21.1	153	2.7
ZZ44244		0.046	0.42	2.69	86	0.16	22.1	275	3.0
ZZ44245		0.051	0.40	1.90	239	0.26	22.3	356	2.4
ZZ44246		0.037	0.81	4.63	737	0.39	29.7	1220	3.4
ZZ44247		0.055	1.15	7.47	1040	0.54	61.6	2160	4.7
ZZ44248		0.092	0.39	6.59	1060	0.82	58.9	3010	6.6
ZZ44249		0.023	0.13	6.32	222	0.62	28.7	841	3.1
ZZ44250		0.063	0.22	6.07	268	0.49	26.2	1090	2.7
ZZ44252		0.049	0.20	0.74	39	0.24	13.20	95	1.5
ZZ44253		0.011	0.12	2.75	10	<0.05	17.75	39	2.6
ZZ44254		0.011	0.11	1.46	28	0.08	13.75	103	2.6
ZZ44255		0.010	0.12	0.94	31	0.08	17.00	114	2.7
ZZ44256		0.010	0.11	0.87	27	0.05	13.95	90	3.5
ZZ44257		0.009	0.17	1.43	59	0.05	22.9	188	5.3
ZZ44258		0.012	0.22	1.87	32	0.09	15.85	53	0.8
ZZ44259		0.014	0.17	0.87	28	0.15	9.54	48	<0.5
ZZ44260		0.016	0.12	0.56	34	0.23	2.64	40	<0.5
ZZ44261		0.014	0.21	0.66	23	0.12	6.20	30	<0.5
ZZ44262		0.029	0.18	0.59	22	0.14	3.92	33	<0.5
ZZ44263		0.013	0.36	1.06	27	0.21	3.34	63	<0.5
ZZ44264		0.009	0.21	0.75	47	0.22	2.22	35	<0.5
ZZ44265		0.017	0.21	0.55	37	0.26	2.53	27	<0.5
ZZ44266		0.035	0.38	1.23	27	0.24	14.10	55	0.5
ZZ44267		0.019	0.23	0.69	37	0.20	5.25	52	<0.5
ZZ44268		0.032	0.17	0.75	44	0.29	6.65	52	<0.5



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.

C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED

1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: GAS

Page: 5 - A

Total # Pages: 7 (A - D)

Plus Appendix Pages

Finalized Date: 14- SEP- 2012

Account: MTT

CERTIFICATE OF ANALYSIS WH12198581

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ44269		0.21	0.002	0.61	1.11	137.0	<0.2	<10	110	0.39	0.36	0.08	0.17	57.7	7.6	14
ZZ44270		0.20	0.002	0.38	1.38	126.5	<0.2	<10	140	0.54	0.33	0.03	0.33	64.0	10.1	15
ZZ44271		0.17	0.001	0.82	1.50	38.0	<0.2	<10	70	0.30	0.27	0.04	0.15	34.5	5.5	23
ZZ44272		0.18	0.015	0.70	1.19	40.1	<0.2	<10	150	0.48	0.32	0.04	0.18	66.6	7.5	13
ZZ44273		0.18	0.003	0.57	1.38	91.9	<0.2	<10	90	0.48	0.34	0.02	0.19	57.8	7.8	16
ZZ44274		0.19	0.003	0.37	1.55	62.7	<0.2	<10	130	0.47	0.27	0.03	0.19	56.7	8.3	17
ZZ44275		0.24	0.003	0.91	1.60	37.6	<0.2	<10	240	0.56	0.27	0.04	0.53	52.1	8.0	19
ZZ44276		0.19	0.002	0.42	1.20	72.3	<0.2	<10	110	0.33	0.25	0.05	0.23	38.1	5.8	19
ZZ44277		0.20	0.002	0.22	1.00	228	<0.2	<10	90	0.26	0.28	0.03	0.18	51.2	5.9	14
ZZ44278		0.17	0.003	0.91	1.22	223	<0.2	<10	130	0.33	0.23	0.03	0.20	36.7	4.1	15
ZZ44279		0.17	0.002	0.66	1.01	257	<0.2	<10	100	0.33	0.26	0.04	0.23	48.6	5.2	16
ZZ44280		0.13	0.005	0.38	1.13	1115	<0.2	<10	90	0.36	0.29	0.04	0.84	51.5	5.4	18
ZZ44281		0.19	0.002	0.47	0.92	174.5	<0.2	<10	90	0.19	0.26	0.04	0.24	34.0	3.5	14
ZZ44282		0.18	0.002	0.94	1.49	407	<0.2	<10	120	0.53	0.27	0.04	0.36	51.2	8.3	25
ZZ44283		0.16	0.002	0.28	1.14	117.0	<0.2	<10	80	0.29	0.25	0.04	0.12	34.8	3.3	18
ZZ44284		0.24	0.003	0.29	1.05	275	<0.2	<10	70	0.39	0.29	0.02	0.11	51.5	5.6	14
ZZ44285		0.17	0.002	0.28	1.35	55.1	<0.2	<10	80	0.31	0.30	0.04	0.14	35.0	4.5	20
ZZ44286		0.26	0.001	0.33	1.11	42.9	<0.2	<10	90	0.24	0.25	0.04	0.12	35.7	3.7	15
ZZ44287		0.17	0.001	0.33	1.21	19.1	<0.2	<10	70	0.21	0.27	0.04	0.12	31.4	4.2	20
ZZ44288		0.22	0.003	0.42	1.51	22.7	<0.2	<10	110	0.41	0.30	0.06	0.19	55.2	7.9	19
ZZ44289		0.23	0.001	0.63	1.29	20.9	<0.2	<10	90	0.38	0.25	0.06	0.16	30.8	3.8	19
ZZ44290		0.25	0.002	0.73	1.50	54.8	<0.2	<10	190	0.58	0.32	0.09	0.19	48.1	8.9	21
ZZ44291		0.20	0.003	0.44	0.90	32.6	<0.2	<10	90	0.19	0.27	0.03	0.11	38.3	2.7	12
ZZ44292		0.21	0.001	0.92	0.83	35.3	<0.2	<10	110	0.23	0.28	0.11	0.16	40.1	3.6	13
ZZ44293		0.23	0.003	0.46	0.80	115.0	<0.2	<10	130	0.30	0.32	0.12	0.21	46.9	7.0	12
ZZ44294		0.16	0.007	2.44	1.33	83.3	<0.2	<10	230	0.67	0.35	0.51	0.53	87.4	14.0	15
ZZ44295		0.24	0.003	0.52	1.70	183.5	<0.2	<10	290	1.00	0.36	0.48	0.30	90.7	15.1	18
ZZ44296		0.13	0.003	0.87	1.37	673	<0.2	<10	320	0.83	0.45	0.54	0.58	72.2	14.3	16
ZZ44297		0.08	0.005	1.65	1.22	136.5	<0.2	<10	140	0.56	0.41	0.69	0.43	48.9	7.9	10
ZZ44298		0.24	0.004	1.37	1.55	287	<0.2	<10	160	1.10	0.40	0.30	0.33	103.5	18.6	19
ZZ44299		0.17	0.010	1.27	1.56	388	<0.2	<10	150	1.15	0.39	0.48	0.30	115.0	14.2	17
ZZ44300		0.15	0.007	1.08	1.78	123.5	<0.2	<10	100	0.82	0.36	0.33	0.19	73.2	19.0	22
ZZ44301		0.14	0.003	0.77	1.06	59.8	<0.2	<10	110	0.54	0.37	0.14	0.30	60.6	7.9	12
ZZ44302		0.14	0.004	0.65	1.58	34.2	<0.2	<10	290	0.80	0.29	0.80	0.28	52.3	8.5	16
ZZ44303		0.23	0.003	0.39	1.57	19.8	<0.2	<10	270	0.68	0.22	1.17	0.41	49.9	8.3	18
ZZ44304		0.15	0.003	0.42	1.41	18.3	<0.2	<10	380	0.64	0.19	1.08	0.62	41.2	7.5	16
ZZ44305		0.16	0.003	0.33	1.36	15.7	<0.2	<10	180	0.49	0.19	1.80	0.37	39.6	8.6	15
ZZ44306		0.27	0.005	0.42	1.93	15.7	<0.2	<10	270	0.64	0.15	1.17	0.68	59.1	11.2	24
ZZ44307		0.16	0.004	0.37	1.59	16.6	<0.2	<10	320	0.57	0.14	2.61	0.61	35.8	8.5	19
ZZ44308		0.15	0.007	1.77	1.63	40.0	<0.2	<10	410	0.69	0.15	2.39	0.90	32.1	8.0	20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 14- SEP- 2012
Account: MTT

Project: GAS

CERTIFICATE OF ANALYSIS WH12198581

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ44269		3.54	21.9	3.53	4.81	0.06	<0.02	0.04	0.028	0.06	28.9	10.0	0.33	696	2.28
ZZ44270		3.96	30.1	3.40	4.26	0.06	<0.02	0.04	0.032	0.07	30.4	18.0	0.39	504	2.89
ZZ44271		2.59	13.9	3.11	5.99	<0.05	<0.02	0.04	0.029	0.04	16.6	17.9	0.32	371	1.75
ZZ44272		4.60	18.9	2.62	4.20	0.06	<0.02	0.03	0.029	0.07	32.8	13.7	0.34	409	3.07
ZZ44273		3.61	25.2	3.45	4.09	0.05	<0.02	0.05	0.031	0.05	28.7	27.0	0.35	341	2.24
ZZ44274		2.69	27.2	3.55	4.27	0.05	0.05	0.02	0.030	0.06	28.9	19.7	0.52	213	3.09
ZZ44275		1.90	27.2	3.41	4.47	0.05	0.03	0.05	0.031	0.07	28.8	20.2	0.48	369	4.04
ZZ44276		1.93	12.2	2.62	4.90	<0.05	<0.02	0.03	0.021	0.05	18.3	17.3	0.38	271	1.80
ZZ44277		1.96	21.1	2.85	4.05	0.05	<0.02	0.02	0.019	0.05	25.7	13.4	0.31	254	2.30
ZZ44278		2.00	30.2	2.12	4.39	<0.05	<0.02	0.06	0.016	0.06	19.9	12.1	0.25	124	1.74
ZZ44279		1.52	30.0	2.55	4.67	<0.05	<0.02	0.02	0.017	0.05	23.9	17.4	0.32	145	2.44
ZZ44280		2.03	44.1	3.55	4.84	<0.05	<0.02	0.02	0.020	0.05	24.9	15.0	0.24	241	2.79
ZZ44281		1.27	15.9	2.24	5.70	<0.05	<0.02	0.02	0.013	0.04	18.3	7.7	0.17	120	1.83
ZZ44282		2.37	60.7	3.56	5.00	0.05	0.04	0.03	0.031	0.05	26.0	32.6	0.48	294	2.42
ZZ44283		1.30	7.8	2.40	5.96	<0.05	<0.02	0.05	0.017	0.04	18.8	11.6	0.27	133	1.42
ZZ44284		2.20	23.8	3.26	3.74	0.05	0.02	0.03	0.023	0.05	26.8	19.3	0.29	168	1.83
ZZ44285		1.73	10.0	2.53	5.25	0.05	<0.02	0.03	0.025	0.04	17.9	17.3	0.31	207	1.40
ZZ44286		1.58	10.6	2.08	4.66	0.05	0.02	0.02	0.020	0.04	17.5	11.5	0.30	171	1.62
ZZ44287		1.46	8.2	3.01	6.50	<0.05	<0.02	0.02	0.018	0.04	15.4	10.7	0.26	214	1.73
ZZ44288		2.02	22.8	3.74	4.74	0.05	0.03	0.04	0.035	0.06	26.3	18.4	0.43	304	2.69
ZZ44289		2.34	9.8	2.26	4.42	<0.05	<0.02	0.03	0.023	0.05	15.5	16.2	0.28	217	1.37
ZZ44290		4.02	21.0	3.22	5.20	0.06	<0.02	0.03	0.029	0.05	22.3	25.4	0.41	469	1.95
ZZ44291		2.85	8.4	1.57	4.83	0.05	<0.02	0.04	0.016	0.04	18.8	4.0	0.10	139	1.48
ZZ44292		4.89	10.9	1.94	4.60	<0.05	<0.02	0.05	0.020	0.04	21.0	5.3	0.14	258	1.75
ZZ44293		4.39	15.8	2.42	4.41	0.05	<0.02	0.02	0.024	0.05	21.2	7.9	0.23	1060	1.89
ZZ44294		13.00	34.7	2.62	4.82	0.11	<0.02	0.10	0.047	0.07	54.4	14.1	0.39	3010	1.80
ZZ44295		9.73	23.7	4.19	5.27	0.09	0.04	0.03	0.054	0.10	40.1	24.6	0.79	1860	2.15
ZZ44296		6.70	23.7	3.54	4.21	0.06	0.07	0.11	0.053	0.10	37.8	18.6	0.36	3000	1.85
ZZ44297		8.64	18.2	2.73	4.23	0.09	0.10	0.12	0.054	0.09	47.4	11.8	0.24	2980	1.04
ZZ44298		11.80	33.1	4.78	4.31	0.11	0.04	0.04	0.060	0.10	42.8	25.1	0.70	1710	1.22
ZZ44299		13.10	30.4	3.97	5.02	0.14	0.05	0.03	0.059	0.11	60.1	22.6	0.55	1560	1.21
ZZ44300		9.43	65.0	4.61	5.36	0.08	0.02	0.02	0.061	0.10	31.6	40.2	0.97	973	5.25
ZZ44301		11.05	19.2	2.21	3.90	0.07	0.05	0.03	0.025	0.09	32.9	13.6	0.23	446	2.60
ZZ44302		4.79	31.1	2.68	4.17	0.06	0.13	0.06	0.032	0.08	29.3	21.9	0.60	696	2.85
ZZ44303		2.51	24.0	2.52	4.41	0.07	0.08	0.05	0.027	0.09	24.8	18.8	0.94	540	1.52
ZZ44304		1.96	25.7	2.25	3.84	0.06	0.07	0.07	0.026	0.08	21.8	19.4	0.71	399	3.22
ZZ44305		2.87	20.0	2.20	3.83	0.07	0.11	0.05	0.019	0.07	21.4	20.4	0.91	344	1.23
ZZ44306		2.29	34.7	2.85	5.52	0.08	0.09	0.04	0.026	0.08	29.6	29.9	1.88	256	2.13
ZZ44307		4.03	28.2	2.12	4.06	0.05	0.08	0.04	0.022	0.06	17.1	21.7	1.44	371	1.18
ZZ44308		5.91	128.5	2.13	4.04	0.05	0.09	0.05	0.024	0.08	17.2	26.4	1.43	443	1.84



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 14- SEP- 2012
Account: MTT

Project: GAS

CERTIFICATE OF ANALYSIS WH12198581

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
ZZ44269		0.70	16.6	780	17.0	12.1	<0.001	0.02	4.19	0.9	0.6	0.6	11.0	<0.01	0.04
ZZ44270		0.71	24.4	680	15.9	15.5	<0.001	0.01	5.00	1.5	1.1	0.5	12.7	<0.01	0.07
ZZ44271		1.93	13.1	490	13.9	10.1	<0.001	0.01	1.47	1.4	0.5	0.8	6.8	<0.01	0.04
ZZ44272		0.72	20.4	530	13.3	14.4	<0.001	0.01	5.65	1.5	1.1	0.5	13.3	<0.01	0.06
ZZ44273		1.15	21.8	520	19.2	11.4	<0.001	0.01	4.30	1.5	1.0	0.5	10.1	<0.01	0.05
ZZ44274		0.84	23.5	550	15.5	12.5	<0.001	0.01	4.58	2.2	0.9	0.4	13.2	<0.01	0.04
ZZ44275		0.94	23.4	790	19.8	14.0	<0.001	0.01	3.59	2.3	1.0	0.5	11.3	<0.01	0.04
ZZ44276		0.84	15.4	580	13.9	11.3	<0.001	0.01	1.76	1.0	0.2	0.6	8.5	<0.01	0.03
ZZ44277		0.89	16.8	570	22.1	10.0	<0.001	0.01	2.99	1.2	0.5	0.5	9.6	<0.01	0.03
ZZ44278		0.48	13.3	850	25.5	13.3	<0.001	0.02	1.38	0.6	0.4	0.5	11.4	<0.01	0.02
ZZ44279		0.73	17.8	520	40.9	11.3	<0.001	0.01	2.04	1.0	0.9	0.4	16.4	<0.01	0.03
ZZ44280		1.13	19.3	480	78.6	11.5	<0.001	0.01	3.91	1.2	0.7	0.6	15.1	<0.01	0.03
ZZ44281		1.43	10.3	400	35.0	11.5	<0.001	<0.01	1.37	0.9	<0.2	0.7	11.6	<0.01	0.04
ZZ44282		0.71	25.5	520	42.1	15.6	<0.001	0.03	2.11	1.8	1.1	0.5	15.4	<0.01	0.02
ZZ44283		1.54	9.0	350	14.8	10.5	0.001	0.02	0.73	1.5	0.5	0.7	6.3	<0.01	0.03
ZZ44284		0.55	15.7	410	27.2	10.3	0.001	0.03	2.31	1.2	0.9	0.4	9.1	<0.01	0.03
ZZ44285		1.13	11.3	440	12.7	9.1	0.001	0.03	1.13	1.1	0.7	0.7	6.8	<0.01	0.03
ZZ44286		1.14	10.1	530	13.5	10.9	<0.001	0.02	1.13	1.4	0.6	0.6	6.5	<0.01	0.01
ZZ44287		1.85	10.8	620	12.4	10.1	<0.001	0.02	0.91	1.5	0.7	0.8	6.0	<0.01	0.03
ZZ44288		1.08	19.6	620	22.1	12.1	<0.001	0.03	3.65	2.1	1.0	0.5	12.0	<0.01	0.04
ZZ44289		0.53	10.1	540	14.3	11.7	<0.001	0.03	1.27	0.6	0.9	0.6	6.9	<0.01	0.02
ZZ44290		0.64	17.9	610	20.5	11.2	0.001	0.04	2.36	0.9	0.7	0.7	11.5	<0.01	0.02
ZZ44291		0.60	6.5	500	9.7	8.5	0.001	0.03	1.35	0.5	0.4	0.8	6.2	<0.01	0.01
ZZ44292		0.46	8.7	510	10.8	11.0	<0.001	0.04	1.36	0.4	0.4	0.8	9.4	<0.01	0.03
ZZ44293		0.84	12.4	340	15.1	13.6	0.001	0.03	3.12	1.2	0.5	0.7	10.1	<0.01	0.06
ZZ44294		0.40	18.4	1470	12.9	16.7	<0.001	0.13	2.98	0.9	1.6	0.6	27.0	<0.01	0.05
ZZ44295		0.57	30.1	950	18.3	17.3	0.001	0.05	4.73	3.0	1.1	0.6	26.1	<0.01	0.07
ZZ44296		0.37	29.0	1840	20.8	15.9	0.001	0.14	4.46	1.6	1.0	0.6	40.2	0.01	0.05
ZZ44297		0.32	15.6	1420	12.6	14.2	0.001	0.13	2.11	1.8	1.3	0.5	44.8	<0.01	0.03
ZZ44298		0.47	33.1	580	26.7	14.1	0.001	0.05	6.30	3.4	1.9	0.5	20.3	<0.01	0.08
ZZ44299		0.52	24.7	830	23.7	18.1	0.001	0.07	4.78	2.6	1.9	0.6	24.9	<0.01	0.06
ZZ44300		0.80	33.0	1420	340	13.8	0.001	0.07	4.22	2.6	1.9	0.5	39.1	<0.01	0.08
ZZ44301		0.30	11.9	910	39.8	14.3	0.001	0.06	1.92	1.6	0.7	0.5	44.0	<0.01	0.04
ZZ44302		0.46	22.0	1040	26.3	12.7	0.001	0.07	3.22	2.7	1.4	0.5	71.4	<0.01	0.04
ZZ44303		0.52	20.2	1020	17.6	9.6	0.001	0.05	2.52	2.7	1.0	0.4	52.5	<0.01	0.03
ZZ44304		0.45	24.7	940	14.5	10.4	0.001	0.07	2.67	2.2	1.9	0.4	58.8	<0.01	0.02
ZZ44305		0.34	18.3	1080	18.2	8.7	0.001	0.07	1.83	2.6	1.3	0.3	76.0	<0.01	0.02
ZZ44306		0.47	28.8	1050	21.1	9.5	0.001	0.03	1.76	3.9	1.5	0.3	56.8	<0.01	0.02
ZZ44307		1.55	21.0	990	13.3	8.1	0.001	0.05	1.15	3.0	1.1	0.3	102.0	<0.01	0.02
ZZ44308		1.44	23.9	1020	18.4	13.3	0.001	0.08	1.75	3.0	2.5	0.4	105.5	0.01	0.04



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 14- SEP- 2012
 Account: MTT

Project: GAS

CERTIFICATE OF ANALYSIS WH12198581

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ44269		0.026	0.20	0.81	37	0.24	7.02	53	<0.5
ZZ44270		0.015	0.17	0.77	32	0.21	5.52	65	<0.5
ZZ44271		0.040	0.15	0.64	39	0.30	2.82	53	<0.5
ZZ44272		0.015	0.20	0.68	36	0.15	5.12	59	0.6
ZZ44273		0.021	0.20	0.91	25	0.15	4.67	63	<0.5
ZZ44274		0.010	0.15	0.63	35	0.14	4.40	77	2.1
ZZ44275		0.014	0.14	0.90	45	0.20	6.33	114	0.9
ZZ44276		0.028	0.13	0.57	35	0.28	3.86	57	<0.5
ZZ44277		0.022	0.16	0.68	31	0.19	3.85	58	<0.5
ZZ44278		0.012	0.26	0.94	26	0.18	4.85	53	<0.5
ZZ44279		0.017	0.20	0.77	30	0.15	4.43	70	<0.5
ZZ44280		0.024	0.31	0.86	43	0.88	5.96	147	<0.5
ZZ44281		0.031	0.22	0.51	39	0.25	2.41	55	<0.5
ZZ44282		0.013	0.26	0.85	32	0.17	6.72	109	1.2
ZZ44283		0.038	0.13	0.56	42	0.31	3.51	44	<0.5
ZZ44284		0.011	0.17	0.70	23	0.13	3.79	63	0.5
ZZ44285		0.025	0.13	0.50	32	0.22	2.55	54	<0.5
ZZ44286		0.023	0.11	0.51	34	0.28	2.81	46	0.5
ZZ44287		0.045	0.10	0.51	50	0.35	2.30	52	<0.5
ZZ44288		0.017	0.13	0.62	40	0.24	4.26	65	1.2
ZZ44289		0.021	0.13	0.67	31	0.23	3.19	50	<0.5
ZZ44290		0.027	0.21	1.09	36	0.20	6.14	66	<0.5
ZZ44291		0.021	0.16	0.50	35	0.28	3.31	28	<0.5
ZZ44292		0.028	0.16	0.63	37	0.20	5.69	40	<0.5
ZZ44293		0.027	0.24	0.56	34	0.22	3.86	43	<0.5
ZZ44294		0.014	0.35	1.28	33	0.20	21.2	49	<0.5
ZZ44295		0.020	0.29	1.30	37	0.18	14.75	77	1.1
ZZ44296		0.012	0.26	1.21	27	0.18	14.35	72	1.6
ZZ44297		0.010	0.25	1.20	15	0.10	16.25	39	2.5
ZZ44298		0.018	0.37	1.65	25	0.17	16.30	69	1.0
ZZ44299		0.016	0.37	1.42	25	0.16	20.6	61	1.2
ZZ44300		0.022	0.43	1.90	64	0.18	13.00	66	0.8
ZZ44301		0.006	0.29	0.97	21	0.09	7.95	47	1.4
ZZ44302		0.008	0.19	2.45	27	0.10	20.4	61	3.2
ZZ44303		0.014	0.15	1.18	30	0.11	14.80	78	2.1
ZZ44304		0.010	0.14	1.78	38	0.11	14.35	111	2.3
ZZ44305		0.009	0.13	1.30	18	0.06	13.65	64	3.4
ZZ44306		0.015	0.12	0.65	33	0.07	16.25	118	3.7
ZZ44307		0.048	0.15	0.93	27	0.16	12.30	92	2.7
ZZ44308		0.037	0.32	1.43	37	0.19	15.40	129	3.1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 14- SEP- 2012
Account: MTT

Project: GAS

CERTIFICATE OF ANALYSIS WH12198581

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ44309		0.27	0.005	0.40	1.21	35.3	<0.2	<10	280	0.52	0.24	0.16	0.84	51.1	11.0	16
ZZ44310		0.18	0.003	1.11	1.39	35.1	<0.2	<10	290	0.53	0.31	0.09	0.55	41.5	7.0	23
ZZ44311		0.15	0.003	0.46	1.38	54.8	<0.2	<10	380	0.53	0.29	0.21	0.65	41.5	9.7	18
ZZ44312		0.19	0.003	0.31	1.41	44.0	<0.2	<10	280	0.58	0.32	0.18	0.50	59.8	11.2	17
ZZ44313		0.15	0.003	0.27	1.24	19.1	<0.2	<10	110	0.30	0.29	0.06	0.25	34.5	4.6	18
ZZ44314		0.21	0.003	0.10	1.40	50.2	<0.2	<10	160	0.49	0.28	0.06	0.35	45.2	6.6	21
ZZ44315		0.20	0.010	0.25	1.34	45.3	<0.2	<10	170	0.47	0.28	0.07	0.35	43.7	8.0	20
ZZ44316		0.14	0.003	0.58	1.24	48.2	<0.2	<10	360	0.40	0.29	0.42	0.35	37.8	5.2	16
ZZ44317		0.25	0.003	0.57	1.21	41.4	<0.2	<10	250	0.32	0.24	0.06	0.31	35.8	5.8	18
ZZ44318		0.19	0.002	0.58	1.25	20.0	<0.2	<10	300	0.42	0.27	0.17	0.48	27.2	4.4	20
ZZ44319		0.19	0.005	0.67	1.37	60.3	<0.2	<10	470	0.56	0.27	0.46	0.80	43.4	9.4	16
ZZ44320		0.16	0.003	1.41	1.53	56.1	<0.2	<10	710	0.74	0.24	1.05	1.04	44.0	9.1	15
ZZ44321		0.25	0.002	0.99	1.63	38.3	<0.2	<10	600	0.73	0.35	0.23	1.05	39.5	8.6	21
ZZ44322		0.29	0.009	0.78	1.40	32.3	<0.2	<10	570	0.55	0.31	0.29	0.81	36.6	6.8	17
ZZ44323		0.28	0.002	0.45	1.34	17.4	<0.2	<10	400	0.53	0.25	0.11	0.56	41.9	6.4	21
ZZ44324		0.29	0.002	0.15	1.13	35.2	<0.2	<10	220	0.29	0.25	0.04	0.26	39.1	4.9	17
ZZ44325		0.21	0.003	2.90	2.03	46.2	<0.2	<10	200	1.11	0.53	0.58	0.44	36.0	11.4	22
ZZ44326		0.22	0.002	0.62	1.35	57.2	<0.2	<10	420	0.55	0.34	0.25	0.81	46.0	10.5	16
ZZ44327		0.16	0.001	0.47	0.84	10.3	<0.2	<10	80	0.20	0.23	0.03	0.15	26.5	2.8	14
ZZ44328		0.19	0.001	0.42	1.09	12.8	<0.2	<10	60	0.21	0.25	0.03	0.15	27.0	4.3	19
ZZ44329		0.17	0.002	0.97	1.34	23.5	<0.2	<10	180	0.83	0.38	0.30	0.61	37.4	10.0	16
ZZ44330		0.15	0.002	0.68	1.22	26.0	<0.2	<10	260	0.63	0.52	0.18	0.25	37.3	3.9	14
ZZ44331		0.14	0.003	0.19	0.96	31.7	<0.2	<10	100	0.30	0.28	0.02	0.21	30.9	4.9	16
ZZ44332		0.15	0.003	0.35	1.12	32.8	<0.2	<10	130	0.28	0.24	0.06	0.27	28.5	5.2	18
ZZ44333		0.17	0.005	0.16	1.22	52.9	<0.2	<10	290	0.40	0.27	0.17	0.26	48.2	6.3	15
ZZ44334		0.24	0.002	0.24	1.33	54.3	<0.2	<10	150	0.49	0.22	0.05	0.62	36.0	6.7	18
ZZ44335		0.18	0.006	0.42	1.47	93.6	<0.2	<10	150	0.45	0.46	0.06	0.53	50.5	11.3	19
ZZ44336		0.21	0.006	0.92	1.35	129.0	<0.2	<10	640	0.80	0.28	0.49	0.59	65.0	11.6	16
ZZ44337		0.19	0.004	1.32	1.58	69.7	<0.2	<10	170	0.59	0.45	0.07	0.74	42.5	9.6	23
ZZ44338		0.16	0.002	0.66	1.71	68.5	<0.2	<10	420	0.63	0.46	0.65	0.49	45.1	11.9	23
ZZ44339		0.22	0.002	0.68	1.23	170.5	<0.2	<10	120	0.48	0.31	0.04	0.42	51.4	7.8	18
ZZ44340		0.18	0.001	0.62	1.16	116.0	<0.2	<10	130	0.36	0.27	0.05	0.40	43.4	6.4	18
ZZ44341		0.17	0.005	0.31	1.31	83.9	<0.2	<10	140	0.54	0.30	0.09	0.32	60.7	8.4	15
ZZ44342		0.19	0.003	0.59	1.46	117.0	<0.2	<10	300	0.85	0.27	0.18	0.60	58.1	9.4	18
ZZ44343		0.27	0.002	0.31	1.37	19.3	<0.2	<10	290	0.59	0.23	0.08	0.62	45.1	8.1	18
ZZ44344		0.15	0.004	0.26	1.17	24.9	<0.2	<10	480	0.61	0.23	0.20	0.87	46.3	8.6	16
ZZ44345		0.20	0.001	0.39	0.87	19.0	<0.2	<10	470	0.43	0.22	0.14	1.22	28.5	6.6	16
ZZ44346		0.16	0.002	0.22	1.24	23.3	<0.2	<10	570	0.55	0.21	0.32	0.90	35.9	8.8	17
ZZ44347		0.16	0.001	0.33	1.15	18.4	<0.2	<10	230	0.52	0.25	0.11	0.65	44.2	7.0	17
ZZ44348		0.21	0.002	0.46	1.29	15.6	<0.2	<10	440	0.64	0.22	0.15	0.68	28.6	5.7	18



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 14- SEP- 2012
Account: MTT

Project: GAS

CERTIFICATE OF ANALYSIS WH12198581

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ44309		1.98	34.9	2.92	3.18	0.07	0.06	0.03	0.029	0.06	23.8	16.4	0.50	586	5.06
ZZ44310		6.64	16.7	3.43	6.08	0.06	<0.02	0.04	0.050	0.06	21.2	17.2	0.55	732	3.11
ZZ44311		5.36	20.2	3.32	4.70	0.06	<0.02	0.07	0.061	0.07	23.3	19.4	0.55	994	3.97
ZZ44312		4.75	36.3	3.43	4.40	0.06	0.03	0.02	0.043	0.08	27.7	19.6	0.56	581	5.93
ZZ44313		2.19	12.0	2.46	5.31	<0.05	<0.02	0.04	0.036	0.05	17.6	13.5	0.28	317	2.02
ZZ44314		2.54	19.8	3.51	5.41	0.05	<0.02	0.01	0.042	0.06	19.4	20.5	0.44	375	2.71
ZZ44315		2.47	22.1	3.29	4.79	0.05	0.02	0.02	0.046	0.06	20.3	19.7	0.46	448	3.81
ZZ44316		4.82	18.9	2.17	4.95	<0.05	<0.02	0.03	0.029	0.07	18.0	12.3	0.34	352	1.92
ZZ44317		1.86	20.7	2.79	4.39	<0.05	<0.02	0.02	0.028	0.05	17.8	13.2	0.38	211	5.41
ZZ44318		2.14	14.7	2.15	5.12	<0.05	0.04	0.04	0.028	0.04	14.8	19.3	0.27	400	1.85
ZZ44319		5.10	28.3	2.81	3.84	0.06	0.07	0.07	0.042	0.08	23.7	22.2	0.53	733	4.51
ZZ44320		5.71	33.1	2.58	3.98	0.08	0.13	0.12	0.043	0.08	29.4	18.1	0.42	655	3.50
ZZ44321		8.36	25.7	3.05	4.64	0.05	0.07	0.09	0.047	0.07	22.1	23.6	0.34	1020	2.95
ZZ44322		5.74	21.8	2.51	4.33	0.05	0.07	0.08	0.037	0.06	19.9	19.0	0.31	643	3.05
ZZ44323		1.97	14.8	2.56	4.88	0.05	0.04	0.05	0.029	0.05	21.3	20.0	0.36	333	2.56
ZZ44324		2.03	17.7	2.32	4.35	<0.05	0.04	0.03	0.029	0.05	19.8	11.9	0.30	273	3.41
ZZ44325		36.7	41.4	3.88	5.28	0.08	0.25	0.10	0.071	0.09	22.1	39.8	0.49	1170	2.05
ZZ44326		3.98	31.6	3.23	4.36	0.05	0.06	0.04	0.050	0.08	19.8	22.6	0.45	829	4.75
ZZ44327		2.30	8.2	1.60	4.43	<0.05	0.04	0.05	0.018	0.03	13.9	6.9	0.16	141	1.34
ZZ44328		2.95	8.2	2.88	5.37	<0.05	0.04	0.04	0.019	0.04	13.6	12.0	0.25	291	1.61
ZZ44329		17.35	27.3	2.70	4.46	0.08	0.05	0.05	0.047	0.05	26.2	21.6	0.26	1610	1.90
ZZ44330		6.83	19.5	2.33	4.55	0.05	0.04	0.05	0.042	0.05	21.7	11.3	0.19	365	2.64
ZZ44331		2.81	13.2	2.54	4.58	<0.05	0.04	0.03	0.026	0.05	15.7	8.4	0.26	312	2.91
ZZ44332		4.04	11.8	3.04	5.02	<0.05	0.04	0.03	0.024	0.05	13.2	13.8	0.32	271	2.45
ZZ44333		4.89	17.9	2.84	4.25	0.05	0.05	0.02	0.032	0.06	24.0	18.2	0.45	407	2.36
ZZ44334		3.11	17.6	2.57	3.73	<0.05	0.04	0.03	0.032	0.04	16.3	17.9	0.36	386	4.04
ZZ44335		3.49	25.1	3.98	4.50	0.05	0.05	0.03	0.051	0.05	20.6	18.9	0.54	685	4.08
ZZ44336		2.29	55.9	3.29	3.55	0.08	0.15	0.10	0.029	0.07	34.6	20.6	0.60	564	4.95
ZZ44337		2.63	19.3	4.17	5.95	<0.05	0.04	0.06	0.058	0.07	19.7	24.4	0.39	601	2.13
ZZ44338		2.92	21.7	3.88	5.81	0.06	0.05	0.05	0.060	0.07	22.1	21.1	0.47	1560	2.40
ZZ44339		4.14	19.5	3.77	4.90	<0.05	0.04	0.04	0.030	0.07	23.8	14.5	0.29	486	1.89
ZZ44340		1.79	17.8	2.96	4.80	<0.05	0.04	0.04	0.028	0.06	20.3	14.7	0.30	384	1.58
ZZ44341		2.60	22.6	3.51	4.35	0.05	0.04	0.03	0.033	0.08	29.6	17.4	0.44	438	1.68
ZZ44342		2.49	29.3	2.95	4.21	0.06	0.07	0.04	0.032	0.09	29.9	19.8	0.43	607	3.30
ZZ44343		2.04	19.8	2.70	4.13	0.05	0.05	0.03	0.028	0.06	22.4	18.2	0.41	382	3.03
ZZ44344		1.50	27.0	2.82	3.34	<0.05	0.06	0.03	0.030	0.07	21.8	14.1	0.34	371	5.76
ZZ44345		1.18	21.1	2.32	3.19	<0.05	0.04	0.04	0.025	0.08	16.0	12.1	0.25	205	8.65
ZZ44346		3.47	20.3	2.86	4.11	<0.05	0.06	0.03	0.031	0.07	18.5	16.0	0.42	555	3.27
ZZ44347		4.95	16.1	2.99	4.69	0.05	0.05	0.03	0.030	0.07	22.1	16.3	0.37	458	3.84
ZZ44348		1.91	12.6	2.67	4.23	<0.05	0.05	0.03	0.034	0.04	14.5	15.3	0.24	271	4.16



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 14- SEP- 2012
Account: MTT

Project: GAS

CERTIFICATE OF ANALYSIS WH12198581

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
ZZ44309		0.46	32.0	920	15.8	7.4	0.001	0.04	3.79	2.0	1.7	0.4	27.5	<0.01	0.05
ZZ44310		1.39	17.0	810	39.4	16.4	<0.001	0.04	1.81	2.2	0.8	0.9	13.0	<0.01	0.03
ZZ44311		0.86	23.2	810	24.4	13.7	<0.001	0.05	3.08	2.0	1.7	0.5	20.9	<0.01	0.05
ZZ44312		0.36	29.2	1100	24.3	14.4	<0.001	0.05	4.53	1.7	1.6	0.5	32.1	<0.01	0.07
ZZ44313		0.36	11.9	650	16.5	9.8	0.001	0.03	1.57	0.5	0.6	0.7	8.3	<0.01	0.03
ZZ44314		0.51	18.9	690	22.2	11.4	0.001	0.03	2.29	0.7	0.9	0.7	11.1	<0.01	0.04
ZZ44315		0.64	22.6	740	17.7	11.2	0.001	0.03	3.05	1.1	1.1	0.6	14.7	<0.01	0.04
ZZ44316		0.27	13.0	760	15.9	15.0	0.001	0.04	1.93	0.5	0.5	0.7	29.1	<0.01	0.03
ZZ44317		0.43	24.2	720	14.0	11.3	0.001	0.03	2.56	0.8	1.5	0.6	15.3	<0.01	0.05
ZZ44318		0.59	12.7	640	12.5	11.5	<0.001	0.03	0.93	0.6	0.5	0.7	20.2	<0.01	0.02
ZZ44319		0.46	30.0	1070	19.6	11.1	<0.001	0.03	3.32	1.8	1.4	0.4	43.5	<0.01	0.03
ZZ44320		0.63	28.5	1400	18.3	12.6	<0.001	0.07	3.31	3.1	2.0	0.4	78.8	<0.01	0.05
ZZ44321		0.62	23.2	1410	16.6	12.8	<0.001	0.04	2.22	1.9	1.5	0.6	25.8	<0.01	0.05
ZZ44322		0.58	20.1	1220	15.4	12.4	<0.001	0.04	1.97	1.4	1.0	0.5	32.8	<0.01	0.03
ZZ44323		0.81	19.3	670	14.4	9.7	<0.001	0.01	1.60	1.3	1.2	0.6	15.2	<0.01	0.02
ZZ44324		0.43	17.6	690	13.8	11.9	<0.001	0.01	2.13	0.6	0.8	0.6	14.1	<0.01	0.02
ZZ44325		0.56	30.2	1860	18.4	24.9	<0.001	0.07	3.26	4.5	2.1	0.6	59.8	0.01	0.05
ZZ44326		0.56	34.0	940	16.3	14.2	<0.001	0.03	3.44	1.7	1.5	0.6	31.7	<0.01	0.06
ZZ44327		0.45	8.1	460	9.5	7.2	<0.001	0.03	0.63	0.2	<0.2	0.6	5.8	<0.01	0.02
ZZ44328		1.01	12.0	540	11.9	8.6	<0.001	0.02	0.73	0.7	0.2	0.7	5.8	<0.01	0.03
ZZ44329		0.45	23.4	1220	13.2	10.3	<0.001	0.07	2.04	1.1	1.9	0.5	28.4	<0.01	0.04
ZZ44330		0.31	15.1	830	13.6	12.7	<0.001	0.03	1.73	0.4	1.0	0.6	20.2	<0.01	0.03
ZZ44331		0.37	16.9	670	12.3	10.2	<0.001	0.03	1.83	0.3	0.4	0.5	8.1	<0.01	0.04
ZZ44332		0.82	16.7	650	15.2	9.9	<0.001	0.02	1.39	0.8	0.5	0.5	10.1	<0.01	0.03
ZZ44333		0.53	20.6	650	14.3	14.5	<0.001	0.02	2.63	1.2	0.5	0.4	19.5	<0.01	0.03
ZZ44334		0.45	23.6	710	18.9	9.5	<0.001	0.02	2.31	0.6	1.0	0.5	13.1	<0.01	0.04
ZZ44335		1.06	24.8	810	50.6	10.0	<0.001	0.03	4.54	1.6	1.0	0.5	16.9	<0.01	0.04
ZZ44336		0.60	35.6	720	20.5	7.4	<0.001	0.05	4.64	3.8	1.7	0.4	50.3	<0.01	0.03
ZZ44337		1.60	19.6	650	35.4	10.4	<0.001	0.02	2.29	1.6	0.6	0.7	11.8	<0.01	0.05
ZZ44338		1.03	23.0	960	58.1	11.3	<0.001	0.04	2.20	1.3	0.8	0.7	46.4	<0.01	0.04
ZZ44339		0.93	17.9	800	12.7	12.1	<0.001	0.02	3.00	1.1	0.3	0.6	10.5	<0.01	0.04
ZZ44340		0.71	16.3	1000	13.0	10.6	<0.001	0.01	2.24	0.9	0.3	0.6	10.2	<0.01	0.02
ZZ44341		0.45	18.7	740	13.5	9.4	<0.001	0.02	3.32	0.8	0.4	0.5	14.2	<0.01	0.04
ZZ44342		0.65	25.7	940	16.3	9.0	<0.001	0.02	2.93	1.7	1.0	0.5	26.3	<0.01	0.05
ZZ44343		0.79	23.8	800	13.5	9.6	0.001	0.01	2.19	2.0	0.6	0.4	16.0	<0.01	0.04
ZZ44344		0.51	35.4	780	17.3	7.5	<0.001	0.01	3.97	1.8	1.4	0.4	32.2	<0.01	0.05
ZZ44345		0.65	37.6	700	14.6	8.6	<0.001	0.02	3.93	1.1	2.1	0.5	31.0	<0.01	0.08
ZZ44346		0.70	24.1	660	14.6	11.8	<0.001	0.02	2.68	1.3	0.6	0.5	24.4	<0.01	0.03
ZZ44347		0.94	23.6	480	16.1	16.0	<0.001	0.01	3.00	1.3	0.8	0.6	14.0	<0.01	0.04
ZZ44348		0.98	21.3	530	114.5	8.7	<0.001	0.01	2.64	1.3	0.6	0.6	16.1	<0.01	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 14- SEP- 2012
Account: MTT

Project: GAS

CERTIFICATE OF ANALYSIS WH12198581

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ44309		0.013	0.21	0.94	44	0.20	8.58	146	1.5
ZZ44310		0.049	0.21	1.32	50	0.24	8.08	96	<0.5
ZZ44311		0.020	0.21	0.91	61	0.37	12.60	123	<0.5
ZZ44312		0.009	0.25	0.97	49	0.14	6.44	124	1.0
ZZ44313		0.019	0.14	0.67	44	0.23	2.89	69	<0.5
ZZ44314		0.024	0.14	0.77	46	0.24	4.86	101	<0.5
ZZ44315		0.021	0.16	0.79	48	0.23	4.94	117	0.5
ZZ44316		0.012	0.18	0.85	34	0.28	4.38	66	<0.5
ZZ44317		0.017	0.19	0.72	61	0.21	4.02	132	<0.5
ZZ44318		0.022	0.13	0.95	50	0.26	5.47	95	<0.5
ZZ44319		0.011	0.20	1.06	49	0.14	12.50	139	0.7
ZZ44320		0.010	0.19	2.21	36	0.13	26.2	122	2.5
ZZ44321		0.016	0.18	1.88	49	0.25	17.50	131	0.9
ZZ44322		0.014	0.18	1.31	45	0.26	14.10	109	0.7
ZZ44323		0.027	0.15	0.93	41	0.30	7.22	111	<0.5
ZZ44324		0.016	0.14	0.74	48	0.21	4.50	82	<0.5
ZZ44325		0.011	0.19	4.51	31	0.12	44.6	111	5.2
ZZ44326		0.015	0.19	1.06	63	0.14	7.87	149	0.5
ZZ44327		0.019	0.08	0.54	30	0.18	2.10	35	<0.5
ZZ44328		0.034	0.09	0.53	40	0.29	1.97	56	<0.5
ZZ44329		0.015	0.14	2.08	28	0.20	43.0	63	<0.5
ZZ44330		0.010	0.16	1.35	36	0.20	10.25	62	<0.5
ZZ44331		0.018	0.12	0.60	44	0.22	2.72	76	<0.5
ZZ44332		0.026	0.11	0.49	42	0.31	2.37	87	<0.5
ZZ44333		0.014	0.14	0.64	30	0.15	4.71	74	<0.5
ZZ44334		0.016	0.18	0.78	44	0.24	5.86	132	<0.5
ZZ44335		0.024	0.22	0.80	43	0.21	5.01	130	0.7
ZZ44336		0.011	0.20	1.27	35	0.12	19.75	90	3.1
ZZ44337		0.040	0.15	0.80	50	0.26	4.24	86	<0.5
ZZ44338		0.029	0.20	0.97	54	0.25	7.22	112	<0.5
ZZ44339		0.035	0.17	0.77	36	0.24	4.55	64	<0.5
ZZ44340		0.025	0.12	0.62	34	0.29	4.74	62	<0.5
ZZ44341		0.012	0.12	0.61	28	0.12	5.28	55	<0.5
ZZ44342		0.012	0.16	1.00	41	0.40	10.90	91	0.6
ZZ44343		0.015	0.13	0.72	43	0.43	6.33	116	0.6
ZZ44344		0.009	0.18	0.76	57	0.20	7.63	151	0.7
ZZ44345		0.015	0.24	0.76	99	0.20	6.43	208	<0.5
ZZ44346		0.014	0.12	0.58	54	0.17	5.35	95	0.5
ZZ44347		0.021	0.12	0.50	56	0.20	3.21	90	<0.5
ZZ44348		0.017	0.13	0.73	71	0.26	3.17	116	<0.5



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 7 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 14- SEP- 2012
Account: MTT

Project: GAS

CERTIFICATE OF ANALYSIS WH12198581

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- ICP21 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ44349		0.19	0.004	0.25	1.52	11.0	<0.2	<10	320	0.44	0.22	0.09	0.31	29.4	5.0	20
ZZ44350		0.16	0.001	0.22	1.63	11.6	<0.2	<10	320	0.52	0.23	0.08	0.41	32.9	5.9	21



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 7 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 14- SEP- 2012
Account: MTT

Project: GAS

CERTIFICATE OF ANALYSIS WH12198581

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ44349		1.13	10.1	2.49	5.59	<0.05	0.07	0.03	0.023	0.04	15.0	17.7	0.41	162	2.35	0.01
ZZ44350		2.26	18.0	2.54	5.85	<0.05	0.04	0.02	0.025	0.05	18.1	16.3	0.45	372	2.45	0.01



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 7 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 14- SEP- 2012
Account: MTT

Project: GAS

CERTIFICATE OF ANALYSIS WH12198581

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ44349		1.28	14.6	530	13.4	8.7	<0.001	<0.01	0.93	1.8	0.3	0.6	9.9	<0.01	0.02	3.5
ZZ44350		0.48	16.9	750	14.6	10.0	<0.001	0.01	1.15	0.7	0.4	0.6	12.9	<0.01	0.03	0.4



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 7 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 14- SEP- 2012
 Account: MTT

Project: GAS

CERTIFICATE OF ANALYSIS WH12198581

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ44349		0.020	0.10	0.47	47	0.27	2.31	65	1.1
ZZ44350		0.013	0.14	0.59	51	0.18	4.56	85	<0.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: GAS

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 14- SEP- 2012
Account: MTT

CERTIFICATE OF ANALYSIS WH12198581

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**

C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8**

Page: 1
Finalized Date: 14- SEP- 2012
Account: MTT

CERTIFICATE WH12198582

Project: GAS

P.O. No.:

This report is for 90 Soil samples submitted to our lab in Whitehorse, YT, Canada on 23- AUG- 2012.

The following have access to data associated with this certificate:

SARAH EATON

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/ o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES


ALS CODE	DESCRIPTION	INSTRUMENT
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 14- SEP- 2012
Account: MTT

Project: GAS

CERTIFICATE OF ANALYSIS WH12198582

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ44002		0.21	0.004	0.18	1.67	12.4	<0.2	<10	290	0.59	0.17	0.44	0.29	39.8	7.6	19
ZZ44003		0.19	0.004	0.28	1.48	14.5	<0.2	<10	350	0.58	0.14	1.30	0.47	39.0	8.2	17
ZZ44004		0.12	0.007	0.34	1.49	17.4	<0.2	<10	560	0.75	0.15	1.56	0.37	36.0	8.3	14
ZZ44005		0.20	0.013	0.09	1.28	58.3	<0.2	<10	230	0.52	0.20	0.14	0.57	49.2	13.3	18
ZZ44006		0.18	0.001	0.18	1.35	9.4	<0.2	<10	290	0.61	0.33	0.19	0.40	41.2	6.0	20
ZZ44007		0.16	0.001	0.22	1.02	6.7	<0.2	<10	180	0.26	0.25	0.05	0.23	35.0	2.7	15
ZZ44008		0.19	0.002	0.44	1.37	10.7	<0.2	<10	310	0.35	0.22	0.06	1.38	30.3	5.9	21
ZZ44009		0.18	0.003	0.53	1.25	15.6	<0.2	<10	780	0.52	0.19	0.14	1.32	34.5	6.8	18
ZZ44010		0.18	0.002	0.79	1.44	13.9	<0.2	<10	1100	0.72	0.21	0.25	2.40	37.5	7.3	22
ZZ44011		0.19	0.001	0.77	1.18	21.1	<0.2	<10	510	0.44	0.22	0.15	0.80	32.7	5.8	21
ZZ44012		0.17	0.003	0.65	1.64	68.5	<0.2	<10	330	0.88	0.31	0.23	0.61	75.6	13.7	20
ZZ44013		0.24	0.001	1.07	1.62	86.2	<0.2	<10	160	0.87	0.35	0.13	0.44	60.9	11.3	23
ZZ44014		0.22	0.004	0.80	1.51	205	<0.2	<10	320	1.01	0.34	0.28	0.40	73.3	12.1	18
ZZ44015		0.17	0.004	1.13	1.84	163.0	<0.2	<10	570	0.96	0.34	0.40	0.75	76.3	13.4	23
ZZ44016		0.17	0.004	0.63	1.26	66.3	<0.2	<10	240	0.62	0.37	0.13	0.36	73.3	15.0	17
ZZ44426		0.22	0.004	0.68	1.93	34.8	<0.2	<10	290	0.63	0.23	0.26	1.31	44.7	9.9	23
ZZ44427		0.21	0.003	0.20	2.59	36.3	<0.2	<10	380	0.81	0.30	0.44	0.56	63.7	15.5	28
ZZ44428		0.14	0.005	0.43	2.15	23.1	<0.2	<10	270	0.57	0.16	1.05	0.67	50.7	10.7	27
ZZ44429		0.21	0.004	0.75	1.85	33.5	<0.2	<10	450	0.75	0.20	1.36	0.83	54.3	11.5	25
ZZ44430		0.19	0.004	0.40	2.47	26.3	<0.2	<10	240	0.76	0.21	1.14	0.46	63.6	11.5	29
ZZ44431		0.16	0.004	0.40	1.95	24.1	<0.2	<10	190	0.59	0.15	1.21	0.58	42.3	9.6	25
ZZ44432		0.18	0.003	0.42	2.19	22.1	<0.2	<10	210	0.61	0.16	2.69	0.46	42.9	10.6	28
ZZ44433		0.18	0.004	0.81	2.05	40.1	<0.2	<10	320	0.75	0.20	1.75	0.66	46.7	9.8	26
ZZ44434		0.17	0.004	0.83	1.85	41.8	<0.2	<10	360	0.65	0.20	2.10	0.84	38.8	8.7	24
ZZ44435		0.18	0.006	1.14	1.81	84.8	<0.2	<10	520	0.71	0.19	1.92	1.57	45.3	8.8	26
ZZ44436		0.16	0.004	0.94	1.83	82.0	<0.2	<10	770	0.69	0.21	1.02	1.04	42.3	8.6	26
ZZ44437		0.18	0.003	1.34	1.98	143.0	<0.2	<10	500	0.82	0.24	0.84	1.09	58.1	11.2	28
ZZ44438		0.17	0.006	1.34	2.01	115.5	<0.2	<10	490	0.76	0.19	1.04	1.77	54.6	10.1	27
ZZ44439		0.16	0.002	1.24	2.09	109.5	<0.2	<10	380	0.83	0.21	1.14	1.19	51.9	10.9	29
ZZ44440		0.17	0.004	1.34	2.09	137.0	<0.2	<10	330	0.84	0.18	1.11	1.44	51.4	10.1	29
ZZ44441		0.16	0.002	0.93	1.81	61.4	<0.2	<10	360	0.66	0.15	1.40	0.99	41.7	7.9	24
ZZ44442		0.18	0.002	1.08	1.96	54.5	<0.2	<10	410	0.60	0.20	0.77	1.32	46.7	7.9	27
ZZ44443		0.18	0.002	1.39	1.63	161.5	<0.2	<10	400	0.62	0.19	1.16	0.82	42.4	7.2	23
ZZ44444		0.19	0.003	1.36	1.83	273	<0.2	<10	380	0.62	0.26	0.55	0.55	56.0	10.0	27
ZZ44445		0.20	0.003	2.03	1.92	114.0	<0.2	<10	460	0.81	0.21	1.19	0.98	47.6	10.4	25
ZZ44446		0.19	0.005	2.92	2.15	393	<0.2	<10	480	0.90	0.32	0.64	0.57	55.4	10.3	30
ZZ44447		0.17	0.004	1.46	1.87	188.0	<0.2	<10	460	0.89	0.26	0.91	0.71	56.1	8.6	25
ZZ44448		0.16	0.003	1.61	1.61	95.8	<0.2	<10	620	0.82	0.21	1.15	1.59	44.3	9.3	24
ZZ44449		0.17	0.004	3.56	1.87	467	<0.2	<10	390	0.79	0.25	1.00	0.90	45.2	8.2	26
ZZ44450		0.17	0.003	1.61	1.61	195.0	<0.2	<10	340	0.61	0.24	1.07	0.67	41.6	8.9	23



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 14- SEP- 2012
Account: MTT

Project: GAS

CERTIFICATE OF ANALYSIS WH12198582

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ44002		2.74	28.2	2.47	4.29	<0.05	0.08	0.03	0.028	0.06	19.2	22.0	0.86	223	2.84
ZZ44003		0.80	23.4	2.39	3.87	0.05	0.13	0.07	0.028	0.06	20.1	18.7	0.89	342	1.82
ZZ44004		1.83	38.1	2.35	3.70	0.06	0.17	0.08	0.031	0.06	22.0	13.8	0.56	494	1.58
ZZ44005		3.68	43.0	3.74	3.89	0.05	0.04	0.03	0.038	0.07	25.4	17.0	0.62	551	4.40
ZZ44006		3.85	13.4	2.86	5.31	0.06	0.03	0.03	0.020	0.05	21.3	20.4	0.26	304	1.53
ZZ44007		2.34	9.2	1.68	5.22	<0.05	0.02	0.03	0.016	0.04	18.9	5.6	0.16	117	1.66
ZZ44008		1.58	14.5	2.29	5.26	<0.05	0.03	0.02	0.021	0.04	17.9	14.4	0.27	264	4.81
ZZ44009		0.93	24.7	2.33	3.55	<0.05	0.06	0.06	0.027	0.06	18.8	13.8	0.25	153	9.99
ZZ44010		1.41	33.3	2.31	4.23	0.05	0.04	0.05	0.029	0.07	20.5	13.2	0.25	480	6.69
ZZ44011		1.69	17.3	2.69	4.22	<0.05	0.03	0.04	0.028	0.07	17.7	14.2	0.34	251	5.81
ZZ44012		4.97	38.8	3.78	5.05	0.08	0.04	0.02	0.044	0.11	39.6	21.1	0.56	714	2.56
ZZ44013		3.77	25.6	4.82	5.68	0.08	0.03	0.04	0.053	0.11	30.7	22.3	0.63	1100	1.65
ZZ44014		4.70	32.6	3.48	4.60	0.08	0.04	0.05	0.044	0.11	40.3	21.3	0.54	1030	1.96
ZZ44015		4.52	39.4	3.88	5.16	0.09	0.05	0.07	0.049	0.13	41.6	22.6	0.60	1340	3.44
ZZ44016		7.45	39.2	3.97	3.95	0.07	0.04	0.04	0.034	0.09	37.3	18.7	0.55	990	2.52
ZZ44426		5.26	39.4	2.35	5.53	0.06	0.04	0.04	0.029	0.08	23.3	33.1	1.09	376	1.49
ZZ44427		3.97	43.1	3.07	5.95	0.08	0.10	0.05	0.040	0.08	30.6	53.4	2.00	733	2.05
ZZ44428		1.75	30.0	2.61	6.23	0.06	0.08	0.04	0.029	0.07	24.6	36.8	1.97	554	1.23
ZZ44429		1.68	39.9	2.25	4.86	0.07	0.10	0.08	0.024	0.08	29.1	36.1	1.30	666	1.54
ZZ44430		1.82	43.4	2.95	6.37	0.08	0.13	0.04	0.032	0.09	33.9	43.1	2.31	394	1.64
ZZ44431		0.88	29.6	2.64	5.02	0.06	0.11	0.04	0.030	0.06	23.4	30.0	1.70	411	0.98
ZZ44432		1.19	28.5	2.77	5.82	0.06	0.13	0.04	0.024	0.07	22.9	35.1	2.10	342	1.05
ZZ44433		1.27	46.4	2.63	5.56	0.08	0.09	0.06	0.024	0.07	25.3	34.8	1.57	455	1.45
ZZ44434		1.29	51.9	2.32	4.74	0.05	0.10	0.07	0.027	0.07	22.9	30.8	1.29	501	1.19
ZZ44435		1.70	69.1	2.41	5.01	0.06	0.11	0.08	0.025	0.08	25.5	32.4	1.25	481	2.42
ZZ44436		1.33	55.1	2.57	4.85	0.07	0.10	0.08	0.025	0.09	25.8	28.3	1.11	522	3.33
ZZ44437		2.03	69.1	2.96	5.45	0.07	0.10	0.07	0.026	0.09	34.8	36.1	1.13	692	2.54
ZZ44438		1.68	68.5	2.83	5.05	0.07	0.09	0.05	0.027	0.09	31.2	39.1	1.29	744	1.95
ZZ44439		1.62	63.1	2.89	5.85	0.06	0.07	0.06	0.026	0.08	28.8	39.9	1.32	1140	1.83
ZZ44440		1.83	73.6	3.11	5.44	0.07	0.14	0.05	0.031	0.09	31.5	41.8	1.38	555	1.84
ZZ44441		1.55	48.5	2.36	4.88	0.06	0.11	0.07	0.021	0.07	23.7	31.2	1.11	410	1.15
ZZ44442		1.36	37.3	2.62	6.12	0.06	0.05	0.05	0.026	0.07	25.0	35.8	1.14	388	2.52
ZZ44443		1.65	47.6	2.45	4.83	0.05	0.07	0.06	0.024	0.07	23.3	28.2	0.76	408	1.74
ZZ44444		2.01	62.8	3.14	5.47	0.07	0.07	0.04	0.028	0.08	29.0	36.9	0.92	558	2.34
ZZ44445		1.39	86.8	2.45	5.36	0.05	0.10	0.07	0.024	0.07	26.9	34.7	0.97	880	1.59
ZZ44446		3.21	111.0	3.51	6.28	0.07	0.06	0.08	0.036	0.11	35.6	43.2	0.92	694	3.06
ZZ44447		2.41	71.8	2.77	5.00	0.08	0.11	0.08	0.030	0.08	32.9	34.7	0.96	396	2.21
ZZ44448		1.34	91.1	2.42	4.57	0.05	0.08	0.10	0.024	0.06	26.9	29.2	0.88	1120	3.28
ZZ44449		3.84	108.5	2.75	5.38	0.07	0.08	0.08	0.034	0.07	29.1	47.3	0.91	519	2.26
ZZ44450		2.08	82.6	2.43	5.00	<0.05	0.10	0.05	0.025	0.06	22.3	39.9	0.89	345	2.27



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 14- SEP- 2012
Account: MTT

Project: GAS

CERTIFICATE OF ANALYSIS WH12198582

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
ZZ44002		0.53	26.1	880	11.9	8.3	<0.001	0.01	2.04	2.0	0.8	0.4	32.9	<0.01	0.03
ZZ44003		0.41	23.1	790	12.1	6.4	<0.001	0.03	1.52	2.9	1.3	0.2	60.1	<0.01	0.01
ZZ44004		0.47	23.5	1230	12.1	8.0	<0.001	0.06	1.70	3.0	1.6	0.3	73.7	<0.01	0.02
ZZ44005		0.41	32.8	820	20.5	11.2	<0.001	0.02	2.12	1.9	0.9	0.4	13.4	<0.01	0.04
ZZ44006		0.54	14.4	560	12.2	13.2	0.001	0.02	1.16	0.9	0.3	0.6	14.5	<0.01	0.01
ZZ44007		0.39	8.4	490	10.4	10.7	0.001	0.02	0.95	0.5	0.3	0.8	7.5	<0.01	0.01
ZZ44008		1.04	22.0	520	11.9	12.0	0.001	0.01	1.51	1.3	1.2	0.7	12.3	<0.01	0.04
ZZ44009		0.52	46.6	710	13.3	10.3	<0.001	0.02	4.38	1.3	2.3	0.6	30.4	<0.01	0.05
ZZ44010		0.42	31.4	970	14.8	13.4	0.001	0.04	2.28	0.8	1.9	0.6	24.4	<0.01	0.04
ZZ44011		0.64	27.9	600	13.5	12.4	<0.001	0.02	2.41	1.1	1.3	0.6	18.7	<0.01	0.03
ZZ44012		0.66	29.7	790	20.7	16.6	<0.001	0.03	3.76	2.6	1.0	0.6	25.6	<0.01	0.06
ZZ44013		0.54	25.4	860	22.8	16.0	<0.001	0.04	3.18	1.6	0.8	0.7	15.4	<0.01	0.04
ZZ44014		0.34	28.4	930	19.3	17.5	<0.001	0.06	4.22	1.2	0.7	0.5	23.7	<0.01	0.04
ZZ44015		0.38	38.5	1210	22.8	15.1	<0.001	0.06	3.77	1.8	1.8	0.6	31.6	<0.01	0.05
ZZ44016		0.53	31.8	730	14.0	10.4	<0.001	0.04	4.24	1.6	1.0	0.5	19.1	<0.01	0.05
ZZ44426		0.52	24.8	1130	105.5	16.7	<0.001	0.05	0.84	1.3	0.8	0.4	20.9	<0.01	0.02
ZZ44427		0.46	38.3	1310	27.8	14.4	0.001	0.03	0.88	2.9	0.7	0.3	36.1	<0.01	0.03
ZZ44428		0.71	26.3	890	21.5	12.0	<0.001	0.03	0.74	3.3	0.9	0.4	49.4	<0.01	0.01
ZZ44429		0.76	31.8	1250	23.2	10.6	0.001	0.06	1.00	2.7	1.3	0.4	71.8	<0.01	0.01
ZZ44430		0.40	34.9	1350	23.3	11.4	0.001	0.03	0.80	4.4	0.6	0.3	50.3	<0.01	<0.01
ZZ44431		0.37	26.8	980	18.3	8.2	<0.001	0.04	0.57	3.1	1.0	0.2	46.7	<0.01	0.01
ZZ44432		0.42	28.6	1150	18.9	8.7	<0.001	0.03	0.64	3.7	1.0	0.3	100.5	<0.01	0.01
ZZ44433		0.70	30.2	1010	21.3	10.2	<0.001	0.05	1.02	2.8	1.3	0.3	71.8	<0.01	0.02
ZZ44434		0.61	27.8	1080	19.8	10.5	<0.001	0.06	1.05	2.3	1.0	0.3	79.4	<0.01	0.03
ZZ44435		1.00	33.6	1200	32.5	10.3	<0.001	0.04	1.66	2.9	1.2	0.4	89.9	<0.01	0.02
ZZ44436		0.78	32.6	1310	37.0	10.7	<0.001	0.04	1.91	2.8	2.1	0.4	65.3	<0.01	0.05
ZZ44437		0.80	36.7	1080	40.9	13.8	0.001	0.03	1.67	3.2	1.5	0.4	51.0	<0.01	0.02
ZZ44438		0.85	36.3	1120	37.4	12.4	<0.001	0.04	1.37	2.8	1.1	0.4	55.1	<0.01	0.02
ZZ44439		1.08	31.2	1140	48.8	13.8	<0.001	0.04	1.11	3.0	1.2	0.4	60.8	<0.01	0.02
ZZ44440		0.88	37.4	1140	41.0	11.4	0.001	0.04	1.49	3.8	1.4	0.4	57.3	<0.01	0.02
ZZ44441		0.86	26.2	1080	25.3	10.9	<0.001	0.05	1.01	2.5	1.0	0.3	66.6	<0.01	0.01
ZZ44442		1.06	28.4	620	25.4	16.6	<0.001	0.02	1.17	2.2	1.2	0.5	45.6	<0.01	0.04
ZZ44443		0.76	24.6	940	28.2	12.8	<0.001	0.04	1.16	2.2	0.8	0.4	60.1	<0.01	<0.01
ZZ44444		0.76	31.0	870	39.8	14.7	<0.001	0.02	1.72	2.4	1.2	0.4	39.1	<0.01	0.02
ZZ44445		0.90	27.0	1140	52.0	12.5	<0.001	0.05	1.30	2.1	1.3	0.4	64.3	<0.01	0.01
ZZ44446		0.55	37.2	1080	52.0	19.8	0.001	0.04	2.30	2.8	1.5	0.5	47.6	<0.01	0.04
ZZ44447		0.68	34.9	1150	31.7	14.3	<0.001	0.04	1.75	2.8	1.5	0.4	55.2	<0.01	0.02
ZZ44448		0.75	33.1	1080	65.5	10.0	<0.001	0.04	1.94	2.8	1.4	0.5	69.7	<0.01	0.02
ZZ44449		0.60	29.6	1400	65.8	18.4	<0.001	0.06	1.73	2.3	1.6	0.5	60.3	<0.01	0.02
ZZ44450		0.81	31.5	1000	24.5	11.0	<0.001	0.04	2.05	2.5	1.3	0.3	61.2	<0.01	0.03



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 14- SEP- 2012
 Account: MTT

Project: GAS

CERTIFICATE OF ANALYSIS WH12198582

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ44002		0.010	0.12	0.81	40	0.14	10.80	107	1.1
ZZ44003		0.008	0.08	0.79	24	0.07	18.60	78	2.6
ZZ44004		0.007	0.09	1.20	25	0.07	27.6	76	3.4
ZZ44005		0.013	0.13	0.78	46	0.18	5.59	132	0.6
ZZ44006		0.015	0.10	0.66	41	0.22	6.20	65	<0.5
ZZ44007		0.023	0.11	0.45	45	0.21	1.97	38	<0.5
ZZ44008		0.028	0.18	0.61	74	0.27	2.43	158	<0.5
ZZ44009		0.013	0.27	0.95	90	0.24	4.28	268	1.0
ZZ44010		0.014	0.20	2.28	103	0.23	8.71	188	<0.5
ZZ44011		0.019	0.22	0.80	94	0.35	3.37	141	<0.5
ZZ44012		0.017	0.15	1.01	40	0.13	14.85	87	<0.5
ZZ44013		0.033	0.14	0.87	39	0.20	7.56	65	<0.5
ZZ44014		0.015	0.23	1.01	36	0.16	13.15	71	<0.5
ZZ44015		0.014	0.26	1.27	50	0.19	19.90	111	0.6
ZZ44016		0.036	0.22	1.32	36	0.23	9.07	72	<0.5
ZZ44426		0.020	0.23	0.95	44	0.66	9.56	226	0.5
ZZ44427		0.013	0.21	0.83	49	0.19	12.90	159	2.0
ZZ44428		0.021	0.13	0.74	39	0.17	10.80	102	1.9
ZZ44429		0.022	0.19	1.07	45	0.21	16.20	123	2.1
ZZ44430		0.015	0.13	0.60	35	0.10	17.90	114	3.9
ZZ44431		0.014	0.09	0.80	31	0.09	14.85	102	2.5
ZZ44432		0.016	0.12	0.62	35	0.11	14.05	100	3.1
ZZ44433		0.021	0.13	1.28	41	0.18	14.15	113	2.3
ZZ44434		0.018	0.17	1.36	41	0.18	14.00	121	2.5
ZZ44435		0.030	0.21	1.22	50	0.55	14.00	156	2.6
ZZ44436		0.024	0.20	1.68	65	0.20	14.60	179	2.0
ZZ44437		0.023	0.27	1.34	52	0.20	18.00	161	2.3
ZZ44438		0.028	0.23	1.15	50	0.17	17.05	181	2.0
ZZ44439		0.033	0.20	1.20	54	0.20	13.90	158	1.9
ZZ44440		0.027	0.23	1.24	49	0.19	19.80	183	3.2
ZZ44441		0.024	0.19	1.05	41	0.12	13.65	121	2.4
ZZ44442		0.020	0.20	0.83	81	0.20	9.70	196	1.1
ZZ44443		0.018	0.20	1.03	48	0.17	10.55	118	1.2
ZZ44444		0.021	0.27	1.17	48	0.17	9.84	138	1.2
ZZ44445		0.025	0.23	1.13	41	0.20	15.70	134	2.2
ZZ44446		0.015	0.44	2.03	53	0.29	15.55	177	0.8
ZZ44447		0.017	0.28	1.58	47	0.16	18.90	138	2.2
ZZ44448		0.024	0.19	1.77	51	0.36	15.50	165	1.5
ZZ44449		0.013	0.41	1.92	45	0.23	16.15	162	1.6
ZZ44450		0.017	0.20	1.47	39	0.17	10.85	132	3.0



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.

C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED

1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: GAS

Page: 3 - A

Total # Pages: 4 (A - D)

Plus Appendix Pages

Finalized Date: 14- SEP- 2012

Account: MTT

CERTIFICATE OF ANALYSIS WH12198582

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ44451		0.20	0.002	0.44	2.16	28.4	<0.2	<10	180	0.79	0.22	1.41	0.52	54.1	11.3	29
ZZ44452		0.15	0.003	0.32	1.80	24.6	<0.2	<10	210	0.68	0.22	1.29	0.29	36.3	8.1	24
ZZ44453		0.20	0.004	0.42	2.51	57.1	<0.2	<10	200	0.92	0.20	0.59	0.48	75.8	11.5	29
ZZ44454		0.17	0.001	0.39	1.26	34.2	<0.2	<10	130	0.34	0.24	0.07	0.24	32.3	4.3	18
ZZ44455		0.15	0.001	0.57	1.23	20.0	<0.2	<10	180	0.33	0.23	0.08	0.67	33.7	6.2	17
ZZ44456		0.18	0.002	0.77	1.66	76.9	<0.2	<10	240	0.44	0.24	0.07	0.37	37.7	5.3	20
ZZ44457		0.18	0.005	1.67	2.22	205	<0.2	<10	570	1.15	0.28	0.45	0.84	86.0	14.5	27
ZZ44458		0.18	0.001	0.37	1.55	65.9	<0.2	<10	200	0.27	0.26	0.08	0.20	31.8	3.4	18
ZZ44459		0.17	0.005	1.68	2.43	99.3	<0.2	<10	350	1.36	0.25	1.01	1.11	95.9	21.3	31
ZZ44460		0.15	0.005	0.35	1.93	35.7	<0.2	<10	270	0.68	0.19	1.02	0.61	55.0	7.1	19
ZZ44461		0.09	0.004	6.01	2.13	48.1	<0.2	<10	370	0.81	0.45	0.12	0.53	56.4	4.6	22
ZZ44462		0.12	0.001	0.34	1.96	13.0	<0.2	<10	380	0.94	0.16	1.97	1.20	43.1	7.3	20
ZZ44463		0.15	0.002	0.39	2.18	15.7	<0.2	<10	330	0.97	0.14	3.38	0.78	58.8	11.3	24
ZZ44464		0.14	0.001	0.14	1.93	7.0	<0.2	<10	270	0.74	0.21	1.22	0.27	36.6	7.1	24
ZZ44465		0.13	0.003	0.22	1.93	19.7	<0.2	<10	210	0.74	0.15	1.82	0.81	39.7	6.9	20
ZZ44466		0.12	0.002	0.81	1.38	11.8	<0.2	<10	310	0.55	0.21	1.39	2.96	20.6	7.9	22
ZZ44467		0.20	0.001	0.88	1.66	15.8	<0.2	<10	540	0.89	0.30	1.25	1.72	33.6	6.0	24
ZZ44468		0.19	0.002	2.92	2.45	530	<0.2	<10	2150	1.61	0.22	1.69	2.45	37.4	7.4	117
ZZ44469		0.17	0.006	2.80	1.72	21.6	<0.2	<10	2010	0.78	0.18	1.04	11.55	39.1	6.5	41
ZZ44470		0.14	0.002	1.04	1.21	22.0	<0.2	<10	4560	0.54	0.13	0.97	8.92	30.7	6.2	25
ZZ44471		0.19	0.002	1.63	1.42	27.6	<0.2	<10	3220	0.71	0.16	0.91	5.11	36.7	6.6	38
ZZ44472		0.16	0.004	2.46	1.23	29.8	<0.2	<10	2140	0.90	0.10	4.47	12.70	46.4	4.7	57
ZZ44473		0.15	0.003	4.37	2.29	57.9	<0.2	<10	1970	0.82	0.29	0.37	7.23	53.6	6.9	84
ZZ44474		0.13	0.002	1.54	1.25	16.9	<0.2	<10	3100	0.82	0.11	1.83	10.25	27.0	4.7	65
ZZ44475		0.15	0.001	1.03	1.17	18.3	<0.2	<10	1890	0.45	0.18	0.77	11.90	28.8	6.6	30
ZZ44476		0.15	0.006	1.78	0.96	17.6	<0.2	<10	1940	1.71	0.15	3.70	40.9	26.2	6.5	24
ZZ44477		0.22	0.002	0.63	1.44	26.6	<0.2	<10	1040	0.70	0.15	1.67	3.97	21.5	5.3	26
ZZ44478		0.21	0.001	0.77	3.19	14.0	<0.2	<10	1160	0.49	0.21	1.57	2.99	39.8	9.4	58
ZZ44479		0.18	0.002	0.92	1.83	18.0	<0.2	<10	530	0.64	0.25	0.24	1.19	38.2	6.4	28
ZZ44480		0.17	0.003	0.23	1.87	12.4	<0.2	<10	250	0.64	0.12	2.52	0.96	38.5	8.4	21
ZZ44481		0.19	0.003	0.76	2.08	17.0	<0.2	<10	350	0.82	0.15	1.12	0.97	54.2	9.1	24
ZZ44482		0.15	0.003	0.67	2.03	16.1	<0.2	<10	370	0.73	0.17	1.29	0.68	45.2	9.1	25
ZZ44483		0.17	0.006	1.25	1.91	30.1	<0.2	<10	260	1.14	0.18	1.15	1.50	48.3	12.4	23
ZZ44484		0.12	0.003	1.11	1.56	19.8	<0.2	<10	260	0.96	0.15	1.94	0.46	27.6	5.4	17
ZZ44485		0.17	0.002	0.53	0.73	8.1	<0.2	<10	130	0.28	0.07	0.10	0.18	17.15	1.6	7
ZZ44486		0.22	0.007	3.84	2.72	208	<0.2	<10	390	2.49	0.19	0.81	0.86	133.0	33.7	44
ZZ44487		0.17	0.002	0.53	1.28	92.4	<0.2	<10	220	0.36	0.23	0.05	0.45	34.8	6.4	20
ZZ44488		0.23	0.003	5.35	1.63	122.0	<0.2	<10	150	0.39	0.26	0.29	0.84	43.3	7.2	43
ZZ44489		0.16	0.002	0.68	1.80	299	<0.2	<10	270	0.62	0.23	0.26	1.54	47.1	10.4	29
ZZ44490		0.17	0.001	1.24	1.30	112.0	<0.2	<10	150	0.46	0.25	0.14	0.68	33.9	5.2	21



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 14- SEP- 2012
Account: MTT

Project: GAS

CERTIFICATE OF ANALYSIS WH12198582

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ44451		2.47	29.6	2.76	6.19	0.06	0.08	0.04	0.034	0.06	29.7	41.5	1.96	477	1.02
ZZ44452		1.71	23.6	2.37	5.65	<0.05	0.05	0.04	0.029	0.05	21.5	32.6	1.04	383	0.91
ZZ44453		4.22	31.3	3.00	6.34	0.06	0.09	0.04	0.042	0.06	26.4	54.3	1.87	407	1.71
ZZ44454		2.37	12.2	2.31	6.24	<0.05	<0.02	0.02	0.020	0.04	18.0	16.6	0.45	150	1.66
ZZ44455		6.95	13.1	1.98	5.38	<0.05	<0.02	0.02	0.018	0.07	18.8	15.3	0.47	334	1.27
ZZ44456		2.24	20.9	2.30	6.25	<0.05	0.02	0.02	0.020	0.04	19.9	23.6	0.59	200	1.36
ZZ44457		2.86	49.6	2.88	6.25	0.06	0.06	0.05	0.032	0.05	48.4	54.2	1.01	840	2.66
ZZ44458		2.02	14.6	1.83	6.50	<0.05	0.02	0.03	0.018	0.04	16.7	17.3	0.40	138	1.44
ZZ44459		1.94	46.8	3.36	5.52	0.08	0.14	0.07	0.038	0.06	58.2	49.2	1.41	727	2.24
ZZ44460		3.65	17.2	2.60	4.87	0.05	0.05	0.05	0.035	0.04	29.2	36.0	0.91	580	1.10
ZZ44461		4.27	37.4	2.43	6.44	0.08	0.11	0.15	0.036	0.06	43.8	32.9	0.32	196	2.58
ZZ44462		0.96	16.3	2.15	4.83	<0.05	0.06	0.05	0.034	0.03	24.0	17.0	1.24	810	1.27
ZZ44463		1.90	22.5	2.77	4.98	0.05	0.11	0.04	0.031	0.06	32.6	42.0	2.09	609	1.18
ZZ44464		1.16	11.7	2.44	6.01	<0.05	0.04	0.04	0.032	0.04	20.0	19.5	0.93	283	0.43
ZZ44465		1.22	25.9	2.18	5.15	<0.05	0.07	0.05	0.029	0.04	24.3	27.2	1.27	362	0.69
ZZ44466		2.97	37.9	1.80	4.95	<0.05	0.04	0.07	0.021	0.04	10.8	20.6	0.57	827	1.22
ZZ44467		5.70	123.5	2.04	5.31	0.05	0.05	0.06	0.028	0.06	21.7	34.6	1.12	282	2.78
ZZ44468		8.22	348	3.21	9.90	0.06	0.09	0.04	0.032	0.08	23.8	96.0	1.34	335	4.02
ZZ44469		2.74	70.5	1.89	5.53	0.06	0.05	0.08	0.031	0.09	32.0	28.5	1.34	188	10.85
ZZ44470		1.11	46.9	1.69	3.74	0.06	0.06	0.12	0.028	0.09	19.6	10.4	0.73	438	16.65
ZZ44471		1.30	34.7	1.96	4.76	0.05	0.06	0.21	0.023	0.10	24.4	12.7	0.78	231	25.6
ZZ44472		2.34	118.5	1.73	3.44	0.08	0.08	0.31	0.014	0.13	35.1	18.7	1.03	98	41.7
ZZ44473		1.43	80.8	2.98	8.13	0.07	0.05	2.30	0.043	0.06	43.0	24.3	1.00	133	32.3
ZZ44474		2.12	63.9	1.10	4.20	0.05	0.04	0.17	0.017	0.07	24.5	13.7	0.62	292	5.76
ZZ44475		1.26	51.7	1.44	4.43	<0.05	0.03	0.10	0.026	0.06	17.8	15.1	0.50	261	12.20
ZZ44476		2.14	537	1.28	3.21	0.06	0.07	0.10	0.024	0.03	18.1	16.5	0.42	833	11.10
ZZ44477		7.24	68.9	1.40	4.56	<0.05	0.06	0.06	0.026	0.09	11.4	31.5	1.27	282	6.76
ZZ44478		1.98	12.7	3.16	13.20	0.12	0.11	0.03	0.037	0.03	20.9	81.8	4.24	244	1.20
ZZ44479		2.10	27.8	2.56	6.13	<0.05	<0.02	0.04	0.032	0.04	17.7	34.0	0.77	156	3.93
ZZ44480		3.81	31.7	2.55	5.18	0.05	0.09	0.07	0.037	0.08	23.6	29.6	2.02	362	0.93
ZZ44481		1.85	34.0	2.65	5.67	0.06	0.09	0.06	0.034	0.07	36.4	35.5	1.96	305	2.66
ZZ44482		1.53	33.9	2.41	5.68	0.06	0.07	0.05	0.031	0.06	28.2	31.8	1.63	300	1.57
ZZ44483		2.86	30.8	2.58	4.43	0.06	0.06	0.06	0.029	0.05	29.6	43.3	0.87	526	1.68
ZZ44484		3.24	66.4	1.85	4.00	<0.05	0.04	0.07	0.021	0.04	18.9	34.1	0.90	309	0.53
ZZ44485		2.36	12.6	0.69	2.83	<0.05	<0.02	0.05	0.009	0.03	8.9	7.1	0.15	39	0.39
ZZ44486		11.05	251	3.42	8.55	0.10	0.10	0.08	0.042	0.09	66.5	78.9	1.79	1300	2.62
ZZ44487		1.18	19.0	2.36	4.42	<0.05	0.02	0.03	0.022	0.04	18.3	17.8	0.35	218	5.51
ZZ44488		1.81	86.6	3.14	6.89	0.05	<0.02	0.05	0.039	0.06	19.6	25.7	0.49	374	2.62
ZZ44489		2.25	33.8	3.25	6.57	<0.05	<0.02	0.02	0.023	0.07	23.5	40.5	0.71	438	2.22
ZZ44490		2.00	41.8	2.43	5.44	<0.05	<0.02	0.04	0.019	0.06	15.6	18.0	0.43	211	2.07



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 14- SEP- 2012
Account: MTT

Project: GAS

CERTIFICATE OF ANALYSIS WH12198582

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
ZZ44451		0.72	27.0	1010	21.0	13.0	<0.001	0.03	0.79	4.7	0.8	0.3	59.7	<0.01	0.03
ZZ44452		1.19	19.8	620	18.5	12.5	<0.001	0.04	0.77	3.3	0.9	0.4	54.9	<0.01	0.04
ZZ44453		0.88	35.8	790	24.3	13.5	<0.001	0.02	1.42	4.4	0.9	0.3	35.2	<0.01	0.02
ZZ44454		1.11	12.7	370	16.5	15.1	<0.001	0.02	0.73	1.2	0.5	0.6	9.2	<0.01	0.02
ZZ44455		0.39	13.5	680	33.5	19.4	<0.001	0.03	0.62	0.7	0.5	0.5	10.7	<0.01	0.02
ZZ44456		0.74	17.0	600	15.2	15.6	<0.001	0.02	0.89	1.3	0.5	0.6	10.8	<0.01	0.03
ZZ44457		0.43	43.1	680	38.4	16.1	<0.001	0.03	2.07	3.1	1.2	0.4	46.9	0.01	0.03
ZZ44458		0.69	12.6	400	15.3	12.4	<0.001	0.02	0.76	1.0	0.5	0.7	11.1	<0.01	0.03
ZZ44459		0.43	52.8	1250	28.2	13.9	<0.001	0.04	1.79	5.6	1.3	0.3	48.2	0.01	0.04
ZZ44460		0.50	19.8	1340	16.1	12.5	<0.001	0.05	0.67	2.9	0.8	0.4	45.9	<0.01	0.04
ZZ44461		0.86	20.6	1680	24.1	14.3	<0.001	0.09	1.31	2.3	1.8	0.6	65.6	0.01	0.07
ZZ44462		1.09	19.0	1040	16.1	8.2	<0.001	0.06	0.83	2.8	1.1	0.4	77.8	0.01	0.04
ZZ44463		0.35	28.4	1200	16.9	8.2	<0.001	0.03	1.16	5.0	0.9	0.3	117.0	<0.01	0.03
ZZ44464		0.98	16.7	680	13.0	7.5	<0.001	0.03	0.34	3.0	0.6	0.6	56.0	<0.01	0.03
ZZ44465		0.83	19.2	930	12.6	8.2	<0.001	0.07	0.65	2.6	0.9	0.3	61.9	<0.01	0.03
ZZ44466		1.71	26.3	1000	17.4	11.4	<0.001	0.08	0.54	1.7	1.5	0.5	64.4	0.01	0.04
ZZ44467		1.74	25.6	900	37.8	22.3	<0.001	0.05	1.01	3.0	1.7	0.5	59.0	0.01	0.04
ZZ44468		8.75	88.5	1320	14.7	28.0	0.001	0.07	1.74	3.4	1.8	0.6	107.5	0.01	0.07
ZZ44469		1.13	102.5	1470	12.3	13.8	0.001	0.03	5.36	3.8	4.0	0.8	86.9	<0.01	0.08
ZZ44470		0.53	98.9	1010	10.2	10.6	0.001	0.03	9.21	2.8	4.3	0.9	72.1	<0.01	0.08
ZZ44471		0.88	125.0	1010	11.7	15.1	0.001	0.03	10.85	3.2	3.7	0.7	93.0	<0.01	0.10
ZZ44472		1.25	207	1570	9.3	21.1	0.002	0.04	15.50	3.8	8.5	0.4	404	<0.01	0.13
ZZ44473		4.12	109.0	470	20.3	9.5	<0.001	0.02	43.8	4.6	5.4	0.8	58.7	0.02	0.10
ZZ44474		1.54	92.5	1000	8.1	14.2	0.003	0.06	4.87	2.8	4.6	0.5	181.0	0.01	0.10
ZZ44475		0.96	70.6	530	13.2	10.5	0.002	0.03	5.54	2.9	3.4	0.8	72.7	<0.01	0.07
ZZ44476		1.73	88.8	900	35.9	8.8	0.003	0.10	2.71	1.9	6.8	0.6	259	0.01	0.07
ZZ44477		2.10	39.0	1140	9.6	17.1	0.002	0.06	1.13	2.7	2.6	0.4	79.4	0.01	0.06
ZZ44478		2.97	73.7	4340	25.7	3.4	0.001	0.02	0.50	4.0	0.6	0.4	131.0	<0.01	0.06
ZZ44479		1.98	30.2	570	17.6	12.1	<0.001	0.02	1.72	2.4	1.3	0.7	19.5	<0.01	0.05
ZZ44480		1.21	19.3	1100	12.9	13.2	<0.001	0.08	1.20	4.2	1.2	0.3	85.8	0.01	0.03
ZZ44481		0.56	32.6	1290	20.6	10.8	<0.001	0.03	1.55	5.2	1.3	0.3	55.8	<0.01	0.04
ZZ44482		1.05	30.0	1100	19.6	9.6	<0.001	0.04	1.19	4.3	1.3	0.3	54.3	<0.01	0.04
ZZ44483		1.81	31.3	760	13.6	11.5	<0.001	0.05	1.26	3.7	1.0	0.4	42.7	0.01	0.04
ZZ44484		1.31	14.3	1200	27.1	12.3	<0.001	0.08	0.66	2.3	1.1	0.3	63.8	0.01	0.04
ZZ44485		0.25	4.5	770	5.5	8.7	<0.001	0.05	0.21	0.5	0.5	0.2	10.7	<0.01	0.01
ZZ44486		1.57	47.7	1370	64.4	13.8	<0.001	0.04	3.36	4.9	1.3	0.5	76.9	0.01	0.04
ZZ44487		0.83	28.2	570	14.8	13.8	<0.001	0.02	2.31	1.5	1.5	0.6	16.3	<0.01	0.04
ZZ44488		1.10	35.0	1310	28.2	16.1	<0.001	0.03	1.39	1.6	0.8	0.8	63.0	<0.01	0.03
ZZ44489		1.11	27.3	490	40.8	20.7	<0.001	0.03	1.80	1.9	0.8	0.6	25.5	<0.01	0.02
ZZ44490		0.70	16.6	650	30.4	13.9	<0.001	0.04	1.39	0.8	0.7	0.5	17.5	<0.01	0.04



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - D
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 14- SEP- 2012
 Account: MTT

Project: GAS

CERTIFICATE OF ANALYSIS WH12198582

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
ZZ44451		0.020	0.14	0.76	34	0.11	19.25	105
ZZ44452		0.022	0.14	1.00	33	0.15	14.60	80
ZZ44453		0.021	0.20	0.91	37	0.25	16.10	114
ZZ44454		0.031	0.15	0.53	42	0.25	3.18	57
ZZ44455		0.013	0.15	0.53	35	0.18	4.14	61
ZZ44456		0.011	0.28	0.57	38	0.19	4.11	77
ZZ44457		0.006	0.39	1.14	46	0.16	21.1	148
ZZ44458		0.011	0.25	0.55	46	0.21	2.82	53
ZZ44459		0.006	0.28	1.30	42	0.18	34.6	162
ZZ44460		0.009	0.14	1.04	29	0.12	14.70	93
ZZ44461		0.007	0.42	3.65	41	0.19	44.0	69
ZZ44462		0.016	0.10	0.88	45	0.19	13.15	102
ZZ44463		0.009	0.12	0.74	32	0.14	16.30	105
ZZ44464		0.017	0.07	0.67	32	0.18	9.26	63
ZZ44465		0.016	0.10	0.78	26	0.12	14.10	110
ZZ44466		0.035	0.17	1.19	50	0.35	6.28	155
ZZ44467		0.030	0.35	1.58	67	0.32	17.55	150
ZZ44468		0.128	0.55	3.69	175	0.44	18.40	278
ZZ44469		0.027	0.65	2.24	348	0.39	27.7	532
ZZ44470		0.013	0.62	1.76	245	0.35	13.85	651
ZZ44471		0.016	1.04	2.15	351	0.52	13.90	943
ZZ44472		0.014	2.33	3.20	548	0.58	27.1	1400
ZZ44473		0.048	0.83	1.48	953	0.75	16.00	1150
ZZ44474		0.025	1.71	2.89	692	0.20	29.0	830
ZZ44475		0.018	0.63	1.76	296	0.38	14.05	735
ZZ44476		0.025	0.41	3.75	215	0.46	24.1	718
ZZ44477		0.043	0.37	2.10	95	0.23	10.95	248
ZZ44478		0.090	0.09	2.79	98	0.54	13.70	351
ZZ44479		0.033	0.21	0.84	83	0.39	5.54	178
ZZ44480		0.036	0.11	0.77	23	0.15	15.75	82
ZZ44481		0.016	0.13	0.73	47	0.12	22.5	144
ZZ44482		0.023	0.13	0.84	42	0.16	20.9	113
ZZ44483		0.034	0.19	0.72	31	0.29	23.9	131
ZZ44484		0.029	0.21	0.84	22	0.27	15.50	92
ZZ44485		0.007	0.16	0.41	13	0.08	2.82	22
ZZ44486		0.046	0.38	1.19	63	0.36	28.2	162
ZZ44487		0.016	0.23	0.72	66	0.25	3.45	160
ZZ44488		0.032	0.29	2.69	137	0.31	6.26	150
ZZ44489		0.016	0.34	0.65	57	0.19	5.11	242
ZZ44490		0.033	0.28	0.60	50	0.36	3.75	97



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 14- SEP- 2012
Account: MTT

Project: GAS

CERTIFICATE OF ANALYSIS WH12198582

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ44491		0.18	0.049	3.94	2.30	128.5	<0.2	<10	400	1.12	0.17	1.93	4.26	51.9	10.1	32
ZZ44492		0.16	0.003	1.34	1.18	21.9	<0.2	<10	2550	0.54	0.12	1.50	4.73	25.6	6.2	31
ZZ44493		0.19	0.002	1.23	0.99	20.4	<0.2	<10	3250	0.56	0.13	0.80	9.94	30.6	6.8	24
ZZ44494		0.18	0.006	0.57	2.33	27.3	<0.2	<10	430	0.92	0.13	2.59	1.27	49.9	9.1	32
ZZ44495		0.14	0.005	0.41	2.20	31.3	<0.2	<10	330	0.85	0.13	3.11	0.63	55.5	12.7	25
ZZ44496		0.18	0.005	1.67	1.75	18.6	<0.2	<10	1220	0.88	0.15	3.62	4.29	34.7	8.6	66
ZZ44497		0.16	0.005	1.95	1.72	24.5	<0.2	<10	1860	0.95	0.13	5.15	8.06	37.8	10.1	64
ZZ44498		0.15	0.003	0.87	1.93	14.0	<0.2	<10	1060	0.79	0.14	2.25	4.42	40.7	9.7	41
ZZ44499		0.24	0.004	4.83	2.10	123.5	<0.2	<10	1740	2.18	0.15	6.66	32.0	68.3	7.8	220
ZZ44500		0.16	0.001	0.25	1.67	7.0	<0.2	<10	340	0.65	0.13	1.82	0.90	37.5	8.0	21



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 14- SEP- 2012
Account: MTT

Project: GAS

CERTIFICATE OF ANALYSIS WH12198582

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ44491		4.37	243	2.55	5.94	0.07	0.12	0.04	0.029	0.08	28.8	50.6	2.13	556	1.47
ZZ44492		1.67	38.3	1.46	3.48	0.05	0.06	0.08	0.028	0.11	18.1	11.8	0.83	225	16.30
ZZ44493		1.51	62.9	1.78	2.81	0.07	0.08	0.13	0.029	0.10	22.4	8.9	0.63	139	18.00
ZZ44494		3.14	57.7	2.41	6.06	0.06	0.12	0.04	0.029	0.09	27.0	45.6	2.29	391	1.06
ZZ44495		9.15	44.6	2.89	4.93	0.06	0.12	0.04	0.031	0.12	27.9	32.9	2.29	441	1.88
ZZ44496		5.26	124.5	1.98	4.52	0.08	0.10	0.11	0.030	0.13	25.5	30.2	1.88	261	4.35
ZZ44497		2.81	89.9	2.02	4.46	0.07	0.09	0.22	0.026	0.13	29.3	23.6	1.62	244	15.20
ZZ44498		1.39	54.6	2.30	4.89	0.05	0.09	0.09	0.023	0.07	26.7	29.2	1.62	365	1.93
ZZ44499		4.33	278	1.78	5.76	0.13	0.14	0.42	0.039	0.17	93.8	36.9	2.98	174	89.0
ZZ44500		1.12	12.9	2.18	4.52	0.05	0.07	0.05	0.031	0.06	24.8	23.8	1.39	334	1.33



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 14- SEP- 2012
Account: MTT

Project: GAS

CERTIFICATE OF ANALYSIS WH12198582

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ44491		1.70	36.2	1250	148.0	13.9	<0.001	0.04	2.76	4.1	1.9	0.4	78.6	<0.01	0.06	5.0
ZZ44492		4.68	105.5	1010	17.2	12.9	0.002	0.04	6.73	2.6	3.1	0.7	136.0	0.01	0.10	3.1
ZZ44493		3.94	140.5	740	13.0	11.1	0.001	0.03	8.67	3.3	3.3	1.0	94.1	0.01	0.08	4.1
ZZ44494		0.91	34.0	1450	17.5	10.9	<0.001	0.05	1.36	3.9	1.4	0.3	91.2	<0.01	0.04	4.7
ZZ44495		2.78	25.9	1570	24.0	17.2	<0.001	0.05	1.64	5.2	1.1	0.4	117.5	0.01	0.03	8.6
ZZ44496		3.32	125.0	2710	35.9	16.5	0.002	0.07	3.55	4.4	4.9	0.4	268	0.01	0.11	4.1
ZZ44497		2.81	154.0	2190	44.2	13.1	0.003	0.05	8.23	4.1	5.4	0.5	399	0.01	0.11	3.5
ZZ44498		2.15	71.7	1550	21.2	7.8	0.001	0.06	2.38	3.8	2.7	0.3	140.0	0.01	0.05	3.2
ZZ44499		2.74	454	3780	62.4	15.6	0.003	0.06	22.8	6.3	10.5	1.0	426	0.01	0.32	3.8
ZZ44500		0.59	23.6	1420	15.3	8.4	<0.001	0.07	0.70	3.6	1.0	0.3	77.8	0.01	0.03	2.0



2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

Project: GAS

Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 14- SEP- 2012
Account: MTT

CERTIFICATE OF ANALYSIS	WH12198582
--------------------------------	-------------------

[illegible]

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: GAS

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 14- SEP- 2012
Account: MTT

CERTIFICATE OF ANALYSIS WH12198582

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

APPENDIX IV
STATEMENT OF EXPENDITURES

Statement of Expenditures
Gas 1-42 Mineral Claims
September 17, 2012

Labour

S. Drechsler (geologist) August 2012 – 3 days @ \$765/day	\$ 2,570.40
R. Drechsler (field assistant) August 2012 – 3 days @ \$680/day	2,284.80
S. Wedge (field assistant) August 2012 – 3 days @ \$357/day	<u>1,199.52</u>
	6,054.72

Expenses

Field room and board – 9 mandays @ \$175/manday	1,764.00
Trans North – 3.7 hours Bell 206B @ \$990/hour plus fuel	4,510.49
ALS Chemex	<u>10,128.68</u>
	16,403.17

Total	<u>\$22,457.89</u>
-------	--------------------