

Archer, Cathro & Associates (1981) Limited

1016 – 510 West Hastings Street

Vancouver, B.C. V6B 1L8

Telephone: 604-688-2568

Fax: 604-688-2578

ASSESSMENT REPORT

describing

GEOCHEMICAL SAMPLING AND PROSPECTING

at the

SAYYEA PROPERTY

Sayyea 1-102 YD33891-YD33992

Sayyea 103-198 YE29603-YE29698

NTS 105B/09 and 105B/10

Latitude 60°40'N; Longitude 130°32'W

Field work performed between July 14 and August 11, 2012

located in the

Watson Lake Mining District

Yukon Territory

prepared by

Archer, Cathro & Associates (1981) Limited

for

STRATEGIC METALS LTD.

by

H. Burrell, B.Sc., P.Geo.

December 2012

CONTENTS

INTRODUCTION	1
PROPERTY LOCATION, CLAIM DATA AND ACCESS	1
HISTORY AND PREVIOUS WORK	1
GEOMORPHOLOGY	2
REGIONAL GEOLOGY	3
PROPERTY GEOLOGY	5
MINERALIZATION	6
STREAM SEDIMENT AND SOIL GEOCHEMISTRY	10
DISCUSSION AND CONCLUSIONS	12
REFERENCES	14

APPENDICES

I	STATEMENT OF QUALIFICATIONS
II	ROCK SAMPLE DESCRIPTIONS
III	CERTIFICATES OF ANALYSIS
IV	STATEMENT OF EXPENDITURES

TABLES

<u>No.</u>	<u>Description</u>	<u>Page</u>
I	Rock Sampling Analytical Techniques	6
II	Economic Mineral Assemblages by Host Rocks	7
III	Significant Historical Rock Geochemical Results	8
IV	2012 Rock Sample Thresholds	9
V	Geochemical Data for Soil Samples	11

FIGURES

<u>No.</u>	<u>Description</u>	<u>Follows Page</u>
1	Property Location	1
2	Claim Locations	1
3	Tectonic Setting	3
4	Regional Geology	3
5	Property Geology	5
6	2012 Sample Locations	In pocket
7	Gold Rock Geochemistry	7
8	Tungsten Rock Geochemistry	7
9	Bismuth Rock Geochemistry	7
10	Zinc Rock Geochemistry	7
11	Tin Rock Geochemistry	7
12	Gold Stream Sediment and Soil Geochemistry	10
13	Tungsten Stream Sediment and Soil Geochemistry	10
14	Bismuth Stream Sediment and Soil Geochemistry	10
15	Zinc Stream Sediment and Soil Geochemistry	10
16	Tin Stream Sediment and Soil Geochemistry	10
17	Copper Stream Sediment and Soil Geochemistry	10

INTRODUCTION

The Sayyeya property covers an extensive system of tungsten±tin±gold enriched skarn horizons, located in southeast Yukon. The property was staked in part because of geological and geochemical similarities it shares with skarn showings that are developed near the Tiger carbonate replacement gold deposit, discovered by ATAC Resources Ltd. at its Rau property in east-central Yukon. The Sayyeya property is owned by Strategic Metals Ltd.

This report describes geochemical sampling and prospecting conducted between July 14 and August 11, 2012 by Archer, Cathro & Associates (1981) Limited on behalf of Strategic Metals. The author directed the program, and her Statement of Qualifications is in Appendix I.

PROPERTY LOCATION, CLAIM DATA AND ACCESS

The Sayyeya property consists of 198 contiguous quartz claims, which are located in southeast Yukon at latitude 60°40' north and longitude 130°32' west on NTS map sheets 105B/09 and 105B/10 (Figure 1). The property covers an area of approximately 2000 hectares (20 sq km). The claims are registered with the Watson Lake Mining Recorder in the name of Archer Cathro, which holds them in trust for Strategic Metals. Specifics concerning claim registration are tabulated below, while the locations of individual claims are shown on Figure 2.

<u>Claim Name</u>	<u>Grant Number</u>	<u>Expiry Date*</u>
Sayyeya 1-102	YD33891-YD33992	March 26, 2015
Sayyeya 103-198	YE29603-YE29698	May 26, 2015

* Expiry date does not include 2012 work which has not yet been filed for assessment credit.

The 2012 exploration program was conducted from two fly camps on the Sayyeya property. Mobilization of camp gear, personnel and supplies was performed using a Bell 206B helicopter owned and operated by Trans North Helicopters from Rancheria, which is located 65 km to the south of the property on the Alaska Highway. The helicopter sourced from Trans North's year-round base in Watson Lake, 120 km east of Rancheria. Demobilization of field gear and personnel was performed using a Bell 206B helicopter owned and operated by Discovery Helicopters of Atlin, BC.

The community of Watson Lake is the nearest supply centre. The closest road access is from the Alaska Highway, which at its nearest point is 57 km to the south-southeast of the property. The Alaska Highway is usable in all seasons.

HISTORY AND PREVIOUS WORK

In 1979, SEREM Limited staked the Cabin property (18 claims) to cover greisen-type tungsten mineralization on the northern edge of a granitic pluton. Stream sediment sampling, prospecting and geological mapping in the area led to the discovery of scheelite-bearing skarn horizons in adjacent meta-sediments, and several other small showings of molybdenite, wolframite, arsenopyrite, pyrite and pyrrhotite (Stammers, 1979). The prospecting discoveries were

STRATEGIC METALS LTD.

FIGURE 1

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED



PROPERTY LOCATION


SAYYEA PROPERTY

0 200 km

FILE:../Sayyea/F01-PropertyLocation.wor

DATE: DECEMBER 2012





confirmed by anomalous stream sediment values for tungsten and gold. Based on these encouraging results, SEREM staked another 152 claims.

In 1980, SEREM established a grid of cut, picketed and flagged lines, on which geological mapping, geochemical sampling and magnetometer surveys were conducted (Lee, 1980). This work defined several skarn horizons within meta-sediments near the contact of a monzonite to granodiorite stock. SEREM traced the most extensive skarn horizon by geological mapping and tungsten soil geochemistry for a distance of four kilometres and established a width of 30 to 45 m. Results from grab samples collected from this skarn horizon yielded up to 0.30% tungsten and 2.06 g/t gold. Other skarn horizons identified by SEREM have similar tungsten values but are significantly narrower.

In 1981, SEREM carried out prospecting, chip sampling and ultraviolet lamping at night to further evaluate the tungsten skarn showings (Stammers, 1982). Chip sample results mostly returned values between 0.08 and 0.4% tungsten (as described in the Mineralization section). No further work was done before the claims were allowed to expire.

In early 2010, Strategic Metals staked the Sayyea 1 to 120 claims to cover SEREM's principal skarn horizons. That summer, Strategic Metals performed contour and grid soil sampling and limited prospecting (Eaton, 2011). Results from this work are described in the Stream Sediment and Soil Geochemistry section. In May 2011, after compiling the historical and 2010 results, Strategic Metals expanded the property by an additional 78 claims (Sayyea 121 to 198) to cover projections of the mineralized skarn horizons along strike in both directions.

In summer 2011, Strategic Metals performed two days of soil sampling and limited prospecting on the Sayyea property (Eaton, 2012). Results from this work were encouraging and are discussed in the appropriate sections below.

GEOMORPHOLOGY

The Sayyea property lies within the Cassiar Mountains and is drained by the Cabin and Sayyea creeks, which ultimately connect to the Arctic Ocean via the Liard and Mackenzie rivers.

Local elevations on the property range from 975 to 1650 m above sea level (asl). Topographic relief is gentle to moderate, and most of the property covers the flank of a ridge that slopes southward down to the floor of Cabin Creek Valley. Outcrop is sparse and is generally limited to higher elevations and deeply incised creek cuts. Much of the property, particularly the valley floor, is blanketed by Pleistocene colluvium deposits and glacial till.

The property setting is characterized as alpine to sub-alpine. Treeline in the area is at about 1500 m asl. Slopes above that elevation are vegetated with grass, moss and buckbrush. Vegetation gradually increases downslope and comprises spruce, balsam, lodgepole pine, willow and poplar forests, often with a thick understory of buckbrush, slide alder and moss.

The climate in the Sayyee property area is typical of northern continental regions with long, cold winters, truncated fall and spring seasons and short, mild summers. The property is mostly snow free from early June to late September.

REGIONAL GEOLOGY


In 1960, the Geological Survey of Canada published a geological map of the Wolf Lake map sheet (NTS 105B) at 1:250,000 scale (Poole et al., 1960). In 1988, the Yukon Geological Survey (YGS) published a 1:50,000 scale map of the Gravel Creek (NTS 105B/10) map sheet (Murphy, 1988). In 2003, Gordey and Makepeace incorporated this data as part of a Yukon-wide geological compilation. The following geological descriptions are summarized and extracted primarily from the YGS data (Murphy, 1988).

The Sayyee property is situated in the northern Omineca Belt, in an area where Mid to Late Cretaceous intrusions have cut rocks of the Cassiar Terrane (Figure 3). The Cassiar Terrane comprises a belt of Upper Proterozoic to Upper Triassic parautochthonous, miogeoclinal sediments that extends for 1500 km from northern interior B.C. into southern Yukon (Pope and Sears, 1997 and EMPR, 2009). In the Sayyee area, the northeast edge of the Cassiar Terrane is defined by the Tintina Fault Zone, a series of sub-parallel transcurrent faults that produced about 450 km of dextral offset in Late Cretaceous and/or Early Tertiary times (Tempelman-Kluit, et al., 1976). The southwest margin is bound by the Teslin Suture, an enigmatic zone composed of folds plus thrust and high angle faults.

In the vicinity of the property, the Cassiar Terrane is represented by four main, conformable sedimentary units classified by Murphy (1988) and Gordey and Makepeace (2003) as Upper Proterozoic to Lower Cambrian Ingenika Group, Lower Cambrian Boya Formation, Lower Cambrian Rosella Formation and Upper Cambrian Kechika Formation (Figure 4).

Ingenika Group (PCI) meta-sediments are the oldest rocks exposed in the area. They are divided into four sub-units: Swannell (PCI1), Tsaydiz (PCI1), Espee (PCI2) and Stekluz (PCI3) formations.

Swannell Formation (PCI1) is composed primarily of biotite-muscovite-quartz±garnet, plagioclase, andalusite, sillimanite, staurolite schist; sub-feldspathic meta-sandstone; and subordinate marble, calc-silicate rocks, and quartz- and feldspar-pebble conglomerate. Schist and finer grained meta-sandstone are the predominant lithologies found within the Gravel Creek map area. The schist is generally pelitic, but includes alumina-poor (quartz-rich) and calcareous compositions. The meta-sandstone is primarily thin to medium bedded and ranges from fine to coarse grained. Sedimentary structures are typically lacking, but some finer grained and more thinly bedded meta-sandstone shows parallel lamination, and graded bedding is locally apparent in coarser meta-sandstone. Marble and garnet-diopside calc-silicate horizons are generally less than five metres thick. Although thin, some marble beds are persistent – individual marble units have been traced for up to seven kilometres. The contact between Swannell Formation and overlying Tsaydiz Formation is sharp.



YA	Yakutat
PW	Prince William
CG	Chugach
PR	Pacific Rim
CR	Crescent
KY	Koyukuk, Nyak, Togiak
PE	Peninsular
AX	Alexander
WR	Wrangellia
KS	Kluane, Windy, Coast

Outboard

Insular

Northern Alaska

MT	Methow
CD	Cadwallader
BR	Bridge River
CC	Cache Creek
HA	Harrison
CK	Chilliwack
ST	Stikinia
QN	Quesnellia
OK	Okanagan
YT	Yukon-Tanana
SM	Slide Mountain

Intermontane

Ancestral North America	
CA	Cassiar
NAb	North America - basinal
NAp	North America - platform
NAC	North America - craton & cover

Taken from Colpron, M. and Nelson, J.L., 2011

STRATEGIC METALS LTD.


FIGURE 3

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

TECTONIC SETTING SAYYEA PROPERTY

FILE: 2012\RYE\Figures\Rye-F_3_Tectonic_Settings.cdr

DATE: DECEMBER 2012



Tsaydiz Formation (PCI1) consists of brown to gray to black (graphitic) phyllite; gray to beige dolomitic and calcitic marble; black, white and brown quartzite; and brown micaceous meta-sandstone. The unit primarily comprises phyllite. Beds of carbonate and quartzite are up to five metres thick and constitute less than 15% of the unit. The contact with overlying Espee Formation is sharp.

Espee Formation (PCI2) consists mainly of brown to gray, massive calcitic marble (locally cut by discordant dolomite), foliated micaceous marble and rare green to gray calc-phyllite. The contact between Espee Formation and overlying Stelkuz Formation is sharp.

Stelkuz Formation (PCI3) consists primarily of gray to green phyllite with subordinate olive to brown micaceous meta-siltstone and meta-sandstone and white quartzite. The quartz content of meta-sandstone and/or meta-siltstone beds is high. These strata may be mistaken for quartzite but they break more easily. The contact between Stelkuz Formation and overlying Boya Formation is gradational.

Boya Formation (ICB) comprises white, gray and pink, laminated and less commonly cross-laminated quartzite and subordinate gray to green phyllite, which is similar to phyllite of the underlying Stelkuz Formation. The contact between Boya Formation and overlying Rosella Formation is sharp.

Rosella Formation (ICR) is primarily resistant, brown to gray, massive to intraclasts-bearing calcitic marble and fissile, brown, micaceous marble. Thin beds of silvery-gray phyllite are rarely present. Rosella Formation is distinguished from the lithologically similar Espee Formation only on the basis of its lesser thickness and the presence of the basal Boya Formation. The contact between Rosella Formation and overlying Kechika Formation is sharp and probably conformable.

Kechika Formation (COK1) consists of thin bedded, lustrous, calcareous, grey slate, phyllite, limestone, minor grey dolomite and dolomitic limestone. Quartz-carbonate veins and minor sills and flows of basalt and basaltic tuff are common within this unit. Black slate may be present at the top of the succession.

During the Cretaceous, voluminous granitic plutons intruded the western margin of North America (Murphy, 1988). This plutonism is represented in the vicinity of the property by the Cabin Creek Stock. This stock is a zoned, northwest-trending, irregularly-shaped, 17 by 20 km body. Historical K/Ar determinations give the stock an age range of 98 to 128 Ma (Lowdon, 1961; Lowdon, et al., 1963; Wanless, et al., 1972, 1974) and on this basis it has been assigned to the Mid-Cretaceous Cassiar Suite (mKC). However, a recent B.Sc. thesis using U/Pb determinations tested the two main textural and compositional phases of the intrusion: porphyritic, coarse grained granite and megaporphyritic granite. These units were dated at 72.82 ± 0.13 Ma and 76.20 ± 0.15 Ma, respectively (Gregory, 2007). Previous mappers used the terms “equigranular quartz monzonite” and “coarse grained quartz monzonite” to describe these phases.

Following, or during the waning stages of plutonism, major dextral strike-slip faults with a cumulative displacement of possibly 1000 km sliced the continental margin of North America (Gabrielse, 1985). One of the most prominent of these faults is the Tintina Fault, which lies approximately 20 km to the northeast of the property. A smaller-scale, northeast-trending, steeply southeast-dipping fault cuts the northwest part of the Cabin Creek Batholith.

Although the region has been complexly deformed, bedding and compositional layering in the vicinity of the property generally trend northeasterly and dip moderately to the northwest. Variable foliation orientations are indicative of folding in the area.

Rocks in the region exhibit variations in metamorphic grade, which reflect the influences of regional dynamothermal metamorphism and localized contact metamorphism. In general, rocks of all ages in Cassiar Terrane are sub-greenschist facies.


PROPERTY GEOLOGY

Property-scale mapping was carried out by SEREM in 1979 and 1980 (Stammers, 1979 and Lee, 1980). Strategic Metals has not completed any systematic mapping on the property. The following geological descriptions are primarily summarized from SEREM's reports.

The Sayyee property straddles the contact between the Cabin Creek Stock and surrounding undifferentiated meta-sedimentary rocks belonging to the Swannel and Tsaydiz formations of the Ingenika Group (PCI1). The Cabin Creek Stock ranges in composition from biotite-quartz granodiorite to quartz-biotite monzonite. Near its northern contact the stock is locally altered to quartz-muscovite-feldspar-fluorite greisen. These greisen zones typically occur at or near the contact between intrusive and meta-sedimentary rocks. Quartz-muscovite veins are closely associated with the greisens and locally contain wolframite and scheelite. Lenses of bull quartz and coarse grained, quartz-biotite monzonite commonly radiate out from the stock.

The meta-sediments on the property are primarily composed of quartz-rich biotite schist. Several quartzite, skarn and marble horizons have been identified within the schist, along the western and northern margins of the stock (Figure 5). Marble and skarn horizons are best developed where the limestone protolith was proximal and parallel to the intrusive contact. The most common skarn lithologies are:

- 1) Garnet-pyroxene skarn: green, red and brown weathering surface; ring of black manganese oxide just below weathering surface; fine to coarse, mainly medium grained; composed primarily of garnet-pyroxene-quartz-calcite±tremolite±pyrrhotite±scheelite; garnets are well-formed; high specific gravity.
- 2) Pyroxene-quartz skarn: dark green and white, locally rusty weathering; aphanitic to fine grained; consists mainly of pyroxene-quartz±calcite±pyrrhotite±scheelite.
- 3) Cherty skarn (silicified limestone): light green to striped light green and white (green is more resistant); aphanitic; mainly quartz and pyroxene.
- 4) Garnet-rich skarn: pink or reddish weathering surface; brown or pink on fresh surface; composed mainly of garnet±quartz±calcite±pyroxene.



Bedding orientations on the property mostly strike east-northeast and dip moderately to shallowly toward the north. Although foliation orientations also generally follow this trend, they are locally variable. Strong linear faults and associated shearing, silicification and quartz veining have been identified on the property. Murphy (1988) mapped a steeply dipping, northeast trending fault that appears to have displaced the western part of the Cabin Creek Stock.

MINERALIZATION

The different generations of work that have been completed on the Sayyea property utilized a variety of analytical techniques as shown in Table I below. Some of these techniques involved incomplete digestion of rock samples and therefore may have understated metal contents, especially for resistate minerals such as scheelite and cassiterite.

Table I – Rock Sampling Analytical Techniques

Year	Element(s)	Analytical Technique	Code	Digestion
1979 to 1981 (SEREM)	Gold	Fire assay	Not provided	Partial
	Tungsten oxide	Acid digestion	Not provided	Partial
2011 (Strategic Metals)	Gold	Fire assay fusion followed by inductively coupled plasma.	Au-ICP21	Partial
	Multi-element	Aqua regia digestion, inductively coupled plasma combined with mass spectrometry and atomic emission spectroscopy.	ME-MS41	Partial
	Tin/Tungsten	Pressed pellet X-ray florescence.	W-XRF-05, Sn-XRF-05	Complete
2012 (Strategic Metals)	Gold	Fire assay fusion followed by inductively coupled plasma.	Au-ICP21	Partial
	Multi-element	Aqua regia digestion, inductively coupled plasma combined with mass spectrometry and atomic emission spectroscopy.	ME-MS41	Partial
	Tungsten (reported values > 100 ppm from ME-MS41)	Pressed pellet X-ray florescence.	W-XRF-05	Complete
	Silver/Arsenic	Ore grade analyses using aqua regia digestion, inductively coupled plasma combined with mass spectrometry and atomic emission spectroscopy.	Ag-OG46, As-OG46	Near complete

Analyses completed with partial digestion generally have lower values than those completed with near complete digestion. Results from samples analysed using pressed pellet techniques typically returned significantly higher values.

Historical Work

SEREM conducted property-wide and more localized prospecting in 1979, 1980 and 1982. It identified three rock types that host mineralization on the property – skarns, greisens and quartz veins. The economic minerals that are associated with these rock types are listed in Table II, while the locations of the main occurrences are shown on Figure 5.

Table II – Economic Mineral Assemblages


Host Rock	Minerals	Main Occurrences
Skarn	Scheelite, gold, minor sphalerite	Main Skarn Horizon and Lower Skarn Horizon
Greisen	Molybdenite, minor sulphides	
Quartz vein	Wolframite, molybdenite, minor sulphides	Main Wolframite Showing


SEREM reportedly discovered several skarn horizons on the property; however, the two most notable are the Main Skarn and Lower Skarn horizons.


2012 Work

In 2012, Strategic Metals performed cursory prospecting on the property. It collected 26 rock and 24 chip samples. Lithologies sampled include skarn, quartz vein, marble, limestone and schist. The location of all 2012 samples are plotted on Figure 6, while results for gold, tungsten, bismuth, zinc and tin for historical and 2012 samples are illustrated thematically on Figures 7 to 11. Sample Descriptions are provided in Appendix II while Certificates of Analysis are given in Appendix III.

Rock geochemical sample sites on the property were marked with orange flagging tape labelled with the sample number. The location of each sample was determined using a handheld GPS unit. Rock samples were processed at ALS Minerals with preparation in Whitehorse and analyses in North Vancouver. Each sample was dried, fine crushed to better than 70% passing 2 mm and a 250 g split was pulverized to better than 85% passing 75 microns. The fine fractions were then analyzed for gold using fire assay followed by inductively coupled plasma-atomic emission spectroscopy analysis (Au-ICP21) and for 51 elements using an aqua regia digestion followed by inductively coupled plasma combined with mass spectrometry and atomic emission spectroscopy (ME-MS41). All samples yielding greater than 100 ppm tungsten were re-analyzed using pressed pellet X-ray fluorescence (X-XRF05). Overlimit values for silver and arsenic were determined using Ag-OG46 and As-OG46.








STRATEGIC METALS LTD.

FIGURE 9
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**BISMUTH
ROCK GEOCHEMISTRY**

SAYYEE PROPERTY



Main Skarn Horizon

The Main Skarn Horizon strikes east-northeasterly and dips to the north. It appears to be up to 30 to 40 m thick and is locally in direct contact with the Cabin Creek Stock. Exposure is discontinuous and sparse in the central part of the horizon, where it is at or above treeline, and is rare in other areas. Scheelite is the primary mineral of interest, occurring as small, isolated crystals throughout garnet-pyroxene and pyroxene-quartz skarns. SEREM's most significant tungsten values are listed in Table III.

Table III – Significant Historical Rock Geochemical Results

Horizon	Year	Type	Length (m)	W (%)
Main	1979	Grab	-	0.095
Main	1979	Grab	-	0.130
Main	1980	Grab	-	0.302
Main	1980	Grab	-	0.221
Main	1980	Grab	-	0.151
Main	1982	Grab	-	0.967
Main	1982	Chip	1.0	0.087
Main	1982	Chip	1.0	0.120
Main	1982	Chip	1.0	0.151
Main	1982	Chip	1.0	0.480
Main	1982	Chip	2.0	0.105
Main	1982	Chip	2.0	0.107
Main	1982	Chip	1.0	0.198
Main	1982	Chip	3.0	0.531
Main	1982	Chip	1.0	0.095

SEREM's highest gold values were obtained from the central part of the Main Skarn Horizon. The two best gold values grade 2.06 g/t and 1.10 g/t, with the rest of the samples returning 0.720 g/t or less.

In 2011, Strategic Metals sampled parts of the Main Skarn Horizon. Samples included all four types of skarn, but most were of Types 1 and 2. None of the samples were tested with an ultra-violet light and only a few contained visible sulphide mineralization. The samples yielded variable results for the elements of interest, including gold (background to 0.176 g/t), tungsten (background to 0.64%), bismuth (background to 71.1 ppm), zinc (background to 2800 ppm) and tin (background to 1030 ppm). The most significant results were for tungsten and tin. Two chip samples with finely disseminated sulphides and minor black oxide returned the most elevated tungsten values (0.69% over 1.1 m and 0.64% over 1.6 m, respectively). The strongest tin values (1025 ppm over 3.0 m and 1030 ppm from a grab sample) were obtained from visibly unmineralized Type 1 skarn exposures.

In 2012, all of Strategic Metals samples were collected in the vicinity of the Main Skarn Zone. Lithologies sampled include skarn (Type 1 to 4), quartz vein, marble, limestone, schist and

greisen. Results from this sampling were generally low. Table IV below lists thresholds used to describe 2012 results.

Table IV – 2012 Rock Sample Thresholds

Element	Anomalous Thresholds			
	Weak	Moderate	Strong	Peak
Gold (ppb)	$\geq 0.1 < 0.2$	$\geq 0.2 < 0.5$	--	0.323
Tungsten (ppm)	$\geq 500 < 1000$	$\geq 1000 < 2000$	≥ 2000	3730
Bismuth (ppm)	$\geq 20 < 50$	$\geq 50 < 100$	≥ 100	178
Zinc (ppm)	$\geq 1000 < 2000$	$\geq 2000 < 5000$	≥ 5000	5510
Tin (ppm)	$\geq 100 < 200$	--	--	162
Silver (ppm)	$\geq 10 < 20$	$\geq 20 < 50$	≥ 50	100
Lead (ppm)	$\geq 500 < 1000$	$\geq 1000 < 2000$	≥ 2000	3300

The Main Skarn Horizon hosts three mineralized zones (Main, Main West and West). Each zone has a distinctive geochemical signature.

The Main Skarn Zone refers to the portion of the Main Skarn Horizon that abuts directly against the Cabin Creek Stock. Samples from this zone yielded moderately to strongly anomalous tungsten and weakly to moderately anomalous gold, bismuth and zinc values.

The Main West Skarn Zone is poorly exposed and is located approximately 200 m west of the point where the horizon diverges from the Cabin Creek Stock. The Main West Skarn Zone hosts moderately to strongly anomalous values for gold, tungsten and zinc.

The West Skarn Zone is exposed on a knoll about two kilometres west of the Main West Skarn Zone. Only few samples have been collected within this zone. Values were low for all elements except bismuth (up to 105 ppm).

The Main Wolframite Showing is located within the Cabin Creek Stock immediately south of the Main Skarn Zone. Mineralization in this showing comprises coarse blades of wolframite and coarse scheelite crystals. Analyses returned moderately to strongly anomalous tungsten and weakly to moderately anomalous gold, bismuth and silver values.

Lower Skarn Horizon

The Lower Skarn Horizon lies 1500 m south of the Main Skarn Horizon. It is approximately 10 m thick and has been traced over 1700 m along strike. Although most samples returned background values for the elements of interest, but two of them yielded 0.13 and 0.20% tungsten and three sphalerite-bearing samples returned up to 0.59% zinc (Stammers, 1982).

In 2011, visually unmineralized samples collected from the Lower Skarn Horizon returned background values for all elements of interest. A 15 cm wide chip sample of Type 1 skarn with heavily disseminated non-magnetic pyrrhotite and pyrite was collected within a slightly broader, strongly decomposed horizon. This chip sample yielded 0.29% tungsten, 377 ppm bismuth and 107 ppm tin. A nearby visibly unmineralized sample of Type 1 skarn returned 207 ppm tin (Eaton, 2011).

No samples were collected from the Lower Skarn Horizon in 2012.

Greisen and Quartz Vein Zones

Greisen zones are found intermittently throughout the northern part of the Cabin Creek Stock. They typically contain fluorite with minor molybdenite and other sulphides. One sample of mineralized greisen that was collected in 1979 returned 0.056% molybdenum and 0.001% tungsten oxide. All other samples of greisen material returned lower values.

Quartz±muscovite veins are abundant in meta-sedimentary and intrusive rocks near the periphery of the Cabin Creek Stock, but they are only rarely mineralized. Quartz veins sampled in 2012 yielded background to moderately anomalous values for gold (up to 0.323 g/t), and silver (up to 100 ppm) with moderately to strongly anomalous values for arsenic (1.23%), tungsten (up to 3730 ppm), lead (up to 3300 ppm).


STREAM SEDIMENT AND SOIL GEOCHEMISTRY


SEREM collected stream sediment and grid samples in the area now covered by the Sayyee property in 1979 and 1980. Its samples were mostly taken within meta-sedimentary rocks adjacent to the Cabin Creek Stock. In 2010, Strategic Metals extended the grid sampling to the west, along the projected strike extensions of the two main mineralized skarn horizons, and also collected contour samples to the north and northeast of the property. In 2011, Strategic Metals continued to extend the grid coverage to the west along the strike projection of the Main Skarn Horizon. In 2012, Strategic Metals collected 1650 soil samples at 50x50 m spacings along the Main Skarn Horizon and continued to extend the grid coverage eastward and westward. Locations of the 2012 soil samples are shown on Figure 6, while results for gold, tungsten, bismuth, zinc, tin and copper for all samples are illustrated thematically on Figures 12 to 17, respectively. Certificates of Analysis are provided in Appendix III.


All 2012 soil sample locations were recorded using hand-held GPS units. Sample sites are marked by aluminum tags inscribed with the sample numbers and affixed to 0.5 m wooden lath that were driven into the ground. Soil samples were collected from 25 to 55 cm deep holes dug by a mattock or hand-held auger. They were placed into individually pre-numbered Kraft paper bags.


All samples were sent to ALS Minerals in Whitehorse, where they were dried, screened to -180 microns. Splits were then sent to ALS Minerals in North Vancouver, where they were analyzed for 51 elements using an aqua regia digestion followed by inductively coupled plasma combined with mass spectrometry and atomic emission spectroscopy (ME-MS41). An additional 30 g charge was further analysed for gold by fire assay and inductively coupled plasma-atomic emission spectroscopy (Au-ICP21).


Soil sampling on the Sayyee property has been an effective tool for delineating mineralized skarn horizons. There is good contrast between samples collected directly over and immediately downhill of skarn horizons and those collected in other areas. Tungsten and gold data are available for all samples, but only Strategic Metals' soil samples were analyzed for bismuth,

















zinc, copper and tin (2011 and 2012 only). Anomalous thresholds and peak values for soil samples are listed in Table V.

Table V - Geochemical Data for Soil Samples

Element	Anomalous Thresholds			
	Weak	Moderate	Strong	Peak
Gold (ppb)	$\geq 20 < 50$	$\geq 50 < 100$	-	80
Tungsten (ppm)	$\geq 20 < 50$	$\geq 50 < 100$	≥ 100	640
Bismuth (ppm)	$\geq 5 < 10$	$\geq 10 < 20$	≥ 20	75.6
Zinc (ppm)	$\geq 200 < 500$	$\geq 500 < 1,000$	$\geq 1,000$	5440
Tin (ppm)	$\geq 10 < 20$	$\geq 20 < 50$	≥ 50	152.5
Copper (ppm)	$\geq 50 < 100$	$\geq 100 < 200$	≥ 200	284

Grid samples have been collected across the projected strike of the Main Skarn Horizon for a distance of about 8000 m. The Main Skarn Horizon is delineated by various combinations of moderately to strongly elevated values for gold, tungsten, bismuth, zinc, tin and copper. The Main Skarn Horizon can be broken down into four main areas (West, Main West, Main and East), each with a distinct geochemical signature (see Table VI below).

Table VI – Soil Geochemical Signature for Main Skarn Horizon Areas

Element	West Area	Main West Area	Main Area	East Area
Gold	Background	Background to weak	Background to moderate	Weak to moderate
Tungsten	Background to moderate	Weak to strong	Moderate to strong	Background to moderate
Bismuth	Weak to strong	Weak to strong	Moderate to strong	Background with isolated high
Zinc	Moderate to strong	Moderate to strong	Weak to strong	Background to weak
Copper	Moderate to strong	Background to weak	Background	Background
Tin	Weak to strong	Weak to moderate	Weak to moderate	Background

The Lower Skarn Horizon was not sampled in 2012; however, based on historical soil sampling, this horizon is known to be enriched in gold and copper with rare tungsten and zinc support. No data is available for tin.

Numerous weakly to strongly anomalous values for elements of interest, particularly tungsten, were also obtained from samples collected between Main and Lower Skarn horizons. These results could be sourcing from other, narrower skarn horizons or could be due to downslope dispersion from the Main Skarn Horizon.

Contour soil samples collected to the north and northeast of the property yielded mostly background values for all elements of interest; however, all of these samples were collected at relatively low elevations or in close proximity to creeks, where effective soil sampling is often difficult. Thus, the low values obtained from those samples may be at least in part attributed to overburden cover.

DISCUSSION AND CONCLUSIONS

The Main Skarn Horizon on the Sayyea property has now been traced 8000 m along strike by geological mapping and a combination of gold, tungsten, bismuth, zinc, copper and tin soil geochemistry. The best values for gold, tungsten and tin occur over a 4000 m strike length in the centre of the Main Skarn Zone, where skarn is proximal to the Cabin Creek Stock. To the east, sampling became progressively more difficult because of thick vegetation and frozen soil, and thus, results may not be reliable. To the west, sampling yielded proportionally higher bismuth, zinc and copper values, which likely reflects metal zoning in the more distal part of the hydrothermal system. Rock and chip sampling along the central part of this horizon yielded encouraging gold±tungsten±tin results, but the sample density and distribution are not consistent due to the scarcity of outcrop. This horizon remains open to extension along strike in both directions, and dips at a favourable angle, sub-parallel to topography.

Based mainly upon soil results, the Lower Skarn Horizon appears to be gold-enriched and tungsten-depleted relative to the Main Skarn Horizon. Although rock samples collected along the 1700 m length of this horizon typically returned background values for the elements of interest, locally elevated tungsten, bismuth and zinc values were obtained. This horizon is truncated by the Cabin Creek Stock to the east, but is open to extension to the west-southwest in low lying, heavily vegetated terrain.

At ATAC Resources Ltd.'s Tiger deposit, located in east-central Yukon, elevated gold values occur sporadically within tungsten and tin-bearing skarn developed near the intrusive centre; however, the main carbonate replacement gold deposit is located about two kilometres away, outside the calc-silicate aureole. Gold-in-soil values are sporadic in the vicinity of skarn mineralization, but are consistently high directly over the carbonate replacement deposit. Tungsten and bismuth are enriched in both the skarn and carbonate-replacement mineralization at the Tiger deposit. Arsenic is the best pathfinder for gold at the Tiger deposit, with very strong values near the deposit contrasting with quite subdued response closer to the intrusive centre. No arsenic anomalies have been identified to date at the Sayyea property and the outer edge of the calc-silicate aureole has not been found.

Future work on the Sayyea property is warranted to fully evaluate the known skarn mineralization and to explore for more distal replacement-style mineralization, which could be present. A helicopter-borne magnetic and radiometric survey should be flown over the property. Due to the limited amount of bedrock exposure within the main skarn horizons, additional work on the Sayyea property should include track-mounted reverse circulation (RC) drilling or CanDig mechanical trenching. A self-propelled RC drill has the capability to reach many areas that lie along strike and down dip of mineralized exposures. A self-propelled CanDig excavator would also be able to test many favourable areas, but only to depths of two metres or less.

Respectfully submitted,

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

A handwritten signature in blue ink that reads "Heather Burrell". The signature is written in a cursive, flowing style.

H. Burrell, B.Sc., P.Geo.

REFERENCES

- Colpron, M. and Nelson, J. L.
 2011 A Digital atlas of terranes for the Northern Cordillera; Yukon Geological Survey and BC Geology Survey, BCGS GeoFile 2011-11 (http://www.geology.gov.yk.ca/pdf/CanCord_terranes_2011.pdf).
- Eaton, S.
 2011 Assessment report describing geochemical sampling and prospecting at the Sayyea property, Watson Lake Mining Recorder; report prepared for Strategic Metals Ltd. by Archer, Cathro & Associates (1981) Limited.
 2012 Assessment report describing geochemical sampling and prospecting at the Sayyea property, Watson Lake Mining Recorder; report prepared for Strategic Metals Ltd. by Archer, Cathro & Associates (1981) Limited.
- EMPR (Ministry of Energy, Mines and Petroleum Resources)
 2009 Terrane Codes, Descriptions and Legend. <http://www.empr.gov.bc.ca/Mining/Geoscience/MINFILE/ProductsDownloads/MINFILEDocumentation/CodingManual/Appendices/Pages/VI.aspx>
- Gabrielse, H.
 1985 Major dextral transcurrent displacement along the Northern Rocky Mountain Trench and related lineaments in north-central British Columbia; Geological Survey of America bulletin, 96, 1-14.
- Gregory, D.
 2007 Geology, geochemistry and geochronology of the Allen Stock at the Alle property, Yukon Territory; B.Sc. thesis completed at the University of British Columbia.
- Gordey, S.P. and Makepeace, A.J.
 2003 Yukon Digital Geology, version 2.0, S.P. Gordey and A.J. Makepeace (comp); Geological Survey of Canada, Open File 1749 and Yukon Geological Survey, Open File 2003-9 (D).
- Lee, T.
 1980 Geological, geochemical & geophysical report on the Cabin 1-170 mineral claims; report for SEREM Ltd.; assessment report #090678.
- Lowdon, J.A.
 1961 Age determinations by the Geological Survey of Canada, Report 2, Isotopic Ages; Geological Survey of Canada, Paper 61-17.

- Lowdon, J.A., Stockwell, C.H., Tipper, H.W. and Wanless, R.K.
 1963 Age determinations and geologic studies; Geological Survey of Canada, paper 62-17.
- Murphy, D.C.
 1988 Geology of Gravel Creek (105B/10) and Irvine Lake (105B/11) map-areas, southeastern Yukon; Indian and Northern Affairs Canada, Northern Affairs: Yukon Region, Open File 1988-1.
- Poole, W.H., Roddick, J.A. and Green, L.H.
 1960 Wolf Lake; Geological Survey of Canada, Map 10-1960.
- Pope, M.C. and Sears, J.W.
 1997 Cassiar platform, north-central British Columbia: A miogeoclinal fragment from Idaho; in *Geology*, vol. 25, no. 6, p. 515-518.
- Stammers, M.A.
 1979 Geological and geochemical report on the Cabin 1-18 mineral claims; prepared for SEREM Ltd.; assessment report #090528.
- 1982 Geological evaluation report on the Cabin 1-18 mineral claims; prepared for SEREM Ltd.; assessment report #091010.
- Tempelman-Kluit, D.J., Gordey, S.P. and Read, B.C.
 1976 Stratigraphic and Structural Studies in the Pelly Mountains, Yukon Territory; Geological Survey of Canada Paper 76-1A, pp.97-106.
- Wanless, R.K., Stevens, R.D., Lachance, G.R., and Delabio, R.N.
 1972 Age determinations and geologic studies, K-Ar isotopic ages, Report 12; Geological Survey Canada, paper 71-2.
- 1974 Age determinations and geological studies: K-Ar isotopic ages, Report 12; Geological Survey of Canada, paper 74-2.

APPENDIX I
STATEMENT OF QUALIFICATIONS

STATEMENT OF QUALIFICATIONS

I, Heather Burrell (née Smith), geologist, with business addresses in Vancouver and Squamish, British Columbia and Whitehorse, Yukon Territory and residential address in Squamish, British Columbia do hereby certify that:

1. I graduated from the University of British Columbia in 2006 with a B. Sc in Geological Sciences.
2. From 2004 to present, I have been actively engaged in mineral exploration in the Yukon Territory, British Columbia and Northwest Territories.
3. I am a Professional Geoscientist (P.Geo.) with the Association of Professional Engineers and Geoscientists of British Columbia (Member Number 34689).
4. I have personally participated in and directed the fieldwork reported herein and have interpreted all data resulting from this work.



H. Burrell, B.Sc., P.Geo.

APPENDIX II

ROCK SAMPLE DESCRIPTIONS

Rock Sample Descriptions		Project: Sayyea	Property: Sayyea		
Sample Number: I078501	Grid East: E UTM: 418630 E Elevation: 1258 m	Grid North: N UTM: 6728309 N	Type: Float Sample Width: 8.5cm	Dimension:	Abundance: Single sample
Comments: Float of fine-grained highly silicified grey-white rock. Vuggy. Yellow-orange to yellow-green on fracture surfaces. Fine disseminated pyrite, <1%. Finely elongated grey quartz crystals.					
Sample Number: I078502	Grid East: E UTM: 418034 E Elevation: 1375 m	Grid North: N UTM: 6728141 N	Type: Composite Sample Width:	Dimension:	Abundance: Chips from two patches of outcrop
Comments: Sugary milky quartz vein with patchy orange weathering.					
Sample Number: I078503	Grid East: E UTM: 417062 E Elevation: 1480 m	Grid North: N UTM: 6727889 N	Type: Composite Sample Width:	Dimension:	Abundance: Composite of small skarn outcrops.
Comments: Dark green/black and red/brown pyroxene-calcite-garnet skarn, with orange-brown weathering and manganese oxide rim on fracture surfaces. Extensive effervescence with HCl. 60% fine grained pyroxene, 25% calcite, 15% garnet.					
Sample Number: I078504	Grid East: E UTM: 417085 E Elevation: 1478 m	Grid North: N UTM: 6727903 N	Type: Composite Sample Width:	Dimension:	Abundance: Composite of small skarn outcrops.
Comments: Dark green and brown pyroxene-garnet-calcite skarn, medium to coarse grained. Finely disseminated pyrite, <1%.					
Sample Number: I078505	Grid East: E UTM: 417115 E Elevation: 1471 m	Grid North: N UTM: 6727909 N	Type: Outcrop Grab Sample Width: 6cm	Dimension:	Abundance: Single sample from skarn outcrop.
Comments: Fine to medium-grained pyroxene-garnet-calcite skarn, with <1% very fine scheelite.					
Sample Number: I078506	Grid East: E UTM: 417803 E Elevation: 1411 m	Grid North: N UTM: 6728156 N	Type: Composite Float Sample Width:	Dimension:	Abundance: Composite of skarn floats
Comments: Grey/white silicic quartz-pyroxene skarn, with fine black veinlets hosting pyrite. <1% very fine scheelite.					

Rock Sample Descriptions		Project: Sayyea	Property: Sayyea
Sample Number: I078507	Grid East: E UTM: 417795 E Elevation: 1422 m	Grid North: N UTM: 6728135 N	Type: Chip Dimension: Abundance: Chips from patch of outcrop
Comments: Fine to medium-grained garnet-rich skarn, with green and red/pink garnets, possible fine pyroxene and trace calcite.			
Sample Number: I078508	Grid East: E UTM: 417756 E Elevation: 1428 m	Grid North: N UTM: 6728120 N	Type: Chip Sample Width: 60cm Dimension: Abundance: Chips from patch of outcrop
Comments: Fine-grained, very dark green pyroxene-quartz skarn, with light calcite. Pervasively moderately to strongly magnetic. Stringers and blebs of fine silvery metallic mineral -- possibly pyrrhotite.			
Sample Number: I078509	Grid East: E UTM: 417746 E Elevation: 1432 m	Grid North: N UTM: 6728125 N	Type: Chip Sample Width: 80cm Dimension: Abundance:
Comments: Coarse-grained quartz vein, sugary, with ~20% fine-grained mica, predominantly muscovite. Possible greisen.			
Sample Number: I078510	Grid East: E UTM: 417747 E Elevation: 1432 m	Grid North: N UTM: 6728122 N	Type: Composite Sample Width: Dimension: 5 x 5m Abundance: Composite of small skarn outcrops.
Comments: Fine to medium-grained garnet-pyroxene skarn, with trace calcite. Weakly magnetic in patches.			
Sample Number: I078511	Grid East: E UTM: 417729 E Elevation: 1436 m	Grid North: N UTM: 6728108 N	Type: Composite Sample Width: Dimension: Abundance: Composite of small skarn outcrops.
Comments: Fine to medium-grained red-pink and green garnet-rich skarn.			
Sample Number: I078512	Grid East: E UTM: 417816 E Elevation: 1422 m	Grid North: N UTM: 6728123 N	Type: Chip Sample Width: Dimension: Abundance:
Comments: Dark grey-green pyroxene-quartz skarn with 1-2% very fine pyrite (?). Non-magnetic and does not react with dilute HCl.			

Rock Sample Descriptions		Project: <u>Sayyea</u>	Property: <u>Sayyea</u>		
Sample Number: I078513	Grid East: E UTM: 417812 E Elevation: 1423 m	Grid North: N UTM: 6728123 N	Type: Chip Sample Width: 55cm	Dimension:	Abundance: Chips from patch of outcrop
Comments: Pink and green garnet-calcite-pyroxene skarn, fine to medium-grained.					
Sample Number: I078514	Grid East: E UTM: 417767 E Elevation: 1430 m	Grid North: N UTM: 6727982 N	Type: Composite Sample Width: 17m	Dimension:	Abundance: Composite of small vein outcrops along vein length
Comments: Milky, finely crystalline to sugary quartz vein, hosted by biotite-quartz monzonite. Orange alteration and weathering on fracture surfaces. Fractured cobbles and boulders, with possible bedrock.					
Sample Number: I078515	Grid East: E UTM: 417724 E Elevation: 1435 m	Grid North: N UTM: 6727985 N	Type: Chip Sample Width: 2m	Dimension:	Abundance:
Comments: Coarse-grained quartz vein with extensive limonite and ~10% muscovite. Greisen.					
Sample Number: I078516	Grid East: E UTM: 417731 E Elevation: 1433 m	Grid North: N UTM: 6727982 N	Type: Composite Sample Width:	Dimension:	Abundance: Composite of patchy outcrops
Comments: Medium to coarse-grained quartz vein with extensive orange alteration and ~2% fine muscovite. Greisen.					
Sample Number: I078517	Grid East: E UTM: 417742 E Elevation: 1432 m	Grid North: N UTM: 6727986 N	Type: Chip Sample Width: 2.5m	Dimension:	Abundance:
Comments: Milky to yellow vuggy quartz, with yellow and orange-brown oxidation.					
Sample Number: I078518	Grid East: E UTM: 417698 E Elevation: 1435 m	Grid North: N UTM: 6727978 N	Type: Chip Sample Width: 1m	Dimension:	Abundance:
Comments: Vuggy, medium to coarse-grained quartz with 5% muscovite. Limonitic infilling of vugs. Greisen.					
Sample Number: I078519	Grid East: E UTM: 417704 E Elevation: 1438 m	Grid North: N UTM: 6727983 N	Type: Composite Sample Width:	Dimension:	Abundance: Composite chips from small outcrops
Comments: Coarse to very coarse-grained clear to milky quartz, predominantly subhedral. Vuggy. 5% fine muscovite. Greisen.					

Rock Sample Descriptions		Project: <u>Sayyea</u>	Property: <u>Sayyea</u>		
Sample Number: I078520	Grid East: E UTM: 418099 E Elevation: 1344 m	Grid North: N UTM: 6728371 N	Type: Float Sample Width: 6cm	Dimension:	Abundance:
Comments: Float of light green-grey cherty silicified skarn, with ~1cm band of pink quartz. Minor calcite.					
Sample Number: I078521	Grid East: E UTM: 418097 E Elevation: 1345 m	Grid North: N UTM: 6728354 N	Type: Float Sample Width: 5cm	Dimension:	Abundance:
Comments: Float of fine-grained light grey to white quartz-rich skarn. ~4% disseminated fine pyrite.					
Sample Number: I078522	Grid East: E UTM: 418069 E Elevation: 1352 m	Grid North: N UTM: 6728328 N	Type: Float Sample Width: 5.5cm	Dimension:	Abundance:
Comments: Vuggy brown fine to medium-grained quartz-rich skarn, with possible pyroxene. Weathered red-orange and brown.					
Sample Number: I078523	Grid East: E UTM: 418078 E Elevation: 1350 m	Grid North: N UTM: 6728318 N	Type: Float Sample Width: 8cm	Dimension:	Abundance:
Comments: Sample from boulder of garnet-pyroxene-calcite-quartz skarn, pink/red and black. Orange-brown weathering. Manganese oxide rim on fracture surfaces. <1% possible fine-grained scheelite.					
Sample Number: I078524	Grid East: E UTM: 415990 E Elevation: 1406 m	Grid North: N UTM: 6727147 N	Type: Float Sample Width: 5cm	Dimension:	Abundance:
Comments: Reddish-pink and grey-green fine-grained garnet-quartz skarn with manganese oxide rim. Strongly weathered float.					
Sample Number: I078525	Grid East: E UTM: 415972 E Elevation: 1410 m	Grid North: N UTM: 6727150 N	Type: Chip Sample Width:	Dimension: 30 x 40cm Abundance: Chips from boulder	
Comments: Pink-brown and green-black garnet-pyroxene-quartz-calcite skarn. <1% possible fine-grained scheelite.					
Sample Number: I078526	Grid East: E UTM: 415954 E Elevation: 1412 m	Grid North: N UTM: 6727143 N	Type: Composite Sample Width:	Dimension:	Abundance: Composite of small skarn outcrops and boulders
Comments: Pink-brown garnet-pyroxene-calcite-quartz skarn, medium-grained. High specific gravity.					

Rock Sample Descriptions		Project: Sayyea	Property: Sayyea		
Sample Number: I078527	Grid East: E UTM: 415925 E Elevation: 1399 m	Grid North: N UTM: 6727085 N	Type: Float Sample Width: 6cm	Dimension:	Abundance:
Comments: Float of grey-green and pink-red garnet-calcite-pyroxene-quartz skarn. Orange-brown weathering surfaces.					
Sample Number: I078528	Grid East: E UTM: 415905 E Elevation: 1400 m	Grid North: N UTM: 6727077 N	Type: Outcrop Grab Sample Width:	Dimension: 30 x 20cm	Abundance:
Comments: Red-brown garnet-rich skarn with calcite. Manganese oxide rim on fracture surfaces.					
Sample Number: I078529	Grid East: E UTM: 415904 E Elevation: 1398 m	Grid North: N UTM: 6727060 N	Type: Float Sample Width: 7cm	Dimension:	Abundance:
Comments: Garnet-pyroxene skarn with calcite and possible fine-grained scheelite, <1%. Fine to medium-grained. Green and pink on fresh surface, pink to dark brown on weathering surface, with patchy rusty red-orange weathering. Float of skarn overlying outcrop of biotite-quartz schist in contact zone.					
Sample Number: I078530	Grid East: E UTM: 415880 E Elevation: 1403 m	Grid North: N UTM: 6727106 N	Type: Trench Sample Width:	Dimension: 5m long	Abundance:
Comments: White to grey marble. Medium-grained, sugary, orange weathering surfaces. Minor banding.					
Sample Number: I078531	Grid East: E UTM: 415882 E Elevation: 1402 m	Grid North: N UTM: 6727102 N	Type: Trench Sample Width:	Dimension: 4m long	Abundance:
Comments: Pink to light grey-green marble, medium to fine-grained. Fissile bands of milky white calcite with quartz clasts.					
Sample Number: I078532	Grid East: E UTM: 415885 E Elevation: 1402 m	Grid North: N UTM: 6727100 N	Type: Trench Sample Width:	Dimension: 3m long	Abundance:
Comments: Silicified limestone. White and light green bands, with occasional pinkish bands. Abundant quartz, variable calcite. Rare muscovite.					
Sample Number: I078533	Grid East: E UTM: 415889 E Elevation: 1400 m	Grid North: N UTM: 6727094 N	Type: Trench Sample Width:	Dimension: 7m long	Abundance:
Comments: Red-pink and green to white garnet-pyroxene-quartz-calcite skarn. Occasional banding. Patchy blebs of rusty orange-red iron oxidation. Brown, pitted weathering surfaces.					

Rock Sample Descriptions		Project: Sayyea	Property: Sayyea		
Sample Number: I078534	Grid East: E UTM: 415889 E Elevation: 1398 m	Grid North: N UTM: 6727091 N	Type: Trench	Dimension: 5m long	Abundance:
Comments: Milky white to dark grey medium-grained sucrosic marble, with bands of powdery white calcite and pink bands. Pink-tan weathering surfaces.					
Sample Number: I078535	Grid East: E UTM: 415892 E Elevation: 1398 m	Grid North: N UTM: 6727089 N	Type: Trench	Dimension: 3m long	Abundance:
Comments: Green, red-pink and white pyroxene-garnet-calcite skarn. Pink-white weathering surfaces and minor banding. Very high specific gravity.					
Sample Number: I078536	Grid East: E UTM: 415893 E Elevation: 1397 m	Grid North: N UTM: 6727087 N	Type: Trench	Dimension: 3m long	Abundance:
Comments: White to dark grey medium-grained sucrosic marble.					
Sample Number: I078537	Grid East: E UTM: 415894 E Elevation: 1406 m	Grid North: N UTM: 6727128 N	Type: Chip	Dimension: 20 x 15cm	Abundance: Chips from outcrop
Comments: Dark reddish-brown to pink fine to medium-grained garnet-calcite-quartz-pyroxene skarn, garnet-rich. Greenish-orange on weathering surface.					
Sample Number: I078538	Grid East: E UTM: 415770 E Elevation: 1399 m	Grid North: N UTM: 6727102 N	Type: Float	Dimension:	Abundance:
Comments: Grey-brown marble float, strongly oxidized. Pitted, brown-orange weathering surface and rim on fresh surface.					
Sample Number: I078539	Grid East: E UTM: 416968 E Elevation: 1475 m	Grid North: N UTM: 6727760 N	Type: Float	Dimension:	Abundance:
Comments: Fine to coarse-grained dark grey to brown pyroxene-quartz skarn. Coarse diopside crystals. Orange to brown weathering surface.					
Sample Number: I078540	Grid East: E UTM: 416986 E Elevation: 1466 m	Grid North: N UTM: 6727754 N	Type: Composite	Dimension:	Abundance: Composite of small skarn outcrops
Comments: Pink, green and dark brown fine to medium-grained garnet-calcite-pyroxene-quartz skarn, with manganese oxide rim on fractures. Green and red-pink banding.					

Rock Sample Descriptions		Project: Sayyea	Property: Sayyea
Sample Number: I078541	Grid East: E UTM: 416956 E Elevation: 1473 m	Grid North: N UTM: 6727716 N	Type: Chip Dimension: 80cm long Abundance:
Comments: Green and pink garnet-pyroxene skarn with calcite. Manganese oxide rimming on fractures.			
Sample Number: I078542	Grid East: E UTM: 416932 E Elevation: 1465 m	Grid North: N UTM: 6727653 N	Type: Chip Dimension: 2.4m Abundance:
Comments: Dark green and white pyroxene-quartz skarn outcrop, fine-grained. Dark brown to rusty red-orange weathering surfaces. At contact with monzonite.			
Sample Number: I078543	Grid East: E UTM: 416777 E Elevation: 1458 m	Grid North: N UTM: 6727611 N	Type: Composite Dimension: Abundance: Composite of small skarn outcrops
Comments: Brown-pink and green garnet-pyroxene-quartz-calcite skarn, with occasional manganese oxide rims on fractures. Pink weathering surfaces.			
Sample Number: I078544	Grid East: E UTM: 415484 E Elevation: 1343 m	Grid North: N UTM: 6727134 N	Type: Composite float Dimension: Abundance:
Comments: Medium-grained brown to grey quartz-pyroxene-calcite skarn. Orange-brown pitted weathering surface.			
Sample Number: I078545	Grid East: E UTM: 414818 E Elevation: 1332 m	Grid North: N UTM: 6726940 N	Type: Float Dimension: Abundance:
Comments: Grey-green and white well-foliated biotite-quartz-calcite schist. 1% fine disseminated pyrite and magnetic pyrrhotite.			
Sample Number: I078546	Grid East: E UTM: 414277 E Elevation: 1386 m	Grid North: N UTM: 6726916 N	Type: Float Dimension: Abundance:
Comments: Float of pink-grey sugary marble, with dark brown weathering surfaces.			
Sample Number: I078547	Grid East: E UTM: 414010 E Elevation: 1399 m	Grid North: N UTM: 6726738 N	Type: Float Dimension: Abundance:
Comments: Vuggy, pitted sugary quartz-rich float, with pervasive red-orange and purple iron and manganese oxide. <1% fine disseminated pyrite.			

Rock Sample Descriptions					
		Project: <u>Sayyea</u>		Property: <u>Sayyea</u>	
Sample Number: I078548	Grid East:	E	Grid North:	N	Type: Outcrop Grab
	UTM:	414019 E	UTM:	6726836 N	Sample Width: 7.5cm
	Elevation:	1415 m			Abundance:
Comments: Sugary grey well-bedded marble/recrystallized limestone. Orange-brown weathering surfaces.					
Sample Number: I078549	Grid East:	E	Grid North:	N	Type: Outcrop Grab
	UTM:	413991 E	UTM:	6726816 N	Sample Width: 6.5cm
	Elevation:	1419 m			Abundance:
Comments: Sugary grey well-bedded marble/recrystallized limestone, with rounded weathering edges.					
Sample Number: I078550	Grid East:	E	Grid North:	N	Type: Outcrop Grab
	UTM:	413983 E	UTM:	6726817 N	Sample Width: 5cm
	Elevation:	1421 m			Abundance:
Comments: Well-foliated mica-quartz schist, with rusty red-orange weathering and fracture surfaces.					

APPENDIX III
CERTIFICATES OF ANALYSIS



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 1- SEP- 2012
Account: MTT

CERTIFICATE WH12188773

Project: Say Yea

P.O. No.:

This report is for 50 Rock samples submitted to our lab in Whitehorse, YT, Canada on 13- AUG-2012.

The following have access to data associated with this certificate:

SARAH EATON

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
CRU- 31	Fine crushing - 70%<2mm
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85%<75 um

ANALYTICAL PROCEDURES


ALS CODE	DESCRIPTION	INSTRUMENT
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES
ME- MS41	51 anal. aqua regia ICPMS	
ME- OG46	Ore Grade Elements - AquaRegia	ICP- AES
Ag- OG46	Ore Grade Ag - Aqua Regia	VARIABLE
As- OG46	Ore Grade As - Aqua Regia	VARIABLE

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 1- SEP- 2012
Account: MTT

Project: Say Yea

CERTIFICATE OF ANALYSIS WH12188773

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I078501		0.29	0.076	1.34	0.79	1040	<0.2	10	50	0.79	2.63	0.70	0.06	7.03	0.6	15
I078502		0.14	0.001	0.02	0.02	2.7	<0.2	<10	<10	<0.05	0.06	0.08	0.02	0.18	0.3	7
I078503		0.62	0.001	0.02	1.93	1.2	<0.2	<10	30	5.22	2.36	5.50	0.70	30.7	3.9	12
I078504		0.50	0.001	0.02	2.05	3.4	<0.2	<10	40	6.37	1.08	4.12	0.53	32.9	3.5	13
I078505		0.21	0.001	0.02	2.19	1.6	<0.2	10	20	29.7	21.7	8.53	0.43	64.5	3.7	16
I078506		0.20	0.001	0.02	2.12	0.9	<0.2	<10	30	1.76	0.84	3.00	0.51	31.9	4.1	21
I078507		0.36	0.001	0.10	4.34	<2	<0.2	60	10	81.1	21.5	19.55	0.6	40.5	3.1	8
I078508		0.29	0.003	0.21	3.17	1.0	<0.2	20	80	19.00	22.3	9.12	<0.5	46.3	7.7	21
I078509		0.26	0.001	4.83	1.85	2.6	<0.2	10	80	289	9.44	3.90	2.97	8.05	1.1	9
I078510		1.53	0.001	0.03	2.09	1.0	<0.2	10	10	10.55	11.45	7.57	0.55	40.6	4.7	15
I078511		0.88	0.001	0.02	2.11	1.5	<0.2	20	30	11.80	9.74	5.11	0.45	75.4	3.6	21
I078512		0.29	0.026	0.37	5.57	0.5	<0.2	<10	20	6.76	178.0	4.62	0.05	102.0	21.4	33
I078513		0.14	0.001	<0.01	2.21	1.0	<0.2	10	10	31.5	11.35	5.37	0.76	78.7	2.1	14
I078514		0.35	0.001	0.04	0.04	1.6	<0.2	<10	<10	0.25	1.21	0.09	0.03	0.82	0.3	18
I078515		0.14	0.323	>100	0.38	>10000	0.4	<10	20	0.82	65.8	2.35	0.6	4.99	16.0	11
I078516		0.66	0.308	2.70	0.94	2740	0.3	10	50	1.11	3.46	0.53	<0.5	18.75	0.5	19
I078517		0.33	0.074	5.15	1.95	709	<0.2	20	100	1.60	8.82	6.18	1.60	20.0	0.8	25
I078518		0.25	0.017	0.90	0.51	216	<0.2	<10	30	0.64	1.12	0.05	0.04	34.3	0.2	8
I078519		0.16	0.003	14.90	0.39	493	<0.2	<10	10	0.38	16.30	1.05	0.08	1.21	0.2	12
I078520		0.18	0.001	0.06	1.55	5.2	<0.2	<10	10	0.19	0.21	7.22	0.98	21.8	1.1	8
I078521		0.03	0.064	2.29	0.43	157.0	<0.2	<10	10	0.39	3.66	0.30	0.13	20.5	3.7	15
I078522		0.06	0.001	0.11	4.55	11	<0.2	40	10	159.5	49.7	11.30	0.38	50.8	6.0	30
I078523		0.40	0.001	0.03	2.79	2.6	<0.2	10	30	70.4	8.42	9.90	<0.5	15.50	3.9	5
I078524		0.17	0.001	0.02	2.54	3.1	<0.2	10	10	7.07	14.50	6.30	1.51	79.2	4.1	20
I078525		0.32	<0.001	0.01	2.05	1.5	<0.2	<10	10	7.93	7.41	5.36	0.72	51.2	3.3	15
I078526		0.68	<0.001	0.01	2.21	1.9	<0.2	10	30	5.40	5.81	6.02	1.13	47.6	4.4	19
I078527		0.15	0.001	0.02	1.65	0.7	<0.2	<10	<10	2.45	8.13	5.18	0.45	21.1	4.2	5
I078528		0.10	0.001	0.05	4.13	<2	<0.2	10	50	22.1	12.10	12.35	1.59	123.0	9.0	36
I078529		0.23	<0.001	0.02	1.55	0.8	<0.2	<10	10	4.98	14.50	4.19	3.91	105.5	6.6	32
I078530		0.24	0.001	0.01	0.18	<2	<0.2	<10	<10	0.28	0.13	>25.0	0.09	15.80	1.1	<1
I078531		0.18	0.001	0.05	1.55	<2	<0.2	<10	10	0.83	20.7	18.00	10.15	23.2	5.8	5
I078532		0.41	0.001	0.03	2.20	0.5	<0.2	<10	20	1.15	26.5	9.45	5.90	31.4	3.4	8
I078533		0.46	<0.001	0.02	1.43	0.8	<0.2	10	10	3.26	7.84	7.95	3.20	44.5	3.7	13
I078534		0.28	0.001	0.03	0.31	<2	<0.2	<10	10	0.32	5.86	23.6	1.09	16.55	1.3	<1
I078535		0.33	0.001	0.02	1.39	0.5	<0.2	<10	10	3.83	5.92	5.77	3.53	43.2	3.6	14
I078536		0.25	0.001	<0.01	0.23	<2	<0.2	<10	10	0.79	0.81	>25.0	0.16	20.2	1.3	<1
I078537		0.24	0.001	0.01	1.91	0.9	<0.2	<10	10	4.64	12.60	5.54	0.56	104.0	2.8	16
I078538		0.10	0.001	0.03	1.03	0.2	<0.2	<10	40	1.22	1.81	3.56	1.31	54.6	7.9	28
I078539		0.05	0.161	0.52	1.97	346	0.2	<10	10	0.65	0.42	8.90	0.47	14.70	1.1	10
I078540		0.22	0.001	0.01	2.27	2.7	<0.2	20	10	2.70	15.25	7.59	0.41	42.9	2.4	16



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 1- SEP- 2012
Account: MTT

Project: Say Yea

CERTIFICATE OF ANALYSIS WH12188773

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I078501		3.32	26.4	0.98	4.05	0.06	0.05	0.01	0.192	0.47	3.2	17.6	0.06	70	1.58
I078502		0.15	2.5	0.39	0.14	<0.05	<0.02	0.01	<0.005	0.01	<0.2	0.7	0.01	44	1.22
I078503		7.90	2.0	2.33	6.22	0.41	0.17	0.04	0.525	0.05	16.1	25.6	0.34	2270	0.19
I078504		5.98	6.1	1.48	7.08	0.50	0.16	0.02	0.336	0.03	15.3	16.2	0.23	1420	3.54
I078505		2.78	3.0	2.50	7.08	0.70	0.23	0.02	0.570	0.02	30.4	17.8	0.27	1800	0.08
I078506		3.10	19.0	1.88	7.72	0.42	0.15	0.01	0.201	0.07	14.7	27.1	0.31	990	0.23
I078507		3.86	2.5	4.52	32.3	2.33	0.60	0.45	1.420	0.01	22.6	22.0	0.24	3220	41.9
I078508		22.8	56.8	15.35	60.7	1.49	0.84	2.06	4.83	0.59	23.4	46.0	1.36	2710	9.45
I078509		8.84	34.4	1.80	4.69	0.28	0.05	0.03	0.433	1.03	4.1	98.9	0.11	1830	0.31
I078510		2.12	5.9	2.98	9.75	0.74	0.48	0.35	0.717	0.01	21.1	11.6	0.22	2480	0.81
I078511		2.40	8.4	1.77	10.00	0.50	0.38	0.20	0.443	0.07	39.1	21.8	0.18	1200	0.98
I078512		7.63	253	8.21	25.9	0.42	0.20	0.39	0.771	0.13	54.6	57.9	0.46	1020	3.19
I078513		1.97	1.7	2.34	11.30	0.98	0.31	0.05	0.394	<0.01	38.4	21.2	0.11	1820	0.16
I078514		0.30	2.7	0.43	0.25	<0.05	<0.02	0.01	0.011	0.01	0.4	1.9	0.01	66	0.92
I078515		1.97	349	2.07	3.16	0.06	0.02	3.18	10.70	0.22	2.9	8.8	0.01	867	1.58
I078516		4.02	96.4	1.14	3.68	0.06	0.04	0.01	0.525	0.56	9.6	26.8	0.06	85	15.65
I078517		6.30	65.2	1.60	7.25	0.15	0.07	0.02	0.800	1.00	10.2	41.8	0.13	79	3.71
I078518		2.08	4.4	0.66	2.64	0.05	0.09	0.02	0.110	0.41	17.8	15.4	0.02	59	0.89
I078519		1.15	38.7	0.63	1.30	0.05	<0.02	0.47	0.666	0.23	0.7	7.8	0.01	1120	0.20
I078520		0.79	1.1	0.68	4.21	0.16	0.57	0.01	0.078	0.01	9.5	2.7	0.03	212	0.15
I078521		1.37	25.0	2.00	1.98	0.05	0.05	0.02	0.107	0.08	10.4	65.8	0.02	80	0.64
I078522		2.92	1.8	3.38	14.90	0.86	0.20	0.97	0.332	0.05	25.2	80.0	0.40	1640	25.2
I078523		35.8	1.0	3.57	16.15	1.55	0.30	0.16	0.918	0.04	7.9	17.9	0.12	3130	4.21
I078524		2.78	0.5	1.86	8.61	0.54	0.34	0.02	0.260	0.02	39.1	25.5	0.28	1370	0.10
I078525		2.81	0.3	1.72	7.51	0.47	0.30	0.10	0.212	0.02	25.6	16.7	0.22	1220	1.14
I078526		8.71	0.7	2.11	7.75	0.49	0.39	0.04	0.271	0.03	23.2	13.6	0.24	1470	0.46
I078527		0.57	1.5	1.98	7.90	0.44	0.28	0.02	0.423	<0.01	8.1	6.3	0.11	1440	0.10
I078528		7.82	20.9	6.18	17.95	1.19	0.68	0.09	0.682	0.12	60.5	56.2	0.73	2990	0.26
I078529		0.73	8.4	1.61	6.84	0.57	0.33	0.03	0.857	0.01	55.9	7.2	0.13	1460	0.31
I078530		0.69	2.3	0.32	0.57	0.05	<0.02	0.03	0.015	0.02	7.2	4.0	0.11	104	0.06
I078531		1.62	7.8	0.74	4.13	0.10	0.11	0.03	3.65	0.02	11.0	7.2	0.10	917	0.11
I078532		3.77	2.3	0.71	6.76	0.18	0.21	0.02	1.915	0.04	16.4	7.5	0.10	766	0.43
I078533		0.62	4.0	1.20	5.38	0.34	0.30	0.55	0.967	0.01	23.4	8.7	0.12	814	1.91
I078534		0.29	3.3	0.35	1.07	0.08	0.06	0.03	0.457	<0.01	8.1	2.2	0.04	616	0.08
I078535		1.13	2.9	0.99	5.30	0.32	0.24	0.02	1.330	0.03	24.7	12.0	0.10	691	0.10
I078536		1.07	2.5	0.52	0.95	0.07	0.02	0.02	0.034	0.02	8.2	6.5	0.16	391	0.13
I078537		2.53	0.8	1.66	7.15	0.39	0.37	0.01	0.262	0.01	57.8	14.4	0.18	995	0.07
I078538		6.87	22.8	1.76	4.43	0.11	0.05	0.01	0.030	0.13	24.0	28.1	0.28	686	0.20
I078539		0.38	2.4	0.90	6.27	<0.05	0.06	1.22	0.064	0.03	8.4	32.9	0.02	54	0.35
I078540		0.45	2.2	1.27	6.55	0.55	0.29	0.02	0.231	0.01	20.8	22.0	0.17	1050	0.08



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 1- SEP- 2012
Account: MTT

Project: Say Yea

CERTIFICATE OF ANALYSIS WH12188773

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I078501		0.07	2.3	40	38.9	72.1	0.002	0.50	13.90	1.4	0.4	19.1	18.6	<0.01	0.03
I078502		<0.05	1.5	10	1.0	1.1	0.002	0.02	0.05	0.2	<0.2	0.2	4.2	<0.01	<0.01
I078503		0.93	8.5	1070	1.9	16.9	0.003	0.03	0.51	2.5	0.2	49.9	86.2	0.01	0.01
I078504		1.59	9.2	450	1.3	12.5	0.002	0.09	0.44	2.3	0.2	73.5	88.5	0.01	0.01
I078505		0.85	10.3	770	1.1	6.4	0.002	0.05	2.24	2.5	0.5	46.8	63.3	0.02	<0.01
I078506		1.03	10.1	610	1.6	13.1	0.002	0.09	0.30	3.1	0.3	35.9	95.8	0.01	0.01
I078507		21.5	2.7	4910	1.7	10.5	0.005	0.02	1.68	2.8	0.3	162.0	214	0.01	0.03
I078508		3.09	6.7	580	1.9	77.5	0.010	0.59	0.36	4.7	0.7	139.5	104.5	0.01	0.08
I078509		0.36	3.6	80	162.0	191.0	0.002	0.13	0.55	2.0	0.2	68.9	27.8	<0.01	0.04
I078510		2.40	7.0	310	1.2	5.8	0.004	0.04	1.14	2.9	0.3	57.2	23.2	0.01	0.04
I078511		2.03	5.7	590	0.8	12.8	0.003	0.05	1.11	2.9	0.3	27.6	75.8	0.01	0.03
I078512		1.29	14.8	280	2.0	14.7	0.007	2.72	<0.05	5.0	1.2	14.1	268	0.01	0.99
I078513		0.60	4.4	180	0.7	3.8	<0.001	0.01	0.94	2.2	0.4	27.7	18.6	0.01	0.01
I078514		<0.05	1.5	20	0.4	1.8	<0.001	<0.01	0.33	0.2	<0.2	0.8	1.5	<0.01	0.02
I078515		4.18	4.0	120	3300	35.8	0.016	0.34	97.0	1.8	1.2	141.0	30.5	0.20	0.13
I078516		0.29	1.5	100	127.0	80.6	<0.001	0.32	35.2	1.2	0.6	147.0	10.0	<0.01	0.04
I078517		0.65	1.9	110	180.5	145.5	<0.001	0.43	16.25	3.5	0.5	112.5	25.9	<0.01	0.03
I078518		0.38	1.0	340	46.0	53.6	<0.001	0.07	2.99	0.7	0.2	5.4	9.6	<0.01	<0.01
I078519		1.25	0.9	40	1220	35.5	0.002	0.04	7.58	0.5	<0.2	25.7	7.5	<0.01	0.01
I078520		0.62	0.9	370	4.4	1.1	<0.001	0.02	0.15	1.7	0.2	49.5	89.0	0.01	<0.01
I078521		0.09	10.4	1250	19.1	11.0	<0.001	1.37	14.35	0.8	0.4	11.3	30.8	<0.01	0.01
I078522		0.48	11.9	690	8.5	9.8	0.005	0.02	8.83	3.7	0.5	46.8	133.0	0.01	0.01
I078523		3.62	3.3	2200	1.6	9.5	0.001	0.01	1.51	1.7	<0.2	119.5	66.7	0.03	0.01
I078524		1.19	9.3	930	1.4	9.1	<0.001	<0.01	2.53	3.4	0.4	84.3	52.2	0.02	0.03
I078525		1.49	8.0	550	1.4	13.2	0.001	<0.01	0.96	2.7	0.3	60.5	41.0	0.02	0.01
I078526		1.95	10.8	700	0.9	21.4	<0.001	<0.01	1.20	3.7	0.3	99.6	46.5	0.02	0.01
I078527		0.66	7.1	850	0.7	0.7	<0.001	0.09	0.10	1.9	0.2	51.3	70.0	0.01	0.05
I078528		3.81	16.2	450	1.9	48.6	0.001	0.01	1.70	6.1	0.5	129.0	86.8	0.01	0.01
I078529		3.14	11.7	180	1.1	2.0	<0.001	<0.01	0.48	4.0	0.4	110.0	60.5	0.02	0.07
I078530		0.33	0.7	190	4.9	2.4	0.001	0.01	<0.05	1.0	0.2	0.8	2090	<0.01	0.02
I078531		0.45	5.3	510	1.1	3.5	<0.001	0.19	0.07	1.8	0.7	15.1	499	0.01	0.13
I078532		0.86	2.4	400	0.8	6.7	<0.001	0.05	0.20	2.0	0.5	31.0	260	0.02	0.12
I078533		1.23	5.8	860	1.0	1.6	0.003	0.02	0.80	2.4	0.3	46.5	186.5	0.01	0.02
I078534		0.48	1.2	430	2.3	0.6	<0.001	0.01	0.07	0.9	0.3	8.3	1015	0.01	0.04
I078535		1.10	4.1	460	1.1	4.3	<0.001	0.01	0.67	2.8	0.4	44.6	110.0	0.02	0.01
I078536		0.41	0.8	350	2.5	3.2	0.001	<0.01	<0.05	1.0	0.4	3.5	1595	0.01	0.03
I078537		0.96	6.2	460	0.5	7.7	<0.001	<0.01	0.81	3.3	0.3	34.8	58.4	0.02	0.04
I078538		1.32	14.1	240	3.4	19.7	<0.001	<0.01	<0.05	4.2	0.4	9.1	77.4	0.01	0.02
I078539		0.12	0.7	170	5.5	2.8	0.006	0.01	27.0	5.2	0.3	6.1	34.6	0.01	0.01
I078540		0.81	5.7	320	0.7	3.6	<0.001	<0.01	2.57	3.1	0.4	33.2	68.3	0.02	0.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 1- SEP- 2012
Account: MTT

Project: Say Yea

CERTIFICATE OF ANALYSIS WH12188773

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	Ag- OG46	As- OG46
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm	Ag ppm	As %
		0.005	0.02	0.05	1	0.05	0.05	2	0.5	1	0.01
I078501		<0.005	0.88	0.24	6	1.63	2.10	23	1.1		
I078502		<0.005	<0.02	0.06	1	<0.05	0.07	2	<0.5		
I078503		0.070	0.08	1.09	9	21.5	6.78	444	4.1		
I078504		0.109	0.06	1.21	11	13.45	8.01	334	3.1		
I078505		0.109	0.06	4.31	20	8.31	19.35	395	6.0		
I078506		0.110	0.07	1.07	17	3.60	7.10	196	3.2		
I078507		0.073	0.09	7.82	9	400	6.36	232	19.8		
I078508		0.121	0.94	4.43	22	1660	9.98	385	26.6		
I078509		0.014	1.05	0.26	4	15.00	4.56	1840	1.2		
I078510		0.115	0.06	1.55	15	310	7.43	329	11.1		
I078511		0.134	0.08	2.82	19	196.0	9.94	249	9.8		
I078512		0.139	0.26	2.35	33	350	13.20	116	3.7		
I078513		0.122	0.02	2.98	22	32.5	13.45	240	7.0		
I078514		<0.005	0.03	0.05	<1	2.62	0.14	6	<0.5		
I078515		<0.005	0.79	0.63	2	3730	2.18	73	<0.5	100	1.23
I078516		0.008	0.60	0.65	7	5.03	0.97	50	1.2		
I078517		0.018	0.82	0.37	13	3.99	7.49	444	1.8		
I078518		<0.005	0.38	2.21	1	7.22	1.63	7	4.1		
I078519		<0.005	0.26	0.15	<1	690	0.63	19	<0.5		
I078520		0.057	<0.02	0.97	7	5.71	4.51	406	23.7		
I078521		<0.005	0.17	1.49	3	6.15	2.23	33	2.0		
I078522		0.103	0.17	2.25	25	950	18.25	290	4.9		
I078523		0.037	0.07	2.06	7	141.0	2.62	173	9.8		
I078524		0.152	0.02	2.68	21	5.61	12.40	253	9.2		
I078525		0.115	0.03	1.83	15	80.2	7.40	155	8.6		
I078526		0.128	0.08	2.35	17	21.4	9.51	363	12.1		
I078527		0.043	0.03	1.82	9	16.85	5.46	227	7.6		
I078528		0.174	0.11	4.08	31	60.7	15.05	403	15.2		
I078529		0.179	<0.02	3.44	19	22.2	7.59	1920	6.5		
I078530		<0.005	0.02	0.49	2	0.64	3.85	23	<0.5		
I078531		0.031	0.03	0.79	7	3.31	7.04	5510	3.7		
I078532		0.069	0.03	1.32	9	2.13	5.56	3630	6.5		
I078533		0.090	0.05	1.92	10	490	5.85	1620	9.0		
I078534		0.018	<0.02	1.09	2	6.96	4.11	442	2.2		
I078535		0.100	0.03	1.41	13	3.99	5.13	2290	7.3		
I078536		0.010	<0.02	0.96	2	0.67	6.52	71	<0.5		
I078537		0.124	<0.02	3.04	14	2.89	6.50	206	10.2		
I078538		0.097	0.10	1.14	26	0.80	13.20	489	0.7		
I078539		<0.005	0.17	0.39	9	1580	9.18	17	1.4		
I078540		0.131	0.02	1.76	14	9.30	10.25	184	8.2		



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 1- SEP- 2012
 Account: MTT

Project: Say Yea

CERTIFICATE OF ANALYSIS WH12188773

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I078541		0.20	0.001	<0.01	2.15	2.3	<0.2	10	40	2.33	8.27	5.50	0.50	52.6	2.4	17
I078542		0.30	0.001	<0.01	1.44	1.3	<0.2	<10	20	0.48	0.23	2.09	0.20	23.1	2.5	5
I078543		0.20	0.001	<0.01	3.66	4	<0.2	80	30	13.55	18.35	10.05	0.30	85.5	3.4	30
I078544		0.23	<0.001	0.07	0.85	0.3	<0.2	<10	40	0.40	0.60	1.10	1.13	29.2	8.2	17
I078545		0.17	0.001	0.06	5.33	0.2	<0.2	<10	70	1.28	9.17	5.30	1.14	55.0	9.5	54
I078546		0.26	0.002	0.02	0.69	2	<0.2	<10	20	0.19	0.21	>25.0	0.30	17.20	1.8	2
I078547		0.12	0.001	1.38	0.55	0.4	<0.2	<10	80	0.07	30.4	0.75	1.76	5.84	3.0	25
I078548		0.12	0.001	0.01	0.25	<2	<0.2	<10	10	0.13	0.17	>25.0	0.07	12.60	1.8	<1
I078549		0.17	0.001	0.02	0.11	<2	<0.2	<10	10	<0.05	0.10	>25.0	0.05	11.05	1.4	<1
I078550		0.14	0.001	0.11	3.69	0.2	<0.2	<10	100	0.69	0.41	1.24	0.23	70.4	6.6	43



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 1- SEP- 2012
Account: MTT

Project: Say Yea

CERTIFICATE OF ANALYSIS WH12188773

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I078541		6.79	0.2	1.46	6.93	0.49	0.32	0.01	0.238	0.01	27.0	15.4	0.20	1300	0.07
I078542		8.58	0.5	1.23	5.70	0.18	0.12	0.01	0.258	0.04	16.2	6.5	0.06	687	0.34
I078543		6.31	<0.2	2.20	8.87	0.40	0.70	0.01	0.423	0.02	45.5	29.6	0.41	1160	0.08
I078544		4.89	2.6	1.09	4.20	0.06	0.02	0.01	0.017	0.13	13.6	16.4	0.18	551	0.14
I078545		15.70	47.7	3.01	14.20	0.16	0.09	0.02	0.220	0.29	26.8	58.9	0.74	857	0.74
I078546		4.44	4.0	0.81	2.10	0.05	0.02	0.03	0.017	0.28	8.7	25.8	0.47	423	0.05
I078547		1.52	313	4.57	2.07	0.08	0.03	0.01	3.35	0.09	2.9	18.7	0.27	167	0.42
I078548		0.79	3.1	0.53	0.79	<0.05	0.02	0.03	0.023	0.05	6.8	4.0	0.28	96	0.07
I078549		0.44	3.5	0.55	0.34	<0.05	<0.02	0.01	0.011	0.04	6.0	2.3	0.36	113	0.10
I078550		21.5	90.4	4.21	12.75	0.09	0.04	0.01	0.291	1.18	39.6	81.8	1.05	207	0.97



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 1- SEP- 2012
Account: MTT

Project: Say Yea

CERTIFICATE OF ANALYSIS WH12188773

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I078541		0.91	6.7	460	0.9	7.0	<0.001	<0.01	1.73	3.4	0.3	38.2	46.7	0.02	<0.01
I078542		0.86	4.9	730	0.7	13.4	<0.001	<0.01	0.07	1.3	<0.2	7.5	159.5	0.01	<0.01
I078543		1.40	11.1	690	1.2	13.8	<0.001	0.01	3.42	5.7	0.5	40.1	169.0	0.04	0.01
I078544		1.62	14.1	230	2.6	15.4	<0.001	0.07	<0.05	2.5	0.3	1.6	64.5	0.01	0.01
I078545		0.83	18.7	1380	2.3	57.8	0.001	0.19	<0.05	4.4	0.5	31.5	523	0.03	0.05
I078546		0.59	1.9	960	4.2	36.6	0.001	0.01	<0.05	2.0	0.4	1.8	1365	<0.01	0.02
I078547		1.48	1.8	360	31.1	9.3	<0.001	0.88	<0.05	1.7	0.5	16.2	18.3	0.01	0.15
I078548		0.40	2.4	320	8.4	5.9	0.001	0.01	<0.05	2.0	0.4	0.2	1690	<0.01	0.03
I078549		0.22	2.6	280	7.5	3.9	0.001	0.03	0.09	1.3	0.2	<0.2	1185	<0.01	0.04
I078550		0.48	20.0	420	3.7	183.0	0.001	0.32	0.05	5.5	0.5	9.4	202	0.01	0.02



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - D
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 1- SEP- 2012
 Account: MTT

Project: Say Yea

CERTIFICATE OF ANALYSIS WH12188773

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	Ag- OG46	As- OG46
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm	Ag ppm	As %
		0.005	0.02	0.05	1	0.05	0.05	2	0.5	1	0.01
I078541		0.111	0.03	2.25	16	5.50	8.77	222	9.2		
I078542		0.047	0.02	0.39	6	0.78	1.74	113	3.8		
I078543		0.229	<0.02	2.66	27	1.74	13.10	246	25.2		
I078544		0.068	0.09	0.84	16	0.52	9.60	104	<0.5		
I078545		0.176	0.64	1.31	48	2.38	9.55	347	2.4		
I078546		0.018	0.21	0.47	6	0.26	7.86	56	<0.5		
I078547		0.059	0.08	0.47	16	1.16	1.72	1360	0.9		
I078548		0.005	0.04	0.41	4	0.40	5.63	29	<0.5		
I078549		<0.005	0.03	0.33	2	0.18	4.91	20	<0.5		
I078550		0.064	1.64	2.21	36	0.33	14.45	263	0.6		



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Say Yea

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 1- SEP- 2012
Account: MTT

CERTIFICATE OF ANALYSIS WH12188773

Method	CERTIFICATE COMMENTS
ME- MS41 ME- MS41	Interference: Ca> 10%on ICP- MS As,ICP- AES results shown. Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 22- AUG- 2012
Account: MTT

CERTIFICATE WH12180694

Project: Sayyea Soil Batch 2

P.O. No.:

This report is for 250 Soil samples submitted to our lab in Whitehorse, YT, Canada on 2- AUG- 2012.

The following have access to data associated with this certificate:

SARAH EATON

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/ o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES


ALS CODE	DESCRIPTION	INSTRUMENT
W- XRF05	Trace Level W XRF Analysis	XRF
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 22- AUG- 2012
Account: MTT

Project: Sayyea Soil Batch 2

CERTIFICATE OF ANALYSIS WH12180694

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ48251		0.13	0.003	1.38	0.97	60.8	<0.2	<10	150	0.73	2.87	0.27	0.80	21.6	5.1	9
ZZ48252		0.10	0.004	0.86	1.55	11.7	<0.2	<10	50	0.91	59.4	0.09	0.45	24.5	3.6	19
ZZ48253		0.17	0.001	0.31	1.16	45.9	<0.2	<10	50	1.60	4.88	0.13	0.37	49.8	3.8	12
ZZ48254		0.19	0.006	0.17	2.07	52.7	<0.2	<10	70	3.48	5.28	0.26	1.12	50.2	8.4	25
ZZ48255		0.26	0.014	0.81	3.17	72.9	<0.2	<10	70	10.80	19.15	3.44	1.59	71.3	9.5	29
ZZ48256		0.18	0.008	0.28	2.44	63.4	<0.2	<10	70	4.16	3.72	1.53	0.57	70.1	11.5	33
ZZ48257		0.09	0.006	0.12	0.37	6.6	<0.2	<10	60	0.47	0.34	3.74	0.97	6.81	1.8	4
ZZ48258		0.26	0.009	0.20	2.76	156.0	<0.2	<10	90	1.21	1.08	0.75	0.15	69.9	14.4	40
ZZ48259		0.25	0.002	0.17	3.05	23.7	<0.2	<10	90	1.35	1.40	0.73	0.20	67.3	14.9	42
ZZ48260		0.21	0.005	0.12	2.97	17.1	<0.2	<10	80	1.05	1.10	0.74	0.18	71.4	14.7	40
ZZ48261		0.20	0.001	0.08	3.04	20.7	<0.2	<10	80	0.99	1.17	0.57	0.14	67.0	15.0	42
ZZ48262		0.22	0.009	0.04	2.84	23.6	<0.2	<10	70	0.90	0.59	0.50	0.08	66.3	13.6	40
ZZ48263		0.19	0.002	0.13	2.50	21.7	<0.2	<10	80	0.69	0.70	0.46	0.18	54.4	11.7	35
ZZ48264		0.20	0.003	0.10	3.05	12.5	<0.2	<10	80	1.00	0.49	0.63	0.13	76.1	15.2	41
ZZ48265		0.20	0.003	0.12	2.78	19.4	<0.2	<10	80	0.87	0.62	1.41	0.17	89.4	18.3	37
ZZ48266		0.29	0.003	0.08	3.01	11.7	<0.2	<10	100	0.86	0.57	0.51	0.08	65.6	14.9	41
ZZ48267		0.19	0.001	0.16	2.99	13.1	<0.2	<10	90	0.89	0.55	0.74	0.25	80.5	15.3	37
ZZ48268		0.25	<0.001	0.14	2.43	13.0	<0.2	<10	70	0.72	0.54	0.56	0.23	82.6	14.6	32
ZZ48269		0.23	0.002	0.26	2.65	17.4	<0.2	<10	70	0.85	0.62	0.53	0.17	83.1	15.4	36
ZZ48270		0.27	0.003	0.11	2.61	10.1	<0.2	<10	70	0.78	0.50	0.38	0.13	86.5	15.7	35
ZZ48271		0.26	0.003	0.12	2.73	12.4	<0.2	<10	80	0.77	0.56	0.53	0.15	82.0	15.6	39
ZZ48272		0.24	0.002	0.22	2.78	15.4	<0.2	<10	90	1.01	0.63	0.70	0.14	84.8	16.5	35
ZZ48273		0.28	0.002	0.19	2.63	18.5	<0.2	<10	70	0.99	0.70	0.36	0.19	92.4	19.3	36
ZZ48274		0.25	0.002	0.05	2.66	15.9	<0.2	<10	60	0.86	0.59	0.35	0.12	71.6	17.4	37
ZZ48275		0.18	<0.001	0.35	1.76	10.1	<0.2	<10	70	0.62	0.41	0.29	0.05	34.9	7.6	24
ZZ48276		0.29	0.002	0.06	2.83	17.1	<0.2	<10	70	0.97	0.81	0.44	0.11	69.9	17.9	39
ZZ48277		0.34	0.001	0.06	2.89	22.0	<0.2	<10	70	1.23	1.07	0.46	0.10	78.6	18.9	39
ZZ48278		0.17	0.001	0.05	2.66	13.3	<0.2	<10	70	1.08	1.04	0.43	0.09	70.8	15.8	40
ZZ48279		0.17	0.004	0.07	3.00	12.8	<0.2	<10	80	1.95	3.31	0.54	0.12	74.1	20.0	53
ZZ48280		0.18	0.004	0.08	2.32	12.8	<0.2	<10	80	1.45	1.51	0.43	0.09	77.5	16.7	40
ZZ48281		0.18	0.003	0.07	2.25	20.0	<0.2	<10	60	1.73	1.74	0.55	0.12	80.7	16.9	39
ZZ48282		0.29	0.005	0.13	2.32	42.9	<0.2	<10	70	8.91	32.0	1.32	0.36	48.2	15.0	32
ZZ48283		0.25	0.007	0.61	2.00	30.8	<0.2	<10	60	5.63	13.05	0.56	0.43	61.5	10.6	26
ZZ48284		0.20	0.001	0.53	1.86	11.2	<0.2	<10	60	2.08	5.22	0.19	0.29	40.3	5.8	24
ZZ48285		0.13	0.003	0.35	1.70	124.5	<0.2	<10	50	2.48	18.90	0.31	1.37	32.7	7.5	29
ZZ48286		0.21	0.003	3.58	1.78	44.8	<0.2	<10	40	1.54	3.24	0.08	0.26	60.4	3.9	15
ZZ48287		0.21	0.001	1.47	1.56	19.2	<0.2	<10	50	0.99	1.93	0.10	0.23	54.4	4.7	17
ZZ48288		0.17	0.002	0.47	1.87	18.0	<0.2	<10	60	2.58	3.18	0.21	0.68	56.4	6.8	21
ZZ48289		0.20	0.001	0.56	1.78	52.3	<0.2	<10	50	1.68	3.16	0.14	1.36	56.7	7.7	24
ZZ48290		0.19	0.005	0.45	1.65	12.4	<0.2	<10	70	1.72	2.08	0.18	0.53	63.5	5.2	19



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 22- AUG- 2012
Account: MTT

Project: Sayyea Soil Batch 2

CERTIFICATE OF ANALYSIS WH12180694

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ48251		3.55	14.3	1.57	4.58	<0.05	<0.02	0.05	0.107	0.13	10.5	22.9	0.11	1760	1.62
ZZ48252		6.17	40.3	4.98	12.70	<0.05	0.02	0.04	0.108	0.05	12.4	18.3	0.20	161	4.68
ZZ48253		13.85	22.7	2.48	7.27	0.05	0.02	0.02	0.218	0.10	26.9	25.2	0.20	479	3.76
ZZ48254		8.73	30.2	3.63	9.09	0.05	<0.02	0.02	0.320	0.13	25.9	39.1	0.42	750	2.28
ZZ48255		18.05	45.4	3.65	12.85	0.28	0.15	0.05	0.452	0.38	40.7	89.0	0.46	1410	4.68
ZZ48256		11.85	25.4	3.63	7.92	0.09	0.03	0.04	0.199	0.18	30.4	57.9	0.64	827	1.15
ZZ48257		1.76	6.3	0.47	1.34	<0.05	0.06	0.06	0.016	0.03	3.3	4.7	0.08	438	2.01
ZZ48258		8.31	21.1	4.16	8.50	0.09	<0.02	0.01	0.041	0.20	34.2	67.7	0.89	533	1.24
ZZ48259		8.91	26.9	4.52	9.07	0.09	0.02	0.01	0.038	0.39	35.9	91.5	0.96	487	0.73
ZZ48260		6.76	23.3	4.25	9.30	0.11	0.03	0.01	0.042	0.34	36.2	66.0	1.01	505	0.46
ZZ48261		6.24	23.9	4.39	9.50	0.08	0.02	0.01	0.036	0.34	33.8	71.3	1.03	576	0.56
ZZ48262		5.33	19.3	4.07	8.77	0.08	0.02	<0.01	0.027	0.35	31.9	61.0	1.05	396	0.30
ZZ48263		5.37	18.6	3.75	9.70	0.05	<0.02	0.01	0.031	0.18	26.1	59.8	0.80	348	0.53
ZZ48264		6.36	24.2	4.18	9.60	0.10	<0.02	0.01	0.031	0.29	38.6	63.6	1.01	508	0.28
ZZ48265		4.95	33.8	4.59	8.53	0.11	0.03	0.01	0.032	0.30	47.5	54.0	1.01	580	0.30
ZZ48266		5.50	22.7	4.30	9.45	0.08	0.02	0.01	0.031	0.23	34.0	57.3	0.97	472	0.33
ZZ48267		5.13	24.7	4.40	8.20	0.10	0.03	0.02	0.030	0.25	46.6	81.4	0.95	528	0.32
ZZ48268		3.28	21.0	4.24	7.14	0.10	0.03	0.01	0.030	0.17	45.0	61.2	0.89	381	0.38
ZZ48269		3.67	27.5	4.52	8.10	0.10	0.03	<0.01	0.030	0.18	49.0	54.3	1.00	452	0.32
ZZ48270		3.89	25.1	4.27	8.25	0.09	0.02	<0.01	0.025	0.24	41.1	54.8	1.03	600	0.29
ZZ48271		4.82	25.7	4.28	8.73	0.11	0.02	<0.01	0.030	0.29	41.4	56.2	1.02	546	0.31
ZZ48272		4.91	29.3	4.26	8.36	0.10	0.02	0.02	0.035	0.22	45.1	50.2	0.84	732	0.40
ZZ48273		5.67	29.2	4.48	8.20	0.09	0.02	0.02	0.038	0.23	36.5	49.9	0.91	552	0.35
ZZ48274		5.77	21.3	3.97	8.62	0.10	0.02	<0.01	0.032	0.28	33.6	59.4	0.98	425	0.25
ZZ48275		4.79	12.0	2.35	6.13	0.05	<0.02	0.05	0.021	0.13	17.3	34.4	0.52	165	0.31
ZZ48276		5.69	21.6	4.21	8.97	0.09	0.02	0.01	0.033	0.33	31.4	59.2	1.02	451	0.31
ZZ48277		6.66	26.2	4.30	9.38	0.10	0.03	0.01	0.033	0.34	33.8	68.3	1.03	465	0.26
ZZ48278		6.13	20.9	4.26	8.11	0.08	0.02	0.01	0.035	0.31	31.9	53.1	1.01	476	0.26
ZZ48279		10.00	29.3	4.70	9.81	0.10	<0.02	0.01	0.066	0.33	37.8	93.0	1.02	518	0.84
ZZ48280		7.29	21.9	4.16	8.37	0.09	<0.02	0.01	0.059	0.22	36.5	61.6	0.80	522	0.78
ZZ48281		7.27	22.5	4.01	8.01	0.09	0.02	<0.01	0.060	0.19	39.6	58.6	0.87	540	1.01
ZZ48282		9.04	15.7	4.52	13.55	0.16	0.03	0.04	0.480	0.16	22.9	38.6	0.52	1250	9.95
ZZ48283		16.30	43.1	3.74	9.29	0.08	<0.02	0.04	0.294	0.16	33.4	50.5	0.44	1090	3.63
ZZ48284		11.50	13.1	2.91	8.55	0.05	<0.02	0.03	0.166	0.07	21.3	32.9	0.47	339	8.85
ZZ48285		11.95	33.9	5.38	11.45	0.05	<0.02	0.03	0.625	0.16	15.5	33.9	0.38	533	9.15
ZZ48286		9.07	17.0	2.67	7.52	0.05	<0.02	0.02	0.167	0.19	29.9	79.1	0.29	251	2.46
ZZ48287		8.63	10.5	2.51	7.75	0.05	<0.02	0.03	0.107	0.16	27.2	72.1	0.36	322	1.55
ZZ48288		10.45	16.1	3.09	8.80	0.07	0.02	0.02	0.213	0.18	29.5	84.5	0.42	498	1.77
ZZ48289		6.24	17.5	3.22	7.95	0.06	<0.02	0.01	0.194	0.20	28.4	60.5	0.52	357	2.39
ZZ48290		8.78	12.7	2.80	8.99	0.07	<0.02	0.02	0.108	0.21	32.7	94.2	0.38	327	1.29



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 22- AUG- 2012
Account: MTT

Project: Sayyea Soil Batch 2

CERTIFICATE OF ANALYSIS WH12180694

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
ZZ48251		1.97	6.7	410	24.6	67.6	<0.001	0.07	3.92	0.6	0.2	2.8	37.2	<0.01	0.02
ZZ48252		3.60	8.5	400	21.1	22.3	<0.001	0.02	1.14	1.6	0.3	4.8	10.1	<0.01	0.24
ZZ48253		3.60	7.2	220	44.6	65.3	<0.001	0.01	1.52	1.3	0.2	10.8	13.9	<0.01	0.03
ZZ48254		2.61	18.8	550	61.0	39.8	<0.001	0.03	4.11	2.6	0.7	12.9	29.0	<0.01	0.03
ZZ48255		4.85	23.2	750	118.5	70.7	<0.001	0.03	8.25	4.8	1.1	23.9	82.7	<0.01	0.08
ZZ48256		2.70	29.0	840	15.8	27.5	<0.001	0.04	4.98	4.5	1.0	10.1	98.7	<0.01	0.03
ZZ48257		0.58	4.2	570	2.2	4.1	<0.001	0.12	1.11	0.5	0.3	0.9	168.5	0.01	<0.01
ZZ48258		3.86	36.1	780	15.5	33.9	<0.001	0.04	8.73	4.2	1.2	1.6	64.2	<0.01	0.02
ZZ48259		3.75	38.6	530	14.7	57.6	0.001	0.03	1.38	5.0	1.2	1.6	61.2	<0.01	0.03
ZZ48260		3.79	37.7	710	14.4	49.0	<0.001	0.03	0.44	4.6	1.1	1.3	91.4	0.01	0.03
ZZ48261		3.42	39.4	510	15.0	44.9	<0.001	0.02	0.31	4.7	0.6	1.3	79.4	0.01	0.04
ZZ48262		2.89	34.6	470	10.8	40.2	<0.001	0.01	0.22	4.4	1.2	1.2	89.0	0.01	0.03
ZZ48263		3.18	35.0	460	15.0	23.4	<0.001	0.02	0.27	3.3	0.7	1.3	62.6	<0.01	0.04
ZZ48264		3.38	40.5	620	14.8	37.1	<0.001	0.02	0.17	4.8	0.9	1.1	122.5	0.01	0.02
ZZ48265		2.01	48.6	700	22.0	33.2	<0.001	0.01	0.30	4.4	1.2	1.0	141.5	<0.01	0.05
ZZ48266		3.33	41.9	750	16.5	32.0	<0.001	0.02	0.19	4.0	0.8	1.2	71.5	<0.01	0.02
ZZ48267		2.55	44.7	630	19.2	30.7	0.001	0.03	0.27	4.2	1.2	1.0	89.1	<0.01	0.04
ZZ48268		1.97	38.3	740	19.8	23.6	<0.001	0.02	0.20	3.5	0.9	0.8	69.0	<0.01	0.02
ZZ48269		2.14	42.8	690	23.1	24.1	<0.001	0.01	0.21	4.2	1.2	1.0	79.3	<0.01	0.04
ZZ48270		2.25	39.8	720	16.8	28.5	<0.001	0.01	0.17	3.9	1.1	1.0	80.0	<0.01	0.03
ZZ48271		2.28	41.8	740	18.4	35.1	<0.001	0.01	0.20	4.4	0.5	1.1	92.1	<0.01	0.02
ZZ48272		2.58	41.6	820	22.7	29.3	0.001	0.03	0.32	4.1	1.1	1.0	100.0	<0.01	0.05
ZZ48273		2.00	44.5	660	25.5	30.0	<0.001	0.01	0.56	4.6	0.5	1.1	82.8	<0.01	0.03
ZZ48274		2.39	35.8	570	14.2	37.6	<0.001	0.01	0.28	4.7	0.9	1.1	82.2	0.01	0.01
ZZ48275		2.08	20.4	540	8.0	16.4	<0.001	0.03	0.16	1.7	0.4	0.8	47.3	<0.01	0.01
ZZ48276		2.81	36.6	530	14.5	37.7	<0.001	0.01	0.22	4.9	0.7	1.1	83.9	0.01	0.02
ZZ48277		2.09	39.1	520	13.6	42.6	<0.001	0.01	0.34	5.4	0.7	1.3	83.3	<0.01	0.01
ZZ48278		1.77	32.8	550	12.8	37.6	<0.001	0.01	0.39	4.9	0.6	1.1	69.3	0.01	0.02
ZZ48279		4.39	41.0	800	14.2	45.3	<0.001	0.03	1.26	6.5	0.7	2.1	63.4	<0.01	0.04
ZZ48280		3.58	36.2	560	31.3	37.8	<0.001	0.01	2.07	4.9	0.9	1.8	39.9	<0.01	0.04
ZZ48281		2.53	34.2	580	15.0	27.9	<0.001	0.01	1.54	5.2	0.6	2.1	58.5	0.01	0.02
ZZ48282		3.19	20.1	610	30.5	29.7	0.001	0.01	13.35	3.8	0.4	32.6	40.6	<0.01	0.04
ZZ48283		2.89	21.0	410	52.9	55.1	<0.001	0.03	4.12	3.7	0.6	10.5	41.9	<0.01	0.09
ZZ48284		2.08	12.8	280	27.6	24.1	<0.001	0.02	1.03	1.6	0.2	5.6	19.0	<0.01	0.02
ZZ48285		1.81	17.4	490	22.6	147.0	<0.001	0.04	12.40	2.8	0.8	19.7	33.2	<0.01	0.11
ZZ48286		3.94	7.8	290	41.5	81.3	<0.001	0.01	0.84	1.7	0.3	7.3	11.1	<0.01	0.03
ZZ48287		5.09	9.2	350	24.6	99.2	<0.001	0.01	0.46	1.8	0.2	5.5	13.8	<0.01	<0.01
ZZ48288		5.30	13.4	570	17.3	80.0	<0.001	0.01	0.58	2.7	0.5	7.2	19.3	<0.01	0.02
ZZ48289		4.00	17.2	390	45.4	83.4	<0.001	0.02	1.45	2.4	0.5	5.1	22.8	<0.01	0.03
ZZ48290		6.18	11.4	720	14.8	79.6	<0.001	0.01	0.53	2.1	0.3	5.2	17.2	0.01	0.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 22- AUG- 2012
Account: MTT

Project: Sayyea Soil Batch 2

CERTIFICATE OF ANALYSIS WH12180694

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm	W- XRF05 W ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5	10
ZZ48251		0.020	0.83	1.03	14	12.40	2.02	217	<0.5	
ZZ48252		0.068	0.20	0.68	51	67.0	2.25	155	0.7	
ZZ48253		0.035	0.32	1.62	24	172.0	3.57	314	0.9	180
ZZ48254		0.020	0.46	1.90	25	132.5	5.71	582	<0.5	140
ZZ48255		0.065	0.89	6.65	27	93.8	19.20	875	6.4	
ZZ48256		0.053	0.44	3.17	30	39.8	10.35	439	0.8	
ZZ48257		0.014	0.13	0.35	6	6.78	1.33	126	2.2	
ZZ48258		0.065	0.53	3.98	33	3.85	10.75	136	<0.5	
ZZ48259		0.072	0.38	2.21	33	1.11	12.80	169	0.5	
ZZ48260		0.066	0.29	2.14	31	0.65	14.20	158	0.6	
ZZ48261		0.069	0.26	1.80	32	1.66	13.50	150	0.5	
ZZ48262		0.071	0.24	1.56	29	0.30	12.40	107	0.5	
ZZ48263		0.051	0.15	1.37	30	0.37	9.44	144	<0.5	
ZZ48264		0.056	0.22	1.86	31	0.30	16.50	125	0.5	
ZZ48265		0.036	0.22	1.38	27	0.22	20.9	152	1.0	
ZZ48266		0.044	0.21	1.47	32	0.25	12.70	128	<0.5	
ZZ48267		0.032	0.19	1.93	27	0.22	22.6	170	0.8	
ZZ48268		0.027	0.13	2.55	22	0.19	19.40	149	1.0	
ZZ48269		0.031	0.15	1.95	25	0.18	23.7	147	0.9	
ZZ48270		0.037	0.17	1.41	24	0.38	15.75	122	0.6	
ZZ48271		0.044	0.23	1.37	28	0.22	17.55	133	0.7	
ZZ48272		0.034	0.22	1.96	26	0.30	22.2	148	0.6	
ZZ48273		0.031	0.22	1.36	27	0.47	16.10	157	0.7	
ZZ48274		0.054	0.26	1.35	27	0.26	13.10	135	0.7	
ZZ48275		0.032	0.15	1.00	19	0.25	6.97	76	<0.5	
ZZ48276		0.063	0.25	1.34	29	2.40	12.70	135	0.8	
ZZ48277		0.068	0.30	1.38	29	0.71	13.65	135	1.1	
ZZ48278		0.075	0.28	1.39	30	0.59	11.15	130	0.7	
ZZ48279		0.119	0.39	1.44	47	4.99	11.55	180	<0.5	
ZZ48280		0.072	0.31	1.39	36	2.77	10.05	162	<0.5	
ZZ48281		0.084	0.31	1.62	32	5.15	11.05	150	0.8	
ZZ48282		0.052	0.83	1.26	31	194.0	6.29	373	1.6	200
ZZ48283		0.036	0.46	3.30	28	116.5	10.70	488	<0.5	120
ZZ48284		0.041	0.44	0.86	34	23.3	4.00	228	<0.5	
ZZ48285		0.035	0.77	0.97	37	73.4	3.95	542	<0.5	
ZZ48286		0.023	0.50	2.67	20	21.9	4.98	321	0.6	
ZZ48287		0.045	0.31	1.73	23	12.25	4.37	278	<0.5	
ZZ48288		0.047	0.29	1.97	27	17.75	6.57	494	0.9	
ZZ48289		0.039	0.33	1.95	27	23.0	5.76	498	<0.5	
ZZ48290		0.046	0.32	2.26	22	9.54	6.34	354	<0.5	



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.

C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED

1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Sayyea Soil Batch 2

Page: 3 - A

Total # Pages: 8 (A - D)

Plus Appendix Pages

Finalized Date: 22- AUG- 2012

Account: MTT

CERTIFICATE OF ANALYSIS WH12180694

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ48291		0.24	0.001	0.43	1.25	28.6	<0.2	<10	40	0.81	2.32	0.12	0.54	51.5	4.1	15
ZZ48292		0.20	0.004	0.57	1.33	13.8	<0.2	<10	50	0.92	2.27	0.16	0.48	39.1	4.2	16
ZZ48293		0.12	0.006	2.43	0.86	1010	<0.2	<10	40	1.14	8.74	0.07	0.82	38.9	1.7	9
ZZ48294		0.15	0.001	0.41	2.32	15.9	<0.2	<10	100	1.96	1.87	1.18	0.40	48.5	8.7	30
ZZ48295		0.31	0.003	0.16	2.24	39.7	<0.2	<10	70	4.08	16.95	0.44	0.63	56.7	10.5	30
ZZ48296		0.31	0.014	0.34	3.09	44.0	<0.2	<10	100	12.70	30.2	2.71	0.23	62.7	11.7	32
ZZ48297		0.37	0.006	0.18	2.50	18.3	<0.2	<10	90	2.08	3.47	0.68	0.18	75.5	17.0	42
ZZ48298		0.25	0.003	0.15	2.36	9.8	<0.2	<10	90	1.23	1.40	0.53	0.14	58.1	15.2	38
ZZ48299		0.17	0.002	0.08	1.27	6.0	<0.2	<10	50	0.38	1.02	0.29	0.16	44.2	6.8	23
ZZ48300		0.25	0.005	0.05	2.66	17.6	<0.2	<10	60	0.84	1.58	0.37	0.12	64.9	16.6	36
ZZ48301		0.19	0.002	0.10	2.69	18.3	<0.2	<10	60	0.96	0.69	0.52	0.10	68.4	16.5	40
ZZ48302		0.32	0.003	0.08	2.91	20.5	<0.2	<10	70	0.96	0.67	0.50	0.12	79.7	17.5	39
ZZ48303		0.24	0.003	0.08	2.71	20.0	<0.2	<10	80	0.91	0.63	0.54	0.11	71.0	16.8	39
ZZ48304		0.26	0.003	0.12	3.12	18.1	<0.2	<10	100	0.89	0.87	0.50	0.10	60.1	14.4	42
ZZ48305		0.26	0.003	0.16	2.29	13.4	<0.2	<10	80	0.70	0.54	0.29	0.06	45.4	11.2	31
ZZ48306		0.27	0.004	0.14	2.55	15.1	<0.2	<10	90	0.82	0.65	0.34	0.10	68.2	17.8	35
ZZ48307		0.33	0.003	0.11	2.38	7.5	<0.2	<10	60	1.73	0.83	0.44	0.22	89.5	23.8	34
ZZ48308		0.21	0.004	0.11	2.65	10.0	<0.2	<10	80	0.79	0.58	0.66	0.12	73.3	14.9	32
ZZ48309		0.21	0.003	0.12	2.80	12.1	<0.2	<10	80	0.73	0.71	0.84	0.11	78.7	14.8	37
ZZ48310		0.24	0.003	0.16	2.99	17.8	<0.2	<10	80	0.88	0.77	0.88	0.19	101.0	20.6	40
ZZ48311		0.19	0.009	0.14	3.11	16.1	<0.2	<10	90	0.92	0.67	0.87	0.15	82.2	17.3	42
ZZ48312		0.19	0.002	0.14	3.40	15.9	<0.2	<10	90	0.96	0.70	0.89	0.12	77.2	15.3	46
ZZ48313		0.24	0.003	0.13	3.44	16.1	<0.2	<10	100	1.06	0.69	0.92	0.11	74.9	16.2	46
ZZ48314		0.37	0.004	0.12	3.20	14.8	<0.2	<10	90	1.07	0.67	0.74	0.11	72.7	16.1	41
ZZ48315		0.35	0.004	0.08	3.04	15.4	<0.2	<10	80	1.04	1.56	0.63	0.14	91.5	22.1	42
ZZ48316		0.22	0.002	0.18	2.78	14.0	<0.2	<10	70	0.87	1.77	0.47	0.10	59.8	15.0	39
ZZ48317		0.24	0.004	0.07	2.71	10.1	<0.2	<10	70	1.19	1.74	0.39	0.09	74.7	16.9	41
ZZ48318		0.27	0.008	0.05	2.42	9.2	<0.2	<10	70	1.33	1.17	0.29	0.09	73.6	16.5	37
ZZ48319		0.26	0.001	0.08	2.25	12.3	<0.2	<10	70	1.62	1.21	0.54	0.09	79.6	17.4	41
ZZ48320		0.31	0.002	0.07	2.66	5.0	<0.2	<10	80	1.36	1.71	0.54	0.12	76.4	14.7	44
ZZ48321		0.29	0.009	0.15	3.01	19.7	<0.2	<10	90	2.77	2.22	0.79	0.16	85.5	18.1	47
ZZ48322		0.32	0.018	0.51	6.00	51.4	<0.2	20	160	15.10	37.5	9.83	<0.01	77.5	10.9	40
ZZ48323		0.30	0.002	0.31	2.34	10.6	<0.2	<10	80	1.62	9.04	0.23	0.27	51.6	7.4	28
ZZ48324		0.23	0.011	0.19	2.20	16.4	<0.2	<10	60	2.95	3.69	0.32	0.62	51.1	7.7	31
ZZ48325		0.40	0.009	0.88	3.17	88.1	<0.2	<10	80	6.81	7.58	1.44	0.80	79.6	8.3	25
ZZ48326		0.19	0.002	0.53	2.15	25.4	<0.2	<10	70	2.10	3.23	0.40	1.32	61.0	8.1	31
ZZ48327		0.16	0.015	0.43	2.11	21.9	<0.2	<10	70	2.33	2.40	0.33	1.92	54.3	8.7	31
ZZ48328		0.20	0.004	0.21	1.94	6.3	<0.2	<10	40	0.48	0.98	0.13	0.07	88.8	12.7	30
ZZ48329		0.25	0.006	0.09	1.96	1.8	<0.2	<10	10	0.31	0.67	0.05	0.03	165.5	14.0	20
ZZ48330		0.36	0.005	0.12	2.01	4.4	<0.2	<10	20	0.40	1.95	0.04	0.06	133.5	11.5	21



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 22- AUG- 2012
Account: MTT

Project: Sayyea Soil Batch 2

CERTIFICATE OF ANALYSIS WH12180694

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ48291		9.32	11.8	2.09	7.10	0.06	<0.02	0.01	0.100	0.13	26.0	44.8	0.30	245	3.00
ZZ48292		5.22	11.3	2.15	7.21	<0.05	<0.02	0.01	0.068	0.08	19.6	31.6	0.33	228	3.16
ZZ48293		12.40	54.2	2.83	5.64	<0.05	<0.02	0.02	1.290	0.08	26.0	11.8	0.11	187	5.44
ZZ48294		23.8	25.7	3.95	12.65	0.13	0.12	0.03	0.128	0.21	25.5	50.5	0.38	567	3.08
ZZ48295		12.95	19.4	3.99	9.89	0.06	<0.02	0.02	0.226	0.19	27.8	79.4	0.58	624	7.79
ZZ48296		10.15	20.4	4.07	16.55	0.39	0.04	0.08	0.500	0.24	29.2	58.6	0.48	1040	15.95
ZZ48297		12.85	37.4	4.57	8.64	0.09	0.02	0.02	0.076	0.37	40.4	60.6	0.82	554	1.16
ZZ48298		8.78	18.7	3.68	7.73	0.07	<0.02	0.01	0.041	0.23	28.0	55.0	0.77	527	0.78
ZZ48299		9.68	9.1	2.11	8.55	0.05	<0.02	0.01	0.016	0.17	22.6	20.5	0.40	274	0.62
ZZ48300		5.53	20.6	3.85	8.52	0.08	<0.02	<0.01	0.037	0.25	29.4	49.8	0.90	389	0.26
ZZ48301		6.20	20.8	3.99	8.79	0.07	0.02	0.01	0.028	0.27	33.0	58.6	1.00	463	0.33
ZZ48302		5.79	22.8	4.31	9.37	0.10	0.02	0.01	0.031	0.30	38.0	58.2	1.05	441	0.32
ZZ48303		5.64	21.5	3.96	9.18	0.08	<0.02	0.01	0.029	0.32	32.8	55.4	0.95	396	0.31
ZZ48304		6.52	22.1	4.25	10.30	0.08	<0.02	0.01	0.033	0.33	28.8	59.2	1.01	343	0.35
ZZ48305		4.49	15.1	3.27	7.84	0.07	<0.02	0.02	0.028	0.18	21.8	45.0	0.71	254	0.35
ZZ48306		4.57	19.4	3.95	8.33	0.08	<0.02	0.01	0.029	0.20	32.4	52.9	0.87	504	0.40
ZZ48307		7.69	32.1	4.65	7.05	0.10	<0.02	0.01	0.111	0.17	39.3	58.0	0.82	1030	0.91
ZZ48308		3.94	23.1	4.33	7.59	0.09	0.03	0.01	0.030	0.20	40.3	52.9	0.97	456	0.32
ZZ48309		4.46	22.8	4.15	8.66	0.11	0.03	0.02	0.026	0.23	41.7	56.2	0.89	355	0.30
ZZ48310		5.26	33.3	4.80	9.76	0.13	0.04	0.02	0.032	0.38	52.3	65.2	1.06	558	0.33
ZZ48311		5.58	26.1	4.35	10.20	0.11	0.03	0.02	0.035	0.32	40.1	67.4	1.00	518	0.31
ZZ48312		6.26	25.7	4.44	10.60	0.10	0.02	0.02	0.033	0.39	39.6	74.4	1.03	343	0.28
ZZ48313		6.54	25.9	4.33	11.30	0.11	0.03	0.03	0.031	0.40	40.3	75.3	1.03	342	0.28
ZZ48314		6.19	25.1	4.18	10.55	0.09	0.03	0.02	0.034	0.38	38.9	65.3	0.97	411	0.26
ZZ48315		6.74	27.0	4.30	10.75	0.13	0.04	0.01	0.030	0.45	42.1	68.7	1.03	538	0.23
ZZ48316		6.57	20.4	3.72	9.36	0.15	0.03	0.01	0.034	0.31	29.9	62.8	0.91	392	0.30
ZZ48317		7.54	22.9	4.00	9.25	0.17	0.04	0.01	0.039	0.32	38.5	66.6	0.91	528	0.27
ZZ48318		7.58	21.5	3.82	8.18	0.17	0.03	0.01	0.039	0.28	36.7	65.4	0.82	549	0.35
ZZ48319		8.51	25.3	4.00	8.48	0.11	<0.02	0.06	0.042	0.29	42.4	54.5	0.83	644	0.40
ZZ48320		7.63	23.4	4.01	8.84	0.12	0.02	0.07	0.035	0.32	43.0	62.5	0.92	424	0.27
ZZ48321		11.50	39.9	4.76	10.00	0.10	0.03	0.02	0.105	0.28	43.5	65.4	0.84	684	0.54
ZZ48322		12.25	19.2	4.46	35.5	0.75	0.42	0.09	0.625	0.52	34.7	101.0	0.52	1180	10.50
ZZ48323		8.70	17.2	3.20	9.43	0.05	0.02	0.02	0.128	0.07	25.9	44.4	0.48	346	2.59
ZZ48324		9.81	14.6	3.23	9.43	0.05	<0.02	0.04	0.210	0.12	26.0	58.3	0.58	459	2.05
ZZ48325		12.00	93.0	3.68	12.60	0.12	0.06	0.06	0.435	0.31	43.2	81.4	0.48	855	4.30
ZZ48326		8.24	23.2	3.22	9.00	0.06	<0.02	0.03	0.126	0.11	29.6	71.9	0.61	465	5.33
ZZ48327		12.20	22.3	3.12	10.50	0.06	<0.02	0.06	0.149	0.19	26.1	80.8	0.52	630	3.80
ZZ48328		2.72	14.9	4.06	7.69	0.11	<0.02	0.01	0.024	0.17	44.0	54.4	0.67	328	0.37
ZZ48329		1.32	31.2	4.46	6.22	0.16	<0.02	0.01	0.020	0.02	75.7	32.7	0.86	487	0.21
ZZ48330		1.77	24.6	4.30	5.81	0.12	<0.02	0.02	0.022	0.04	67.1	32.3	0.73	409	0.32



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 22- AUG- 2012
Account: MTT

Project: Sayyea Soil Batch 2

CERTIFICATE OF ANALYSIS WH12180694

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
ZZ48291		5.30	7.8	190	29.3	103.5	<0.001	<0.01	0.53	1.7	<0.2	6.0	14.1	<0.01	<0.01
ZZ48292		3.68	9.0	210	27.9	68.1	<0.001	0.01	0.45	1.4	0.2	4.7	17.5	<0.01	<0.01
ZZ48293		1.16	4.6	400	1450	34.2	0.001	0.07	8.53	1.2	<0.2	16.1	26.2	<0.01	0.03
ZZ48294		4.49	15.4	240	22.3	53.1	0.001	0.01	2.43	3.7	0.7	7.9	26.9	<0.01	0.01
ZZ48295		3.46	22.1	480	63.2	50.5	<0.001	0.02	3.71	3.5	0.2	11.2	36.0	<0.01	0.15
ZZ48296		3.27	21.8	680	24.7	36.2	0.003	0.03	17.00	4.7	0.9	38.6	67.9	<0.01	0.06
ZZ48297		3.74	38.9	790	16.2	53.9	0.001	0.03	2.33	5.8	1.2	2.5	70.9	<0.01	0.04
ZZ48298		4.41	31.3	810	14.6	39.4	<0.001	0.03	1.19	4.2	0.5	1.4	49.6	<0.01	0.02
ZZ48299		4.06	12.7	240	10.2	40.3	<0.001	0.01	0.25	2.0	0.5	1.6	23.2	<0.01	0.03
ZZ48300		3.31	31.8	480	11.7	28.2	<0.001	0.01	0.30	4.5	0.7	1.3	71.8	0.01	0.02
ZZ48301		2.73	33.5	520	12.8	38.9	0.001	0.01	0.23	4.8	1.0	1.1	97.5	0.01	0.01
ZZ48302		2.84	38.3	570	13.7	40.3	0.001	0.01	0.27	5.1	1.1	1.1	92.1	<0.01	<0.01
ZZ48303		3.37	36.3	560	13.7	39.7	<0.001	0.01	0.20	4.7	0.4	1.2	95.5	0.01	0.01
ZZ48304		3.66	38.7	630	14.2	44.0	<0.001	0.02	0.20	4.6	0.7	1.3	91.7	<0.01	0.02
ZZ48305		2.97	27.6	580	11.4	24.9	<0.001	0.02	0.18	3.0	0.7	1.0	54.9	<0.01	0.02
ZZ48306		2.59	35.3	690	16.7	27.3	<0.001	0.02	0.25	3.8	0.8	1.0	66.1	<0.01	0.02
ZZ48307		1.39	47.8	610	26.2	21.1	<0.001	0.01	0.39	4.4	0.8	1.0	47.4	<0.01	0.02
ZZ48308		2.00	36.8	610	14.9	23.7	<0.001	0.02	0.27	3.5	0.8	0.7	83.2	<0.01	0.04
ZZ48309		3.09	38.1	660	17.6	31.4	<0.001	0.05	0.23	4.2	0.8	1.1	116.5	<0.01	0.04
ZZ48310		2.00	51.2	730	19.1	38.9	0.001	0.02	0.32	5.3	0.8	1.2	127.5	<0.01	0.03
ZZ48311		3.87	45.4	600	18.7	42.7	<0.001	0.04	0.22	5.0	1.3	1.2	127.0	<0.01	0.01
ZZ48312		4.18	43.5	630	15.1	46.9	<0.001	0.04	0.21	5.6	0.9	1.4	130.5	<0.01	0.02
ZZ48313		4.46	44.4	560	14.6	50.8	<0.001	0.04	0.20	5.7	0.3	1.5	137.5	<0.01	0.04
ZZ48314		3.33	41.8	570	14.4	45.2	<0.001	0.02	0.24	5.6	0.5	1.3	125.5	<0.01	0.04
ZZ48315		1.49	43.4	660	17.3	54.1	<0.001	0.02	0.19	5.9	0.7	1.4	128.0	0.01	0.01
ZZ48316		3.56	33.7	490	10.2	40.3	<0.001	<0.01	0.64	4.8	0.6	1.4	80.3	0.01	0.02
ZZ48317		2.36	35.6	430	13.0	46.7	<0.001	<0.01	0.40	5.3	0.6	1.6	59.3	0.01	0.02
ZZ48318		3.87	33.3	480	11.0	43.5	<0.001	<0.01	0.55	4.5	0.5	1.6	35.3	0.01	0.02
ZZ48319		3.83	33.3	690	15.5	47.4	0.001	0.01	2.79	5.2	0.3	1.7	49.5	<0.01	0.01
ZZ48320		2.79	33.9	640	14.6	44.5	<0.001	<0.01	1.04	5.7	0.6	1.6	95.9	<0.01	0.02
ZZ48321		3.05	43.0	620	15.2	42.6	<0.001	0.05	3.16	6.7	0.6	5.4	80.3	<0.01	0.05
ZZ48322		5.51	21.6	910	27.4	43.5	0.001	0.03	27.8	6.8	0.4	67.9	141.0	<0.01	0.05
ZZ48323		3.19	19.1	260	21.8	20.1	<0.001	0.02	0.94	3.3	<0.2	5.6	26.0	<0.01	0.07
ZZ48324		2.75	20.9	380	18.8	56.1	0.001	0.02	2.00	3.4	<0.2	9.9	32.1	<0.01	0.02
ZZ48325		4.51	20.6	660	76.3	66.2	<0.001	0.04	4.89	4.2	0.4	17.4	59.8	<0.01	0.03
ZZ48326		3.34	18.9	440	26.6	49.1	<0.001	0.02	0.80	2.7	<0.2	6.7	33.2	<0.01	0.03
ZZ48327		3.41	18.5	550	36.3	104.5	0.001	0.03	0.52	2.0	<0.2	6.0	32.5	<0.01	0.02
ZZ48328		2.12	30.2	550	10.2	32.8	<0.001	0.02	0.35	2.7	0.5	1.3	18.8	<0.01	0.04
ZZ48329		0.44	37.3	400	6.5	6.2	<0.001	0.01	0.16	1.7	<0.2	0.2	7.5	<0.01	0.02
ZZ48330		0.81	27.4	380	7.7	13.2	<0.001	0.01	0.27	1.9	0.2	0.6	8.1	<0.01	0.04



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 3 - D
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 22- AUG- 2012
 Account: MTT

Project: Sayyea Soil Batch 2

CERTIFICATE OF ANALYSIS WH12180694

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm	W- XRF05 W ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5	10
ZZ48291		0.047	0.29	2.02	22	19.55	3.91	290	0.5	
ZZ48292		0.044	0.23	1.37	28	20.0	2.93	333	<0.5	
ZZ48293		0.021	0.68	0.89	15	31.6	3.25	331	<0.5	
ZZ48294		0.095	0.39	0.94	45	88.6	4.97	428	6.0	
ZZ48295		0.038	0.57	2.86	33	42.2	7.33	519	0.5	
ZZ48296		0.059	1.20	2.29	34	230	9.43	381	2.8	240
ZZ48297		0.070	0.51	2.01	40	5.91	13.85	194	0.5	
ZZ48298		0.079	0.35	2.11	35	2.61	9.21	155	<0.5	
ZZ48299		0.079	0.13	0.86	31	0.46	4.31	65	<0.5	
ZZ48300		0.066	0.25	1.36	27	1.02	11.35	115	0.5	
ZZ48301		0.063	0.25	1.54	28	0.33	14.25	121	0.6	
ZZ48302		0.053	0.27	1.47	28	0.38	16.20	113	0.6	
ZZ48303		0.057	0.23	1.40	28	0.28	13.60	117	<0.5	
ZZ48304		0.055	0.26	1.50	31	0.39	12.20	145	<0.5	
ZZ48305		0.043	0.20	1.16	25	0.25	8.51	106	<0.5	
ZZ48306		0.036	0.18	1.37	26	0.28	12.50	127	<0.5	
ZZ48307		0.026	0.15	2.33	24	0.76	15.50	214	0.5	
ZZ48308		0.021	0.14	1.36	22	0.29	18.20	149	0.9	
ZZ48309		0.038	0.22	2.33	26	0.30	17.90	139	0.9	
ZZ48310		0.040	0.27	1.67	28	0.25	22.7	163	1.2	
ZZ48311		0.049	0.26	2.02	30	0.33	17.95	152	0.9	
ZZ48312		0.060	0.30	2.90	33	0.31	19.15	148	0.8	
ZZ48313		0.061	0.30	2.38	33	0.33	19.20	143	1.0	
ZZ48314		0.061	0.30	1.90	30	0.31	18.10	131	1.1	
ZZ48315		0.068	0.30	1.71	31	0.73	16.65	131	1.5	
ZZ48316		0.070	0.27	1.55	30	2.58	12.50	126	<0.5	
ZZ48317		0.084	0.33	1.66	32	1.78	12.60	132	0.6	
ZZ48318		0.079	0.31	1.57	30	1.46	9.70	142	<0.5	
ZZ48319		0.083	0.39	1.69	34	1.23	11.30	136	<0.5	
ZZ48320		0.094	0.35	1.86	36	2.84	16.35	150	0.8	
ZZ48321		0.077	0.64	1.94	43	2.71	16.70	256	1.1	
ZZ48322		0.090	1.81	2.80	41	171.0	9.87	473	10.0	180
ZZ48323		0.043	0.40	1.34	37	33.4	4.97	248	0.9	
ZZ48324		0.041	0.35	1.39	30	100.5	5.42	554	<0.5	100
ZZ48325		0.034	0.85	12.70	24	189.0	14.75	1190	3.3	190
ZZ48326		0.049	0.33	6.08	33	54.3	6.15	602	<0.5	
ZZ48327		0.050	0.24	3.63	34	15.85	5.51	648	<0.5	
ZZ48328		0.032	0.14	1.90	26	0.97	7.71	80	<0.5	
ZZ48329		0.006	0.07	2.65	11	0.51	5.87	95	0.5	
ZZ48330		0.007	0.14	3.00	13	1.16	6.96	83	<0.5	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 22- AUG- 2012
Account: MTT

Project: Sayyea Soil Batch 2

CERTIFICATE OF ANALYSIS WH12180694

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ48331		0.24	0.003	0.14	1.99	14.8	<0.2	<10	40	0.64	0.83	0.17	0.08	75.4	11.6	22
ZZ48332		0.14	0.003	0.42	1.46	11.2	<0.2	<10	70	1.03	0.89	0.41	0.56	117.0	20.0	16
ZZ48333		0.29	0.005	0.11	1.56	6.5	<0.2	<10	20	0.46	0.88	0.32	0.05	115.0	11.5	18
ZZ48334		0.17	0.004	0.09	1.51	7.3	<0.2	<10	30	0.43	0.89	0.77	0.06	84.7	10.7	18
ZZ48335		0.19	0.004	0.14	1.70	10.7	<0.2	<10	50	0.67	1.02	0.80	0.22	103.0	15.3	20
ZZ48336		0.20	0.004	0.16	1.70	11.9	<0.2	<10	50	0.61	0.85	0.73	0.17	87.1	12.5	21
ZZ48337		0.25	0.015	0.25	1.64	12.9	<0.2	<10	40	0.44	0.82	0.59	0.14	64.5	10.1	20
ZZ48338		0.17	0.004	0.14	2.05	27.6	<0.2	<10	50	0.85	1.14	0.50	0.22	83.6	14.3	25
ZZ48339		0.23	0.007	0.36	1.86	31.9	<0.2	<10	80	1.75	2.16	0.62	0.34	64.4	11.6	25
ZZ48340		0.19	0.002	0.31	1.72	18.6	<0.2	<10	50	0.88	1.75	0.11	0.15	52.5	6.7	23
DD007591		0.20	0.005	0.13	2.85	30.4	<0.2	<10	100	1.32	2.02	0.50	0.36	74.1	14.8	38
DD007592		0.26	0.004	0.13	3.18	36.7	<0.2	<10	120	1.30	2.13	0.53	0.30	67.6	15.2	44
DD007593		0.17	0.003	0.14	3.25	41.7	<0.2	<10	110	1.00	1.71	0.65	0.20	64.2	14.8	44
DD007594		0.20	0.003	0.12	3.30	38.2	<0.2	<10	80	0.97	0.79	0.58	0.18	75.5	15.8	42
DD007595		0.24	0.002	0.11	2.63	15.2	<0.2	<10	70	0.75	0.57	0.58	0.12	78.0	17.5	35
DD007596		0.18	0.004	0.14	2.85	13.4	<0.2	<10	90	0.87	0.65	0.69	0.15	79.5	16.7	37
DD007597		0.26	0.004	0.13	2.74	17.5	<0.2	<10	90	0.77	0.61	0.81	0.15	82.3	17.2	38
DD007598		0.21	0.003	0.12	2.55	17.1	<0.2	<10	70	0.66	0.67	0.73	0.15	81.9	19.0	33
DD007599		0.15	0.004	0.09	2.56	12.1	<0.2	<10	70	0.67	0.55	0.45	0.09	75.0	15.2	36
DD007600		0.17	<0.001	0.12	2.68	11.9	<0.2	<10	90	0.82	0.61	0.63	0.11	69.7	15.2	36
DD007601		0.22	0.004	0.13	2.97	22.7	<0.2	<10	80	0.86	0.67	0.54	0.11	72.0	15.0	41
DD007602		0.33	0.002	0.10	3.04	35.6	<0.2	<10	110	0.86	0.67	0.46	0.17	52.9	15.0	38
DD007603		0.14	0.005	0.14	2.57	33.1	<0.2	<10	80	0.82	0.86	0.79	0.20	62.6	13.0	33
DD007604		0.27	0.003	0.14	2.92	30.5	<0.2	<10	90	0.91	0.97	0.75	0.18	79.5	17.7	39
DD007605		0.31	0.004	0.17	3.15	35.6	<0.2	<10	100	1.00	1.01	0.55	0.18	80.5	16.8	39
DD007606		0.33	0.003	0.08	2.43	19.5	<0.2	<10	60	1.10	1.08	0.39	0.13	75.5	14.0	36
DD007607		0.20	0.003	0.07	2.46	13.6	<0.2	<10	70	1.45	1.62	0.52	0.13	78.4	13.9	41
DD007608		0.17	0.007	0.25	2.36	28.5	<0.2	<10	80	3.17	3.33	0.84	0.79	71.7	13.3	34
DD007609		0.22	0.018	0.36	2.29	51.6	<0.2	<10	70	5.66	17.25	1.21	0.67	63.4	12.6	36
DD007610		0.22	0.010	0.19	2.00	64.0	<0.2	<10	60	4.10	12.35	0.94	0.48	74.6	10.1	32
DD007611		0.25	0.007	0.20	2.05	31.2	<0.2	<10	60	1.12	0.94	0.91	0.06	73.7	14.0	30
DD007612		0.29	0.002	0.15	2.16	17.2	<0.2	<10	60	0.93	0.78	5.77	0.08	61.3	12.1	28
DD007613		0.23	0.080	0.66	0.37	931	<0.2	<10	20	0.35	1.36	0.19	0.12	37.4	3.0	5
DD007614		0.22	0.003	0.08	1.40	31.5	<0.2	<10	40	1.28	1.48	0.26	0.14	66.0	9.3	18
DD007615		0.27	0.001	0.13	2.06	22.6	<0.2	<10	50	1.34	1.86	0.14	0.14	52.4	10.5	31
DD007616		0.25	0.005	0.14	1.87	21.0	<0.2	<10	60	1.78	0.99	0.27	0.26	56.9	11.0	29
DD007617		0.27	0.002	0.25	2.06	25.5	<0.2	<10	50	1.58	2.46	0.23	0.17	57.5	9.6	26
DD007618		0.20	0.003	0.36	1.59	17.9	<0.2	<10	40	1.59	1.91	0.16	0.26	43.8	8.8	24
DD007619		0.26	0.004	0.19	1.62	25.5	<0.2	<10	40	1.48	1.82	0.16	0.15	46.1	8.4	24
DD007620		0.24	0.003	0.20	1.65	16.9	<0.2	<10	60	1.17	1.46	0.26	0.08	67.7	9.0	21



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 22- AUG- 2012
Account: MTT

Project: Sayyea Soil Batch 2

CERTIFICATE OF ANALYSIS WH12180694

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ48331		3.17	21.2	3.63	6.07	0.07	<0.02	0.02	0.041	0.12	39.1	40.7	0.71	305	0.33
ZZ48332		3.55	53.7	3.11	5.42	0.11	<0.02	0.02	0.044	0.11	59.1	26.7	0.39	1020	0.38
ZZ48333		1.93	25.6	3.60	5.17	0.12	<0.02	0.01	0.023	0.08	59.2	32.1	0.68	337	0.26
ZZ48334		2.26	20.0	3.33	4.89	0.12	<0.02	0.01	0.023	0.14	45.0	30.7	0.62	322	0.24
ZZ48335		2.07	28.2	3.53	5.31	0.11	0.02	0.02	0.028	0.09	53.5	32.3	0.66	1140	0.32
ZZ48336		2.19	23.9	3.42	5.55	0.10	<0.02	0.02	0.026	0.10	44.1	34.0	0.63	570	0.29
ZZ48337		2.99	14.4	3.05	5.73	0.07	<0.02	0.02	0.028	0.13	32.0	40.8	0.60	365	0.27
ZZ48338		3.22	26.3	4.21	7.12	0.08	0.02	0.02	0.039	0.19	41.7	48.9	0.73	490	0.45
ZZ48339		7.83	34.7	3.38	6.39	0.08	0.02	0.01	0.053	0.30	31.3	54.1	0.62	768	0.91
ZZ48340		4.75	8.8	2.88	7.42	0.07	<0.02	0.01	0.041	0.16	25.9	48.4	0.51	263	0.99
DD007591		6.85	32.7	4.21	9.64	0.09	<0.02	0.02	0.056	0.27	35.1	53.9	0.83	608	0.97
DD007592		8.03	36.4	4.29	11.10	0.09	<0.02	0.02	0.062	0.33	32.9	59.2	0.86	457	1.26
DD007593		6.11	25.8	4.24	10.60	0.09	<0.02	0.01	0.048	0.33	30.4	60.4	0.90	501	0.82
DD007594		5.69	21.0	3.97	10.55	0.11	0.02	0.02	0.035	0.29	33.3	76.5	0.91	515	0.64
DD007595		3.66	24.3	4.05	7.82	0.10	0.02	<0.01	0.027	0.23	38.1	55.0	0.93	584	0.29
DD007596		4.45	28.1	4.09	8.61	0.10	0.02	0.03	0.033	0.23	41.2	59.5	0.91	504	0.28
DD007597		4.15	29.2	4.10	8.27	0.10	0.02	<0.01	0.035	0.23	44.4	59.4	0.93	485	0.24
DD007598		3.01	31.5	4.37	7.26	0.11	0.03	0.02	0.028	0.20	44.2	54.7	0.98	610	0.23
DD007599		3.44	22.6	4.09	7.39	0.10	0.02	0.01	0.030	0.22	41.6	56.6	0.98	490	0.22
DD007600		4.34	23.7	3.91	7.87	0.10	0.02	0.02	0.030	0.25	36.7	50.8	0.87	489	0.26
DD007601		4.61	24.9	4.15	8.89	0.12	0.02	0.02	0.036	0.27	39.5	59.8	0.98	405	0.42
DD007602		4.43	21.0	3.92	9.26	0.08	<0.02	0.03	0.034	0.25	26.4	60.4	0.81	445	0.51
DD007603		5.80	20.7	3.68	7.36	0.10	0.02	0.03	0.032	0.23	33.5	53.8	0.79	424	0.69
DD007604		5.46	29.6	4.43	8.38	0.12	0.03	0.01	0.035	0.37	39.4	58.7	1.01	556	0.37
DD007605		5.40	38.7	4.71	8.90	0.13	0.05	0.02	0.039	0.36	46.5	59.6	0.98	527	0.46
DD007606		5.15	23.3	3.82	7.79	0.12	0.02	0.02	0.038	0.23	38.9	58.3	0.93	427	0.36
DD007607		7.82	20.1	3.86	8.06	0.12	<0.02	0.02	0.039	0.32	40.3	64.7	0.88	436	0.41
DD007608		8.35	32.1	3.96	7.59	0.11	<0.02	0.03	0.165	0.23	36.2	54.9	0.71	900	1.67
DD007609		10.35	29.0	3.67	9.76	0.13	0.04	0.04	0.262	0.27	30.8	76.8	0.62	1160	4.61
DD007610		10.45	37.7	4.08	8.91	0.14	0.06	0.05	0.333	0.28	38.3	59.7	0.59	940	2.87
DD007611		5.41	21.1	3.83	6.93	0.10	0.06	0.02	0.047	0.27	37.6	47.5	0.73	595	0.48
DD007612		4.19	22.3	3.06	6.92	0.09	0.05	0.02	0.045	0.20	31.4	41.2	0.68	434	0.34
DD007613		4.73	22.3	2.39	1.44	<0.05	<0.02	0.01	0.073	0.12	24.1	3.0	0.04	74	0.39
DD007614		3.84	16.7	2.53	4.82	0.08	<0.02	0.01	0.064	0.17	34.0	45.4	0.45	509	0.40
DD007615		5.68	14.8	3.42	7.17	0.06	<0.02	0.03	0.060	0.23	27.0	63.4	0.72	399	0.61
DD007616		8.55	33.0	3.89	6.25	0.10	0.02	<0.01	0.053	0.32	30.2	56.6	0.70	391	0.37
DD007617		4.39	18.7	3.29	6.39	0.08	<0.02	0.01	0.075	0.20	28.5	50.2	0.64	380	0.61
DD007618		4.39	17.9	3.02	5.85	0.06	<0.02	0.01	0.062	0.19	20.6	44.6	0.47	314	1.03
DD007619		4.83	17.7	2.81	5.40	0.07	<0.02	0.03	0.064	0.23	22.0	41.7	0.48	362	0.61
DD007620		5.17	21.1	2.53	5.71	0.08	0.02	0.01	0.068	0.18	35.0	46.6	0.49	391	0.66



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 22- AUG- 2012
Account: MTT

Project: Sayyea Soil Batch 2

CERTIFICATE OF ANALYSIS WH12180694

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
ZZ48331		2.25	28.7	550	16.3	23.0	<0.001	0.01	0.95	2.3	<0.2	1.3	15.4	<0.01	0.05
ZZ48332		1.98	54.8	720	17.2	35.2	<0.001	0.05	0.77	1.5	0.9	1.1	43.1	<0.01	0.03
ZZ48333		1.21	30.3	670	10.5	13.0	<0.001	0.02	0.42	2.0	0.4	0.6	27.3	<0.01	0.05
ZZ48334		1.73	26.4	540	11.3	22.6	<0.001	0.05	0.57	1.9	<0.2	0.8	62.5	<0.01	0.04
ZZ48335		1.68	35.7	660	13.1	17.1	<0.001	0.04	0.67	2.2	0.5	0.9	60.5	<0.01	0.03
ZZ48336		1.88	29.5	630	13.3	21.9	<0.001	0.06	0.59	2.0	0.4	0.9	54.6	<0.01	0.04
ZZ48337		1.97	21.2	340	11.5	49.2	<0.001	0.03	0.56	2.0	<0.2	1.2	39.2	<0.01	0.02
ZZ48338		2.40	32.6	420	18.1	46.5	<0.001	0.03	1.31	2.8	0.2	1.6	36.7	<0.01	0.02
ZZ48339		2.14	27.8	620	44.0	49.5	<0.001	0.02	0.47	3.2	0.4	2.1	56.1	<0.01	0.04
ZZ48340		3.28	17.0	340	13.1	48.7	<0.001	0.01	0.39	2.3	<0.2	2.8	11.7	<0.01	0.02
DD007591		2.91	38.3	810	19.1	44.9	<0.001	0.04	0.58	3.9	0.6	1.7	60.3	<0.01	0.03
DD007592		3.74	41.7	680	23.5	47.0	<0.001	0.04	0.52	4.6	0.4	2.1	73.3	<0.01	0.04
DD007593		3.87	40.8	590	16.1	42.7	0.001	0.03	0.38	4.5	0.7	1.7	90.3	0.01	0.03
DD007594		4.38	41.0	720	15.7	40.9	<0.001	0.03	0.80	5.1	0.9	1.4	88.0	<0.01	0.04
DD007595		1.75	36.5	640	18.1	27.9	0.001	0.02	0.34	4.0	0.6	0.9	94.5	<0.01	0.02
DD007596		2.36	39.6	670	18.3	29.8	<0.001	0.03	0.26	4.4	0.9	1.2	102.0	<0.01	0.03
DD007597		2.05	41.9	650	20.8	28.5	<0.001	0.02	0.20	4.4	0.6	1.0	114.0	<0.01	0.04
DD007598		1.04	42.0	630	21.8	20.7	<0.001	0.01	0.21	3.8	0.7	0.8	91.3	<0.01	0.02
DD007599		1.47	34.8	670	17.7	24.0	<0.001	0.02	0.17	3.9	0.5	0.8	76.9	<0.01	0.02
DD007600		2.37	35.9	610	17.8	27.9	<0.001	0.03	0.22	4.0	0.4	1.0	90.0	<0.01	0.03
DD007601		2.16	38.5	590	16.5	31.5	<0.001	0.02	0.27	4.7	0.7	1.1	108.0	<0.01	0.03
DD007602		2.95	37.0	630	13.6	29.2	<0.001	0.04	0.49	3.8	0.6	1.1	70.3	<0.01	0.02
DD007603		2.47	30.9	830	16.2	32.0	<0.001	0.05	1.34	3.6	0.5	1.0	89.6	<0.01	0.03
DD007604		1.48	39.8	650	28.0	40.1	<0.001	0.02	0.63	4.6	0.7	1.2	119.5	0.01	0.02
DD007605		1.23	45.6	660	22.4	36.2	<0.001	0.02	0.39	5.2	1.0	1.2	96.0	<0.01	0.04
DD007606		1.58	31.6	520	13.5	32.7	<0.001	0.02	0.59	4.3	0.6	1.4	63.8	0.01	0.01
DD007607		2.97	32.7	790	13.7	54.5	0.001	0.02	1.18	4.8	0.3	1.7	63.6	0.01	0.04
DD007608		2.63	31.7	790	20.3	31.6	<0.001	0.03	4.02	4.5	0.4	5.3	79.3	<0.01	0.03
DD007609		3.20	21.5	630	71.4	57.6	<0.001	0.03	4.30	4.7	0.4	12.0	54.7	<0.01	0.08
DD007610		2.41	21.9	900	59.0	54.6	0.001	0.03	5.42	4.1	0.6	12.6	59.0	<0.01	0.07
DD007611		1.49	32.6	440	20.8	40.7	0.001	0.02	1.92	4.1	0.6	1.4	56.0	<0.01	0.02
DD007612		1.16	27.4	650	16.9	28.6	<0.001	0.02	0.51	3.9	0.4	1.3	258	<0.01	0.03
DD007613		0.18	7.8	220	47.6	26.6	<0.001	0.11	11.80	2.1	0.4	1.3	55.2	<0.01	0.07
DD007614		1.91	18.0	560	22.7	32.8	<0.001	0.01	0.75	2.1	0.3	2.1	16.1	<0.01	<0.01
DD007615		2.49	23.0	270	19.7	53.2	0.001	0.01	0.61	3.2	0.5	2.2	14.1	<0.01	0.03
DD007616		1.90	28.4	530	20.3	48.1	0.001	0.02	0.53	3.4	0.4	1.5	20.4	<0.01	0.02
DD007617		2.01	25.4	380	21.6	39.7	<0.001	0.02	1.12	2.6	0.3	2.7	23.1	<0.01	0.02
DD007618		2.18	21.5	400	18.7	48.4	<0.001	0.02	0.80	2.2	0.2	2.1	18.3	<0.01	0.02
DD007619		2.14	21.5	430	20.2	43.5	<0.001	0.02	0.78	2.1	0.2	1.8	19.0	<0.01	0.02
DD007620		1.60	19.4	630	24.9	32.4	<0.001	0.01	0.64	2.6	<0.2	1.9	26.4	<0.01	0.02



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 4 - D
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 22- AUG- 2012
 Account: MTT

Project: Sayyea Soil Batch 2

CERTIFICATE OF ANALYSIS WH12180694

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm	W- XRF05 W ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5	10
ZZ48331		0.025	0.23	1.48	18	4.05	7.13	108	0.6	
ZZ48332		0.023	0.10	5.41	15	2.33	16.10	98	<0.5	
ZZ48333		0.018	0.12	3.22	12	0.92	11.55	88	<0.5	
ZZ48334		0.020	0.14	3.92	13	0.99	9.57	92	<0.5	
ZZ48335		0.019	0.14	3.60	14	1.33	15.40	92	<0.5	
ZZ48336		0.020	0.14	3.32	15	1.56	11.65	96	<0.5	
ZZ48337		0.021	0.15	1.53	16	3.05	5.24	135	<0.5	
ZZ48338		0.025	0.22	2.69	22	3.56	9.67	159	0.5	
ZZ48339		0.064	0.43	2.21	23	4.27	10.45	267	0.9	
ZZ48340		0.047	0.30	1.29	24	8.77	4.64	166	<0.5	
DD007591		0.053	0.25	3.53	32	1.38	12.20	206	<0.5	
DD007592		0.065	0.26	3.54	38	2.98	12.15	219	<0.5	
DD007593		0.070	0.22	2.20	36	1.83	11.50	174	<0.5	
DD007594		0.063	0.24	2.47	33	0.41	14.50	152	0.7	
DD007595		0.037	0.18	1.42	25	0.28	15.80	134	0.8	
DD007596		0.035	0.20	1.52	28	0.24	19.20	143	0.6	
DD007597		0.035	0.20	1.41	28	0.20	19.10	138	0.8	
DD007598		0.025	0.16	1.23	22	0.17	18.65	144	1.3	
DD007599		0.035	0.18	1.26	25	0.15	16.65	122	0.9	
DD007600		0.034	0.21	1.32	27	0.20	14.80	142	0.7	
DD007601		0.045	0.22	1.57	29	0.24	16.35	152	0.7	
DD007602		0.048	0.19	1.67	31	0.30	11.20	145	0.5	
DD007603		0.042	0.22	2.67	26	2.69	13.95	165	0.6	
DD007604		0.049	0.27	1.47	29	1.38	17.40	170	1.1	
DD007605		0.045	0.27	1.87	30	0.47	21.0	187	2.3	
DD007606		0.058	0.26	1.59	26	1.46	13.45	159	1.0	
DD007607		0.086	0.35	2.17	34	2.59	11.55	157	<0.5	
DD007608		0.062	0.48	3.63	31	15.35	12.60	367	0.5	
DD007609		0.091	0.48	2.88	31	77.1	10.20	528	2.2	
DD007610		0.072	0.65	2.28	30	110.5	11.05	446	2.6	110
DD007611		0.038	0.38	1.33	26	6.68	16.90	105	2.1	
DD007612		0.045	0.26	1.28	25	3.34	12.30	89	2.4	
DD007613		<0.005	0.30	0.81	5	3.55	2.89	136	<0.5	
DD007614		0.028	0.25	1.80	15	10.55	9.31	126	1.0	
DD007615		0.046	0.30	1.34	26	10.60	5.11	171	0.5	
DD007616		0.060	0.48	1.78	24	5.62	8.24	378	1.1	
DD007617		0.034	0.22	1.42	21	16.10	7.40	189	<0.5	
DD007618		0.046	0.20	1.25	25	18.90	5.76	164	<0.5	
DD007619		0.041	0.24	1.72	21	10.05	6.43	147	<0.5	
DD007620		0.044	0.35	2.08	18	9.06	9.66	125	1.2	



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.

C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED

1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - A

Total # Pages: 8 (A - D)

Plus Appendix Pages

Finalized Date: 22- AUG- 2012

Account: MTT

Project: Sayyea Soil Batch 2

CERTIFICATE OF ANALYSIS WH12180694

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD007621		0.23	0.001	0.11	1.70	13.4	<0.2	<10	50	1.22	1.68	0.21	0.07	60.9	7.9	21
DD007622		0.24	0.001	0.25	1.17	11.2	<0.2	<10	70	0.73	1.22	0.19	0.87	31.5	9.9	19
DD007623		0.23	0.003	0.24	2.15	10.7	<0.2	<10	70	1.45	0.95	0.43	0.08	53.3	10.5	40
DD007624		0.20	0.002	0.12	1.40	10.1	<0.2	<10	60	0.76	0.85	0.18	0.14	38.6	8.4	19
DD007625		0.19	0.002	0.30	1.34	12.2	<0.2	<10	40	0.80	1.22	0.20	0.31	33.7	7.4	20
DD007626		0.14	0.001	0.35	0.80	4.5	<0.2	<10	30	0.36	0.60	0.13	0.30	34.2	4.3	12
DD007627		0.17	0.005	2.07	1.99	196.0	<0.2	<10	70	6.42	2.74	0.39	1.25	82.2	10.1	27
DD007628		0.27	0.001	0.72	1.13	8.2	<0.2	<10	40	0.57	1.29	0.16	0.16	46.2	5.0	18
DD007629		0.21	0.001	0.14	1.48	13.0	<0.2	<10	40	0.89	1.70	0.17	0.11	52.5	6.9	20
DD007630		0.28	0.003	0.10	1.86	22.0	<0.2	<10	60	1.62	2.52	0.44	0.09	72.1	9.8	23
DD007631		0.26	0.005	0.19	1.65	40.2	<0.2	<10	50	1.72	2.48	0.29	0.12	59.9	10.4	23
DD007632		0.22	0.004	0.89	1.60	16.1	<0.2	<10	40	3.36	2.05	0.53	0.52	118.5	17.4	22
DD007633		0.21	0.002	0.19	1.83	12.9	<0.2	<10	50	1.34	1.25	0.22	0.15	45.8	15.5	31
DD007634		0.27	0.002	0.19	1.84	18.5	<0.2	<10	50	1.70	1.96	0.31	0.15	53.4	9.4	26
DD007635		0.22	0.002	0.22	1.73	32.5	<0.2	<10	40	1.44	2.06	0.42	0.31	55.0	9.4	24
DD007636		0.23	0.014	0.23	1.26	28.7	<0.2	<10	40	0.98	1.00	1.10	0.10	96.8	8.0	19
DD007637		0.24	0.004	0.20	2.09	25.4	<0.2	<10	50	0.96	0.77	2.84	0.05	70.6	14.5	30
DD007638		0.22	0.002	0.04	2.52	5.4	<0.2	<10	50	1.59	0.60	0.50	0.02	116.5	13.9	42
DD007639		0.21	0.003	0.05	2.74	3.4	<0.2	<10	40	0.71	0.42	0.15	0.05	82.7	16.6	35
DD007640		0.30	0.001	0.04	3.86	1.2	<0.2	<10	160	1.91	0.61	0.62	0.20	122.0	20.1	55
DD007641		0.24	0.002	0.07	2.17	14.7	<0.2	<10	40	0.67	0.71	0.07	0.06	60.1	12.2	26
DD007642		0.18	0.001	0.10	1.82	19.1	<0.2	<10	20	0.45	0.55	0.09	0.08	86.0	14.0	26
DD007643		0.27	0.007	0.17	2.37	23.6	<0.2	<10	80	1.21	1.15	0.35	0.04	90.2	14.8	29
DD007644		0.23	0.016	0.07	1.30	15.5	<0.2	<10	20	0.50	0.81	0.13	0.09	123.5	16.7	16
DD007645		0.25	0.005	0.21	2.64	8.2	<0.2	<10	60	3.25	0.80	0.87	0.14	301	14.5	43
DD007646		0.19	0.017	1.20	2.01	140.0	<0.2	<10	60	1.94	0.94	1.44	0.40	158.0	16.3	29
DD007647		0.29	0.007	0.23	1.57	67.2	<0.2	<10	50	1.60	1.37	0.35	0.22	87.3	11.7	20
DD007648		0.21	0.002	0.19	2.18	16.7	<0.2	<10	50	1.83	1.30	0.34	0.46	69.9	16.3	37
DD007649		0.27	0.002	0.30	2.04	16.6	<0.2	<10	60	1.97	2.35	0.34	0.23	68.1	13.0	32
DD007650		0.27	0.003	0.10	1.72	80.7	<0.2	<10	60	1.28	1.79	0.14	0.09	75.6	10.3	23
DD007651		0.27	0.003	0.12	1.98	24.2	<0.2	<10	50	1.28	1.62	0.14	0.10	66.0	8.2	26
DD007652		0.30	0.002	0.23	2.31	32.6	<0.2	<10	60	1.52	2.00	0.22	0.12	78.3	11.3	29
DD007653		0.26	0.002	0.12	2.06	23.5	<0.2	<10	60	1.28	1.91	0.21	0.07	84.5	10.1	26
DD007654		0.33	0.002	0.24	2.01	20.9	<0.2	<10	60	1.33	2.05	0.22	0.12	63.5	8.6	24
DD007655		0.24	0.002	0.29	1.78	8.1	<0.2	<10	50	0.81	1.34	0.12	0.11	36.9	5.6	22
DD007656		0.16	0.001	0.30	1.19	7.6	<0.2	<10	40	0.62	1.42	0.10	0.22	41.5	5.6	17
DD007657		0.28	0.001	0.35	1.72	10.0	<0.2	<10	60	0.91	1.30	0.16	0.61	44.8	8.4	23
DD007658		0.24	0.002	0.46	1.33	22.5	<0.2	<10	30	1.23	2.21	0.26	0.11	40.0	8.6	20
DD007659		0.27	0.002	0.08	3.35	11.4	<0.2	<10	100	1.04	0.57	0.32	0.07	71.5	20.6	40
DD007660		0.20	0.001	0.16	1.73	11.7	<0.2	<10	10	0.24	0.40	0.05	0.03	83.4	10.5	17



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 22- AUG- 2012
Account: MTT

Project: Sayyea Soil Batch 2

CERTIFICATE OF ANALYSIS WH12180694

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
DD007621		4.90	14.5	2.55	5.79	0.08	<0.02	0.01	0.073	0.19	29.6	61.6	0.50	414	0.57
DD007622		3.10	11.6	2.56	4.91	0.05	<0.02	0.02	0.039	0.15	15.5	34.7	0.37	997	0.93
DD007623		7.74	14.4	3.74	7.16	0.09	0.04	0.02	0.044	0.43	29.1	58.7	0.77	629	0.32
DD007624		3.23	8.7	2.61	5.24	0.05	0.02	0.02	0.041	0.11	19.0	35.2	0.40	456	1.00
DD007625		4.03	10.7	2.56	5.10	<0.05	0.04	0.02	0.041	0.18	18.3	39.9	0.41	342	0.94
DD007626		2.75	5.4	1.82	4.92	<0.05	<0.02	0.01	0.020	0.08	18.5	19.3	0.21	181	0.84
DD007627		18.45	195.5	3.39	6.20	0.16	0.02	0.03	0.084	0.21	74.7	55.6	0.43	1460	0.63
DD007628		4.88	7.2	1.91	6.24	0.06	<0.02	0.01	0.040	0.15	24.4	38.5	0.41	219	0.88
DD007629		4.70	12.3	2.48	6.12	0.07	<0.02	0.01	0.066	0.19	28.1	56.0	0.47	297	0.80
DD007630		5.46	52.8	2.90	6.21	0.09	0.03	0.01	0.116	0.22	36.4	49.6	0.54	606	0.58
DD007631		10.30	29.2	3.33	5.21	0.06	<0.02	0.03	0.102	0.23	29.4	43.3	0.53	504	0.54
DD007632		19.45	88.6	2.51	5.13	0.16	0.02	0.05	0.056	0.14	85.5	71.0	0.45	322	0.47
DD007633		12.50	14.8	3.05	6.11	0.07	<0.02	0.03	0.039	0.39	22.9	61.6	0.73	433	0.59
DD007634		6.50	17.0	3.15	5.67	0.06	<0.02	0.03	0.055	0.20	28.5	48.5	0.61	424	0.45
DD007635		8.67	33.7	3.34	5.06	0.05	<0.02	0.02	0.043	0.16	23.5	40.0	0.57	489	0.45
DD007636		3.96	22.9	3.07	5.54	0.07	0.03	0.04	0.044	0.15	49.0	25.0	0.32	390	0.39
DD007637		5.33	24.9	3.42	6.81	0.07	0.05	0.04	0.035	0.24	38.8	40.6	0.74	461	0.36
DD007638		5.18	21.0	4.08	8.42	0.12	0.02	0.02	0.038	0.38	64.4	54.6	1.10	540	0.30
DD007639		7.48	30.0	5.24	9.34	0.11	0.03	0.02	0.026	0.55	29.2	65.0	1.16	181	0.78
DD007640		9.17	29.0	4.93	11.85	0.12	0.02	0.02	0.048	1.00	47.7	83.1	1.44	763	0.22
DD007641		2.38	17.3	3.68	6.01	<0.05	0.04	0.03	0.030	0.10	31.4	47.3	0.80	213	0.55
DD007642		1.91	11.0	3.60	6.22	0.09	<0.02	0.02	0.022	0.09	47.5	38.8	0.77	381	0.57
DD007643		4.61	29.3	3.88	7.44	0.12	0.02	0.03	0.058	0.19	54.0	51.4	0.79	601	0.46
DD007644		2.44	30.2	5.20	4.87	0.11	<0.02	0.01	0.024	0.10	59.6	27.2	0.47	233	0.69
DD007645		8.34	57.7	5.28	9.58	0.39	0.04	0.02	0.075	0.23	168.0	66.2	1.18	1880	0.40
DD007646		7.29	25.4	3.89	6.70	0.17	0.04	0.05	0.081	0.27	78.6	36.3	0.44	1040	0.66
DD007647		5.91	27.9	3.41	4.92	0.08	0.02	0.02	0.063	0.18	45.3	34.1	0.45	742	0.40
DD007648		9.69	31.1	3.66	7.49	0.07	<0.02	0.02	0.039	0.25	32.0	56.0	0.79	467	0.42
DD007649		14.05	46.8	3.64	6.91	0.09	<0.02	0.02	0.042	0.45	35.4	53.8	0.74	420	0.49
DD007650		6.34	23.9	3.04	5.67	0.07	0.03	0.02	0.078	0.18	39.6	42.2	0.56	429	0.42
DD007651		4.63	18.6	3.19	6.01	0.07	0.02	0.02	0.062	0.22	33.8	55.7	0.64	292	0.46
DD007652		5.41	30.0	3.54	6.93	0.08	0.03	0.02	0.067	0.23	41.5	56.3	0.72	430	0.45
DD007653		5.81	20.4	3.10	6.36	0.08	0.02	0.02	0.067	0.19	42.1	54.3	0.63	442	0.46
DD007654		6.59	20.2	2.90	6.27	0.06	<0.02	0.01	0.069	0.21	33.1	58.9	0.56	387	0.60
DD007655		6.11	9.4	2.49	5.79	<0.05	<0.02	0.01	0.041	0.17	19.2	48.9	0.56	195	0.83
DD007656		4.30	6.8	1.94	5.46	<0.05	<0.02	0.02	0.033	0.13	20.3	32.2	0.39	259	1.03
DD007657		4.57	12.4	2.90	6.24	0.06	<0.02	0.01	0.055	0.19	21.7	44.1	0.55	634	0.92
DD007658		3.88	13.9	2.55	4.17	<0.05	0.03	0.02	0.043	0.15	19.7	37.5	0.39	315	0.79
DD007659		5.54	29.7	4.46	9.43	0.09	0.04	0.01	0.040	0.44	32.3	56.4	1.09	602	0.41
DD007660		1.00	9.0	3.27	4.80	0.07	<0.02	0.03	0.011	0.02	49.0	32.3	0.77	246	0.31



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 22- AUG- 2012
Account: MTT

Project: Sayyea Soil Batch 2

CERTIFICATE OF ANALYSIS WH12180694

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
DD007621		2.32	17.0	530	20.7	43.1	0.001	0.01	0.42	2.3	0.2	2.3	23.2	<0.01	0.01
DD007622		1.97	14.7	710	17.5	34.5	0.001	0.02	0.64	1.6	<0.2	1.4	16.0	<0.01	0.02
DD007623		1.38	23.8	480	18.5	45.0	<0.001	0.02	0.28	4.6	0.3	1.9	27.3	0.01	0.02
DD007624		1.86	12.9	740	14.3	28.6	<0.001	0.02	0.42	1.9	<0.2	1.3	15.8	<0.01	0.01
DD007625		2.32	14.9	210	12.5	36.6	<0.001	0.01	0.46	1.7	<0.2	2.0	15.2	<0.01	0.01
DD007626		2.18	7.3	110	10.2	36.0	0.001	0.01	0.34	1.0	0.2	1.6	15.1	<0.01	0.02
DD007627		2.47	57.7	620	132.0	64.8	<0.001	0.03	0.60	4.4	1.5	2.2	31.8	0.01	0.03
DD007628		2.42	10.2	280	11.0	83.9	<0.001	0.01	0.22	1.7	<0.2	2.4	14.5	<0.01	0.01
DD007629		3.56	15.4	390	17.3	51.1	<0.001	0.02	0.39	2.0	<0.2	2.4	16.7	<0.01	0.02
DD007630		2.40	19.7	640	30.9	40.1	<0.001	0.01	0.91	2.9	0.3	3.3	37.3	<0.01	0.01
DD007631		2.10	26.0	300	34.6	58.3	0.001	0.01	0.78	2.9	0.4	2.6	17.5	<0.01	0.05
DD007632		1.59	98.0	660	19.0	33.7	<0.001	0.02	0.56	2.8	2.0	1.6	36.1	<0.01	0.01
DD007633		2.49	26.3	330	20.4	93.3	<0.001	0.01	0.32	3.2	0.3	1.9	14.4	<0.01	0.03
DD007634		2.14	24.5	440	20.3	57.9	<0.001	0.01	0.64	2.7	0.4	2.2	22.8	<0.01	0.03
DD007635		1.77	28.3	310	18.5	36.3	<0.001	0.01	0.79	3.0	0.6	2.6	25.3	<0.01	0.04
DD007636		1.09	20.2	590	27.2	27.2	0.001	0.03	13.70	3.6	0.5	2.4	115.0	<0.01	0.03
DD007637		1.39	35.0	510	17.1	35.7	0.001	0.01	0.82	4.3	1.1	1.3	122.5	<0.01	0.03
DD007638		1.62	34.1	290	25.5	47.3	<0.001	<0.01	0.87	6.1	1.3	1.6	24.8	<0.01	0.05
DD007639		4.10	53.8	290	10.7	83.2	<0.001	0.01	0.13	4.0	0.7	0.9	23.8	0.01	0.05
DD007640		1.96	50.7	850	17.2	109.0	0.001	0.01	0.08	9.5	1.2	7.9	51.5	<0.01	0.02
DD007641		1.58	26.4	250	15.1	20.6	<0.001	0.01	0.45	2.2	0.3	1.1	10.5	<0.01	0.02
DD007642		1.35	26.8	450	13.2	20.9	0.001	0.01	0.29	2.0	0.5	0.8	11.2	<0.01	0.02
DD007643		1.23	34.2	670	23.2	27.7	<0.001	0.01	1.05	4.1	0.9	1.9	45.9	<0.01	0.03
DD007644		0.80	36.0	480	12.3	24.3	<0.001	0.02	0.30	2.7	0.7	0.5	18.5	<0.01	0.04
DD007645		0.83	139.5	1350	39.9	28.1	0.001	0.01	0.85	9.6	4.1	2.0	64.4	<0.01	0.05
DD007646		1.29	41.8	770	88.5	63.1	0.001	0.02	14.90	11.8	1.6	2.5	82.7	<0.01	0.05
DD007647		1.69	30.9	420	39.8	37.7	<0.001	0.01	1.84	3.3	0.7	2.3	25.9	<0.01	0.01
DD007648		2.72	34.0	270	22.8	58.4	0.001	0.01	0.89	4.3	0.4	1.8	13.8	<0.01	0.03
DD007649		2.36	33.9	410	31.4	81.1	0.001	0.03	0.62	3.9	1.0	2.6	27.9	<0.01	0.04
DD007650		1.56	22.3	410	59.2	43.9	<0.001	0.01	1.22	2.7	0.2	2.5	10.9	<0.01	0.02
DD007651		2.08	23.8	350	21.4	46.4	<0.001	0.01	1.57	2.7	0.4	2.2	15.1	<0.01	0.02
DD007652		2.06	30.1	520	29.2	44.8	<0.001	0.01	0.88	3.2	0.5	2.4	24.0	<0.01	0.01
DD007653		2.26	24.1	500	23.3	41.7	<0.001	0.01	0.66	2.9	0.6	2.7	23.7	<0.01	0.02
DD007654		3.17	22.1	530	25.4	49.1	<0.001	0.01	0.56	2.7	0.6	2.6	23.8	<0.01	0.04
DD007655		2.87	14.6	260	14.4	45.6	0.001	0.01	0.22	2.1	0.2	2.0	16.9	<0.01	0.01
DD007656		2.95	10.2	170	17.2	71.7	0.001	0.01	0.30	1.7	0.4	1.8	13.4	<0.01	0.03
DD007657		2.49	19.2	640	13.8	53.9	<0.001	0.01	0.41	2.4	0.3	1.8	18.8	<0.01	0.03
DD007658		2.00	18.3	290	21.8	35.5	0.001	0.01	0.74	2.0	0.4	1.7	20.1	<0.01	0.01
DD007659		3.07	49.6	520	15.8	63.1	<0.001	0.01	0.67	5.1	0.7	1.4	51.2	0.01	0.06
DD007660		0.21	25.8	220	3.7	11.3	<0.001	<0.01	0.39	1.3	0.5	0.3	6.7	<0.01	0.06



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 5 - D
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 22- AUG- 2012
 Account: MTT

Project: Sayyea Soil Batch 2

CERTIFICATE OF ANALYSIS WH12180694

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm	W- XRF05 W ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5	10
DD007621		0.041	0.31	2.29	18	7.98	8.43	122	0.6	
DD007622		0.043	0.15	0.85	23	10.45	4.21	222	0.6	
DD007623		0.158	0.44	2.28	36	5.55	10.15	148	1.6	
DD007624		0.042	0.15	1.36	27	5.40	4.99	133	0.8	
DD007625		0.044	0.20	0.84	23	9.28	3.52	177	1.2	
DD007626		0.051	0.12	0.67	25	2.00	2.37	231	0.7	
DD007627		0.064	0.18	14.60	26	8.02	33.6	1160	0.6	
DD007628		0.048	0.18	1.22	19	9.95	4.28	128	<0.5	
DD007629		0.041	0.26	1.74	18	10.20	6.07	121	<0.5	
DD007630		0.048	0.38	2.78	20	13.90	11.00	301	1.4	
DD007631		0.052	0.51	1.98	20	25.8	6.47	375	0.6	
DD007632		0.038	0.19	10.25	20	6.87	35.5	922	<0.5	
DD007633		0.071	0.48	1.26	26	4.09	4.15	369	0.5	
DD007634		0.038	0.27	1.42	21	11.50	6.73	252	<0.5	
DD007635		0.041	0.36	1.51	20	5.78	5.98	438	<0.5	
DD007636		0.019	1.23	1.35	18	6.17	12.45	136	0.7	
DD007637		0.033	0.30	1.18	24	2.97	15.40	85	1.7	
DD007638		0.040	0.32	1.54	33	0.11	28.8	78	<0.5	
DD007639		0.122	0.45	1.43	33	0.35	15.20	78	0.9	
DD007640		0.103	0.73	2.18	47	0.20	23.4	131	<0.5	
DD007641		0.023	0.15	0.91	20	1.95	5.00	93	1.4	
DD007642		0.030	0.09	1.05	21	1.10	5.63	106	<0.5	
DD007643		0.042	0.36	2.10	31	6.53	29.4	110	0.6	
DD007644		0.014	0.09	3.57	19	1.26	11.85	107	<0.5	
DD007645		0.048	0.58	3.99	42	1.50	77.8	114	0.5	
DD007646		0.024	1.37	1.59	25	80.9	33.2	210	1.6	
DD007647		0.019	0.30	1.92	17	9.47	13.55	255	0.5	
DD007648		0.072	0.41	1.61	31	7.15	6.84	313	<0.5	
DD007649		0.069	0.64	3.12	28	2.75	9.64	323	<0.5	
DD007650		0.039	0.41	1.79	20	12.00	8.02	233	1.1	
DD007651		0.039	0.29	2.10	21	10.75	7.43	169	1.0	
DD007652		0.042	0.33	2.34	23	9.10	10.50	188	1.2	
DD007653		0.045	0.32	2.22	20	13.30	9.29	157	0.7	
DD007654		0.043	0.36	2.83	21	8.65	9.10	192	0.6	
DD007655		0.045	0.33	1.49	23	3.85	3.55	131	0.6	
DD007656		0.058	0.20	1.24	23	6.52	2.82	139	<0.5	
DD007657		0.052	0.24	1.44	26	5.17	4.46	232	0.5	
DD007658		0.038	0.18	1.52	19	12.85	5.29	146	1.3	
DD007659		0.058	0.43	1.78	31	1.20	9.73	105	1.2	
DD007660		0.005	0.07	0.70	11	0.14	4.03	65	<0.5	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 22- AUG- 2012
Account: MTT

Project: Sayyea Soil Batch 2

CERTIFICATE OF ANALYSIS WH12180694

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD007661		0.20	0.002	0.16	2.45	20.3	<0.2	<10	60	0.62	0.58	0.58	0.16	92.0	17.3	32
DD007662		0.26	0.009	0.45	2.49	138.5	<0.2	<10	60	5.72	11.60	1.29	0.83	78.0	9.4	29
DD007663		0.11	0.005	0.51	1.20	76.9	<0.2	<10	50	1.96	4.06	0.24	0.98	38.2	4.2	17
DD007664		0.17	0.002	0.42	1.39	32.6	<0.2	<10	50	0.99	2.50	0.11	0.28	52.8	3.2	14
DD007665		0.23	0.001	0.56	1.36	68.7	<0.2	<10	50	1.15	4.23	0.09	0.27	35.0	4.8	24
DD007666		0.10	0.009	2.42	3.54	127.5	<0.2	<10	130	3.83	8.18	0.18	1.11	44.7	11.9	31
DD007667		0.25	0.002	0.81	0.83	12.9	<0.2	<10	30	0.81	2.47	0.11	0.23	59.8	2.2	9
DD007668		0.24	0.001	0.28	1.00	8.3	<0.2	<10	30	1.03	2.46	0.13	0.19	67.6	2.8	9
DD007669		0.24	0.001	0.45	1.03	4.2	<0.2	<10	30	0.92	2.05	0.11	0.70	60.2	2.8	11
DD007670		0.27	0.002	0.10	2.58	11.8	<0.2	<10	70	0.82	0.57	0.44	0.09	71.1	14.4	37
DD007671		0.34	0.001	0.12	2.72	22.2	<0.2	<10	70	0.69	0.58	0.73	0.17	85.1	17.3	34
DD007672		0.22	0.001	0.09	2.71	25.8	<0.2	<10	70	0.78	0.53	0.49	0.08	59.0	12.5	34
DD007673		0.27	0.001	0.11	3.01	40.9	<0.2	<10	100	0.83	0.68	0.75	0.13	62.6	14.7	37
DD007674		0.29	0.001	0.08	2.56	25.6	<0.2	<10	70	0.90	0.70	0.37	0.15	73.3	14.3	36
DD007675		0.35	0.002	0.07	2.41	27.1	<0.2	<10	80	1.19	2.25	0.39	0.16	70.1	14.9	38
DD007676		0.34	0.002	0.06	2.31	16.5	<0.2	<10	60	1.40	0.98	0.36	0.11	83.7	14.9	36
DD007677		0.33	0.003	0.14	2.38	22.5	<0.2	<10	60	1.97	7.03	0.47	0.28	70.2	13.2	37
DD007678		0.27	0.009	0.30	2.95	36.0	<0.2	<10	70	5.95	10.70	1.77	0.49	76.5	12.1	36
DD007679		0.26	0.009	0.89	2.25	51.1	<0.2	<10	70	5.19	17.60	0.70	0.89	68.8	12.5	29
DD007680		0.16	0.008	0.44	2.23	50.9	<0.2	<10	60	4.81	6.55	0.91	0.48	73.3	9.6	29
DD007681		0.15	0.005	1.51	1.27	31.6	<0.2	<10	60	2.78	3.55	0.30	0.64	31.1	2.5	10
DD007682		0.25	0.003	0.49	1.25	46.3	<0.2	<10	40	0.97	4.14	0.06	0.17	45.2	3.6	17
DD007683		0.16	0.001	0.38	0.75	43.6	<0.2	<10	40	0.53	2.62	0.03	0.46	35.4	2.5	9
DD007684		0.21	0.018	0.36	1.17	35.9	<0.2	<10	30	0.92	1.81	0.09	0.20	38.1	4.8	19
DD007685		0.20	0.002	0.12	2.54	14.4	<0.2	<10	60	0.69	0.52	0.63	0.15	74.8	16.3	37
DD007686		0.30	0.001	1.12	1.32	28.9	<0.2	<10	40	1.65	2.84	0.19	0.24	61.5	3.5	13
DD007687		0.19	0.001	0.45	1.34	11.3	<0.2	<10	40	0.90	2.26	0.13	0.31	51.4	2.9	13
DD007688		0.23	0.002	0.54	1.65	21.4	<0.2	<10	30	1.86	1.59	0.17	0.46	67.2	5.0	14
DD007689		0.28	0.001	1.32	1.46	21.8	<0.2	<10	40	1.38	2.83	0.15	0.46	67.4	3.9	13
DD007690		0.16	0.002	0.98	0.93	105.0	<0.2	<10	90	0.68	2.94	0.16	4.75	24.9	4.5	10
DD007691		0.16	0.002	0.24	1.28	79.3	<0.2	<10	60	0.95	6.12	0.08	0.28	34.1	3.1	23
DD007692		0.11	0.007	0.24	0.88	56.0	<0.2	<10	50	0.61	1.89	0.18	0.90	34.9	3.1	16
DD007693		0.16	0.005	0.61	1.46	90.3	<0.2	<10	50	1.04	8.69	0.06	0.17	32.2	3.8	22
DD007694		0.24	0.002	0.56	1.61	119.5	<0.2	<10	60	1.30	5.91	0.06	0.45	33.1	4.5	29
DD007695		0.20	0.019	0.66	1.55	75.1	<0.2	<10	60	3.46	12.10	0.27	0.82	52.4	7.0	18
DD007696		0.29	0.009	0.59	2.58	61.0	<0.2	<10	70	5.50	8.74	1.09	0.69	80.0	11.5	32
DD007697		0.31	0.015	0.51	3.12	28.9	<0.2	<10	90	12.50	25.8	2.91	0.78	74.0	9.4	27
DD007698		0.38	0.006	0.25	2.68	27.3	<0.2	<10	80	3.09	3.54	0.77	0.40	89.0	16.1	38
DD007699		0.24	0.004	0.08	2.55	25.8	<0.2	<10	70	1.50	1.60	0.54	0.09	81.2	15.6	45
DD007700		0.18	0.003	0.12	2.69	33.4	<0.2	<10	70	1.23	2.81	0.53	0.12	82.1	15.9	39



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 22- AUG- 2012
Account: MTT

Project: Sayyea Soil Batch 2

CERTIFICATE OF ANALYSIS WH12180694

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
DD007661		3.84	29.0	4.26	6.92	0.10	0.04	0.01	0.024	0.22	47.0	50.1	0.95	568	0.29
DD007662		12.70	49.5	3.87	10.30	0.12	0.07	0.04	0.333	0.31	38.9	65.5	0.54	966	2.61
DD007663		7.14	46.5	2.44	6.33	<0.05	<0.02	0.04	0.158	0.17	20.1	29.6	0.21	185	7.13
DD007664		8.48	25.8	1.95	7.32	<0.05	<0.02	0.02	0.108	0.18	28.1	40.4	0.24	185	4.71
DD007665		8.88	37.9	3.24	7.57	<0.05	<0.02	0.02	0.095	0.23	18.1	36.4	0.35	225	11.55
DD007666		24.3	120.5	4.98	14.20	<0.05	<0.02	0.05	0.415	0.36	23.6	75.1	0.40	591	11.75
DD007667		5.96	11.3	1.53	5.55	0.06	<0.02	0.02	0.096	0.13	30.3	35.0	0.17	185	2.56
DD007668		6.14	9.3	1.69	5.03	0.06	<0.02	0.02	0.120	0.15	33.1	54.8	0.20	208	1.66
DD007669		5.74	5.6	1.78	6.36	0.05	0.02	0.05	0.070	0.16	30.7	42.0	0.20	167	0.98
DD007670		4.64	19.7	3.77	8.46	0.09	0.02	0.02	0.028	0.24	34.9	70.9	0.90	409	0.27
DD007671		4.35	29.0	4.22	8.28	0.11	0.03	0.02	0.028	0.26	43.7	52.3	0.94	507	0.28
DD007672		4.63	19.6	3.55	8.52	0.09	<0.02	0.02	0.028	0.25	27.3	53.7	0.85	323	0.31
DD007673		5.39	25.4	4.07	9.08	0.09	<0.02	0.03	0.032	0.34	31.8	55.5	0.90	432	0.40
DD007674		5.11	21.3	3.78	8.12	0.10	<0.02	0.03	0.028	0.28	34.9	60.0	0.92	409	0.37
DD007675		8.53	25.1	3.89	9.20	0.09	<0.02	0.02	0.064	0.27	30.9	55.8	0.80	668	0.97
DD007676		6.87	24.0	3.76	7.70	0.10	0.02	0.02	0.039	0.23	40.2	54.2	0.82	550	0.43
DD007677		6.99	22.6	3.62	7.87	0.08	<0.02	0.02	0.053	0.23	35.1	59.0	0.83	483	0.51
DD007678		8.81	20.5	4.01	12.15	0.17	0.08	0.04	0.330	0.24	33.7	67.7	0.76	951	3.03
DD007679		8.40	54.4	3.97	8.39	0.09	<0.02	0.05	0.334	0.21	34.8	56.4	0.51	1320	4.20
DD007680		8.92	32.9	3.66	9.59	0.10	0.02	0.05	0.277	0.22	36.4	57.1	0.55	796	2.30
DD007681		8.57	71.0	1.88	5.96	<0.05	<0.02	0.05	0.203	0.12	17.3	26.1	0.13	120	2.42
DD007682		9.07	23.0	2.23	7.55	0.05	<0.02	0.03	0.093	0.17	21.8	30.0	0.26	195	5.61
DD007683		6.36	20.2	1.57	5.95	<0.05	<0.02	0.02	0.121	0.07	17.0	10.4	0.08	128	5.84
DD007684		11.50	22.9	2.20	6.53	0.05	<0.02	0.02	0.083	0.15	19.7	28.8	0.32	174	4.93
DD007685		5.78	18.9	4.01	7.91	0.10	0.03	0.02	0.033	0.25	36.0	65.7	0.90	464	0.30
DD007686		6.95	14.0	2.11	6.23	0.07	<0.02	0.02	0.194	0.12	30.6	59.8	0.23	250	2.57
DD007687		6.42	9.8	2.00	6.20	0.05	<0.02	0.03	0.141	0.10	25.9	60.4	0.26	207	1.70
DD007688		8.58	27.5	2.75	7.09	0.07	<0.02	0.03	0.105	0.29	33.2	112.0	0.33	413	1.38
DD007689		7.19	17.9	2.31	6.26	0.06	0.03	0.03	0.219	0.22	33.6	74.7	0.28	242	1.52
DD007690		5.05	25.4	1.61	4.68	<0.05	<0.02	0.03	0.124	0.13	11.0	15.0	0.12	2050	1.94
DD007691		6.53	39.4	2.87	8.77	<0.05	<0.02	0.02	0.089	0.19	17.2	21.4	0.23	202	9.65
DD007692		4.60	31.6	2.44	6.91	<0.05	<0.02	0.02	0.094	0.13	17.3	15.6	0.15	132	7.35
DD007693		7.55	42.8	3.13	8.56	<0.05	<0.02	0.03	0.118	0.19	16.4	27.2	0.27	190	7.80
DD007694		6.07	45.1	3.90	9.29	<0.05	<0.02	0.03	0.136	0.22	16.3	32.6	0.36	248	7.69
DD007695		10.80	73.5	2.99	9.47	0.06	<0.02	0.04	0.327	0.16	26.5	37.2	0.27	537	5.28
DD007696		10.60	56.4	3.93	11.05	0.10	0.02	0.04	0.366	0.26	41.1	68.7	0.59	962	2.38
DD007697		10.90	29.5	3.48	14.00	0.30	0.09	0.05	0.392	0.31	35.7	68.1	0.48	854	10.60
DD007698		12.85	38.3	4.24	9.15	0.11	0.02	0.02	0.122	0.31	42.1	61.5	0.81	734	1.00
DD007699		8.03	21.7	4.06	8.67	0.09	<0.02	0.02	0.051	0.28	39.0	66.9	0.90	521	0.52
DD007700		7.06	24.9	4.04	8.67	0.10	0.02	0.01	0.039	0.25	38.7	59.1	0.91	516	0.63



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 6 - C
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 22- AUG- 2012
 Account: MTT

Project: Sayyea Soil Batch 2

CERTIFICATE OF ANALYSIS WH12180694

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
DD007661		1.39	41.2	680	26.4	26.3	<0.001	0.01	0.22	4.0	1.0	0.8	80.4	<0.01	0.02
DD007662		3.62	20.8	600	79.2	76.4	<0.001	0.02	5.13	4.3	0.9	13.3	51.9	<0.01	0.06
DD007663		1.55	12.3	510	59.9	69.4	0.001	0.05	2.78	1.4	0.4	4.6	27.3	<0.01	0.05
DD007664		2.06	8.9	280	46.7	88.2	<0.001	0.02	1.16	0.8	0.3	5.1	15.0	<0.01	0.02
DD007665		2.13	12.9	510	46.7	74.2	<0.001	0.04	3.83	2.2	<0.2	3.9	12.1	<0.01	0.05
DD007666		4.73	32.6	1080	194.5	132.5	0.001	0.05	2.73	1.9	0.4	10.8	29.0	<0.01	0.05
DD007667		4.10	5.9	200	21.3	72.1	<0.001	0.02	0.63	1.0	<0.2	3.8	10.4	<0.01	<0.01
DD007668		3.47	6.4	410	14.5	57.8	<0.001	0.02	0.49	1.1	<0.2	3.2	9.0	<0.01	<0.01
DD007669		5.01	6.5	1120	11.5	88.5	<0.001	0.02	0.39	1.3	0.4	3.3	11.5	<0.01	<0.01
DD007670		2.64	38.0	640	14.7	33.8	<0.001	0.02	0.23	4.3	0.7	1.1	68.7	<0.01	0.01
DD007671		1.48	43.5	650	23.9	31.5	<0.001	0.02	0.26	4.5	0.4	1.0	120.0	<0.01	0.02
DD007672		2.96	32.9	470	11.2	27.3	0.001	0.03	0.40	3.9	0.5	1.1	88.2	<0.01	0.02
DD007673		2.97	38.7	550	14.5	41.8	0.001	0.03	0.55	4.4	0.5	1.3	112.0	<0.01	0.04
DD007674		2.64	35.8	630	17.0	40.4	<0.001	0.02	0.67	4.3	0.4	1.2	66.8	<0.01	0.03
DD007675		3.30	31.4	430	22.3	57.2	0.001	0.02	0.76	4.2	0.3	2.8	39.2	<0.01	0.03
DD007676		1.80	32.8	470	16.5	39.2	<0.001	0.01	1.15	4.6	0.7	1.5	47.0	<0.01	0.02
DD007677		2.86	31.4	600	20.3	38.4	<0.001	0.02	1.22	4.3	0.7	1.7	56.8	<0.01	0.03
DD007678		3.37	28.7	820	17.0	43.2	0.001	0.02	8.98	5.2	0.4	19.3	74.8	<0.01	0.05
DD007679		2.45	27.2	570	161.5	52.3	<0.001	0.03	3.99	3.6	1.0	10.7	55.6	<0.01	0.11
DD007680		2.95	22.1	710	54.5	47.9	0.001	0.03	5.52	4.2	<0.2	11.7	57.1	<0.01	0.03
DD007681		1.14	10.1	500	37.8	45.2	<0.001	0.03	1.49	0.4	0.5	6.8	29.1	<0.01	0.04
DD007682		2.13	9.3	240	35.6	81.1	<0.001	0.03	1.79	1.2	0.2	5.9	10.7	<0.01	0.03
DD007683		1.34	6.1	250	62.9	43.6	<0.001	0.03	1.30	0.5	0.3	4.9	10.9	<0.01	0.01
DD007684		1.85	13.2	270	43.2	77.5	<0.001	0.03	1.86	1.6	0.2	4.0	15.3	<0.01	0.01
DD007685		2.25	38.4	610	20.8	40.8	<0.001	0.02	0.25	4.2	0.5	1.3	90.9	<0.01	0.03
DD007686		3.26	7.9	260	50.1	69.2	<0.001	0.02	0.92	1.5	0.4	5.0	14.7	<0.01	0.04
DD007687		3.40	7.6	310	20.2	60.3	<0.001	0.02	0.51	1.2	<0.2	4.2	11.5	<0.01	<0.01
DD007688		5.93	11.1	1010	28.5	88.0	<0.001	0.02	1.00	1.6	<0.2	3.5	13.1	<0.01	<0.01
DD007689		5.35	9.4	600	27.8	82.4	<0.001	0.02	0.76	1.6	0.3	4.2	11.6	<0.01	0.01
DD007690		1.11	6.2	580	172.0	83.1	<0.001	0.04	1.97	0.5	<0.2	2.1	15.3	<0.01	0.01
DD007691		1.31	9.8	390	29.6	66.7	<0.001	0.05	3.35	1.5	<0.2	4.0	11.4	<0.01	0.05
DD007692		1.33	9.2	360	24.7	85.1	<0.001	0.04	3.62	1.3	0.3	2.6	22.4	<0.01	0.07
DD007693		1.62	11.2	390	35.5	53.3	<0.001	0.05	3.60	2.0	<0.2	4.5	11.4	<0.01	0.12
DD007694		1.69	14.7	420	40.8	66.7	0.001	0.05	4.42	2.3	<0.2	4.5	11.1	<0.01	0.08
DD007695		1.82	15.2	430	65.8	66.0	0.001	0.03	2.89	1.0	0.2	11.9	28.6	<0.01	0.10
DD007696		3.11	28.8	680	69.2	56.3	<0.001	0.03	5.80	4.9	1.2	12.8	66.5	<0.01	0.06
DD007697		4.26	21.3	830	33.9	70.2	0.001	0.03	9.37	4.4	1.1	28.6	67.2	<0.01	0.10
DD007698		3.00	39.6	800	15.5	43.0	<0.001	0.04	3.96	6.1	0.8	5.7	86.6	<0.01	0.04
DD007699		3.41	37.2	720	21.1	43.9	<0.001	0.02	1.90	5.3	<0.2	1.9	55.3	<0.01	<0.01
DD007700		2.49	36.4	480	15.4	39.7	<0.001	0.02	1.22	5.0	1.1	1.6	74.8	<0.01	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 22- AUG- 2012
Account: MTT

Project: Sayyea Soil Batch 2

CERTIFICATE OF ANALYSIS WH12180694

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm	W- XRF05 W ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5	10
DD007661		0.029	0.18	1.38	22	0.22	19.75	145	1.1	
DD007662		0.063	0.74	3.59	28	135.0	11.25	801	3.7	140
DD007663		0.026	0.28	4.58	24	21.2	5.60	298	<0.5	
DD007664		0.028	0.42	3.24	22	9.90	4.48	152	<0.5	
DD007665		0.049	0.44	1.48	31	20.3	3.69	166	<0.5	
DD007666		0.018	0.76	6.80	40	9.95	6.26	553	<0.5	
DD007667		0.044	0.29	2.62	17	9.80	4.57	99	0.5	
DD007668		0.028	0.29	2.85	12	16.15	6.06	159	0.6	
DD007669		0.041	0.23	2.10	15	16.55	4.87	239	0.9	
DD007670		0.044	0.19	1.46	29	0.26	12.20	107	0.7	
DD007671		0.037	0.21	1.26	25	0.23	18.80	151	1.5	
DD007672		0.048	0.20	1.33	26	0.27	10.50	117	<0.5	
DD007673		0.049	0.27	1.63	30	0.33	13.45	138	0.5	
DD007674		0.048	0.24	1.75	26	0.67	13.10	130	0.7	
DD007675		0.071	0.32	1.41	34	13.75	8.64	209	<0.5	
DD007676		0.067	0.33	1.57	29	1.38	10.65	144	0.9	
DD007677		0.064	0.30	1.63	30	5.54	10.05	264	<0.5	
DD007678		0.075	0.79	1.77	35	82.0	10.55	530	2.9	
DD007679		0.038	0.52	5.08	28	54.8	15.10	752	<0.5	
DD007680		0.050	0.67	3.25	28	137.5	10.80	559	1.3	130
DD007681		0.007	0.29	4.61	14	34.8	5.56	499	<0.5	
DD007682		0.041	0.44	1.53	27	24.1	3.19	154	<0.5	
DD007683		0.022	0.28	1.05	23	11.85	2.23	92	<0.5	
DD007684		0.039	0.48	1.18	23	12.45	3.45	155	<0.5	
DD007685		0.036	0.22	1.22	26	0.24	14.95	134	0.9	
DD007686		0.024	0.35	2.47	18	13.00	5.60	160	<0.5	
DD007687		0.023	0.28	2.50	19	10.65	4.43	311	<0.5	
DD007688		0.046	0.44	4.28	17	9.92	7.47	509	<0.5	
DD007689		0.032	0.40	2.75	17	14.05	5.96	253	1.5	
DD007690		0.025	0.24	1.21	16	2.78	1.97	473	<0.5	
DD007691		0.040	0.53	1.17	35	10.10	2.80	118	<0.5	
DD007692		0.034	0.35	0.98	32	10.90	2.50	140	<0.5	
DD007693		0.040	0.48	1.23	33	10.25	2.94	135	<0.5	
DD007694		0.046	0.57	1.13	36	34.3	3.16	176	<0.5	
DD007695		0.023	0.41	3.86	26	137.0	6.04	552	<0.5	130
DD007696		0.053	0.66	3.43	31	125.5	13.95	604	1.5	120
DD007697		0.066	0.85	7.01	29	149.5	12.15	531	5.7	150
DD007698		0.065	0.60	2.62	36	15.00	12.90	380	0.7	
DD007699		0.097	0.40	1.49	39	8.22	10.25	145	0.5	
DD007700		0.058	0.28	1.66	30	6.32	12.35	169	0.6	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 7 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 22- AUG- 2012
Account: MTT

Project: Sayyea Soil Batch 2

CERTIFICATE OF ANALYSIS WH12180694

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD007701		0.17	0.002	0.17	2.98	36.7	<0.2	<10	90	1.35	1.50	0.61	0.20	69.5	14.6	38
DD007702		0.32	0.001	0.13	3.00	22.0	<0.2	<10	80	1.08	0.80	0.70	0.15	77.0	15.0	40
DD007703		0.28	0.001	0.10	2.64	25.5	<0.2	<10	90	0.79	0.74	0.41	0.10	52.8	13.5	36
DD007704		0.31	0.001	0.10	2.88	21.8	<0.2	<10	90	0.85	0.66	0.88	0.11	77.0	17.4	39
DD007705		0.25	0.001	0.16	3.03	18.8	<0.2	<10	80	0.97	0.64	0.88	0.17	65.2	16.9	39
DD007706		0.35	0.001	0.04	2.35	9.7	<0.2	<10	50	0.71	0.52	0.38	0.06	69.2	13.7	33
DD007707		0.42	0.002	0.13	2.66	17.4	<0.2	<10	70	0.65	0.56	1.45	0.14	80.5	16.8	33
DD007708		0.20	0.001	0.12	2.40	12.4	<0.2	<10	60	0.63	0.51	0.48	0.13	71.9	13.9	32
DD007709		0.25	0.002	0.13	2.34	16.5	<0.2	<10	60	0.65	0.55	0.53	0.14	86.1	15.5	30
DD007710		0.20	0.001	0.14	2.44	17.3	<0.2	<10	60	0.61	0.68	0.43	0.14	78.4	15.0	33
DD007711		0.24	0.001	0.10	2.82	13.5	<0.2	<10	90	0.76	0.54	0.45	0.10	69.5	14.7	36
DD007712		0.22	<0.001	0.04	2.75	11.7	<0.2	<10	70	0.76	0.49	0.48	0.09	74.2	15.1	38
DD007713		0.20	0.001	0.08	2.91	13.4	<0.2	<10	90	0.89	0.59	0.53	0.09	69.8	14.9	38
DD007714		0.26	<0.001	0.10	2.90	16.1	<0.2	<10	60	0.91	0.64	0.48	0.12	64.2	14.2	38
DD007715		0.28	0.001	0.09	2.89	19.9	<0.2	<10	70	0.86	0.58	0.53	0.12	68.5	15.2	39
DD007716		0.23	0.001	0.06	2.71	31.1	<0.2	<10	70	0.96	0.68	0.49	0.10	69.5	14.9	37
DD007717		0.40	0.003	0.08	3.09	46.6	<0.2	<10	90	1.00	1.37	0.64	0.15	70.8	15.7	40
DD007718		0.31	0.001	0.06	2.66	19.9	<0.2	<10	70	1.27	1.45	0.46	0.10	68.1	14.4	38
DD007719		0.23	0.001	0.04	2.64	20.1	<0.2	<10	80	1.17	1.24	0.34	0.16	69.8	17.8	36
DD007720		0.25	0.006	0.22	2.64	77.0	<0.2	<10	100	1.16	1.40	0.55	0.20	64.2	13.9	39
DD007721		0.27	0.013	0.25	4.15	33.2	<0.2	10	110	12.15	28.0	4.46	0.27	86.5	12.2	41
DD007722		0.31	0.007	0.62	2.39	66.8	<0.2	<10	80	5.31	7.06	0.92	1.43	57.9	9.5	29
DD007723		0.25	0.003	0.15	1.82	61.7	<0.2	<10	50	3.57	7.70	0.32	0.49	53.5	8.4	24
DD007724		0.14	0.002	0.46	1.29	27.0	<0.2	<10	40	1.31	5.48	0.06	0.30	36.5	3.8	14
DD007725		0.20	0.001	0.81	1.97	30.0	<0.2	<10	50	1.88	2.37	0.13	0.32	59.1	5.8	21
DD007726		0.14	<0.001	0.39	1.49	26.7	<0.2	<10	50	0.68	1.75	0.04	0.12	78.0	1.9	5
DD007727		0.19	<0.001	0.32	1.22	5.2	<0.2	<10	40	1.72	2.41	0.24	0.55	48.0	3.7	11
DD007728		0.18	0.001	1.12	1.00	4.5	<0.2	<10	50	0.97	1.00	0.17	0.91	55.5	2.5	8
DD007729		0.17	0.002	0.62	0.73	1.7	<0.2	<10	30	1.34	1.73	0.33	1.88	38.1	3.2	5
DD007730		0.13	0.001	0.34	1.89	14.7	<0.2	<10	60	2.86	2.87	0.22	0.93	43.5	5.5	19
DD007731		0.24	<0.001	0.23	1.98	12.7	<0.2	<10	40	2.22	2.21	0.15	0.68	60.7	5.9	18
DD007732		0.20	<0.001	0.16	2.57	34.5	<0.2	<10	50	0.97	0.78	0.09	0.11	67.0	19.0	33
DD007733		0.21	<0.001	0.20	2.03	4.7	<0.2	<10	50	0.81	0.96	0.09	0.78	40.9	19.2	25
DD007734		0.28	0.002	0.10	1.72	26.0	<0.2	<10	20	0.75	0.94	0.13	0.10	101.5	20.7	20
DD007735		0.29	0.005	0.40	1.51	10.6	<0.2	<10	40	0.67	1.40	0.12	0.24	119.5	8.4	19
DD007736		0.21	0.003	2.48	1.94	82.0	<0.2	<10	40	1.89	27.1	0.35	0.47	48.9	12.4	28
DD007737		0.26	0.005	0.36	2.27	49.9	<0.2	<10	50	1.86	1.24	0.46	0.28	78.0	14.6	38
DD007738		0.31	<0.001	0.22	1.84	30.2	<0.2	<10	30	1.45	1.15	0.11	0.13	46.0	9.8	23
DD007739		0.26	0.001	0.28	2.07	32.0	<0.2	<10	60	1.36	1.54	0.17	0.17	52.6	12.0	27
DD007740		0.41	0.001	0.19	1.87	23.1	<0.2	<10	50	1.53	2.12	0.17	0.12	65.4	10.2	24



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 7 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 22- AUG- 2012
Account: MTT

Project: Sayyea Soil Batch 2

CERTIFICATE OF ANALYSIS WH12180694

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
DD007701		7.07	22.7	3.97	8.61	0.09	<0.02	0.03	0.050	0.27	32.6	84.8	0.85	558	0.88
DD007702		5.97	24.1	4.09	9.36	0.11	0.02	0.03	0.030	0.32	37.5	67.9	0.99	455	0.46
DD007703		5.96	18.7	3.68	8.94	0.07	0.02	0.03	0.031	0.24	26.3	55.3	0.85	337	0.45
DD007704		6.57	29.1	4.30	9.06	0.09	0.03	0.04	0.037	0.38	40.6	59.4	0.96	431	0.22
DD007705		10.05	22.9	4.12	9.16	0.10	0.02	0.04	0.031	0.30	36.9	103.0	0.92	476	0.40
DD007706		5.51	16.2	3.79	7.50	0.10	0.03	0.03	0.027	0.26	33.1	54.9	0.91	412	0.22
DD007707		4.95	29.0	4.26	7.81	0.10	0.04	0.02	0.028	0.31	41.1	51.7	0.93	482	0.26
DD007708		3.92	23.1	3.94	7.17	0.09	0.03	0.04	0.030	0.20	43.3	50.1	0.91	443	0.25
DD007709		4.21	27.1	4.14	7.05	0.10	0.04	0.04	0.029	0.20	47.1	48.3	0.90	469	0.26
DD007710		4.14	23.0	4.19	7.41	0.10	0.03	0.03	0.030	0.18	43.4	47.6	0.91	502	0.27
DD007711		5.16	21.2	4.13	8.69	0.08	0.02	0.04	0.029	0.21	38.3	55.5	0.95	423	0.30
DD007712		5.50	21.5	4.12	8.52	0.10	0.02	0.01	0.027	0.27	39.0	56.8	0.97	425	0.27
DD007713		6.56	22.0	4.12	9.25	0.07	0.02	0.02	0.032	0.22	36.7	64.8	0.88	460	0.39
DD007714		6.22	19.5	3.93	9.22	0.08	0.03	0.02	0.032	0.31	34.0	71.1	0.97	340	0.21
DD007715		6.08	21.5	4.03	9.59	0.08	0.02	0.02	0.035	0.28	34.9	65.0	0.95	386	0.33
DD007716		6.47	20.6	3.96	8.79	0.09	<0.02	0.02	0.030	0.31	36.2	58.7	0.94	396	0.32
DD007717		7.27	23.8	4.20	9.67	0.11	0.02	0.02	0.033	0.34	34.9	69.8	0.93	449	0.47
DD007718		7.41	22.2	4.08	8.39	0.08	0.02	0.02	0.037	0.31	36.4	59.6	0.90	451	0.40
DD007719		6.77	22.2	3.97	8.33	0.07	<0.02	0.02	0.037	0.22	34.0	62.6	0.81	567	0.69
DD007720		8.14	22.0	3.95	8.31	0.05	<0.02	0.03	0.046	0.18	27.7	54.9	0.68	484	1.12
DD007721		13.30	16.5	4.08	18.75	0.42	0.28	0.06	0.480	0.39	38.2	99.2	0.64	1150	8.42
DD007722		12.25	54.5	3.61	9.79	0.06	0.02	0.04	0.263	0.21	33.7	59.9	0.51	860	2.49
DD007723		19.80	26.7	4.12	10.75	0.06	0.03	0.03	0.290	0.17	28.4	41.2	0.41	791	3.64
DD007724		7.85	31.3	2.38	6.89	<0.05	<0.02	0.03	0.112	0.11	19.0	29.2	0.19	215	4.41
DD007725		10.80	22.0	2.96	7.93	<0.05	0.02	0.04	0.134	0.22	30.8	85.4	0.37	290	4.02
DD007726		6.63	15.1	2.03	9.75	0.05	<0.02	0.02	0.062	0.16	39.6	43.0	0.12	313	6.93
DD007727		29.2	9.4	2.23	5.43	0.05	<0.02	0.03	0.111	0.15	25.3	48.0	0.19	564	1.29
DD007728		29.8	17.0	1.65	7.71	0.05	<0.02	0.02	0.058	0.22	29.7	51.5	0.14	186	1.61
DD007729		10.25	7.0	1.45	3.78	<0.05	<0.02	0.02	0.055	0.11	19.7	21.3	0.07	727	2.48
DD007730		13.30	12.6	3.25	9.19	<0.05	<0.02	0.03	0.149	0.15	22.2	73.8	0.33	386	1.29
DD007731		11.90	14.2	2.70	7.63	0.05	<0.02	0.03	0.126	0.24	31.3	90.5	0.37	304	1.35
DD007732		5.54	24.7	4.17	7.38	0.06	0.06	0.02	0.049	0.22	33.2	52.7	0.84	378	0.64
DD007733		5.24	18.6	4.65	7.42	0.05	0.03	0.01	0.027	0.24	24.1	53.0	0.65	266	0.93
DD007734		3.09	26.3	3.81	5.76	0.08	<0.02	0.01	0.033	0.16	41.6	38.6	0.63	260	0.69
DD007735		2.59	32.1	3.19	5.62	0.11	<0.02	<0.01	0.056	0.18	75.1	21.3	0.52	167	0.50
DD007736		15.85	47.9	4.09	6.53	0.06	<0.02	0.01	0.042	0.40	28.5	39.5	0.62	426	0.52
DD007737		19.30	37.4	4.40	7.57	0.14	0.02	0.01	0.038	0.42	46.1	56.8	0.95	438	0.30
DD007738		9.88	27.4	3.72	5.22	0.06	0.02	0.02	0.054	0.25	23.8	48.0	0.56	271	0.64
DD007739		6.30	24.2	3.49	7.23	0.08	0.05	0.03	0.084	0.26	26.5	58.3	0.66	379	0.51
DD007740		7.02	19.0	2.93	7.15	0.08	0.02	0.01	0.096	0.24	32.5	60.9	0.56	382	0.51



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 7 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 22- AUG- 2012
Account: MTT

Project: Sayyea Soil Batch 2

CERTIFICATE OF ANALYSIS WH12180694

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
DD007701		2.99	36.7	680	14.4	37.4	<0.001	0.04	2.07	4.4	0.5	1.5	73.6	<0.01	0.01
DD007702		3.08	38.7	680	20.8	46.4	<0.001	0.03	1.05	5.1	0.7	1.4	105.0	<0.01	0.01
DD007703		3.53	33.1	460	14.0	37.4	<0.001	0.02	0.48	4.5	0.5	1.2	75.2	<0.01	<0.01
DD007704		1.91	43.2	590	17.8	44.3	<0.001	0.01	0.28	5.4	0.3	1.2	124.0	<0.01	0.04
DD007705		3.73	37.2	630	14.6	40.6	<0.001	0.05	0.32	5.2	1.2	1.2	111.0	<0.01	0.02
DD007706		2.43	31.9	390	14.0	40.9	<0.001	0.02	0.24	4.2	0.5	1.0	63.3	<0.01	0.02
DD007707		1.81	41.5	670	20.7	34.2	<0.001	0.03	0.25	4.4	0.7	0.9	144.0	<0.01	0.03
DD007708		2.22	35.0	620	16.8	26.4	<0.001	0.03	0.23	3.9	1.0	0.9	73.0	<0.01	0.02
DD007709		2.00	39.3	630	24.4	26.7	<0.001	0.03	0.25	4.0	0.7	0.8	75.6	<0.01	0.01
DD007710		2.13	36.3	700	24.7	24.4	<0.001	0.03	0.22	4.2	0.7	0.9	75.3	<0.01	0.03
DD007711		2.98	37.4	640	17.7	29.5	<0.001	0.03	0.21	4.4	0.4	1.0	75.7	<0.01	0.02
DD007712		2.88	37.7	730	16.6	37.1	<0.001	0.02	0.18	4.7	0.5	1.0	84.5	<0.01	0.04
DD007713		3.52	36.2	720	15.1	34.9	<0.001	0.04	0.26	4.4	0.3	1.5	85.1	<0.01	0.03
DD007714		2.92	33.8	410	13.7	39.3	<0.001	0.02	0.26	5.2	0.4	1.3	103.0	<0.01	0.01
DD007715		3.73	35.1	530	13.0	37.6	<0.001	0.03	0.31	5.1	1.0	1.3	109.0	<0.01	0.03
DD007716		3.53	33.4	530	12.3	41.3	<0.001	0.02	0.44	5.0	0.3	1.3	92.3	<0.01	0.02
DD007717		3.88	37.5	620	14.2	46.9	<0.001	0.03	1.39	5.5	1.0	1.4	99.4	<0.01	0.02
DD007718		2.79	32.8	440	13.4	46.4	<0.001	0.02	0.90	5.2	0.6	1.4	69.2	<0.01	0.01
DD007719		4.29	33.8	540	14.7	35.8	<0.001	0.03	0.84	4.9	0.7	1.6	43.5	<0.01	0.04
DD007720		4.10	33.6	580	20.1	29.1	<0.001	0.04	2.41	4.4	0.5	1.8	42.3	<0.01	0.05
DD007721		6.20	20.8	850	30.2	55.4	<0.001	0.03	12.95	7.3	0.3	34.7	130.5	<0.01	0.08
DD007722		3.26	23.9	650	76.2	57.6	<0.001	0.04	4.72	4.5	0.3	10.1	60.1	<0.01	0.04
DD007723		3.87	14.3	390	45.7	59.2	0.001	0.03	3.56	2.8	0.2	12.2	26.0	<0.01	0.04
DD007724		1.16	9.1	420	28.4	35.1	<0.001	0.03	1.80	0.5	<0.2	5.1	10.2	<0.01	0.04
DD007725		6.90	13.3	330	34.3	84.1	<0.001	0.04	1.32	2.6	0.5	4.9	18.1	0.01	0.03
DD007726		5.76	3.4	490	34.4	64.3	<0.001	0.03	0.94	0.9	0.4	3.7	6.9	<0.01	<0.01
DD007727		2.42	6.3	870	16.8	68.3	<0.001	0.03	0.37	0.9	0.5	3.6	13.8	<0.01	<0.01
DD007728		7.63	5.3	250	18.0	178.0	<0.001	0.03	0.57	0.9	<0.2	3.4	19.0	0.01	0.02
DD007729		1.94	2.8	590	146.5	99.5	<0.001	0.03	0.57	0.4	<0.2	1.7	19.7	<0.01	0.02
DD007730		5.12	12.2	770	19.3	67.8	<0.001	0.02	0.52	1.7	<0.2	7.5	20.3	<0.01	0.04
DD007731		7.17	12.9	420	23.3	80.4	<0.001	0.02	0.70	2.2	<0.2	5.1	16.3	0.01	0.01
DD007732		2.75	44.1	310	21.7	41.2	<0.001	0.02	0.57	3.4	0.5	1.3	21.5	<0.01	0.03
DD007733		4.02	23.5	450	23.4	53.4	<0.001	0.05	0.28	2.3	0.3	1.3	27.0	<0.01	0.04
DD007734		2.02	42.0	570	12.8	46.8	<0.001	0.02	0.52	2.1	0.6	1.1	13.8	<0.01	0.07
DD007735		1.98	19.6	590	14.2	45.3	<0.001	0.03	0.97	1.6	0.5	2.0	16.1	<0.01	0.03
DD007736		2.89	25.8	390	162.5	99.9	<0.001	0.05	1.75	3.4	<0.2	4.3	28.4	<0.01	0.30
DD007737		2.82	38.5	620	36.0	89.6	<0.001	0.02	0.81	5.4	0.6	2.8	23.6	<0.01	0.03
DD007738		2.47	29.3	310	18.2	54.5	<0.001	0.02	0.54	2.6	<0.2	1.7	10.6	<0.01	0.02
DD007739		2.41	33.9	400	28.8	45.6	<0.001	0.01	0.84	3.2	0.3	2.1	23.0	<0.01	0.01
DD007740		2.60	22.9	380	23.0	58.6	<0.001	0.01	0.62	2.8	0.5	3.0	21.0	<0.01	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 7 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 22- AUG- 2012
Account: MTT

Project: Sayyea Soil Batch 2

CERTIFICATE OF ANALYSIS WH12180694

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm	W- XRF05 W ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5	10
DD007701		0.057	0.27	3.35	32	0.98	12.30	150	<0.5	
DD007702		0.057	0.31	2.61	31	1.02	15.90	156	0.6	
DD007703		0.050	0.20	1.35	28	0.51	9.86	130	0.5	
DD007704		0.048	0.27	1.31	29	0.25	18.90	141	1.0	
DD007705		0.050	0.21	2.76	28	0.23	17.80	145	0.8	
DD007706		0.048	0.22	1.37	24	0.28	9.96	97	0.8	
DD007707		0.033	0.20	1.42	24	0.19	18.35	145	1.2	
DD007708		0.029	0.15	1.79	22	0.16	18.90	125	0.7	
DD007709		0.023	0.14	1.50	20	0.16	20.5	140	1.1	
DD007710		0.030	0.16	1.55	24	0.15	17.95	140	0.7	
DD007711		0.037	0.18	1.35	27	0.19	13.90	131	0.6	
DD007712		0.045	0.20	1.47	28	0.18	13.85	118	0.6	
DD007713		0.043	0.21	2.98	29	0.24	14.25	134	0.5	
DD007714		0.060	0.22	1.52	28	0.26	12.70	159	0.7	
DD007715		0.056	0.22	1.81	29	0.27	14.20	129	0.5	
DD007716		0.058	0.25	2.15	28	0.33	13.75	116	<0.5	
DD007717		0.059	0.28	2.94	30	0.92	17.05	155	0.5	
DD007718		0.071	0.29	1.64	30	0.89	12.05	134	0.6	
DD007719		0.064	0.26	1.60	29	1.84	10.65	142	0.5	
DD007720		0.057	0.24	2.02	36	3.79	8.14	168	<0.5	
DD007721		0.125	1.13	2.33	40	186.0	12.40	465	6.9	180
DD007722		0.043	0.45	4.01	30	91.6	12.25	701	0.7	
DD007723		0.044	0.47	2.26	32	132.0	5.92	713	1.5	160
DD007724		0.018	0.28	1.72	23	33.3	3.43	207	<0.5	
DD007725		0.033	0.41	2.76	24	17.00	5.70	236	0.8	
DD007726		0.032	0.34	6.29	21	5.64	5.82	158	<0.5	
DD007727		0.012	0.22	2.41	15	8.25	5.09	396	<0.5	
DD007728		0.061	0.26	5.86	17	4.79	4.38	216	0.5	
DD007729		0.006	0.14	2.43	9	2.88	4.19	544	<0.5	
DD007730		0.038	0.22	1.93	27	26.3	4.65	381	<0.5	
DD007731		0.049	0.40	3.08	22	14.25	6.50	472	<0.5	
DD007732		0.031	0.21	1.36	24	4.53	7.85	105	2.1	
DD007733		0.078	0.21	0.87	37	1.13	5.46	202	1.3	
DD007734		0.028	0.19	1.65	21	2.16	10.75	107	<0.5	
DD007735		0.022	0.21	2.79	22	3.24	13.65	99	<0.5	
DD007736		0.063	0.61	1.80	24	8.07	5.46	446	<0.5	
DD007737		0.089	0.77	2.83	31	6.58	13.40	379	0.6	
DD007738		0.039	0.46	1.51	20	4.34	4.50	370	0.6	
DD007739		0.035	0.28	1.57	21	11.60	7.06	223	2.0	
DD007740		0.046	0.37	2.17	20	14.95	7.82	188	0.9	



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 8 - A
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 22- AUG- 2012
 Account: MTT

Project: Sayyea Soil Batch 2

CERTIFICATE OF ANALYSIS WH12180694

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD007741		0.28	0.002	0.26	1.69	27.9	<0.2	<10	50	1.31	2.25	0.14	0.21	47.8	7.8	23
DD007742		0.27	0.001	0.24	1.35	10.4	<0.2	<10	50	0.78	1.12	0.12	0.28	40.6	7.9	19
DD007743		0.27	0.001	0.12	1.23	24.8	<0.2	<10	40	1.48	1.28	0.15	0.33	44.9	10.7	17
DD007744		0.36	0.037	0.30	1.28	13.7	<0.2	<10	40	0.96	1.58	0.10	0.07	43.2	4.7	15
DD007745		0.35	0.001	0.23	1.75	49.8	<0.2	<10	60	1.97	1.80	0.12	0.08	56.6	9.4	23
DD007746		0.30	0.002	0.16	1.12	18.8	<0.2	<10	40	1.15	1.21	0.43	0.10	47.6	8.9	18
DD007747		0.27	0.001	0.09	1.75	16.3	<0.2	<10	40	1.30	1.16	0.18	0.18	43.6	9.9	21
DD007748		0.32	0.001	0.37	0.84	10.0	<0.2	<10	40	0.53	1.15	0.19	2.55	31.5	11.3	16
DD007749		0.39	0.001	0.23	1.33	22.2	<0.2	<10	50	2.09	2.11	0.40	0.47	53.2	7.6	21
DD007750		0.35	0.002	0.11	1.62	28.1	<0.2	<10	50	4.66	2.61	0.28	1.16	57.7	9.0	24



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 8 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 22- AUG- 2012
Account: MTT

Project: Sayyea Soil Batch 2

CERTIFICATE OF ANALYSIS WH12180694

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
DD007741		6.78	13.3	2.84	6.99	0.07	<0.02	0.01	0.078	0.23	25.7	56.6	0.52	277	0.86
DD007742		5.35	11.7	2.29	6.81	<0.05	<0.02	<0.01	0.047	0.17	20.8	41.1	0.42	271	1.02
DD007743		5.76	16.0	2.62	4.40	0.06	0.04	0.02	0.064	0.18	18.0	35.7	0.34	1050	0.88
DD007744		5.40	8.1	2.18	5.15	0.05	0.05	<0.01	0.052	0.15	22.4	54.2	0.33	206	1.22
DD007745		7.40	12.5	2.81	7.10	0.07	0.04	0.01	0.060	0.20	30.0	79.6	0.51	321	0.98
DD007746		5.06	18.3	2.20	4.55	0.07	0.06	0.01	0.063	0.16	27.5	34.8	0.37	377	0.46
DD007747		4.55	13.9	2.64	5.85	0.06	0.07	0.01	0.076	0.13	21.3	40.9	0.42	227	0.66
DD007748		2.95	10.1	2.38	5.44	<0.05	<0.02	0.01	0.038	0.11	15.3	24.5	0.31	1280	0.87
DD007749		6.96	15.2	2.43	5.53	0.07	0.03	<0.01	0.111	0.23	26.3	54.6	0.49	298	0.65
DD007750		7.31	41.1	2.87	6.61	0.09	0.02	0.01	0.110	0.22	32.7	70.3	0.54	367	0.51



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 8 - C
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 22- AUG- 2012
 Account: MTT

Project: Sayyea Soil Batch 2

CERTIFICATE OF ANALYSIS WH12180694

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD007741		2.69	17.7	290	17.5	52.8	<0.001	0.01	0.62	2.5	0.4	2.9	15.8	<0.01	0.01	8.5
DD007742		2.28	14.9	300	18.9	69.7	<0.001	0.01	0.45	2.2	0.4	2.1	18.5	<0.01	0.01	5.9
DD007743		1.77	19.8	680	27.5	37.0	<0.001	0.01	0.66	2.0	0.3	1.7	10.3	<0.01	0.01	8.2
DD007744		2.72	10.8	330	17.3	46.5	<0.001	0.01	0.41	1.6	0.2	1.9	8.4	<0.01	0.01	9.3
DD007745		2.14	20.8	210	23.8	51.8	<0.001	0.01	0.59	2.8	0.2	2.8	19.3	<0.01	<0.01	10.5
DD007746		1.83	18.1	610	17.6	29.8	<0.001	0.01	0.85	2.6	0.9	1.7	27.3	<0.01	<0.01	9.7
DD007747		1.96	22.0	540	18.6	29.7	<0.001	0.01	0.77	2.3	0.6	1.8	19.6	0.01	0.01	9.0
DD007748		1.65	12.5	640	12.5	63.6	<0.001	0.01	0.59	1.2	<0.2	1.7	13.1	<0.01	0.01	3.1
DD007749		2.60	17.5	710	19.9	49.1	<0.001	0.01	0.43	2.7	0.4	2.8	31.3	<0.01	<0.01	10.5
DD007750		1.98	23.1	390	18.7	49.1	<0.001	0.01	0.58	3.5	0.4	3.2	24.9	<0.01	0.02	11.1



2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

Project: Sayyea Soil Batch 2

Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 22- AUG- 2012
Account: MTT

CERTIFICATE OF ANALYSIS	WH12180694
--------------------------------	-------------------

[illegible]

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Sayyea Soil Batch 2

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 22- AUG- 2012
Account: MTT

CERTIFICATE OF ANALYSIS WH12180694

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 17- AUG- 2012
Account: MTT

CERTIFICATE WH12180696

Project: Say Ya Soil
P.O. No.: Batch 1
This report is for 140 Soil samples submitted to our lab in Whitehorse, YT, Canada on 2- AUG- 2012.

The following have access to data associated with this certificate:

SARAH EATON

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/ o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
W- XRF05	Trace Level W XRF Analysis	XRF
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 17- AUG- 2012
Account: MTT

Project: Say Ya Soil

CERTIFICATE OF ANALYSIS WH12180696

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD007501		0.27	0.006	0.20	1.59	34.0	<0.2	<10	70	1.49	1.49	0.36	0.15	70.7	9.7	20
DD007502		0.26	0.003	0.15	1.82	31.7	<0.2	<10	50	0.90	0.86	0.40	0.10	85.6	17.0	27
DD007503		0.25	0.002	0.12	1.83	16.2	<0.2	<10	70	1.60	1.59	2.66	0.23	69.4	11.4	22
DD007504		0.23	0.001	0.21	2.67	37.2	<0.2	<10	80	1.38	0.66	1.16	0.18	59.0	14.4	41
DD007505		0.30	0.002	0.14	1.90	33.1	<0.2	<10	60	1.10	1.21	0.38	0.14	84.2	18.4	34
DD007506		0.28	0.003	0.10	1.86	31.8	<0.2	<10	70	1.19	1.32	0.36	0.10	75.3	13.3	24
DD007507		0.27	0.004	0.17	2.72	28.4	<0.2	<10	80	1.31	1.79	2.85	0.16	77.5	17.3	33
DD007508		0.24	0.001	0.15	1.39	18.6	<0.2	<10	40	1.30	2.42	0.25	0.22	41.6	9.3	24
DD007509		0.24	<0.001	0.19	1.51	17.8	<0.2	<10	40	1.31	1.98	0.18	0.34	35.5	8.7	23
DD007510		0.21	0.002	0.23	1.92	16.3	<0.2	<10	60	1.30	1.71	0.15	0.41	38.2	8.7	28
DD007511		0.15	<0.001	0.25	1.55	6.5	<0.2	<10	60	0.63	0.95	0.26	0.32	27.4	6.7	23
DD007512		0.26	<0.001	0.38	1.68	17.7	<0.2	<10	40	1.38	1.66	0.36	0.16	60.7	10.6	27
DD007513		0.21	0.001	1.15	1.86	106.5	<0.2	<10	90	3.66	2.66	0.50	0.45	66.6	15.8	28
DD007514		0.24	0.002	0.39	1.28	19.5	<0.2	<10	60	1.57	1.56	0.56	0.39	50.1	7.8	18
DD007515		0.24	0.002	0.40	2.21	14.2	<0.2	<10	90	2.66	2.26	0.38	0.25	56.1	14.4	41
DD007516		0.26	0.002	0.66	1.72	23.4	<0.2	<10	80	3.18	2.68	0.55	0.73	53.6	13.1	27
DD007517		0.19	0.003	0.66	1.10	15.0	<0.2	<10	40	1.11	1.28	0.50	0.22	50.1	7.6	17
DD007518		0.20	0.002	0.31	1.61	22.0	<0.2	<10	70	1.43	1.49	0.84	0.53	51.4	9.8	25
DD007519		0.21	0.002	0.47	1.74	19.4	<0.2	<10	50	1.91	1.69	0.65	0.78	40.6	6.5	22
DD007520		0.15	<0.001	0.86	1.89	15.2	<0.2	<10	40	1.34	1.51	0.35	0.25	36.6	8.5	26
DD007521		0.10	<0.001	0.10	1.29	4.8	<0.2	<10	80	0.43	0.73	0.09	0.41	32.1	8.2	18
DD007522		0.17	<0.001	0.10	1.24	4.4	<0.2	<10	50	0.59	0.95	0.16	0.17	41.0	4.9	17
DD007523		0.27	0.002	0.14	1.32	13.2	<0.2	<10	40	1.06	1.57	0.24	0.10	49.5	6.4	19
DD007524		0.20	0.001	0.59	2.49	77.3	<0.2	<10	60	2.90	1.77	0.72	0.29	42.0	13.0	31
DD007525		0.32	0.001	0.29	2.02	18.9	<0.2	<10	50	1.13	1.46	0.19	0.13	54.7	9.0	26
DD007526		0.20	0.002	0.26	1.43	22.7	<0.2	<10	40	1.06	2.59	0.18	0.14	50.4	6.6	15
DD007527		0.20	0.001	0.44	1.36	16.7	<0.2	<10	40	1.24	2.03	0.13	0.78	41.4	10.3	20
DD007528		0.22	0.001	0.38	1.13	21.2	<0.2	<10	20	0.88	1.38	0.13	0.18	37.1	7.1	15
DD007529		0.34	0.003	0.18	1.94	27.6	<0.2	<10	50	1.47	2.65	0.28	0.12	76.2	11.0	24
DD007530		0.21	0.001	0.15	1.75	22.0	<0.2	<10	50	1.03	1.55	0.24	0.07	61.6	10.8	21
DD007531		0.27	0.002	0.17	1.43	15.7	<0.2	<10	40	1.09	1.17	0.18	0.08	62.5	9.9	20
DD007532		0.26	0.003	0.16	1.76	26.8	<0.2	<10	70	1.34	1.61	0.41	0.21	69.4	10.4	21
DD007533		0.23	0.001	0.09	3.08	13.3	<0.2	<10	110	1.28	0.76	0.99	0.06	51.0	15.0	39
DD007534		0.29	0.002	0.13	2.05	11.7	<0.2	<10	70	1.21	1.09	2.73	0.18	62.7	11.0	28
DD007535		0.19	0.001	0.06	2.62	43.5	<0.2	<10	70	0.67	0.54	0.39	0.11	72.1	16.5	37
DD007536		0.29	0.004	0.12	2.93	40.6	<0.2	<10	90	0.88	0.80	0.63	0.16	86.2	19.2	38
DD007537		0.23	0.002	0.20	2.62	24.1	<0.2	<10	100	1.02	0.89	0.41	0.35	59.3	14.0	34
DD007538		0.21	0.001	0.14	2.61	26.5	<0.2	<10	100	1.33	1.16	0.49	0.30	61.1	15.4	36
DD007539		0.20	0.004	0.17	2.75	30.9	<0.2	<10	100	1.63	1.40	0.59	0.31	62.5	15.9	36
DD007540		0.18	0.008	0.15	2.30	28.9	<0.2	<10	70	2.27	3.16	0.66	0.30	72.1	12.3	35



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 17- AUG- 2012
Account: MTT

Project: Say Ya Soil

CERTIFICATE OF ANALYSIS WH12180696

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
DD007501		7.74	22.6	2.65	6.68	0.09	0.12	0.04	0.084	0.30	35.9	55.9	0.44	511	0.51
DD007502		4.04	27.1	3.64	7.16	0.12	0.10	0.01	0.051	0.18	44.3	47.3	0.73	494	0.40
DD007503		8.61	27.7	2.74	7.79	0.10	0.10	<0.01	0.099	0.39	35.0	63.2	0.50	538	0.59
DD007504		9.64	20.0	4.13	10.75	0.08	0.02	<0.01	0.058	0.16	31.2	66.3	0.77	396	0.68
DD007505		3.99	29.8	3.67	7.13	0.10	0.12	<0.01	0.068	0.19	42.4	48.0	0.77	635	0.48
DD007506		4.41	28.5	3.44	7.24	0.11	0.11	0.01	0.082	0.22	41.7	54.7	0.67	469	0.42
DD007507		4.38	34.9	3.91	8.16	0.11	0.08	0.06	0.070	0.25	38.1	52.7	0.88	603	0.34
DD007508		4.53	15.4	2.81	6.29	0.06	<0.02	0.05	0.061	0.17	22.0	34.4	0.44	498	1.24
DD007509		3.59	15.2	3.01	5.44	0.06	<0.02	0.06	0.090	0.16	18.1	40.1	0.47	484	0.97
DD007510		3.86	14.3	3.30	7.28	0.05	0.02	0.05	0.061	0.12	19.6	47.5	0.52	406	1.08
DD007511		2.26	5.9	2.66	6.90	<0.05	<0.02	0.05	0.041	0.09	13.8	39.6	0.35	227	1.01
DD007512		4.08	15.4	3.01	5.56	0.07	0.04	0.05	0.069	0.17	23.0	43.8	0.50	590	0.97
DD007513		9.59	43.0	4.45	6.65	0.09	<0.02	0.05	0.084	0.33	28.8	48.0	0.52	1300	2.30
DD007514		6.89	20.5	2.43	4.73	0.08	0.04	0.05	0.070	0.25	24.4	50.6	0.37	457	1.13
DD007515		29.0	26.6	4.71	7.72	0.14	0.02	0.03	0.096	0.88	27.4	81.3	0.76	665	1.22
DD007516		13.30	39.8	3.79	5.44	0.09	0.03	0.03	0.089	0.42	28.3	51.2	0.51	2160	1.86
DD007517		4.03	17.6	2.30	3.83	0.11	0.04	0.04	0.127	0.17	30.8	28.7	0.39	546	0.44
DD007518		5.52	19.9	2.94	4.98	0.09	0.03	0.04	0.063	0.19	28.6	44.4	0.47	843	0.83
DD007519		5.28	30.8	2.79	5.34	0.08	0.02	0.02	0.061	0.14	31.5	77.3	0.43	332	1.67
DD007520		5.40	11.7	3.24	6.29	0.05	0.04	<0.01	0.071	0.28	19.8	48.2	0.49	293	0.92
DD007521		3.59	4.5	2.52	6.28	<0.05	<0.02	<0.01	0.034	0.08	16.7	35.7	0.30	1170	1.25
DD007522		4.17	3.7	1.92	5.58	0.05	0.04	<0.01	0.032	0.11	21.9	62.7	0.33	218	0.64
DD007523		4.88	13.8	2.24	4.76	0.08	0.02	<0.01	0.066	0.21	25.7	41.6	0.41	276	0.60
DD007524		9.78	26.2	4.69	9.48	0.11	0.02	<0.01	0.059	0.38	19.6	66.2	0.72	718	3.08
DD007525		4.66	15.1	3.03	7.12	0.09	<0.02	<0.01	0.073	0.20	30.9	52.4	0.63	298	0.66
DD007526		5.47	23.9	2.19	5.02	0.07	0.02	0.01	0.108	0.21	25.6	37.4	0.35	367	1.38
DD007527		4.19	17.1	2.59	6.30	0.06	<0.02	0.03	0.061	0.16	20.3	32.0	0.37	531	1.11
DD007528		2.78	15.8	2.36	4.38	0.06	0.02	0.01	0.049	0.11	20.3	25.8	0.32	174	0.81
DD007529		5.73	26.6	3.30	6.64	0.10	0.02	0.03	0.094	0.23	43.1	41.0	0.59	450	0.75
DD007530		3.72	17.2	2.95	5.94	0.08	<0.02	0.01	0.076	0.18	32.3	45.1	0.57	459	0.50
DD007531		4.39	18.5	3.06	5.17	0.09	0.02	0.02	0.046	0.15	33.2	41.5	0.52	374	0.55
DD007532		5.87	25.4	2.89	6.44	0.09	0.06	0.02	0.083	0.28	38.4	51.5	0.46	584	0.56
DD007533		17.10	23.8	3.84	10.40	0.11	0.03	0.01	0.036	0.39	29.9	69.1	1.01	478	0.30
DD007534		7.59	23.8	3.01	7.53	0.10	0.04	0.01	0.062	0.35	33.3	52.9	0.64	481	0.51
DD007535		4.34	23.3	3.92	8.75	0.09	0.03	<0.01	0.031	0.21	38.7	49.8	0.92	453	0.28
DD007536		4.72	34.0	4.53	9.73	0.12	0.04	<0.01	0.037	0.27	48.3	56.8	1.00	582	0.34
DD007537		4.72	28.3	3.88	8.68	0.08	<0.02	0.03	0.045	0.21	31.9	47.8	0.76	519	0.63
DD007538		6.06	23.4	3.92	9.26	0.08	<0.02	0.01	0.057	0.21	33.1	52.6	0.77	601	0.92
DD007539		6.76	26.0	4.02	9.22	0.09	<0.02	0.01	0.053	0.28	34.6	54.9	0.76	594	0.81
DD007540		5.91	22.2	3.78	8.24	0.10	0.02	<0.01	0.094	0.29	38.7	46.8	0.78	476	1.24



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.

C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED

1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C

Total # Pages: 5 (A - D)

Plus Appendix Pages

Finalized Date: 17- AUG- 2012

Account: MTT

Project: Say Ya Soil

CERTIFICATE OF ANALYSIS WH12180696

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
DD007501		1.27	21.2	620	27.4	54.4	<0.001	0.01	3.91	3.1	0.4	2.6	55.6	<0.01	0.02
DD007502		0.99	38.7	670	19.0	29.7	<0.001	0.01	1.80	3.5	0.9	1.2	43.3	<0.01	0.02
DD007503		1.74	24.2	640	22.3	64.4	<0.001	0.01	0.75	3.8	1.0	2.9	126.0	<0.01	0.01
DD007504		2.24	36.4	470	18.9	40.0	<0.001	0.02	0.93	6.4	0.8	1.8	116.0	<0.01	0.01
DD007505		1.16	41.5	690	18.4	29.4	<0.001	0.01	0.67	3.6	0.7	1.7	34.9	0.01	0.02
DD007506		1.54	32.2	650	19.1	36.4	<0.001	0.01	0.86	3.6	0.9	2.0	33.5	0.01	0.02
DD007507		1.04	39.4	710	24.7	26.9	<0.001	<0.01	1.37	4.3	0.5	2.0	196.5	<0.01	0.03
DD007508		2.14	19.2	550	16.2	50.8	<0.001	0.01	1.00	2.2	0.2	2.6	22.9	<0.01	0.03
DD007509		1.91	20.8	390	15.5	35.0	<0.001	0.01	1.03	2.1	<0.2	2.1	20.0	<0.01	0.03
DD007510		2.96	21.0	420	14.9	28.9	<0.001	0.01	0.72	2.4	<0.2	2.5	17.3	<0.01	0.03
DD007511		2.86	14.0	290	12.5	30.7	<0.001	0.01	0.35	1.9	<0.2	1.8	19.0	<0.01	0.02
DD007512		3.16	24.1	360	22.4	54.2	<0.001	0.01	0.83	2.9	0.3	1.7	37.4	<0.01	0.02
DD007513		3.04	36.8	600	35.9	56.7	<0.001	0.02	1.19	3.5	0.4	2.6	36.8	<0.01	0.02
DD007514		3.98	17.0	720	28.1	48.8	<0.001	0.11	0.63	2.3	0.2	1.7	36.8	<0.01	0.02
DD007515		3.25	35.3	540	30.5	142.0	<0.001	0.01	0.52	5.2	<0.2	3.1	28.0	0.01	0.03
DD007516		2.35	36.0	820	80.5	67.7	<0.001	0.01	0.74	3.7	0.4	1.7	34.1	<0.01	0.03
DD007517		2.22	17.9	730	17.5	31.7	<0.001	0.01	0.80	2.7	0.6	1.4	31.5	<0.01	<0.01
DD007518		2.97	22.6	750	22.2	40.2	<0.001	0.11	0.71	2.7	0.7	1.6	58.8	<0.01	0.01
DD007519		2.72	20.1	610	20.5	35.7	<0.001	0.02	0.58	2.3	0.6	1.8	44.9	0.01	0.02
DD007520		3.63	21.2	320	19.1	54.8	0.001	0.01	0.51	2.5	<0.2	2.0	30.0	<0.01	0.01
DD007521		3.20	9.9	320	14.6	32.4	<0.001	<0.01	0.26	1.6	<0.2	1.9	8.5	<0.01	0.02
DD007522		2.63	8.7	170	14.6	42.0	<0.001	<0.01	0.19	1.6	<0.2	1.9	14.6	<0.01	0.01
DD007523		2.30	15.3	680	20.6	40.3	<0.001	<0.01	0.64	2.1	0.2	1.6	18.6	<0.01	0.02
DD007524		2.51	47.7	590	33.4	74.2	<0.001	0.01	1.48	3.4	0.3	2.0	24.9	<0.01	0.01
DD007525		3.37	24.7	530	21.6	43.6	<0.001	<0.01	0.66	2.7	0.4	2.1	23.0	<0.01	0.02
DD007526		3.08	16.4	570	37.9	40.2	0.001	<0.01	0.83	1.8	0.8	2.4	14.0	<0.01	0.03
DD007527		2.85	18.5	470	22.5	50.7	0.001	<0.01	0.75	1.7	<0.2	2.3	17.2	<0.01	0.03
DD007528		1.85	19.7	470	14.5	25.6	0.001	<0.01	0.97	1.5	0.3	1.6	12.2	<0.01	0.02
DD007529		2.01	27.4	550	28.0	37.8	<0.001	<0.01	1.28	3.1	0.8	2.6	26.4	<0.01	0.04
DD007530		2.61	21.5	660	23.3	36.6	0.001	<0.01	1.43	2.2	0.2	2.3	18.6	<0.01	0.02
DD007531		1.75	24.1	330	14.3	36.3	0.001	<0.01	0.69	2.2	0.5	1.7	14.5	<0.01	0.01
DD007532		3.49	24.1	600	22.7	51.9	0.001	<0.01	1.60	2.8	0.9	2.9	31.4	<0.01	0.01
DD007533		2.43	41.3	1230	9.4	56.7	<0.001	0.01	0.47	5.7	0.8	3.4	160.5	0.01	0.02
DD007534		2.83	26.5	550	17.7	54.5	<0.001	0.01	0.75	3.8	0.6	2.2	150.0	<0.01	<0.01
DD007535		2.06	37.6	450	16.6	26.5	<0.001	<0.01	0.37	4.4	0.7	1.2	76.1	<0.01	0.03
DD007536		1.75	46.7	570	21.3	31.9	<0.001	<0.01	0.58	4.9	1.4	1.3	112.0	<0.01	0.03
DD007537		2.54	35.5	700	19.3	32.4	<0.001	0.02	0.43	3.1	<0.2	1.3	53.7	<0.01	0.01
DD007538		2.87	34.5	710	19.6	42.5	<0.001	0.02	0.75	3.7	0.5	1.8	56.3	<0.01	0.03
DD007539		3.30	36.5	730	17.7	42.0	<0.001	0.02	1.25	4.1	0.7	1.9	64.1	<0.01	0.02
DD007540		3.14	30.0	730	20.7	38.9	<0.001	0.01	2.72	4.2	0.9	4.5	62.4	<0.01	0.02



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 17- AUG- 2012
 Account: MTT

Project: Say Ya Soil

CERTIFICATE OF ANALYSIS WH12180696

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm	W- XRF05 W ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5	10
DD007501		0.043	0.89	1.67	19	8.62	11.15	142	5.1	
DD007502		0.027	0.26	1.11	20	3.73	16.35	99	4.9	
DD007503		0.059	0.42	1.83	22	10.55	13.10	153	4.5	
DD007504		0.066	0.28	1.88	38	4.84	14.70	153	0.8	
DD007505		0.028	0.23	1.39	22	8.78	15.85	112	5.5	
DD007506		0.030	0.22	1.54	20	10.80	18.55	117	5.2	
DD007507		0.040	0.27	1.34	25	11.65	16.70	164	3.2	
DD007508		0.048	0.18	1.16	25	25.8	6.56	232	<0.5	
DD007509		0.034	0.16	0.96	22	14.10	4.58	199	<0.5	
DD007510		0.035	0.18	0.98	30	13.15	4.31	180	0.9	
DD007511		0.049	0.13	0.55	33	10.40	2.22	146	0.7	
DD007512		0.043	0.23	1.29	25	15.95	6.21	115	1.6	
DD007513		0.052	0.33	3.46	25	7.44	9.31	414	0.5	
DD007514		0.047	0.35	3.11	17	11.10	11.30	194	1.5	
DD007515		0.173	1.04	2.05	33	4.38	6.99	289	0.8	
DD007516		0.072	0.49	2.39	24	8.05	12.85	345	1.1	
DD007517		0.043	0.23	3.33	17	11.95	17.80	121	1.7	
DD007518		0.040	0.28	4.61	20	7.16	13.60	178	1.2	
DD007519		0.040	0.22	30.2	22	10.45	13.25	301	0.5	
DD007520		0.057	0.26	1.10	29	9.16	3.88	195	1.7	
DD007521		0.060	0.17	0.55	29	9.56	2.22	313	0.8	
DD007522		0.052	0.23	1.64	24	4.11	3.19	244	1.6	
DD007523		0.044	0.27	1.86	18	11.70	8.46	118	0.8	
DD007524		0.045	0.38	1.74	29	5.52	7.90	586	1.0	
DD007525		0.041	0.26	2.82	21	14.45	8.62	133	<0.5	
DD007526		0.031	0.29	2.09	14	12.60	7.85	149	0.8	
DD007527		0.046	0.17	1.62	24	13.15	5.73	203	<0.5	
DD007528		0.027	0.12	1.11	16	21.6	5.65	115	0.5	
DD007529		0.042	0.37	1.98	21	14.55	11.70	179	0.8	
DD007530		0.031	0.24	1.78	19	16.55	7.57	120	0.7	
DD007531		0.033	0.24	1.84	17	8.93	6.89	125	0.8	
DD007532		0.043	0.34	1.89	19	14.90	12.15	162	2.2	
DD007533		0.107	0.74	1.95	38	2.80	16.35	113	1.1	
DD007534		0.063	0.42	1.67	26	5.67	12.85	128	1.5	
DD007535		0.051	0.21	1.29	27	0.33	14.70	130	1.0	
DD007536		0.041	0.22	1.33	28	0.65	21.0	154	1.4	
DD007537		0.040	0.19	2.11	28	1.47	11.45	191	<0.5	
DD007538		0.046	0.22	1.85	31	8.97	11.20	233	<0.5	
DD007539		0.052	0.29	1.91	31	5.23	12.60	246	<0.5	
DD007540		0.064	0.40	1.73	29	23.3	11.90	251	0.7	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 17- AUG- 2012
Account: MTT

Project: Say Ya Soil

CERTIFICATE OF ANALYSIS WH12180696

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD007541		0.28	0.006	0.28	2.74	31.3	<0.2	<10	70	2.51	8.76	1.05	0.34	83.0	15.2	38
DD007542		0.25	0.004	0.23	1.64	61.3	<0.2	<10	50	2.07	6.41	0.48	0.37	54.7	9.7	27
DD007543		0.16	0.005	0.62	1.51	50.7	<0.2	<10	50	2.35	7.54	0.45	1.64	40.7	6.2	22
DD007544		0.24	0.004	0.60	1.34	79.1	<0.2	<10	50	1.58	6.48	0.39	0.35	61.5	5.1	21
DD007545		0.18	0.003	0.24	1.35	36.3	<0.2	<10	40	1.30	3.55	0.25	0.18	63.0	6.0	22
DD007546		0.26	0.004	0.58	1.56	55.2	<0.2	<10	60	1.71	4.08	0.43	0.39	63.0	6.5	22
DD007547		0.27	0.004	0.51	1.76	74.0	<0.2	<10	60	2.52	5.29	0.43	0.49	73.9	10.0	25
DD007548		0.18	0.002	0.91	1.46	41.7	<0.2	<10	50	1.10	2.91	0.25	0.28	57.3	6.2	19
DD007549		0.13	0.004	0.66	2.33	62.0	<0.2	<10	100	2.46	3.91	0.58	2.00	64.7	10.0	22
DD007550		0.10	0.001	1.24	1.43	10.1	<0.2	<10	50	1.63	2.12	0.14	0.91	37.7	3.7	12
DD007551		0.18	0.001	1.29	1.23	7.4	<0.2	<10	50	1.14	1.89	0.17	0.57	57.5	3.9	12
DD007552		0.24	0.001	0.81	1.15	8.5	<0.2	<10	40	0.72	1.47	0.12	0.32	45.6	3.7	15
DD007553		0.24	0.002	0.55	1.24	39.2	<0.2	<10	40	1.15	2.53	0.36	0.26	69.9	5.0	15
DD007554		0.13	0.002	0.84	1.81	15.6	<0.2	<10	80	1.56	2.18	0.29	1.17	48.7	5.0	15
DD007555		0.15	0.004	1.39	1.78	27.0	<0.2	<10	80	2.09	3.10	0.60	0.41	61.9	6.2	17
DD007556		0.16	0.002	0.40	1.50	30.4	<0.2	<10	50	1.35	2.64	0.37	0.61	61.8	5.9	18
DD007557		0.20	0.002	0.15	2.26	20.5	<0.2	<10	70	0.51	0.51	0.50	0.14	71.2	14.4	32
DD007558		0.22	0.001	0.15	2.67	20.1	<0.2	<10	80	0.71	0.55	0.83	0.15	83.4	17.5	37
DD007559		0.22	0.002	0.15	2.54	24.4	<0.2	<10	70	0.69	0.55	0.53	0.17	91.6	19.1	34
DD007560		0.32	0.002	0.12	2.83	28.8	<0.2	<10	70	0.74	0.62	0.56	0.15	79.2	16.9	40
DD007561		0.19	0.001	0.07	2.53	30.1	<0.2	<10	70	0.72	0.60	0.36	0.09	64.6	15.4	37
DD007562		0.26	0.002	0.09	2.61	32.6	<0.2	<10	70	0.84	0.68	0.41	0.09	70.2	14.9	36
DD007563		0.28	0.002	0.10	2.50	24.8	<0.2	<10	80	0.92	0.88	0.45	0.12	71.0	15.2	35
DD007564		0.19	0.001	0.05	2.32	20.3	<0.2	<10	60	1.08	0.91	0.38	0.13	77.5	15.3	33
DD007565		0.32	0.002	0.08	2.40	21.9	<0.2	<10	80	1.29	1.23	0.46	0.14	66.7	16.1	36
DD007566		0.21	0.006	0.22	2.67	24.5	<0.2	<10	100	3.49	2.03	0.72	0.99	75.1	17.0	33
DD007567		0.18	0.011	0.34	2.98	34.0	<0.2	<10	100	8.95	40.2	3.25	0.32	73.2	9.2	30
DD007568		0.17	0.005	0.34	2.10	67.0	<0.2	<10	60	3.79	12.25	1.05	0.33	75.0	10.2	30
DD007569		0.18	0.007	1.24	1.74	95.6	<0.2	<10	70	3.41	10.30	0.71	2.06	38.9	8.6	24
DD007570		0.26	0.004	0.42	1.38	70.3	<0.2	<10	40	3.18	9.87	0.64	0.46	55.9	6.7	20
DD007571		0.12	0.004	1.21	1.03	29.0	<0.2	<10	50	1.48	3.35	0.28	0.91	39.0	3.3	16
DD007572		0.23	0.015	0.73	1.39	41.7	<0.2	<10	50	1.34	3.06	0.36	0.52	33.5	5.6	22
DD007573		0.27	0.004	0.50	1.81	59.4	<0.2	<10	60	1.69	4.41	0.37	0.17	62.0	12.3	30
DD007574		0.20	0.003	0.50	1.41	53.5	<0.2	<10	50	1.59	3.72	0.30	0.47	58.4	5.6	18
DD007575		0.15	0.001	0.52	0.88	9.6	<0.2	<10	30	0.75	2.18	0.12	0.15	53.0	3.2	9
DD007576		0.18	0.003	0.98	1.57	24.0	<0.2	<10	60	2.31	3.58	0.23	1.15	57.8	6.5	14
DD007577		0.25	0.003	0.47	0.97	8.1	<0.2	<10	40	0.90	2.35	0.10	0.38	59.4	3.7	11
DD007578		0.20	0.001	1.34	1.18	8.6	<0.2	<10	40	1.18	2.04	0.11	0.87	45.7	4.8	14
DD007579		0.16	0.003	1.41	1.21	11.4	<0.2	<10	70	1.39	3.78	0.18	0.74	37.7	3.8	11
DD007580		0.19	0.003	0.33	1.11	22.9	<0.2	<10	40	1.24	2.69	0.19	0.29	57.4	3.7	11



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 17- AUG- 2012
Account: MTT

Project: Say Ya Soil

CERTIFICATE OF ANALYSIS WH12180696

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
DD007541		7.58	38.4	4.02	9.66	0.13	0.07	0.01	0.127	0.36	46.3	58.3	0.84	623	1.00
DD007542		5.97	31.6	3.47	7.22	0.08	0.02	0.01	0.151	0.21	30.5	36.6	0.52	642	1.92
DD007543		7.56	74.6	2.79	7.58	0.06	<0.02	0.05	0.199	0.16	22.4	30.6	0.32	391	3.59
DD007544		7.85	43.2	2.81	7.14	0.08	<0.02	0.01	0.224	0.22	32.8	44.6	0.37	435	4.56
DD007545		6.25	29.0	2.70	6.70	0.09	0.02	<0.01	0.147	0.20	35.3	63.5	0.39	326	3.92
DD007546		8.65	50.0	2.90	7.44	0.09	<0.02	0.02	0.204	0.26	34.5	54.7	0.39	526	5.88
DD007547		9.02	56.1	3.46	7.93	0.09	<0.02	0.01	0.243	0.29	38.4	54.4	0.47	1100	5.30
DD007548		7.23	26.9	2.44	7.37	0.06	<0.02	0.01	0.166	0.22	30.7	49.5	0.36	407	3.98
DD007549		7.89	65.1	3.21	9.53	0.07	0.02	<0.01	0.262	0.35	34.7	69.4	0.40	892	3.92
DD007550		6.33	38.3	1.85	6.66	<0.05	<0.02	<0.01	0.120	0.19	21.9	47.8	0.23	238	1.62
DD007551		5.77	12.5	1.76	6.54	0.07	<0.02	<0.01	0.080	0.19	32.7	58.8	0.25	299	2.15
DD007552		5.37	8.8	1.82	6.47	0.06	<0.02	<0.01	0.053	0.16	25.6	44.0	0.33	183	1.42
DD007553		6.62	20.7	2.17	5.76	0.09	<0.02	<0.01	0.169	0.24	38.4	48.5	0.31	361	1.75
DD007554		7.88	31.3	2.24	7.44	0.06	<0.02	0.01	0.142	0.24	26.2	63.9	0.28	428	2.71
DD007555		7.46	41.1	2.32	7.29	0.08	<0.02	0.01	0.174	0.26	34.2	61.5	0.31	418	2.98
DD007556		6.83	25.5	2.28	6.61	0.08	<0.02	<0.01	0.141	0.24	33.3	61.5	0.36	440	2.41
DD007557		2.84	24.9	3.84	6.97	0.09	0.03	<0.01	0.028	0.13	37.3	42.6	0.82	406	0.28
DD007558		3.84	29.5	4.26	8.51	0.11	0.03	<0.01	0.029	0.21	45.2	52.0	0.94	519	0.28
DD007559		3.78	30.8	4.37	8.29	0.12	0.04	<0.01	0.030	0.23	55.0	53.3	0.92	624	0.35
DD007560		4.99	25.8	4.21	9.24	0.12	0.03	<0.01	0.033	0.29	44.1	55.6	0.97	480	0.39
DD007561		3.98	20.3	3.97	8.42	0.07	<0.02	0.04	0.030	0.18	31.5	52.5	0.92	442	0.39
DD007562		4.21	22.1	4.02	8.63	0.10	0.02	0.04	0.036	0.21	38.7	50.5	0.92	415	0.35
DD007563		4.82	23.4	3.91	8.90	0.11	<0.02	0.04	0.036	0.23	37.6	53.1	0.86	442	0.61
DD007564		5.34	21.6	3.72	8.14	0.11	<0.02	0.04	0.035	0.25	39.3	52.2	0.87	445	0.37
DD007565		6.51	22.2	3.73	8.68	0.08	<0.02	0.04	0.036	0.24	36.2	57.6	0.78	450	0.67
DD007566		9.45	33.1	3.87	8.80	0.10	<0.02	0.07	0.111	0.25	40.5	53.5	0.63	685	1.06
DD007567		8.09	19.1	3.71	13.05	0.42	0.17	0.10	0.366	0.41	38.3	56.0	0.57	631	9.64
DD007568		9.75	34.0	3.54	9.15	0.13	0.04	0.06	0.198	0.26	39.0	60.8	0.58	670	1.78
DD007569		7.84	94.8	3.26	8.56	0.06	<0.02	0.08	0.281	0.17	22.7	36.4	0.33	342	3.49
DD007570		7.92	48.4	3.06	7.33	0.08	0.02	0.06	0.254	0.18	30.5	44.8	0.37	426	4.14
DD007571		6.58	52.6	1.76	6.62	<0.05	<0.02	0.05	0.131	0.15	21.6	22.9	0.21	136	3.62
DD007572		7.85	31.1	2.29	7.09	0.05	<0.02	0.06	0.112	0.21	17.6	45.1	0.33	262	6.35
DD007573		8.97	45.7	3.44	8.54	0.08	<0.02	0.04	0.171	0.30	33.4	57.7	0.58	402	4.72
DD007574		7.10	34.0	2.37	6.95	0.06	<0.02	0.05	0.211	0.22	31.7	50.4	0.32	418	3.45
DD007575		4.64	9.4	1.48	5.49	0.06	<0.02	0.04	0.116	0.14	28.9	43.9	0.21	218	1.68
DD007576		14.20	59.3	2.34	7.58	0.06	<0.02	0.06	0.234	0.22	30.7	64.7	0.26	401	9.45
DD007577		6.76	11.0	1.60	6.55	0.06	<0.02	0.04	0.078	0.16	31.3	43.6	0.24	219	3.26
DD007578		7.07	12.8	1.97	6.72	<0.05	<0.02	0.03	0.186	0.15	24.2	45.9	0.29	194	1.82
DD007579		9.05	48.2	1.78	7.76	<0.05	<0.02	0.04	0.152	0.17	20.4	34.6	0.17	264	3.07
DD007580		9.08	23.9	1.69	6.77	0.06	<0.02	0.02	0.168	0.16	30.5	42.0	0.21	243	3.39



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.

C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED

1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C

Total # Pages: 5 (A - D)

Plus Appendix Pages

Finalized Date: 17- AUG- 2012

Account: MTT

Project: Say Ya Soil

CERTIFICATE OF ANALYSIS WH12180696

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
DD007541		2.74	34.1	760	36.9	46.8	0.001	<0.01	1.98	4.9	1.0	5.2	96.7	<0.01	0.06
DD007542		2.27	22.0	680	40.5	36.7	0.002	0.03	3.56	3.2	0.2	6.6	37.1	<0.01	0.03
DD007543		2.01	16.5	500	36.7	43.1	<0.001	0.02	2.60	2.2	0.6	7.4	34.0	<0.01	0.07
DD007544		4.22	11.6	640	60.0	59.1	0.001	0.02	3.43	2.4	0.2	9.2	27.6	<0.01	0.05
DD007545		3.68	13.1	380	33.2	53.0	<0.001	0.01	2.26	2.5	0.3	5.8	19.3	<0.01	0.03
DD007546		3.89	14.5	580	42.9	70.4	0.001	0.01	2.67	2.3	0.7	6.5	34.7	<0.01	0.04
DD007547		3.58	23.1	600	78.3	64.2	0.001	0.03	4.27	3.2	0.6	7.3	40.4	<0.01	0.03
DD007548		4.64	11.6	490	52.8	77.2	<0.001	0.01	1.39	2.1	0.3	4.8	25.8	<0.01	0.04
DD007549		6.20	20.5	680	90.5	80.5	0.001	0.02	2.03	3.2	0.7	6.0	52.5	<0.01	0.03
DD007550		5.68	9.4	560	28.2	65.7	<0.001	0.01	0.42	1.4	<0.2	3.6	16.4	<0.01	0.02
DD007551		5.12	8.2	480	16.8	79.8	<0.001	<0.01	0.40	1.2	0.2	3.9	14.4	<0.01	0.01
DD007552		3.18	9.4	350	13.2	70.1	<0.001	<0.01	0.42	1.3	0.3	3.3	12.6	<0.01	0.01
DD007553		4.21	10.2	750	58.1	54.9	<0.001	0.01	1.49	1.8	0.8	4.2	29.1	<0.01	0.01
DD007554		6.38	13.8	610	22.0	68.1	<0.001	0.01	0.74	1.7	0.2	3.9	26.6	<0.01	0.02
DD007555		5.07	15.3	590	40.5	73.1	<0.001	0.03	1.38	1.6	0.4	5.1	46.7	<0.01	0.03
DD007556		5.24	12.5	560	33.1	70.5	<0.001	0.01	1.19	1.9	0.4	4.2	28.8	<0.01	0.01
DD007557		1.94	38.1	740	21.6	17.6	<0.001	0.01	0.23	3.2	0.6	0.9	69.1	<0.01	0.02
DD007558		2.17	44.9	670	22.5	25.4	0.001	0.01	0.24	4.2	1.3	1.0	114.0	<0.01	0.02
DD007559		1.66	44.3	750	23.2	27.7	0.001	<0.01	0.70	4.5	1.1	0.9	94.1	<0.01	0.02
DD007560		2.55	39.6	720	18.7	35.8	0.001	0.01	0.43	4.7	0.6	1.2	102.0	<0.01	0.01
DD007561		2.50	36.4	500	17.9	21.6	0.001	0.02	0.32	4.2	<0.2	1.2	68.5	<0.01	0.02
DD007562		2.70	35.4	530	16.6	23.4	<0.001	0.03	0.37	4.6	0.2	1.2	80.3	<0.01	0.03
DD007563		2.94	35.8	680	17.7	32.3	0.001	0.03	0.32	4.4	0.8	1.2	73.8	<0.01	0.04
DD007564		2.59	31.9	520	15.7	37.7	<0.001	0.02	0.52	4.4	0.3	1.3	67.3	0.01	0.02
DD007565		4.03	33.8	610	12.7	38.0	<0.001	0.03	0.92	4.5	0.3	1.7	57.1	<0.01	0.03
DD007566		3.47	37.0	780	14.9	39.3	<0.001	0.04	2.45	5.0	0.2	3.9	81.4	<0.01	0.03
DD007567		5.22	21.4	870	27.4	51.6	<0.001	0.02	12.20	5.1	0.2	30.4	102.0	<0.01	0.06
DD007568		3.91	21.8	760	54.3	47.9	0.001	0.03	4.16	4.7	0.5	10.5	58.1	<0.01	0.06
DD007569		2.01	20.0	570	44.6	35.6	0.001	0.06	3.74	2.6	0.2	9.0	49.6	<0.01	0.07
DD007570		3.50	13.9	520	48.6	55.3	0.001	0.04	4.09	2.8	0.3	10.4	40.1	<0.01	0.07
DD007571		3.01	9.7	240	37.8	54.7	<0.001	0.04	1.51	1.8	<0.2	5.1	30.5	<0.01	0.03
DD007572		3.20	12.6	450	23.0	75.4	0.001	0.05	2.12	2.4	<0.2	4.0	33.6	<0.01	0.05
DD007573		3.48	26.0	580	68.9	57.3	<0.001	0.04	3.06	4.1	0.2	4.8	52.3	<0.01	0.05
DD007574		4.64	11.5	540	85.6	67.4	<0.001	0.04	1.67	2.0	<0.2	5.9	27.9	<0.01	0.01
DD007575		3.53	5.9	300	16.2	63.9	<0.001	0.02	0.46	1.1	<0.2	3.5	10.8	<0.01	0.01
DD007576		5.55	15.8	770	37.1	78.1	<0.001	0.03	1.08	1.5	0.3	4.8	23.5	<0.01	<0.01
DD007577		5.63	7.3	320	17.8	101.5	<0.001	0.02	0.38	1.4	<0.2	3.7	13.0	<0.01	0.01
DD007578		4.87	10.6	500	20.6	87.3	<0.001	0.03	0.42	1.5	<0.2	3.4	16.6	<0.01	0.02
DD007579		4.52	8.9	550	43.7	89.1	<0.001	0.03	0.44	1.0	<0.2	4.4	23.0	0.01	<0.01
DD007580		4.78	9.8	390	32.7	72.5	<0.001	0.04	1.23	1.3	<0.2	4.6	19.4	<0.01	0.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 17- AUG- 2012
Account: MTT

Project: Say Ya Soil

CERTIFICATE OF ANALYSIS WH12180696

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm	W- XRF05 W ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5	10
DD007541		0.069	0.36	1.84	30	28.2	17.45	345	2.2	
DD007542		0.053	0.35	1.62	25	69.4	8.08	283	0.5	
DD007543		0.033	0.32	4.15	24	56.6	7.13	395	<0.5	
DD007544		0.054	0.51	3.00	22	72.4	8.02	304	0.5	
DD007545		0.065	0.39	2.66	21	36.6	7.48	228	0.6	
DD007546		0.046	0.50	5.23	22	33.9	9.11	272	<0.5	
DD007547		0.044	0.64	3.27	23	61.8	9.77	368	<0.5	
DD007548		0.043	0.35	2.83	22	18.75	6.26	189	<0.5	
DD007549		0.031	0.47	6.93	24	16.25	11.05	385	0.6	
DD007550		0.032	0.25	4.96	17	7.84	4.43	172	<0.5	
DD007551		0.039	0.28	3.42	15	12.20	6.46	160	<0.5	
DD007552		0.044	0.23	1.85	17	13.45	4.33	151	<0.5	
DD007553		0.045	0.38	3.19	16	27.9	10.20	197	<0.5	
DD007554		0.034	0.32	5.84	17	14.50	7.57	287	<0.5	
DD007555		0.037	0.37	14.10	18	24.3	12.40	284	<0.5	
DD007556		0.046	0.37	4.37	19	16.90	8.29	234	<0.5	
DD007557		0.027	0.12	1.18	22	0.21	16.20	133	0.7	
DD007558		0.036	0.18	1.24	27	0.21	19.35	137	0.9	
DD007559		0.035	0.18	1.42	24	0.27	22.8	143	1.3	
DD007560		0.052	0.23	1.68	29	0.33	17.60	158	0.6	
DD007561		0.046	0.20	1.47	28	0.28	10.90	123	0.6	
DD007562		0.049	0.22	1.57	27	0.41	14.95	122	0.7	
DD007563		0.042	0.23	2.20	27	0.54	13.70	142	<0.5	
DD007564		0.054	0.29	1.67	26	1.48	12.05	131	0.7	
DD007565		0.065	0.28	2.04	31	2.34	10.15	142	<0.5	
DD007566		0.048	0.39	3.42	31	10.85	18.10	322	0.5	
DD007567		0.082	1.02	2.49	30	157.0	12.05	285	6.0	150
DD007568		0.074	0.49	3.11	29	88.3	11.55	341	2.1	
DD007569		0.035	0.31	7.33	28	24.2	8.80	571	<0.5	
DD007570		0.043	0.53	3.86	21	116.0	7.57	413	1.0	120
DD007571		0.035	0.28	6.02	20	16.20	4.84	191	<0.5	
DD007572		0.043	0.44	4.13	22	19.55	5.02	185	<0.5	
DD007573		0.056	0.58	2.50	26	15.95	10.25	197	0.5	
DD007574		0.040	0.45	3.92	19	15.90	7.41	202	<0.5	
DD007575		0.035	0.27	2.32	13	13.80	4.55	113	<0.5	
DD007576		0.027	0.42	10.20	17	18.45	7.93	344	<0.5	
DD007577		0.045	0.33	3.72	16	10.20	4.77	184	0.6	
DD007578		0.039	0.20	2.96	19	16.10	4.07	355	<0.5	
DD007579		0.028	0.27	5.45	18	7.40	4.42	173	<0.5	
DD007580		0.028	0.40	3.62	14	15.55	6.11	144	<0.5	



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.

C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED

1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - A

Total # Pages: 5 (A - D)

Plus Appendix Pages

Finalized Date: 17- AUG- 2012

Account: MTT

Project: Say Ya Soil

CERTIFICATE OF ANALYSIS WH12180696

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD007581		0.25	0.003	0.65	1.54	74.0	<0.2	<10	60	2.06	3.91	0.25	0.20	61.6	7.5	17
DD007582		0.13	0.003	0.20	1.25	30.9	<0.2	<10	40	1.11	2.90	0.16	0.23	52.5	4.6	18
DD007583		0.15	0.004	0.39	1.70	66.8	<0.2	<10	60	2.08	11.95	0.42	0.17	63.7	10.0	29
DD007584		0.21	0.004	0.38	1.26	54.8	<0.2	<10	40	2.52	6.50	0.39	0.32	63.6	6.5	19
DD007585		0.19	0.008	0.52	1.84	94.2	<0.2	<10	60	4.13	11.10	0.54	1.17	58.2	11.1	33
DD007586		0.24	0.009	0.94	2.37	102.5	<0.2	<10	90	4.03	10.40	0.68	1.46	51.1	15.0	38
DD007587		0.41	0.013	0.36	1.96	40.2	<0.2	<10	50	5.96	24.6	1.44	0.48	74.5	11.6	25
DD007588		0.35	0.008	0.18	2.31	29.4	<0.2	<10	60	4.51	4.53	1.11	0.19	77.5	12.6	31
DD007589		0.35	0.007	0.12	2.36	38.8	<0.2	<10	70	1.62	1.36	0.50	0.13	81.9	17.1	35
DD007590		0.20	0.002	0.07	2.08	25.4	<0.2	<10	60	1.22	1.53	0.40	0.20	75.2	14.9	32
DD007751		0.34	0.005	0.15	1.94	24.4	<0.2	<10	60	0.82	0.71	0.43	0.06	79.9	18.5	27
DD007752		0.18	0.002	0.15	1.66	21.4	<0.2	<10	50	0.86	0.84	0.35	0.13	64.7	13.9	23
DD007753		0.29	0.006	0.31	2.07	35.2	<0.2	<10	80	1.80	1.52	0.39	0.25	87.3	13.8	30
DD007754		0.31	0.005	0.16	2.08	34.3	<0.2	<10	40	0.83	1.17	0.68	0.07	172.0	31.0	29
DD007755		0.24	0.002	0.09	2.91	2.3	<0.2	<10	110	2.60	0.41	0.76	0.04	153.0	31.9	52
DD007756		0.23	0.005	2.07	1.05	70.8	<0.2	<10	40	1.27	0.59	0.23	0.20	115.5	22.4	14
DD007757		0.22	0.002	0.12	3.33	1.9	<0.2	<10	150	0.80	0.34	0.74	0.06	156.0	32.2	45
DD007758		0.31	0.004	0.20	1.94	35.4	<0.2	<10	90	1.33	2.02	0.60	0.30	73.1	13.5	28
DD007759		0.24	0.003	0.24	1.86	22.2	<0.2	<10	80	1.48	1.82	0.43	0.22	74.4	12.2	29
DD007760		0.26	0.004	0.22	2.25	20.5	<0.2	<10	90	1.45	1.90	0.70	0.27	74.7	14.6	32
DD007761		0.22	0.004	0.14	2.28	29.1	<0.2	<10	70	0.79	0.81	0.52	0.14	75.2	15.4	32
DD007762		0.21	0.002	0.06	2.50	25.9	<0.2	<10	80	1.18	0.97	0.35	0.11	66.2	14.2	35
DD007763		0.19	0.001	0.10	2.42	22.5	<0.2	<10	70	0.78	0.81	0.32	0.09	58.1	13.6	33
DD007764		0.23	0.001	0.09	2.45	27.0	<0.2	<10	80	1.46	1.24	0.35	0.12	64.9	14.4	36
DD007765		0.13	0.002	0.26	2.58	21.9	<0.2	<10	70	4.26	3.16	0.44	1.98	34.9	11.7	36
DD007766		0.16	0.002	0.51	1.63	10.7	<0.2	<10	90	2.03	2.73	0.21	2.18	36.3	7.9	25
DD007767		0.38	0.005	0.19	2.68	37.0	<0.2	<10	70	2.74	4.62	0.66	0.15	80.2	12.8	37
DD007768		0.19	0.004	0.27	2.99	32.7	<0.2	<10	90	2.18	3.70	0.76	0.19	89.0	18.3	39
DD007769		0.37	0.005	0.19	1.92	36.2	<0.2	<10	60	1.99	3.54	0.50	0.23	73.8	12.2	29
DD007770		0.21	0.002	0.24	2.02	12.4	<0.2	<10	70	2.48	2.09	0.35	0.21	64.1	10.4	31
DD007771		0.27	0.002	0.07	2.72	36.7	<0.2	<10	70	1.41	1.71	0.26	0.08	66.0	14.4	36
DD007772		0.22	0.002	0.03	2.62	28.1	<0.2	<10	80	0.93	1.08	0.26	0.06	61.9	14.1	36
DD007773		0.27	0.002	0.10	2.53	27.4	<0.2	<10	80	1.23	1.09	0.53	0.16	75.9	15.8	35
DD007774		0.18	0.002	0.15	2.89	25.7	<0.2	<10	100	0.93	0.76	0.47	0.21	68.0	16.4	41
DD007775		0.22	0.002	0.04	2.48	20.4	<0.2	<10	70	0.68	0.64	0.31	0.06	62.2	13.9	34
DD007776		0.24	0.003	0.24	2.43	22.7	<0.2	<10	90	0.77	0.72	0.77	0.10	83.9	17.9	32
DD007777		0.20	0.003	0.14	1.81	20.2	<0.2	<10	90	1.66	1.66	0.49	0.15	60.8	11.5	31
DD007778		0.31	0.006	0.13	1.83	18.2	<0.2	<10	80	1.58	1.60	0.43	0.13	72.1	11.4	31
DD007779		0.26	0.002	0.16	2.69	25.5	<0.2	<10	90	0.78	0.65	0.50	0.27	62.0	16.9	36
DD007780		0.22	0.002	0.22	3.04	29.6	<0.2	<10	90	1.04	0.72	0.13	0.14	74.9	20.7	40



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 17- AUG- 2012
Account: MTT

Project: Say Ya Soil

CERTIFICATE OF ANALYSIS WH12180696

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
DD007581		8.88	46.6	2.53	7.63	0.07	<0.02	0.04	0.262	0.24	32.9	60.5	0.31	382	3.05
DD007582		8.10	29.2	2.20	7.14	0.06	<0.02	0.03	0.134	0.23	28.3	46.6	0.29	281	4.68
DD007583		10.20	51.7	3.65	8.57	0.08	<0.02	0.03	0.187	0.24	32.3	56.9	0.56	356	6.37
DD007584		7.97	37.8	2.83	6.61	0.08	<0.02	0.06	0.240	0.21	32.5	44.0	0.36	508	3.70
DD007585		11.85	82.9	4.17	8.43	0.09	<0.02	0.04	0.239	0.28	31.6	57.9	0.58	549	4.64
DD007586		12.35	66.3	4.72	11.15	0.06	<0.02	0.07	0.284	0.24	26.7	56.5	0.60	1600	4.57
DD007587		7.70	24.6	3.45	9.42	0.18	0.06	0.05	0.325	0.25	38.7	47.7	0.47	1130	3.29
DD007588		7.88	19.2	3.50	8.78	0.14	0.06	0.04	0.147	0.26	42.3	57.3	0.66	561	1.44
DD007589		8.21	28.1	3.86	8.75	0.10	0.03	0.02	0.041	0.35	46.0	55.5	0.82	440	0.42
DD007590		6.23	20.7	3.46	7.74	0.10	<0.02	0.03	0.043	0.23	37.6	52.6	0.77	446	0.54
DD007751		3.30	25.1	3.65	7.46	0.09	0.05	0.02	0.038	0.14	41.5	43.4	0.75	535	0.36
DD007752		3.00	16.2	3.08	6.12	0.08	0.02	0.03	0.045	0.14	34.2	43.3	0.57	511	0.45
DD007753		9.59	33.3	3.37	9.28	0.11	0.02	0.03	0.079	0.30	49.7	53.6	0.61	431	0.78
DD007754		6.92	28.9	4.12	7.72	0.20	0.02	0.02	0.037	0.22	98.4	54.2	0.93	882	0.47
DD007755		12.00	30.7	5.12	12.20	0.17	0.02	0.02	0.045	0.76	84.4	57.1	1.16	1210	0.33
DD007756		3.81	46.7	4.15	3.76	0.15	0.02	0.01	0.028	0.08	90.0	18.7	0.33	752	0.67
DD007757		12.90	39.4	5.83	12.55	0.26	0.08	0.01	0.032	0.72	53.3	73.4	1.65	618	0.32
DD007758		6.44	26.5	3.51	7.39	0.14	0.07	0.02	0.081	0.27	35.1	53.0	0.58	875	1.14
DD007759		7.69	26.9	3.07	6.91	0.08	0.06	0.02	0.106	0.30	37.7	61.0	0.55	628	1.02
DD007760		7.06	28.2	3.41	7.94	0.08	0.06	0.02	0.086	0.33	38.1	69.9	0.65	573	1.11
DD007761		3.23	23.2	3.74	7.29	0.08	0.05	0.02	0.043	0.13	39.0	54.3	0.80	480	0.32
DD007762		4.13	22.4	3.84	8.22	0.08	0.03	0.01	0.059	0.12	33.9	53.3	0.82	429	0.32
DD007763		3.64	19.6	3.66	7.93	0.06	0.03	0.02	0.038	0.11	29.3	51.8	0.78	359	0.38
DD007764		4.61	19.8	3.82	8.69	0.08	0.03	0.02	0.080	0.11	31.9	56.5	0.80	544	0.39
DD007765		9.65	25.6	3.79	10.35	0.06	<0.02	0.07	0.132	0.29	18.0	64.6	0.55	894	0.93
DD007766		5.81	21.2	2.96	9.41	0.05	<0.02	0.07	0.085	0.14	17.6	35.5	0.31	2660	1.56
DD007767		6.51	30.8	3.86	9.33	0.10	0.06	0.06	0.134	0.22	43.1	60.8	0.80	580	0.90
DD007768		6.95	46.6	4.79	9.76	0.12	0.08	0.04	0.118	0.26	49.8	64.0	0.93	712	0.91
DD007769		6.77	28.4	3.39	6.97	0.09	0.03	0.04	0.108	0.22	36.9	51.1	0.63	572	0.71
DD007770		14.95	38.2	3.14	7.74	0.10	0.11	0.01	0.092	0.55	34.0	58.0	0.55	652	1.06
DD007771		5.14	23.3	3.73	8.86	0.08	0.03	0.02	0.062	0.16	35.5	56.9	0.77	375	0.41
DD007772		4.19	16.4	3.76	8.61	0.07	0.03	0.02	0.040	0.13	31.7	58.0	0.81	364	0.39
DD007773		4.28	26.8	3.85	8.48	0.09	0.05	0.02	0.063	0.16	39.2	53.4	0.82	486	0.28
DD007774		4.67	22.0	3.94	10.15	0.07	0.04	0.02	0.044	0.12	40.6	55.4	0.79	610	0.45
DD007775		3.05	18.9	3.77	7.95	0.07	0.04	0.02	0.037	0.09	32.5	56.9	0.87	377	0.27
DD007776		3.79	29.2	3.68	8.04	0.08	0.05	0.02	0.041	0.14	45.8	59.8	0.73	741	0.45
DD007777		5.60	20.3	2.88	6.87	0.07	0.04	0.04	0.078	0.20	29.3	49.5	0.41	464	1.11
DD007778		5.51	21.9	2.94	6.95	0.07	0.04	0.03	0.076	0.19	38.3	52.8	0.51	412	0.92
DD007779		4.60	24.4	4.22	8.95	0.08	0.03	0.02	0.038	0.17	32.3	62.8	0.89	605	0.57
DD007780		3.99	29.1	4.46	9.36	0.10	0.06	<0.01	0.036	0.11	36.0	58.6	0.93	439	0.39



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 17- AUG- 2012
Account: MTT

Project: Say Ya Soil

CERTIFICATE OF ANALYSIS WH12180696

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD007581		4.88	14.4	570	108.0	73.1	<0.001	0.05	2.01	2.4	<0.2	6.6	28.5	<0.01	0.03	5.9
DD007582		4.83	11.3	320	33.4	69.9	0.001	0.05	2.00	2.2	<0.2	5.2	19.4	<0.01	0.02	6.4
DD007583		3.10	22.4	630	43.7	54.7	<0.001	0.05	3.68	4.0	0.3	6.5	44.1	0.01	0.14	11.9
DD007584		3.69	13.5	600	53.3	50.2	0.001	0.04	3.96	2.7	<0.2	9.9	31.3	<0.01	0.06	12.3
DD007585		2.99	22.9	590	63.4	59.4	0.001	0.06	4.25	4.2	0.4	7.3	43.7	0.01	0.09	9.6
DD007586		2.93	29.7	760	61.1	53.6	<0.001	0.07	3.75	4.3	<0.2	9.9	53.9	<0.01	0.08	5.7
DD007587		3.94	19.3	920	104.0	40.4	0.001	0.05	5.71	3.8	0.9	20.1	51.4	<0.01	0.11	13.0
DD007588		2.63	27.6	740	18.9	39.5	<0.001	0.02	5.45	5.1	0.5	10.1	75.1	<0.01	0.03	15.8
DD007589		2.28	37.8	610	14.3	50.2	0.001	0.02	1.65	5.5	0.4	1.8	73.1	<0.01	0.01	16.1
DD007590		2.93	30.7	590	14.2	44.3	<0.001	0.02	0.74	4.3	<0.2	1.7	55.9	<0.01	0.01	12.4
DD007751		1.70	38.3	640	18.6	23.6	<0.001	0.02	2.81	3.7	0.4	1.2	50.6	<0.01	0.01	15.1
DD007752		2.27	27.2	430	21.4	26.9	<0.001	0.02	2.00	2.7	0.3	1.4	34.3	<0.01	0.01	9.7
DD007753		2.08	32.8	610	39.3	58.9	<0.001	0.04	3.33	5.3	0.8	3.2	55.3	<0.01	0.02	17.2
DD007754		0.80	45.2	880	19.8	30.3	<0.001	0.05	0.73	3.8	1.0	0.8	35.3	<0.01	0.17	26.8
DD007755		1.09	63.8	700	21.0	72.3	<0.001	0.05	0.55	9.1	1.1	3.2	28.9	<0.01	0.02	26.3
DD007756		0.77	56.1	360	70.3	14.8	<0.001	0.05	18.40	4.2	0.5	1.3	23.3	<0.01	0.06	20.0
DD007757		0.85	76.2	680	9.3	74.1	<0.001	0.07	0.34	7.0	1.2	2.2	137.0	0.01	0.02	22.8
DD007758		3.93	29.0	660	30.3	46.6	<0.001	0.01	1.56	3.6	0.5	2.1	44.9	0.01	0.02	15.2
DD007759		3.02	27.2	670	24.3	55.3	<0.001	<0.01	1.45	3.9	0.5	2.4	32.6	0.01	0.01	17.0
DD007760		4.27	32.5	720	23.5	55.1	<0.001	0.01	1.43	4.1	0.5	2.4	61.3	0.01	0.02	16.2
DD007761		1.98	36.7	580	21.3	20.6	<0.001	0.01	2.15	3.8	0.5	1.2	67.1	0.01	0.02	16.1
DD007762		1.90	35.9	490	18.8	20.4	<0.001	<0.01	0.86	4.0	0.5	1.8	51.7	0.01	0.02	14.6
DD007763		2.11	34.9	370	18.1	20.8	<0.001	<0.01	0.45	3.6	0.4	1.4	48.8	<0.01	0.02	12.4
DD007764		2.42	35.9	570	24.7	22.5	<0.001	0.01	1.09	4.0	0.4	2.0	48.7	0.01	0.02	13.2
DD007765		3.34	30.5	330	18.9	77.4	<0.001	0.01	1.28	4.2	0.5	6.2	48.3	<0.01	0.03	7.3
DD007766		2.78	17.3	270	11.5	57.6	<0.001	0.01	0.70	2.6	0.4	6.3	20.7	<0.01	0.03	5.3
DD007767		2.90	35.1	780	33.0	35.5	<0.001	0.01	2.06	5.1	0.5	5.5	79.1	0.01	0.03	17.4
DD007768		1.92	47.8	720	34.2	37.3	<0.001	0.01	1.81	5.3	0.6	4.4	90.9	0.01	0.04	20.6
DD007769		2.54	27.2	670	26.7	41.1	<0.001	<0.01	5.91	3.7	0.4	3.9	44.4	0.01	0.03	15.1
DD007770		1.54	29.3	550	26.2	86.7	<0.001	<0.01	0.72	3.9	0.4	2.3	24.9	0.01	0.02	18.9
DD007771		2.55	35.0	260	19.2	26.7	<0.001	<0.01	1.04	4.3	0.5	2.3	37.5	0.01	0.03	13.9
DD007772		2.07	33.1	320	16.2	21.7	<0.001	<0.01	0.71	4.0	0.4	1.7	37.5	0.01	0.02	12.9
DD007773		2.07	37.6	590	18.7	23.5	<0.001	<0.01	0.77	4.5	0.5	1.6	81.6	0.01	0.02	16.3
DD007774		2.79	36.9	410	22.6	25.7	<0.001	0.01	1.36	4.3	0.5	1.7	65.9	0.01	0.03	10.4
DD007775		1.73	32.9	490	16.6	16.6	<0.001	<0.01	0.90	3.7	0.4	1.2	49.9	0.01	0.02	14.4
DD007776		2.35	38.2	650	19.7	19.8	<0.001	0.01	0.97	3.9	0.6	1.2	87.8	0.01	0.03	12.7
DD007777		3.37	24.4	570	26.4	43.6	<0.001	<0.01	1.63	4.1	0.4	2.5	33.8	<0.01	0.03	11.2
DD007778		3.59	25.8	610	20.3	42.4	0.001	<0.01	1.50	4.0	0.4	2.6	33.4	0.01	0.03	13.1
DD007779		2.31	40.1	770	17.7	31.2	<0.001	0.02	0.67	3.6	0.5	1.2	61.3	0.01	0.03	8.6
DD007780		1.34	45.7	340	26.3	19.1	<0.001	0.01	0.95	4.4	0.5	1.2	47.7	0.01	0.02	17.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 17- AUG- 2012
Account: MTT

Project: Say Ya Soil

CERTIFICATE OF ANALYSIS WH12180696

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm	W- XRF05 W ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5	10
DD007581		0.037	0.51	4.44	19	14.15	8.38	219	<0.5	
DD007582		0.047	0.42	2.62	20	23.2	5.77	162	<0.5	
DD007583		0.059	0.61	2.83	27	47.0	9.12	270	0.6	
DD007584		0.045	0.61	3.01	19	109.0	7.67	341	0.6	110
DD007585		0.067	0.63	5.58	30	69.1	9.26	532	0.5	
DD007586		0.065	0.53	4.87	38	74.6	9.87	757	<0.5	
DD007587		0.064	0.56	2.91	25	99.0	12.10	411	3.2	
DD007588		0.067	0.49	1.94	29	41.6	13.05	253	2.5	
DD007589		0.065	0.42	1.75	29	4.72	14.65	139	1.1	
DD007590		0.062	0.27	1.90	26	7.62	10.60	168	0.5	
DD007751		0.030	0.34	1.18	22	2.30	17.20	85	2.2	
DD007752		0.024	0.35	2.36	19	4.96	10.30	110	0.8	
DD007753		0.057	0.77	2.60	29	5.25	23.4	301	0.9	
DD007754		0.028	0.27	1.47	22	0.65	18.30	113	0.8	
DD007755		0.052	0.45	1.85	43	0.31	30.5	121	0.5	
DD007756		0.006	0.19	2.86	11	0.88	25.4	287	<0.5	
DD007757		0.137	0.70	2.61	46	0.58	35.9	146	1.3	
DD007758		0.054	0.37	2.17	26	10.70	13.70	173	3.3	
DD007759		0.067	0.42	2.78	27	10.55	12.75	168	3.3	
DD007760		0.059	0.40	3.47	29	10.95	14.90	209	2.6	
DD007761		0.027	0.19	1.27	23	6.49	15.15	135	1.4	
DD007762		0.036	0.21	1.27	28	2.97	10.90	211	1.1	
DD007763		0.027	0.18	1.16	26	3.32	9.55	133	0.9	
DD007764		0.043	0.20	1.43	29	9.69	10.10	207	0.5	
DD007765		0.073	0.32	1.08	36	41.1	4.78	599	<0.5	
DD007766		0.072	0.26	0.85	37	34.3	3.17	369	<0.5	
DD007767		0.057	0.37	2.07	29	31.9	14.40	287	2.0	
DD007768		0.041	0.37	1.88	29	19.05	20.7	281	2.7	
DD007769		0.052	0.39	1.87	25	26.2	11.25	232	0.8	
DD007770		0.104	0.68	3.21	27	7.33	11.30	195	4.3	
DD007771		0.037	0.23	1.35	28	8.72	10.35	171	0.7	
DD007772		0.038	0.19	1.28	28	6.38	8.50	138	1.0	
DD007773		0.040	0.21	1.36	26	3.81	15.65	216	1.2	
DD007774		0.035	0.17	1.66	35	2.04	15.10	319	0.5	
DD007775		0.026	0.17	1.12	24	3.04	9.40	123	1.5	
DD007776		0.029	0.20	2.16	25	5.57	19.10	138	1.0	
DD007777		0.077	0.34	2.97	36	15.05	9.02	148	1.5	
DD007778		0.072	0.34	2.65	32	15.20	13.50	142	1.7	
DD007779		0.027	0.20	1.55	27	1.22	12.25	173	0.5	
DD007780		0.023	0.20	1.33	27	3.51	12.00	130	2.4	



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - A
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 17- AUG- 2012
 Account: MTT

Project: Say Ya Soil

CERTIFICATE OF ANALYSIS WH12180696

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD007781		0.26	0.001	0.12	3.19	33.3	<0.2	<10	90	0.94	0.60	0.12	0.11	56.2	20.4	37
DD007782		0.25	0.002	0.10	3.12	32.5	<0.2	<10	90	1.05	0.67	0.20	0.13	76.2	19.3	38
DD007783		0.20	0.002	0.07	3.07	29.4	<0.2	<10	100	1.47	0.84	0.12	0.15	51.5	17.0	36
DD007784		0.20	0.003	0.18	2.52	26.7	<0.2	<10	70	1.20	1.03	0.69	0.15	70.0	16.8	33
DD007785		0.14	0.002	0.24	1.53	11.9	<0.2	<10	50	1.97	1.70	0.20	1.30	59.2	5.7	16
DD007786		0.19	0.004	0.38	1.61	56.6	<0.2	<10	50	2.34	7.24	0.35	0.56	46.7	7.5	24
DD007787		0.09	0.003	0.77	1.29	24.4	<0.2	<10	50	1.99	3.67	0.25	1.10	24.7	5.3	12
DD007788		0.23	0.001	0.12	0.93	28.1	<0.2	<10	30	0.99	2.31	0.14	0.26	50.8	3.2	13
DD007789		0.14	0.004	0.19	1.24	45.5	<0.2	<10	40	1.41	4.06	0.22	0.38	54.2	4.7	18
DD007790		0.27	0.001	0.12	0.99	29.3	<0.2	<10	30	1.00	2.33	0.21	0.14	57.6	4.2	12
DD007791		0.18	0.003	0.76	1.85	49.3	<0.2	<10	70	2.04	3.71	0.38	0.54	59.5	9.0	20
DD007792		0.12	0.007	0.80	2.59	53.0	<0.2	<10	90	2.47	5.78	0.42	0.28	61.0	12.2	31
DD007793		0.09	0.009	2.00	3.20	35.5	<0.2	<10	170	4.19	2.93	0.92	2.83	133.0	14.9	24
DD007794		0.15	0.003	0.93	1.59	35.1	<0.2	<10	60	1.59	2.87	0.44	0.45	51.5	6.3	16
DD007795		0.34	0.002	0.39	1.41	45.6	<0.2	<10	50	1.55	3.73	0.35	0.31	54.5	6.9	19
DD007796		0.17	0.002	0.65	1.74	41.0	<0.2	<10	60	2.03	3.22	0.50	0.54	61.6	8.6	19
DD007797		0.10	0.002	1.89	2.51	30.6	<0.2	<10	110	2.28	4.19	0.19	1.77	38.3	8.5	22
DD007798		0.21	0.002	0.36	1.55	44.3	<0.2	<10	50	1.45	3.22	0.32	0.35	68.9	8.5	18
DD007799		0.17	0.001	1.47	1.93	36.8	<0.2	<10	90	2.45	4.23	0.32	2.16	34.5	8.3	20
DD007800		0.22	0.002	0.27	1.29	43.4	<0.2	<10	50	1.41	2.99	0.26	0.21	60.9	7.0	15



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 17- AUG- 2012
Account: MTT

Project: Say Ya Soil

CERTIFICATE OF ANALYSIS WH12180696

Sample Description	Method Analyte Units LOR	ME- MS41 Cs ppm 0.05	ME- MS41 Cu ppm 0.2	ME- MS41 Fe % 0.01	ME- MS41 Ga ppm 0.05	ME- MS41 Ge ppm 0.05	ME- MS41 Hf ppm 0.02	ME- MS41 Hg ppm 0.01	ME- MS41 In ppm 0.005	ME- MS41 K % 0.01	ME- MS41 La ppm 0.2	ME- MS41 Li ppm 0.1	ME- MS41 Mg % 0.01	ME- MS41 Mn ppm 5	ME- MS41 Mo ppm 0.05	ME- MS41 Na % 0.01
DD007781		4.14	24.4	4.20	10.00	0.10	0.07	<0.01	0.035	0.11	27.7	62.1	0.89	288	0.36	0.01
DD007782		4.07	26.3	4.30	9.84	0.12	0.06	0.01	0.040	0.12	40.3	54.4	0.89	435	0.36	0.01
DD007783		3.77	21.2	4.16	9.81	0.08	0.07	0.01	0.050	0.11	25.7	57.3	0.83	326	0.44	0.01
DD007784		3.66	32.0	4.11	8.78	0.12	0.06	0.01	0.049	0.14	39.3	51.0	0.83	583	0.38	0.02
DD007785		4.26	46.8	2.20	6.45	0.09	0.03	0.02	0.054	0.11	37.7	23.6	0.21	271	0.87	0.01
DD007786		7.73	43.7	3.19	9.02	0.08	0.02	0.08	0.236	0.20	24.7	42.0	0.44	571	3.18	0.01
DD007787		5.99	47.1	2.01	7.80	0.05	<0.02	0.02	0.153	0.15	13.5	25.7	0.17	228	2.90	0.02
DD007788		6.90	15.6	1.63	6.64	0.07	<0.02	0.01	0.099	0.18	26.8	36.3	0.23	210	2.20	0.01
DD007789		7.49	28.6	2.45	8.12	0.08	<0.02	0.02	0.166	0.22	29.1	44.4	0.33	270	3.15	0.01
DD007790		5.78	16.6	1.96	6.12	0.08	0.03	0.01	0.139	0.18	29.8	49.3	0.26	283	1.62	0.01
DD007791		6.92	44.6	2.79	8.38	0.09	0.02	0.03	0.215	0.24	31.8	62.8	0.37	632	2.18	0.01
DD007792		10.70	52.1	3.42	10.00	0.11	0.03	0.02	0.209	0.25	34.8	103.0	0.57	587	2.42	0.02
DD007793		8.53	53.0	3.09	9.94	0.13	0.04	0.05	0.258	0.23	47.2	92.6	0.42	5450	4.91	0.02
DD007794		6.84	33.0	2.25	7.60	0.08	0.02	0.02	0.184	0.22	27.2	58.4	0.32	412	2.16	0.01
DD007795		8.08	37.8	2.52	7.74	0.09	0.02	0.01	0.182	0.26	28.5	52.8	0.38	482	3.06	0.01
DD007796		7.84	38.5	2.51	7.63	0.09	0.03	0.02	0.200	0.24	31.6	61.0	0.37	541	3.13	0.01
DD007797		8.93	49.3	3.33	13.90	0.07	0.02	0.03	0.250	0.36	20.7	70.4	0.37	447	4.07	0.01
DD007798		7.90	39.1	2.57	7.59	0.10	0.04	0.01	0.232	0.30	34.9	68.2	0.39	580	1.46	0.01
DD007799		9.12	68.5	3.18	12.00	0.07	0.02	0.02	0.261	0.24	19.6	47.4	0.28	378	4.25	0.02
DD007800		7.05	21.0	2.27	7.60	0.08	0.02	0.01	0.169	0.19	31.1	58.9	0.28	468	2.00	0.01



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - C
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 17- AUG- 2012
 Account: MTT

Project: Say Ya Soil

CERTIFICATE OF ANALYSIS WH12180696

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
DD007781		2.68	43.9	290	20.1	20.8	<0.001	0.01	0.33	4.5	0.5	1.5	39.9	0.01	0.03	15.0
DD007782		1.89	41.3	380	24.5	21.0	<0.001	0.01	0.28	5.5	0.7	1.3	58.0	0.01	0.03	16.8
DD007783		2.47	38.1	260	37.8	20.1	<0.001	0.02	0.39	4.2	0.4	2.2	34.5	0.01	0.02	13.5
DD007784		2.28	38.7	440	20.9	18.7	<0.001	0.02	0.96	4.8	0.6	1.5	92.1	0.01	0.02	15.1
DD007785		2.18	18.0	340	22.1	26.3	<0.001	0.02	0.47	2.2	0.6	1.9	28.5	0.01	0.03	2.6
DD007786		3.14	15.7	290	49.3	77.5	<0.001	0.03	3.26	3.0	0.3	9.9	27.4	<0.01	0.05	6.8
DD007787		2.20	11.2	350	43.4	60.2	<0.001	0.02	1.22	0.7	0.3	5.9	27.9	<0.01	0.02	0.2
DD007788		4.03	7.2	160	27.2	79.4	<0.001	0.02	1.04	1.5	0.2	5.1	14.2	0.01	0.02	6.4
DD007789		4.60	10.7	250	34.9	91.8	<0.001	0.02	1.99	2.1	0.3	6.4	21.7	0.01	0.03	5.9
DD007790		4.81	8.5	270	30.8	73.9	<0.001	0.02	1.18	1.8	0.2	4.6	16.9	0.01	0.01	12.1
DD007791		4.43	17.9	640	53.7	71.7	<0.001	0.03	1.51	2.2	0.4	5.7	38.2	0.01	0.02	3.3
DD007792		4.80	27.4	740	62.6	55.1	<0.001	0.03	1.29	3.8	0.7	4.4	49.4	0.01	0.03	5.8
DD007793		4.36	34.6	1050	47.7	67.7	<0.001	0.07	1.29	2.2	1.0	4.1	93.6	0.01	0.03	2.1
DD007794		5.77	12.8	580	44.8	73.6	<0.001	0.03	1.08	2.1	0.4	4.8	38.2	0.01	0.02	4.6
DD007795		5.20	13.6	480	53.9	86.7	<0.001	0.02	1.72	2.5	0.4	5.2	31.8	0.01	0.02	7.0
DD007796		4.98	16.5	710	52.8	90.2	<0.001	0.03	1.39	2.4	0.5	4.9	49.2	0.01	0.02	4.2
DD007797		7.14	18.4	910	70.4	114.5	<0.001	0.02	0.84	2.0	0.3	6.5	30.1	0.01	0.03	1.7
DD007798		4.38	15.6	690	62.3	72.8	<0.001	0.02	1.52	2.8	0.4	4.7	33.4	0.01	0.02	15.6
DD007799		4.40	16.5	650	75.1	96.1	<0.001	0.03	1.07	1.4	0.4	6.8	36.9	0.01	0.03	0.9
DD007800		4.62	10.2	220	44.7	75.3	<0.001	0.02	1.34	1.9	0.3	5.8	25.9	0.01	0.02	8.0



2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

Project: Say Ya Soil

Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 17- AUG- 2012
Account: MTT

CERTIFICATE OF ANALYSIS WH12180696

[illegible]

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Say Ya Soil

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 17- AUG- 2012
Account: MTT

CERTIFICATE OF ANALYSIS WH12180696

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**

C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8**

Page: 1

Finalized Date: 18- AUG- 2012

Account: MTT

CERTIFICATE WH12180697

Project: Say Yea Soil

P.O. No.: Batch 1

This report is for 199 Soil samples submitted to our lab in Whitehorse, YT, Canada on 2- AUG- 2012.

The following have access to data associated with this certificate:

SARAH EATON

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/ o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
W- XRF05	Trace Level W XRF Analysis	XRF
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8**

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 18- AUG- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12180697

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD007801		0.24	0.005	0.34	2.10	47.7	<0.2	<10	60	2.87	5.48	0.70	0.22	71.8	9.1	29
DD007802		0.20	<0.001	0.15	1.11	7.7	<0.2	<10	40	0.51	1.62	0.25	0.25	36.1	4.1	18
DD007803		0.16	0.002	1.00	2.06	35.7	<0.2	<10	80	1.95	2.91	0.48	0.30	68.5	8.7	19
DD007804		0.10	0.001	1.57	2.17	39.6	<0.2	<10	100	2.29	3.64	0.44	0.53	52.4	8.3	23
DD007805		0.13	<0.001	0.93	1.97	41.4	<0.2	<10	80	2.41	3.87	0.49	1.22	54.0	8.7	21
DD007806		0.14	<0.001	2.80	2.19	43.5	<0.2	<10	100	2.65	4.36	0.37	1.32	52.9	19.7	23
DD007807		0.10	<0.001	1.14	2.25	43.0	<0.2	<10	90	3.00	4.40	0.37	1.31	41.9	8.6	21
DD007808		0.11	0.001	0.61	1.37	24.9	<0.2	<10	80	1.32	2.32	0.17	0.49	31.3	4.5	11
DD007809		0.25	0.001	0.27	1.07	44.4	<0.2	<10	40	1.46	4.12	0.23	0.22	61.5	4.6	14
DD007810		0.23	<0.001	0.30	1.12	25.3	<0.2	<10	30	0.92	3.08	0.21	0.18	47.1	4.3	18
DD007811		0.14	0.002	0.26	1.41	54.0	<0.2	<10	50	2.58	6.84	0.36	0.42	49.4	6.7	21
DD007812		0.20	<0.001	0.53	1.18	36.9	<0.2	<10	40	1.18	3.74	0.23	0.51	47.5	6.6	20
DD007813		0.26	0.002	0.16	1.48	84.0	<0.2	<10	40	3.09	10.95	0.49	0.22	58.2	9.5	24
DD007814		0.16	0.003	0.37	2.06	51.7	<0.2	<10	80	2.83	8.93	0.51	0.55	56.2	10.5	29
DD007815		0.25	<0.001	0.17	2.36	25.3	<0.2	<10	70	0.62	0.60	0.38	0.11	79.5	16.2	32
DD007816		0.25	0.001	0.15	2.70	27.5	<0.2	<10	80	0.78	0.70	0.33	0.05	76.5	15.0	37
DD007817		0.09	0.002	0.30	2.74	16.5	<0.2	<10	100	1.35	0.53	0.81	1.02	76.4	9.3	33
DD007818		0.29	<0.001	0.07	2.57	29.9	<0.2	<10	70	0.93	0.92	0.22	0.10	68.3	15.1	34
DD007819		0.24	<0.001	0.26	2.65	26.8	<0.2	<10	90	1.04	0.86	0.71	0.25	49.0	13.0	35
DD007820		0.23	<0.001	0.25	2.19	26.4	<0.2	<10	70	1.64	1.57	0.73	0.23	45.2	11.5	33
DD007821		0.28	<0.001	0.30	2.35	35.8	<0.2	<10	70	2.93	8.06	1.11	0.55	76.9	15.6	29
DD007822		0.08	<0.001	0.56	1.89	18.9	<0.2	<10	60	3.39	2.44	0.17	0.61	44.4	11.8	31
DD007823		0.15	<0.001	0.44	1.34	6.7	<0.2	<10	60	0.99	1.60	0.47	0.41	41.0	5.2	28
DD007824		0.19	0.001	0.18	2.01	51.5	<0.2	<10	60	2.07	4.90	0.42	0.16	64.0	11.3	31
DD007825		0.18	0.001	0.12	2.43	29.4	<0.2	<10	80	1.81	4.88	0.46	0.21	65.4	14.1	38
DD007826		0.19	0.003	0.50	1.92	30.1	<0.2	<10	70	2.09	3.04	0.62	0.85	66.8	11.0	29
DD007827		0.21	<0.001	0.23	1.96	21.1	<0.2	<10	90	1.42	1.73	0.57	0.18	61.0	10.8	26
DD007828		0.20	<0.001	0.21	1.86	19.1	<0.2	<10	80	1.38	1.55	0.55	0.13	61.7	10.0	28
DD007829		0.23	<0.001	0.39	1.81	26.2	<0.2	<10	80	1.77	3.23	0.60	0.34	61.5	10.6	26
DD007830		0.24	<0.001	0.26	2.45	29.5	<0.2	<10	80	1.57	1.14	0.47	0.20	78.5	15.2	33
DD007831		0.09	<0.001	0.13	1.21	7.4	<0.2	<10	60	1.19	1.20	0.29	1.01	35.2	5.2	18
DD007832		0.14	<0.001	0.14	2.03	19.0	<0.2	<10	70	2.74	2.49	0.15	0.39	36.4	6.8	33
DD007833		0.17	<0.001	0.43	2.95	16.8	<0.2	<10	80	4.48	2.67	0.45	1.66	45.3	8.7	30
DD007834		0.19	0.006	0.51	1.74	27.8	<0.2	<10	60	2.37	2.78	0.58	0.38	51.0	8.4	24
DD007835		0.24	<0.001	0.33	2.89	33.8	<0.2	<10	80	2.74	4.59	1.31	0.22	72.6	16.7	36
DD007836		0.21	0.006	0.18	1.42	62.4	<0.2	<10	50	3.11	12.05	0.51	0.31	39.1	8.7	21
DD007837		0.17	0.002	0.32	1.18	34.7	<0.2	<10	40	1.90	4.37	0.35	0.22	53.0	5.0	15
DD007838		0.29	<0.001	0.34	2.03	29.0	<0.2	<10	60	1.63	2.74	0.47	0.20	60.5	11.7	28
DD007839		0.22	<0.001	0.51	0.98	24.8	<0.2	<10	30	0.97	2.08	0.18	0.20	42.9	3.4	12
DD007840		0.18	<0.001	0.26	1.18	31.4	<0.2	<10	40	1.34	2.61	0.26	0.13	61.5	5.3	16



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 18- AUG- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12180697

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
DD007801		8.29	43.2	3.53	8.18	0.10	0.03	0.03	0.195	0.28	40.8	57.3	0.61	470	2.46
DD007802		5.47	9.7	1.88	7.27	<0.05	<0.02	0.02	0.040	0.13	18.2	36.9	0.41	163	2.01
DD007803		9.34	28.8	2.67	7.13	0.08	<0.02	0.04	0.194	0.25	37.6	79.2	0.39	642	1.98
DD007804		6.75	45.4	3.07	8.56	0.07	<0.02	0.04	0.191	0.25	29.7	59.2	0.41	562	2.15
DD007805		5.92	60.8	3.04	7.10	0.07	<0.02	0.03	0.163	0.21	30.9	55.0	0.43	635	1.66
DD007806		7.24	54.4	3.60	9.10	0.06	<0.02	0.04	0.221	0.30	27.9	64.1	0.44	1090	2.47
DD007807		8.05	50.0	3.16	9.96	0.06	<0.02	0.05	0.212	0.29	23.3	45.7	0.35	424	3.41
DD007808		5.81	25.6	1.86	6.44	<0.05	<0.02	0.04	0.149	0.17	16.2	43.5	0.22	251	1.90
DD007809		6.22	22.1	2.07	6.47	0.07	<0.02	0.03	0.244	0.19	32.0	41.3	0.27	443	2.41
DD007810		5.92	11.1	2.16	6.39	0.07	0.02	0.01	0.100	0.16	25.3	39.1	0.39	279	2.29
DD007811		6.08	31.3	3.02	6.68	0.07	<0.02	0.02	0.211	0.16	26.1	38.7	0.43	489	2.77
DD007812		8.59	22.2	2.34	6.36	0.07	<0.02	0.02	0.121	0.16	24.3	33.2	0.42	402	2.21
DD007813		7.73	31.7	3.48	7.32	0.09	0.03	0.04	0.264	0.17	31.1	42.1	0.43	845	3.56
DD007814		8.18	39.4	3.55	8.68	0.08	<0.02	0.05	0.217	0.22	30.9	41.0	0.52	656	2.03
DD007815		2.63	31.7	4.19	7.64	0.12	0.03	<0.01	0.031	0.11	51.3	51.3	0.94	486	0.31
DD007816		4.26	26.3	4.40	8.62	0.11	0.02	0.03	0.035	0.16	46.2	56.4	1.01	419	0.41
DD007817		6.52	33.2	3.08	7.73	0.09	0.05	0.03	0.031	0.19	45.8	67.5	0.79	170	0.26
DD007818		3.87	25.9	4.06	8.10	0.09	0.02	0.01	0.049	0.13	35.2	54.9	0.90	357	0.49
DD007819		3.25	21.2	4.09	7.71	0.07	0.02	0.01	0.040	0.12	26.0	46.6	0.81	619	0.44
DD007820		5.14	20.3	3.43	7.58	0.06	<0.02	0.02	0.071	0.18	24.2	56.4	0.64	482	0.94
DD007821		6.13	37.2	3.82	7.32	0.14	0.04	0.01	0.113	0.26	42.0	54.0	0.74	1380	0.52
DD007822		7.57	34.1	4.09	9.67	0.06	0.03	0.01	0.116	0.10	25.5	67.9	0.45	689	1.69
DD007823		8.17	36.2	2.26	7.04	0.06	0.02	0.01	0.049	0.17	22.8	29.3	0.41	215	1.00
DD007824		6.38	25.8	3.65	8.11	0.10	<0.02	0.01	0.126	0.19	35.3	49.7	0.69	557	1.44
DD007825		7.17	33.0	4.06	8.82	0.10	0.02	<0.01	0.108	0.29	34.7	54.4	0.87	580	1.02
DD007826		7.60	29.0	2.99	6.41	0.10	0.04	0.01	0.136	0.29	33.0	61.2	0.53	1120	1.26
DD007827		6.31	24.5	3.09	6.75	0.10	0.04	0.01	0.084	0.26	34.3	56.5	0.53	501	0.93
DD007828		6.40	21.7	3.01	6.58	0.09	0.03	0.01	0.077	0.26	35.9	51.6	0.54	497	1.09
DD007829		8.75	30.4	2.91	6.50	0.10	0.16	<0.01	0.125	0.39	34.0	55.8	0.46	730	1.14
DD007830		4.23	27.9	3.85	8.15	0.10	0.02	<0.01	0.065	0.13	41.7	47.3	0.78	662	0.53
DD007831		2.13	13.8	2.29	6.48	0.05	<0.02	0.01	0.065	0.06	19.3	34.2	0.31	240	0.70
DD007832		6.62	21.0	3.15	9.09	0.06	<0.02	0.02	0.145	0.19	17.5	56.4	0.51	267	0.83
DD007833		6.88	19.5	3.51	9.45	0.05	0.02	0.03	0.144	0.18	20.1	70.0	0.48	959	0.97
DD007834		5.47	21.0	2.77	6.21	0.07	0.02	0.04	0.097	0.17	28.1	70.8	0.47	334	0.71
DD007835		6.87	45.1	4.36	9.32	0.12	0.07	0.03	0.122	0.28	40.2	59.1	0.83	721	0.88
DD007836		5.81	26.6	3.80	7.04	0.06	0.02	0.05	0.290	0.12	18.2	38.1	0.38	905	2.91
DD007837		6.46	17.8	2.25	6.28	0.07	<0.02	0.05	0.146	0.15	27.4	41.8	0.32	370	2.31
DD007838		4.63	31.1	3.35	6.97	0.09	0.02	0.03	0.087	0.18	30.9	48.5	0.64	530	0.83
DD007839		5.43	13.5	1.78	5.55	0.05	<0.02	0.03	0.098	0.18	23.5	55.0	0.25	252	1.49
DD007840		5.69	17.7	2.11	5.70	0.06	<0.02	0.03	0.154	0.19	31.2	64.5	0.31	409	1.70



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 18- AUG- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12180697

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
DD007801		3.57	24.2	730	37.9	55.9	<0.001	0.02	3.31	4.2	0.7	7.7	49.2	<0.01	0.05
DD007802		3.78	10.4	190	12.6	55.5	<0.001	0.01	0.41	2.1	0.2	3.4	33.4	<0.01	<0.01
DD007803		6.22	17.9	590	43.3	59.1	<0.001	0.02	1.22	2.5	0.5	3.8	38.1	<0.01	<0.01
DD007804		3.72	21.1	660	45.5	67.9	<0.001	0.03	1.30	1.8	0.7	4.5	38.4	<0.01	0.02
DD007805		4.07	22.6	560	41.1	55.9	<0.001	0.02	1.55	2.5	0.5	4.4	43.6	<0.01	<0.01
DD007806		4.76	24.8	670	65.5	80.8	0.001	0.02	1.55	2.3	0.5	5.1	37.1	<0.01	<0.01
DD007807		4.27	20.0	610	62.2	80.7	<0.001	0.02	1.51	1.7	0.5	5.8	41.6	<0.01	<0.01
DD007808		3.64	9.1	360	39.1	55.7	0.001	0.29	1.01	0.9	0.3	4.9	20.2	<0.01	<0.01
DD007809		4.03	9.3	270	42.9	68.7	<0.001	0.02	1.79	1.5	0.3	8.2	18.0	<0.01	0.01
DD007810		4.09	9.8	160	25.0	90.1	0.001	0.01	1.31	1.9	<0.2	5.3	17.0	<0.01	0.01
DD007811		2.29	15.6	290	38.5	52.7	0.001	0.02	3.46	2.4	0.2	8.7	26.8	<0.01	0.02
DD007812		3.32	13.3	240	28.6	61.7	<0.001	0.01	1.66	2.3	0.2	4.6	23.8	<0.01	0.01
DD007813		2.46	17.4	290	72.0	52.6	0.001	0.01	4.86	3.1	0.5	11.9	29.3	<0.01	0.05
DD007814		2.31	24.9	640	37.7	50.7	0.001	0.02	3.22	3.0	0.6	8.6	43.1	<0.01	0.04
DD007815		1.53	43.2	660	21.4	13.8	<0.001	0.01	0.38	4.2	1.1	0.9	64.0	<0.01	0.04
DD007816		2.36	38.9	660	19.7	22.6	<0.001	0.01	0.95	4.4	0.7	1.1	63.8	<0.01	<0.01
DD007817		2.90	31.3	690	14.2	23.8	<0.001	0.19	0.79	3.4	1.3	1.0	77.7	<0.01	<0.01
DD007818		2.02	36.1	310	21.6	18.1	<0.001	0.01	0.64	3.8	0.4	1.4	39.2	<0.01	0.01
DD007819		2.44	31.6	370	27.7	18.1	<0.001	0.02	0.81	3.5	0.3	1.5	69.5	<0.01	0.01
DD007820		3.36	27.5	400	24.1	35.9	0.001	0.02	1.52	3.6	0.3	2.2	58.4	<0.01	0.02
DD007821		2.04	36.9	720	32.0	34.4	<0.001	0.01	2.59	4.4	0.7	3.7	86.8	<0.01	0.02
DD007822		4.68	24.9	340	52.9	34.3	<0.001	0.01	0.61	2.8	0.4	2.1	22.3	<0.01	<0.01
DD007823		4.02	14.6	250	18.2	63.3	<0.001	0.02	0.34	2.6	0.3	1.9	39.1	0.01	0.01
DD007824		2.75	25.6	430	71.0	43.7	<0.001	0.01	2.25	3.8	0.3	5.5	46.5	<0.01	0.01
DD007825		2.30	31.9	700	33.5	42.1	<0.001	0.01	1.44	4.6	0.6	4.1	67.7	<0.01	0.01
DD007826		3.74	28.6	610	35.0	54.1	<0.001	0.02	1.39	4.0	0.7	2.9	42.7	<0.01	0.02
DD007827		4.08	25.3	650	22.6	50.6	<0.001	0.01	1.50	3.5	0.4	2.1	45.6	<0.01	0.01
DD007828		4.05	24.0	680	19.5	46.5	<0.001	0.02	1.28	3.3	0.6	2.1	43.7	<0.01	0.01
DD007829		2.66	25.6	710	30.6	56.0	0.001	0.01	1.56	3.7	0.7	3.1	36.7	<0.01	0.03
DD007830		2.33	37.5	560	22.3	24.1	<0.001	0.01	0.78	4.2	0.9	1.8	66.5	<0.01	0.01
DD007831		2.35	14.2	240	11.2	19.6	<0.001	0.01	0.39	1.6	0.4	4.0	35.2	<0.01	<0.01
DD007832		2.04	25.5	350	15.2	34.9	<0.001	<0.01	0.57	3.1	0.2	4.3	27.1	<0.01	0.02
DD007833		2.53	30.3	690	30.4	41.1	<0.001	<0.01	0.71	3.3	0.3	4.6	108.5	0.02	0.02
DD007834		2.84	19.9	470	20.7	44.0	<0.001	0.01	4.98	3.1	0.4	2.6	41.8	<0.01	<0.01
DD007835		1.22	40.7	630	37.8	32.9	<0.001	<0.01	2.26	5.5	0.5	4.9	117.5	<0.01	0.04
DD007836		2.21	14.7	280	41.7	43.4	<0.001	0.05	3.98	2.6	0.4	10.8	34.3	<0.01	0.07
DD007837		4.00	9.8	400	26.5	64.5	0.001	<0.01	1.94	1.9	0.2	7.7	25.3	<0.01	0.02
DD007838		1.99	29.1	650	27.7	32.3	<0.001	<0.01	1.00	3.6	0.6	2.5	59.2	<0.01	0.03
DD007839		4.93	7.3	280	26.9	67.0	<0.001	<0.01	0.86	1.3	0.2	3.7	16.7	<0.01	<0.01
DD007840		4.01	11.2	450	40.6	55.6	<0.001	<0.01	1.15	1.8	<0.2	4.3	23.4	<0.01	0.01



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 18- AUG- 2012
 Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12180697

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm	W- XRF05 W ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5	10
DD007801		0.050	0.51	3.26	24	56.2	13.55	314	1.7	
DD007802		0.072	0.24	1.68	27	6.51	3.56	107	<0.5	
DD007803		0.042	0.41	16.50	19	13.90	13.25	314	<0.5	
DD007804		0.031	0.29	9.34	24	16.25	10.50	317	<0.5	
DD007805		0.035	0.29	7.41	21	19.85	11.25	344	<0.5	
DD007806		0.033	0.30	5.99	25	18.85	8.27	340	<0.5	
DD007807		0.025	0.36	6.07	26	18.25	8.37	334	<0.5	
DD007808		0.021	0.30	2.71	15	39.9	4.20	201	<0.5	
DD007809		0.038	0.42	2.39	16	45.3	6.46	174	<0.5	
DD007810		0.057	0.32	1.32	22	32.7	4.39	175	0.8	
DD007811		0.037	0.33	2.01	22	67.0	6.72	313	<0.5	
DD007812		0.054	0.28	2.66	23	25.7	5.74	215	<0.5	
DD007813		0.046	0.53	2.08	23	98.1	7.81	339	1.4	
DD007814		0.039	0.37	2.77	27	54.0	9.69	342	<0.5	
DD007815		0.023	0.13	1.24	21	0.59	25.5	121	1.3	
DD007816		0.029	0.22	1.70	27	0.86	18.10	151	0.6	
DD007817		0.028	0.23	10.25	23	2.37	26.5	148	1.6	
DD007818		0.025	0.17	1.45	24	6.58	11.95	140	0.9	
DD007819		0.030	0.15	1.56	29	3.54	11.00	205	0.7	
DD007820		0.050	0.25	2.71	29	13.00	9.33	210	0.5	
DD007821		0.038	0.27	1.45	23	25.7	18.20	313	2.0	
DD007822		0.094	0.27	2.96	43	8.63	7.77	357	1.4	
DD007823		0.116	0.22	3.29	29	2.40	5.38	206	0.8	
DD007824		0.057	0.31	1.81	28	41.5	10.25	240	<0.5	
DD007825		0.060	0.38	1.57	29	24.9	10.90	268	1.2	
DD007826		0.057	0.42	4.57	24	14.75	15.75	253	1.8	
DD007827		0.054	0.37	2.86	25	12.50	14.50	154	2.1	
DD007828		0.055	0.33	2.16	24	10.85	14.90	144	1.5	
DD007829		0.066	0.46	2.50	24	14.95	15.55	195	6.2	
DD007830		0.037	0.17	1.84	27	8.24	19.80	188	0.6	
DD007831		0.041	0.07	0.91	28	16.15	3.59	233	<0.5	
DD007832		0.051	0.23	0.85	33	20.9	4.39	310	<0.5	
DD007833		0.051	0.26	1.44	32	23.0	5.24	619	0.8	
DD007834		0.040	0.34	4.17	21	37.1	10.90	184	0.6	
DD007835		0.046	0.40	1.60	29	18.30	20.1	283	2.8	
DD007836		0.030	0.51	1.21	22	94.2	4.43	363	1.1	100
DD007837		0.033	0.49	1.79	15	70.9	5.93	233	<0.5	
DD007838		0.036	0.25	1.66	22	15.10	11.65	222	1.2	
DD007839		0.039	0.32	1.93	14	16.70	4.51	157	<0.5	
DD007840		0.042	0.38	2.82	15	22.9	7.48	192	0.5	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 18- AUG- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12180697

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD007841		0.21	<0.001	0.54	1.29	22.9	<0.2	<10	40	1.11	2.17	0.19	0.15	56.0	5.8	16
DD007842		0.19	<0.001	0.25	1.28	25.0	<0.2	<10	30	1.12	2.20	0.18	0.18	53.0	6.2	17
DD007843		0.21	<0.001	0.34	1.34	21.4	<0.2	<10	40	1.16	2.09	0.21	0.15	53.5	6.2	17
DD007844		0.24	<0.001	0.38	1.23	16.3	<0.2	<10	40	1.03	1.80	0.19	0.22	52.4	4.9	16
DD007845		0.18	<0.001	0.31	1.42	21.3	<0.2	<10	40	1.25	2.39	0.23	0.24	48.1	6.2	19
DD007846		0.08	<0.001	1.17	2.40	20.8	<0.2	<10	130	3.36	2.87	1.97	2.66	53.1	9.3	16
DD007847		0.08	<0.001	1.35	2.05	25.5	<0.2	<10	80	3.17	2.11	1.77	2.00	44.5	5.0	14
DD007848		0.23	<0.001	0.42	1.40	18.7	<0.2	<10	40	1.46	2.92	0.38	0.45	61.1	5.9	16
DD007849		0.24	<0.001	0.28	1.62	17.0	<0.2	<10	50	1.27	2.19	0.28	0.08	57.1	7.0	19
DD007850		0.23	0.006	0.78	2.13	38.1	<0.2	<10	50	2.75	2.73	0.71	0.26	78.5	8.6	21
DD007851		0.22	<0.001	0.15	1.28	21.2	<0.2	<10	40	1.13	1.88	0.24	0.07	68.1	5.8	16
DD007852		0.20	<0.001	0.30	1.40	25.5	<0.2	<10	40	1.13	2.48	0.22	0.15	44.9	6.9	21
DD007853		0.18	0.004	0.16	1.76	49.4	<0.2	<10	60	1.66	5.37	0.36	0.21	53.8	10.9	25
DD007854		0.18	0.002	0.27	1.43	21.1	<0.2	<10	40	1.10	2.52	0.22	0.28	38.8	6.6	26
DD007855		0.14	0.001	0.72	1.70	22.3	<0.2	<10	60	2.00	2.62	0.28	1.07	42.2	10.0	26
DD007856		0.22	0.003	0.57	1.96	19.1	<0.2	<10	60	1.93	2.84	0.31	0.43	39.9	7.7	33
DD007857		0.19	0.002	0.36	1.69	17.6	<0.2	<10	50	1.87	5.31	0.31	0.48	37.9	8.5	29
DD007858		0.17	0.005	0.63	2.63	24.9	<0.2	<10	100	3.33	2.77	1.26	0.95	57.4	9.8	27
DD007859		0.28	0.002	0.21	1.52	17.9	<0.2	<10	60	2.68	4.00	0.16	0.87	29.5	6.8	23
DD007860		0.18	0.001	0.26	1.48	14.7	<0.2	<10	60	2.32	2.47	0.23	1.05	41.1	7.1	24
DD007861		0.17	0.008	1.65	5.77	14.5	<0.2	<10	60	11.15	2.40	0.75	0.71	71.4	14.6	33
DD007862		0.24	0.002	0.12	2.16	19.4	<0.2	<10	60	1.82	1.26	0.41	0.11	61.6	11.1	32
DD007863		0.15	0.004	0.17	1.26	16.1	<0.2	<10	50	0.97	1.66	0.32	0.18	52.5	10.5	18
DD007864		0.27	0.002	0.18	1.69	19.3	<0.2	<10	70	1.46	2.30	1.42	0.29	61.8	9.9	20
DD007865		0.25	0.008	0.38	1.69	37.4	<0.2	<10	220	1.84	2.14	1.00	0.81	52.5	13.4	24
DD007866		0.29	0.003	0.24	1.73	19.0	<0.2	<10	60	1.25	1.69	0.49	0.14	55.0	11.0	24
DD007867		0.20	0.041	0.79	1.54	52.3	<0.2	<10	50	2.07	7.62	0.38	0.79	31.7	7.1	22
DD007868		0.16	0.003	0.26	1.24	47.3	<0.2	<10	40	1.79	5.15	0.28	0.29	56.6	5.3	18
DD007869		0.14	0.004	0.27	0.98	26.0	<0.2	<10	30	2.57	3.07	0.34	0.19	46.8	2.9	12
DD007870		0.15	0.002	0.71	1.08	27.7	<0.2	<10	40	0.62	2.38	0.11	0.29	35.5	4.5	14
DD007871		0.26	0.003	0.09	2.52	29.8	<0.2	<10	60	0.78	0.67	0.40	0.13	74.2	15.0	36
DD007872		0.26	0.002	0.71	1.18	25.1	<0.2	<10	40	0.99	2.81	0.13	0.42	51.7	4.6	17
DD007873		0.14	0.002	0.53	0.95	16.2	<0.2	<10	30	0.67	1.55	0.09	0.30	38.9	2.9	12
DD007874		0.20	0.007	0.90	1.73	23.5	<0.2	<10	70	2.01	3.39	0.30	1.43	58.9	8.4	18
DD007875		0.25	0.004	0.33	1.27	40.5	<0.2	<10	40	1.45	3.65	0.36	0.80	48.7	6.0	16
DD007876		0.17	0.007	0.39	1.70	16.1	<0.2	<10	80	1.56	1.61	0.81	0.25	60.9	9.9	21
DD007877		0.29	0.005	0.26	1.45	19.2	<0.2	<10	50	0.99	1.27	0.55	0.16	57.7	8.7	21
DD007878		0.19	0.003	0.21	1.55	14.6	<0.2	<10	50	0.95	0.96	0.83	0.14	66.7	9.6	21
DD007879		0.25	0.004	0.22	1.73	23.4	<0.2	<10	70	1.34	2.02	0.42	0.21	64.8	11.5	26
DD007880		0.22	0.010	0.20	1.48	14.9	<0.2	<10	60	1.09	1.50	0.41	0.27	59.0	10.8	22



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 18- AUG- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12180697

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
DD007841		5.63	13.1	2.22	5.94	0.06	<0.02	0.02	0.122	0.19	27.8	68.7	0.38	255	1.06
DD007842		5.43	15.7	2.27	5.75	0.07	<0.02	0.02	0.140	0.17	27.3	69.4	0.39	271	1.02
DD007843		5.19	13.0	2.31	6.21	0.07	0.02	0.02	0.116	0.19	29.2	75.9	0.41	282	0.88
DD007844		5.59	11.9	2.01	6.80	0.07	<0.02	0.03	0.082	0.20	27.0	69.6	0.37	246	0.99
DD007845		8.08	15.2	2.30	6.67	0.07	<0.02	0.03	0.089	0.19	25.4	85.8	0.42	294	2.04
DD007846		7.75	30.0	2.35	7.30	0.07	0.03	0.08	0.160	0.19	28.5	124.0	0.25	1220	3.31
DD007847		12.75	44.0	2.27	5.66	0.07	0.03	0.05	0.145	0.12	27.2	122.0	0.28	283	2.86
DD007848		7.88	24.9	2.12	6.20	0.08	<0.02	0.02	0.106	0.22	31.0	77.2	0.36	396	2.33
DD007849		7.95	13.6	2.47	7.02	0.08	<0.02	0.01	0.115	0.23	30.4	95.7	0.46	303	1.24
DD007850		26.3	38.5	2.70	7.49	0.12	0.05	0.03	0.175	0.30	42.2	90.4	0.47	361	1.47
DD007851		6.37	13.6	2.19	6.26	0.09	0.02	0.02	0.115	0.21	37.8	76.8	0.40	289	0.72
DD007852		5.92	14.3	2.63	6.67	0.07	<0.02	0.01	0.093	0.21	24.2	61.8	0.48	287	1.17
DD007853		6.38	50.5	3.10	7.35	0.08	<0.02	0.01	0.145	0.21	27.1	55.6	0.56	538	1.45
DD007854		6.59	16.8	2.73	7.48	0.07	<0.02	0.02	0.063	0.23	20.3	41.7	0.55	336	1.55
DD007855		6.18	23.1	3.04	7.75	0.05	<0.02	0.02	0.098	0.16	22.3	62.5	0.52	781	1.79
DD007856		7.98	24.6	3.25	8.37	0.06	0.02	0.03	0.095	0.19	21.6	66.8	0.64	370	1.30
DD007857		6.05	17.6	3.01	7.54	0.05	0.02	0.02	0.072	0.13	20.1	63.9	0.56	417	1.37
DD007858		7.55	26.8	3.35	6.37	0.09	0.03	0.05	0.098	0.19	36.0	100.0	0.55	898	0.77
DD007859		5.99	21.8	3.11	9.03	<0.05	<0.02	0.02	0.117	0.14	15.1	34.3	0.27	528	0.95
DD007860		8.04	17.2	2.64	7.08	0.05	<0.02	0.03	0.077	0.16	21.6	40.9	0.46	442	0.72
DD007861		6.66	27.0	5.42	15.00	0.10	0.10	0.05	0.130	0.21	26.0	44.4	0.34	421	0.72
DD007862		4.41	21.0	3.57	7.09	0.09	0.02	0.01	0.047	0.16	33.0	51.8	0.83	357	0.32
DD007863		4.12	14.0	2.43	4.62	0.07	<0.02	0.02	0.061	0.18	26.2	41.8	0.43	603	0.52
DD007864		6.60	22.3	2.84	6.45	0.08	0.12	0.01	0.100	0.34	31.3	67.1	0.51	579	0.62
DD007865		6.73	32.6	4.16	6.23	0.07	0.06	0.03	0.080	0.25	26.2	57.0	0.47	2340	3.24
DD007866		5.82	20.0	3.18	5.90	0.07	0.03	0.01	0.062	0.19	28.4	55.2	0.60	511	0.69
DD007867		7.62	47.3	2.80	8.37	<0.05	<0.02	0.04	0.210	0.20	17.6	34.6	0.31	398	4.23
DD007868		7.15	32.9	2.60	6.48	0.08	<0.02	0.03	0.205	0.18	29.4	47.1	0.34	321	3.05
DD007869		6.07	14.0	1.76	5.60	0.06	<0.02	0.02	0.114	0.14	23.3	30.6	0.22	219	3.02
DD007870		5.53	11.1	1.97	5.85	0.05	<0.02	0.02	0.118	0.11	18.2	33.5	0.30	281	2.79
DD007871		4.27	22.1	3.95	8.10	0.10	<0.02	0.02	0.041	0.18	37.7	55.4	0.90	439	0.34
DD007872		5.88	15.2	2.19	5.90	0.07	<0.02	0.03	0.149	0.18	24.7	51.5	0.34	283	2.25
DD007873		4.80	10.1	1.51	4.87	0.05	<0.02	0.03	0.113	0.15	20.9	36.2	0.23	139	1.36
DD007874		8.18	33.2	2.55	7.80	0.06	<0.02	0.03	0.250	0.26	30.6	65.2	0.33	569	2.97
DD007875		6.58	30.4	2.25	5.61	0.07	<0.02	0.04	0.185	0.21	24.3	45.1	0.30	446	2.62
DD007876		6.45	21.9	2.78	5.55	0.08	<0.02	0.03	0.088	0.19	30.5	45.1	0.43	988	0.71
DD007877		5.83	19.2	2.64	4.87	0.08	0.03	0.10	0.061	0.18	29.4	39.5	0.46	556	0.60
DD007878		4.53	18.4	2.91	5.17	0.09	0.03	0.02	0.052	0.19	38.1	41.3	0.49	354	0.52
DD007879		5.68	23.4	3.16	5.67	0.10	0.07	0.01	0.082	0.26	31.5	47.6	0.51	556	0.90
DD007880		5.41	17.7	2.66	5.15	0.07	0.03	0.02	0.072	0.21	28.1	48.3	0.50	1760	0.71



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 18- AUG- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12180697

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
DD007841		3.33	13.6	450	23.8	51.5	<0.001	<0.01	0.94	2.0	0.2	3.0	19.8	<0.01	0.02
DD007842		3.44	14.5	430	28.1	47.7	<0.001	<0.01	1.05	2.1	0.6	3.4	19.2	<0.01	0.02
DD007843		3.39	14.7	520	23.5	48.8	<0.001	<0.01	0.87	2.1	0.4	2.8	20.9	<0.01	0.03
DD007844		5.18	11.7	340	17.9	61.9	<0.001	<0.01	0.59	2.0	0.2	3.2	19.5	<0.01	<0.01
DD007845		5.27	14.3	340	22.8	55.8	0.001	<0.01	0.59	2.3	0.5	2.7	21.7	<0.01	0.02
DD007846		6.46	18.7	800	25.1	53.9	0.001	0.08	0.81	1.6	1.4	2.8	129.0	0.01	<0.01
DD007847		4.47	15.4	950	27.3	33.6	<0.001	0.13	1.08	1.5	1.2	3.3	106.0	0.01	<0.01
DD007848		6.06	12.5	670	31.0	61.2	<0.001	<0.01	0.66	2.1	0.5	2.9	28.8	0.01	0.02
DD007849		5.04	16.6	450	22.4	64.2	<0.001	<0.01	0.73	2.6	0.4	3.3	29.9	<0.01	0.03
DD007850		5.78	24.1	710	28.4	64.3	<0.001	0.01	0.92	3.7	0.9	3.8	64.5	<0.01	0.03
DD007851		3.65	13.2	440	25.0	56.6	<0.001	<0.01	0.86	2.2	0.3	3.6	23.0	<0.01	0.02
DD007852		3.22	16.6	350	21.0	56.7	0.001	0.01	0.84	2.3	<0.2	3.1	20.1	<0.01	0.01
DD007853		2.90	22.5	610	38.8	45.4	<0.001	0.01	2.03	3.3	0.5	4.6	40.4	<0.01	0.04
DD007854		2.85	16.1	320	20.3	86.7	<0.001	<0.01	0.68	2.8	0.4	2.9	22.0	<0.01	0.01
DD007855		2.90	18.9	470	36.2	59.8	<0.001	0.01	0.70	2.5	0.3	2.9	30.5	<0.01	0.03
DD007856		3.17	20.8	310	22.8	58.5	<0.001	<0.01	0.81	3.8	0.2	3.8	28.5	<0.01	0.03
DD007857		2.76	18.7	250	22.4	53.4	<0.001	<0.01	0.55	3.3	0.3	2.6	28.4	<0.01	0.05
DD007858		2.32	28.7	980	22.6	47.8	0.001	0.07	0.85	3.0	0.8	2.6	83.4	<0.01	0.04
DD007859		2.31	19.3	390	16.8	40.5	<0.001	0.01	0.80	2.6	<0.2	7.2	24.7	<0.01	0.02
DD007860		2.04	16.7	370	13.8	55.4	<0.001	0.01	0.65	2.4	0.4	3.8	26.3	<0.01	0.03
DD007861		2.26	43.0	1380	24.6	33.4	<0.001	0.04	0.68	6.8	0.9	2.3	267	0.01	0.06
DD007862		1.88	30.4	640	14.5	27.6	<0.001	0.01	0.52	3.9	0.4	1.6	56.0	<0.01	0.04
DD007863		2.80	17.6	700	17.7	35.2	<0.001	0.01	0.95	2.1	0.5	2.0	26.6	<0.01	0.02
DD007864		2.63	22.5	650	23.5	55.6	<0.001	<0.01	0.93	2.9	0.5	2.7	67.0	<0.01	0.02
DD007865		3.58	30.2	630	27.8	48.4	<0.001	0.04	1.49	3.3	0.8	1.9	65.6	0.01	0.03
DD007866		2.44	24.9	640	22.2	37.5	<0.001	0.01	0.71	2.9	0.3	1.5	38.0	<0.01	0.03
DD007867		2.12	14.8	420	49.7	61.8	<0.001	0.02	2.72	1.9	0.2	8.4	33.8	<0.01	0.06
DD007868		3.82	12.2	500	40.0	60.2	0.001	0.02	3.32	2.4	0.4	7.5	22.8	<0.01	0.02
DD007869		3.12	6.8	240	29.7	64.6	<0.001	0.01	1.45	1.2	0.3	4.9	11.4	<0.01	0.02
DD007870		3.28	8.3	280	37.9	75.8	<0.001	0.01	0.69	1.4	0.4	3.6	11.6	<0.01	0.02
DD007871		2.25	35.1	550	16.6	22.4	<0.001	0.01	0.50	4.5	0.7	1.2	74.7	0.01	0.02
DD007872		4.14	10.2	270	30.8	76.0	<0.001	0.01	0.91	1.6	0.3	3.9	15.4	<0.01	0.01
DD007873		3.01	7.7	240	18.4	49.8	<0.001	0.01	0.71	1.1	<0.2	3.0	10.2	<0.01	0.01
DD007874		4.35	14.1	560	46.0	94.9	<0.001	0.02	0.96	1.4	0.3	5.1	31.5	<0.01	0.02
DD007875		3.71	11.8	490	39.2	55.5	<0.001	0.02	1.99	1.9	0.3	4.9	27.6	<0.01	0.03
DD007876		2.45	21.3	660	24.7	46.7	<0.001	0.03	1.01	2.5	0.6	1.9	57.2	<0.01	0.02
DD007877		2.77	20.5	620	23.3	38.1	<0.001	0.02	1.11	2.6	0.7	1.5	43.6	<0.01	<0.01
DD007878		2.31	23.9	660	16.3	35.2	<0.001	0.03	0.88	2.6	0.5	1.3	63.2	<0.01	0.02
DD007879		2.36	25.6	630	24.0	39.2	<0.001	0.01	2.08	3.4	0.5	1.9	26.5	<0.01	0.02
DD007880		2.42	23.8	680	19.4	38.6	<0.001	0.01	1.17	2.8	0.4	1.9	32.9	<0.01	0.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 18- AUG- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12180697

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm	W- XRF05 W ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5	10
DD007841		0.039	0.27	2.20	15	15.40	6.29	172	<0.5	
DD007842		0.038	0.35	2.02	15	14.25	6.83	148	0.6	
DD007843		0.043	0.28	2.12	17	15.80	7.67	151	0.8	
DD007844		0.046	0.27	2.31	16	18.55	5.64	152	<0.5	
DD007845		0.051	0.29	2.54	19	16.55	5.95	266	0.6	
DD007846		0.036	0.33	50.5	17	3.53	16.35	398	1.0	
DD007847		0.025	0.32	77.2	14	8.50	15.80	634	1.0	
DD007848		0.047	0.47	9.17	15	13.40	11.25	312	<0.5	
DD007849		0.053	0.40	4.21	18	21.4	7.57	183	0.5	
DD007850		0.046	0.37	6.14	19	14.20	22.6	393	1.7	
DD007851		0.047	0.40	2.28	15	12.45	8.22	129	1.1	
DD007852		0.047	0.28	1.71	20	17.35	5.06	162	<0.5	
DD007853		0.045	0.42	1.92	21	31.4	8.10	231	0.7	
DD007854		0.067	0.28	1.46	27	14.55	4.23	191	<0.5	
DD007855		0.059	0.25	2.77	28	10.45	5.13	343	<0.5	
DD007856		0.070	0.31	2.00	32	19.95	5.34	346	0.9	
DD007857		0.062	0.23	1.07	29	11.70	4.93	394	0.8	
DD007858		0.035	0.30	7.12	22	12.85	19.75	457	0.9	
DD007859		0.049	0.20	0.87	33	35.4	3.35	347	<0.5	
DD007860		0.052	0.21	1.55	26	17.05	5.49	223	<0.5	
DD007861		0.054	0.24	4.02	23	17.00	12.20	269	3.8	
DD007862		0.043	0.21	1.35	24	8.93	11.00	156	0.8	
DD007863		0.037	0.25	1.28	16	20.2	8.43	119	0.6	
DD007864		0.050	0.41	1.73	20	18.05	11.90	160	5.1	
DD007865		0.041	0.35	9.41	23	7.78	13.60	194	1.9	
DD007866		0.035	0.30	2.07	20	7.14	11.55	138	1.0	
DD007867		0.025	0.35	2.96	23	33.5	4.86	334	<0.5	
DD007868		0.045	0.43	2.87	19	38.7	7.17	248	0.6	
DD007869		0.037	0.27	1.97	16	24.6	3.74	117	<0.5	
DD007870		0.048	0.19	1.46	23	12.10	2.80	166	<0.5	
DD007871		0.043	0.18	1.65	27	0.49	14.85	137	0.6	
DD007872		0.051	0.26	2.43	21	11.85	4.29	171	<0.5	
DD007873		0.031	0.22	1.96	13	11.20	3.43	112	<0.5	
DD007874		0.035	0.30	7.39	21	12.25	7.68	278	<0.5	
DD007875		0.036	0.38	3.43	17	26.8	6.37	235	<0.5	
DD007876		0.034	0.26	3.99	20	6.56	14.00	144	<0.5	
DD007877		0.040	0.28	2.93	18	5.81	11.90	121	1.3	
DD007878		0.031	0.17	5.71	18	6.20	13.70	111	1.0	
DD007879		0.048	0.32	2.27	23	9.38	12.05	139	3.0	
DD007880		0.054	0.28	1.91	20	13.20	10.90	131	1.6	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 18- AUG- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12180697

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD007881		0.21	0.002	0.15	1.67	13.7	<0.2	<10	50	2.00	1.41	0.37	0.15	63.2	8.1	25
DD007882		0.22	0.004	0.10	1.46	10.9	<0.2	<10	40	0.96	1.18	0.31	0.12	62.7	9.1	23
DD007883		0.18	0.005	0.36	2.43	30.3	<0.2	<10	80	3.47	3.68	0.45	0.34	63.1	12.0	33
DD007884		0.18	0.003	0.07	1.81	15.5	<0.2	<10	60	2.05	3.08	0.49	0.38	35.8	6.4	32
DD007885		0.23	0.007	0.45	1.97	57.5	<0.2	<10	50	6.12	3.82	1.17	0.60	80.8	12.5	31
DD007886		0.15	0.004	0.45	1.76	16.2	<0.2	<10	60	2.60	2.05	1.02	0.65	39.9	5.8	18
DD007887		0.23	0.011	0.28	1.75	18.7	<0.2	<10	50	2.05	2.66	0.36	0.47	44.4	8.4	29
DD007888		0.22	0.003	0.33	1.73	17.6	<0.2	<10	60	2.59	2.49	0.24	0.36	41.2	7.3	29
DD007889		0.19	0.006	1.06	1.71	9.6	<0.2	<10	50	2.91	1.78	0.22	0.57	51.7	7.2	24
DD007890		0.21	0.002	0.54	1.41	15.7	<0.2	<10	40	1.26	1.64	0.17	0.45	43.3	6.9	22
DD007891		0.22	0.003	1.04	1.64	20.0	<0.2	<10	60	1.94	2.04	0.35	0.36	48.9	9.6	26
DD007892		0.22	0.005	0.28	1.59	19.9	<0.2	<10	60	1.22	2.29	0.34	0.18	49.5	6.8	19
DD007893		0.29	<0.001	0.28	1.29	13.0	<0.2	<10	50	0.87	1.44	0.31	0.20	57.0	4.6	17
DD007894		0.12	0.010	2.50	3.15	29.8	<0.2	<10	100	4.55	2.91	1.27	1.72	107.0	8.0	19
DD007895		0.21	0.003	0.39	1.16	8.4	<0.2	<10	40	0.78	1.17	0.49	0.73	32.4	6.3	17
DD007896		0.18	0.002	0.60	1.47	12.7	<0.2	<10	50	1.57	1.22	0.70	2.08	48.3	6.8	20
DD007897		0.18	0.002	0.51	1.55	27.2	<0.2	<10	50	1.34	3.11	0.43	0.62	54.8	8.1	22
DD007898		0.13	0.001	0.90	0.89	8.8	<0.2	<10	30	0.44	1.49	0.16	0.76	25.9	4.1	14
DD007899		0.28	0.003	1.79	1.59	24.2	<0.2	<10	30	2.07	2.63	0.50	0.29	60.2	5.4	21
DD007900		0.22	0.003	0.55	1.95	13.4	<0.2	<10	50	1.67	1.81	0.20	0.36	46.4	11.1	32
DD007901		0.23	0.009	1.14	2.05	16.3	<0.2	<10	70	2.83	2.22	0.34	0.81	60.6	11.4	28
DD007902		0.25	0.002	0.24	1.13	10.4	<0.2	<10	30	0.50	1.44	0.07	0.30	31.1	4.6	18
DD007903		0.19	0.001	0.72	0.97	5.7	<0.2	<10	110	0.54	0.98	0.18	1.05	19.40	6.1	13
DD007904		0.32	0.003	0.39	1.42	12.1	<0.2	<10	30	1.19	1.58	0.19	0.31	32.4	7.7	22
DD007905		0.29	0.006	0.87	1.99	13.0	<0.2	<10	70	1.32	6.22	0.11	0.37	29.0	7.3	27
DD007906		0.25	0.007	0.08	1.24	15.4	<0.2	<10	40	1.18	1.47	0.33	0.40	35.1	9.7	23
DD007907		0.17	0.016	0.47	2.31	20.3	<0.2	<10	80	3.34	2.62	1.89	0.45	69.5	14.6	32
DD007908		0.15	0.009	0.28	1.35	10.8	<0.2	<10	40	1.63	1.43	0.62	0.45	41.5	6.9	20
DD007909		0.21	0.011	0.16	1.79	27.5	<0.2	<10	60	1.67	2.37	0.23	0.20	60.6	12.3	34
DD007910		0.27	0.003	0.22	1.91	21.8	<0.2	<10	80	1.57	2.03	0.50	0.34	63.2	12.9	32
DD007911		0.27	0.002	0.21	1.86	22.3	<0.2	<10	70	0.98	1.28	0.52	0.26	67.4	15.3	27
DD007912		0.23	0.002	0.10	2.09	19.0	<0.2	<10	90	1.23	1.17	0.58	0.22	62.8	15.6	30
DD007913		0.20	0.003	0.14	1.24	13.3	<0.2	<10	50	0.54	1.82	0.35	0.46	34.6	8.8	18
DD007914		0.30	0.022	0.08	1.59	19.9	<0.2	<10	40	0.77	0.96	0.36	0.09	68.9	13.3	22
DD007915		0.18	0.003	0.13	1.70	13.3	<0.2	<10	70	1.15	0.92	0.45	0.08	86.9	12.1	23
DD007916		0.16	0.002	0.19	1.73	14.9	<0.2	<10	50	0.85	0.69	0.80	0.12	75.8	16.2	25
DD007917		0.26	0.002	0.09	1.45	13.6	<0.2	<10	50	1.10	1.23	0.34	0.06	72.2	8.4	22
DD007918		0.21	0.002	0.15	2.61	20.8	<0.2	<10	60	0.78	0.66	0.30	0.12	80.3	18.0	36
DD007919		0.24	0.004	0.15	2.11	30.2	<0.2	<10	70	0.94	1.13	0.37	0.11	93.4	17.5	29
DD007920		0.26	0.008	0.17	1.78	18.7	<0.2	<10	60	1.25	1.67	0.38	0.13	69.3	11.4	25



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 18- AUG- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12180697

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
DD007881		6.18	17.8	2.78	5.31	0.08	0.02	0.01	0.063	0.24	27.9	47.5	0.55	421	0.51
DD007882		4.99	16.5	2.80	4.86	0.08	0.05	0.01	0.047	0.23	28.3	40.6	0.58	432	0.54
DD007883		12.45	37.3	3.99	7.89	0.09	0.02	0.04	0.148	0.18	34.0	55.1	0.60	439	1.04
DD007884		9.80	18.0	3.05	7.52	0.10	<0.02	0.03	0.090	0.26	18.0	35.3	0.52	369	1.05
DD007885		6.80	51.6	6.46	5.68	0.12	0.03	0.04	0.162	0.15	40.4	56.2	0.38	1030	1.59
DD007886		5.26	29.3	2.15	4.59	0.09	0.05	0.03	0.082	0.14	23.5	44.7	0.34	384	0.53
DD007887		5.81	17.2	3.04	6.24	0.08	<0.02	0.02	0.087	0.20	20.5	50.4	0.54	500	0.86
DD007888		6.46	18.9	3.06	6.36	0.06	<0.02	0.01	0.085	0.20	18.6	40.3	0.51	490	0.90
DD007889		5.19	19.5	2.58	5.48	0.06	0.02	0.03	0.090	0.14	23.7	43.3	0.46	850	0.76
DD007890		4.50	14.7	2.53	5.54	0.06	<0.02	0.01	0.058	0.16	22.1	40.1	0.48	319	0.84
DD007891		5.49	21.3	2.97	7.11	0.06	<0.02	0.02	0.072	0.19	25.4	46.7	0.49	506	1.26
DD007892		5.35	14.1	2.39	5.42	0.07	<0.02	0.02	0.113	0.18	24.5	61.5	0.42	362	0.83
DD007893		6.21	9.2	2.13	5.89	0.07	<0.02	0.01	0.084	0.21	29.0	58.7	0.40	245	0.85
DD007894		13.90	63.3	2.63	6.36	0.12	0.03	0.08	0.222	0.16	49.5	100.5	0.31	701	4.88
DD007895		7.74	11.4	1.79	4.54	0.05	<0.02	0.01	0.045	0.16	15.5	46.9	0.38	296	1.57
DD007896		5.84	58.7	2.24	4.57	0.07	<0.02	0.01	0.057	0.15	23.4	55.9	0.42	598	2.72
DD007897		6.09	24.1	2.70	5.98	0.08	<0.02	0.01	0.143	0.20	25.3	46.4	0.48	476	1.45
DD007898		5.12	8.8	1.68	4.24	<0.05	<0.02	<0.01	0.041	0.11	13.1	31.5	0.29	180	1.37
DD007899		28.3	92.2	2.43	4.88	0.12	0.02	0.03	0.246	0.21	41.3	60.7	0.40	328	2.67
DD007900		8.66	19.0	3.44	7.95	0.07	<0.02	0.01	0.069	0.21	22.5	59.0	0.70	279	0.90
DD007901		6.54	26.0	3.21	6.86	0.07	<0.02	0.03	0.107	0.23	27.2	49.8	0.52	768	0.87
DD007902		2.94	9.4	2.70	7.30	<0.05	<0.02	0.01	0.036	0.10	15.4	27.1	0.31	181	1.26
DD007903		2.91	7.8	1.60	4.36	<0.05	<0.02	0.03	0.028	0.09	9.0	23.9	0.20	1860	0.73
DD007904		4.79	12.7	2.44	5.49	<0.05	0.02	0.04	0.051	0.19	17.2	43.8	0.38	277	0.70
DD007905		3.96	11.4	3.00	8.21	0.05	<0.02	0.05	0.051	0.10	15.1	60.5	0.47	263	0.77
DD007906		5.68	13.8	2.60	5.04	0.06	<0.02	0.02	0.063	0.20	17.8	59.5	0.42	677	0.65
DD007907		3.72	70.9	3.58	7.05	0.09	0.04	0.06	0.081	0.13	45.1	54.1	0.71	757	0.47
DD007908		4.55	15.2	2.28	4.69	0.08	0.02	0.05	0.067	0.17	22.3	33.7	0.42	388	0.54
DD007909		4.29	27.1	3.93	6.25	0.08	0.03	0.03	0.093	0.15	32.5	49.0	0.51	391	1.74
DD007910		4.83	32.7	3.59	6.62	0.11	0.09	0.03	0.082	0.22	35.5	46.2	0.63	625	0.81
DD007911		4.80	22.9	3.63	6.24	0.09	0.06	0.02	0.053	0.20	35.1	51.8	0.65	414	0.51
DD007912		7.38	22.4	3.27	7.22	0.11	0.03	0.03	0.059	0.26	36.5	54.8	0.62	1160	0.62
DD007913		2.78	11.3	2.35	5.04	0.05	<0.02	0.03	0.043	0.13	18.0	38.2	0.44	490	0.59
DD007914		3.61	17.5	3.43	5.60	0.10	0.04	0.02	0.042	0.16	33.9	38.3	0.70	487	0.37
DD007915		4.33	20.4	3.33	5.71	0.12	0.02	0.02	0.054	0.17	55.7	44.8	0.52	460	0.46
DD007916		3.13	20.1	3.40	5.72	0.10	0.04	0.02	0.036	0.13	42.3	44.5	0.65	692	0.41
DD007917		4.78	16.0	2.75	5.59	0.11	0.04	0.03	0.058	0.19	39.6	49.7	0.54	358	0.44
DD007918		2.83	20.1	4.50	8.47	0.09	0.03	<0.01	0.038	0.08	39.5	64.1	0.97	514	0.45
DD007919		3.63	33.7	4.05	7.65	0.11	0.05	0.02	0.056	0.16	52.7	60.2	0.84	596	0.42
DD007920		5.20	21.9	3.17	6.53	0.10	0.11	0.02	0.079	0.25	38.0	56.1	0.59	523	0.50



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 18- AUG- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12180697

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
DD007881		2.41	20.8	600	17.1	37.0	<0.001	0.01	0.81	2.9	0.7	1.9	30.1	<0.01	0.02
DD007882		1.45	19.2	700	15.5	32.3	<0.001	0.01	0.93	2.5	0.6	1.4	25.3	<0.01	<0.01
DD007883		3.15	24.0	730	30.8	42.5	<0.001	0.02	0.93	4.2	1.1	4.1	46.8	<0.01	0.03
DD007884		2.82	17.4	410	11.0	66.4	<0.001	0.02	0.69	3.3	0.3	5.0	43.4	<0.01	0.02
DD007885		1.26	35.2	1770	50.8	34.0	<0.001	0.03	5.09	4.8	1.7	5.2	75.9	<0.01	0.03
DD007886		1.49	19.7	820	13.5	32.1	<0.001	0.06	0.90	1.8	1.0	2.1	64.2	<0.01	0.03
DD007887		2.39	19.2	330	17.0	47.8	<0.001	0.01	0.90	2.9	0.3	3.2	33.7	<0.01	0.02
DD007888		2.03	18.5	350	17.4	43.4	<0.001	0.01	0.73	3.1	0.4	3.2	24.6	<0.01	0.04
DD007889		2.24	17.6	410	13.7	42.3	<0.001	0.01	0.55	2.7	0.5	2.8	22.4	<0.01	0.02
DD007890		1.86	18.7	320	13.1	35.7	<0.001	0.01	0.64	2.2	0.4	1.7	21.0	<0.01	0.01
DD007891		3.04	19.2	360	28.1	45.2	0.001	0.01	0.69	2.5	0.4	2.4	33.5	<0.01	0.02
DD007892		3.11	16.2	410	22.2	42.4	<0.001	0.01	0.82	2.3	0.5	2.6	25.9	<0.01	0.03
DD007893		5.39	11.0	290	12.1	74.0	<0.001	0.01	0.69	1.7	0.2	3.3	26.9	<0.01	0.01
DD007894		4.22	24.6	1310	61.6	38.9	<0.001	0.05	0.74	2.7	1.5	3.0	84.1	0.02	0.02
DD007895		2.65	10.5	330	15.6	65.0	<0.001	0.02	0.28	1.7	0.7	1.6	36.6	0.01	0.01
DD007896		2.02	18.1	610	18.3	28.1	<0.001	0.02	0.42	1.8	0.5	1.5	51.3	0.01	0.01
DD007897		3.41	17.7	680	32.8	54.3	<0.001	0.01	1.15	2.2	0.5	3.6	38.8	<0.01	0.01
DD007898		2.51	9.2	250	18.8	38.1	<0.001	0.01	0.27	1.3	<0.2	1.7	18.5	<0.01	0.01
DD007899		3.50	13.2	720	53.1	37.6	<0.001	0.01	0.80	3.4	0.9	3.7	34.6	<0.01	0.02
DD007900		2.40	26.9	410	11.7	44.1	<0.001	0.01	0.35	3.3	0.4	3.4	32.4	<0.01	0.05
DD007901		2.85	25.1	640	21.4	48.2	<0.001	0.02	0.84	2.7	0.6	3.0	32.5	<0.01	0.03
DD007902		2.98	11.6	390	11.7	29.9	<0.001	0.01	0.61	1.5	0.4	2.8	9.6	<0.01	0.03
DD007903		1.53	9.7	480	11.7	29.0	<0.001	0.02	0.48	0.6	0.2	1.5	17.4	<0.01	0.01
DD007904		2.61	15.6	570	19.6	40.8	<0.001	0.01	0.64	2.2	<0.2	2.2	16.9	<0.01	0.02
DD007905		1.81	16.4	740	17.6	27.9	<0.001	0.01	0.70	2.5	0.6	3.1	13.1	0.01	0.03
DD007906		2.23	17.2	710	16.9	47.8	<0.001	0.01	1.02	2.3	0.4	2.0	21.9	<0.01	0.02
DD007907		2.39	39.1	760	24.3	20.5	<0.001	0.07	1.98	3.5	2.1	2.5	152.0	<0.01	0.03
DD007908		1.83	14.8	810	11.5	34.9	<0.001	0.03	0.84	2.3	0.6	1.7	46.3	<0.01	<0.01
DD007909		1.30	29.0	600	23.3	30.8	<0.001	0.01	1.22	3.7	0.3	1.9	21.4	<0.01	0.03
DD007910		0.93	32.4	720	26.9	33.0	<0.001	<0.01	1.20	4.5	0.6	2.1	32.4	<0.01	0.04
DD007911		2.88	29.5	740	22.5	35.0	0.001	0.04	0.62	3.2	0.3	1.4	43.4	<0.01	0.03
DD007912		3.15	32.4	770	18.8	53.4	<0.001	0.02	0.72	3.7	0.4	1.6	69.2	<0.01	0.01
DD007913		1.98	16.6	470	13.7	30.7	<0.001	0.01	0.41	1.7	0.3	1.3	28.8	<0.01	<0.01
DD007914		1.40	23.1	1040	17.5	26.3	<0.001	<0.01	0.53	2.9	<0.2	1.1	25.9	<0.01	0.02
DD007915		1.97	25.7	610	16.2	31.3	<0.001	0.02	0.71	3.0	0.4	1.3	46.4	<0.01	0.02
DD007916		1.69	29.5	590	13.8	22.6	<0.001	0.03	0.57	2.6	0.6	1.0	69.7	<0.01	0.02
DD007917		2.04	20.3	750	14.5	38.2	<0.001	0.01	0.63	2.7	0.3	1.8	27.1	<0.01	0.01
DD007918		1.46	38.0	400	21.5	16.4	<0.001	0.01	0.27	4.0	0.2	1.1	43.9	<0.01	0.04
DD007919		1.24	40.8	700	23.6	27.0	<0.001	0.01	0.65	3.7	0.6	1.4	46.9	<0.01	0.02
DD007920		1.69	24.6	670	18.5	41.2	<0.001	<0.01	0.73	3.2	0.6	2.4	28.3	<0.01	0.01



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 18- AUG- 2012
 Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12180697

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm	W- XRF05 W ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5	10
DD007881		0.056	0.26	2.14	21	9.57	9.90	147	0.7	
DD007882		0.049	0.25	1.83	19	8.28	8.51	115	2.2	
DD007883		0.046	0.32	14.30	30	22.4	12.70	307	0.7	
DD007884		0.080	0.31	2.91	32	48.1	4.54	265	<0.5	
DD007885		0.021	0.21	19.90	40	33.5	26.4	341	1.0	
DD007886		0.032	0.18	11.50	17	15.65	14.75	241	1.3	
DD007887		0.056	0.22	3.00	26	19.85	5.84	293	<0.5	
DD007888		0.066	0.22	1.39	29	20.0	4.86	378	0.6	
DD007889		0.053	0.19	3.22	23	17.10	6.20	319	0.5	
DD007890		0.047	0.16	1.82	22	8.08	4.61	206	<0.5	
DD007891		0.068	0.21	2.50	31	12.55	6.63	238	<0.5	
DD007892		0.043	0.25	3.45	19	41.2	9.03	222	<0.5	
DD007893		0.051	0.29	2.09	17	14.65	5.47	172	<0.5	
DD007894		0.032	0.34	54.2	18	12.00	26.6	799	1.0	
DD007895		0.058	0.20	9.92	18	5.39	4.80	273	<0.5	
DD007896		0.055	0.18	51.6	22	2.37	10.75	422	<0.5	
DD007897		0.040	0.27	4.14	19	18.30	7.42	227	<0.5	
DD007898		0.049	0.13	1.39	20	7.39	2.14	242	0.5	
DD007899		0.042	0.26	6.34	15	13.05	15.65	411	0.7	
DD007900		0.067	0.22	1.57	31	9.41	5.91	256	0.5	
DD007901		0.046	0.22	3.10	25	21.6	8.39	259	<0.5	
DD007902		0.047	0.15	0.88	31	6.82	2.87	90	<0.5	
DD007903		0.023	0.13	0.62	15	9.79	2.12	174	<0.5	
DD007904		0.038	0.25	1.23	21	17.50	6.87	149	0.7	
DD007905		0.028	0.19	1.03	30	12.30	4.45	154	<0.5	
DD007906		0.044	0.22	1.35	19	11.95	7.52	202	0.5	
DD007907		0.028	0.15	24.4	24	15.80	29.4	180	1.1	
DD007908		0.038	0.22	4.13	17	22.5	10.20	171	0.5	
DD007909		0.062	0.26	2.40	32	12.95	11.35	154	1.8	
DD007910		0.065	0.29	1.69	30	10.25	14.05	181	4.8	
DD007911		0.039	0.25	2.02	22	5.19	14.80	159	2.6	
DD007912		0.052	0.31	2.42	27	4.91	17.30	145	1.1	
DD007913		0.026	0.14	0.82	17	6.35	4.94	114	<0.5	
DD007914		0.042	0.20	1.41	25	5.60	9.97	100	2.5	
DD007915		0.031	0.20	5.59	20	3.81	19.00	111	0.5	
DD007916		0.024	0.15	3.54	18	4.97	15.30	94	1.1	
DD007917		0.043	0.25	2.13	19	9.36	11.55	101	1.8	
DD007918		0.029	0.12	1.91	27	1.17	13.10	139	1.6	
DD007919		0.027	0.22	1.56	21	5.71	20.5	127	2.2	
DD007920		0.052	0.31	1.89	21	11.75	12.75	126	4.3	



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.

C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED

1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - A

Total # Pages: 6 (A - D)

Plus Appendix Pages

Finalized Date: 18- AUG- 2012

Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12180697

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD007921		0.23	0.004	0.19	2.73	17.7	<0.2	<10	110	1.12	1.04	0.89	0.22	83.4	21.3	42
DD007922		0.24	0.004	0.18	1.76	19.3	<0.2	<10	70	1.34	1.61	0.61	0.26	66.1	11.6	24
DD007923		0.25	0.002	0.20	1.60	20.7	<0.2	<10	60	1.39	1.55	0.55	0.17	61.3	10.4	23
DD007924		0.29	0.003	0.22	1.74	20.9	<0.2	<10	60	1.38	1.61	0.62	0.18	63.1	11.0	26
DD007925		0.18	0.003	0.21	1.49	20.2	<0.2	<10	60	1.23	1.45	0.63	0.21	68.9	10.0	24
DD007926		0.30	0.005	0.25	1.58	18.9	<0.2	<10	60	1.32	1.42	0.45	0.19	58.3	8.4	26
DD007927		0.21	0.004	0.28	1.15	12.7	<0.2	<10	40	1.19	1.49	0.58	0.15	45.9	6.2	15
DD007928		0.24	0.002	0.59	1.19	20.3	<0.2	<10	40	1.35	2.09	0.54	0.23	53.1	7.8	17
DD007929		0.19	0.001	0.17	1.22	22.3	<0.2	<10	30	1.11	1.37	0.17	0.23	38.4	6.4	20
DD007930		0.20	0.009	0.32	1.61	14.4	<0.2	<10	60	1.47	1.46	0.50	0.44	44.3	12.5	30
DD007931		0.18	0.003	0.31	1.62	8.6	<0.2	<10	60	2.03	1.29	0.51	0.18	40.4	9.8	29
DD007932		0.18	0.005	0.59	1.42	22.6	<0.2	<10	70	3.41	4.64	1.12	1.02	47.4	10.3	23
DD007933		0.30	0.001	0.14	1.32	14.9	<0.2	<10	40	1.31	1.63	0.32	0.14	61.7	7.6	19
DD007934		0.22	0.007	0.78	1.87	16.0	<0.2	<10	40	2.69	1.75	1.82	0.68	53.9	9.2	23
DD007935		0.20	0.001	1.08	1.50	8.8	<0.2	<10	30	2.07	2.47	2.02	0.59	37.3	6.9	22
DD007936		0.22	0.001	0.11	1.24	7.4	<0.2	<10	40	0.69	1.08	0.14	0.21	35.9	6.3	17
DD007937		0.32	0.009	0.40	1.26	18.0	<0.2	<10	40	1.12	2.08	0.27	0.21	44.9	5.1	18
DD007938		0.21	0.001	0.24	0.84	8.9	<0.2	<10	30	0.60	1.15	0.37	0.13	38.0	4.8	12
DD007939		0.22	0.001	0.19	1.10	14.4	<0.2	<10	40	0.69	2.53	0.19	0.29	34.1	8.8	21
DD007940		0.29	0.003	0.34	1.51	14.5	<0.2	<10	50	1.50	2.04	0.20	0.20	53.0	8.1	19
DD007941		0.26	0.011	0.91	1.81	21.7	<0.2	<10	90	2.22	2.37	0.72	0.59	60.8	11.3	19
DD007942		0.17	0.005	0.20	1.31	18.2	<0.2	<10	60	1.06	1.16	0.74	0.35	50.0	9.5	19
DD007943		0.20	0.003	0.46	1.49	30.5	<0.2	<10	190	1.42	1.48	1.43	0.62	46.2	11.1	20
DD007944		0.35	0.002	0.38	1.55	15.6	<0.2	<10	50	1.46	1.42	0.30	0.22	60.4	9.1	25
DD007945		0.34	0.007	0.20	1.29	18.7	<0.2	<10	40	1.09	1.61	0.34	0.30	55.9	8.3	21
DD007946		0.29	0.009	0.34	1.63	21.3	<0.2	<10	60	1.43	1.65	0.47	0.22	60.8	9.6	23
DD007947		0.27	0.004	0.39	1.94	25.1	<0.2	<10	80	1.99	2.06	0.45	0.14	69.5	9.3	23
DD007948		0.27	0.004	0.15	1.67	31.3	<0.2	<10	60	1.29	1.82	0.57	0.31	64.6	10.3	25
DD007949		0.21	0.002	0.27	1.52	18.1	<0.2	<10	50	0.98	1.29	1.11	0.18	54.2	9.9	21
DD007950		0.33	0.003	0.18	1.47	15.7	<0.2	<10	40	1.05	1.67	0.40	0.16	62.1	9.5	22
DD007951		0.22	0.002	0.16	1.83	20.3	<0.2	<10	60	0.76	0.97	0.52	0.15	60.3	10.7	23
DD007952		0.28	0.002	0.13	2.36	27.6	<0.2	<10	70	1.03	1.12	0.34	0.09	94.2	17.3	34
DD007953		0.28	0.002	0.16	2.39	27.2	<0.2	<10	70	0.74	0.83	0.53	0.11	96.9	21.0	33
DD007954		0.26	0.002	0.55	2.12	39.8	<0.2	<10	50	0.83	0.90	0.22	0.10	105.0	14.2	28
DD007955		0.23	0.003	0.14	3.28	25.2	<0.2	<10	140	1.27	1.11	0.43	0.14	71.3	20.4	83
DD007956		0.27	0.002	0.15	2.20	22.9	<0.2	<10	80	1.14	1.17	0.48	0.13	87.7	14.8	29
DD007957		0.29	0.003	0.05	1.89	30.9	<0.2	<10	30	0.43	0.43	0.20	0.02	194.5	19.6	21
DD007958		0.26	0.016	0.10	2.20	16.8	<0.2	<10	80	1.80	1.52	0.40	0.13	68.6	13.4	34
DD007959		0.15	0.003	0.14	2.18	21.3	<0.2	<10	70	0.48	0.48	0.33	0.08	82.1	15.6	30
DD007960		0.25	0.001	0.13	2.76	24.7	<0.2	<10	80	0.71	0.61	0.40	0.08	79.3	17.1	37



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 5 - B
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 18- AUG- 2012
 Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12180697

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
DD007921		15.45	37.9	4.78	10.50	0.16	0.07	0.02	0.055	0.70	40.1	75.2	0.99	531	0.81
DD007922		5.40	29.6	3.06	6.58	0.09	0.04	0.03	0.073	0.25	34.8	51.7	0.55	583	0.82
DD007923		5.47	23.0	2.87	6.12	0.09	0.05	0.02	0.068	0.23	34.8	54.3	0.50	617	0.66
DD007924		7.12	23.4	2.97	6.67	0.10	0.06	0.01	0.076	0.31	34.3	55.7	0.54	450	0.74
DD007925		6.73	23.1	2.65	5.99	0.09	0.06	0.02	0.069	0.27	35.0	50.2	0.46	456	0.68
DD007926		6.83	22.0	2.77	5.78	0.09	0.04	0.02	0.061	0.25	32.4	48.4	0.51	387	0.67
DD007927		4.00	14.6	1.79	4.04	0.07	0.03	0.02	0.063	0.14	26.9	38.3	0.30	309	1.15
DD007928		4.50	18.0	2.12	4.67	0.07	0.02	0.01	0.078	0.16	26.8	45.6	0.38	406	0.60
DD007929		3.72	14.5	2.35	5.67	0.05	<0.02	0.01	0.043	0.11	21.7	44.4	0.41	224	0.74
DD007930		4.11	17.3	2.79	6.81	0.07	<0.02	0.01	0.062	0.15	24.0	63.0	0.51	934	1.14
DD007931		4.84	16.9	2.77	6.05	0.07	0.02	0.02	0.106	0.20	27.8	45.0	0.48	384	0.88
DD007932		4.39	52.4	2.89	5.66	0.11	0.02	0.03	0.510	0.17	39.7	42.7	0.39	1360	1.00
DD007933		5.70	12.6	2.43	5.45	0.08	0.02	0.02	0.079	0.19	31.1	58.8	0.46	363	0.53
DD007934		13.40	33.0	2.43	5.18	0.12	0.03	0.04	0.084	0.21	31.8	77.6	0.45	345	0.94
DD007935		24.8	30.0	2.11	5.13	0.07	0.02	0.05	0.141	0.16	22.6	58.6	0.40	323	0.93
DD007936		4.55	9.3	2.44	5.74	<0.05	0.03	0.01	0.037	0.16	19.0	41.8	0.40	214	1.14
DD007937		6.84	12.0	2.03	6.02	0.05	<0.02	0.01	0.082	0.16	24.2	63.3	0.38	212	1.98
DD007938		3.53	10.0	1.53	3.17	0.06	0.02	0.01	0.055	0.14	20.8	36.9	0.29	210	0.48
DD007939		4.42	11.8	2.49	6.54	0.05	<0.02	0.02	0.057	0.17	18.4	39.8	0.39	372	2.22
DD007940		6.76	20.1	2.26	5.17	0.09	0.04	0.01	0.075	0.19	23.4	51.5	0.41	402	0.63
DD007941		6.65	30.9	2.61	6.60	0.12	0.03	0.05	0.143	0.23	30.9	57.8	0.35	3180	2.24
DD007942		4.89	15.9	2.40	4.91	0.11	0.04	0.03	0.060	0.15	26.0	41.1	0.39	1110	0.58
DD007943		7.17	25.3	2.89	5.97	0.12	0.06	0.05	0.075	0.22	31.8	47.8	0.40	14150	6.06
DD007944		9.52	25.3	2.81	6.08	0.07	<0.02	0.05	0.062	0.29	31.7	48.0	0.50	430	0.82
DD007945		5.61	20.7	2.50	5.13	0.07	<0.02	0.04	0.065	0.21	27.1	40.8	0.40	351	0.88
DD007946		6.69	24.8	3.04	6.18	0.08	0.03	0.05	0.074	0.28	30.0	49.9	0.50	368	0.75
DD007947		6.70	31.8	2.95	6.98	0.10	<0.02	0.02	0.101	0.26	39.0	63.2	0.46	560	1.12
DD007948		10.50	33.5	2.93	6.65	0.13	0.09	0.02	0.089	0.36	32.2	45.4	0.47	426	0.75
DD007949		6.36	26.0	2.47	5.74	0.11	0.05	0.02	0.072	0.23	28.9	35.6	0.47	342	0.52
DD007950		14.20	18.8	2.55	6.22	0.12	0.07	0.03	0.088	0.29	31.2	42.5	0.46	289	0.62
DD007951		4.04	17.3	3.08	6.44	0.11	0.06	0.02	0.055	0.15	30.9	40.8	0.61	357	0.41
DD007952		4.24	27.3	3.92	8.12	0.11	0.04	0.04	0.054	0.16	45.7	62.6	0.80	612	0.50
DD007953		3.23	36.6	4.36	8.31	0.11	0.05	0.03	0.047	0.14	53.0	59.4	0.95	639	0.36
DD007954		3.22	22.0	3.92	7.10	0.11	0.03	0.04	0.048	0.12	60.2	55.1	0.73	414	0.48
DD007955		11.50	35.1	4.88	12.35	0.10	<0.02	0.03	0.068	0.64	35.0	94.7	1.05	874	0.83
DD007956		5.22	27.9	3.80	7.56	0.10	0.06	0.03	0.060	0.22	49.8	56.8	0.73	597	0.58
DD007957		2.46	15.3	3.65	6.42	0.18	0.02	0.02	0.021	0.11	94.6	50.4	0.81	207	0.25
DD007958		10.55	30.0	3.49	8.09	0.08	0.04	0.03	0.094	0.37	37.5	62.2	0.66	629	0.65
DD007959		2.09	23.8	4.04	7.26	0.09	0.03	0.03	0.028	0.08	41.1	50.9	0.87	515	0.38
DD007960		4.33	24.9	4.39	8.66	0.09	0.02	0.03	0.034	0.15	42.1	55.8	0.93	552	0.51



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 18- AUG- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12180697

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
DD007921		2.00	48.5	810	14.9	120.0	<0.001	0.02	0.88	6.8	0.7	2.5	114.5	<0.01	0.02
DD007922		2.86	25.9	700	25.5	41.5	<0.001	0.01	1.17	3.3	0.4	2.0	49.9	<0.01	0.03
DD007923		3.08	22.6	600	24.4	44.6	<0.001	0.01	0.88	3.1	0.5	2.0	40.0	<0.01	0.01
DD007924		3.53	23.8	600	24.7	54.1	<0.001	0.01	0.90	3.6	0.4	2.1	43.2	<0.01	0.04
DD007925		3.19	21.2	640	23.8	44.8	<0.001	0.01	0.87	3.3	0.7	2.0	41.2	<0.01	0.02
DD007926		2.72	19.8	610	26.2	46.9	<0.001	0.01	0.74	3.3	<0.2	1.8	36.1	<0.01	0.01
DD007927		2.39	13.3	540	21.9	35.3	<0.001	0.02	0.65	1.9	0.3	1.6	39.3	<0.01	<0.01
DD007928		2.80	15.7	630	20.3	34.4	<0.001	0.01	0.74	2.3	0.4	2.0	38.1	<0.01	0.02
DD007929		2.22	14.8	240	11.6	28.5	<0.001	0.01	0.62	2.1	<0.2	2.1	17.9	<0.01	0.01
DD007930		2.53	20.1	420	20.9	46.6	<0.001	0.02	0.58	2.6	<0.2	1.4	39.7	<0.01	0.03
DD007931		2.66	19.9	400	12.5	57.5	<0.001	0.02	0.50	2.5	0.6	2.1	36.7	<0.01	0.03
DD007932		1.71	24.4	800	18.8	46.5	<0.001	0.05	1.03	2.3	1.2	10.2	66.6	<0.01	0.04
DD007933		3.91	16.0	630	18.7	42.5	0.001	0.01	0.56	2.4	0.4	2.2	30.2	<0.01	0.03
DD007934		2.15	23.4	720	15.0	34.6	<0.001	0.08	0.59	2.4	1.2	2.0	106.5	0.01	0.01
DD007935		2.37	14.3	770	23.1	35.7	<0.001	0.08	0.36	1.8	1.1	2.8	111.0	0.01	0.01
DD007936		2.09	13.8	310	9.3	44.5	<0.001	0.01	0.34	2.0	<0.2	1.9	21.7	<0.01	0.02
DD007937		3.64	11.5	340	20.7	72.4	<0.001	0.01	0.47	1.9	0.2	2.7	24.3	<0.01	<0.01
DD007938		1.88	10.4	790	12.3	27.4	<0.001	0.01	0.26	1.4	<0.2	1.3	32.4	<0.01	<0.01
DD007939		2.97	12.5	540	17.1	40.9	<0.001	0.01	0.50	2.0	<0.2	3.7	18.1	<0.01	0.02
DD007940		2.78	21.2	610	25.4	37.4	<0.001	0.01	0.86	2.3	0.3	2.1	16.4	0.01	0.02
DD007941		2.99	20.5	790	35.7	49.9	<0.001	0.04	0.76	2.8	0.8	2.6	51.8	0.01	0.03
DD007942		2.51	19.5	720	20.1	33.1	<0.001	0.04	0.52	2.7	0.7	1.5	52.8	0.01	0.02
DD007943		2.86	32.5	630	21.3	50.4	0.001	0.07	1.49	2.8	1.1	1.8	90.3	0.01	0.05
DD007944		3.12	24.5	610	19.8	60.4	<0.001	0.01	0.66	3.1	0.5	1.9	25.8	<0.01	0.03
DD007945		2.93	20.2	640	20.9	47.9	0.001	0.01	1.03	2.6	0.6	2.0	26.0	<0.01	0.05
DD007946		3.44	25.6	640	19.5	52.1	0.001	0.01	1.23	3.3	0.7	2.2	32.8	<0.01	0.05
DD007947		3.34	23.7	590	30.1	55.2	<0.001	0.01	1.53	3.0	0.8	3.3	40.7	<0.01	0.02
DD007948		3.19	24.5	660	40.5	61.3	<0.001	0.01	1.31	3.8	0.5	2.5	40.0	0.01	0.03
DD007949		3.23	23.0	680	23.2	42.9	<0.001	0.04	0.81	2.6	0.8	1.7	70.3	0.01	0.02
DD007950		3.09	20.2	610	24.3	58.5	<0.001	0.01	0.82	3.2	0.6	2.2	36.3	0.01	0.02
DD007951		3.02	25.0	440	17.3	36.4	<0.001	0.01	0.48	2.7	0.5	1.5	41.0	0.01	0.02
DD007952		1.84	44.7	580	25.1	30.3	<0.001	<0.01	0.61	4.2	1.5	1.8	50.3	<0.01	0.08
DD007953		0.99	52.0	710	24.0	19.7	0.001	<0.01	0.48	4.6	1.7	1.2	76.3	<0.01	0.03
DD007954		1.86	40.5	460	63.7	25.5	<0.001	0.01	0.48	4.2	1.8	1.2	28.7	<0.01	0.04
DD007955		5.98	63.4	1310	17.8	80.5	<0.001	0.01	0.48	8.3	0.7	7.2	72.2	<0.01	0.03
DD007956		2.60	36.3	740	21.1	42.8	<0.001	0.01	1.10	3.8	1.0	1.7	49.5	<0.01	0.05
DD007957		0.97	40.2	540	5.4	20.3	0.001	0.01	0.24	2.4	1.5	0.3	12.4	<0.01	0.08
DD007958		1.98	32.8	660	22.9	63.4	0.001	0.01	0.61	5.0	0.5	2.5	41.1	<0.01	0.03
DD007959		1.53	36.9	800	21.7	13.6	<0.001	0.02	0.27	3.4	0.9	0.7	44.7	<0.01	0.03
DD007960		2.57	40.7	740	19.3	26.3	<0.001	0.02	0.59	4.3	1.2	1.1	65.2	<0.01	0.03



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 18- AUG- 2012
 Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12180697

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm	W- XRF05 W ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5	10
DD007921		0.129	0.84	2.09	43	3.92	23.9	291	2.9	
DD007922		0.047	0.30	1.80	22	14.10	15.20	156	1.5	
DD007923		0.046	0.30	1.42	21	8.31	13.85	141	1.9	
DD007924		0.057	0.33	2.34	25	6.90	13.90	163	2.1	
DD007925		0.060	0.31	1.98	23	8.47	13.95	146	2.6	
DD007926		0.062	0.32	1.92	25	6.66	12.40	158	1.4	
DD007927		0.034	0.23	3.51	13	18.80	11.95	147	0.9	
DD007928		0.038	0.20	2.51	15	13.55	10.25	150	0.8	
DD007929		0.050	0.18	1.18	21	8.70	4.50	123	0.5	
DD007930		0.064	0.21	3.66	31	7.20	8.93	178	0.5	
DD007931		0.081	0.22	2.90	31	6.84	14.30	178	0.6	
DD007932		0.038	0.16	12.35	21	51.2	26.1	183	0.5	
DD007933		0.048	0.27	2.24	17	15.80	9.89	120	0.6	
DD007934		0.040	0.18	18.40	18	12.05	21.1	219	0.7	
DD007935		0.034	0.17	14.95	15	19.40	14.00	349	0.5	
DD007936		0.055	0.20	1.03	22	4.98	4.44	144	1.0	
DD007937		0.049	0.23	4.04	19	18.95	6.59	347	<0.5	
DD007938		0.036	0.25	3.42	12	10.80	10.45	136	0.7	
DD007939		0.057	0.18	1.49	27	14.70	5.27	193	0.8	
DD007940		0.044	0.33	1.65	18	13.30	8.16	131	1.4	
DD007941		0.037	0.35	8.14	18	20.1	15.65	201	<0.5	
DD007942		0.033	0.23	2.74	15	8.82	11.60	125	1.0	
DD007943		0.034	0.30	6.60	17	12.20	18.90	142	1.2	
DD007944		0.061	0.43	2.40	22	9.40	9.49	169	<0.5	
DD007945		0.042	0.30	1.80	19	19.65	9.36	139	0.6	
DD007946		0.043	0.33	1.91	21	15.15	9.70	169	0.8	
DD007947		0.046	0.35	3.49	23	11.35	16.40	197	<0.5	
DD007948		0.059	0.46	1.90	24	6.18	12.25	222	3.5	
DD007949		0.034	0.26	3.92	18	8.79	14.05	106	1.4	
DD007950		0.055	0.38	1.57	21	11.35	12.45	132	2.5	
DD007951		0.026	0.20	2.61	19	4.53	10.35	92	1.9	
DD007952		0.032	0.24	1.94	23	6.46	17.40	122	1.8	
DD007953		0.031	0.20	1.49	23	3.33	25.7	128	2.2	
DD007954		0.023	0.20	3.07	20	5.60	26.3	136	0.8	
DD007955		0.143	0.51	1.83	77	3.43	9.71	144	0.5	
DD007956		0.033	0.30	1.75	23	6.86	17.55	138	1.4	
DD007957		0.018	0.17	1.64	13	0.79	14.80	83	0.6	
DD007958		0.080	0.50	2.48	32	7.63	14.75	176	1.9	
DD007959		0.018	0.10	1.25	20	18.60	14.05	116	0.8	
DD007960		0.031	0.21	1.95	27	0.69	15.90	148	0.6	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 18- AUG- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12180697

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD007961		0.11	0.002	0.11	2.84	26.4	<0.2	<10	80	0.72	0.81	0.31	0.09	70.5	14.8	39
DD007962		0.18	0.002	0.09	2.53	23.2	<0.2	<10	70	0.62	0.50	0.37	0.06	69.0	15.0	35
DD007963		0.20	0.007	0.14	2.64	25.3	<0.2	<10	90	0.72	0.60	0.95	0.19	84.0	19.1	36
DD007964		0.23	0.005	0.20	2.76	34.1	<0.2	<10	70	0.89	0.62	0.41	0.11	92.6	19.1	36
DD007965		0.21	0.003	0.07	2.87	29.8	<0.2	<10	80	1.22	1.36	0.25	0.12	76.2	17.7	38
DD007966		0.22	0.002	0.23	3.20	32.8	<0.2	<10	120	1.27	1.10	0.43	0.18	68.6	19.4	39
DD007967		0.18	0.016	0.25	1.96	20.2	<0.2	<10	70	3.32	2.61	0.61	0.29	50.7	9.3	32
DD007968		0.11	0.002	0.04	0.42	7.1	<0.2	<10	30	0.78	1.86	0.06	0.17	18.70	2.1	8
DD007969		0.16	0.002	0.32	1.44	4.4	<0.2	<10	40	0.97	0.73	0.08	0.39	47.8	3.6	24
DD007970		0.17	0.006	0.19	1.84	75.2	<0.2	<10	60	2.95	12.25	0.47	0.29	59.6	13.0	32
DD007971		0.23	0.008	0.27	1.41	69.1	<0.2	<10	50	1.35	8.48	0.41	0.56	43.3	7.4	28
DD007972		0.16	0.002	0.16	1.17	46.3	<0.2	<10	40	1.33	4.44	0.14	0.22	59.1	4.9	17
DD007973		0.10	0.001	0.47	0.67	8.5	<0.2	<10	30	0.49	1.10	0.05	0.40	11.30	1.6	7
DD007974		0.22	0.001	0.46	1.09	38.7	<0.2	<10	30	0.88	2.54	0.14	0.28	57.7	4.5	15
DD007975		0.11	0.006	0.37	0.97	15.8	<0.2	<10	30	0.74	1.81	0.13	0.43	42.2	3.8	13
DD007976		0.16	0.004	0.13	1.42	45.2	<0.2	<10	40	1.24	3.22	0.26	0.22	68.0	6.6	19
DD007977		0.33	0.005	0.59	1.52	56.9	<0.2	<10	50	1.98	5.65	0.47	0.38	60.7	8.2	22
DD007978		0.20	0.010	0.65	1.35	34.0	<0.2	<10	50	1.63	3.53	0.37	0.55	58.9	4.7	16
DD007979		0.24	0.007	0.30	1.31	36.1	<0.2	<10	50	1.28	3.14	0.26	0.31	56.8	4.9	16
DD007980		0.29	0.001	0.42	1.21	39.4	<0.2	<10	40	1.25	3.13	0.29	0.24	64.1	5.3	14
DD007981		0.19	0.008	0.47	1.20	53.5	<0.2	<10	40	1.50	4.39	0.39	0.28	53.7	5.4	19
DD007982		0.20	0.010	0.30	1.25	48.7	<0.2	<10	40	1.35	4.21	0.27	0.53	56.8	5.9	18
DD007983		0.17	0.013	0.48	1.34	43.3	<0.2	<10	50	1.64	4.17	0.23	0.31	56.8	6.5	17
DD007984		0.19	0.001	0.55	0.94	21.4	<0.2	<10	40	0.73	2.07	0.09	0.30	28.2	2.7	12
DD007985		0.16	0.001	0.35	1.07	40.5	<0.2	<10	30	0.93	5.11	0.12	0.17	49.5	3.3	16
DD007986		0.17	0.004	0.38	1.37	63.0	<0.2	<10	50	2.42	9.99	0.43	0.50	54.8	6.6	23
DD007987		0.21	0.005	0.28	2.29	40.7	<0.2	<10	70	2.97	6.45	0.86	0.38	62.6	12.7	29
DD007988		0.20	0.007	0.18	2.51	36.8	<0.2	<10	70	1.90	3.57	0.58	0.44	72.1	15.7	37
DD007989		0.14	0.007	0.41	2.60	22.4	<0.2	<10	100	2.07	1.75	0.47	0.11	72.5	14.7	32
DD007990		0.18	0.002	0.20	2.31	23.0	<0.2	<10	80	2.00	1.51	0.42	0.25	62.7	14.1	32
DD007991		0.19	0.005	0.12	2.37	28.0	<0.2	<10	70	1.01	0.78	0.37	0.20	73.7	15.2	33
DD007992		0.37	0.003	0.12	2.55	32.9	<0.2	<10	80	0.79	0.79	0.78	0.17	96.2	19.5	33
DD007993		0.21	0.003	0.12	2.16	30.3	<0.2	<10	80	0.65	0.55	0.61	0.31	59.5	13.6	28
DD007994		0.24	0.004	0.10	2.25	30.6	<0.2	<10	60	0.95	0.76	0.42	0.10	84.8	16.9	34
DD007995		0.13	0.003	0.14	2.32	27.0	<0.2	<10	70	0.78	0.69	0.42	0.13	88.5	17.2	31
DD007996		0.21	0.002	0.08	2.04	22.5	<0.2	<10	60	0.49	0.49	0.28	0.05	74.7	13.3	29
DD007997		0.18	0.002	0.07	2.06	21.6	<0.2	<10	60	0.47	0.51	0.25	0.08	75.2	13.7	29
DD007998		0.10	0.001	0.11	2.03	15.9	<0.2	<10	70	0.50	0.53	0.44	0.07	58.8	13.6	28
DD007999		0.17	0.008	0.15	2.32	26.1	<0.2	<10	70	0.90	0.66	0.59	0.22	93.4	18.4	31



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 18- AUG- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12180697

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
DD007961		4.34	22.2	4.23	9.18	0.08	0.02	0.02	0.052	0.18	36.1	55.8	0.96	467	0.33
DD007962		3.59	21.8	3.86	8.15	0.07	0.02	0.03	0.031	0.12	34.9	53.8	0.91	368	0.27
DD007963		4.33	32.6	4.20	8.69	0.10	0.02	0.04	0.036	0.20	43.3	53.3	0.90	594	0.35
DD007964		3.84	26.9	4.07	8.92	0.09	0.04	0.03	0.042	0.14	45.1	55.2	0.87	499	0.28
DD007965		4.56	23.2	4.04	9.25	0.07	0.04	0.01	0.057	0.13	37.8	56.3	0.87	391	0.36
DD007966		4.56	26.7	4.22	9.03	0.07	0.04	0.03	0.052	0.14	31.1	58.9	0.84	389	0.47
DD007967		10.35	33.6	3.50	7.55	0.10	0.02	0.03	0.201	0.21	26.8	62.2	0.59	615	0.97
DD007968		2.99	11.3	1.50	4.96	<0.05	<0.02	0.02	0.026	0.04	9.9	4.0	0.05	123	0.77
DD007969		10.75	18.2	3.29	8.15	0.05	<0.02	0.02	0.019	0.25	24.7	23.1	0.34	182	1.21
DD007970		8.03	35.4	4.01	8.77	0.08	<0.02	0.04	0.250	0.21	29.3	52.7	0.56	899	3.29
DD007971		7.85	36.2	3.32	8.02	0.07	<0.02	0.04	0.192	0.18	22.5	35.4	0.44	541	4.68
DD007972		6.68	25.5	2.69	6.44	0.07	0.02	0.03	0.181	0.19	30.9	51.5	0.30	306	5.00
DD007973		3.98	10.7	0.88	3.99	<0.05	<0.02	0.03	0.047	0.06	6.0	15.9	0.07	64	1.50
DD007974		5.60	15.7	2.08	5.88	0.06	<0.02	0.02	0.133	0.18	28.6	50.2	0.30	264	2.33
DD007975		6.61	14.3	1.72	6.54	0.05	<0.02	0.01	0.126	0.14	22.0	35.2	0.25	214	2.23
DD007976		6.52	24.8	2.34	6.27	0.09	<0.02	0.01	0.156	0.24	32.9	42.8	0.39	303	1.75
DD007977		8.68	48.9	2.85	7.22	0.09	<0.02	0.02	0.206	0.28	31.1	48.8	0.39	501	3.90
DD007978		7.35	37.8	2.10	6.66	0.08	<0.02	0.01	0.196	0.23	29.3	52.1	0.28	431	2.33
DD007979		6.66	26.3	2.17	6.23	0.07	<0.02	0.01	0.163	0.22	29.4	47.4	0.32	298	2.35
DD007980		6.92	25.1	1.99	6.27	0.09	<0.02	<0.01	0.209	0.21	32.8	53.8	0.27	383	1.97
DD007981		7.10	39.6	2.39	5.82	0.09	<0.02	0.02	0.172	0.23	25.9	37.6	0.31	354	3.35
DD007982		7.31	31.2	2.34	6.54	0.08	<0.02	0.01	0.174	0.22	29.4	44.0	0.31	406	3.24
DD007983		6.32	33.1	2.32	6.70	0.07	<0.02	<0.01	0.158	0.18	29.4	51.1	0.28	335	2.81
DD007984		5.63	18.1	1.50	6.21	<0.05	<0.02	<0.01	0.074	0.11	14.4	24.4	0.17	144	3.24
DD007985		6.51	19.8	2.11	7.06	0.07	<0.02	<0.01	0.117	0.15	25.5	30.6	0.25	231	3.59
DD007986		7.36	37.7	3.15	7.37	0.09	<0.02	0.03	0.223	0.19	26.6	34.4	0.40	566	3.24
DD007987		6.89	35.4	3.34	8.90	0.10	<0.02	0.02	0.217	0.24	30.4	47.8	0.61	648	1.34
DD007988		7.65	31.8	3.95	10.05	0.11	0.02	<0.01	0.100	0.33	36.7	55.5	0.85	618	0.82
DD007989		8.43	27.7	3.80	8.83	0.09	<0.02	0.01	0.063	0.19	37.5	50.5	0.71	497	0.88
DD007990		5.60	21.4	3.61	8.31	0.09	<0.02	0.01	0.086	0.19	33.0	51.2	0.71	503	0.60
DD007991		4.26	24.0	3.79	8.74	0.11	<0.02	<0.01	0.036	0.18	36.0	56.2	0.84	495	0.39
DD007992		4.12	30.8	4.20	8.46	0.12	0.03	<0.01	0.034	0.22	46.2	52.0	0.89	633	0.27
DD007993		3.97	22.7	3.19	8.28	0.09	0.02	<0.01	0.030	0.16	29.0	44.6	0.68	393	0.30
DD007994		4.50	26.9	4.00	8.65	0.11	0.02	0.03	0.032	0.20	48.4	54.7	0.90	444	0.31
DD007995		4.02	35.6	3.76	8.14	0.11	0.02	<0.01	0.028	0.15	44.3	49.7	0.73	492	0.72
DD007996		2.43	23.1	3.59	6.84	0.10	0.02	<0.01	0.026	0.10	42.6	41.7	0.83	422	0.31
DD007997		2.62	22.4	3.71	7.17	0.08	0.02	<0.01	0.025	0.10	37.3	43.9	0.84	424	0.30
DD007998		3.02	19.3	3.39	7.18	0.08	<0.02	<0.01	0.022	0.13	30.1	40.2	0.71	409	0.34
DD007999		4.19	25.3	3.73	8.28	0.13	0.02	<0.01	0.029	0.17	47.1	54.5	0.74	600	0.46



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 18- AUG- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12180697

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
DD007961		2.68	40.5	590	22.5	24.9	0.001	0.01	0.35	4.5	0.7	1.2	61.9	<0.01	0.02
DD007962		2.51	38.3	790	15.0	18.8	<0.001	0.01	0.40	4.0	0.7	1.0	56.6	<0.01	0.04
DD007963		2.44	46.7	730	21.3	28.3	<0.001	0.02	0.41	4.5	1.3	1.0	117.5	<0.01	0.02
DD007964		1.81	45.5	390	21.6	16.9	<0.001	0.01	0.37	4.9	1.2	1.2	84.3	<0.01	0.03
DD007965		1.84	42.8	260	18.0	19.1	<0.001	0.01	0.69	5.0	0.9	1.7	56.5	<0.01	0.04
DD007966		2.68	46.4	520	22.2	22.6	0.001	0.01	0.57	4.9	0.9	1.7	74.5	<0.01	0.05
DD007967		2.92	28.3	580	13.0	42.2	<0.001	0.03	0.91	3.7	0.7	4.7	50.5	<0.01	0.03
DD007968		1.17	8.1	180	5.4	8.9	<0.001	<0.01	0.48	0.5	0.5	3.4	6.0	<0.01	0.06
DD007969		3.80	12.1	340	11.9	63.1	<0.001	0.01	0.45	1.9	0.4	2.0	10.9	<0.01	0.03
DD007970		2.57	21.6	530	56.2	42.8	<0.001	0.02	4.30	3.8	0.9	10.3	29.5	<0.01	0.07
DD007971		2.84	16.8	350	45.8	71.3	<0.001	0.02	2.83	2.6	0.5	7.9	30.3	<0.01	0.07
DD007972		4.19	10.7	220	35.4	79.1	<0.001	0.02	2.88	2.0	<0.2	6.0	13.7	<0.01	0.05
DD007973		1.74	4.2	230	18.8	33.0	<0.001	0.01	0.36	0.6	0.3	1.8	7.9	<0.01	<0.01
DD007974		4.11	10.4	270	42.6	69.2	<0.001	0.01	1.47	1.8	0.7	4.3	13.6	<0.01	0.03
DD007975		4.38	9.0	250	24.0	95.8	<0.001	0.01	0.74	1.5	0.4	3.6	13.5	<0.01	0.02
DD007976		3.02	13.6	630	45.8	65.2	<0.001	0.03	1.75	2.5	1.0	4.1	28.4	<0.01	0.05
DD007977		3.03	13.9	680	50.9	69.0	<0.001	0.05	3.29	2.8	0.4	6.7	37.4	<0.01	0.07
DD007978		3.82	11.5	560	34.8	78.1	<0.001	0.04	1.31	2.0	0.5	4.7	30.9	<0.01	0.03
DD007979		3.31	11.0	550	47.6	59.6	<0.001	0.04	1.48	2.1	0.8	4.3	26.4	<0.01	0.03
DD007980		3.59	9.4	540	56.5	56.9	<0.001	0.04	1.33	1.9	1.3	4.6	24.0	<0.01	0.04
DD007981		2.59	12.4	510	44.8	53.7	0.001	0.04	2.86	2.3	0.8	4.9	29.7	<0.01	0.04
DD007982		2.82	10.5	390	49.7	74.7	<0.001	0.04	2.11	1.8	0.6	5.9	23.2	<0.01	0.03
DD007983		2.27	11.8	400	42.2	53.9	<0.001	0.04	2.14	2.0	0.9	5.4	21.5	<0.01	0.05
DD007984		1.69	6.4	260	24.6	60.2	<0.001	0.04	0.94	0.9	0.5	3.6	11.4	<0.01	0.02
DD007985		2.92	7.1	210	26.5	66.4	<0.001	0.03	2.08	1.6	0.4	6.1	11.0	0.03	0.05
DD007986		1.93	13.0	350	46.3	54.7	<0.001	0.04	3.22	2.6	0.7	9.6	26.3	<0.01	0.07
DD007987		2.21	24.2	540	35.8	38.3	<0.001	0.03	3.08	4.0	1.0	6.9	60.7	<0.01	0.05
DD007988		2.17	32.4	570	29.2	49.5	<0.001	0.03	1.89	5.0	1.0	4.0	79.1	<0.01	0.05
DD007989		1.99	30.0	780	20.1	37.0	<0.001	0.05	1.10	4.2	1.7	2.2	55.7	<0.01	0.02
DD007990		1.82	28.6	640	17.4	39.6	<0.001	0.04	0.83	3.7	0.7	1.9	47.6	<0.01	0.05
DD007991		1.86	32.5	580	17.9	26.9	<0.001	0.03	0.92	4.2	1.5	1.3	59.2	<0.01	0.05
DD007992		1.21	40.4	580	20.7	26.9	<0.001	0.03	1.27	4.5	1.3	1.1	102.0	<0.01	0.03
DD007993		2.07	31.4	600	14.6	24.2	<0.001	0.04	0.40	3.7	1.3	1.0	78.6	<0.01	0.03
DD007994		1.55	38.2	650	17.8	27.2	<0.001	0.02	1.41	4.8	0.8	1.1	79.0	<0.01	0.02
DD007995		1.84	36.8	710	25.5	26.2	<0.001	0.05	0.80	3.9	1.2	1.2	68.7	<0.01	0.01
DD007996		1.11	29.8	640	22.6	14.8	<0.001	0.03	0.17	3.2	1.0	0.8	39.7	<0.01	0.08
DD007997		1.23	31.4	670	21.6	14.5	<0.001	0.03	0.19	3.3	0.4	0.8	38.7	<0.01	0.02
DD007998		1.47	26.7	570	15.8	17.8	<0.001	0.04	0.28	3.0	0.8	0.8	57.5	<0.01	0.05
DD007999		2.03	35.7	770	18.8	25.8	<0.001	0.04	1.40	4.5	1.4	1.2	86.8	<0.01	0.05



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 6 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 18- AUG- 2012
 Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12180697

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm	W- XRF05 W ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5	10
DD007961		0.037	0.21	1.46	28	0.52	12.75	236	0.6	
DD007962		0.035	0.14	1.52	25	0.32	11.40	118	0.6	
DD007963		0.032	0.19	1.36	26	0.50	19.15	140	0.8	
DD007964		0.031	0.19	1.47	26	0.61	16.30	135	1.4	
DD007965		0.036	0.22	1.43	27	4.74	12.45	149	1.5	
DD007966		0.028	0.20	1.34	27	5.00	11.45	220	1.5	
DD007967		0.065	0.31	3.77	28	34.3	9.90	296	0.5	
DD007968		0.027	0.12	0.44	25	14.25	1.65	67	<0.5	
DD007969		0.109	0.32	1.15	39	1.93	3.58	147	<0.5	
DD007970		0.063	0.51	1.65	30	101.5	6.84	386	0.5	100
DD007971		0.063	0.38	2.62	30	55.2	5.15	291	<0.5	
DD007972		0.048	0.45	2.28	19	61.4	5.19	211	0.7	
DD007973		0.018	0.12	1.31	13	5.53	1.22	91	<0.5	
DD007974		0.043	0.31	2.14	17	19.85	5.44	151	0.5	
DD007975		0.042	0.28	1.75	18	11.90	3.72	131	<0.5	
DD007976		0.042	0.39	2.65	17	19.05	9.65	175	<0.5	
DD007977		0.045	0.55	4.69	20	47.3	10.40	268	<0.5	
DD007978		0.037	0.36	5.16	16	18.45	9.97	215	<0.5	
DD007979		0.040	0.36	3.23	17	19.20	8.29	184	<0.5	
DD007980		0.038	0.38	3.54	15	17.40	8.58	188	<0.5	
DD007981		0.040	0.45	3.18	17	49.0	7.71	220	<0.5	
DD007982		0.039	0.44	3.25	18	35.8	6.85	208	<0.5	
DD007983		0.032	0.35	3.28	17	26.1	7.72	215	<0.5	
DD007984		0.028	0.25	1.88	18	12.95	2.91	126	<0.5	
DD007985		0.048	0.34	2.02	22	44.3	4.14	156	<0.5	
DD007986		0.048	0.44	2.13	23	103.5	6.25	343	<0.5	100
DD007987		0.052	0.43	1.78	26	48.5	11.25	333	0.9	
DD007988		0.053	0.40	1.57	28	27.6	11.70	271	1.2	
DD007989		0.034	0.30	2.62	27	7.10	14.95	239	<0.5	
DD007990		0.038	0.21	1.84	26	6.51	11.00	221	<0.5	
DD007991		0.036	0.17	1.62	24	3.78	13.10	147	<0.5	
DD007992		0.031	0.18	1.33	24	0.89	20.2	132	1.3	
DD007993		0.033	0.15	1.23	21	0.41	11.95	134	0.9	
DD007994		0.036	0.21	1.52	24	1.85	19.10	140	1.1	
DD007995		0.031	0.15	2.25	24	0.82	17.40	139	0.6	
DD007996		0.022	0.09	1.17	20	0.29	16.60	108	0.7	
DD007997		0.022	0.10	1.11	20	0.17	12.70	111	0.8	
DD007998		0.028	0.13	1.11	22	0.32	10.55	112	0.5	
DD007999		0.034	0.21	1.97	23	2.09	21.1	136	0.6	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Say Yea Soil

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 18- AUG- 2012
Account: MTT

CERTIFICATE OF ANALYSIS WH12180697

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 15- AUG- 2012
Account: MTT

CERTIFICATE WH12180695

Project: Sayyea Soil Batch 2

P.O. No.:

This report is for 59 Soil samples submitted to our lab in Whitehorse, YT, Canada on 2- AUG- 2012.

The following have access to data associated with this certificate:

SARAH EATON

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/ o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 15- AUG- 2012
Account: MTT

Project: Sayyea Soil Batch 2

CERTIFICATE OF ANALYSIS WH12180695

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD013861		0.27	0.001	0.25	2.46	16.7	<0.2	<10	50	1.09	0.99	0.18	0.14	63.3	15.4	28
DD013862		0.33	0.001	0.05	3.59	1.2	<0.2	<10	110	1.51	0.51	0.51	0.16	86.3	27.1	44
DD013863		0.36	0.004	0.28	0.68	34.8	<0.2	<10	30	0.84	0.84	0.35	0.13	141.5	21.8	12
DD013864		0.30	0.016	0.39	2.45	93.2	<0.2	<10	60	1.47	1.03	0.39	0.14	99.3	15.4	31
DD013865		0.37	0.027	0.46	2.02	247	<0.2	<10	60	1.68	1.13	3.57	0.52	98.7	15.4	22
DD013866		0.30	0.005	0.20	1.80	88.8	<0.2	<10	70	1.27	2.11	0.21	0.28	83.1	18.8	24
DD013867		0.37	0.002	0.14	1.58	32.2	<0.2	<10	40	1.12	1.37	0.15	0.14	51.3	9.2	23
DD013868		0.39	0.002	0.15	2.35	28.8	<0.2	<10	90	1.26	1.86	0.27	0.11	74.4	17.5	32
DD013869		0.34	0.001	0.25	2.15	22.6	<0.2	<10	100	1.52	1.63	0.48	0.89	46.3	17.3	41
DD013870		0.38	0.001	0.40	1.73	33.2	<0.2	<10	60	1.37	1.24	0.48	0.69	44.2	14.0	23
DD013871		0.45	<0.001	0.18	1.71	13.9	<0.2	<10	40	1.08	1.29	0.16	0.31	26.9	10.7	22
DD013872		0.31	<0.001	0.29	0.99	22.3	<0.2	<10	30	0.71	0.90	0.17	0.07	45.0	4.4	11
DD013873		0.35	<0.001	0.17	1.51	73.5	<0.2	<10	50	1.05	1.31	0.10	0.42	42.6	11.6	21
DD013874		0.28	0.011	0.65	1.59	186.0	<0.2	<10	40	1.07	1.04	0.50	0.50	56.4	17.1	20
DD013875		0.30	0.001	0.15	1.68	18.8	<0.2	<10	30	0.51	0.70	0.12	0.08	36.8	10.2	24
DD013876		0.39	0.002	0.27	1.64	29.9	<0.2	<10	40	0.91	1.15	0.15	0.28	55.5	10.1	24
DD013877		0.42	0.001	0.15	1.66	29.5	<0.2	<10	50	1.25	1.52	0.24	0.19	67.0	10.6	23
DD013878		0.23	0.005	0.39	1.70	61.1	<0.2	<10	60	1.29	1.38	0.40	1.12	69.4	10.9	21
DD013879		0.36	0.013	0.37	2.11	142.0	<0.2	<10	70	1.82	1.45	1.16	0.27	91.7	16.1	27
DD013880		0.32	0.003	0.38	1.56	60.6	<0.2	<10	30	0.81	1.04	0.09	0.27	43.6	6.5	18
DD013881		0.25	0.001	0.10	2.23	34.9	<0.2	<10	30	0.90	0.90	0.33	0.08	81.7	19.6	25
DD013882		0.37	0.005	0.22	1.74	27.1	<0.2	<10	40	1.19	0.75	0.25	0.11	128.5	19.2	23
DD013883		0.29	<0.001	0.17	2.38	6.3	<0.2	<10	60	1.10	0.67	0.15	0.10	84.7	18.4	30
DD013884		0.31	<0.001	0.13	1.48	15.2	<0.2	<10	40	0.55	0.82	0.13	0.19	59.1	12.5	21
DD013885		0.25	<0.001	0.10	1.90	14.9	<0.2	<10	50	0.68	0.61	0.08	0.21	52.5	10.4	24
DD013886		0.34	0.001	0.09	1.34	6.3	<0.2	<10	40	0.45	0.34	0.14	0.19	73.4	6.7	14
DD013887		0.31	0.001	0.24	2.05	12.1	<0.2	<10	60	0.99	0.64	0.18	0.15	100.5	14.0	28
DD013888		0.29	0.002	0.06	2.53	22.7	<0.2	<10	60	1.04	0.79	0.09	0.06	145.5	20.0	32
DD013889		0.26	0.004	0.02	2.66	19.0	<0.2	<10	90	1.04	0.92	0.29	0.05	116.5	19.1	34
DD013890		0.32	0.002	0.08	2.08	10.8	<0.2	<10	30	0.97	0.64	0.24	0.04	108.0	20.3	25
DD013891		0.38	0.002	1.00	1.97	10.8	<0.2	<10	50	1.07	0.60	0.59	0.08	115.0	14.1	23
DD013892		0.25	0.006	0.52	1.90	18.4	<0.2	<10	40	0.93	0.70	0.58	0.07	109.5	14.3	25
DD013893		0.23	0.009	0.50	1.74	44.6	<0.2	<10	60	0.78	0.60	1.20	0.18	93.0	17.3	23
DD013894		0.24	0.016	0.52	2.04	84.3	<0.2	<10	40	1.78	1.31	0.44	1.02	97.4	16.8	25
DD013895		0.34	0.002	0.18	1.47	180.5	<0.2	<10	20	0.88	1.28	0.13	0.43	50.4	8.2	20
DD013896		0.30	0.002	0.51	1.67	41.3	<0.2	<10	40	1.17	1.23	0.10	0.29	50.6	9.3	23
DD013897		0.36	0.001	0.50	1.79	41.3	<0.2	<10	50	1.06	1.16	0.14	0.25	51.0	8.2	26
DD013898		0.31	0.003	0.55	1.49	16.8	<0.2	<10	60	1.28	0.65	0.39	0.78	130.5	12.7	19
DD013899		0.24	0.004	0.59	1.71	43.0	<0.2	<10	50	1.33	0.80	0.43	0.41	102.0	17.2	22
DD013900		0.32	0.001	0.32	1.45	11.4	<0.2	<10	80	0.72	0.87	0.18	0.23	34.1	7.8	17



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 15- AUG- 2012
Account: MTT

Project: Sayyea Soil Batch 2

CERTIFICATE OF ANALYSIS WH12180695

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
DD013861		3.87	40.2	4.48	7.90	0.09	0.03	0.01	0.049	0.26	28.8	41.2	0.89	395	0.76
DD013862		5.97	40.0	4.65	12.50	0.13	0.03	<0.01	0.047	0.81	38.4	66.1	1.42	666	0.18
DD013863		7.24	37.5	5.13	3.36	0.19	0.06	0.01	0.055	0.13	74.2	13.8	0.21	1260	0.98
DD013864		5.91	25.4	3.94	9.01	0.13	0.06	0.11	0.080	0.20	48.8	42.6	0.57	370	0.43
DD013865		10.20	31.8	3.75	7.45	0.15	0.10	0.03	0.075	0.33	55.6	41.4	0.43	819	0.53
DD013866		8.25	40.2	3.61	6.27	0.14	0.04	0.01	0.072	0.23	46.3	35.8	0.56	649	0.50
DD013867		7.80	17.0	3.22	5.32	0.10	0.02	0.01	0.053	0.32	26.7	43.3	0.61	357	0.57
DD013868		9.71	29.6	3.72	7.79	0.12	0.05	0.02	0.095	0.36	38.5	50.3	0.77	450	0.47
DD013869		13.25	31.0	3.75	8.12	0.11	0.04	0.02	0.069	0.45	23.0	49.8	0.81	436	0.51
DD013870		8.65	16.7	3.08	5.65	0.09	0.03	0.02	0.069	0.28	20.5	63.5	0.52	758	0.73
DD013871		6.53	10.6	2.78	6.06	0.06	0.02	0.04	0.053	0.18	14.1	36.3	0.40	419	0.68
DD013872		4.45	4.3	1.59	4.04	0.06	0.02	0.01	0.024	0.17	23.4	42.5	0.30	208	1.61
DD013873		6.64	19.1	3.65	5.61	0.08	0.03	0.01	0.042	0.18	22.2	35.9	0.44	412	0.79
DD013874		11.45	40.3	3.19	5.68	0.18	0.05	0.02	0.035	0.16	73.1	48.4	0.59	594	0.57
DD013875		4.37	19.2	3.61	5.31	0.09	0.02	0.01	0.032	0.17	18.8	37.1	0.73	294	0.78
DD013876		6.28	16.6	3.10	5.75	0.10	0.02	0.01	0.057	0.27	29.0	41.8	0.59	381	0.58
DD013877		5.87	20.3	3.08	5.64	0.11	0.03	0.01	0.059	0.23	34.1	39.3	0.55	455	0.47
DD013878		7.05	26.2	3.38	5.55	0.12	0.05	0.03	0.059	0.27	36.9	34.8	0.50	567	0.54
DD013879		7.93	39.2	4.08	6.88	0.14	0.06	0.02	0.070	0.25	49.8	42.1	0.49	755	0.45
DD013880		3.37	12.8	3.02	5.23	0.06	0.04	0.04	0.046	0.07	22.8	36.7	0.34	213	0.53
DD013881		2.75	31.4	4.21	6.30	0.09	<0.02	0.03	0.039	0.19	33.9	47.6	0.68	240	0.49
DD013882		5.31	35.0	4.72	5.93	0.17	<0.02	0.02	0.042	0.21	80.4	34.7	0.72	1250	0.66
DD013883		4.25	30.0	4.53	6.91	0.08	<0.02	0.02	0.036	0.23	25.0	49.1	0.85	548	0.44
DD013884		2.34	22.5	4.19	5.96	0.08	<0.02	0.01	0.037	0.12	32.6	30.4	0.57	227	0.72
DD013885		2.44	13.4	3.51	6.06	0.07	<0.02	0.03	0.032	0.10	27.4	42.6	0.67	246	0.35
DD013886		1.74	15.7	2.40	3.74	0.05	<0.02	0.01	0.025	0.13	14.8	17.9	0.32	253	0.27
DD013887		2.90	21.3	3.69	6.68	0.12	<0.02	0.02	0.041	0.11	47.7	41.2	0.67	570	0.56
DD013888		3.35	34.2	4.24	7.59	0.18	<0.02	0.02	0.042	0.17	76.9	45.7	0.85	450	0.28
DD013889		5.00	37.3	4.41	8.08	0.16	0.03	0.01	0.048	0.24	61.3	49.9	0.89	692	0.32
DD013890		3.64	34.0	4.06	6.27	0.16	<0.02	0.01	0.027	0.20	61.9	40.8	0.97	384	0.28
DD013891		3.77	29.6	3.99	6.18	0.19	0.02	<0.01	0.032	0.25	73.3	38.9	0.75	470	0.28
DD013892		4.28	30.4	4.01	5.74	0.17	<0.02	0.01	0.034	0.21	66.9	40.6	0.74	391	0.32
DD013893		2.67	23.0	3.47	5.03	0.14	<0.02	0.02	0.031	0.19	53.4	31.5	0.61	746	0.37
DD013894		10.55	49.5	4.12	6.51	0.17	0.03	0.02	0.050	0.34	59.6	39.3	0.58	556	0.49
DD013895		5.26	27.4	3.39	5.35	0.08	<0.02	<0.01	0.055	0.16	25.4	41.1	0.52	269	1.12
DD013896		8.20	22.2	3.27	5.47	0.08	<0.02	<0.01	0.057	0.30	25.5	44.2	0.56	282	0.60
DD013897		6.98	20.4	3.20	6.03	0.07	<0.02	<0.01	0.043	0.28	25.3	51.3	0.60	271	0.47
DD013898		3.46	40.8	2.71	4.99	0.18	<0.02	0.02	0.030	0.12	80.5	26.1	0.43	1060	0.37
DD013899		5.12	47.5	3.65	6.00	0.20	<0.02	0.01	0.034	0.15	89.1	35.3	0.56	521	0.58
DD013900		2.88	8.9	2.48	5.02	0.05	0.02	<0.01	0.028	0.09	17.0	34.1	0.35	780	0.68



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 15- AUG- 2012
Account: MTT

Project: Sayyea Soil Batch 2

CERTIFICATE OF ANALYSIS WH12180695

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
DD013861		2.04	30.9	690	20.1	43.0	<0.001	<0.01	0.41	3.7	0.5	2.0	18.4	0.01	0.03
DD013862		2.06	41.2	880	18.1	89.0	<0.001	<0.01	0.14	7.2	0.6	2.5	36.9	0.01	0.04
DD013863		0.50	41.4	890	26.0	17.3	<0.001	0.02	1.83	5.1	0.9	1.0	28.2	0.01	0.04
DD013864		1.57	33.0	470	26.7	43.1	0.001	0.01	6.12	6.4	0.8	2.9	47.2	0.01	0.02
DD013865		1.61	33.4	650	68.2	54.6	<0.001	0.02	9.64	5.7	1.0	3.3	126.5	0.01	0.03
DD013866		2.25	31.0	460	32.5	47.2	<0.001	0.01	1.99	3.6	0.7	2.9	18.8	0.01	0.02
DD013867		2.30	17.6	400	23.7	63.3	<0.001	0.01	0.90	2.7	0.4	1.9	12.1	0.01	0.02
DD013868		2.76	33.0	520	26.4	64.8	<0.001	<0.01	0.72	4.1	0.6	3.3	25.0	0.01	0.02
DD013869		3.37	29.7	650	24.2	97.6	<0.001	<0.01	0.39	5.3	0.5	2.8	28.4	0.01	0.02
DD013870		3.18	23.3	410	33.3	78.2	<0.001	0.01	0.49	3.1	0.5	1.9	27.8	0.01	0.02
DD013871		3.07	19.1	490	20.5	51.9	<0.001	<0.01	0.71	2.5	0.4	1.9	15.9	0.01	0.02
DD013872		3.44	7.2	240	17.5	62.4	<0.001	<0.01	0.20	1.6	0.3	1.4	13.3	<0.01	0.01
DD013873		1.77	22.2	280	25.1	68.4	<0.001	<0.01	1.59	2.8	0.4	3.9	12.2	0.01	0.02
DD013874		2.38	34.7	380	20.1	67.6	<0.001	0.01	0.63	2.4	1.2	1.4	24.4	0.02	0.03
DD013875		1.62	19.8	370	11.9	40.0	<0.001	<0.01	0.37	2.7	0.3	1.1	9.1	<0.01	0.03
DD013876		2.53	20.1	370	25.3	52.9	<0.001	<0.01	0.72	2.7	0.4	2.0	12.1	<0.01	0.02
DD013877		2.26	21.6	440	26.4	50.2	<0.001	<0.01	1.07	3.1	0.5	2.2	20.1	0.01	0.02
DD013878		2.27	26.3	540	36.9	59.2	<0.001	0.02	2.61	3.8	0.7	2.4	31.0	0.01	0.03
DD013879		1.30	38.9	590	54.8	40.3	<0.001	0.02	5.43	5.2	1.1	3.0	58.4	<0.01	0.01
DD013880		1.58	16.5	200	23.7	25.3	<0.001	0.01	2.05	1.6	0.4	2.3	17.5	<0.01	0.02
DD013881		1.69	39.8	550	17.7	32.3	<0.001	0.01	0.80	2.4	0.6	1.5	23.9	<0.01	0.05
DD013882		1.01	45.9	700	18.9	32.1	<0.001	0.01	2.19	3.8	1.1	1.4	20.9	<0.01	0.02
DD013883		1.81	48.5	580	18.0	32.4	<0.001	<0.01	0.36	2.8	0.6	0.9	13.2	<0.01	0.03
DD013884		1.34	30.3	630	12.1	35.2	<0.001	0.02	0.91	1.8	0.4	1.5	25.2	<0.01	0.02
DD013885		1.24	27.6	680	10.3	23.7	<0.001	<0.01	1.30	1.9	0.3	1.7	11.1	<0.01	0.01
DD013886		0.76	17.8	770	10.4	22.7	<0.001	<0.01	0.60	1.5	0.4	0.6	10.7	<0.01	<0.01
DD013887		2.05	29.5	580	18.7	27.1	<0.001	<0.01	0.53	3.1	0.9	1.7	22.9	<0.01	0.01
DD013888		1.08	41.9	410	23.3	24.8	<0.001	<0.01	1.28	4.4	1.3	1.9	23.6	<0.01	0.02
DD013889		0.95	45.8	650	17.8	33.3	<0.001	0.01	0.83	4.7	1.5	2.1	50.4	<0.01	0.03
DD013890		0.89	42.9	690	12.9	31.4	<0.001	0.02	0.59	3.0	1.2	1.0	27.6	<0.01	0.02
DD013891		1.78	36.3	980	24.1	34.0	<0.001	0.01	2.75	3.4	1.4	2.6	49.6	<0.01	0.02
DD013892		1.84	35.6	870	26.2	29.6	<0.001	0.02	2.00	3.3	1.4	2.4	37.5	<0.01	0.05
DD013893		1.86	30.5	1160	15.2	37.9	<0.001	0.05	1.02	2.1	1.2	1.6	59.3	<0.01	0.02
DD013894		1.76	62.6	520	32.7	55.8	<0.001	0.02	4.40	4.3	1.5	2.9	26.3	<0.01	0.04
DD013895		2.10	24.5	380	31.6	49.4	<0.001	0.01	1.53	2.0	0.4	2.3	12.8	<0.01	0.02
DD013896		2.34	23.7	400	22.9	56.8	<0.001	0.01	0.91	2.2	0.4	2.0	11.4	<0.01	0.02
DD013897		2.68	23.9	470	20.3	61.2	<0.001	0.01	0.75	2.3	0.5	2.2	12.2	0.07	0.02
DD013898		1.42	42.1	670	13.5	30.1	<0.001	0.03	0.73	1.8	1.6	1.4	38.4	0.02	0.02
DD013899		1.96	41.6	450	20.6	47.4	<0.001	0.02	1.02	2.6	1.4	1.5	39.3	<0.01	0.02
DD013900		2.02	15.2	250	12.5	27.0	<0.001	<0.01	0.54	1.6	0.2	1.7	14.0	<0.01	0.02



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 15- AUG- 2012
Account: MTT

Project: Sayyea Soil Batch 2

CERTIFICATE OF ANALYSIS WH12180695

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD013861		0.032	0.27	2.15	26	2.14	14.00	119	<0.5
DD013862		0.059	0.52	1.48	37	0.20	15.35	116	<0.5
DD013863		0.006	0.22	4.72	13	5.09	19.90	151	0.6
DD013864		0.020	0.75	2.04	27	83.3	16.40	147	1.9
DD013865		0.027	0.69	2.01	22	22.7	24.2	377	2.8
DD013866		0.033	0.53	2.79	21	8.04	16.05	314	0.6
DD013867		0.053	0.43	1.61	20	6.87	6.31	237	0.5
DD013868		0.079	0.57	2.61	26	12.15	12.45	269	1.7
DD013869		0.103	0.72	2.57	35	10.05	8.73	442	0.9
DD013870		0.058	0.42	4.92	21	7.43	9.73	400	0.5
DD013871		0.047	0.24	0.97	24	13.80	5.45	111	0.5
DD013872		0.029	0.32	1.72	12	4.10	5.15	86	0.6
DD013873		0.025	0.30	1.18	23	6.26	5.06	439	1.0
DD013874		0.032	0.25	6.92	18	7.49	25.7	478	<0.5
DD013875		0.030	0.25	1.28	16	3.40	3.82	161	<0.5
DD013876		0.044	0.35	2.06	21	8.83	6.82	255	<0.5
DD013877		0.037	0.34	1.94	19	9.01	10.40	239	0.6
DD013878		0.028	0.44	1.85	19	15.45	13.55	312	0.8
DD013879		0.025	0.60	1.69	24	16.00	21.5	339	2.3
DD013880		0.009	0.26	0.76	20	18.25	3.85	166	1.1
DD013881		0.016	0.20	1.40	23	5.72	8.74	108	<0.5
DD013882		0.027	0.31	2.40	18	2.38	24.2	146	0.5
DD013883		0.026	0.19	0.96	25	2.70	11.60	113	<0.5
DD013884		0.028	0.12	1.33	22	8.33	8.94	102	<0.5
DD013885		0.016	0.13	0.80	21	1.77	5.60	116	<0.5
DD013886		0.014	0.12	0.73	15	0.33	6.97	81	<0.5
DD013887		0.037	0.18	1.69	29	1.80	14.35	109	<0.5
DD013888		0.026	0.26	1.84	24	2.11	23.2	107	<0.5
DD013889		0.043	0.35	1.70	28	3.36	30.9	120	1.5
DD013890		0.039	0.33	2.38	17	1.35	23.2	125	<0.5
DD013891		0.027	0.24	2.44	18	0.97	30.3	120	<0.5
DD013892		0.024	0.25	2.59	19	1.08	21.9	126	<0.5
DD013893		0.022	0.19	4.09	18	4.14	19.05	123	<0.5
DD013894		0.035	0.69	2.49	21	23.2	26.3	727	1.2
DD013895		0.028	0.32	1.10	18	7.02	4.33	238	0.5
DD013896		0.042	0.40	1.22	19	5.04	5.01	250	<0.5
DD013897		0.052	0.38	1.31	23	5.69	5.41	281	<0.5
DD013898		0.026	0.15	9.33	17	2.03	31.6	132	<0.5
DD013899		0.026	0.21	5.75	21	3.87	23.8	221	<0.5
DD013900		0.026	0.16	0.67	24	7.98	3.03	145	0.7



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 3 - A
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 15- AUG- 2012
 Account: MTT

Project: Sayyea Soil Batch 2

CERTIFICATE OF ANALYSIS WH12180695

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD013921		0.31	0.001	0.14	2.15	5.9	<0.2	<10	40	0.83	0.71	0.47	0.09	99.4	13.9	26
DD013922		0.31	0.003	0.13	2.03	9.3	<0.2	<10	40	0.84	0.66	0.16	0.09	206	14.8	24
DD013923		0.33	0.001	0.07	2.05	3.9	<0.2	<10	20	0.68	0.98	0.27	0.11	88.1	17.6	23
DD013924		0.29	0.001	0.18	1.40	23.9	<0.2	<10	30	0.60	0.56	0.10	0.16	49.6	11.4	20
DD013925		0.37	<0.001	0.14	1.98	42.2	<0.2	<10	50	1.22	2.07	0.11	0.09	54.7	9.7	28
DD013926		0.38	0.001	0.05	2.04	3.1	<0.2	<10	20	0.51	0.54	0.15	0.11	86.0	13.4	23
DD013927		0.33	0.001	0.18	1.72	14.6	<0.2	<10	20	0.29	0.89	0.10	0.08	88.8	12.7	20
DD013928		0.29	0.001	0.08	1.68	39.3	<0.2	<10	30	0.28	0.50	0.19	0.10	130.5	17.7	18
DD013929		0.25	0.003	0.09	1.46	39.1	<0.2	<10	20	0.23	0.63	0.09	0.05	104.0	18.6	16
DD013930		0.42	0.008	0.22	1.42	60.0	<0.2	<10	40	1.04	0.82	0.43	0.09	107.5	21.6	23
DD013081		0.27	0.001	0.18	1.58	19.7	<0.2	<10	50	0.98	1.45	0.09	0.32	44.9	6.6	21
DD013082		0.31	0.002	0.37	1.79	33.2	<0.2	<10	40	1.07	1.43	0.11	0.32	44.9	9.1	23
DD013083		0.27	<0.001	0.09	0.76	2.6	<0.2	<10	20	0.35	0.28	0.02	0.10	65.6	9.1	8
DD013084		0.29	0.002	0.26	1.87	57.1	<0.2	<10	40	1.52	1.05	0.33	0.18	72.1	12.5	31
DD013088		0.25	0.053	0.10	0.54	31.7	<0.2	<10	10	0.33	0.80	0.08	0.04	36.9	2.8	9
DD013089		0.35	0.006	0.12	2.21	40.6	<0.2	<10	60	1.24	1.38	0.43	0.59	140.5	24.2	35
DD013091		0.31	0.001	0.08	2.25	19.6	<0.2	<10	60	0.83	0.90	0.29	0.04	94.5	15.4	29
DD013093		0.28	0.001	0.09	2.30	30.9	<0.2	<10	50	0.85	0.97	0.14	0.07	49.2	14.7	32
DD013094		0.22	0.003	0.14	3.37	29.8	<0.2	<10	120	1.37	0.77	0.33	0.07	134.0	19.3	38



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 15- AUG- 2012
Account: MTT

Project: Sayyea Soil Batch 2

CERTIFICATE OF ANALYSIS WH12180695

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
DD013921		2.00	23.4	3.45	6.32	0.18	0.02	0.01	0.032	0.11	79.2	45.7	0.83	241	0.21
DD013922		2.07	32.0	3.39	6.27	0.33	<0.02	0.01	0.032	0.05	165.5	40.3	0.74	254	0.20
DD013923		2.29	21.2	3.19	5.61	0.08	<0.02	<0.01	0.083	0.14	33.0	37.9	0.89	320	0.14
DD013924		1.75	17.1	3.79	5.06	0.07	<0.02	<0.01	0.039	0.06	26.3	31.6	0.44	1020	1.23
DD013925		5.00	22.2	3.45	7.24	0.06	0.02	<0.01	0.097	0.17	30.2	46.3	0.54	259	1.28
DD013926		4.05	33.2	4.02	5.69	0.12	<0.02	<0.01	0.022	0.14	37.0	40.4	0.95	240	0.25
DD013927		2.44	17.4	3.18	5.52	0.11	<0.02	<0.01	0.016	0.04	47.7	30.0	0.67	263	0.30
DD013928		2.29	27.8	3.56	4.94	0.09	<0.02	<0.01	0.041	0.16	30.1	28.6	0.65	149	0.36
DD013929		1.22	28.0	3.58	4.38	0.08	<0.02	<0.01	0.015	0.07	32.7	31.0	0.55	140	0.44
DD013930		3.54	38.8	4.53	4.34	0.16	0.02	<0.01	0.036	0.11	66.8	22.3	0.42	796	0.61
DD013081		4.81	12.1	2.59	5.87	0.05	<0.02	<0.01	0.060	0.18	23.7	50.6	0.47	259	0.64
DD013082		5.58	15.4	3.12	5.65	0.06	0.02	<0.01	0.059	0.20	22.8	49.0	0.53	253	0.53
DD013083		2.73	24.4	3.10	2.43	0.07	<0.02	<0.01	0.010	0.03	33.9	14.5	0.24	403	0.25
DD013084		11.10	28.6	3.76	6.31	0.10	0.02	<0.01	0.035	0.55	30.1	42.1	0.63	377	0.38
DD013088		1.68	17.9	2.86	5.07	<0.05	<0.02	0.04	0.050	0.04	23.4	6.2	0.06	45	0.54
DD013089		7.11	38.9	4.45	7.55	0.19	<0.02	0.02	0.066	0.35	75.9	46.8	0.89	760	0.51
DD013091		4.75	19.7	3.86	7.20	0.10	0.02	0.02	0.049	0.31	37.6	50.1	0.83	441	0.40
DD013093		3.95	19.0	3.97	7.37	0.07	<0.02	0.03	0.044	0.21	24.1	50.9	0.84	281	0.70
DD013094		4.88	35.9	4.59	10.00	0.20	0.03	0.03	0.042	0.35	74.6	51.5	0.94	550	0.25



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 15- AUG- 2012
 Account: MTT

Project: Sayyea Soil Batch 2

CERTIFICATE OF ANALYSIS WH12180695

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD013921		1.99	32.2	420	9.0	20.5	<0.001	0.02	0.28	2.7	1.5	1.3	43.4	<0.01	0.04	17.9
DD013922		1.47	33.5	290	8.4	13.9	<0.001	0.01	0.34	3.5	2.1	0.9	17.9	<0.01	0.02	30.9
DD013923		1.56	33.3	590	11.1	28.3	<0.001	0.01	0.12	1.7	0.6	0.5	23.1	<0.01	0.02	13.9
DD013924		1.72	23.8	290	21.6	20.3	<0.001	0.01	0.42	2.4	0.4	1.0	12.6	<0.01	0.02	8.6
DD013925		2.43	24.3	430	35.7	35.7	<0.001	0.02	1.11	2.7	0.5	3.7	23.2	<0.01	0.02	11.5
DD013926		1.98	31.0	460	7.9	35.4	<0.001	<0.01	0.49	2.0	0.7	0.5	13.5	<0.01	0.03	17.4
DD013927		0.93	24.4	180	9.6	14.7	<0.001	<0.01	0.17	1.3	0.7	0.6	13.3	<0.01	0.05	12.8
DD013928		1.37	32.1	490	6.2	28.6	<0.001	<0.01	0.61	1.3	0.4	0.6	17.0	<0.01	0.03	15.5
DD013929		0.79	32.6	470	11.1	14.5	<0.001	<0.01	0.26	1.1	0.5	0.4	8.1	<0.01	0.07	15.3
DD013930		0.81	47.8	990	22.3	16.5	<0.001	<0.01	1.82	3.9	1.2	0.9	27.5	<0.01	0.04	23.6
DD013081		3.20	19.2	280	15.8	60.1	<0.001	<0.01	0.54	2.0	0.4	2.4	11.6	<0.01	0.01	6.5
DD013082		2.65	23.8	260	23.7	55.7	<0.001	<0.01	0.87	2.1	0.4	2.2	12.9	<0.01	0.01	8.7
DD013083		0.27	31.7	280	4.2	14.1	<0.001	<0.01	0.06	1.0	0.4	0.4	2.7	<0.01	0.01	11.0
DD013084		2.11	30.3	280	26.3	68.9	<0.001	0.03	2.09	4.3	0.9	1.9	19.4	<0.01	0.03	18.6
DD013088		0.50	6.7	170	27.8	11.6	<0.001	0.02	30.7	1.2	<0.2	4.6	21.3	<0.01	<0.01	12.4
DD013089		3.59	51.9	1080	23.7	47.6	<0.001	0.02	1.78	4.3	0.9	4.5	30.4	<0.01	0.09	21.6
DD013091		2.50	33.1	220	17.5	44.8	<0.001	0.01	0.70	3.5	0.6	2.6	29.9	<0.01	<0.01	13.6
DD013093		2.64	37.8	430	23.1	30.7	<0.001	0.01	0.70	3.1	0.2	1.7	20.9	<0.01	0.02	8.7
DD013094		1.29	40.6	300	29.7	39.5	<0.001	0.01	1.58	7.3	1.6	7.6	84.5	<0.01	0.01	21.1



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - D
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 15- AUG- 2012
 Account: MTT

Project: Sayyea Soil Batch 2

CERTIFICATE OF ANALYSIS WH12180695

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD013921		0.025	0.16	2.73	18	0.65	26.1	94	<0.5
DD013922		0.019	0.16	3.23	17	0.61	35.7	96	<0.5
DD013923		0.021	0.20	0.95	15	0.16	7.67	112	<0.5
DD013924		0.027	0.10	0.98	22	0.87	7.25	81	<0.5
DD013925		0.032	0.25	1.45	28	14.15	7.74	142	0.9
DD013926		0.036	0.27	1.39	15	0.26	11.70	175	<0.5
DD013927		0.021	0.06	0.58	18	0.42	5.63	78	<0.5
DD013928		0.021	0.17	0.70	15	0.44	6.55	87	<0.5
DD013929		0.009	0.10	0.86	15	1.06	4.59	74	<0.5
DD013930		0.012	0.33	2.83	18	2.54	20.2	138	<0.5
DD013081		0.040	0.24	1.12	21	13.15	4.52	210	<0.5
DD013082		0.039	0.30	1.19	22	14.70	4.39	280	0.8
DD013083		<0.005	0.11	1.17	8	0.13	2.94	137	<0.5
DD013084		0.051	0.57	1.52	27	6.85	12.30	206	0.6
DD013088		<0.005	1.04	0.78	8	11.55	4.83	43	0.7
DD013089		0.052	0.48	2.27	32	5.66	20.8	289	<0.5
DD013091		0.031	0.25	3.41	23	4.81	11.65	95	0.8
DD013093		0.032	0.19	1.02	25	2.21	6.37	103	0.5
DD013094		0.039	0.42	2.66	30	1.52	32.8	138	1.7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Sayyea Soil Batch 2

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 15- AUG- 2012
Account: MTT

CERTIFICATE OF ANALYSIS WH12180695

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 29- AUG- 2012
Account: MTT

CERTIFICATE WH12188779

Project: Say Yea Soil

P.O. No.: Batch 4

This report is for 60 Soil samples submitted to our lab in Whitehorse, YT, Canada on 13- AUG- 2012.

The following have access to data associated with this certificate:

SARAH EATON

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/ o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES


ALS CODE	DESCRIPTION	INSTRUMENT
W- XRF05	Trace Level W XRF Analysis	XRF
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 29- AUG- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188779

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ48341		0.21	0.001	0.36	1.22	14.2	<0.2	<10	50	1.17	1.02	0.07	0.48	44.1	5.3	12
ZZ48342		0.20	<0.001	0.55	1.03	10.0	<0.2	<10	70	0.67	0.90	0.19	0.46	27.0	5.7	12
ZZ48343		0.13	0.001	0.10	1.20	16.8	<0.2	<10	50	0.82	0.64	0.47	0.18	26.6	4.8	10
ZZ48344		0.21	0.001	0.02	0.99	12.9	<0.2	<10	30	0.84	0.37	0.21	0.06	33.4	3.4	12
ZZ48345		0.17	0.001	0.22	1.50	20.7	<0.2	<10	20	0.29	0.57	0.07	0.06	65.3	11.0	17
ZZ48346		0.21	0.003	0.58	1.94	21.2	<0.2	<10	40	0.79	0.85	0.07	0.20	95.0	18.4	23
ZZ48347		0.19	0.003	0.17	1.16	32.5	<0.2	<10	20	0.61	0.64	0.57	0.22	98.5	18.0	15
ZZ48348		0.19	0.005	0.20	1.15	52.3	<0.2	<10	30	0.79	0.71	0.90	0.24	91.9	13.6	15
ZZ48349		0.11	0.006	0.20	0.98	55.4	<0.2	<10	30	0.63	0.54	1.85	0.16	75.7	11.0	12
ZZ48350		0.16	0.006	0.24	1.33	70.0	<0.2	<10	40	0.80	0.74	1.11	0.19	88.1	14.8	17
ZZ48351		0.15	0.006	0.38	1.46	65.4	<0.2	<10	50	1.05	0.90	1.10	0.49	65.0	12.5	21
ZZ48352		0.14	0.002	0.18	1.01	16.9	<0.2	<10	50	0.51	1.12	0.14	0.63	33.7	6.9	14
ZZ48353		0.32	0.006	0.32	2.00	36.6	<0.2	<10	80	1.54	1.83	1.03	1.34	84.4	18.8	29
ZZ48354		0.25	0.002	0.08	1.24	40.1	<0.2	<10	40	1.31	1.70	0.26	0.07	58.9	5.1	15
ZZ48355		0.34	0.002	0.11	1.61	26.6	<0.2	<10	60	1.45	2.97	0.09	0.10	56.0	5.0	17
ZZ48356		0.26	0.001	0.29	1.30	23.1	<0.2	<10	50	0.84	2.23	0.11	0.13	49.0	4.1	15
ZZ48357		0.25	0.001	0.18	0.98	24.3	<0.2	<10	40	0.65	1.62	0.09	0.21	52.7	2.7	9
ZZ48358		0.18	0.001	0.30	0.74	8.8	<0.2	<10	30	0.57	0.89	0.16	0.14	27.0	2.1	6
ZZ48359		0.18	0.001	0.18	0.76	4.5	<0.2	<10	30	0.45	0.73	0.15	0.26	47.0	2.6	8
ZZ48360		0.15	0.003	0.20	0.86	3.9	<0.2	<10	60	0.79	1.06	0.14	1.08	40.2	3.3	8
ZZ48361		0.17	0.006	0.38	0.90	5.2	<0.2	<10	30	0.91	0.97	0.12	0.40	39.7	3.4	10
ZZ48362		0.15	0.002	0.63	0.75	9.5	<0.2	<10	20	0.82	1.01	0.12	0.92	31.9	3.9	10
ZZ48363		0.31	0.002	0.23	0.80	10.1	<0.2	<10	40	0.68	1.41	0.10	0.23	37.9	3.1	9
ZZ48364		0.32	0.001	0.07	0.96	20.2	<0.2	<10	30	0.49	1.87	0.08	0.03	51.1	2.4	11
ZZ48365		0.18	0.001	0.11	1.30	19.7	<0.2	<10	40	0.81	2.00	0.08	0.06	46.8	3.4	14
ZZ48366		0.26	0.002	0.16	1.40	26.0	<0.2	<10	40	0.88	1.63	0.07	0.09	38.6	4.3	18
ZZ48367		0.25	0.003	0.29	1.00	13.6	<0.2	<10	30	0.61	1.21	0.59	0.24	28.2	4.8	13
ZZ48368		0.16	0.002	0.17	0.36	4.6	<0.2	<10	20	0.19	0.33	0.11	0.15	10.35	2.4	5
ZZ48369		0.42	0.005	0.15	1.39	38.5	<0.2	<10	40	0.73	0.82	0.40	0.20	95.2	14.9	23
ZZ48370		0.15	0.004	0.21	1.31	26.7	<0.2	<10	50	0.76	0.74	1.90	1.17	55.7	9.4	17
ZZ48371		0.18	0.005	0.24	1.37	121.0	<0.2	<10	80	1.09	1.44	0.33	1.64	59.4	11.0	19
ZZ48372		0.32	0.004	0.38	1.49	39.5	<0.2	<10	50	1.02	1.34	0.63	0.56	66.9	12.0	23
ZZ48373		0.31	0.006	0.35	1.46	51.9	<0.2	<10	50	1.01	0.98	0.80	0.33	119.0	15.4	20
ZZ48374		0.23	0.007	0.45	1.52	56.8	<0.2	<10	50	0.86	1.27	0.55	0.22	134.5	14.5	19
ZZ48375		0.31	0.003	0.15	1.40	31.0	<0.2	<10	30	0.54	0.65	0.53	0.09	116.0	14.8	17
ZZ48376		0.27	0.003	0.43	1.69	33.0	<0.2	<10	30	0.52	0.74	0.23	0.10	99.4	19.3	20
ZZ48377		0.30	0.003	0.17	1.65	33.3	<0.2	<10	20	0.57	0.85	0.25	0.13	108.0	17.8	18
ZZ48378		0.22	0.004	0.09	1.54	42.3	<0.2	<10	30	0.48	0.65	0.27	0.10	137.5	24.8	17
ZZ48379		0.22	0.001	0.11	1.37	14.2	<0.2	<10	50	0.27	0.52	0.17	0.82	36.1	20.8	17
ZZ48380		0.27	0.002	0.11	2.40	18.8	<0.2	<10	70	0.66	0.61	0.27	0.09	110.5	16.9	32



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 29- AUG- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188779

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ48341		6.88	5.2	2.00	5.02	0.05	<0.02	<0.01	0.026	0.15	23.0	44.2	0.27	350	2.22
ZZ48342		9.39	4.3	1.95	4.85	<0.05	0.02	0.02	0.018	0.10	13.7	26.1	0.26	382	0.85
ZZ48343		4.91	12.0	1.75	3.74	<0.05	0.03	0.02	0.017	0.11	14.7	34.2	0.20	195	0.44
ZZ48344		15.15	3.2	1.56	4.05	0.05	0.03	<0.01	0.010	0.08	18.0	44.7	0.30	156	1.58
ZZ48345		1.78	11.0	3.21	6.18	0.09	<0.02	0.01	0.019	0.06	34.0	28.8	0.58	249	0.42
ZZ48346		3.34	29.4	3.55	6.29	0.10	<0.02	0.02	0.036	0.16	56.2	40.8	0.60	554	0.61
ZZ48347		3.23	24.8	3.46	3.87	0.15	<0.02	0.01	0.024	0.11	57.0	26.1	0.47	371	0.50
ZZ48348		3.86	25.9	3.18	4.25	0.13	<0.02	0.01	0.027	0.14	54.0	24.5	0.42	301	0.52
ZZ48349		3.06	19.9	2.61	3.37	0.10	0.02	0.03	0.027	0.08	41.8	20.1	0.35	299	0.48
ZZ48350		3.18	24.1	3.26	4.61	0.12	<0.02	0.03	0.032	0.15	46.3	28.7	0.49	630	0.49
ZZ48351		4.32	32.0	3.18	5.10	0.09	<0.02	0.03	0.044	0.20	30.7	44.7	0.52	453	0.50
ZZ48352		2.99	8.6	2.38	5.42	<0.05	<0.02	0.02	0.025	0.09	16.0	25.8	0.26	925	0.68
ZZ48353		5.98	37.8	3.58	6.82	0.12	0.04	0.03	0.066	0.26	41.4	61.4	0.70	474	0.41
ZZ48354		4.30	12.2	2.22	4.46	0.08	0.03	0.02	0.048	0.15	31.4	62.2	0.37	268	2.89
ZZ48355		6.24	8.1	2.72	6.52	0.08	0.03	0.02	0.074	0.15	27.8	73.1	0.36	204	2.34
ZZ48356		5.51	5.2	2.43	6.38	0.08	0.05	0.03	0.049	0.14	24.9	46.1	0.33	257	2.75
ZZ48357		5.08	3.6	1.68	4.53	0.06	0.02	0.02	0.056	0.13	26.0	48.3	0.23	183	3.52
ZZ48358		3.58	2.6	1.28	3.05	<0.05	<0.02	0.04	0.040	0.16	14.2	34.8	0.17	196	7.05
ZZ48359		5.22	2.9	1.33	4.71	0.07	<0.02	0.02	0.017	0.16	23.0	51.1	0.21	161	1.15
ZZ48360		5.80	4.1	1.29	4.87	0.06	<0.02	0.02	0.017	0.14	20.9	49.8	0.20	324	1.39
ZZ48361		7.16	3.4	1.64	4.74	0.07	0.02	0.02	0.021	0.17	19.7	47.3	0.27	189	0.80
ZZ48362		5.40	7.3	1.49	4.35	0.06	<0.02	0.02	0.032	0.11	15.6	32.4	0.22	214	1.81
ZZ48363		4.22	3.6	1.35	4.10	0.05	0.02	0.03	0.034	0.12	19.4	43.0	0.21	176	1.56
ZZ48364		5.24	3.5	1.57	5.53	0.07	0.02	0.01	0.030	0.12	25.0	34.2	0.25	146	1.70
ZZ48365		4.43	6.1	2.28	6.55	0.06	0.02	0.02	0.053	0.11	23.4	54.0	0.30	162	3.04
ZZ48366		5.04	7.2	2.67	5.77	0.06	0.03	0.02	0.038	0.13	19.2	46.1	0.38	210	2.92
ZZ48367		3.61	9.7	2.24	5.45	0.05	0.02	0.03	0.032	0.08	15.4	31.7	0.28	147	0.65
ZZ48368		1.83	5.5	0.87	2.51	<0.05	<0.02	0.02	0.010	0.04	5.2	9.1	0.08	78	0.27
ZZ48369		3.23	25.5	3.39	5.08	0.13	0.02	0.01	0.038	0.14	48.6	30.0	0.55	594	0.61
ZZ48370		3.59	24.3	2.50	4.59	0.08	0.02	0.03	0.031	0.13	32.6	27.6	0.38	347	0.33
ZZ48371		5.10	23.9	3.26	6.32	0.08	<0.02	0.04	0.037	0.15	34.7	30.0	0.37	1010	0.75
ZZ48372		4.05	24.5	3.10	5.92	0.10	<0.02	0.02	0.048	0.15	33.9	50.5	0.50	446	0.61
ZZ48373		3.40	33.7	3.37	5.46	0.14	0.03	0.03	0.042	0.13	55.5	33.7	0.48	673	0.73
ZZ48374		3.48	48.3	3.29	5.96	0.22	0.02	0.02	0.040	0.14	93.6	35.9	0.57	304	0.45
ZZ48375		2.08	21.8	2.90	4.98	0.14	<0.02	0.02	0.032	0.11	52.9	30.4	0.60	226	0.27
ZZ48376		2.54	27.8	3.46	5.72	0.13	<0.02	0.02	0.035	0.14	52.3	36.7	0.69	370	0.43
ZZ48377		2.11	31.2	3.51	5.31	0.14	0.02	0.02	0.043	0.09	58.6	31.0	0.72	276	0.29
ZZ48378		2.32	23.6	3.19	5.36	0.14	<0.02	0.01	0.024	0.13	76.7	35.2	0.67	218	0.27
ZZ48379		2.15	16.1	2.81	6.04	0.05	<0.02	0.02	0.090	0.14	18.3	28.3	0.59	662	0.46
ZZ48380		2.94	31.0	4.40	8.24	0.15	0.04	0.03	0.030	0.14	57.3	53.4	0.94	433	0.36



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - C
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 29- AUG- 2012
 Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188779

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
ZZ48341		2.37	8.7	280	17.9	116.0	<0.001	<0.01	0.29	1.2	<0.2	1.6	10.1	<0.01	0.01
ZZ48342		1.94	8.7	220	12.5	68.6	0.001	<0.01	0.43	1.2	<0.2	1.5	19.8	<0.01	0.02
ZZ48343		1.67	12.6	180	15.4	28.8	<0.001	0.01	0.81	1.6	<0.2	1.0	36.5	<0.01	0.01
ZZ48344		1.71	7.7	140	9.7	60.7	<0.001	<0.01	0.22	1.4	<0.2	0.7	21.4	<0.01	0.01
ZZ48345		1.06	23.5	350	9.2	30.7	<0.001	<0.01	0.69	1.2	0.2	0.7	11.9	<0.01	0.02
ZZ48346		2.35	28.7	560	19.1	39.7	<0.001	0.01	0.66	2.3	0.4	1.4	11.7	<0.01	0.03
ZZ48347		1.20	35.1	810	13.5	22.2	<0.001	0.02	1.12	2.4	0.7	0.6	36.1	<0.01	0.04
ZZ48348		1.51	30.9	920	23.0	27.7	<0.001	0.04	3.54	2.6	1.1	0.9	59.5	<0.01	0.04
ZZ48349		1.40	23.2	690	14.1	17.3	<0.001	0.11	4.46	1.6	1.7	0.7	96.9	<0.01	0.03
ZZ48350		1.76	27.9	760	21.7	27.8	<0.001	0.04	7.81	2.4	1.7	1.0	63.1	<0.01	0.02
ZZ48351		2.14	32.6	410	25.5	37.4	<0.001	0.04	2.52	2.5	1.1	1.5	56.5	<0.01	0.03
ZZ48352		1.76	11.0	230	12.6	33.0	<0.001	<0.01	0.85	1.2	0.3	1.9	13.0	<0.01	0.01
ZZ48353		2.69	40.0	400	34.1	52.1	<0.001	0.36	1.81	4.2	1.1	2.5	74.1	<0.01	0.03
ZZ48354		1.32	12.2	280	29.8	33.7	<0.001	<0.01	0.71	1.8	0.5	1.8	19.1	<0.01	0.02
ZZ48355		3.28	12.7	280	23.0	54.5	<0.001	<0.01	0.82	1.8	0.5	3.4	8.1	<0.01	0.02
ZZ48356		3.48	8.2	260	27.8	73.3	<0.001	<0.01	0.46	1.6	0.4	2.4	10.3	<0.01	0.02
ZZ48357		2.66	5.6	520	14.9	63.1	<0.001	<0.01	0.38	1.0	0.2	1.7	6.6	0.01	0.01
ZZ48358		3.09	3.2	270	12.4	63.3	<0.001	<0.01	0.22	0.6	<0.2	1.3	10.1	<0.01	<0.01
ZZ48359		4.80	4.7	480	8.3	89.3	<0.001	<0.01	0.25	0.9	0.4	1.6	10.1	0.01	<0.01
ZZ48360		4.48	5.2	400	11.9	85.5	<0.001	<0.01	0.20	1.0	0.4	1.7	10.6	0.01	0.01
ZZ48361		3.78	6.9	350	11.6	100.0	<0.001	<0.01	0.22	1.2	0.3	1.4	10.1	<0.01	<0.01
ZZ48362		2.42	7.5	320	30.1	67.7	<0.001	<0.01	0.34	1.2	0.2	1.4	10.3	<0.01	<0.01
ZZ48363		3.03	5.2	180	13.1	94.6	<0.001	<0.01	0.28	0.9	0.2	1.9	8.8	<0.01	0.01
ZZ48364		3.15	5.4	200	11.0	52.7	0.001	<0.01	0.47	1.2	0.4	2.8	5.0	<0.01	0.02
ZZ48365		3.19	7.9	200	15.0	48.7	<0.001	<0.01	0.64	1.5	0.2	3.0	7.9	<0.01	0.01
ZZ48366		2.32	10.8	220	23.9	50.7	<0.001	<0.01	0.59	1.8	0.2	2.0	9.0	<0.01	0.02
ZZ48367		1.70	11.0	190	11.5	30.7	<0.001	0.01	0.82	1.0	0.3	2.0	33.3	0.01	0.01
ZZ48368		0.78	4.3	110	3.9	10.8	<0.001	<0.01	0.28	0.5	0.4	0.8	10.7	<0.01	0.01
ZZ48369		1.55	31.3	790	23.6	27.0	<0.001	<0.01	2.01	2.9	0.6	1.3	29.1	<0.01	0.05
ZZ48370		1.85	25.0	510	15.8	33.4	<0.001	0.08	1.48	1.8	0.7	1.4	89.9	<0.01	0.01
ZZ48371		2.11	23.9	500	18.5	49.7	<0.001	0.01	1.59	2.3	0.6	2.6	31.1	<0.01	0.03
ZZ48372		2.08	26.0	430	26.7	35.1	<0.001	0.01	2.02	2.7	0.8	2.2	49.8	<0.01	0.03
ZZ48373		1.58	31.3	550	27.9	26.2	<0.001	0.02	2.79	3.0	1.0	1.5	55.6	<0.01	0.10
ZZ48374		2.09	33.8	740	33.8	29.7	0.001	0.02	2.15	2.9	1.3	1.5	35.7	<0.01	0.06
ZZ48375		1.84	27.6	980	11.1	22.1	<0.001	<0.01	0.69	1.9	0.8	0.8	26.6	<0.01	0.06
ZZ48376		2.17	32.8	680	12.8	31.0	<0.001	<0.01	0.52	2.0	0.8	1.0	17.2	<0.01	0.09
ZZ48377		1.64	31.9	710	11.7	23.2	<0.001	<0.01	0.44	1.7	0.7	0.6	15.5	0.01	0.14
ZZ48378		1.72	30.0	700	10.8	27.0	<0.001	<0.01	0.58	1.7	0.8	0.6	15.2	<0.01	0.08
ZZ48379		1.61	21.8	310	8.8	43.9	<0.001	<0.01	0.50	1.3	0.3	1.1	18.1	<0.01	0.03
ZZ48380		1.77	46.7	450	19.5	17.5	<0.001	0.01	0.19	4.3	1.2	0.9	56.4	<0.01	0.04



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 29- AUG- 2012
 Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188779

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm	W- XRF05 W ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5	10
ZZ48341		0.021	0.28	2.38	15	4.40	3.92	320	<0.5	
ZZ48342		0.031	0.18	0.57	18	7.33	2.29	387	0.9	
ZZ48343		0.031	0.17	4.27	16	2.86	5.95	101	1.5	
ZZ48344		0.034	0.21	3.15	18	1.52	3.00	147	1.0	
ZZ48345		0.016	0.11	0.72	16	3.65	4.66	77	<0.5	
ZZ48346		0.023	0.22	2.01	19	3.58	11.10	96	0.5	
ZZ48347		0.014	0.15	3.21	12	1.57	16.95	107	<0.5	
ZZ48348		0.019	0.30	3.48	13	9.78	17.05	112	<0.5	
ZZ48349		0.015	0.33	6.58	11	6.22	14.15	85	0.6	
ZZ48350		0.022	0.31	2.87	15	8.36	15.30	114	<0.5	
ZZ48351		0.034	0.27	4.67	19	8.77	10.75	175	<0.5	
ZZ48352		0.030	0.15	0.60	25	7.02	2.64	184	<0.5	
ZZ48353		0.047	0.45	5.50	26	6.57	15.15	398	1.2	
ZZ48354		0.027	0.31	12.40	12	7.30	7.58	173	1.0	
ZZ48355		0.026	0.38	1.81	19	18.15	4.99	153	1.3	
ZZ48356		0.047	0.30	1.54	26	10.50	3.92	152	1.5	
ZZ48357		0.016	0.27	1.98	11	6.49	4.68	148	0.9	
ZZ48358		0.021	0.19	2.11	8	4.97	2.27	252	<0.5	
ZZ48359		0.039	0.25	1.49	11	3.38	4.12	197	<0.5	
ZZ48360		0.040	0.25	1.93	12	2.61	4.56	385	<0.5	
ZZ48361		0.049	0.20	1.97	15	2.20	3.66	310	0.9	
ZZ48362		0.036	0.16	2.85	15	5.93	2.97	411	<0.5	
ZZ48363		0.031	0.18	1.24	12	6.79	2.86	180	0.6	
ZZ48364		0.034	0.27	1.23	17	16.65	3.74	61	0.7	
ZZ48365		0.028	0.26	1.64	20	18.65	3.69	96	0.7	
ZZ48366		0.039	0.33	2.13	25	5.78	3.61	120	1.2	
ZZ48367		0.026	0.14	1.60	18	10.80	3.31	79	0.7	
ZZ48368		0.018	0.04	0.56	10	3.44	1.03	43	<0.5	
ZZ48369		0.026	0.24	1.76	18	14.90	13.95	139	<0.5	
ZZ48370		0.025	0.18	3.48	15	8.86	10.20	151	0.6	
ZZ48371		0.036	0.25	1.20	24	13.10	10.10	267	<0.5	
ZZ48372		0.034	0.22	2.68	22	17.30	11.05	218	<0.5	
ZZ48373		0.021	0.28	3.45	17	11.90	14.50	161	0.7	
ZZ48374		0.025	0.29	2.79	16	8.03	23.9	180	0.5	
ZZ48375		0.022	0.17	1.30	14	1.71	11.25	85	<0.5	
ZZ48376		0.024	0.20	1.04	18	1.30	12.25	89	<0.5	
ZZ48377		0.019	0.18	0.94	15	1.03	12.15	92	<0.5	
ZZ48378		0.023	0.19	1.07	15	1.03	12.45	87	<0.5	
ZZ48379		0.027	0.15	0.48	17	3.37	3.73	97	<0.5	
ZZ48380		0.027	0.14	2.27	22	0.51	25.1	109	1.1	



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 29- AUG- 2012
 Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188779

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ48381		0.22	0.002	0.13	2.18	20.7	<0.2	<10	70	0.58	0.53	0.55	0.11	78.0	13.3	32
ZZ48382		0.25	0.001	0.14	2.37	21.7	<0.2	<10	70	0.58	0.65	0.70	0.14	76.8	14.8	35
ZZ48383		0.29	0.002	0.11	2.61	13.7	<0.2	<10	80	0.72	0.62	0.56	0.13	86.1	16.3	40
ZZ48384		0.21	0.002	0.15	2.49	16.8	<0.2	<10	90	0.72	0.64	0.60	0.12	79.7	15.2	36
ZZ48385		0.23	0.001	0.18	3.08	39.7	<0.2	<10	100	1.06	0.64	0.56	0.16	89.9	18.6	39
ZZ48386		0.28	0.002	0.16	3.19	31.3	<0.2	<10	100	1.04	0.61	0.41	0.09	63.0	17.7	40
ZZ48387		0.23	0.002	0.30	3.34	20.9	<0.2	<10	110	1.20	0.73	0.43	0.16	70.9	20.7	40
ZZ48388		0.26	0.002	0.13	3.02	17.5	<0.2	<10	70	1.07	0.65	0.39	0.11	74.4	18.7	41
ZZ48389		0.21	0.002	0.24	3.20	9.3	<0.2	<10	120	1.00	2.94	0.25	0.31	53.9	14.8	43
ZZ48390		0.28	0.003	0.12	2.74	10.2	<0.2	<10	70	1.04	3.36	0.31	0.11	62.2	14.9	39
ZZ48391		0.23	0.001	0.10	2.42	11.4	<0.2	<10	60	1.06	1.20	0.31	0.16	67.5	15.5	35
ZZ48392		0.19	0.002	0.10	2.03	10.9	<0.2	<10	70	1.10	0.79	0.29	0.07	57.8	11.0	32
ZZ48393		0.11	0.005	0.32	3.01	10.6	<0.2	<10	110	1.97	0.83	0.89	0.15	81.5	18.6	46
ZZ48394		0.19	0.020	1.92	3.24	25.0	<0.2	<10	100	1.85	1.39	0.15	0.20	65.7	20.7	41
ZZ48395		0.21	0.001	0.60	3.31	8.2	<0.2	<10	110	1.49	1.04	0.13	0.36	44.2	14.8	44
ZZ48396		0.28	0.005	0.83	3.56	10.4	<0.2	<10	130	1.98	1.62	0.21	0.27	62.0	18.1	43
ZZ48397		0.17	0.002	0.89	1.66	27.7	<0.2	<10	70	2.53	2.05	0.15	0.40	42.7	8.3	24
ZZ48398		0.24	0.005	0.29	2.51	42.6	<0.2	<10	90	6.78	11.25	0.37	1.61	58.3	13.2	33
ZZ48399		0.24	0.003	0.57	2.46	66.8	<0.2	<10	50	4.99	4.87	0.37	0.82	66.8	9.2	26
ZZ48400		0.18	0.004	2.22	2.70	33.1	<0.2	<10	80	9.53	2.42	0.42	5.09	77.9	13.0	28



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 29- AUG- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188779

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ48381		2.94	24.2	4.08	7.24	0.12	0.03	0.03	0.030	0.11	40.9	44.9	0.89	395	0.27
ZZ48382		3.46	23.3	4.38	7.93	0.11	0.03	0.04	0.029	0.10	39.3	49.5	0.90	443	0.42
ZZ48383		4.62	25.4	4.45	8.56	0.12	0.03	0.02	0.032	0.16	45.3	55.0	1.01	545	0.32
ZZ48384		5.02	22.2	4.15	8.78	0.12	0.02	0.03	0.033	0.17	40.6	52.3	0.85	559	0.36
ZZ48385		6.56	26.1	4.23	10.40	0.18	0.05	0.03	0.037	0.21	50.4	68.8	0.88	524	0.40
ZZ48386		7.43	22.7	4.06	11.80	0.17	0.03	0.02	0.032	0.30	32.1	70.2	0.96	379	0.35
ZZ48387		8.25	27.7	4.31	11.95	0.19	0.04	0.03	0.038	0.38	36.4	74.1	0.97	482	0.41
ZZ48388		7.80	21.8	4.03	11.60	0.21	0.03	0.01	0.035	0.39	39.5	67.9	1.05	427	0.28
ZZ48389		8.97	20.4	4.12	11.85	0.14	0.02	0.02	0.034	0.31	28.1	66.9	0.97	354	0.36
ZZ48390		8.86	20.4	3.84	10.55	0.15	0.03	0.01	0.038	0.26	31.1	61.5	0.93	347	0.37
ZZ48391		8.68	21.9	3.68	8.86	0.17	0.03	0.01	0.040	0.26	33.9	56.5	0.89	424	0.30
ZZ48392		7.09	18.2	3.17	8.48	0.13	0.02	0.01	0.047	0.13	32.7	49.2	0.66	267	0.52
ZZ48393		10.50	34.1	3.92	11.35	0.18	0.04	0.04	0.057	0.14	46.7	71.1	0.81	780	0.78
ZZ48394		10.75	29.6	4.43	10.55	0.15	0.05	0.04	0.149	0.28	34.0	67.9	0.85	412	0.61
ZZ48395		12.90	20.6	4.14	12.65	0.12	0.05	0.03	0.068	0.25	23.6	64.2	0.79	313	0.68
ZZ48396		14.75	26.7	4.27	12.05	0.14	0.06	0.04	0.127	0.26	33.1	65.1	0.87	361	0.89
ZZ48397		9.47	15.7	3.41	9.44	0.10	<0.02	0.10	0.206	0.13	23.6	42.0	0.44	404	2.15
ZZ48398		18.05	47.3	4.53	10.85	0.15	0.02	0.31	0.542	0.21	27.8	60.3	0.66	958	2.93
ZZ48399		13.55	34.1	3.22	9.07	0.13	0.04	0.16	0.297	0.21	34.1	55.8	0.54	362	2.27
ZZ48400		14.25	83.6	3.52	9.65	0.15	0.05	0.09	0.176	0.16	41.7	63.6	0.46	1360	3.99



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 29- AUG- 2012
 Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188779

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
ZZ48381		1.72	37.0	700	25.3	14.7	<0.001	0.01	0.17	3.7	0.7	0.8	80.4	<0.01	0.03	15.2
ZZ48382		1.69	36.1	710	23.3	16.4	<0.001	0.03	0.19	3.7	1.0	1.1	81.2	<0.01	0.03	9.1
ZZ48383		2.38	40.7	720	23.9	25.1	<0.001	0.01	0.22	5.0	1.1	1.3	89.5	<0.01	0.04	15.9
ZZ48384		2.45	35.0	870	18.4	27.1	<0.001	0.03	0.28	4.3	1.1	1.3	85.4	<0.01	0.02	9.6
ZZ48385		3.07	40.1	800	18.3	37.5	<0.001	0.03	0.30	5.2	1.0	1.3	100.5	0.01	0.03	11.1
ZZ48386		3.89	39.2	640	13.4	49.4	<0.001	0.03	0.18	5.8	0.8	1.4	94.5	0.01	0.02	10.8
ZZ48387		4.08	44.7	660	16.5	57.2	<0.001	0.03	0.23	6.3	0.9	1.4	103.0	0.01	0.02	15.2
ZZ48388		2.64	37.2	470	11.8	57.5	<0.001	0.01	0.19	6.6	0.7	1.3	108.0	0.02	0.01	16.8
ZZ48389		4.13	38.4	550	15.6	46.3	<0.001	0.02	0.21	5.4	0.6	1.5	53.7	0.01	0.01	9.2
ZZ48390		3.49	33.2	540	12.6	45.9	<0.001	0.02	0.42	5.5	0.6	1.6	62.7	0.02	0.01	10.8
ZZ48391		2.49	32.5	500	13.5	43.3	<0.001	0.01	0.34	5.2	0.5	1.4	57.7	0.01	0.01	13.2
ZZ48392		3.03	27.7	430	17.4	28.3	<0.001	0.02	0.94	4.1	0.5	2.2	31.7	<0.01	0.02	8.1
ZZ48393		5.39	43.4	1200	14.1	30.1	<0.001	0.06	2.32	6.2	1.3	2.0	79.2	0.01	0.05	6.0
ZZ48394		4.24	45.3	640	18.0	44.2	<0.001	0.03	3.16	6.0	0.7	4.1	40.8	0.01	0.04	17.0
ZZ48395		5.86	38.0	540	14.4	44.2	<0.001	0.02	0.44	5.7	0.6	3.6	36.4	0.01	0.04	12.3
ZZ48396		4.19	42.7	660	20.0	39.5	<0.001	0.03	1.76	6.2	0.7	5.9	62.7	0.01	0.04	15.5
ZZ48397		1.76	19.5	500	58.7	62.9	0.001	0.04	5.78	2.6	0.4	10.6	40.7	<0.01	0.01	3.0
ZZ48398		2.09	26.9	910	65.6	68.4	0.002	0.03	4.85	4.3	0.6	20.3	39.0	<0.01	0.02	9.4
ZZ48399		3.16	23.6	550	50.7	57.2	0.001	0.03	1.98	3.8	0.6	10.0	42.9	0.01	0.02	13.6
ZZ48400		2.67	27.6	880	38.8	76.8	0.001	0.04	1.61	2.8	1.0	4.6	40.4	0.01	0.02	3.2



2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

Project: Say Yea Soil

Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 29- AUG- 2012
Account: MTT

CERTIFICATE OF ANALYSIS WH12188779

[illegible]

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Say Yea Soil

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 29- AUG- 2012
Account: MTT

CERTIFICATE OF ANALYSIS WH12188779

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 31- AUG- 2012
Account: MTT

CERTIFICATE WH12188776

Project: Say Yea Soil
P.O. No.: Batch 3
This report is for 120 Soil samples submitted to our lab in Whitehorse, YT, Canada on 13- AUG- 2012.

The following have access to data associated with this certificate:

SARAH EATON

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/ o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES


ALS CODE	DESCRIPTION	INSTRUMENT
W- XRF05	Trace Level W XRF Analysis	XRF
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 31- AUG- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188776

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD013501		0.29	0.006	0.12	1.73	9.9	<0.2	<10	120	0.45	6.29	0.14	0.10	104.5	11.7	21
DD013502		0.23	0.001	0.05	2.04	6.1	<0.2	<10	110	0.24	0.26	0.17	0.13	79.7	12.5	21
DD013503		0.30	0.001	0.05	1.97	3.7	<0.2	<10	60	0.28	0.70	0.25	0.04	126.5	11.0	20
DD013504		0.29	0.006	0.06	2.77	9.8	<0.2	<10	110	0.63	0.52	0.34	0.12	88.1	15.1	35
DD013505		0.29	0.002	0.12	2.62	11.7	<0.2	<10	70	0.69	0.52	0.71	0.22	62.1	12.5	33
DD013506		0.26	0.001	0.11	2.91	9.3	<0.2	<10	80	0.83	1.23	0.90	0.25	74.5	16.5	40
DD013507		0.37	0.003	0.08	2.62	11.9	<0.2	<10	80	0.78	0.88	0.72	0.43	86.3	23.0	36
DD013508		0.30	0.002	0.15	2.73	11.3	<0.2	<10	70	0.76	1.30	0.75	0.13	68.9	14.1	37
DD013509		0.26	<0.001	0.05	2.74	12.3	<0.2	<10	60	0.76	0.64	0.51	0.11	78.8	15.8	40
DD013510		0.25	0.001	0.06	3.08	16.8	<0.2	<10	70	0.89	0.63	0.48	0.10	67.9	14.1	40
DD013511		0.29	<0.001	0.09	2.82	16.3	<0.2	<10	80	0.88	0.76	0.65	0.15	81.7	17.1	38
DD013512		0.30	0.001	0.05	2.61	17.3	<0.2	<10	50	0.84	0.55	0.42	0.09	65.6	14.6	37
DD013513		0.23	0.002	0.21	4.13	25.4	<0.2	<10	140	1.77	1.46	0.34	0.38	84.0	28.8	45
DD013514		0.25	0.002	0.06	3.27	7.8	<0.2	<10	110	1.65	0.93	0.15	0.11	49.9	17.4	49
DD013515		0.23	0.003	0.13	2.82	20.9	<0.2	<10	100	1.54	1.41	0.47	0.08	71.8	16.7	40
DD013516		0.28	0.008	0.28	2.84	13.7	<0.2	<10	70	2.11	1.16	0.33	0.09	91.1	16.9	38
DD013517		0.27	0.001	0.15	2.50	14.4	<0.2	<10	80	1.53	2.48	0.58	0.13	62.8	14.9	39
DD013518		0.27	0.016	0.86	1.24	242	<0.2	<10	50	4.03	5.57	0.40	0.39	52.1	4.2	19
DD013519		0.26	0.009	0.32	3.12	29.5	<0.2	30	90	57.0	75.6	7.56	<0.01	39.1	4.4	21
DD013520		0.27	0.009	0.36	2.61	24.7	<0.2	<10	70	3.20	5.01	0.71	0.18	87.2	10.6	29
DD013521		0.25	0.006	0.51	2.70	83.4	<0.2	<10	70	6.33	5.02	1.11	0.54	81.2	9.8	25
DD013522		0.26	0.003	0.45	1.53	31.0	<0.2	<10	50	1.77	3.37	0.41	0.98	48.5	6.1	18
DD013523		0.28	0.004	0.23	2.23	23.3	<0.2	<10	70	2.70	2.11	0.54	0.20	83.1	12.3	31
DD013524		0.28	0.002	0.28	1.43	26.8	<0.2	<10	40	1.73	2.79	0.23	0.63	68.1	6.4	16
DD013525		0.30	0.003	0.49	1.29	105.5	<0.2	<10	30	3.41	8.65	0.21	0.65	58.6	4.4	12
DD013526		0.27	0.003	0.26	2.21	38.4	<0.2	<10	60	5.74	4.30	0.49	1.15	53.5	9.7	27
DD013527		0.27	0.020	0.47	4.35	37.6	<0.2	10	100	8.28	4.54	3.15	1.08	114.0	11.4	40
DD013528		0.30	0.007	0.12	2.90	20.5	<0.2	<10	100	2.51	2.21	0.14	0.30	60.3	12.2	36
DD013529		0.34	0.003	0.09	3.33	8.0	<0.2	20	90	3.41	2.09	0.31	0.57	94.1	19.6	40
DD013530		0.23	0.001	0.09	2.90	13.5	<0.2	<10	90	1.28	2.21	0.19	0.26	53.0	12.7	42
DD013531		0.30	0.002	0.11	2.37	27.2	<0.2	<10	70	1.75	1.21	0.33	0.20	107.5	20.6	38
DD013532		0.30	0.001	0.03	2.37	8.2	<0.2	<10	70	1.44	0.76	0.22	0.09	83.3	15.9	37
DD013533		0.24	0.001	0.02	2.78	10.8	<0.2	<10	130	0.96	1.72	0.09	0.10	55.3	13.1	56
DD013534		0.30	0.005	0.04	2.69	6.6	<0.2	<10	70	1.07	7.29	0.51	0.10	68.4	15.9	42
DD013535		0.33	0.002	0.09	3.01	11.5	<0.2	<10	70	1.01	2.10	0.55	0.11	67.6	16.5	41
DD013536		0.30	0.002	0.06	2.79	17.1	<0.2	<10	60	0.92	0.62	0.37	0.14	71.3	14.2	39
DD013537		0.27	0.002	0.09	3.62	27.8	<0.2	<10	110	1.22	0.80	0.49	0.20	77.8	16.7	41
DD013538		0.29	0.002	0.06	3.12	23.5	<0.2	<10	80	0.86	0.66	0.37	0.12	67.9	15.1	42
DD013539		0.30	0.001	0.08	3.64	24.6	<0.2	<10	100	1.04	1.20	0.45	0.22	65.9	17.4	46
DD013540		0.29	0.001	0.12	2.94	15.2	<0.2	<10	90	0.90	0.75	0.55	0.21	96.8	19.4	41



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 31- AUG- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188776

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
DD013501		2.40	37.6	4.17	5.10	0.10	0.02	0.01	0.030	0.08	46.2	33.7	0.69	327	0.62
DD013502		1.06	10.0	3.73	6.12	0.09	0.02	0.01	0.019	0.03	41.5	44.1	0.80	457	0.35
DD013503		1.74	23.2	4.06	5.77	0.11	0.02	0.01	0.023	0.03	62.5	34.0	0.78	385	0.36
DD013504		4.68	24.4	4.10	8.53	0.11	0.04	0.01	0.031	0.22	37.0	56.0	0.95	584	0.30
DD013505		3.95	18.4	3.77	6.57	0.09	0.03	0.02	0.027	0.21	36.7	46.7	0.81	484	0.31
DD013506		6.13	24.4	3.24	9.46	0.10	0.05	0.02	0.034	0.32	38.5	68.6	0.91	216	0.29
DD013507		5.42	20.6	4.07	8.95	0.11	0.03	0.02	0.030	0.32	38.2	65.6	0.84	3410	0.54
DD013508		5.95	22.7	3.78	9.21	0.11	0.03	0.01	0.032	0.35	38.5	61.5	0.89	315	0.25
DD013509		6.85	22.5	4.03	9.63	0.13	0.04	0.01	0.031	0.37	41.1	64.3	0.99	402	0.20
DD013510		6.73	21.2	3.98	10.20	0.10	0.03	0.01	0.036	0.32	36.7	64.9	0.97	351	0.28
DD013511		6.46	24.0	4.03	9.38	0.10	0.03	0.01	0.032	0.35	38.4	61.2	0.94	491	0.30
DD013512		6.34	20.6	3.79	9.10	0.11	0.03	0.01	0.029	0.28	33.0	59.6	0.96	369	0.25
DD013513		8.48	31.6	4.62	11.30	0.12	0.03	0.03	0.049	0.28	36.4	80.2	0.90	1680	0.60
DD013514		15.90	27.9	4.92	12.40	0.13	0.03	0.02	0.042	0.65	26.7	92.2	0.88	392	0.49
DD013515		8.07	26.5	4.43	9.72	0.12	<0.02	0.02	0.043	0.21	41.9	83.2	0.86	662	0.47
DD013516		12.40	26.2	4.58	9.32	0.10	0.02	0.02	0.055	0.24	46.7	101.5	0.86	516	0.50
DD013517		10.60	24.0	3.96	9.53	0.08	0.02	0.02	0.087	0.22	33.5	66.0	0.75	444	0.71
DD013518		12.35	9.0	4.01	8.39	0.07	<0.02	0.05	0.736	0.06	21.1	19.2	0.21	457	7.42
DD013519		6.89	6.4	3.58	24.4	1.66	0.34	0.02	0.387	0.25	20.4	35.7	0.25	776	20.2
DD013520		11.45	29.2	3.51	10.85	0.11	0.06	0.11	0.231	0.19	47.5	64.4	0.53	745	3.92
DD013521		16.00	46.7	3.86	10.05	0.10	0.04	0.21	0.423	0.26	38.3	68.8	0.48	1100	5.17
DD013522		9.37	23.1	2.49	7.48	0.06	<0.02	0.07	0.194	0.13	25.6	64.0	0.37	617	8.12
DD013523		8.96	37.2	3.62	8.43	0.10	0.03	0.03	0.149	0.21	44.5	71.1	0.62	640	2.58
DD013524		8.42	31.2	2.39	6.65	0.07	<0.02	0.03	0.179	0.22	34.4	72.4	0.34	515	1.78
DD013525		8.41	54.9	2.50	5.66	0.06	<0.02	0.12	0.505	0.15	30.3	49.2	0.26	397	3.11
DD013526		15.40	22.5	3.45	9.13	0.08	0.02	0.18	0.307	0.15	25.8	56.2	0.53	930	3.01
DD013527		18.25	29.4	3.89	20.4	0.24	0.17	0.27	0.350	0.43	55.3	117.0	0.71	1200	1.85
DD013528		9.31	23.4	4.06	9.14	0.07	0.06	0.06	0.204	0.17	30.4	60.6	0.72	358	7.71
DD013529		15.05	30.4	4.26	10.35	0.10	0.05	0.02	1.180	0.25	39.9	61.6	0.86	560	0.76
DD013530		16.65	26.5	5.03	12.35	0.09	0.02	0.01	0.092	0.29	28.1	79.8	0.81	313	0.74
DD013531		9.72	32.4	4.52	7.89	0.13	0.03	0.01	0.078	0.28	55.9	54.0	0.81	786	0.33
DD013532		7.39	22.1	3.94	8.25	0.10	0.03	0.01	0.054	0.22	44.2	68.4	0.85	487	0.25
DD013533		17.50	16.8	4.69	14.25	0.10	<0.02	0.02	0.062	0.44	28.9	61.6	0.89	543	0.52
DD013534		7.87	21.1	3.85	9.91	0.10	0.04	0.01	0.040	0.36	38.1	61.9	1.02	394	0.30
DD013535		7.91	22.6	4.08	10.40	0.10	0.03	0.01	0.039	0.36	33.1	71.0	1.04	421	0.29
DD013536		8.91	18.7	3.90	9.42	0.10	0.03	0.01	0.033	0.34	33.9	73.9	1.02	374	0.27
DD013537		9.54	22.4	4.41	11.70	0.10	0.04	0.03	0.043	0.28	36.2	82.9	0.99	575	0.44
DD013538		7.62	21.1	4.07	11.10	0.09	0.03	0.01	0.035	0.38	33.7	71.3	1.03	356	0.25
DD013539		10.80	21.7	4.49	12.70	0.12	0.04	0.01	0.042	0.54	29.9	85.6	1.14	448	0.28
DD013540		7.39	29.8	4.40	10.10	0.12	0.04	0.01	0.040	0.39	51.8	68.5	1.05	564	0.30



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 31- AUG- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188776

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD013501		1.15	33.0	550	11.7	16.2	<0.001	0.02	0.94	1.8	0.3	0.7	14.4	<0.01	0.05	18.6
DD013502		0.89	23.3	240	6.8	7.5	<0.001	0.02	0.14	1.8	0.2	0.4	17.9	<0.01	0.01	11.5
DD013503		0.61	25.7	300	7.7	5.8	<0.001	0.02	0.25	1.9	0.2	0.5	26.0	<0.01	0.03	18.7
DD013504		2.25	38.4	630	17.0	25.4	<0.001	0.02	0.14	3.8	0.4	1.0	86.6	0.01	0.03	14.5
DD013505		2.19	30.4	740	15.5	26.5	<0.001	0.05	0.19	3.3	0.5	0.8	92.9	0.01	0.03	7.8
DD013506		3.85	36.7	660	20.1	43.6	<0.001	0.09	0.19	4.8	0.6	1.3	122.5	0.01	0.03	11.1
DD013507		3.10	35.2	630	16.6	37.1	<0.001	0.03	0.19	4.6	0.4	1.2	117.0	0.01	0.03	13.2
DD013508		3.37	35.3	650	19.7	39.6	<0.001	0.03	0.21	5.0	0.4	1.3	119.5	0.01	0.02	13.9
DD013509		1.93	35.4	480	14.4	43.7	<0.001	0.01	0.23	5.3	0.3	1.3	110.5	0.01	0.02	15.1
DD013510		4.04	35.8	480	11.6	40.5	<0.001	0.03	0.19	4.9	0.4	1.3	100.5	0.01	0.03	10.8
DD013511		3.13	36.7	660	15.5	40.7	<0.001	0.02	0.23	5.0	0.4	1.2	114.0	0.01	0.03	12.9
DD013512		2.45	33.1	390	11.2	39.3	<0.001	0.02	0.31	4.8	0.4	1.1	98.0	0.01	0.02	13.5
DD013513		4.17	48.8	670	17.1	37.7	<0.001	0.01	0.34	5.6	1.2	1.5	76.3	0.01	0.02	13.0
DD013514		7.95	43.9	490	13.4	66.7	0.001	<0.01	0.48	6.0	0.9	1.8	49.8	0.01	0.02	8.8
DD013515		3.19	38.6	540	14.7	37.7	<0.001	<0.01	0.93	5.3	1.1	1.7	41.7	<0.01	0.03	11.0
DD013516		2.94	40.5	430	16.8	40.5	<0.001	0.02	2.00	5.2	0.4	2.0	31.2	<0.01	0.04	14.2
DD013517		4.14	31.6	580	15.2	40.5	<0.001	0.02	1.66	4.6	0.4	3.1	60.7	<0.01	0.04	9.8
DD013518		1.37	9.5	550	8.7	19.9	<0.001	0.02	23.5	2.4	0.3	23.2	23.5	<0.01	0.02	3.4
DD013519		7.89	7.5	410	12.8	25.4	<0.001	<0.01	14.40	3.9	0.4	72.9	99.3	0.01	0.13	7.2
DD013520		2.28	24.2	530	49.9	37.5	0.001	0.03	6.48	4.9	0.5	11.3	60.1	0.01	0.03	15.2
DD013521		3.09	22.0	960	49.9	69.7	0.002	0.02	5.71	4.5	0.5	17.0	63.6	<0.01	0.03	13.9
DD013522		2.82	11.4	420	43.6	65.8	<0.001	0.02	0.98	1.5	0.3	7.8	33.7	0.01	0.02	1.8
DD013523		2.97	26.7	680	43.9	45.0	<0.001	0.02	3.56	4.6	0.4	6.5	46.6	0.01	0.03	14.5
DD013524		4.04	11.8	570	35.6	65.3	<0.001	0.02	1.00	2.0	0.3	6.7	28.1	0.01	0.02	7.1
DD013525		2.92	8.5	470	101.5	66.6	0.001	0.03	2.53	1.6	0.3	15.0	26.3	<0.01	0.02	9.1
DD013526		2.11	20.5	850	37.4	57.6	0.002	0.02	2.98	2.6	0.3	10.3	39.5	<0.01	0.03	4.4
DD013527		4.07	31.1	860	72.6	76.0	0.003	0.02	8.11	7.5	0.6	22.4	84.7	0.01	0.03	17.2
DD013528		2.42	35.0	470	51.6	32.8	0.001	0.03	3.97	4.3	0.3	7.4	45.3	<0.01	0.03	15.3
DD013529		2.69	41.1	500	17.6	36.7	<0.001	0.02	0.90	5.4	0.4	6.4	56.1	<0.01	0.04	17.1
DD013530		4.50	32.2	520	20.3	48.7	<0.001	0.06	1.69	5.1	0.4	3.8	60.1	0.01	0.05	10.6
DD013531		2.08	41.5	770	23.8	45.4	<0.001	0.02	3.26	5.8	0.4	1.7	41.9	0.01	0.04	16.8
DD013532		1.93	33.7	500	14.3	34.9	<0.001	0.01	1.26	4.9	0.3	1.9	32.8	<0.01	0.03	13.8
DD013533		5.91	40.1	390	13.5	73.0	<0.001	0.02	0.43	5.3	0.3	5.0	28.4	<0.01	0.04	7.5
DD013534		2.04	32.4	500	10.2	48.5	<0.001	0.01	0.44	5.7	0.4	1.7	100.5	0.01	0.03	14.1
DD013535		2.87	35.4	440	12.1	46.9	<0.001	0.02	0.27	5.5	0.3	1.5	111.5	0.01	0.03	13.4
DD013536		3.08	32.1	330	11.1	47.4	<0.001	0.02	0.31	4.9	0.4	1.3	95.0	0.01	0.02	12.5
DD013537		3.90	39.3	840	13.0	42.6	<0.001	0.05	0.26	4.3	0.5	1.5	102.0	0.01	0.03	6.4
DD013538		3.81	35.3	470	11.8	46.4	<0.001	0.02	0.21	5.2	0.3	1.4	103.0	0.01	0.02	12.4
DD013539		4.66	43.2	570	15.9	67.0	<0.001	0.02	0.24	6.4	0.3	1.9	136.0	0.01	0.03	13.5
DD013540		2.32	42.4	690	26.9	47.6	<0.001	0.01	0.27	5.5	0.4	1.5	121.0	0.01	0.04	16.6



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 31- AUG- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188776

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm	W- XRF05 W ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5	10
DD013501		0.015	0.11	2.35	15	3.34	9.42	104	0.6	
DD013502		0.011	0.04	1.25	15	0.68	4.03	81	<0.5	
DD013503		0.005	0.05	2.83	13	0.49	6.61	85	<0.5	
DD013504		0.041	0.14	1.42	25	0.21	16.45	126	0.9	
DD013505		0.036	0.13	2.84	25	0.81	16.80	158	0.6	
DD013506		0.050	0.22	3.15	30	1.88	18.30	154	1.0	
DD013507		0.052	0.22	2.41	28	2.15	16.00	133	0.7	
DD013508		0.055	0.18	1.72	28	0.94	16.90	131	0.6	
DD013509		0.065	0.21	1.55	30	0.40	15.90	130	0.9	
DD013510		0.061	0.20	1.81	30	0.32	15.15	128	0.5	
DD013511		0.056	0.20	1.93	29	0.36	15.55	133	0.6	
DD013512		0.060	0.21	1.94	27	0.27	13.10	104	0.6	
DD013513		0.061	0.34	2.68	34	2.45	16.25	185	0.7	
DD013514		0.162	0.40	1.05	44	3.31	6.10	114	0.9	
DD013515		0.061	0.32	2.02	34	2.89	13.85	143	<0.5	
DD013516		0.055	0.30	1.86	32	4.34	12.25	144	<0.5	
DD013517		0.067	0.29	2.59	38	3.01	10.30	166	0.5	
DD013518		0.024	0.98	0.92	25	34.6	4.71	277	<0.5	
DD013519		0.106	1.00	1.49	30	177.5	5.71	229	11.1	190
DD013520		0.034	0.59	4.84	25	103.5	17.50	306	2.7	
DD013521		0.032	0.76	4.15	23	185.5	11.70	926	1.7	200
DD013522		0.034	0.29	2.72	20	61.0	5.48	474	<0.5	
DD013523		0.064	0.40	5.52	29	22.2	13.70	349	1.1	
DD013524		0.045	0.34	5.08	17	18.50	9.79	396	<0.5	
DD013525		0.023	0.40	4.41	14	107.5	6.81	566	<0.5	110
DD013526		0.034	0.43	2.10	27	163.0	7.25	792	<0.5	170
DD013527		0.072	0.85	2.91	37	219	20.5	1260	7.0	220
DD013528		0.033	0.44	1.67	30	43.3	8.27	299	2.0	
DD013529		0.051	0.40	1.61	33	6.34	12.05	941	1.6	
DD013530		0.075	0.31	1.27	43	1.50	7.03	176	<0.5	
DD013531		0.058	0.33	1.83	32	1.17	16.45	191	0.8	
DD013532		0.076	0.25	1.54	30	0.83	11.75	131	0.6	
DD013533		0.105	0.42	0.92	50	11.45	6.44	156	<0.5	
DD013534		0.091	0.29	1.74	32	1.14	15.05	108	1.0	
DD013535		0.074	0.25	1.78	30	2.24	14.40	126	0.6	
DD013536		0.070	0.21	2.35	28	0.49	13.70	117	0.6	
DD013537		0.060	0.22	3.10	32	0.45	17.60	190	0.6	
DD013538		0.072	0.23	1.63	31	0.50	14.20	133	<0.5	
DD013539		0.082	0.33	1.48	36	1.98	12.90	150	0.7	
DD013540		0.057	0.25	1.66	30	0.40	25.1	165	0.7	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 31- AUG- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188776

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD013541		0.33	0.003	0.21	3.13	25.6	<0.2	<10	80	1.11	0.59	0.52	0.25	77.4	15.6	39
DD013542		0.26	0.001	0.10	2.29	16.1	<0.2	<10	70	0.61	0.48	0.43	0.09	75.9	16.0	32
DD013543		0.30	0.002	0.06	2.25	11.8	<0.2	<10	60	0.57	0.47	0.32	0.08	80.0	15.0	30
DD013544		0.26	0.001	0.13	1.87	23.4	<0.2	<10	60	0.41	0.40	0.47	0.12	77.9	16.2	25
DD013545		0.29	0.002	0.12	2.44	20.5	<0.2	<10	80	0.69	0.56	0.78	0.12	85.9	20.3	36
DD013546		0.30	0.001	0.07	2.86	12.0	<0.2	<10	100	0.86	0.57	0.52	0.16	93.5	20.4	40
DD013547		0.25	0.001	0.13	2.62	34.1	<0.2	<10	70	0.65	0.54	0.66	0.22	88.8	19.6	35
DD013548		0.32	0.001	0.28	2.32	12.8	<0.2	<10	60	1.04	0.82	0.70	0.22	111.0	22.0	36
DD013549		0.30	0.004	0.14	4.02	16.8	<0.2	<10	160	1.68	0.52	0.83	0.12	132.5	33.1	54
DD013550		0.30	0.002	0.09	2.87	24.1	<0.2	<10	60	1.05	0.48	0.26	0.13	123.5	25.7	40
DD013551		0.23	0.002	0.33	3.18	20.6	<0.2	<10	130	1.14	0.72	0.47	0.12	68.4	21.9	51
DD013552		0.24	0.002	0.14	3.70	24.1	<0.2	<10	60	1.18	0.62	1.01	0.49	73.4	17.3	48
DD013553		0.24	0.001	0.14	4.95	13.5	<0.2	<10	50	1.76	0.57	0.33	0.09	65.5	23.9	54
DD013554		0.28	<0.001	0.09	3.85	3.2	<0.2	<10	30	2.53	0.32	0.88	0.08	92.9	24.8	61
DD013555		0.23	0.004	0.65	5.33	3.5	<0.2	<10	60	2.03	1.17	1.68	2.58	41.8	27.7	24
DD013556		0.31	0.003	0.56	6.77	1.2	<0.2	<10	130	1.55	0.52	0.83	0.63	79.7	24.7	70
DD013557		0.32	0.001	0.05	2.92	1.4	<0.2	<10	40	3.14	2.32	0.20	0.03	112.5	22.6	46
DD013558		0.29	0.001	0.15	2.29	16.9	<0.2	<10	60	3.28	0.93	0.06	0.11	97.7	29.5	20
DD013559		0.30	0.001	0.11	3.25	3.3	<0.2	<10	90	2.82	1.76	0.20	0.04	85.9	21.3	69
DD013560		0.26	<0.001	0.07	3.39	5.0	<0.2	<10	100	2.11	0.64	0.27	0.33	44.4	22.8	56
DD013561		0.32	0.001	0.14	1.41	25.8	<0.2	<10	40	2.11	1.44	0.53	0.09	43.9	7.3	15
DD013562		0.27	0.006	0.62	2.55	9.5	<0.2	<10	70	2.93	0.94	1.95	2.60	43.8	11.4	29
DD013563		0.30	0.007	0.37	1.71	18.5	<0.2	<10	40	1.75	0.83	0.39	0.31	88.4	11.3	23
DD013564		0.28	0.002	0.12	2.64	5.3	<0.2	<10	60	1.09	0.71	0.12	0.09	44.7	9.8	46
DD013565		0.27	0.001	0.07	3.84	4.9	<0.2	<10	110	1.54	1.01	0.28	0.07	58.9	19.1	69
DD013566		0.27	0.001	0.11	3.30	7.2	<0.2	<10	90	1.83	1.00	0.23	0.07	76.2	18.7	45
DD013567		0.35	0.006	0.63	3.29	6.0	<0.2	<10	90	3.29	0.57	0.65	0.05	104.0	17.3	41
DD013568		0.31	0.001	0.12	3.35	1.0	<0.2	<10	60	1.58	0.21	0.55	0.01	65.9	16.6	59
DD013569		0.33	<0.001	0.33	4.32	12.8	<0.2	<10	110	1.19	0.55	0.13	0.10	63.8	21.5	50
DD013570		0.25	<0.001	0.12	3.31	15.9	<0.2	<10	160	1.07	0.45	0.14	0.15	49.0	18.9	50
DD013571		0.28	0.001	0.28	4.03	48.3	<0.2	<10	110	1.23	0.59	0.12	0.31	53.8	17.8	57
DD013572		0.23	0.002	0.16	2.08	62.5	<0.2	<10	70	0.48	0.79	0.06	0.17	50.0	10.8	34
DD013573		0.31	0.003	0.26	3.57	33.1	<0.2	<10	110	0.98	0.55	0.36	0.80	107.5	27.0	44
DD013574		0.28	<0.001	0.10	4.33	20.3	<0.2	<10	90	1.34	0.56	0.52	0.48	71.2	23.0	47
DD013575		0.28	<0.001	0.24	2.78	8.1	<0.2	<10	70	1.42	0.91	0.83	0.60	117.0	21.0	44
DD013576		0.28	0.001	0.10	3.64	2.5	<0.2	<10	80	0.74	0.59	6.70	0.20	54.1	21.3	55
DD013577		0.33	<0.001	0.16	2.76	7.4	<0.2	<10	110	1.02	0.55	3.23	0.17	92.9	21.8	51
DD013578		0.28	0.001	0.15	2.14	12.3	<0.2	<10	70	0.69	0.67	1.71	0.45	111.0	20.6	35
DD013579		0.29	<0.001	0.15	2.22	21.8	<0.2	<10	70	0.63	0.56	0.67	0.25	89.6	20.5	36
DD013580		0.29	0.002	0.14	1.91	28.8	<0.2	<10	60	0.48	0.54	0.44	0.27	106.5	20.8	30



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 31- AUG- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188776

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
DD013541		5.77	19.6	3.91	10.15	0.13	0.02	0.03	0.034	0.22	44.9	65.5	0.85	422	0.35
DD013542		2.87	23.1	3.93	7.50	0.13	0.03	0.01	0.027	0.12	42.6	46.5	0.85	440	0.25
DD013543		2.67	23.1	3.75	7.52	0.13	0.03	0.01	0.026	0.13	43.5	48.2	0.88	412	0.22
DD013544		2.04	21.1	3.53	5.86	0.10	0.03	0.01	0.017	0.11	31.1	38.5	0.75	533	0.24
DD013545		4.52	27.3	4.19	8.46	0.13	0.03	<0.01	0.025	0.22	46.4	53.4	0.92	577	0.26
DD013546		5.48	25.5	4.13	9.90	0.12	0.03	<0.01	0.028	0.28	41.5	58.2	0.98	850	0.25
DD013547		4.42	23.3	4.10	8.05	0.13	0.04	0.01	0.023	0.18	36.3	54.1	0.92	579	0.27
DD013548		6.61	31.7	4.40	8.27	0.15	0.02	0.02	0.037	0.31	62.2	51.8	0.86	719	0.35
DD013549		10.45	25.5	5.20	13.25	0.15	0.02	<0.01	0.032	0.67	52.5	105.0	1.43	1620	0.22
DD013550		6.48	23.1	5.06	8.98	0.12	0.02	0.02	0.039	0.20	56.2	72.1	1.02	708	0.25
DD013551		7.63	12.9	4.48	11.20	0.09	<0.02	0.02	0.029	0.27	41.9	82.7	1.05	610	0.31
DD013552		6.70	20.3	4.50	13.35	0.10	0.02	0.02	0.043	0.17	36.3	66.8	1.06	1040	0.45
DD013553		7.21	38.9	5.57	14.15	0.09	0.02	0.02	0.038	0.23	31.9	78.5	1.27	397	0.34
DD013554		7.24	23.1	5.24	13.90	0.11	0.03	0.01	0.062	0.19	42.4	73.4	1.11	1380	0.31
DD013555		3.38	25.7	3.43	11.95	0.08	0.02	0.06	0.029	0.06	22.7	20.1	0.30	3140	0.19
DD013556		18.55	27.3	5.71	18.70	0.22	0.02	<0.01	0.041	0.90	40.9	150.0	1.79	814	0.17
DD013557		11.35	32.6	5.40	11.00	0.13	<0.02	<0.01	0.034	0.15	60.0	89.5	0.93	949	1.11
DD013558		8.68	20.3	8.04	6.03	0.11	0.03	0.01	0.053	0.08	46.5	49.0	0.61	2900	0.88
DD013559		8.74	20.6	4.97	13.20	0.12	<0.02	0.01	0.047	0.40	48.9	60.9	1.02	1060	0.37
DD013560		17.55	18.7	4.64	12.90	0.08	<0.02	0.02	0.038	0.37	21.6	109.5	1.06	822	0.42
DD013561		11.00	25.4	3.72	4.06	0.05	<0.02	0.01	0.055	0.08	26.5	19.3	0.17	301	0.31
DD013562		13.60	34.4	3.34	8.80	0.08	0.02	0.03	0.062	0.08	26.3	41.9	0.50	607	0.33
DD013563		8.84	22.8	3.57	5.68	0.09	0.02	0.01	0.124	0.06	34.5	43.8	0.52	472	0.37
DD013564		9.39	23.9	3.88	10.50	0.07	<0.02	0.01	0.049	0.25	23.6	63.6	0.80	279	0.71
DD013565		12.10	25.7	4.31	12.60	0.10	<0.02	0.01	0.062	0.43	26.5	80.0	1.16	369	0.36
DD013566		11.25	39.6	4.18	10.40	0.13	0.02	0.01	0.064	0.30	43.0	63.4	0.99	505	0.33
DD013567		6.24	39.2	4.21	10.45	0.23	0.02	0.05	0.045	0.18	97.1	76.7	0.96	807	0.28
DD013568		8.46	13.5	4.21	13.60	0.12	<0.02	<0.01	0.037	0.55	35.4	86.0	1.20	317	0.10
DD013569		7.10	24.4	4.58	12.10	0.11	0.03	0.02	0.050	0.30	26.5	83.0	1.10	337	0.29
DD013570		8.03	17.4	4.29	12.45	0.08	<0.02	0.02	0.029	0.40	23.7	74.7	0.99	217	0.31
DD013571		7.94	20.3	4.67	14.70	0.10	0.03	0.02	0.040	0.36	25.4	75.9	1.03	337	0.45
DD013572		4.64	16.9	4.38	9.80	0.07	<0.02	0.02	0.041	0.13	25.7	48.9	0.72	230	0.45
DD013573		8.15	20.6	4.40	11.55	0.12	<0.02	0.01	0.043	0.37	38.5	81.2	1.08	611	0.22
DD013574		5.76	23.0	4.41	14.30	0.11	0.02	0.03	0.031	0.24	36.0	73.6	0.90	1020	0.37
DD013575		7.19	26.7	5.14	10.50	0.14	0.02	0.01	0.073	0.21	66.8	60.8	1.06	1170	0.25
DD013576		7.67	28.2	4.47	12.20	0.12	0.02	<0.01	0.031	0.50	32.1	58.4	1.16	580	0.20
DD013577		7.82	30.6	4.31	10.60	0.12	0.04	0.01	0.037	0.44	50.0	60.3	1.15	570	0.18
DD013578		5.13	26.6	4.27	7.36	0.14	0.03	0.02	0.045	0.13	62.3	42.0	0.77	702	0.29
DD013579		3.72	25.8	4.17	7.61	0.12	0.03	0.02	0.034	0.11	50.8	43.4	0.83	693	0.28
DD013580		2.67	29.2	4.33	6.38	0.12	0.03	0.01	0.030	0.11	47.4	38.2	0.78	919	0.40



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 31- AUG- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188776

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
DD013541		2.61	37.8	660	13.9	41.5	<0.001	0.03	0.25	4.6	0.8	1.3	93.3	0.01	0.01
DD013542		1.34	37.9	580	23.3	18.0	<0.001	0.03	0.15	3.9	0.5	0.7	76.9	<0.01	0.02
DD013543		1.28	36.4	630	14.7	16.7	<0.001	0.02	0.12	3.5	0.4	0.7	67.9	<0.01	0.01
DD013544		1.17	34.3	660	26.4	14.4	<0.001	<0.01	0.17	2.7	0.4	0.5	64.4	<0.01	0.02
DD013545		1.44	42.8	680	25.3	29.9	<0.001	<0.01	0.15	4.5	0.5	0.9	120.5	<0.01	0.02
DD013546		2.31	46.1	600	32.2	39.3	<0.001	0.01	0.11	5.2	0.6	1.3	88.6	<0.01	0.01
DD013547		1.88	46.6	730	37.7	26.1	<0.001	0.01	0.22	4.1	0.8	0.9	139.5	<0.01	0.03
DD013548		1.85	46.1	770	49.7	49.8	<0.001	<0.01	3.12	5.6	1.1	1.3	95.9	<0.01	0.04
DD013549		1.97	59.7	1100	13.8	63.9	<0.001	0.02	0.17	7.0	0.5	1.5	127.0	<0.01	0.06
DD013550		1.91	47.5	710	15.6	22.6	<0.001	0.01	1.27	4.7	0.6	1.1	29.0	<0.01	0.02
DD013551		2.96	40.8	690	28.5	29.9	<0.001	0.04	0.18	4.2	0.4	1.3	48.6	<0.01	0.03
DD013552		5.24	40.8	700	26.0	34.7	<0.001	0.03	0.25	6.0	1.1	1.3	157.5	0.01	0.01
DD013553		4.65	51.1	390	11.8	28.6	<0.001	0.04	0.11	7.4	0.3	2.2	69.8	0.01	0.01
DD013554		1.41	44.0	450	14.9	26.2	<0.001	0.01	0.08	9.0	0.6	1.9	144.0	<0.01	0.02
DD013555		1.81	51.1	1280	22.6	10.2	<0.001	0.07	0.05	2.8	1.1	0.6	307	0.01	0.04
DD013556		5.36	66.8	370	9.4	111.5	<0.001	0.01	<0.05	10.6	1.0	1.9	197.0	0.01	0.02
DD013557		1.72	41.1	280	26.5	23.1	<0.001	<0.01	0.51	6.2	0.6	2.1	22.1	<0.01	0.07
DD013558		0.52	52.6	400	30.7	26.2	0.001	0.02	46.6	5.2	0.6	1.9	12.0	<0.01	0.02
DD013559		4.53	37.7	310	91.4	36.5	<0.001	0.04	0.57	8.0	0.4	1.9	19.3	<0.01	0.07
DD013560		6.72	39.9	320	9.7	92.7	<0.001	0.02	0.29	5.7	<0.2	2.2	34.8	0.01	0.04
DD013561		0.54	20.3	380	9.9	22.6	<0.001	0.06	7.26	3.6	0.3	4.3	74.2	<0.01	<0.01
DD013562		2.50	28.6	870	14.3	22.4	<0.001	0.05	1.03	3.1	0.8	3.1	167.0	0.01	0.01
DD013563		0.90	33.0	510	11.9	10.8	<0.001	0.02	4.57	5.2	0.5	4.9	41.2	<0.01	<0.01
DD013564		2.87	30.3	340	15.1	45.1	<0.001	0.06	0.22	4.9	0.2	2.7	44.8	<0.01	0.02
DD013565		6.20	44.9	410	8.5	56.1	<0.001	0.02	0.15	6.7	0.5	2.8	70.8	<0.01	0.03
DD013566		2.93	41.9	240	11.2	51.4	<0.001	0.02	0.39	5.8	1.0	2.6	61.1	<0.01	0.02
DD013567		2.10	43.5	1030	14.3	27.5	<0.001	0.05	0.12	4.7	2.5	1.2	54.9	0.01	0.02
DD013568		2.08	38.2	250	5.1	54.9	<0.001	0.02	<0.05	7.9	0.6	1.8	104.5	<0.01	<0.01
DD013569		3.04	58.3	350	13.9	32.8	<0.001	0.22	0.08	6.0	0.8	1.5	67.4	0.01	0.02
DD013570		4.03	50.3	330	12.0	45.5	<0.001	0.02	0.09	5.6	<0.2	1.8	67.2	<0.01	0.01
DD013571		5.17	42.5	320	12.1	50.5	<0.001	0.03	0.16	6.9	0.4	2.1	75.7	0.01	0.02
DD013572		2.83	31.0	460	16.4	20.8	<0.001	0.01	0.17	2.8	0.2	1.6	14.3	<0.01	0.04
DD013573		3.84	67.6	710	16.1	41.7	<0.001	0.02	0.15	4.8	0.6	1.3	97.6	0.01	0.02
DD013574		4.36	40.0	1000	20.6	37.7	<0.001	0.05	0.23	5.8	0.6	1.5	140.5	0.01	0.02
DD013575		2.25	41.4	800	23.1	35.5	<0.001	0.02	1.42	7.8	1.2	2.1	105.5	0.01	0.01
DD013576		1.65	42.1	760	12.0	68.1	<0.001	0.02	0.05	8.0	0.2	3.7	632	<0.01	0.03
DD013577		2.14	41.0	850	17.6	50.1	<0.001	0.01	0.12	6.7	1.1	1.6	260	0.01	0.04
DD013578		1.88	38.8	880	33.7	19.8	<0.001	0.04	0.16	4.9	1.5	1.2	163.0	<0.01	0.03
DD013579		1.69	38.9	760	31.3	20.2	0.001	0.03	0.22	4.2	1.6	1.1	94.3	<0.01	0.05
DD013580		1.37	44.9	800	51.2	16.1	<0.001	0.02	0.25	3.6	1.4	0.7	61.2	<0.01	0.06



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 3 - D
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 31- AUG- 2012
 Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188776

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm	W- XRF05 W ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5	10
DD013541		0.049	0.22	3.48	30	0.27	21.3	182	<0.5	
DD013542		0.029	0.13	1.23	22	0.20	19.50	114	0.9	
DD013543		0.027	0.13	1.09	20	0.13	16.85	101	1.1	
DD013544		0.020	0.09	1.05	17	0.12	13.75	109	1.0	
DD013545		0.032	0.17	1.24	26	0.13	20.3	128	0.9	
DD013546		0.043	0.24	1.34	30	0.15	16.55	145	0.7	
DD013547		0.035	0.17	1.36	24	0.11	16.80	164	1.1	
DD013548		0.028	0.30	2.18	27	0.16	30.0	214	0.5	
DD013549		0.048	0.39	1.33	46	0.13	17.60	120	<0.5	
DD013550		0.026	0.20	1.30	30	0.15	13.90	150	0.8	
DD013551		0.048	0.22	1.40	42	0.18	11.55	119	<0.5	
DD013552		0.103	0.18	2.44	43	0.29	19.40	179	0.5	
DD013553		0.059	0.32	1.63	42	0.43	13.55	105	0.7	
DD013554		0.017	0.18	1.96	50	0.11	19.45	95	0.7	
DD013555		0.029	0.11	0.98	20	0.21	31.2	387	0.5	
DD013556		0.151	0.80	2.10	49	0.32	28.6	460	0.7	
DD013557		0.037	0.31	1.86	35	0.31	12.05	93	<0.5	
DD013558		<0.005	0.38	1.86	18	0.42	14.40	137	0.5	
DD013559		0.118	0.36	1.49	58	0.29	11.25	95	<0.5	
DD013560		0.136	0.40	1.06	53	0.69	5.45	214	<0.5	
DD013561		<0.005	0.56	1.10	19	1.30	6.46	157	<0.5	
DD013562		0.053	0.33	1.42	31	11.45	18.60	990	0.6	
DD013563		0.017	0.33	1.25	20	8.88	16.80	371	0.6	
DD013564		0.072	0.22	1.05	52	0.53	4.79	111	<0.5	
DD013565		0.117	0.39	1.39	58	0.58	10.35	125	<0.5	
DD013566		0.069	0.42	4.12	35	0.32	19.05	154	0.5	
DD013567		0.056	0.21	7.70	32	0.14	51.7	114	<0.5	
DD013568		0.128	0.35	1.57	44	0.22	16.75	87	<0.5	
DD013569		0.071	0.31	1.74	38	0.22	13.30	131	0.9	
DD013570		0.081	0.28	1.14	43	0.30	11.45	111	<0.5	
DD013571		0.086	0.30	1.43	47	0.32	11.60	172	1.0	
DD013572		0.036	0.17	0.87	34	0.25	5.16	152	<0.5	
DD013573		0.061	0.30	1.66	39	0.28	15.50	587	<0.5	
DD013574		0.078	0.24	1.85	42	0.26	19.90	175	0.5	
DD013575		0.035	0.29	2.27	36	0.18	33.5	292	<0.5	
DD013576		0.087	0.43	1.43	45	0.22	18.45	169	0.6	
DD013577		0.046	0.32	1.40	38	1.62	24.1	150	1.1	
DD013578		0.030	0.13	2.07	26	0.17	28.2	254	0.9	
DD013579		0.030	0.14	1.97	26	0.14	24.9	183	0.8	
DD013580		0.025	0.10	2.06	20	0.26	21.0	160	1.0	



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.

C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED

1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Say Yea Soil

Page: 4 - A

Total # Pages: 4 (A - D)

Plus Appendix Pages

Finalized Date: 31- AUG- 2012

Account: MTT

CERTIFICATE OF ANALYSIS WH12188776

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD013581		0.27	0.001	0.14	2.10	23.5	<0.2	<10	60	0.41	0.49	0.34	0.10	79.5	16.0	29
DD013582		0.31	0.001	0.37	1.92	27.8	<0.2	<10	70	1.87	1.92	0.66	0.89	51.7	9.7	28
DD013583		0.38	0.002	0.44	1.48	19.9	<0.2	<10	60	2.82	3.23	0.31	1.73	49.5	8.8	23
DD013584		0.36	<0.001	1.36	1.90	35.7	<0.2	<10	60	4.48	5.70	0.40	2.48	54.3	7.7	22
DD013585		0.37	0.002	0.53	1.14	13.0	<0.2	<10	40	1.77	3.04	0.19	0.75	53.7	4.1	14
DD013586		0.38	0.002	0.08	2.38	14.8	<0.2	<10	70	0.45	0.50	0.30	0.06	67.9	13.8	34
DD013587		0.37	0.001	0.14	2.27	34.5	<0.2	<10	80	0.48	0.56	0.51	0.07	70.4	15.2	34
DD013588		0.33	0.002	0.18	2.41	31.0	<0.2	<10	80	0.55	0.68	0.88	0.15	85.5	19.2	35
DD013589		0.38	0.002	0.17	2.69	17.2	<0.2	<10	90	0.67	0.72	1.93	0.21	88.5	21.1	41
DD013590		0.38	0.002	0.17	2.83	14.9	<0.2	<10	110	0.82	0.69	1.57	0.25	84.1	21.0	44
DD013591		0.35	0.003	0.09	3.33	13.5	<0.2	<10	110	0.85	0.61	0.97	0.12	81.4	26.8	56
DD013592		0.37	0.003	0.08	3.19	20.3	<0.2	<10	110	0.82	0.65	0.36	0.12	74.8	22.9	41
DD013593		0.43	0.001	0.07	3.68	11.0	<0.2	<10	90	0.96	0.43	0.70	0.09	63.1	18.6	48
DD013594		0.40	0.002	0.10	3.61	31.8	<0.2	<10	80	0.94	0.67	0.35	0.12	60.8	19.7	46
DD013595		0.38	0.001	0.05	3.53	46.1	<0.2	<10	90	0.96	0.56	0.36	0.07	64.4	19.6	43
DD013596		0.36	0.001	0.04	3.06	24.9	<0.2	<10	70	0.94	0.72	0.20	0.14	61.6	16.6	42
DD013597		0.31	<0.001	0.06	3.38	16.8	<0.2	<10	110	0.78	1.07	0.42	0.20	52.4	17.9	45
DD013598		0.36	0.002	0.07	2.69	7.7	<0.2	<10	80	2.04	0.92	0.10	0.14	63.4	18.3	42
DD013599		0.31	<0.001	0.05	1.77	9.3	<0.2	<10	40	0.75	2.44	0.03	0.08	49.4	11.8	26
DD013600		0.38	0.002	0.13	2.57	7.1	<0.2	<10	60	2.09	0.68	0.06	0.08	55.1	14.9	39
DD013601		0.24	0.007	0.08	1.51	8.1	<0.2	<10	40	0.83	0.89	0.03	0.17	43.1	11.9	26
DD013602		0.25	0.001	0.14	1.21	6.0	<0.2	<10	60	1.31	0.80	0.14	1.07	47.6	18.5	20
DD013603		0.36	0.020	0.46	1.11	286	<0.2	<10	30	2.57	0.39	0.21	0.17	82.4	16.2	11
DD013604		0.34	0.002	0.19	1.97	23.7	<0.2	<10	70	1.64	0.89	0.14	0.73	40.4	9.4	33
DD013605		0.30	0.001	0.37	2.34	7.9	<0.2	<10	50	3.20	7.00	0.32	1.39	43.9	8.9	33
DD013606		0.35	0.001	0.17	2.20	20.4	<0.2	<10	50	2.08	3.30	0.92	1.46	43.4	12.9	29
DD013607		0.34	0.001	0.34	2.69	12.7	<0.2	<10	90	1.56	1.01	0.31	0.46	48.0	12.9	46
DD013608		0.28	0.001	0.23	1.67	18.0	<0.2	<10	60	1.92	0.55	0.06	0.26	60.1	13.8	32
DD013609		0.23	0.001	0.12	1.86	7.5	<0.2	<10	80	1.55	0.65	0.10	0.87	37.1	8.5	29
DD013610		0.28	0.002	0.15	2.55	11.2	<0.2	<10	90	1.46	1.23	0.09	0.44	43.0	18.8	48
DD013611		0.28	0.002	0.10	2.85	8.2	<0.2	<10	110	1.30	0.99	0.06	0.11	48.5	13.8	40
DD013612		0.30	<0.001	0.12	3.17	4.0	<0.2	<10	70	1.99	0.74	0.07	0.09	62.9	17.9	48
DD013613		0.43	0.002	0.07	2.35	10.1	<0.2	<10	60	1.27	0.66	0.12	0.07	86.4	15.5	32
DD013614		0.37	0.002	0.06	3.68	24.8	<0.2	<10	130	0.98	0.65	0.29	0.20	62.8	20.7	46
DD013615		0.28	0.001	0.06	2.46	43.5	<0.2	<10	120	0.70	0.63	0.12	0.13	43.1	13.5	40
DD013616		0.31	0.001	0.06	3.81	43.7	<0.2	<10	90	1.08	0.69	0.33	0.14	75.4	20.9	44
DD013617		0.26	0.003	0.20	3.41	21.4	<0.2	<10	90	1.10	0.57	0.59	0.23	51.9	16.1	44
DD013618		0.34	0.002	0.11	3.65	12.4	<0.2	<10	80	1.11	0.71	0.65	0.14	81.8	22.3	49
DD013619		0.42	0.001	0.05	2.12	28.2	<0.2	<10	90	0.74	0.56	0.22	0.09	75.0	17.0	32
DD013620		0.38	0.002	0.06	2.80	18.6	<0.2	<10	110	0.85	1.03	0.33	0.12	112.5	21.9	45



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 31- AUG- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188776

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
DD013581		2.03	25.2	3.83	6.76	0.11	0.03	0.03	0.020	0.10	43.8	39.2	0.85	446	0.24
DD013582		9.35	25.6	2.82	7.64	0.06	0.03	<0.01	0.117	0.21	26.5	63.6	0.53	414	2.15
DD013583		10.30	23.9	2.88	8.02	0.08	<0.02	<0.01	0.168	0.22	25.5	64.4	0.43	584	3.26
DD013584		11.35	49.0	3.11	8.58	0.06	<0.02	0.01	0.254	0.26	28.6	59.5	0.34	817	3.25
DD013585		6.42	14.0	2.01	5.41	0.06	<0.02	<0.01	0.121	0.18	28.5	43.8	0.24	442	2.77
DD013586		2.83	21.2	3.95	7.57	0.10	0.03	<0.01	0.027	0.15	41.0	43.1	0.96	430	0.26
DD013587		3.00	22.6	3.90	7.37	0.09	0.03	<0.01	0.024	0.12	37.9	40.3	0.85	464	0.36
DD013588		3.56	30.7	4.11	7.80	0.12	0.03	0.01	0.044	0.16	48.1	43.3	0.90	536	0.32
DD013589		4.78	32.5	4.24	8.83	0.14	0.02	0.01	0.031	0.25	49.9	47.5	0.98	625	0.26
DD013590		5.50	29.6	4.37	9.77	0.11	0.03	<0.01	0.043	0.30	45.6	54.1	0.99	599	0.29
DD013591		6.88	37.0	4.82	11.30	0.13	0.03	<0.01	0.035	0.55	44.6	64.4	1.17	554	0.34
DD013592		6.53	23.2	4.28	11.35	0.08	0.02	<0.01	0.035	0.22	35.1	59.3	0.86	566	0.33
DD013593		7.23	22.7	4.50	12.25	0.10	<0.02	<0.01	0.032	0.41	29.4	68.4	1.12	524	0.27
DD013594		6.89	22.6	4.27	12.70	0.09	0.02	<0.01	0.038	0.30	27.1	68.8	1.00	355	0.30
DD013595		6.33	22.0	4.19	10.65	0.09	0.03	<0.01	0.028	0.29	30.3	60.1	1.00	376	0.25
DD013596		6.51	17.3	4.06	11.60	0.08	<0.02	<0.01	0.035	0.19	28.3	58.6	0.86	329	0.43
DD013597		7.28	20.5	4.41	13.60	0.08	0.02	<0.01	0.059	0.26	24.9	53.7	0.91	557	0.45
DD013598		9.63	33.8	4.45	10.25	0.07	<0.02	<0.01	0.038	0.21	27.3	71.9	0.90	684	0.49
DD013599		5.37	21.7	3.86	9.95	0.06	0.03	<0.01	0.041	0.12	25.2	31.7	0.50	322	0.76
DD013600		8.14	28.6	3.98	9.79	0.07	<0.02	<0.01	0.062	0.19	28.4	57.6	0.71	424	0.40
DD013601		10.85	29.8	4.25	8.65	0.06	<0.02	<0.01	0.051	0.11	23.2	27.3	0.39	345	0.93
DD013602		8.73	22.9	4.08	7.32	0.06	<0.02	<0.01	0.027	0.13	25.3	24.3	0.30	940	1.16
DD013603		11.35	27.0	3.27	3.34	0.09	<0.02	<0.01	0.068	0.08	45.0	17.6	0.13	393	0.36
DD013604		12.50	17.4	3.48	7.83	0.05	<0.02	<0.01	0.070	0.15	19.9	45.5	0.54	557	0.77
DD013605		32.3	31.7	4.14	9.99	0.05	<0.02	<0.01	0.586	0.20	22.3	64.3	0.53	642	26.4
DD013606		8.41	14.7	2.96	7.63	0.06	0.02	<0.01	1.010	0.07	20.8	49.2	0.61	832	0.52
DD013607		16.90	19.8	3.95	11.25	0.06	<0.02	<0.01	0.060	0.29	23.0	65.5	0.85	463	0.42
DD013608		10.60	25.7	3.99	7.21	0.06	<0.02	<0.01	0.036	0.26	29.3	30.2	0.43	565	0.59
DD013609		15.20	19.0	2.90	8.21	0.05	<0.02	<0.01	0.037	0.12	20.7	37.2	0.46	504	0.57
DD013610		28.7	19.0	3.75	11.05	0.06	<0.02	<0.01	0.030	0.28	22.7	65.6	0.76	724	0.59
DD013611		15.50	20.0	4.24	11.35	0.06	0.02	<0.01	0.071	0.27	25.4	55.5	0.67	331	0.49
DD013612		8.27	22.1	4.73	12.85	0.07	0.02	<0.01	0.051	0.18	32.9	83.8	0.99	684	1.02
DD013613		5.95	25.7	3.72	7.75	0.10	0.04	0.01	0.065	0.12	46.1	51.7	0.77	412	0.26
DD013614		9.37	26.2	4.30	11.00	0.11	0.06	0.01	0.050	0.41	26.7	64.9	1.07	434	0.32
DD013615		7.70	18.5	4.25	10.45	0.07	0.02	0.01	0.037	0.27	18.8	53.5	0.83	357	0.48
DD013616		7.69	21.1	4.42	11.20	0.10	0.04	0.02	0.044	0.24	30.1	69.8	0.94	512	0.36
DD013617		5.53	22.4	3.73	11.50	0.09	0.04	0.03	0.037	0.12	28.9	66.7	0.87	605	0.42
DD013618		10.00	29.5	5.00	12.45	0.14	0.04	0.01	0.042	0.40	41.1	103.5	1.39	477	0.25
DD013619		4.47	20.7	4.13	7.07	0.09	0.04	0.02	0.032	0.09	33.5	48.1	0.68	636	0.45
DD013620		6.29	18.9	4.56	9.20	0.12	0.04	0.01	0.039	0.22	40.5	74.9	1.03	536	0.27



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 31- AUG- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188776

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
DD013581		1.39	36.3	680	24.2	11.7	<0.001	0.02	0.11	3.0	0.8	0.5	48.9	<0.01	0.03
DD013582		4.31	17.9	480	23.4	76.4	<0.001	0.04	0.86	3.3	0.2	4.2	52.3	<0.01	0.02
DD013583		2.73	15.2	520	16.6	98.4	<0.001	0.03	0.74	2.3	0.4	5.8	27.2	<0.01	0.02
DD013584		3.26	14.8	590	27.8	138.5	0.001	0.02	0.55	2.2	0.5	7.0	33.0	<0.01	0.04
DD013585		3.33	7.1	440	14.8	67.1	<0.001	0.02	0.49	1.5	<0.2	3.7	19.6	<0.01	0.01
DD013586		1.39	34.3	650	16.5	16.7	<0.001	0.01	0.14	3.6	0.8	0.7	51.5	<0.01	0.02
DD013587		2.01	34.5	870	21.4	14.7	0.001	0.03	0.19	3.3	0.6	0.9	61.3	<0.01	0.04
DD013588		2.10	42.2	850	25.9	22.1	<0.001	0.02	0.38	4.0	0.9	1.0	104.5	<0.01	0.05
DD013589		2.53	43.5	870	21.9	32.4	<0.001	0.03	0.23	4.9	1.2	1.2	194.5	<0.01	0.05
DD013590		2.88	42.6	890	24.8	37.0	<0.001	0.03	0.33	5.3	1.0	1.6	163.0	<0.01	0.05
DD013591		2.65	53.6	1020	13.8	57.0	0.001	0.03	0.20	6.4	1.1	1.5	154.0	0.01	0.05
DD013592		3.30	39.4	670	17.0	29.0	0.001	0.02	0.19	4.9	0.7	1.5	70.0	0.01	0.05
DD013593		4.02	38.2	540	9.8	51.7	<0.001	0.03	0.18	5.8	0.8	1.4	141.5	0.01	0.02
DD013594		4.51	39.4	510	13.0	38.2	<0.001	0.02	0.30	5.7	0.5	1.7	83.4	0.01	0.03
DD013595		3.70	38.5	470	10.9	34.2	0.001	0.02	0.11	5.6	0.8	1.4	87.9	0.01	0.03
DD013596		3.95	34.4	430	12.4	31.0	<0.001	0.02	0.25	4.8	1.1	1.5	54.3	0.01	0.03
DD013597		4.66	36.3	590	16.0	34.0	<0.001	0.03	0.18	5.1	0.5	2.1	58.7	0.01	0.03
DD013598		2.46	40.0	660	13.3	30.8	0.001	0.04	0.57	3.8	0.2	1.6	16.9	<0.01	0.04
DD013599		3.17	23.7	280	12.4	24.8	<0.001	0.01	0.67	2.7	0.4	2.1	9.6	<0.01	0.03
DD013600		3.32	33.1	390	14.0	31.2	<0.001	0.02	0.32	4.2	0.3	1.7	15.9	<0.01	0.04
DD013601		3.18	31.9	450	11.3	26.9	<0.001	0.02	0.68	2.4	0.5	2.5	8.9	<0.01	0.06
DD013602		2.43	27.6	700	25.1	56.8	0.001	0.03	3.38	2.2	0.4	1.9	19.5	<0.01	0.03
DD013603		0.54	39.1	320	210	27.6	<0.001	0.01	14.50	5.9	0.5	4.8	12.5	<0.01	0.01
DD013604		1.82	23.0	420	43.5	42.6	<0.001	0.03	3.24	3.0	0.4	3.3	22.3	<0.01	0.02
DD013605		2.28	15.0	420	16.0	71.5	<0.001	0.02	1.22	3.9	<0.2	12.3	21.7	<0.01	0.03
DD013606		2.65	22.3	480	39.2	18.1	<0.001	0.03	1.05	3.7	0.3	11.3	62.3	<0.01	0.02
DD013607		4.03	34.1	580	18.9	57.9	0.001	0.03	0.89	5.1	0.5	2.9	48.7	<0.01	0.03
DD013608		1.35	31.0	800	20.0	53.6	<0.001	0.06	3.20	2.2	0.6	1.5	26.5	<0.01	0.03
DD013609		1.35	20.7	640	9.9	37.3	<0.001	0.04	0.28	0.9	0.5	2.2	16.8	<0.01	0.03
DD013610		3.28	27.6	800	19.5	104.5	<0.001	0.05	0.69	2.2	0.4	2.3	10.7	<0.01	0.07
DD013611		4.46	30.5	360	12.8	56.3	0.001	0.02	0.45	4.1	0.6	3.0	23.8	<0.01	0.04
DD013612		4.72	37.8	310	19.4	22.6	<0.001	0.02	0.26	5.4	0.2	1.8	9.6	<0.01	0.02
DD013613		1.94	35.6	470	13.9	18.2	<0.001	0.01	0.38	3.8	0.5	1.4	23.4	0.01	0.02
DD013614		4.67	46.5	610	14.5	45.0	<0.001	0.02	0.11	5.9	0.6	1.5	65.4	0.01	0.02
DD013615		3.56	35.4	380	11.3	39.2	<0.001	0.03	0.17	4.1	0.4	1.6	31.6	0.01	0.02
DD013616		5.06	44.9	630	15.3	32.4	<0.001	0.03	0.15	5.7	0.6	1.4	81.6	0.01	0.03
DD013617		4.06	33.3	1010	16.2	18.8	<0.001	0.07	0.40	4.5	0.7	1.4	91.9	0.01	0.02
DD013618		3.42	45.8	390	13.2	48.3	<0.001	0.02	0.14	7.5	0.6	1.6	123.0	0.01	0.03
DD013619		2.07	34.4	540	16.9	15.6	<0.001	0.02	0.47	3.6	0.5	1.1	37.1	0.01	0.03
DD013620		3.49	46.8	690	22.6	26.3	<0.001	0.02	0.21	5.2	0.6	1.6	67.8	0.01	0.08



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - D
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 31- AUG- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188776

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm	W- XRF05 W ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5	10
DD013581		0.021	0.09	1.21	19	0.11	19.75	110	1.0	
DD013582		0.059	0.33	12.15	27	7.88	8.05	461	0.7	
DD013583		0.049	0.27	3.60	26	12.00	5.73	699	<0.5	
DD013584		0.035	0.32	6.75	26	11.45	6.73	711	<0.5	
DD013585		0.026	0.29	3.95	16	9.90	6.45	253	<0.5	
DD013586		0.027	0.11	1.23	22	0.17	18.00	112	0.8	
DD013587		0.030	0.11	1.44	24	0.15	15.70	116	0.8	
DD013588		0.026	0.15	1.38	24	0.15	22.7	155	0.8	
DD013589		0.038	0.23	1.32	29	0.18	24.4	179	0.9	
DD013590		0.040	0.24	1.47	32	0.23	22.4	188	0.7	
DD013591		0.066	0.35	1.62	41	0.26	23.8	145	1.0	
DD013592		0.040	0.20	1.29	34	0.30	12.70	140	<0.5	
DD013593		0.076	0.29	1.67	36	0.23	13.45	126	0.5	
DD013594		0.063	0.27	1.55	36	0.28	12.45	184	0.6	
DD013595		0.063	0.26	1.60	32	0.24	13.70	110	1.0	
DD013596		0.063	0.19	1.49	37	0.36	11.60	109	<0.5	
DD013597		0.080	0.22	1.32	40	1.24	11.60	218	0.5	
DD013598		0.044	0.20	1.59	35	0.59	8.81	169	<0.5	
DD013599		0.048	0.25	1.11	34	1.24	5.08	116	0.9	
DD013600		0.055	0.22	1.66	33	0.40	7.29	116	<0.5	
DD013601		0.052	0.21	1.22	40	0.91	5.41	135	<0.5	
DD013602		0.043	0.19	1.34	31	1.58	6.01	140	<0.5	
DD013603		<0.005	0.30	1.48	13	2.81	10.80	232	<0.5	
DD013604		0.027	0.28	0.91	36	10.25	5.06	452	<0.5	
DD013605		0.039	0.61	1.50	43	21.3	4.50	1560	<0.5	
DD013606		0.043	0.19	1.38	27	21.3	7.25	2200	0.6	
DD013607		0.061	0.25	1.19	43	3.36	7.32	456	<0.5	
DD013608		0.042	0.41	1.47	41	0.67	7.01	151	<0.5	
DD013609		0.032	0.21	1.01	35	1.27	4.63	239	<0.5	
DD013610		0.062	0.35	1.57	50	0.94	4.34	153	<0.5	
DD013611		0.057	0.28	1.21	39	0.48	6.69	131	0.6	
DD013612		0.058	0.24	1.07	44	0.45	6.94	135	0.5	
DD013613		0.031	0.24	1.72	25	0.21	15.05	118	0.5	
DD013614		0.086	0.39	1.81	34	0.35	13.10	150	1.7	
DD013615		0.061	0.23	1.19	36	0.37	7.67	118	<0.5	
DD013616		0.054	0.26	1.96	34	0.27	14.65	148	0.7	
DD013617		0.062	0.19	2.83	37	0.27	17.20	169	0.6	
DD013618		0.069	0.35	1.85	37	0.58	17.95	191	0.6	
DD013619		0.025	0.19	1.93	28	1.27	12.10	110	0.6	
DD013620		0.047	0.24	1.55	33	0.20	16.60	186	0.6	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Say Yea Soil

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 31- AUG- 2012
Account: MTT

CERTIFICATE OF ANALYSIS WH12188776

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 28- AUG- 2012
Account: MTT

CERTIFICATE WH12188777

Project: Say Yea Soil
P.O. No.: Batch 3
This report is for 159 Soil samples submitted to our lab in Whitehorse, YT, Canada on 13- AUG- 2012.

The following have access to data associated with this certificate:

SARAH EATON

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/ o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES


ALS CODE	DESCRIPTION	INSTRUMENT
W- XRF05	Trace Level W XRF Analysis	XRF
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 28- AUG- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188777

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD013622		0.44	0.001	0.07	2.85	12.7	<0.2	<10	90	0.85	0.51	0.49	0.10	94.5	22.9	41
DD013623		0.53	0.001	0.28	2.62	17.9	<0.2	<10	80	0.77	0.95	1.85	0.27	105.0	20.8	41
DD013624		0.26	0.003	0.17	2.03	17.6	<0.2	<10	100	0.59	0.54	1.31	0.14	66.1	14.8	30
DD013625		0.33	0.001	0.14	1.93	22.7	<0.2	<10	60	0.51	0.52	0.72	0.15	70.3	16.2	29
DD013626		0.32	0.002	0.10	2.07	22.0	<0.2	<10	70	0.61	0.54	0.55	0.11	85.8	16.7	32
DD013627		0.37	0.003	0.36	1.19	8.3	<0.2	<10	40	2.41	4.14	0.23	0.70	58.1	3.9	12
DD013628		0.34	0.009	1.26	1.75	8.6	<0.2	<10	70	2.91	5.22	0.19	1.60	65.4	5.9	11
DD013629		0.40	0.001	0.23	0.89	3.5	<0.2	<10	30	0.79	2.68	0.12	0.24	64.3	2.4	9
DD013630		0.37	0.001	0.39	1.21	5.4	<0.2	<10	40	1.07	2.87	0.13	0.25	58.3	4.2	14
DD013631		0.30	0.001	0.46	1.09	5.3	<0.2	<10	50	1.45	2.67	0.54	2.07	40.1	5.1	12
DD013632		0.44	0.001	0.53	1.23	16.7	<0.2	<10	50	1.67	3.57	0.16	0.62	58.8	4.3	11
DD013633		0.35	0.001	0.54	1.17	7.3	<0.2	<10	50	1.56	2.63	0.15	0.57	56.9	4.4	11
DD013634		0.39	0.001	0.50	1.63	13.0	<0.2	<10	50	2.26	3.87	0.20	0.40	62.3	5.1	16
DD013635		0.42	<0.001	0.48	1.05	4.2	<0.2	<10	50	1.02	3.15	0.11	0.18	62.7	3.6	12
DD013636		0.34	0.002	0.38	1.44	6.6	<0.2	<10	50	1.94	3.70	0.27	0.55	63.3	6.5	15
DD013637		0.32	<0.001	0.80	1.04	4.9	<0.2	<10	100	1.39	4.22	0.12	0.42	64.1	4.9	9
DD013638		0.35	0.001	0.46	1.22	5.7	<0.2	<10	40	1.23	3.58	0.17	0.23	64.0	4.8	13
DD013639		0.35	0.001	0.27	1.23	3.8	<0.2	<10	50	1.37	3.41	0.25	0.32	71.2	4.8	12
DD013640		0.35	0.002	0.07	1.63	4.7	<0.2	<10	70	1.57	3.84	0.28	0.13	76.6	6.3	17
DD013641		0.36	0.002	0.11	1.20	3.3	<0.2	<10	30	1.46	3.23	0.13	0.27	53.4	3.8	14
DD013642		0.44	0.005	1.10	2.06	36.8	<0.2	<10	60	8.57	2.32	0.47	5.70	78.4	9.8	30
DD013643		0.37	0.001	0.38	1.68	6.2	<0.2	<10	50	1.65	2.86	0.22	1.74	52.3	5.8	21
DD013644		0.32	0.002	0.17	1.75	28.1	<0.2	<10	50	2.79	5.01	0.24	1.26	53.8	8.4	25
DD013645		0.44	0.001	0.31	1.15	5.4	<0.2	<10	30	2.03	2.64	0.20	0.15	82.0	3.4	13
DD013646		0.38	0.001	0.18	3.35	16.4	<0.2	<10	100	2.23	3.65	0.16	0.66	54.7	12.2	38
DD013647		0.47	0.001	0.17	2.89	10.9	<0.2	<10	60	3.78	2.32	0.41	0.27	76.5	12.4	40
DD013648		0.40	0.001	0.17	2.09	5.2	<0.2	<10	70	3.66	3.34	0.30	0.69	56.1	8.8	27
DD013649		0.31	0.012	0.35	1.79	24.6	<0.2	<10	50	4.65	7.21	0.49	0.52	62.1	6.2	21
DD013650		0.46	0.001	0.12	1.17	3.8	<0.2	<10	20	1.57	3.63	0.13	0.09	64.2	2.4	8
DD013651		0.33	0.002	0.11	1.44	9.7	<0.2	<10	50	1.42	2.22	0.33	0.17	43.6	8.0	26
DD013652		0.41	0.001	0.05	1.25	3.3	<0.2	<10	30	1.26	3.37	0.15	0.11	48.9	3.5	13
DD013653		0.39	0.001	0.16	1.42	4.6	<0.2	<10	50	1.83	3.12	0.45	0.31	65.7	5.8	17
DD013654		0.29	0.001	0.52	1.11	4.8	<0.2	<10	50	1.35	3.25	0.24	0.22	54.3	3.3	11
DD013655		0.33	0.001	0.57	0.97	4.2	<0.2	<10	30	1.09	3.24	0.12	0.17	55.3	2.9	10
DD013656		0.33	0.001	0.39	1.09	5.4	<0.2	<10	30	0.99	4.12	0.11	0.21	42.0	3.8	12
DD013657		0.36	<0.001	0.12	1.25	2.7	<0.2	<10	40	0.90	3.07	0.20	0.20	43.2	4.7	15
DD013658		0.31	0.001	0.11	0.99	4.0	<0.2	<10	40	0.86	4.75	0.17	0.12	55.2	5.9	10
DD013659		0.37	0.001	0.22	1.04	4.1	<0.2	<10	50	0.94	5.16	0.19	0.14	61.7	4.9	10
DD013660		0.31	0.001	0.84	1.11	4.3	<0.2	<10	40	2.00	4.58	0.12	0.62	66.5	4.3	10
DD013661		0.29	0.001	0.59	0.87	4.8	<0.2	<10	50	0.80	4.55	0.11	0.31	52.1	2.3	8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 28- AUG- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188777

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
DD013622		9.25	26.6	4.55	9.61	0.14	0.04	0.01	0.032	0.45	40.0	78.8	1.17	542	0.24
DD013623		5.98	35.5	4.50	8.44	0.15	0.07	0.01	0.039	0.26	58.3	53.1	0.98	587	0.31
DD013624		3.45	22.6	3.30	6.72	0.10	0.05	0.04	0.029	0.09	38.0	39.3	0.68	653	0.39
DD013625		3.37	19.0	3.57	6.67	0.11	0.04	0.02	0.028	0.10	39.0	46.6	0.73	510	0.42
DD013626		3.66	20.8	3.95	6.95	0.11	0.05	0.02	0.031	0.12	41.6	51.0	0.78	590	0.55
DD013627		8.13	17.0	1.98	5.99	0.06	<0.02	0.02	0.129	0.19	30.6	56.5	0.23	382	2.43
DD013628		13.05	32.6	2.35	8.55	0.06	0.02	0.04	0.159	0.30	33.8	79.2	0.22	743	3.74
DD013629		7.26	8.6	1.54	5.94	0.06	<0.02	0.03	0.056	0.22	33.5	45.7	0.18	157	1.89
DD013630		7.75	9.3	2.03	6.28	0.06	<0.02	0.04	0.061	0.23	30.5	62.9	0.29	222	1.51
DD013631		7.14	14.6	1.78	5.25	0.05	0.02	0.06	0.077	0.24	21.3	47.6	0.27	438	1.43
DD013632		8.72	15.5	1.90	5.78	0.05	0.02	0.03	0.094	0.18	30.8	51.3	0.22	635	2.18
DD013633		7.09	16.4	1.80	6.00	0.05	<0.02	0.04	0.085	0.18	30.0	40.7	0.22	358	2.17
DD013634		10.35	16.3	2.43	7.20	0.07	0.02	0.03	0.112	0.24	33.3	71.1	0.32	313	2.68
DD013635		7.13	8.2	1.88	6.62	0.07	<0.02	0.04	0.078	0.22	32.8	54.3	0.24	216	3.18
DD013636		8.94	22.9	2.26	6.90	0.07	0.02	0.03	0.120	0.24	33.1	58.0	0.29	354	4.97
DD013637		6.85	16.7	1.74	5.75	0.06	0.02	0.07	0.087	0.21	33.3	45.4	0.16	312	2.09
DD013638		7.80	15.5	2.05	6.16	0.07	0.02	0.05	0.093	0.24	33.1	54.3	0.26	319	2.35
DD013639		7.72	14.4	1.82	5.74	0.08	0.02	0.02	0.075	0.23	36.9	51.1	0.23	384	1.73
DD013640		10.80	17.7	2.53	7.03	0.10	0.05	0.01	0.117	0.31	39.9	73.7	0.35	379	1.81
DD013641		8.04	7.5	1.97	6.13	0.06	<0.02	0.03	0.098	0.14	28.0	57.7	0.26	196	2.47
DD013642		13.75	166.5	3.22	8.17	0.10	0.04	0.03	0.184	0.15	40.2	59.5	0.57	623	4.14
DD013643		10.80	10.9	2.65	8.53	0.07	<0.02	0.04	0.152	0.17	26.8	81.4	0.36	561	2.22
DD013644		10.15	21.1	3.49	9.24	0.08	0.02	0.03	0.245	0.19	27.6	74.8	0.41	752	2.07
DD013645		9.27	14.5	2.12	5.50	0.08	0.02	0.02	0.131	0.17	44.6	50.6	0.23	218	3.41
DD013646		16.45	25.6	3.97	10.85	0.08	0.04	0.04	0.147	0.25	28.4	68.9	0.64	411	2.83
DD013647		13.80	23.0	3.75	9.39	0.10	0.03	0.03	0.362	0.25	31.4	63.8	0.72	500	1.22
DD013648		16.70	21.0	3.17	9.54	0.08	0.02	0.03	0.217	0.24	28.9	77.7	0.44	812	6.38
DD013649		10.95	34.9	2.76	7.64	0.08	0.02	0.03	0.293	0.18	33.0	50.4	0.32	660	3.35
DD013650		7.92	8.6	1.87	4.90	0.07	0.02	0.03	0.142	0.17	31.9	49.7	0.16	198	2.62
DD013651		9.32	18.1	2.57	5.66	0.07	<0.02	0.04	0.138	0.20	21.0	51.1	0.43	354	5.08
DD013652		8.37	8.6	1.99	5.79	0.05	<0.02	0.04	0.101	0.24	24.8	64.3	0.26	241	3.38
DD013653		8.31	15.6	2.21	5.46	0.08	0.02	0.04	0.152	0.25	31.8	55.5	0.32	470	2.55
DD013654		6.47	15.2	1.84	5.06	0.06	<0.02	0.04	0.100	0.21	26.6	45.9	0.23	294	2.21
DD013655		6.24	11.7	1.75	4.59	0.06	<0.02	0.04	0.080	0.18	27.2	43.6	0.20	199	2.88
DD013656		6.16	12.7	2.07	5.21	0.05	<0.02	0.06	0.079	0.20	20.9	40.7	0.23	209	2.71
DD013657		5.96	11.3	2.09	5.30	0.05	<0.02	0.05	0.070	0.19	21.3	45.0	0.33	264	2.21
DD013658		6.68	14.0	1.88	4.68	0.06	<0.02	0.05	0.095	0.21	26.8	42.9	0.22	383	3.37
DD013659		7.10	15.9	1.90	4.94	0.07	<0.02	0.06	0.086	0.22	30.1	44.0	0.23	326	3.41
DD013660		6.71	21.9	1.84	4.81	0.06	<0.02	0.03	0.104	0.17	32.4	48.1	0.19	324	2.11
DD013661		6.58	16.2	1.72	4.83	0.05	<0.02	0.03	0.070	0.20	26.3	34.0	0.17	237	2.11



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 28- AUG- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188777

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
DD013622		2.89	47.1	770	18.9	58.7	<0.001	0.01	0.24	5.2	0.4	1.2	72.6	0.01	0.03
DD013623		2.41	49.8	930	82.7	37.7	<0.001	0.02	0.55	5.7	0.8	1.3	182.0	0.01	0.04
DD013624		2.21	31.3	940	23.6	13.3	<0.001	0.07	0.63	3.2	0.8	0.9	133.0	0.01	0.03
DD013625		1.89	33.6	730	27.4	17.4	<0.001	0.04	0.38	3.3	0.6	0.8	86.4	0.01	0.03
DD013626		1.90	36.0	710	24.7	18.9	<0.001	0.04	0.33	3.5	0.7	0.8	75.6	0.01	0.03
DD013627		3.61	8.0	500	13.9	91.7	<0.001	0.01	0.38	1.4	0.3	3.6	24.0	<0.01	0.01
DD013628		5.06	10.8	660	21.5	156.0	<0.001	0.03	0.36	1.1	0.4	4.3	22.7	0.01	0.02
DD013629		3.53	5.4	540	11.3	86.4	<0.001	0.01	0.31	1.0	0.2	3.1	12.4	0.01	0.01
DD013630		5.47	9.1	460	12.3	91.6	<0.001	0.02	0.29	1.6	0.3	3.0	15.0	0.01	0.01
DD013631		4.43	9.8	570	12.4	76.8	<0.001	0.03	0.27	1.4	0.3	2.8	41.2	0.01	0.01
DD013632		4.62	7.3	550	37.9	67.1	<0.001	0.01	0.52	1.6	0.3	2.9	19.9	0.01	0.01
DD013633		3.47	7.9	650	20.6	63.4	<0.001	0.02	0.30	1.2	0.3	3.1	16.6	0.01	0.01
DD013634		5.20	11.3	560	25.0	80.0	<0.001	0.02	0.39	1.8	0.4	3.5	21.5	0.01	0.02
DD013635		5.45	7.3	460	11.1	87.7	<0.001	0.01	0.33	1.6	0.2	3.5	13.6	0.01	0.01
DD013636		5.86	11.3	440	28.0	79.2	<0.001	0.02	0.42	2.2	0.3	3.3	25.8	0.01	0.02
DD013637		6.01	7.4	620	20.5	87.9	<0.001	0.02	0.37	1.3	0.3	3.2	15.3	0.01	0.01
DD013638		5.79	9.2	510	15.3	77.5	<0.001	0.01	0.46	1.8	0.3	3.2	15.8	0.01	0.01
DD013639		4.39	9.2	620	12.0	65.4	<0.001	0.01	0.30	1.4	0.3	2.7	23.9	0.01	0.01
DD013640		5.92	13.0	510	13.5	73.8	<0.001	0.02	0.48	2.8	0.5	3.6	28.5	0.01	0.02
DD013641		3.41	8.3	440	11.7	98.4	<0.001	0.01	0.34	1.7	0.2	3.5	20.0	<0.01	0.01
DD013642		2.84	24.0	700	52.5	33.6	<0.001	0.04	1.44	3.4	0.9	5.2	42.8	0.01	0.02
DD013643		3.15	11.0	930	16.9	92.0	<0.001	0.03	0.61	2.0	0.3	5.0	24.2	0.01	0.02
DD013644		4.77	16.3	650	16.1	80.0	<0.001	0.02	0.79	3.2	0.3	8.4	18.9	<0.01	0.02
DD013645		3.17	6.9	350	16.6	63.8	<0.001	0.02	0.56	1.9	0.3	3.9	21.4	0.01	0.01
DD013646		4.24	32.7	830	14.1	59.2	<0.001	0.04	0.73	4.4	0.6	5.7	38.7	0.01	0.05
DD013647		2.47	29.3	490	12.0	66.5	<0.001	0.03	0.69	5.5	0.4	7.1	69.5	<0.01	0.03
DD013648		4.01	17.5	590	15.3	86.9	<0.001	0.02	0.44	3.2	0.3	7.0	27.8	<0.01	0.02
DD013649		2.66	14.3	590	15.4	96.9	<0.001	0.02	0.58	2.9	0.4	8.5	32.8	<0.01	0.03
DD013650		3.94	5.0	390	16.6	56.6	<0.001	0.03	0.49	1.0	0.6	3.2	17.4	<0.01	<0.01
DD013651		2.88	17.4	400	17.9	73.4	<0.001	0.03	0.57	2.7	0.5	2.5	28.1	<0.01	0.02
DD013652		4.64	7.3	460	10.9	100.5	<0.001	0.03	0.29	1.2	0.5	2.9	18.8	<0.01	0.01
DD013653		4.26	11.4	800	13.8	55.4	0.001	0.03	0.45	2.1	0.6	2.8	40.1	<0.01	0.01
DD013654		2.69	7.2	820	13.5	57.9	<0.001	0.03	0.35	0.8	0.3	2.3	20.7	<0.01	<0.01
DD013655		3.69	5.5	440	11.6	66.5	<0.001	0.03	0.30	1.2	0.2	2.4	13.3	<0.01	0.01
DD013656		4.38	6.4	620	11.4	64.0	<0.001	0.03	0.36	1.2	0.4	2.7	14.7	<0.01	0.01
DD013657		3.69	8.5	530	7.7	49.4	<0.001	0.02	0.16	1.7	0.2	2.8	17.2	<0.01	<0.01
DD013658		5.34	5.6	530	12.5	64.3	0.001	0.03	0.27	1.2	0.3	2.4	12.4	<0.01	<0.01
DD013659		5.66	5.8	590	12.2	68.8	<0.001	0.03	0.26	1.2	0.4	2.6	14.9	<0.01	<0.01
DD013660		3.20	8.3	630	13.8	73.0	<0.001	0.04	0.31	0.7	0.5	2.4	11.4	0.01	0.01
DD013661		4.09	4.7	530	13.1	74.0	<0.001	0.03	0.37	0.8	0.3	2.4	10.2	<0.01	<0.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 28- AUG- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188777

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm	W- XRF05 W ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5	10
DD013622		0.053	0.37	1.50	31	0.65	13.90	141	0.6	
DD013623		0.037	0.26	1.53	29	0.22	28.3	214	0.9	
DD013624		0.026	0.16	1.89	22	0.14	19.85	130	1.1	
DD013625		0.025	0.13	2.80	21	0.14	16.10	147	0.7	
DD013626		0.026	0.14	3.81	22	0.15	17.95	136	0.7	
DD013627		0.026	0.33	5.17	15	7.78	6.89	251	<0.5	
DD013628		0.025	0.41	13.25	16	17.60	8.09	392	<0.5	
DD013629		0.035	0.37	3.40	12	20.9	5.65	132	<0.5	
DD013630		0.044	0.38	2.94	17	23.2	5.84	188	<0.5	
DD013631		0.037	0.29	3.97	15	33.9	6.29	579	<0.5	
DD013632		0.024	0.38	5.54	14	17.75	7.27	266	<0.5	
DD013633		0.029	0.32	6.49	15	18.60	7.49	206	<0.5	
DD013634		0.036	0.39	7.09	19	16.20	9.10	303	<0.5	
DD013635		0.043	0.40	3.02	16	19.45	6.05	141	<0.5	
DD013636		0.041	0.42	8.55	18	15.65	8.25	219	<0.5	
DD013637		0.034	0.35	6.05	13	38.8	7.43	143	<0.5	
DD013638		0.043	0.41	5.13	16	28.0	8.16	150	<0.5	
DD013639		0.037	0.39	6.87	14	10.90	10.90	124	<0.5	
DD013640		0.055	0.58	8.33	19	4.73	14.25	160	1.8	
DD013641		0.025	0.28	2.82	19	13.45	5.29	206	<0.5	
DD013642		0.047	0.44	31.4	29	11.30	18.40	5440	<0.5	
DD013643		0.036	0.28	2.31	26	17.35	5.82	728	<0.5	
DD013644		0.055	0.31	2.11	33	11.30	6.41	457	<0.5	
DD013645		0.028	0.45	5.29	15	11.60	8.70	118	0.9	
DD013646		0.062	0.40	2.93	39	9.47	8.07	491	0.9	
DD013647		0.074	0.43	2.37	38	19.40	8.43	420	0.7	
DD013648		0.058	0.35	12.70	32	12.45	7.55	513	<0.5	
DD013649		0.033	0.38	6.39	24	14.75	10.65	270	<0.5	
DD013650		0.017	0.47	3.68	10	9.89	6.79	135	0.8	
DD013651		0.061	0.26	7.55	29	10.60	6.55	238	0.7	
DD013652		0.028	0.39	2.68	15	12.15	4.99	135	<0.5	
DD013653		0.034	0.39	5.68	16	7.90	12.20	187	0.5	
DD013654		0.026	0.33	5.51	13	12.55	8.62	142	<0.5	
DD013655		0.030	0.29	4.38	13	35.6	6.64	128	<0.5	
DD013656		0.032	0.36	2.47	16	54.2	3.93	152	<0.5	
DD013657		0.045	0.35	1.53	17	37.2	5.19	148	<0.5	
DD013658		0.038	0.39	4.16	12	69.3	7.06	137	<0.5	
DD013659		0.039	0.40	4.78	12	80.0	7.52	144	<0.5	
DD013660		0.024	0.28	10.50	12	53.1	7.98	166	<0.5	
DD013661		0.033	0.32	3.75	11	68.1	5.52	153	<0.5	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 28- AUG- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188777

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD013662		0.33	<0.001	0.92	0.86	6.1	<0.2	<10	50	1.10	3.92	0.15	0.87	52.2	3.1	7
DD013663		0.28	0.001	0.76	1.24	6.3	<0.2	<10	50	1.60	6.67	0.16	0.62	75.6	4.1	11
DD013664		0.34	<0.001	0.39	0.91	6.4	<0.2	<10	40	1.07	3.94	0.19	0.50	62.3	2.7	8
DD013665		0.35	0.001	0.34	0.85	4.0	<0.2	<10	30	0.98	3.42	0.08	0.35	61.0	2.4	6
DD013666		0.44	0.002	0.29	1.67	8.6	<0.2	<10	50	2.91	4.17	0.46	0.63	55.5	7.3	22
DD013667		0.34	0.001	0.12	1.56	9.8	<0.2	<10	40	2.65	4.11	0.35	0.37	44.5	6.0	22
DD013668		0.28	0.002	0.28	1.49	4.9	<0.2	<10	80	2.44	3.17	0.35	1.73	42.6	9.2	18
DD013669		0.31	0.004	0.12	2.36	5.4	<0.2	<10	60	3.27	4.04	0.37	0.27	45.7	9.3	32
DD013670		0.33	0.001	0.08	2.43	9.3	<0.2	<10	80	1.69	2.47	0.26	0.48	42.4	8.7	34
DD013671		0.43	0.001	0.09	3.39	12.8	<0.2	<10	80	2.81	2.88	0.25	0.40	56.4	15.2	38
DD013672		0.39	0.001	0.03	1.28	121.0	<0.2	<10	60	1.09	0.77	0.18	0.20	163.0	24.5	20
DD013673		0.35	0.001	0.08	2.50	42.0	<0.2	<10	80	0.99	0.49	0.74	0.27	94.7	14.9	46
DD013674		0.32	0.001	0.36	2.12	14.9	<0.2	<10	70	0.73	1.91	0.25	0.14	75.6	14.0	35
DD013675		0.36	0.002	0.11	3.37	20.5	<0.2	<10	80	1.32	2.93	0.09	0.27	80.6	43.9	62
DD013676		0.33	0.001	0.08	4.10	3.7	<0.2	<10	140	0.96	0.61	0.27	0.18	66.5	22.3	59
DD013677		0.37	0.001	0.14	4.49	4.7	<0.2	<10	90	6.31	0.97	0.25	0.79	50.1	16.7	51
DD013678		0.22	0.002	0.07	3.27	7.0	<0.2	<10	110	2.12	1.90	0.45	0.12	66.4	17.3	46
DD013679		0.27	0.009	0.37	3.71	108.5	<0.2	<10	100	3.73	6.30	2.77	0.44	123.0	16.1	36
DD013680		0.26	<0.001	0.11	2.33	13.6	<0.2	<10	70	2.02	1.35	0.33	0.25	65.5	12.5	31
DD013681		0.20	0.001	0.34	2.45	9.2	<0.2	<10	70	3.53	3.30	0.38	1.52	51.3	16.9	37
DD013682		0.26	0.001	0.25	3.12	6.6	<0.2	<10	80	6.27	1.31	0.46	1.15	92.7	18.1	45
DD013683		0.28	0.003	0.11	1.46	4.2	<0.2	<10	40	3.53	4.34	0.42	0.07	66.1	8.1	27
DD013684		0.23	0.002	0.26	1.81	7.9	<0.2	<10	60	1.85	2.63	0.32	0.70	36.1	6.6	25
DD013685		0.22	0.001	0.16	1.53	3.6	<0.2	<10	80	1.38	2.66	0.14	1.49	40.7	10.3	20
DD013686		0.26	0.001	0.41	2.89	11.9	<0.2	<10	60	2.08	3.88	0.38	0.76	44.1	13.3	38
DD013687		0.29	0.002	2.24	2.33	9.2	<0.2	<10	50	2.85	5.89	0.26	0.52	43.8	11.3	30
DD013688		0.32	0.001	0.44	1.08	16.4	<0.2	<10	30	0.76	4.43	0.08	0.15	52.4	3.8	11
DD013689		0.31	0.003	0.13	0.91	4.1	<0.2	<10	30	0.66	6.30	0.11	0.26	56.6	3.6	11
DD013690		0.21	<0.001	0.47	1.08	3.0	<0.2	<10	50	1.07	6.00	0.12	0.63	42.2	8.5	12
DD013691		0.22	0.001	0.21	0.86	1.9	<0.2	<10	70	0.44	4.24	0.17	0.96	37.8	6.5	10
DD013692		0.24	0.002	0.40	1.55	6.9	<0.2	<10	40	1.04	2.57	0.10	0.34	42.6	8.4	26
DD013693		0.22	<0.001	0.62	1.13	6.6	<0.2	<10	40	0.55	3.36	0.09	0.66	32.9	5.3	17
DD013694		0.22	0.001	0.21	2.60	9.5	<0.2	<10	70	1.48	1.45	1.29	0.70	56.7	13.9	34
DD013695		0.26	0.006	0.10	2.29	10.5	<0.2	<10	60	1.00	1.21	0.76	0.24	62.8	17.6	31
DD013696		0.30	0.001	0.09	3.21	7.6	<0.2	<10	80	1.38	1.01	0.98	0.15	51.9	15.8	45
DD013697		0.33	0.002	0.15	2.58	10.2	<0.2	<10	50	1.69	2.45	0.92	0.25	64.9	18.7	43
DD013698		0.34	0.003	0.10	3.22	14.5	<0.2	<10	100	1.66	1.59	0.89	0.23	68.8	21.6	45
DD013699		0.31	0.003	0.11	2.80	9.7	<0.2	<10	80	1.22	1.20	0.44	0.14	76.7	18.2	40
DD013700		0.29	0.001	0.36	3.68	10.9	<0.2	<10	130	1.75	1.40	0.57	0.18	78.2	22.6	46
DD013701		0.30	0.002	0.47	1.40	20.0	<0.2	<10	50	0.66	1.57	0.06	0.13	39.7	4.7	17



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 28- AUG- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188777

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
DD013662		5.88	16.3	1.64	4.33	<0.05	<0.02	0.03	0.075	0.18	23.7	35.4	0.15	519	2.34
DD013663		7.75	39.9	2.32	5.85	0.07	<0.02	0.04	0.131	0.24	37.4	47.4	0.23	318	3.83
DD013664		7.10	13.1	1.74	4.95	0.07	<0.02	0.02	0.072	0.21	31.9	43.0	0.19	290	3.22
DD013665		7.59	7.9	1.63	5.28	0.06	<0.02	0.02	0.062	0.22	30.3	53.5	0.14	384	2.32
DD013666		9.06	25.1	2.80	6.67	0.06	<0.02	0.02	0.185	0.30	27.5	55.1	0.40	610	4.55
DD013667		8.30	19.7	2.93	6.85	0.05	<0.02	0.01	0.244	0.26	22.5	63.0	0.40	327	6.11
DD013668		9.48	23.2	2.43	6.19	0.05	<0.02	0.02	0.141	0.19	18.0	54.4	0.29	1720	3.92
DD013669		11.70	21.6	3.54	8.74	0.05	<0.02	0.03	0.275	0.15	21.8	61.8	0.53	445	1.88
DD013670		8.85	18.6	3.70	9.96	0.05	<0.02	0.02	0.147	0.11	19.8	77.0	0.55	445	1.74
DD013671		14.60	28.3	3.91	9.68	0.06	0.02	0.02	0.131	0.26	22.3	63.5	0.68	315	2.34
DD013672		5.18	46.6	6.53	3.98	0.15	<0.02	<0.01	0.071	0.07	64.1	19.1	0.26	264	0.55
DD013673		5.99	28.3	4.71	8.63	0.10	<0.02	0.01	0.049	0.16	40.2	44.5	0.83	377	0.25
DD013674		6.15	26.4	4.03	8.80	0.07	<0.02	0.01	0.053	0.06	32.2	49.9	0.67	386	0.86
DD013675		9.56	69.2	6.22	9.50	0.05	0.02	0.02	0.036	0.13	35.2	109.0	1.06	937	0.58
DD013676		16.55	24.1	4.77	12.70	0.09	<0.02	0.01	0.033	0.43	28.6	99.9	1.16	511	0.38
DD013677		20.7	26.6	4.28	12.70	0.09	0.02	0.03	0.059	0.43	22.1	91.8	0.97	497	0.42
DD013678		13.15	24.8	4.22	9.60	0.09	<0.02	0.01	0.096	0.37	26.8	74.2	0.97	448	0.33
DD013679		15.30	21.4	4.14	9.78	0.15	0.11	0.16	0.556	0.30	40.4	140.5	0.57	1100	0.42
DD013680		10.50	24.4	3.31	7.05	0.07	<0.02	0.01	0.092	0.18	26.8	50.9	0.60	448	0.31
DD013681		24.0	32.6	4.02	10.50	0.08	<0.02	0.02	0.293	0.21	25.2	95.9	0.61	709	1.41
DD013682		29.8	49.9	6.17	12.90	0.09	<0.02	0.01	0.800	0.18	32.3	88.3	0.59	2000	1.15
DD013683		16.70	57.7	4.58	5.72	0.08	<0.02	0.01	0.191	0.14	43.7	25.1	0.27	414	5.61
DD013684		19.10	12.6	3.26	8.69	<0.05	<0.02	0.02	0.215	0.10	17.9	65.5	0.42	614	4.42
DD013685		22.6	11.1	2.99	9.15	<0.05	<0.02	0.02	0.058	0.08	18.5	46.7	0.27	1640	4.01
DD013686		15.70	21.7	3.64	11.25	0.10	0.02	0.05	0.203	0.20	22.5	61.2	0.78	501	1.33
DD013687		12.55	27.7	3.55	9.15	0.11	0.02	0.10	0.198	0.21	22.8	47.6	0.52	624	3.19
DD013688		7.92	13.5	2.17	5.89	0.09	<0.02	0.09	0.076	0.21	28.9	43.6	0.24	200	5.96
DD013689		10.35	12.0	1.93	5.76	0.10	<0.02	0.17	0.097	0.26	29.9	39.8	0.25	269	2.18
DD013690		16.50	16.8	2.07	6.31	0.07	0.02	0.12	0.107	0.23	21.3	39.5	0.25	591	2.28
DD013691		7.14	11.6	1.82	6.08	0.07	<0.02	0.06	0.066	0.20	20.0	29.6	0.23	829	1.68
DD013692		10.10	20.8	3.09	9.08	0.09	0.02	0.05	0.107	0.13	22.5	45.0	0.47	292	3.54
DD013693		7.50	10.1	2.60	8.18	0.07	<0.02	0.06	0.054	0.10	17.5	28.7	0.25	275	3.88
DD013694		20.2	35.2	2.75	8.76	0.14	0.05	0.03	0.104	0.27	33.0	64.1	0.67	210	1.64
DD013695		8.92	26.4	3.20	8.06	0.14	0.04	0.01	0.086	0.29	31.2	51.5	0.68	375	0.33
DD013696		16.15	42.3	3.78	12.20	0.17	0.05	0.02	0.093	0.41	25.9	65.2	0.89	349	0.41
DD013697		17.75	56.3	4.10	11.05	0.18	0.05	0.04	0.198	0.40	34.1	67.2	0.77	518	0.57
DD013698		15.25	42.4	4.23	11.55	0.16	0.05	0.01	0.106	0.49	33.2	63.5	0.96	527	0.41
DD013699		12.30	32.3	3.84	9.98	0.15	0.04	0.01	0.085	0.42	33.9	51.8	0.88	409	0.38
DD013700		13.30	33.4	4.26	12.20	0.19	0.05	0.03	0.104	0.41	43.1	77.4	0.94	663	0.52
DD013701		6.19	5.4	2.52	6.52	0.08	0.04	0.02	0.037	0.13	20.9	47.7	0.33	211	3.35



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 28- AUG- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188777

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
DD013662		2.17	5.2	620	16.3	64.2	<0.001	0.04	0.40	0.3	0.4	2.3	12.5	<0.01	<0.01
DD013663		3.99	8.3	670	22.9	79.4	<0.001	0.04	0.51	1.1	0.7	3.1	16.0	<0.01	<0.01
DD013664		3.97	4.8	620	16.2	72.0	<0.001	0.03	0.55	0.9	0.4	2.4	14.9	<0.01	0.01
DD013665		5.12	3.5	350	12.5	108.0	<0.001	0.03	0.26	0.7	0.4	2.6	9.8	0.01	<0.01
DD013666		3.09	13.2	640	16.3	88.5	<0.001	0.04	0.45	2.7	0.6	4.3	44.7	<0.01	0.01
DD013667		2.76	13.5	450	15.6	77.6	<0.001	0.04	0.53	2.3	0.4	5.0	34.4	<0.01	<0.01
DD013668		1.99	13.7	550	14.2	124.0	<0.001	0.03	0.37	1.6	0.5	4.6	37.7	<0.01	<0.01
DD013669		2.15	20.5	430	8.9	64.3	<0.001	0.04	0.43	3.7	0.6	8.5	51.2	<0.01	0.02
DD013670		2.36	21.9	1710	18.0	48.0	<0.001	0.04	0.55	2.5	0.4	4.6	26.2	<0.01	0.01
DD013671		2.89	31.4	650	14.7	64.9	<0.001	0.04	0.60	4.4	0.5	4.6	55.1	0.01	0.03
DD013672		0.32	57.8	720	16.1	20.3	<0.001	0.05	3.59	9.7	1.3	2.0	40.5	<0.01	0.02
DD013673		1.25	41.9	630	19.3	29.3	<0.001	0.05	0.13	5.6	1.2	1.2	60.4	<0.01	0.01
DD013674		1.61	24.8	420	79.3	19.4	<0.001	0.04	0.14	2.5	0.4	1.8	32.0	<0.01	0.03
DD013675		1.36	57.2	680	10.9	25.2	<0.001	0.12	0.18	4.5	0.6	2.3	38.3	<0.01	0.10
DD013676		6.34	60.7	590	8.9	61.0	<0.001	0.04	0.08	6.3	0.7	1.5	184.5	0.02	0.03
DD013677		5.81	38.2	420	11.5	69.9	<0.001	0.06	0.20	6.0	0.7	4.7	80.8	0.02	0.01
DD013678		3.69	36.9	550	12.3	47.8	0.001	0.05	0.23	5.1	0.7	3.8	83.9	0.01	0.02
DD013679		2.94	35.1	820	23.8	43.9	0.002	0.05	8.03	6.9	0.9	20.3	116.5	<0.01	0.03
DD013680		2.36	29.5	380	20.4	34.3	<0.001	0.05	0.78	3.8	0.4	3.8	58.5	<0.01	0.02
DD013681		2.81	38.0	410	38.2	53.9	<0.001	0.05	0.56	4.4	0.5	5.8	50.8	0.01	0.01
DD013682		1.30	42.7	560	6.7	31.9	<0.001	0.04	3.38	8.4	0.7	12.2	52.1	<0.01	0.01
DD013683		0.71	18.2	400	7.8	30.0	<0.001	0.06	1.12	4.3	0.7	6.4	55.5	<0.01	0.02
DD013684		1.89	14.4	2010	12.3	35.6	<0.001	0.04	0.58	2.3	0.5	4.3	33.9	<0.01	0.02
DD013685		2.78	10.9	700	12.8	55.6	<0.001	0.03	0.35	1.6	0.3	5.0	23.7	<0.01	0.01
DD013686		3.88	31.8	580	11.2	83.4	<0.001	0.01	0.58	4.8	0.5	5.7	56.5	0.01	0.04
DD013687		2.31	32.0	770	21.3	67.4	<0.001	0.02	0.45	3.3	0.5	5.6	48.0	0.01	0.03
DD013688		4.95	7.3	360	22.4	88.0	0.001	0.02	1.07	1.4	0.3	2.8	14.0	<0.01	0.01
DD013689		4.80	5.7	400	9.2	126.0	0.001	<0.01	0.28	1.3	0.3	2.7	9.4	<0.01	0.01
DD013690		3.67	8.4	410	13.3	161.5	0.001	<0.01	0.25	1.2	0.3	2.9	13.4	<0.01	0.01
DD013691		5.05	6.3	340	7.7	126.0	<0.001	0.01	0.21	1.1	0.2	2.2	16.2	<0.01	0.01
DD013692		2.30	16.8	230	11.8	74.6	<0.001	<0.01	0.47	3.0	0.3	5.7	30.3	<0.01	0.02
DD013693		2.98	10.3	310	20.5	88.6	<0.001	<0.01	0.37	1.7	0.3	4.3	16.8	<0.01	0.02
DD013694		3.77	32.3	680	9.7	53.8	0.001	0.08	0.37	4.9	1.2	3.6	121.5	0.01	0.02
DD013695		3.22	31.1	660	10.3	42.2	<0.001	0.02	0.19	4.6	0.6	3.1	115.5	0.01	0.02
DD013696		4.16	37.5	480	6.7	67.7	<0.001	0.01	0.42	6.9	0.6	4.4	146.0	0.01	0.02
DD013697		3.00	39.1	600	8.1	68.1	0.001	0.01	0.68	7.2	0.7	5.5	111.0	0.01	0.03
DD013698		3.56	42.4	420	9.9	67.6	<0.001	0.03	0.55	7.1	0.7	5.2	146.0	0.01	0.03
DD013699		2.68	38.4	420	10.7	55.5	<0.001	0.02	0.24	5.9	0.6	3.7	116.5	0.01	0.03
DD013700		3.73	43.8	930	13.0	61.8	<0.001	0.03	0.18	5.3	1.0	3.8	111.5	0.01	0.04
DD013701		3.81	9.4	280	26.7	61.6	<0.001	<0.01	0.41	1.9	0.3	1.9	7.2	<0.01	0.02



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 3 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 28- AUG- 2012
 Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188777

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm	W- XRF05 W ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5	10
DD013662		0.022	0.27	4.86	10	28.3	5.88	163	<0.5	
DD013663		0.031	0.41	13.20	14	72.3	10.55	202	<0.5	
DD013664		0.032	0.42	4.99	10	31.4	7.40	137	<0.5	
DD013665		0.036	0.36	3.75	11	28.1	4.42	129	<0.5	
DD013666		0.034	0.35	6.05	22	11.80	9.93	250	<0.5	
DD013667		0.029	0.31	2.65	23	9.90	5.47	229	<0.5	
DD013668		0.022	0.24	2.30	20	22.6	4.53	377	<0.5	
DD013669		0.050	0.27	1.25	34	18.25	5.60	372	<0.5	
DD013670		0.045	0.26	2.29	41	13.20	5.04	436	<0.5	
DD013671		0.052	0.45	1.59	35	22.4	7.07	328	0.7	
DD013672		<0.005	2.17	2.91	21	0.61	24.6	177	<0.5	
DD013673		0.067	0.29	1.65	42	0.15	19.35	158	<0.5	
DD013674		0.043	0.20	1.70	40	0.19	7.57	279	<0.5	
DD013675		0.009	0.41	1.29	50	0.09	13.75	436	0.5	
DD013676		0.081	0.51	1.82	47	0.17	14.50	169	<0.5	
DD013677		0.086	0.49	1.32	41	1.07	12.00	366	0.8	
DD013678		0.075	0.44	1.48	38	1.23	11.25	202	<0.5	
DD013679		0.046	0.63	1.76	35	650	15.10	996	4.5	640
DD013680		0.047	0.31	1.20	28	7.14	8.03	222	<0.5	
DD013681		0.080	0.26	1.75	38	26.3	7.71	647	<0.5	
DD013682		0.040	0.26	1.34	44	13.30	11.85	1520	<0.5	
DD013683		0.010	0.75	1.96	27	11.65	8.38	309	0.5	
DD013684		0.027	0.21	4.52	32	16.80	4.66	470	<0.5	
DD013685		0.061	0.20	4.32	38	10.15	3.44	481	<0.5	
DD013686		0.072	0.33	1.38	39	20.7	6.92	596	0.5	
DD013687		0.052	0.36	2.25	32	45.8	6.74	628	<0.5	
DD013688		0.031	0.53	2.78	14	58.7	4.44	174	<0.5	
DD013689		0.046	0.45	2.51	13	134.0	4.68	216	<0.5	130
DD013690		0.037	0.34	3.40	17	82.2	3.38	356	<0.5	
DD013691		0.048	0.26	1.50	16	35.5	2.63	315	<0.5	
DD013692		0.059	0.24	1.19	36	26.9	3.95	393	0.6	
DD013693		0.046	0.19	1.08	33	31.4	2.64	338	<0.5	
DD013694		0.057	0.36	7.92	29	6.03	17.20	398	0.8	
DD013695		0.054	0.30	1.62	28	1.30	14.20	157	<0.5	
DD013696		0.082	0.51	1.54	37	7.95	13.50	159	1.1	
DD013697		0.104	0.45	1.54	40	24.3	16.20	276	1.0	
DD013698		0.079	0.55	1.66	40	5.08	15.80	229	0.9	
DD013699		0.072	0.48	1.71	35	0.91	12.70	167	0.6	
DD013700		0.062	0.39	3.86	41	0.91	24.6	223	<0.5	
DD013701		0.038	0.27	1.51	27	6.65	3.44	169	1.4	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 28- AUG- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188777

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD013702		0.35	0.002	0.10	1.60	23.8	<0.2	<10	40	0.85	2.35	0.13	0.04	54.5	7.0	20
DD013703		0.30	0.001	0.27	1.03	20.6	<0.2	<10	30	0.51	2.20	0.08	0.13	49.2	4.4	13
DD013704		0.26	0.001	0.08	1.20	14.4	<0.2	<10	40	0.36	1.24	0.21	0.10	66.1	11.5	17
DD013705		0.23	0.001	0.09	1.36	6.0	<0.2	<10	20	0.41	0.58	0.21	0.06	67.7	14.5	18
DD013706		0.25	<0.001	0.13	0.81	4.3	<0.2	<10	30	0.34	0.54	0.14	0.11	73.1	11.3	11
DD013707		0.34	0.001	0.05	1.69	13.9	<0.2	<10	40	0.54	0.75	0.20	0.08	108.5	16.7	21
DD013708		0.29	0.002	0.28	1.37	16.4	<0.2	<10	40	0.57	0.98	0.18	0.19	84.5	10.0	17
DD013709		0.30	0.004	0.07	1.86	50.7	<0.2	<10	60	0.94	3.13	0.13	0.12	99.4	18.3	24
DD013710		0.30	0.004	0.20	1.10	27.2	<0.2	<10	30	0.64	0.92	0.45	0.16	121.0	22.0	13
DD013711		0.30	0.006	0.26	1.57	37.0	<0.2	<10	50	1.10	1.04	1.06	0.20	81.7	16.4	21
DD013712		0.27	0.003	0.24	1.54	22.3	<0.2	<10	50	1.23	0.75	1.43	0.19	84.8	13.4	20
DD013713		0.30	<0.001	0.20	1.18	28.4	<0.2	<10	40	0.50	1.49	0.06	0.32	35.4	7.2	17
DD013714		0.29	0.004	0.17	1.82	63.0	<0.2	<10	40	1.70	2.62	0.12	0.40	86.1	17.1	25
DD013715		0.34	0.004	0.06	1.24	20.1	<0.2	<10	40	0.90	1.81	0.18	0.07	52.8	9.9	16
DD013716		0.28	0.001	0.21	1.41	26.4	<0.2	<10	40	0.69	1.24	0.12	0.21	44.7	6.6	18
DD013717		0.29	0.001	0.20	1.26	19.4	<0.2	<10	40	0.92	1.26	0.25	0.16	49.8	6.4	17
DD013718		0.29	0.002	0.03	0.89	11.1	<0.2	<10	20	0.70	0.64	0.24	0.18	35.7	7.1	14
DD013719		0.27	0.001	0.13	1.12	20.5	<0.2	<10	20	0.89	1.63	0.17	0.04	59.6	5.3	12
DD013720		0.28	0.001	0.49	1.41	17.6	<0.2	<10	70	1.26	1.47	0.86	0.56	45.8	7.5	16
DD013721		0.22	0.002	0.11	1.24	3.6	<0.2	<10	10	0.38	0.71	0.28	0.03	105.5	15.4	15
DD013722		0.22	0.002	0.13	1.05	5.4	<0.2	<10	10	0.33	1.36	0.41	0.03	107.0	10.8	12
DD013723		0.31	0.005	0.12	1.63	11.7	<0.2	<10	10	0.36	0.87	0.25	0.05	114.5	11.9	17
DD013724		0.32	0.002	0.12	1.70	12.5	<0.2	<10	50	0.69	0.76	0.34	0.08	77.0	11.5	20
DD013725		0.31	0.003	0.14	1.98	13.5	<0.2	<10	60	0.83	0.83	0.39	0.04	94.3	11.9	22
DD013726		0.25	0.003	0.15	1.64	10.3	<0.2	<10	30	0.47	0.92	0.35	0.04	86.0	10.5	19
DD013727		0.27	0.004	0.22	1.70	25.9	<0.2	<10	60	0.86	0.77	0.65	0.11	82.8	14.8	21
DD013728		0.29	0.018	0.42	1.16	115.5	<0.2	<10	50	1.10	0.88	0.68	0.26	68.0	11.7	17
DD013729		0.31	0.003	0.17	1.23	37.7	<0.2	<10	30	0.64	0.90	0.41	0.17	61.9	10.5	17
DD013730		0.23	0.004	0.59	1.89	39.7	<0.2	<10	70	1.40	1.15	0.75	0.71	71.8	15.2	24
DD013731		0.27	0.005	0.35	1.73	36.6	<0.2	<10	70	1.19	0.88	0.71	0.29	76.5	11.8	22
DD013732		0.35	0.001	0.21	1.77	20.9	<0.2	<10	50	0.84	0.78	0.52	0.27	63.2	13.4	24
DD013733		0.26	0.001	0.07	1.79	50.6	<0.2	<10	50	0.99	1.94	0.91	0.31	24.8	11.0	27
DD013734		0.27	<0.001	0.14	1.36	39.1	<0.2	<10	30	1.09	1.13	0.10	0.35	29.5	7.1	17
DD013735		0.30	0.001	0.24	0.81	11.7	<0.2	<10	50	0.45	0.92	0.09	0.33	29.6	5.8	10
DD013736		0.28	0.001	0.27	1.01	11.2	<0.2	<10	50	0.39	0.86	0.07	0.20	32.6	5.1	14
DD013737		0.27	0.001	0.25	0.98	20.7	<0.2	<10	30	0.66	1.23	0.17	0.10	45.7	2.5	10
DD013738		0.26	0.001	0.15	1.06	12.6	<0.2	<10	30	0.64	1.07	0.06	0.06	45.3	2.5	10
DD013739		0.28	0.001	0.06	1.46	21.5	<0.2	<10	50	1.05	1.15	0.05	0.07	36.6	4.3	13
DD013740		0.26	0.001	0.22	1.74	32.0	<0.2	<10	60	1.13	1.13	0.35	0.17	40.3	7.5	23
DD013741		0.28	0.002	0.18	1.81	62.3	<0.2	<10	50	0.77	0.66	0.38	0.10	43.0	9.5	24



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 28- AUG- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188777

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
DD013702		5.39	11.0	2.54	6.13	0.10	0.04	0.02	0.047	0.16	28.5	62.9	0.48	226	1.42
DD013703		4.40	5.4	1.87	5.64	0.08	0.02	0.03	0.041	0.10	25.9	41.7	0.28	198	2.19
DD013704		2.12	11.9	3.31	5.20	0.12	0.03	0.01	0.030	0.14	30.9	29.0	0.37	834	0.64
DD013705		1.63	17.2	3.70	5.27	0.12	0.02	0.01	0.022	0.08	30.1	28.3	0.60	330	0.49
DD013706		0.92	16.5	3.40	3.60	0.13	0.03	0.01	0.021	0.05	36.9	12.6	0.25	279	0.48
DD013707		2.91	21.2	3.40	6.09	0.18	0.05	0.01	0.025	0.12	62.3	34.9	0.73	336	0.30
DD013708		2.89	23.3	2.89	5.68	0.14	0.03	0.03	0.031	0.10	46.6	24.0	0.44	347	0.56
DD013709		4.76	22.4	3.70	6.61	0.15	0.04	0.02	0.053	0.19	41.7	43.6	0.58	695	0.48
DD013710		4.31	31.9	3.56	4.30	0.22	0.05	0.01	0.033	0.08	68.1	22.9	0.45	738	0.71
DD013711		6.68	32.6	3.61	5.87	0.16	0.05	0.02	0.045	0.20	45.9	39.5	0.57	439	0.58
DD013712		4.57	22.2	3.47	5.64	0.16	0.05	0.02	0.038	0.15	46.3	38.1	0.56	465	0.51
DD013713		5.27	8.9	2.80	6.70	0.08	0.02	0.03	0.033	0.12	18.5	28.8	0.32	241	0.94
DD013714		8.86	30.4	4.14	5.86	0.14	0.04	0.03	0.063	0.21	32.4	38.9	0.51	393	0.82
DD013715		4.20	17.5	2.28	4.96	0.10	0.04	0.02	0.056	0.16	27.0	38.5	0.41	363	0.55
DD013716		5.51	7.8	2.27	6.08	0.09	0.02	0.02	0.031	0.18	23.3	46.6	0.41	284	1.84
DD013717		5.61	8.5	2.17	5.49	0.09	0.04	0.03	0.046	0.22	26.4	47.4	0.39	313	1.36
DD013718		3.55	7.9	1.90	3.75	0.09	0.03	0.01	0.025	0.14	16.4	33.3	0.34	282	1.43
DD013719		4.49	10.1	1.76	4.80	0.10	0.04	0.02	0.050	0.17	31.1	43.9	0.29	176	1.02
DD013720		6.52	19.9	2.14	5.77	0.10	0.05	0.02	0.033	0.23	28.0	45.4	0.37	484	1.96
DD013721		1.65	31.6	3.85	4.47	0.17	0.04	0.01	0.017	0.05	52.9	23.8	0.57	296	0.36
DD013722		1.13	23.2	3.33	3.80	0.13	0.02	0.03	0.017	0.03	56.7	19.0	0.42	362	0.36
DD013723		1.86	29.9	3.33	5.29	0.17	0.02	0.02	0.021	0.05	69.9	37.4	0.72	398	0.21
DD013724		4.24	20.8	3.19	5.58	0.12	0.02	0.03	0.034	0.19	40.8	34.6	0.69	333	0.29
DD013725		3.05	25.0	3.36	6.06	0.14	0.03	0.03	0.033	0.13	58.4	39.5	0.70	346	0.31
DD013726		2.31	20.0	3.09	5.39	0.12	<0.02	0.04	0.029	0.07	47.9	34.6	0.68	349	0.28
DD013727		3.12	22.2	3.11	5.79	0.10	0.02	0.03	0.038	0.12	45.5	37.6	0.60	597	0.45
DD013728		4.30	29.4	4.01	4.58	0.10	<0.02	0.04	0.038	0.13	37.5	24.3	0.32	458	1.09
DD013729		3.47	14.0	2.97	4.22	0.08	0.02	0.03	0.032	0.13	29.0	29.6	0.45	390	0.49
DD013730		7.91	47.6	3.58	6.59	0.12	0.02	0.04	0.047	0.21	43.4	43.4	0.65	606	0.44
DD013731		5.27	36.4	3.22	5.54	0.13	<0.02	0.03	0.039	0.18	49.2	40.6	0.56	480	0.35
DD013732		6.65	25.2	3.44	5.97	0.10	0.02	0.03	0.037	0.23	34.0	46.4	0.67	322	0.40
DD013733		7.52	15.5	3.77	7.08	0.05	<0.02	0.04	0.041	0.20	13.5	70.9	0.58	980	0.59
DD013734		8.77	9.8	2.58	5.23	<0.05	<0.02	0.02	0.038	0.12	15.6	40.2	0.37	254	2.02
DD013735		6.25	5.5	1.84	4.22	<0.05	0.02	0.03	0.021	0.08	15.0	20.2	0.22	406	1.67
DD013736		7.47	3.3	2.39	6.45	0.05	0.04	0.02	0.020	0.07	17.3	28.7	0.23	211	5.08
DD013737		6.19	3.4	1.48	4.16	0.06	0.03	0.02	0.028	0.17	23.2	45.4	0.24	183	1.25
DD013738		6.82	2.8	1.53	5.12	0.06	0.02	0.02	0.025	0.12	23.3	36.9	0.22	143	1.63
DD013739		6.63	6.7	2.03	5.44	0.05	0.02	0.03	0.029	0.11	18.9	44.9	0.27	161	4.37
DD013740		5.68	13.1	2.60	5.90	0.07	<0.02	0.02	0.038	0.19	20.5	47.9	0.50	287	0.64
DD013741		8.46	19.4	3.55	5.76	0.07	<0.02	0.02	0.023	0.15	21.1	46.5	0.67	237	0.60



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 28- AUG- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188777

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
DD013702		1.66	16.6	370	29.5	41.2	<0.001	<0.01	0.50	2.6	0.4	2.4	14.5	<0.01	0.03
DD013703		3.58	8.5	190	17.9	70.1	<0.001	<0.01	0.55	1.6	0.3	2.7	8.4	<0.01	0.02
DD013704		1.88	23.8	400	22.9	38.3	<0.001	<0.01	3.20	2.0	0.3	0.8	17.7	0.01	0.02
DD013705		0.96	30.3	410	15.6	31.0	<0.001	<0.01	0.42	1.9	0.3	0.4	14.1	0.01	0.02
DD013706		0.74	27.4	500	11.7	11.5	<0.001	<0.01	0.85	1.9	0.4	0.5	13.7	0.01	0.01
DD013707		1.69	31.6	660	12.7	21.8	<0.001	<0.01	0.79	2.8	0.6	0.9	18.7	0.01	0.03
DD013708		1.46	23.9	670	17.5	30.2	<0.001	0.01	0.79	1.7	0.6	1.1	18.3	0.01	0.02
DD013709		2.38	33.6	390	28.2	40.5	<0.001	<0.01	2.23	3.4	0.6	1.6	18.6	0.01	0.06
DD013710		0.92	34.6	460	14.8	17.5	<0.001	<0.01	0.97	3.6	0.7	0.8	36.8	0.01	0.04
DD013711		2.36	38.5	500	35.5	45.4	<0.001	0.01	2.22	4.3	0.8	1.4	54.8	0.01	0.02
DD013712		1.88	31.7	640	27.6	27.7	<0.001	0.05	2.49	4.3	1.0	1.0	74.0	0.01	0.02
DD013713		2.66	13.3	240	14.1	71.0	<0.001	<0.01	0.54	2.0	0.2	2.3	13.6	<0.01	0.02
DD013714		2.30	42.5	370	48.6	35.8	<0.001	0.01	2.52	3.8	0.6	2.1	21.5	0.01	0.04
DD013715		1.80	15.6	250	24.5	31.1	<0.001	<0.01	0.50	2.3	0.3	2.0	14.6	<0.01	0.01
DD013716		3.40	12.6	230	18.9	80.5	<0.001	<0.01	0.37	2.1	0.3	1.7	13.0	<0.01	0.01
DD013717		2.82	13.7	390	25.3	59.0	<0.001	<0.01	0.79	2.2	0.3	2.1	21.7	<0.01	0.01
DD013718		1.48	15.5	720	16.8	30.1	<0.001	<0.01	0.57	2.1	0.3	0.7	17.2	0.01	0.01
DD013719		4.34	12.4	230	19.0	47.2	<0.001	<0.01	0.51	1.7	0.3	1.9	13.0	<0.01	0.01
DD013720		4.98	16.0	500	25.5	53.7	<0.001	0.01	0.44	2.4	0.6	1.4	47.9	0.01	0.02
DD013721		0.77	38.2	610	12.1	12.2	<0.001	<0.01	0.15	2.3	0.5	0.2	21.0	0.01	0.02
DD013722		0.18	23.2	560	9.1	6.7	0.001	0.01	0.11	1.5	0.5	0.2	28.9	<0.01	0.03
DD013723		0.58	28.8	590	8.8	9.0	0.001	<0.01	0.37	1.7	0.6	0.3	18.5	<0.01	0.02
DD013724		1.85	26.5	770	13.2	30.5	<0.001	<0.01	0.88	2.7	0.4	1.3	28.3	<0.01	0.03
DD013725		2.01	30.7	680	13.0	23.0	0.001	0.01	0.83	2.8	0.7	1.3	33.0	<0.01	0.03
DD013726		1.35	25.6	570	10.2	14.5	<0.001	0.01	0.63	2.0	0.3	0.7	27.3	<0.01	0.03
DD013727		1.90	28.8	620	18.3	22.4	<0.001	0.03	1.36	2.5	0.4	1.3	47.6	<0.01	0.04
DD013728		1.39	26.3	490	28.7	26.9	<0.001	0.04	5.51	3.2	0.3	1.5	43.9	<0.01	0.04
DD013729		1.43	21.2	510	30.5	29.5	<0.001	0.01	2.12	2.2	0.3	1.2	26.7	<0.01	0.03
DD013730		2.26	38.5	520	24.9	48.7	0.001	0.02	1.82	3.3	0.8	2.7	47.6	<0.01	0.03
DD013731		1.88	35.7	550	39.1	35.4	<0.001	0.02	1.53	2.8	0.6	1.5	42.8	<0.01	0.05
DD013732		2.26	31.3	450	15.7	43.4	<0.001	0.02	1.03	3.1	0.6	1.4	31.9	<0.01	0.06
DD013733		2.63	20.9	330	17.5	74.1	<0.001	0.03	0.83	2.9	<0.2	3.1	52.1	0.01	0.04
DD013734		1.90	15.4	290	21.8	60.0	0.001	<0.01	0.74	1.8	<0.2	1.7	12.8	<0.01	0.04
DD013735		1.99	8.0	170	11.1	47.7	0.001	<0.01	0.58	1.0	<0.2	1.6	9.3	<0.01	0.01
DD013736		3.10	8.1	270	13.4	38.2	<0.001	<0.01	0.42	1.2	<0.2	1.7	8.0	<0.01	0.03
DD013737		2.79	5.5	640	18.1	49.2	0.001	<0.01	0.29	1.0	<0.2	1.3	9.4	<0.01	0.01
DD013738		3.04	5.3	250	14.6	76.5	0.001	<0.01	0.32	1.1	0.2	1.8	6.2	<0.01	0.02
DD013739		1.99	8.2	150	17.3	56.0	0.001	<0.01	0.37	1.3	<0.2	2.0	6.7	<0.01	0.03
DD013740		2.71	18.0	260	19.7	59.8	<0.001	<0.01	0.33	2.7	<0.2	1.8	28.5	<0.01	0.03
DD013741		2.15	20.9	240	19.4	39.7	0.001	0.01	0.91	2.7	<0.2	1.0	23.0	<0.01	0.05



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 28- AUG- 2012
 Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188777

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm	W- XRF05 W ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5	10
DD013702		0.037	0.33	1.65	18	7.78	6.33	107	1.4	
DD013703		0.036	0.23	1.42	19	14.35	3.74	114	0.7	
DD013704		0.025	0.16	0.96	18	1.14	5.92	57	<0.5	
DD013705		0.013	0.09	1.48	13	1.25	6.99	78	<0.5	
DD013706		0.006	0.07	1.41	11	1.08	8.01	75	<0.5	
DD013707		0.025	0.21	1.55	16	1.84	13.75	96	0.8	
DD013708		0.017	0.14	2.01	17	6.48	10.45	95	<0.5	
DD013709		0.025	0.35	2.08	20	8.50	10.60	139	0.5	
DD013710		0.008	0.16	2.34	10	3.41	16.15	108	<0.5	
DD013711		0.032	0.42	1.82	19	10.95	18.70	178	0.8	
DD013712		0.024	0.34	5.01	20	3.82	19.35	137	0.6	
DD013713		0.044	0.23	0.76	26	12.55	2.68	187	0.8	
DD013714		0.040	0.45	2.19	23	12.85	8.59	350	1.0	
DD013715		0.035	0.27	1.38	15	17.15	5.92	150	1.1	
DD013716		0.035	0.29	1.52	20	9.73	4.01	160	<0.5	
DD013717		0.037	0.29	1.50	17	18.40	5.53	184	1.2	
DD013718		0.048	0.22	2.26	21	3.04	7.55	226	0.6	
DD013719		0.028	0.33	2.28	12	10.80	5.90	89	1.3	
DD013720		0.032	0.31	11.05	18	1.89	10.85	218	1.3	
DD013721		0.009	0.10	2.08	9	0.34	12.25	76	<0.5	
DD013722		<0.005	0.06	4.13	7	1.31	8.63	61	<0.5	
DD013723		0.011	0.09	3.74	10	0.96	10.50	84	<0.5	
DD013724		0.036	0.25	1.55	16	2.98	13.10	100	0.7	
DD013725		0.026	0.21	2.41	17	2.72	17.60	95	0.7	
DD013726		0.020	0.14	2.46	13	2.11	10.00	81	<0.5	
DD013727		0.027	0.19	4.33	18	10.60	13.65	95	<0.5	
DD013728		0.018	0.50	3.47	15	9.48	10.80	136	<0.5	
DD013729		0.023	0.26	1.71	15	10.65	7.12	138	0.5	
DD013730		0.043	0.34	4.32	20	7.37	16.15	379	<0.5	
DD013731		0.033	0.25	5.53	19	7.51	18.65	187	<0.5	
DD013732		0.048	0.31	2.44	21	5.18	11.80	156	0.5	
DD013733		0.059	0.28	2.04	29	7.13	3.63	336	<0.5	
DD013734		0.032	0.29	1.18	20	8.91	3.25	339	0.7	
DD013735		0.029	0.15	0.61	17	9.79	2.37	184	0.8	
DD013736		0.053	0.23	0.69	33	6.66	1.97	229	1.4	
DD013737		0.030	0.26	2.11	11	8.37	6.25	126	0.9	
DD013738		0.021	0.31	1.55	13	8.82	3.22	78	0.6	
DD013739		0.015	0.31	1.66	16	6.33	3.24	118	1.0	
DD013740		0.056	0.30	2.99	20	5.72	6.67	145	<0.5	
DD013741		0.049	0.35	2.26	21	2.53	4.45	141	<0.5	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 28- AUG- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188777

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD013742		0.26	0.004	0.16	1.75	9.3	<0.2	<10	30	0.81	0.80	0.41	0.11	99.4	13.1	21
DD013743		0.28	0.006	0.14	1.74	15.8	<0.2	<10	40	0.70	0.78	0.59	0.10	89.2	13.1	21
DD013744		0.25	0.004	0.11	1.56	21.7	<0.2	<10	30	0.95	0.95	0.32	0.20	48.3	9.0	21
DD013745		0.25	0.005	0.16	1.54	12.5	<0.2	<10	30	0.60	0.63	0.77	0.12	81.2	11.6	18
DD013746		0.26	0.003	0.18	1.64	13.9	<0.2	<10	30	0.72	0.79	0.70	0.16	85.2	10.7	19
DD013747		0.27	0.003	0.10	1.61	10.3	<0.2	<10	30	0.61	0.84	0.49	0.06	75.3	11.9	18
DD013748		0.30	0.004	0.19	1.70	13.9	<0.2	<10	30	0.77	0.87	0.59	0.13	102.0	14.1	19
DD013749		0.37	0.003	0.14	1.64	10.0	<0.2	<10	20	0.73	0.86	0.44	0.08	89.0	11.8	18
DD013750		0.31	0.004	0.14	1.75	10.6	<0.2	<10	20	0.73	1.00	0.48	0.16	99.4	15.8	19
DD013851		0.31	0.006	0.14	1.60	49.5	<0.2	<10	40	0.72	0.66	0.39	0.05	93.3	14.3	22
DD013852		0.29	0.006	0.13	1.75	21.1	<0.2	<10	40	0.68	0.60	0.53	0.05	114.0	14.4	20
DD013853		0.32	0.002	0.14	1.73	23.1	<0.2	<10	40	0.58	0.80	0.40	0.06	78.3	13.9	22
DD013854		0.27	0.004	0.20	1.77	25.4	<0.2	<10	50	0.71	0.69	0.42	0.09	88.5	11.1	22
DD013855		0.29	0.005	0.22	1.66	43.9	<0.2	<10	50	1.03	0.89	0.39	0.16	104.0	15.2	21
DD013856		0.32	0.004	0.15	1.89	33.1	<0.2	<10	50	0.91	0.84	0.30	0.13	84.5	12.0	25
DD013857		0.27	0.002	0.18	1.89	37.4	<0.2	<10	30	0.81	0.85	0.10	0.30	57.8	11.0	24
DD013858		0.32	<0.001	0.12	1.55	25.9	<0.2	<10	30	0.77	1.12	0.32	0.27	39.0	9.4	25
DD013859		0.36	0.009	0.21	1.79	161.0	<0.2	<10	60	2.27	2.03	0.35	0.39	61.8	14.6	28
DD013860		0.33	0.009	0.36	1.45	131.5	<0.2	<10	30	1.30	0.99	0.12	0.39	41.2	15.7	20
DD013901		0.36	0.022	0.13	1.26	82.9	<0.2	<10	20	1.20	1.41	0.32	0.22	29.9	9.0	18
DD013902		0.39	0.007	0.37	1.98	36.3	<0.2	<10	70	2.05	3.19	0.82	1.02	60.6	14.1	26
DD013903		0.35	0.005	0.63	1.27	65.2	<0.2	<10	40	1.60	2.50	0.96	0.53	39.5	9.5	17
DD013904		0.32	0.001	0.27	1.01	86.6	<0.2	<10	20	1.25	1.27	0.25	0.38	39.9	8.4	15
DD013905		0.25	0.001	0.28	0.97	10.7	<0.2	<10	40	0.79	1.51	0.31	0.18	28.2	4.5	10
DD013906		0.32	<0.001	0.07	0.96	19.3	<0.2	<10	30	0.92	2.33	0.09	0.04	40.3	3.5	11
DD013907		0.33	0.002	0.24	1.11	16.0	<0.2	<10	30	0.84	1.58	0.09	0.06	36.5	4.1	13
DD013908		0.30	0.001	0.47	1.62	42.7	<0.2	<10	20	1.79	1.59	0.18	0.21	30.9	9.8	20
DD013909		0.32	0.004	0.34	1.59	26.9	<0.2	<10	40	0.95	0.80	0.81	0.31	104.5	13.8	20
DD013910		0.32	0.002	0.16	1.47	28.8	<0.2	<10	30	0.86	0.73	0.50	0.11	101.0	15.5	20
DD013911		0.31	0.004	0.25	1.56	29.4	<0.2	<10	40	0.96	0.86	0.47	0.28	119.0	20.8	21
DD013912		0.31	0.002	0.26	1.39	15.8	<0.2	<10	30	0.90	0.68	0.49	0.16	113.0	14.4	18
DD013913		0.26	0.004	0.32	1.75	28.6	<0.2	<10	50	1.09	0.86	0.56	0.12	105.0	16.2	24
DD013914		0.24	0.002	0.28	1.39	22.6	<0.2	<10	30	0.86	0.74	0.67	0.23	99.2	13.3	17
DD013915		0.30	0.002	0.30	1.11	82.6	<0.2	<10	30	0.81	3.12	0.29	1.08	33.9	9.4	15
DD013916		0.32	0.004	0.25	1.78	24.5	<0.2	<10	50	1.13	0.75	0.29	0.15	106.5	15.5	25
DD013917		0.32	0.003	0.20	1.42	56.9	<0.2	<10	30	1.38	1.32	0.14	0.14	55.9	8.3	19
DD013918		0.34	0.005	0.34	1.33	76.5	<0.2	<10	30	1.13	1.65	0.18	0.80	55.7	10.5	20
DD013919		0.30	0.001	0.12	1.73	9.6	<0.2	<10	50	0.72	0.62	0.22	0.06	81.6	12.2	23
DD013920		0.35	0.001	0.08	1.71	7.5	<0.2	<10	30	0.63	0.61	0.25	0.04	98.4	14.2	20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 28- AUG- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188777

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
DD013742		3.42	27.6	2.88	5.60	0.14	0.02	0.02	0.034	0.12	50.9	34.1	0.73	174	0.24
DD013743		2.55	23.4	3.16	5.50	0.11	<0.02	0.02	0.035	0.09	49.2	32.3	0.69	201	0.36
DD013744		5.43	21.5	3.02	5.26	0.07	<0.02	0.02	0.035	0.18	27.5	44.9	0.55	223	0.47
DD013745		2.30	20.8	2.97	4.95	0.11	<0.02	0.02	0.028	0.10	50.0	30.6	0.66	284	0.29
DD013746		2.36	26.4	3.10	5.01	0.12	0.02	0.02	0.031	0.11	49.9	28.8	0.67	338	0.55
DD013747		2.49	20.5	3.11	5.00	0.12	<0.02	0.03	0.028	0.07	46.4	30.5	0.66	320	0.29
DD013748		2.79	30.8	3.28	5.48	0.15	0.02	0.03	0.030	0.10	60.0	33.7	0.73	331	0.33
DD013749		2.22	27.2	3.17	4.94	0.13	<0.02	0.02	0.027	0.07	49.8	31.5	0.75	300	0.31
DD013750		2.07	31.7	3.51	5.05	0.14	<0.02	0.01	0.028	0.07	52.9	30.3	0.80	499	0.28
DD013851		3.19	21.2	3.35	5.27	0.11	<0.02	0.01	0.028	0.16	47.7	32.9	0.60	415	0.42
DD013852		2.20	29.1	3.21	5.34	0.17	0.02	0.01	0.024	0.14	74.6	30.9	0.66	363	0.33
DD013853		3.33	18.9	3.27	5.55	0.10	0.03	0.01	0.027	0.15	40.9	31.4	0.63	395	0.41
DD013854		3.55	23.9	3.25	6.11	0.12	<0.02	0.01	0.030	0.14	54.9	35.4	0.65	254	0.45
DD013855		4.46	27.5	3.29	5.99	0.12	0.02	0.02	0.038	0.13	53.8	34.5	0.57	343	0.50
DD013856		4.43	22.8	3.43	6.57	0.09	<0.02	0.02	0.037	0.14	44.8	39.0	0.67	357	0.42
DD013857		4.56	18.0	3.67	6.10	0.08	<0.02	0.01	0.037	0.21	31.6	41.0	0.64	292	0.50
DD013858		5.06	14.1	3.39	7.41	0.08	0.02	0.01	0.043	0.14	21.1	51.5	0.51	325	0.69
DD013859		10.20	23.2	3.77	6.97	0.13	0.02	0.03	0.099	0.26	23.3	63.7	0.62	684	0.61
DD013860		9.08	22.1	3.77	5.39	0.10	0.02	0.02	0.043	0.17	19.5	45.2	0.49	267	0.60
DD013901		4.52	15.4	2.62	5.06	0.08	0.04	0.02	0.055	0.16	17.7	58.1	0.37	251	0.59
DD013902		10.05	45.1	3.45	7.53	0.15	0.10	0.03	0.150	0.41	30.7	58.0	0.61	1020	0.86
DD013903		11.90	46.9	2.45	4.90	0.14	0.04	0.04	0.069	0.20	28.9	43.3	0.43	313	0.46
DD013904		4.94	17.2	3.44	3.88	0.09	0.02	0.02	0.040	0.16	20.7	24.3	0.27	168	0.81
DD013905		4.92	4.1	1.53	4.78	0.05	0.02	0.01	0.046	0.09	14.3	65.6	0.26	289	0.74
DD013906		4.87	6.7	1.76	4.95	0.07	0.02	0.02	0.055	0.14	20.8	56.9	0.24	193	1.44
DD013907		4.50	5.8	1.89	5.18	0.06	0.03	0.02	0.051	0.11	18.8	53.3	0.29	181	1.80
DD013908		6.53	19.5	2.79	5.33	0.07	0.03	0.02	0.078	0.14	16.0	48.0	0.44	169	0.59
DD013909		3.67	32.7	3.78	5.97	0.20	0.06	0.02	0.040	0.12	72.0	39.8	0.59	227	0.36
DD013910		3.34	22.3	4.55	5.49	0.20	0.04	0.01	0.036	0.14	56.3	34.5	0.60	362	0.34
DD013911		3.58	34.0	3.37	6.00	0.18	0.05	0.01	0.039	0.15	66.2	35.8	0.61	145	0.52
DD013912		3.13	27.3	3.20	5.26	0.20	0.05	0.01	0.033	0.13	69.5	31.4	0.54	386	0.32
DD013913		4.10	31.2	3.76	6.56	0.19	0.04	0.02	0.044	0.12	66.3	37.9	0.66	503	0.42
DD013914		3.35	25.4	3.23	5.39	0.19	0.04	0.01	0.038	0.14	61.2	32.6	0.56	334	0.34
DD013915		4.46	33.0	3.53	5.21	0.08	0.02	0.03	0.039	0.19	18.4	23.7	0.28	431	0.65
DD013916		4.47	24.9	3.69	6.61	0.18	0.04	0.02	0.042	0.15	63.7	40.2	0.66	448	0.47
DD013917		5.85	22.7	3.08	5.12	0.11	<0.02	0.01	0.057	0.17	28.6	38.2	0.47	249	0.53
DD013918		5.28	22.4	3.19	5.49	0.10	0.02	0.03	0.053	0.16	27.3	32.3	0.42	415	0.61
DD013919		3.01	19.7	3.22	6.17	0.14	0.03	0.01	0.035	0.15	44.8	37.9	0.67	249	0.38
DD013920		1.97	17.7	3.07	6.14	0.14	0.03	<0.01	0.033	0.05	46.0	40.7	0.69	198	0.25



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 28- AUG- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188777

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
DD013742		1.99	28.4	650	18.2	26.0	<0.001	0.02	0.97	2.6	0.5	1.0	29.5	<0.01	0.07
DD013743		1.62	26.7	760	16.0	18.4	<0.001	0.03	0.90	2.3	0.5	0.9	35.1	<0.01	0.04
DD013744		2.34	21.3	420	41.0	36.4	<0.001	0.02	0.62	2.1	<0.2	1.5	18.0	<0.01	0.02
DD013745		1.53	24.2	800	15.1	22.7	<0.001	0.04	0.78	1.8	0.7	0.9	42.3	<0.01	0.04
DD013746		1.43	26.7	670	13.4	21.7	0.001	0.03	1.58	2.1	0.5	0.8	37.6	<0.01	0.03
DD013747		1.40	26.9	430	11.7	15.3	<0.001	0.02	0.99	2.0	0.3	0.7	28.2	<0.01	0.03
DD013748		1.49	32.4	650	12.1	21.6	<0.001	0.02	1.10	2.3	0.6	0.7	33.8	<0.01	0.04
DD013749		1.00	28.8	710	14.3	15.5	<0.001	0.01	0.79	1.9	0.8	0.4	24.0	<0.01	0.05
DD013750		0.83	36.3	720	16.0	14.0	0.001	0.01	0.72	1.9	0.5	0.4	27.4	<0.01	0.05
DD013851		1.60	28.7	840	16.6	25.0	<0.001	0.01	1.35	3.1	0.2	1.1	33.0	<0.01	0.02
DD013852		1.52	30.7	990	12.1	23.6	<0.001	0.01	0.66	2.4	0.5	0.8	32.8	<0.01	0.07
DD013853		1.77	25.8	650	15.1	32.5	<0.001	0.01	0.90	2.5	<0.2	1.3	31.6	<0.01	0.06
DD013854		1.83	27.5	780	14.9	33.9	0.001	0.01	1.09	2.6	0.4	1.3	33.9	<0.01	0.05
DD013855		1.84	29.2	730	24.9	28.8	<0.001	0.01	2.08	3.2	0.7	1.6	34.7	<0.01	0.04
DD013856		1.87	27.3	630	21.5	33.8	<0.001	0.01	1.69	3.0	0.4	1.7	29.0	<0.01	0.04
DD013857		1.87	24.7	370	24.8	41.6	<0.001	<0.01	1.82	2.5	0.2	1.7	13.9	<0.01	0.04
DD013858		2.41	17.5	230	14.2	39.3	<0.001	0.03	0.75	2.6	0.4	1.9	24.8	0.01	0.03
DD013859		2.18	29.1	440	30.4	56.7	<0.001	0.03	1.12	3.6	0.5	3.0	43.6	0.01	0.03
DD013860		1.51	33.9	310	15.9	72.9	<0.001	0.03	1.59	2.2	0.3	1.9	12.3	<0.01	0.03
DD013901		2.60	18.8	280	20.6	37.4	<0.001	0.04	0.95	2.1	0.4	1.9	20.5	<0.01	0.02
DD013902		2.06	29.9	670	32.7	63.4	<0.001	0.05	0.99	4.4	0.5	3.5	54.8	0.01	0.03
DD013903		2.31	28.3	800	48.6	40.7	0.001	0.08	0.74	2.5	1.3	2.0	56.8	0.01	0.04
DD013904		1.23	17.1	380	18.6	48.7	<0.001	0.04	1.69	2.0	0.3	1.8	19.0	<0.01	0.04
DD013905		3.89	7.0	160	16.3	62.7	<0.001	0.04	0.23	1.4	0.2	1.8	23.7	0.01	0.01
DD013906		3.79	6.6	200	15.1	55.9	<0.001	0.03	0.64	1.4	0.2	2.5	7.5	<0.01	0.02
DD013907		2.85	8.0	250	17.0	43.8	<0.001	0.03	0.42	1.6	0.2	2.0	9.2	<0.01	0.01
DD013908		2.19	25.3	160	18.2	32.6	<0.001	0.04	0.50	2.4	0.3	2.6	31.5	0.01	0.03
DD013909		1.82	29.1	780	17.8	24.3	<0.001	0.09	1.16	2.9	1.2	1.9	60.9	0.01	0.04
DD013910		1.86	28.4	890	22.1	29.0	<0.001	0.06	1.19	2.8	0.7	1.2	40.4	0.01	0.05
DD013911		1.87	35.8	820	22.8	30.3	<0.001	0.12	1.48	3.2	0.8	1.4	37.0	0.01	0.05
DD013912		1.60	31.0	920	15.1	26.4	<0.001	0.06	1.03	2.8	0.9	1.2	42.0	0.01	0.04
DD013913		1.93	32.1	740	23.6	24.8	<0.001	0.05	1.30	3.6	0.8	1.8	49.2	0.01	0.05
DD013914		1.52	26.9	910	21.1	27.9	<0.001	0.07	1.10	2.7	0.8	1.4	52.2	0.01	0.04
DD013915		1.29	20.3	360	29.3	45.6	<0.001	0.05	5.15	2.1	0.4	3.5	28.3	<0.01	0.07
DD013916		1.83	28.7	550	17.9	32.3	<0.001	0.04	1.02	3.8	0.7	1.9	32.4	0.01	0.04
DD013917		1.55	20.8	360	23.3	41.1	<0.001	0.03	1.68	2.6	0.4	2.0	13.4	<0.01	0.03
DD013918		1.61	21.2	440	34.3	49.1	<0.001	0.05	4.62	2.9	0.4	2.1	26.6	<0.01	0.05
DD013919		2.10	25.7	560	10.8	32.5	<0.001	0.03	0.60	2.7	0.5	1.3	22.7	0.01	0.03
DD013920		1.96	25.7	420	8.3	15.6	<0.001	0.04	0.29	2.6	0.4	1.1	29.1	0.01	0.04



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 28- AUG- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188777

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm	W- XRF05 W ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5	10
DD013742		0.028	0.23	3.47	16	2.26	16.55	114	<0.5	
DD013743		0.023	0.20	3.91	15	3.20	15.50	102	<0.5	
DD013744		0.042	0.34	1.32	19	5.58	5.78	133	<0.5	
DD013745		0.024	0.19	3.48	13	3.64	15.35	103	<0.5	
DD013746		0.022	0.19	5.12	14	1.94	16.55	112	<0.5	
DD013747		0.018	0.17	1.86	13	1.10	13.90	80	<0.5	
DD013748		0.020	0.21	4.42	13	1.17	19.55	101	<0.5	
DD013749		0.014	0.14	2.09	11	0.65	16.10	91	<0.5	
DD013750		0.012	0.16	2.73	11	0.87	16.55	99	<0.5	
DD013851		0.024	0.24	2.12	18	2.89	12.85	92	<0.5	
DD013852		0.023	0.19	2.76	16	2.20	17.90	79	<0.5	
DD013853		0.027	0.21	1.60	19	6.42	9.35	107	<0.5	
DD013854		0.025	0.22	2.30	19	6.50	13.70	113	<0.5	
DD013855		0.027	0.25	2.77	19	18.75	16.00	148	0.5	
DD013856		0.028	0.28	1.84	21	6.81	11.70	144	<0.5	
DD013857		0.029	0.28	1.34	21	6.68	6.45	201	<0.5	
DD013858		0.045	0.21	2.42	29	6.67	4.99	168	0.6	
DD013859		0.057	0.38	2.79	24	12.05	9.28	486	0.5	
DD013860		0.030	0.31	1.23	18	4.78	4.11	414	<0.5	
DD013901		0.035	0.19	2.20	18	10.65	9.22	100	1.5	
DD013902		0.063	0.48	1.90	24	17.45	13.15	424	3.4	
DD013903		0.039	0.26	13.25	15	16.50	17.20	332	0.8	
DD013904		0.019	0.26	1.25	15	6.17	4.99	457	0.6	
DD013905		0.029	0.25	1.96	12	8.35	3.08	149	0.5	
DD013906		0.033	0.30	1.66	13	11.45	4.27	75	0.7	
DD013907		0.030	0.25	1.39	16	9.58	4.28	89	1.0	
DD013908		0.040	0.27	0.85	19	5.12	4.44	160	1.1	
DD013909		0.020	0.19	6.23	16	2.08	25.3	136	0.7	
DD013910		0.025	0.19	1.56	17	1.78	16.10	137	<0.5	
DD013911		0.024	0.22	3.80	17	2.64	21.9	136	0.6	
DD013912		0.022	0.17	4.14	14	1.86	23.5	108	0.6	
DD013913		0.028	0.22	3.92	20	2.97	22.2	127	0.5	
DD013914		0.021	0.20	3.09	14	2.37	19.60	116	0.5	
DD013915		0.017	0.41	0.96	17	11.35	5.18	289	0.5	
DD013916		0.030	0.26	2.96	21	2.90	21.2	159	0.6	
DD013917		0.019	0.31	1.29	16	6.44	6.61	194	<0.5	
DD013918		0.028	0.41	1.30	19	22.6	7.91	246	<0.5	
DD013919		0.026	0.19	1.78	17	1.66	12.00	87	<0.5	
DD013920		0.021	0.14	1.63	16	0.66	13.10	69	<0.5	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Say Yea Soil

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 28- AUG- 2012
Account: MTT

CERTIFICATE OF ANALYSIS WH12188777

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 29- AUG- 2012
Account: MTT

CERTIFICATE WH12188880

Project: Say Yea Soil
P.O. No.: Batch 5
This report is for 187 Soil samples submitted to our lab in Whitehorse, YT, Canada on 13- AUG- 2012.

The following have access to data associated with this certificate:

SARAH EATON

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/ o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
W- XRF05	Trace Level W XRF Analysis	XRF
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 29- AUG- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188880

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ48401		0.20	0.004	0.07	3.15	6.2	<0.2	<10	70	3.18	0.58	0.26	0.26	134.5	33.6	53
ZZ48402		0.11	0.005	1.02	1.08	92.8	<0.2	<10	70	2.38	2.48	0.35	4.87	56.2	6.6	13
ZZ48403		0.13	0.003	0.17	1.35	7.1	<0.2	<10	100	1.31	0.88	0.18	1.52	38.6	8.3	14
ZZ48404		0.15	0.004	0.60	2.59	18.9	<0.2	<10	80	13.75	4.79	1.55	1.52	79.9	12.0	34
ZZ48405		0.20	0.001	0.43	1.89	9.2	<0.2	<10	50	6.31	8.33	0.23	1.00	88.1	9.6	35
ZZ48406		0.18	0.002	0.09	3.49	6.5	<0.2	<10	70	2.31	2.04	0.66	2.29	82.2	18.4	60
ZZ48407		0.15	0.002	0.07	1.18	6.8	<0.2	<10	40	0.37	0.57	0.04	0.07	33.3	4.3	16
ZZ48408		0.20	0.002	0.09	2.37	7.1	<0.2	<10	70	1.83	1.08	0.10	0.15	70.6	13.6	36
ZZ48409		0.24	0.004	0.23	3.33	14.5	<0.2	<10	90	1.24	1.53	0.41	0.27	67.6	22.6	44
ZZ48410		0.26	0.003	0.16	3.17	12.8	<0.2	<10	100	1.16	1.67	0.23	0.15	56.5	14.4	43
ZZ48411		0.26	0.002	0.08	3.02	24.3	<0.2	<10	90	0.99	0.64	0.27	0.07	55.3	14.7	42
ZZ48412		0.26	0.002	0.08	3.67	50.7	<0.2	<10	120	0.98	1.36	0.33	0.10	63.7	19.9	47
ZZ48413		0.20	0.001	0.10	3.37	15.6	<0.2	<10	90	0.96	0.77	0.43	0.15	58.0	19.8	43
ZZ48414		0.24	0.002	0.12	3.14	40.2	<0.2	<10	110	0.89	0.76	0.45	0.15	72.1	18.3	41
ZZ48415		0.13	0.001	0.14	2.33	20.8	<0.2	<10	90	0.78	0.57	0.47	0.08	65.9	12.9	31
ZZ48416		0.26	0.001	0.12	2.59	18.7	<0.2	<10	90	0.94	0.82	0.59	0.21	85.1	17.1	44
ZZ48417		0.25	0.001	0.13	2.61	14.8	<0.2	<10	90	0.79	0.58	1.29	0.17	92.2	19.1	37
ZZ48418		0.25	0.002	0.10	2.26	31.6	<0.2	<10	70	0.54	2.51	0.42	0.19	70.9	17.2	36
ZZ48419		0.16	0.001	0.16	1.94	20.0	<0.2	<10	80	0.53	0.43	0.58	0.14	69.9	11.7	26
ZZ48420		0.32	0.001	0.12	2.25	16.3	<0.2	<10	70	0.55	0.47	0.36	0.08	73.6	13.7	32
ZZ48421		0.15	0.002	0.13	2.28	21.4	<0.2	<10	80	0.47	0.49	0.76	0.08	66.3	15.7	30
ZZ48422		0.10	0.002	0.20	1.66	11.6	<0.2	<10	70	0.42	0.37	1.79	0.16	48.8	10.7	24
ZZ48423		0.23	<0.001	0.06	1.93	40.6	<0.2	<10	60	0.38	0.50	0.23	0.09	71.6	13.9	25
ZZ48424		0.27	0.002	0.20	2.40	41.0	<0.2	<10	70	0.64	0.49	1.14	0.20	83.6	19.0	36
ZZ48425		0.26	0.001	0.16	2.99	20.3	<0.2	<10	80	0.75	0.67	0.75	0.16	69.3	19.4	49
ZZ48426		0.18	0.005	0.08	2.62	4.6	<0.2	<10	160	0.79	0.45	1.74	0.18	57.3	19.3	43
ZZ48427		0.27	0.002	0.15	2.30	13.7	<0.2	<10	70	0.82	0.54	2.28	0.31	102.5	20.9	50
ZZ48428		0.19	0.007	0.10	3.75	4.0	<0.2	<10	110	1.62	0.59	0.85	0.38	83.1	18.1	53
ZZ48429		0.22	0.001	0.22	2.02	37.0	<0.2	<10	60	0.67	0.51	0.08	0.15	51.6	9.2	28
ZZ48430		0.26	<0.001	0.21	2.69	50.8	<0.2	<10	70	1.15	0.60	2.10	0.23	94.6	17.9	46
ZZ48431		0.26	<0.001	0.22	3.58	111.0	<0.2	<10	110	1.29	0.78	0.20	0.45	70.3	20.7	41
ZZ48432		0.18	0.002	0.06	3.00	71.1	<0.2	<10	120	0.82	0.58	0.11	0.24	56.7	17.6	38
ZZ48433		0.23	0.001	0.07	3.94	77.7	<0.2	<10	120	1.52	0.76	0.20	0.11	78.2	18.5	47
ZZ48434		0.20	0.003	0.28	7.95	10.2	<0.2	<10	210	2.65	1.24	0.68	0.07	78.1	21.2	79
ZZ48435		0.18	0.002	0.08	2.86	17.2	<0.2	<10	100	0.76	0.81	0.06	0.09	33.2	10.6	44
ZZ48436		0.18	0.001	0.12	3.26	17.1	<0.2	<10	100	1.37	0.85	0.14	0.11	59.6	15.5	46
ZZ48437		0.19	0.002	0.17	2.45	4.0	<0.2	<10	100	1.15	0.84	0.12	0.15	43.1	15.1	38
ZZ48438		0.24	0.004	0.21	3.40	4.1	<0.2	<10	100	2.43	0.85	0.53	0.16	61.3	15.7	46
ZZ48439		0.21	0.003	0.07	2.29	3.6	<0.2	<10	90	1.13	0.93	0.20	0.07	42.3	11.5	37
ZZ48440		0.13	0.002	0.15	2.39	3.4	<0.2	<10	70	1.51	1.18	0.16	0.38	37.2	16.3	45



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.

C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED

1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B

Total # Pages: 6 (A - D)

Plus Appendix Pages

Finalized Date: 29- AUG- 2012

Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188880

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ48401		12.00	47.0	5.55	11.05	0.11	0.02	0.01	0.117	0.25	49.9	95.1	0.96	775	0.48
ZZ48402		4.58	141.5	2.27	6.64	0.05	<0.02	0.04	0.233	0.10	29.0	26.8	0.19	702	1.43
ZZ48403		12.30	8.6	2.20	6.92	<0.05	<0.02	0.03	0.042	0.07	18.0	24.4	0.23	1970	2.44
ZZ48404		33.8	27.5	4.00	10.05	0.18	<0.02	0.07	0.375	0.24	55.3	85.0	0.51	1730	0.64
ZZ48405		25.2	33.5	3.86	9.98	0.09	<0.02	0.03	0.268	0.20	45.2	55.8	0.53	1240	1.00
ZZ48406		13.00	27.3	5.24	12.20	0.11	0.02	0.01	0.932	0.21	35.7	132.0	1.29	619	0.38
ZZ48407		3.93	10.7	2.19	7.01	<0.05	<0.02	0.02	0.032	0.07	18.0	15.7	0.25	130	0.48
ZZ48408		14.25	39.5	4.68	8.57	0.11	<0.02	0.02	0.034	0.36	39.4	47.4	0.75	417	0.38
ZZ48409		9.14	31.0	4.42	11.75	0.09	0.02	0.02	0.066	0.47	32.9	74.7	1.01	530	0.27
ZZ48410		9.17	27.5	4.21	12.35	0.07	<0.02	0.01	0.052	0.29	29.2	64.7	0.87	316	0.44
ZZ48411		7.35	19.7	4.12	11.50	0.08	<0.02	0.01	0.029	0.26	27.1	65.0	0.94	316	0.31
ZZ48412		8.05	33.1	4.78	12.10	0.09	0.02	0.01	0.037	0.35	30.8	79.4	1.08	397	0.25
ZZ48413		8.21	27.2	4.43	11.85	0.09	<0.02	0.02	0.033	0.48	28.9	80.0	1.07	358	0.27
ZZ48414		7.15	26.5	4.45	11.40	0.10	0.02	0.01	0.036	0.29	37.5	75.3	0.98	422	0.32
ZZ48415		4.98	22.1	3.52	8.59	0.08	<0.02	0.02	0.025	0.19	38.4	49.2	0.70	299	0.32
ZZ48416		5.95	29.7	4.35	9.00	0.15	0.03	0.01	0.041	0.25	38.4	56.4	0.93	528	0.25
ZZ48417		5.37	31.2	4.24	8.28	0.15	0.04	0.01	0.030	0.29	49.1	52.9	0.93	522	0.28
ZZ48418		3.50	23.0	3.93	7.11	0.11	0.02	0.01	0.027	0.15	32.1	46.6	0.84	552	0.28
ZZ48419		2.78	18.7	3.08	6.32	0.10	0.03	0.03	0.026	0.07	36.8	33.6	0.56	395	0.37
ZZ48420		2.58	22.3	3.76	7.36	0.12	0.02	0.01	0.025	0.10	41.3	49.1	0.84	397	0.26
ZZ48421		2.21	22.7	3.86	6.70	0.10	0.04	0.02	0.024	0.11	35.0	44.6	0.81	500	0.27
ZZ48422		1.79	13.9	2.71	5.50	0.07	0.03	0.03	0.022	0.07	20.3	28.4	0.45	464	0.31
ZZ48423		1.77	18.2	3.73	5.81	0.09	0.02	0.01	0.021	0.05	26.8	40.7	0.77	376	0.33
ZZ48424		2.92	31.3	4.18	7.59	0.13	0.03	0.02	0.028	0.11	45.2	51.2	0.86	528	0.26
ZZ48425		4.09	26.3	4.58	9.88	0.12	0.03	0.02	0.035	0.10	38.9	62.0	1.00	512	0.27
ZZ48426		5.28	29.6	4.23	9.30	0.12	0.03	0.01	0.035	0.30	34.2	59.6	0.94	781	0.22
ZZ48427		5.01	30.4	4.10	8.63	0.17	0.05	0.01	0.035	0.22	50.8	49.7	0.94	669	0.26
ZZ48428		13.05	25.3	5.09	12.20	0.11	<0.02	0.02	0.041	0.45	30.3	111.5	1.41	774	0.18
ZZ48429		4.72	15.6	3.53	9.63	0.08	<0.02	0.05	0.027	0.12	27.9	37.8	0.46	283	0.66
ZZ48430		4.04	28.9	4.76	10.35	0.16	0.02	0.02	0.057	0.15	51.9	60.3	0.93	1540	0.33
ZZ48431		6.24	27.3	4.29	10.95	0.10	0.04	0.03	0.062	0.20	33.1	65.7	0.87	329	0.34
ZZ48432		5.19	22.4	4.20	8.73	0.08	0.05	0.02	0.048	0.18	27.7	52.2	0.81	341	0.36
ZZ48433		8.71	30.8	4.43	11.60	0.11	0.03	0.02	0.049	0.33	33.3	66.1	1.01	440	0.27
ZZ48434		12.30	32.4	4.80	21.9	0.20	0.03	0.02	0.037	0.50	34.9	111.5	1.35	326	0.19
ZZ48435		6.51	17.1	4.40	11.50	0.06	0.02	0.02	0.049	0.24	17.6	57.7	0.84	216	0.39
ZZ48436		8.48	24.1	4.39	11.15	0.08	0.02	0.03	0.093	0.27	28.7	70.2	0.93	299	0.37
ZZ48437		5.94	21.2	4.07	10.95	0.06	<0.02	0.01	0.046	0.39	21.2	42.7	0.64	753	0.56
ZZ48438		12.20	28.0	4.00	10.10	0.12	<0.02	0.03	0.058	0.42	35.6	76.6	0.92	567	0.34
ZZ48439		9.49	15.8	3.17	8.79	0.07	<0.02	0.02	0.070	0.25	22.0	58.4	0.75	325	0.39
ZZ48440		15.95	24.4	3.60	12.35	0.07	<0.02	0.02	0.044	0.29	20.0	63.0	0.69	320	0.64



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 29- AUG- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188880

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
ZZ48401		2.56	68.7	480	16.2	31.0	<0.001	0.02	2.01	8.1	1.2	2.0	39.0	<0.01	0.03
ZZ48402		0.87	9.2	600	45.2	44.5	<0.001	0.02	1.74	0.7	0.7	5.1	35.6	<0.01	0.01
ZZ48403		2.17	9.0	470	20.5	52.6	<0.001	<0.01	0.56	1.3	0.3	2.0	18.6	<0.01	0.01
ZZ48404		2.32	31.4	830	97.4	99.0	0.001	0.02	4.02	5.2	1.5	16.5	36.9	<0.01	0.02
ZZ48405		2.48	23.8	410	106.0	63.4	<0.001	0.01	4.74	4.4	1.0	27.0	28.1	<0.01	0.02
ZZ48406		6.48	47.6	670	9.6	26.7	<0.001	<0.01	1.26	8.3	0.8	7.1	50.1	0.01	0.03
ZZ48407		1.30	11.5	300	9.8	10.8	<0.001	<0.01	0.33	0.8	0.2	1.7	10.7	<0.01	0.01
ZZ48408		3.53	35.9	440	12.4	46.7	<0.001	<0.01	0.36	5.0	1.0	1.2	20.4	<0.01	0.03
ZZ48409		3.43	43.4	640	19.2	58.4	0.001	<0.01	0.22	6.7	1.0	1.9	98.3	0.01	0.03
ZZ48410		3.72	41.0	570	14.5	41.8	0.001	0.01	0.28	4.7	0.7	2.1	64.0	0.01	<0.01
ZZ48411		3.80	37.3	520	10.2	36.7	<0.001	0.01	0.23	4.8	0.9	1.6	66.9	0.01	0.01
ZZ48412		3.47	47.9	430	13.9	47.2	<0.001	<0.01	0.12	6.7	1.0	1.5	95.4	0.01	0.05
ZZ48413		3.69	42.2	550	13.4	55.8	<0.001	<0.01	0.22	5.8	0.9	1.5	113.0	0.01	0.02
ZZ48414		3.35	45.2	660	16.6	42.8	<0.001	<0.01	0.26	5.9	0.9	1.6	99.9	0.01	0.03
ZZ48415		2.92	34.3	790	12.9	29.2	<0.001	0.02	0.22	3.6	1.1	1.1	75.7	0.01	0.03
ZZ48416		2.22	44.1	730	30.2	38.4	<0.001	0.01	0.44	5.2	1.0	1.5	104.0	<0.01	0.05
ZZ48417		1.53	43.3	750	32.8	34.8	<0.001	0.01	0.28	4.6	1.5	1.0	156.0	<0.01	0.03
ZZ48418		2.09	40.0	800	27.6	24.5	<0.001	0.02	0.22	3.6	0.7	0.8	69.8	<0.01	0.04
ZZ48419		1.83	27.1	820	21.2	12.9	<0.001	0.06	0.22	2.5	1.0	0.7	79.5	<0.01	0.03
ZZ48420		1.68	35.0	600	19.5	13.9	<0.001	0.03	0.19	3.6	1.4	0.7	69.8	<0.01	0.02
ZZ48421		1.60	34.1	790	19.2	15.0	<0.001	0.04	0.18	2.8	1.0	0.5	100.5	<0.01	0.04
ZZ48422		2.27	23.9	600	19.3	10.4	<0.001	0.06	0.20	2.4	0.4	0.5	233	0.01	0.01
ZZ48423		0.97	34.1	340	45.1	8.4	<0.001	0.03	0.15	2.1	0.6	0.4	30.2	<0.01	0.02
ZZ48424		1.84	44.7	800	42.4	18.6	0.001	0.03	0.26	4.0	1.4	0.7	188.5	<0.01	0.04
ZZ48425		3.09	49.1	610	23.2	16.0	<0.001	0.03	0.17	5.3	1.2	1.4	113.5	0.01	0.04
ZZ48426		3.46	41.8	810	21.2	29.0	<0.001	0.04	0.10	5.8	0.9	1.0	288	0.01	0.03
ZZ48427		1.45	51.3	870	20.2	25.0	<0.001	0.03	0.26	5.4	1.2	1.2	211	<0.01	0.03
ZZ48428		2.58	39.2	800	11.5	44.6	<0.001	0.03	0.09	7.1	1.0	1.7	89.4	<0.01	0.04
ZZ48429		3.48	24.7	500	17.5	25.1	<0.001	0.03	0.38	2.3	0.7	1.5	20.4	0.01	0.02
ZZ48430		2.83	42.6	770	35.1	23.5	<0.001	0.03	0.27	7.8	2.5	1.3	153.0	0.01	0.03
ZZ48431		3.29	43.5	500	22.9	30.6	<0.001	0.02	0.25	5.6	1.0	2.5	59.8	0.01	0.04
ZZ48432		2.56	42.6	440	18.2	26.7	<0.001	0.03	0.17	4.1	0.5	1.4	29.0	<0.01	0.04
ZZ48433		3.06	44.6	420	16.7	42.8	0.001	0.03	0.15	6.2	1.2	2.1	70.5	0.01	0.04
ZZ48434		6.57	41.0	470	9.6	60.7	<0.001	0.02	0.06	13.3	1.3	2.2	199.5	0.01	0.03
ZZ48435		3.54	34.0	270	13.4	35.8	<0.001	0.03	0.15	4.3	0.4	2.1	26.8	<0.01	0.03
ZZ48436		3.63	42.8	300	14.9	44.8	<0.001	0.03	0.17	5.1	0.6	2.7	45.0	<0.01	0.03
ZZ48437		4.40	24.2	360	16.2	69.6	0.001	0.03	0.16	3.2	0.4	2.0	23.1	<0.01	0.04
ZZ48438		4.50	37.5	510	10.6	62.0	<0.001	0.05	0.22	5.3	1.3	2.3	74.9	0.01	0.03
ZZ48439		3.62	27.5	240	7.0	44.1	<0.001	0.03	0.13	3.9	0.5	4.3	42.5	<0.01	0.04
ZZ48440		5.72	29.9	320	17.0	118.0	<0.001	0.03	0.16	4.4	0.4	3.3	34.7	<0.01	0.03



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 29- AUG- 2012
 Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188880

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm	W- XRF05 W ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5	10
ZZ48401		0.045	0.30	2.21	39	0.83	13.40	330	0.6	
ZZ48402		0.013	0.26	11.45	19	165.0	12.05	562	<0.5	NSS
ZZ48403		0.029	0.37	1.41	25	10.40	3.50	300	<0.5	
ZZ48404		0.057	0.41	2.58	37	194.5	22.8	913	0.6	190
ZZ48405		0.048	0.31	1.72	36	30.8	10.30	587	<0.5	
ZZ48406		0.118	0.36	1.70	59	2.33	13.65	4230	<0.5	
ZZ48407		0.038	0.11	0.69	26	0.43	3.15	56	<0.5	
ZZ48408		0.069	0.28	1.67	28	0.82	9.26	139	<0.5	
ZZ48409		0.071	0.37	1.56	33	0.61	14.35	210	0.9	
ZZ48410		0.057	0.29	1.89	36	1.63	10.85	161	<0.5	
ZZ48411		0.062	0.24	1.50	34	0.44	10.90	107	<0.5	
ZZ48412		0.065	0.35	1.57	36	0.32	13.75	141	0.7	
ZZ48413		0.066	0.33	1.58	32	0.42	13.15	171	<0.5	
ZZ48414		0.044	0.31	1.57	34	0.30	13.70	216	0.5	
ZZ48415		0.034	0.22	1.54	26	0.22	14.30	111	<0.5	
ZZ48416		0.039	0.26	1.33	31	0.36	17.20	211	1.0	
ZZ48417		0.032	0.26	1.30	26	0.16	21.0	168	1.4	
ZZ48418		0.030	0.15	1.42	24	0.13	13.90	149	0.7	
ZZ48419		0.024	0.11	2.17	20	0.12	17.60	102	1.1	
ZZ48420		0.024	0.10	1.35	22	0.13	17.95	104	0.9	
ZZ48421		0.020	0.09	1.17	20	0.11	16.30	116	1.1	
ZZ48422		0.039	0.08	1.04	21	0.10	8.35	70	1.0	
ZZ48423		0.013	0.08	1.10	16	0.07	9.08	104	0.9	
ZZ48424		0.032	0.14	1.30	24	0.11	22.9	149	0.8	
ZZ48425		0.052	0.17	1.45	39	0.21	20.0	191	0.8	
ZZ48426		0.049	0.25	1.50	39	0.12	20.7	132	1.3	
ZZ48427		0.041	0.24	1.43	30	0.20	26.7	459	2.2	
ZZ48428		0.040	0.28	1.81	45	0.21	18.35	332	<0.5	
ZZ48429		0.065	0.20	1.20	36	0.24	8.24	131	<0.5	
ZZ48430		0.052	0.26	1.62	40	0.21	49.1	133	0.6	
ZZ48431		0.041	0.27	1.46	33	0.29	12.80	202	1.6	
ZZ48432		0.037	0.22	1.31	30	0.26	9.44	140	1.4	
ZZ48433		0.057	0.43	1.66	38	0.72	13.90	153	1.0	
ZZ48434		0.130	0.58	2.30	59	0.26	19.90	85	1.3	
ZZ48435		0.061	0.24	0.91	40	0.87	5.78	142	0.6	
ZZ48436		0.053	0.31	1.35	38	0.31	10.70	170	0.6	
ZZ48437		0.091	0.29	1.31	42	0.30	5.06	134	<0.5	
ZZ48438		0.086	0.33	5.10	37	0.48	19.90	166	<0.5	
ZZ48439		0.062	0.26	1.24	32	0.40	7.04	122	<0.5	
ZZ48440		0.107	0.22	1.70	52	0.59	5.51	135	<0.5	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 29- AUG- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188880

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ48441		0.13	0.003	0.22	3.14	3.1	<0.2	<10	90	1.98	1.33	0.68	0.47	49.1	21.7	40
ZZ48442		0.20	0.003	0.08	2.83	6.2	<0.2	<10	70	1.55	1.01	0.28	0.11	46.1	13.0	42
ZZ48443		0.18	0.002	0.15	3.20	4.5	<0.2	<10	90	1.78	0.92	0.30	0.07	46.0	14.7	47
ZZ48444		0.20	0.003	0.19	2.69	2.6	<0.2	<10	70	1.47	0.78	0.17	0.13	42.0	11.2	43
ZZ48445		0.21	0.002	0.26	2.59	5.8	<0.2	<10	100	1.35	0.88	0.19	0.14	41.9	13.0	44
ZZ48446		0.25	0.001	0.24	2.48	8.6	<0.2	<10	70	0.86	0.74	0.09	0.10	42.4	10.4	35
ZZ48447		0.19	<0.001	0.15	2.83	12.7	<0.2	<10	100	0.98	0.78	0.06	0.17	34.5	12.4	44
ZZ48448		0.23	0.001	0.09	2.84	20.3	<0.2	<10	70	0.82	0.62	0.07	0.11	52.7	15.2	37
ZZ48449		0.16	<0.001	0.12	4.69	16.7	<0.2	<10	170	1.41	0.51	0.17	0.14	63.1	18.6	56
ZZ48450		0.18	0.002	0.08	3.29	70.9	<0.2	<10	100	1.07	0.58	0.12	0.19	61.8	18.5	40
ZZ48451		0.21	0.002	0.13	2.89	95.3	<0.2	<10	80	1.10	0.60	0.18	0.21	62.7	14.1	34
ZZ48452		0.24	0.002	0.09	3.34	113.0	<0.2	<10	90	0.96	0.61	0.22	0.23	87.7	21.0	37
ZZ48453		0.20	0.001	0.06	3.72	25.3	<0.2	<10	90	0.92	0.42	0.22	0.28	78.4	19.1	47
ZZ48454		0.18	0.002	0.05	0.45	10.3	<0.2	<10	30	0.35	0.31	0.17	0.13	101.0	26.4	10
ZZ48455		0.26	0.001	0.08	1.78	29.4	<0.2	<10	70	0.81	0.50	0.52	0.11	104.5	19.0	54
ZZ48456		0.27	0.001	0.06	3.12	2.1	<0.2	<10	120	0.84	0.47	5.04	0.29	110.0	23.5	45
ZZ48457		0.30	0.001	0.06	2.47	17.6	<0.2	<10	70	0.65	0.64	1.33	0.30	83.6	20.2	40
ZZ48458		0.21	0.002	0.11	2.75	26.8	<0.2	<10	100	0.65	0.49	1.26	0.24	70.9	18.5	46
ZZ48459		0.22	0.002	0.13	2.37	21.4	<0.2	<10	90	0.47	0.40	1.06	0.14	50.3	14.4	32
ZZ48460		0.17	<0.001	0.11	2.71	26.5	<0.2	<10	110	0.58	0.36	0.97	0.12	75.2	17.5	36
ZZ48461		0.19	<0.001	0.08	1.78	29.5	<0.2	<10	50	0.27	0.39	0.27	0.07	50.5	11.6	23
ZZ48462		0.25	0.001	0.07	1.93	20.9	<0.2	<10	60	0.32	0.52	0.27	0.08	65.4	13.5	25
ZZ48463		0.17	<0.001	0.32	1.07	5.4	<0.2	<10	30	0.35	0.57	0.07	0.09	59.3	5.5	13
ZZ48464		0.20	0.001	0.42	1.49	2.2	<0.2	<10	20	0.24	0.31	0.05	0.09	37.4	8.9	18
ZZ48465		0.23	<0.001	0.16	1.50	5.9	<0.2	<10	20	0.24	0.43	0.04	0.04	38.6	10.1	19
ZZ48466		0.11	0.002	0.14	2.01	13.4	<0.2	<10	30	0.49	0.54	0.08	0.08	46.0	12.7	25
ZZ48467		0.21	0.001	0.28	1.31	8.3	<0.2	<10	30	0.42	0.60	0.26	0.05	58.4	11.3	15
ZZ48468		0.18	0.001	0.13	1.90	10.4	<0.2	<10	40	0.58	0.54	0.23	0.22	77.0	13.2	22
ZZ48469		0.14	<0.001	0.13	3.08	6.0	<0.2	10	80	1.33	2.00	0.71	0.89	30.0	28.2	32
ZZ48470		0.10	<0.001	0.19	1.68	4.6	<0.2	<10	80	1.29	2.56	0.18	0.71	26.5	10.9	21
ZZ48471		0.15	<0.001	0.13	2.46	8.4	<0.2	<10	100	2.16	3.48	0.22	0.95	44.0	10.9	33
ZZ48472		0.26	0.003	0.08	2.72	10.4	<0.2	<10	50	4.06	6.45	0.33	0.33	47.3	10.1	39
ZZ48473		0.15	<0.001	0.14	1.52	7.4	<0.2	<10	80	1.83	3.87	0.36	0.27	59.2	6.1	20
ZZ48474		0.31	0.001	0.06	1.13	4.4	<0.2	<10	40	2.23	3.59	0.34	0.20	60.3	4.5	12
ZZ48475		0.15	0.001	0.23	1.44	2.7	<0.2	<10	30	1.70	3.67	0.17	0.73	55.5	5.5	12
ZZ48476		0.16	<0.001	0.78	1.06	3.3	<0.2	<10	50	1.30	3.43	0.15	0.36	38.5	3.1	7
ZZ48477		0.10	0.001	0.42	1.01	8.6	<0.2	<10	30	1.07	3.55	0.15	0.19	58.1	3.0	10
ZZ48478		0.13	0.001	0.94	0.89	5.3	<0.2	<10	30	0.78	4.34	0.07	0.28	42.9	2.7	8
ZZ48479		0.13	<0.001	0.41	0.98	5.3	<0.2	<10	40	0.83	5.78	0.13	0.18	49.7	3.0	11
ZZ48480		0.14	<0.001	1.22	0.78	3.4	<0.2	<10	30	0.93	3.78	0.10	0.58	38.0	2.9	7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 29- AUG- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188880

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ48441		25.4	30.2	3.96	11.50	0.07	<0.02	0.03	0.065	0.18	25.3	71.1	0.70	1160	0.57
ZZ48442		8.33	21.7	3.37	9.69	0.07	<0.02	0.01	0.065	0.27	23.5	61.8	0.78	305	0.40
ZZ48443		11.70	22.3	3.86	10.30	0.10	<0.02	0.01	0.071	0.33	22.8	66.3	0.92	397	0.37
ZZ48444		7.03	14.5	3.49	11.80	0.09	<0.02	0.02	0.039	0.28	25.9	64.0	0.78	416	0.42
ZZ48445		6.96	20.6	3.72	11.10	0.08	<0.02	0.02	0.057	0.19	23.9	64.3	0.77	673	0.50
ZZ48446		5.08	15.2	3.79	9.18	0.07	<0.02	0.02	0.067	0.13	22.4	52.1	0.75	296	0.42
ZZ48447		7.49	15.7	4.15	11.90	0.06	<0.02	0.02	0.051	0.24	17.8	56.8	0.79	367	0.40
ZZ48448		4.47	18.1	4.04	8.22	0.08	0.03	0.03	0.064	0.20	24.4	52.0	0.79	264	0.41
ZZ48449		11.10	21.6	4.67	13.20	0.12	0.03	0.05	0.051	0.57	27.3	95.3	1.22	311	0.33
ZZ48450		6.76	26.9	4.33	9.36	0.09	0.04	0.03	0.047	0.28	27.2	58.3	0.86	280	0.40
ZZ48451		5.22	22.7	4.14	8.68	0.09	0.02	0.03	0.038	0.17	28.6	50.8	0.75	279	0.40
ZZ48452		4.90	31.2	4.39	10.50	0.11	0.04	0.02	0.036	0.22	35.3	55.0	0.85	568	0.31
ZZ48453		11.65	20.2	5.35	11.20	0.12	<0.02	0.02	0.025	0.32	37.2	92.9	1.33	249	0.38
ZZ48454		1.85	35.3	4.42	2.61	0.13	<0.02	0.01	0.019	0.04	43.8	5.6	0.16	673	0.20
ZZ48455		2.93	23.9	4.28	6.85	0.15	0.03	0.02	0.036	0.08	54.3	34.2	0.68	827	0.34
ZZ48456		8.16	35.5	4.85	11.70	0.16	0.02	0.01	0.042	0.47	49.9	63.7	1.28	576	0.36
ZZ48457		3.53	20.9	4.79	7.99	0.11	0.02	0.02	0.036	0.09	35.3	42.9	0.77	742	0.35
ZZ48458		3.39	21.0	4.01	9.27	0.09	0.02	0.03	0.029	0.10	27.9	41.0	0.75	774	0.39
ZZ48459		3.68	22.8	3.24	7.28	0.09	0.03	0.02	0.018	0.15	26.0	34.7	0.64	955	0.36
ZZ48460		3.22	24.2	3.57	8.44	0.11	0.03	0.02	0.021	0.22	37.1	45.2	0.79	759	0.39
ZZ48461		1.57	16.4	3.37	5.53	0.07	0.03	0.02	0.018	0.05	23.5	30.8	0.74	310	0.30
ZZ48462		1.53	19.1	3.71	5.87	0.09	0.03	0.02	0.021	0.06	31.6	34.0	0.76	403	0.34
ZZ48463		1.53	8.7	2.81	5.85	0.08	<0.02	0.01	0.019	0.05	30.5	11.1	0.18	199	0.72
ZZ48464		3.88	10.2	2.97	7.10	0.05	<0.02	0.01	0.012	0.08	19.7	22.3	0.60	228	0.52
ZZ48465		1.73	12.1	2.78	6.09	0.05	<0.02	0.01	0.013	0.06	20.1	24.9	0.61	182	0.37
ZZ48466		2.94	18.8	3.65	6.14	0.06	<0.02	0.02	0.025	0.14	22.8	34.7	0.76	228	0.47
ZZ48467		1.94	14.8	2.98	5.29	0.09	0.02	0.02	0.022	0.15	39.0	20.8	0.39	336	0.62
ZZ48468		2.74	15.9	3.24	6.66	0.11	0.02	0.02	0.027	0.06	42.6	34.2	0.64	533	0.42
ZZ48469		18.25	16.9	4.20	10.35	0.10	0.02	0.01	0.182	0.17	14.7	62.9	1.99	1300	3.54
ZZ48470		13.80	14.3	2.38	7.92	<0.05	<0.02	0.02	0.068	0.07	12.0	27.4	0.31	1220	3.08
ZZ48471		11.80	21.1	3.81	9.21	0.06	<0.02	0.01	0.268	0.24	20.4	46.4	0.56	705	4.65
ZZ48472		15.75	34.9	4.34	10.20	0.07	0.02	0.01	0.421	0.27	22.9	54.0	0.62	482	2.92
ZZ48473		10.25	20.7	2.74	6.44	0.08	<0.02	0.02	0.189	0.31	29.3	38.9	0.38	359	3.41
ZZ48474		8.33	10.6	1.99	5.18	0.07	<0.02	0.01	0.120	0.18	31.7	32.0	0.21	400	2.81
ZZ48475		9.56	10.2	2.22	6.86	0.06	<0.02	0.02	0.099	0.21	28.6	52.8	0.24	468	2.15
ZZ48476		6.37	11.8	1.56	5.32	<0.05	<0.02	0.03	0.094	0.16	18.9	30.8	0.13	307	1.65
ZZ48477		7.43	14.1	1.86	5.59	0.07	<0.02	0.01	0.067	0.18	29.6	32.6	0.20	245	1.93
ZZ48478		7.00	16.7	1.69	5.83	0.05	<0.02	0.03	0.064	0.17	22.0	25.0	0.13	165	2.74
ZZ48479		7.15	19.0	1.97	5.63	0.07	<0.02	0.03	0.091	0.21	26.0	31.7	0.21	194	2.64
ZZ48480		5.07	25.1	1.42	4.05	0.05	<0.02	0.03	0.084	0.13	20.9	18.4	0.12	119	2.22



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 29- AUG- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188880

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
ZZ48441		3.28	42.3	680	11.9	46.9	<0.001	0.06	0.22	3.3	0.6	2.9	76.6	0.01	0.03
ZZ48442		4.29	33.4	350	9.0	40.6	<0.001	0.03	0.21	4.3	0.5	2.3	56.2	0.01	0.02
ZZ48443		4.08	33.9	340	8.4	42.4	<0.001	0.03	0.12	4.8	0.9	3.2	67.3	0.01	0.03
ZZ48444		5.11	26.8	350	8.9	47.9	<0.001	0.03	0.13	4.0	0.5	2.7	31.5	<0.01	0.02
ZZ48445		2.11	29.2	720	12.9	43.2	<0.001	0.05	0.17	2.3	0.6	2.3	39.2	<0.01	0.03
ZZ48446		2.92	27.6	250	12.7	26.2	<0.001	0.02	0.16	3.1	0.6	1.9	23.6	<0.01	0.03
ZZ48447		3.51	31.3	310	12.3	48.7	<0.001	0.03	0.16	3.8	0.4	2.7	22.4	<0.01	0.04
ZZ48448		2.31	35.5	260	19.5	28.6	<0.001	0.02	0.22	3.7	0.7	1.4	28.1	0.01	0.02
ZZ48449		5.97	46.0	470	14.2	64.3	<0.001	0.03	0.12	7.0	1.0	2.6	61.1	0.01	0.04
ZZ48450		2.55	46.3	520	18.7	42.6	<0.001	0.03	0.24	4.4	0.9	1.6	39.2	<0.01	0.05
ZZ48451		2.44	38.6	460	17.1	27.6	<0.001	0.03	0.24	3.5	0.8	1.5	39.2	0.01	0.02
ZZ48452		3.09	38.3	550	18.2	27.9	<0.001	0.02	0.32	4.8	1.2	1.3	74.1	0.01	0.04
ZZ48453		4.39	38.3	660	4.5	37.0	<0.001	0.02	0.07	4.1	0.8	1.1	21.3	0.01	0.05
ZZ48454		0.12	39.4	450	7.2	6.2	<0.001	0.01	0.05	2.6	1.0	0.3	25.4	<0.01	0.04
ZZ48455		1.66	46.5	800	27.3	13.9	<0.001	0.02	0.22	5.2	1.6	0.9	47.4	<0.01	0.02
ZZ48456		2.84	41.1	1320	17.5	49.2	<0.001	0.02	0.08	7.5	1.5	1.1	420	0.01	0.02
ZZ48457		2.41	38.5	650	30.8	14.4	<0.001	0.04	0.22	4.2	0.9	0.9	147.0	0.01	0.05
ZZ48458		3.62	34.0	1110	41.7	16.1	<0.001	0.05	0.20	3.7	1.1	1.1	147.0	0.02	0.06
ZZ48459		2.64	29.8	820	27.3	17.7	<0.001	0.04	0.19	3.0	0.9	0.6	159.5	0.01	0.03
ZZ48460		2.85	34.9	890	23.2	27.5	<0.001	0.05	0.16	3.6	1.2	0.9	144.0	0.01	0.04
ZZ48461		1.05	24.7	600	26.4	8.5	<0.001	0.02	0.11	2.0	0.7	0.4	28.6	<0.01	0.02
ZZ48462		0.97	27.8	730	19.1	10.4	<0.001	0.01	0.13	2.4	0.6	0.5	28.6	<0.01	0.02
ZZ48463		1.96	11.5	340	14.8	19.4	<0.001	0.01	0.78	1.2	0.6	1.1	9.4	<0.01	0.02
ZZ48464		2.20	16.5	210	9.8	45.6	<0.001	0.01	0.16	1.3	<0.2	0.6	8.8	<0.01	0.02
ZZ48465		1.35	18.4	150	7.7	25.3	<0.001	0.01	0.15	1.3	0.4	0.6	8.8	<0.01	0.04
ZZ48466		1.95	25.5	660	11.5	27.1	<0.001	0.02	0.54	2.0	0.4	1.0	10.7	<0.01	0.02
ZZ48467		1.80	18.5	260	11.5	26.8	<0.001	0.02	2.28	1.7	0.6	1.0	25.0	<0.01	0.01
ZZ48468		1.70	23.3	280	14.7	19.5	<0.001	0.02	0.43	2.1	0.8	1.0	24.5	<0.01	0.02
ZZ48469		3.15	19.8	410	11.3	48.2	<0.001	0.03	0.58	2.8	0.2	6.2	66.1	<0.01	0.02
ZZ48470		1.73	11.0	410	9.1	46.4	<0.001	0.03	0.38	1.6	<0.2	2.9	22.0	<0.01	0.03
ZZ48471		2.30	19.8	670	18.4	80.1	<0.001	0.05	0.71	2.7	0.7	6.6	35.0	<0.01	0.04
ZZ48472		1.95	26.4	440	12.5	62.9	<0.001	0.03	0.80	5.1	0.9	12.5	42.2	<0.01	0.02
ZZ48473		2.76	11.6	1100	18.2	56.9	<0.001	0.02	0.46	2.3	0.6	3.5	36.8	<0.01	0.02
ZZ48474		2.76	6.0	790	18.8	68.6	0.001	0.03	0.80	1.4	0.6	4.5	44.5	<0.01	0.01
ZZ48475		4.75	6.7	860	10.6	109.0	<0.001	0.02	0.27	1.3	0.3	3.6	19.6	<0.01	0.03
ZZ48476		2.91	4.6	870	13.4	71.8	<0.001	0.03	0.27	0.4	0.4	2.5	16.7	<0.01	0.02
ZZ48477		3.27	5.5	530	16.7	83.9	<0.001	0.02	0.56	0.8	0.7	3.2	14.4	<0.01	0.01
ZZ48478		2.86	4.7	550	15.5	91.6	<0.001	0.03	0.52	0.5	0.2	2.8	9.3	<0.01	0.01
ZZ48479		3.90	5.5	480	10.9	81.0	<0.001	0.02	0.72	0.8	0.8	2.8	10.4	<0.01	0.01
ZZ48480		1.95	5.8	1110	11.9	67.2	0.001	0.03	0.29	0.2	0.5	2.0	8.8	<0.01	0.01



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 29- AUG- 2012
 Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188880

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm	W- XRF05 W ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5	10
ZZ48441		0.067	0.23	2.45	42	0.64	10.60	222	<0.5	
ZZ48442		0.071	0.32	1.38	37	0.53	7.81	143	<0.5	
ZZ48443		0.080	0.38	1.64	39	0.54	8.77	147	<0.5	
ZZ48444		0.093	0.22	1.28	41	0.61	8.33	149	<0.5	
ZZ48445		0.049	0.17	2.06	40	0.27	11.55	168	<0.5	
ZZ48446		0.042	0.17	1.05	32	0.24	6.62	118	<0.5	
ZZ48447		0.072	0.24	0.81	44	0.53	5.50	181	<0.5	
ZZ48448		0.044	0.22	1.20	31	0.33	7.62	131	1.3	
ZZ48449		0.095	0.45	1.48	43	0.40	11.55	124	1.0	
ZZ48450		0.041	0.32	1.45	33	0.32	10.15	153	1.1	
ZZ48451		0.037	0.23	1.37	30	0.26	11.65	153	0.5	
ZZ48452		0.039	0.31	1.54	29	0.24	15.40	147	0.9	
ZZ48453		0.047	0.35	1.26	37	0.56	9.83	137	<0.5	
ZZ48454		<0.005	0.06	3.35	7	0.29	15.75	122	<0.5	
ZZ48455		0.034	0.13	1.63	31	0.24	25.8	101	0.8	
ZZ48456		0.057	0.35	1.36	44	0.13	24.3	257	0.8	
ZZ48457		0.037	0.13	1.66	29	0.14	17.15	141	0.6	
ZZ48458		0.049	0.13	1.51	33	0.29	15.00	152	0.6	
ZZ48459		0.041	0.15	1.29	26	0.12	16.15	87	0.9	
ZZ48460		0.041	0.14	2.10	27	2.32	18.35	95	0.9	
ZZ48461		0.015	0.06	0.85	15	0.09	7.86	94	0.7	
ZZ48462		0.012	0.06	1.24	16	0.10	10.65	115	0.9	
ZZ48463		0.025	0.10	0.70	29	0.82	3.66	47	0.6	
ZZ48464		0.036	0.11	0.41	21	0.74	3.18	66	0.7	
ZZ48465		0.023	0.11	0.52	17	1.47	3.35	63	0.5	
ZZ48466		0.027	0.19	0.79	20	2.89	5.41	95	<0.5	
ZZ48467		0.018	0.13	1.38	17	1.19	9.45	63	0.7	
ZZ48468		0.020	0.11	1.83	19	1.18	9.89	93	0.6	
ZZ48469		0.102	0.28	1.46	45	16.70	3.36	830	1.3	
ZZ48470		0.050	0.18	1.39	31	11.05	3.02	412	<0.5	
ZZ48471		0.044	0.33	1.60	35	15.00	5.04	615	<0.5	
ZZ48472		0.050	0.41	1.55	42	12.40	6.32	467	0.6	
ZZ48473		0.024	0.36	4.11	20	5.92	9.05	262	<0.5	
ZZ48474		0.016	0.39	4.03	13	13.60	7.89	182	<0.5	
ZZ48475		0.031	0.35	3.90	17	32.0	5.91	330	<0.5	
ZZ48476		0.019	0.28	5.35	12	16.00	5.09	159	<0.5	
ZZ48477		0.033	0.41	5.14	14	19.40	6.65	163	<0.5	
ZZ48478		0.030	0.38	4.48	14	43.8	3.01	173	<0.5	
ZZ48479		0.036	0.38	4.62	14	72.3	6.02	165	<0.5	
ZZ48480		0.021	0.21	7.87	11	43.7	4.10	129	<0.5	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 29- AUG- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188880

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ48481		0.09	0.001	0.57	0.85	2.0	<0.2	<10	40	0.90	2.84	0.14	1.52	29.4	6.4	9
ZZ48482		0.15	0.001	0.99	1.69	5.3	<0.2	<10	80	1.91	6.76	0.12	0.94	62.9	9.3	17
ZZ48483		0.12	0.001	0.24	0.89	3.6	<0.2	<10	40	0.81	5.28	0.19	0.30	60.6	3.1	9
ZZ48484		0.21	<0.001	0.21	0.97	3.5	<0.2	<10	40	0.67	7.40	0.20	0.14	56.6	3.1	9
ZZ48485		0.23	<0.001	0.57	0.95	6.3	<0.2	<10	40	0.69	3.14	0.10	0.32	52.9	2.8	9
ZZ48486		0.20	<0.001	0.76	1.42	12.5	<0.2	<10	40	1.73	5.29	0.15	0.94	48.6	4.0	13
ZZ48487		0.17	<0.001	0.16	1.20	22.5	<0.2	<10	30	1.85	5.42	0.14	0.26	71.7	3.2	8
ZZ48488		0.15	0.001	0.23	1.08	3.2	<0.2	<10	50	0.94	4.84	0.13	0.63	36.8	3.4	8
ZZ48489		0.30	<0.001	0.13	0.53	10.5	<0.2	<10	30	0.73	3.03	0.03	0.08	44.2	0.4	2
ZZ48490		0.17	<0.001	0.27	1.38	21.3	<0.2	<10	50	3.25	18.40	0.14	0.71	36.9	8.0	16
ZZ48491		0.18	<0.001	0.45	2.73	3.3	<0.2	<10	20	2.90	1.66	0.24	0.21	76.8	8.3	56
ZZ48492		0.14	0.001	0.15	2.82	8.4	<0.2	<10	100	2.91	2.86	0.33	0.30	41.1	11.4	35
ZZ48493		0.17	0.002	0.18	2.62	27.5	<0.2	<10	70	1.85	1.67	0.25	0.26	44.6	9.0	37
ZZ48494		0.14	0.004	0.75	2.94	25.6	<0.2	<10	130	7.19	9.19	0.80	2.72	72.4	17.1	31
ZZ48495		0.17	0.002	0.49	2.56	14.7	<0.2	<10	80	3.17	1.38	0.88	4.71	71.4	13.3	26
ZZ48496		0.21	<0.001	0.21	2.41	17.4	<0.2	<10	60	1.62	1.76	0.18	0.50	51.4	17.5	32
ZZ48497		0.17	0.003	0.23	3.66	9.8	<0.2	<10	60	3.05	2.24	0.31	0.40	58.6	17.5	37
ZZ48498		0.15	0.001	1.46	2.54	7.8	<0.2	<10	60	2.75	2.41	0.16	3.13	39.4	12.7	36
ZZ48499		0.15	0.001	0.29	1.31	1.2	<0.2	<10	110	1.00	2.43	0.22	1.53	22.9	5.4	9
ZZ48500		0.19	0.006	0.10	1.25	2.6	<0.2	<10	40	1.16	2.52	0.15	0.57	87.4	5.4	12
ZZ43211		0.33	0.001	0.07	1.59	20.2	<0.2	<10	30	0.26	0.30	0.15	0.05	55.5	12.1	21
ZZ43212		0.38	<0.001	0.05	1.37	5.6	<0.2	<10	20	0.16	0.31	0.05	0.04	79.2	11.1	16
ZZ43213		0.42	<0.001	0.16	2.52	17.7	<0.2	<10	40	0.36	0.56	0.03	0.07	75.0	19.9	28
ZZ43214		0.44	<0.001	0.06	2.14	12.2	<0.2	<10	20	0.37	0.39	0.13	0.06	120.0	16.7	26
ZZ43215		0.35	0.001	0.06	2.28	7.1	<0.2	<10	50	0.57	0.49	0.02	0.07	80.2	18.9	24
ZZ43216		0.33	<0.001	0.14	1.89	4.4	<0.2	<10	40	0.30	0.73	0.04	0.07	34.7	9.7	25
ZZ43217		0.46	<0.001	0.93	3.49	5.4	<0.2	<10	60	1.05	1.60	0.24	0.11	90.5	24.9	42
ZZ43218		0.38	0.001	0.13	1.67	0.9	<0.2	<10	40	0.30	0.78	0.12	0.07	38.2	7.2	31
ZZ43219		0.45	<0.001	0.60	2.62	2.1	<0.2	<10	50	0.75	1.97	0.49	0.12	71.7	17.3	38
ZZ43220		0.42	0.001	0.30	3.47	15.4	<0.2	<10	70	0.90	2.50	0.78	0.08	78.3	26.6	49
ZZ43221		0.26	<0.001	0.44	2.89	4.3	<0.2	<10	60	0.89	1.73	0.58	0.36	55.7	15.1	37
ZZ43222		0.48	<0.001	0.69	2.71	1.8	<0.2	<10	60	0.67	4.91	0.21	0.31	107.5	14.0	33
ZZ43223		0.29	<0.001	0.93	3.38	1.9	<0.2	<10	50	0.91	8.26	0.69	1.55	80.4	29.0	41
ZZ43224		0.35	<0.001	0.31	3.52	6.9	<0.2	<10	110	1.09	6.09	0.32	1.13	44.5	19.0	33
ZZ43225		0.30	<0.001	0.37	5.11	4.5	<0.2	<10	130	1.33	9.35	0.40	3.17	60.6	32.8	49
ZZ43226		0.25	<0.001	0.37	3.69	7.0	<0.2	<10	80	0.95	15.70	0.23	1.55	41.9	24.8	55
ZZ43227		0.31	0.001	0.05	1.35	4.6	<0.2	<10	60	0.39	0.86	0.36	1.42	29.6	8.5	25
ZZ43228		0.39	<0.001	0.17	2.65	6.9	<0.2	<10	90	0.78	0.73	0.16	0.44	38.3	11.0	40
ZZ43229		0.31	0.001	0.13	1.88	5.3	<0.2	<10	70	0.48	2.36	0.17	0.37	35.3	15.1	31
ZZ43230		0.29	<0.001	0.21	2.17	4.8	<0.2	<10	90	0.72	1.01	0.62	0.26	35.5	10.0	28



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.

C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED

1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - B

Total # Pages: 6 (A - D)

Plus Appendix Pages

Finalized Date: 29- AUG- 2012

Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188880

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ48481		5.54	23.0	1.36	4.15	<0.05	<0.02	0.02	0.062	0.11	16.1	14.6	0.13	275	1.69
ZZ48482		8.98	73.7	2.74	6.88	0.06	<0.02	0.03	0.187	0.25	33.5	27.7	0.28	525	2.44
ZZ48483		6.24	25.4	1.68	4.76	0.07	<0.02	0.05	0.107	0.18	31.2	27.5	0.18	173	1.99
ZZ48484		6.46	24.4	1.77	5.26	0.08	<0.02	0.04	0.112	0.22	29.1	32.7	0.21	219	1.97
ZZ48485		6.79	9.4	1.85	6.12	0.06	<0.02	0.03	0.054	0.18	27.5	35.7	0.19	173	2.62
ZZ48486		11.20	13.0	2.31	7.93	0.06	<0.02	0.03	0.078	0.21	25.4	47.0	0.21	263	3.50
ZZ48487		13.35	14.7	2.18	5.66	0.07	<0.02	0.01	0.234	0.21	37.1	48.7	0.18	237	2.65
ZZ48488		7.31	8.1	1.81	5.21	<0.05	0.06	0.03	0.092	0.14	19.1	25.2	0.12	601	2.62
ZZ48489		7.80	5.2	1.11	2.52	<0.05	0.05	0.01	0.038	0.10	24.6	10.6	0.03	34	3.58
ZZ48490		37.7	24.5	4.62	7.48	<0.05	0.06	0.04	0.476	0.13	16.8	26.5	0.21	773	15.70
ZZ48491		20.8	49.2	5.24	12.40	0.07	0.06	0.03	0.429	0.18	32.9	70.5	0.69	520	3.52
ZZ48492		21.4	23.2	4.01	11.45	0.05	0.06	0.05	0.316	0.16	20.1	55.9	0.61	464	1.33
ZZ48493		10.85	18.3	3.63	10.60	0.05	0.07	0.03	0.171	0.10	21.3	58.0	0.65	276	1.40
ZZ48494		27.7	17.9	4.51	10.45	0.08	0.09	0.07	1.145	0.10	33.3	56.5	0.54	10300	0.76
ZZ48495		35.0	19.5	3.65	9.38	0.08	0.08	0.05	0.107	0.12	35.0	46.7	0.43	763	0.45
ZZ48496		13.95	24.0	4.31	11.00	0.05	0.09	0.04	0.127	0.10	24.0	50.2	0.47	673	0.78
ZZ48497		21.1	33.1	4.12	10.90	0.08	0.07	0.04	0.137	0.28	27.5	54.1	0.65	294	0.71
ZZ48498		28.9	21.3	4.13	11.00	0.07	0.04	0.09	0.241	0.17	21.6	53.9	0.57	776	1.14
ZZ48499		8.77	20.9	1.59	6.68	0.05	<0.02	0.07	0.102	0.09	11.9	26.6	0.11	2000	4.13
ZZ48500		9.39	7.5	1.87	6.29	0.13	0.02	0.03	0.044	0.14	44.8	63.0	0.20	614	3.44
ZZ43211		1.89	21.2	3.64	4.71	0.08	0.03	0.01	0.031	0.03	26.9	40.5	0.65	336	0.33
ZZ43212		0.56	19.9	2.74	6.14	0.07	0.06	0.01	0.020	0.01	35.3	36.4	0.55	285	0.39
ZZ43213		1.75	33.6	4.56	7.05	0.08	0.08	0.01	0.055	0.02	32.3	68.3	0.99	382	0.46
ZZ43214		1.42	32.0	4.19	5.83	0.07	0.09	0.01	0.040	0.01	27.2	47.2	0.81	409	0.35
ZZ43215		2.23	28.5	4.21	6.16	0.09	0.08	0.02	0.092	0.03	37.7	51.0	0.85	349	0.35
ZZ43216		6.09	15.9	4.33	8.87	<0.05	0.06	0.02	0.028	0.04	17.1	44.8	0.63	291	0.59
ZZ43217		18.40	42.2	4.80	10.45	0.10	0.07	0.02	0.030	0.20	39.6	72.0	1.07	625	0.30
ZZ43218		28.3	21.4	4.05	8.00	0.06	0.05	0.01	0.009	0.31	23.4	31.9	0.68	336	0.61
ZZ43219		24.4	35.4	4.02	9.01	0.08	0.06	0.01	0.017	0.26	31.2	85.3	1.01	316	0.37
ZZ43220		23.5	40.9	4.86	11.00	0.11	0.07	0.01	0.028	0.28	35.8	77.8	1.13	629	0.35
ZZ43221		11.30	38.0	3.66	10.35	0.08	0.07	0.04	0.025	0.12	24.0	52.3	0.70	628	0.39
ZZ43222		29.9	132.5	4.79	9.29	0.13	0.08	0.01	0.082	0.64	62.6	89.7	1.20	277	0.38
ZZ43223		22.2	231	5.80	11.70	0.10	0.08	0.02	0.660	0.25	35.9	82.9	1.09	684	0.38
ZZ43224		15.25	72.1	4.16	10.90	0.06	0.10	0.03	0.464	0.14	20.2	72.2	0.71	374	0.63
ZZ43225		30.0	65.7	5.02	15.20	0.09	0.08	0.03	1.615	0.28	24.6	101.5	1.16	768	0.71
ZZ43226		34.3	53.7	4.43	13.25	0.06	0.08	0.03	0.722	0.27	19.1	86.8	0.88	497	1.00
ZZ43227		16.70	16.2	2.14	5.80	0.05	0.06	0.02	0.072	0.14	14.3	37.4	0.50	489	0.53
ZZ43228		16.15	27.5	3.32	10.30	0.08	0.08	0.03	0.103	0.25	18.9	73.0	0.81	259	0.52
ZZ43229		10.15	37.5	2.78	8.28	0.05	0.06	0.01	0.063	0.14	16.4	53.6	0.64	487	0.51
ZZ43230		29.4	18.4	2.67	7.85	0.05	0.05	0.02	0.082	0.16	15.5	54.4	0.55	601	0.45



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 4 - C
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 29- AUG- 2012
 Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188880

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
ZZ48481		2.07	7.4	500	7.4	54.7	<0.001	0.03	0.15	0.4	0.5	1.9	11.8	<0.01	0.01
ZZ48482		2.44	14.6	850	14.4	81.6	<0.001	0.04	0.30	0.7	0.6	3.2	13.6	<0.01	0.03
ZZ48483		3.47	5.9	650	9.5	72.0	<0.001	0.03	0.29	0.8	0.7	2.3	12.4	<0.01	0.02
ZZ48484		5.74	5.2	710	9.3	69.2	<0.001	0.02	0.32	1.2	0.3	2.6	13.3	<0.01	0.01
ZZ48485		3.32	5.0	450	12.9	113.0	<0.001	0.03	0.55	0.6	0.7	3.0	11.1	<0.01	0.02
ZZ48486		5.61	7.2	690	23.7	173.5	<0.001	0.02	0.28	1.4	0.5	5.2	17.9	<0.01	0.01
ZZ48487		3.66	4.4	950	18.5	92.3	<0.001	0.02	0.63	1.0	0.5	2.9	16.0	<0.01	0.01
ZZ48488		2.27	4.9	920	18.3	93.5	<0.001	0.01	0.49	0.6	<0.2	2.5	23.6	<0.01	<0.01
ZZ48489		0.87	1.5	350	33.2	40.8	<0.001	0.07	2.97	0.2	0.3	1.3	55.5	<0.01	<0.01
ZZ48490		1.26	17.6	700	20.8	73.0	<0.001	0.02	3.85	2.0	0.4	16.3	18.0	0.01	<0.01
ZZ48491		1.55	25.6	370	146.0	53.2	<0.001	<0.01	0.53	6.6	0.5	16.4	14.5	<0.01	<0.01
ZZ48492		2.78	27.3	380	11.0	43.8	<0.001	0.03	0.78	4.5	0.4	9.3	45.3	<0.01	0.02
ZZ48493		2.47	26.3	280	13.0	26.5	<0.001	0.01	0.80	4.8	0.2	7.7	35.9	<0.01	0.01
ZZ48494		2.34	26.5	650	34.0	51.4	0.001	0.03	1.04	5.7	0.4	20.2	70.4	<0.01	0.01
ZZ48495		2.32	30.7	720	16.9	33.2	0.001	0.04	1.18	5.2	0.9	2.6	87.6	0.01	0.03
ZZ48496		2.72	34.7	570	22.6	34.3	<0.001	0.02	0.77	4.3	0.5	4.2	33.5	0.02	0.02
ZZ48497		3.30	43.3	640	13.7	68.9	<0.001	0.04	0.63	5.0	0.5	5.2	58.2	0.01	0.03
ZZ48498		2.98	32.9	380	38.3	58.1	<0.001	0.06	0.48	3.8	0.4	6.5	28.1	0.01	0.03
ZZ48499		1.67	7.7	600	9.3	38.2	<0.001	0.05	0.24	0.6	0.5	3.1	23.8	0.01	0.03
ZZ48500		2.03	8.3	840	11.2	53.9	<0.001	0.02	1.14	1.3	0.5	2.6	19.1	0.01	0.02
ZZ43211		0.40	32.6	600	19.8	5.2	<0.001	<0.01	0.55	1.5	0.3	0.2	13.7	<0.01	0.01
ZZ43212		0.37	25.2	310	9.2	3.1	<0.001	<0.01	0.20	1.2	0.3	0.4	6.9	<0.01	0.01
ZZ43213		0.20	51.2	270	14.3	7.7	<0.001	<0.01	0.21	2.4	0.6	0.3	6.7	<0.01	0.03
ZZ43214		0.25	44.9	730	17.6	5.6	<0.001	<0.01	0.07	2.1	0.7	0.2	10.0	<0.01	0.04
ZZ43215		0.37	39.6	290	14.1	7.4	<0.001	<0.01	0.15	2.6	0.6	1.0	10.2	<0.01	0.01
ZZ43216		1.81	23.0	360	14.7	11.8	<0.001	0.01	0.18	1.9	0.3	4.4	12.3	0.01	0.02
ZZ43217		2.08	50.7	510	158.0	39.9	0.001	0.03	0.24	5.2	0.8	5.9	95.5	0.01	0.01
ZZ43218		1.04	12.6	490	7.9	98.9	<0.001	0.06	0.09	1.5	0.2	5.4	26.5	<0.01	0.04
ZZ43219		2.88	40.1	700	31.9	65.8	<0.001	0.02	0.18	4.0	0.4	10.7	46.9	<0.01	0.03
ZZ43220		2.91	54.7	990	17.9	66.8	0.001	0.02	0.19	5.6	1.0	8.6	144.0	0.01	0.05
ZZ43221		1.64	29.6	720	20.9	30.8	<0.001	0.04	0.10	4.1	0.6	5.5	115.5	0.01	0.01
ZZ43222		1.70	35.4	550	39.8	120.0	0.001	0.22	0.10	4.3	0.8	6.8	140.5	0.01	0.02
ZZ43223		1.64	58.5	540	40.9	64.0	0.001	0.06	0.12	7.3	1.1	13.1	214	0.01	0.05
ZZ43224		2.71	38.4	390	15.5	38.9	<0.001	0.04	0.17	4.4	0.6	8.4	86.7	0.02	0.04
ZZ43225		5.67	67.1	850	34.2	85.0	<0.001	0.02	0.32	5.9	0.7	12.1	107.0	0.02	0.06
ZZ43226		4.81	64.1	310	14.7	121.0	<0.001	0.01	0.67	4.8	0.6	14.4	69.6	0.01	0.07
ZZ43227		1.71	19.4	470	10.1	57.4	<0.001	0.02	0.19	1.9	0.4	3.6	40.5	<0.01	0.01
ZZ43228		3.00	29.3	190	13.2	75.9	<0.001	<0.01	0.29	4.6	0.3	7.5	55.6	<0.01	0.01
ZZ43229		2.49	22.3	250	14.9	53.7	<0.001	0.01	0.37	2.9	0.2	6.9	55.2	<0.01	0.01
ZZ43230		2.42	24.6	510	11.9	84.0	<0.001	0.03	0.40	2.2	<0.2	6.2	72.5	<0.01	<0.01



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 4 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 29- AUG- 2012
 Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188880

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm	W- XRF05 W ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5	10
ZZ48481		0.024	0.15	5.41	12	28.3	3.56	126	<0.5	
ZZ48482		0.027	0.33	16.80	20	43.4	8.34	266	<0.5	
ZZ48483		0.029	0.30	8.14	11	136.0	8.43	164	<0.5	NSS
ZZ48484		0.038	0.41	4.17	11	125.5	8.00	170	<0.5	120
ZZ48485		0.036	0.35	2.34	14	33.6	3.77	189	<0.5	
ZZ48486		0.041	0.30	3.36	21	39.4	4.03	344	<0.5	
ZZ48487		0.021	0.43	9.93	11	12.05	7.29	299	0.7	
ZZ48488		0.014	0.27	3.00	13	7.56	2.93	217	<0.5	
ZZ48489		<0.005	0.58	2.55	3	3.16	2.28	50	<0.5	
ZZ48490		0.012	0.45	2.85	23	6.91	3.79	327	<0.5	
ZZ48491		0.031	0.47	0.62	54	6.71	7.04	936	<0.5	
ZZ48492		0.058	0.33	1.00	41	26.9	4.83	435	<0.5	
ZZ48493		0.038	0.31	0.96	41	7.75	5.01	343	0.9	
ZZ48494		0.038	0.72	1.46	32	60.6	14.00	1300	1.4	
ZZ48495		0.041	0.20	1.63	30	11.50	19.05	874	0.6	
ZZ48496		0.038	0.21	1.12	38	14.40	6.06	216	1.7	
ZZ48497		0.062	0.37	1.60	37	7.34	8.33	330	1.0	
ZZ48498		0.087	0.28	0.91	43	33.5	6.13	1440	0.9	
ZZ48499		0.032	0.19	2.10	19	5.36	2.87	236	<0.5	
ZZ48500		0.015	0.27	4.66	15	11.35	9.47	315	<0.5	
ZZ43211		0.005	<0.02	0.74	12	0.09	6.82	86	1.1	
ZZ43212		0.011	0.03	0.92	14	0.08	7.51	55	<0.5	
ZZ43213		<0.005	0.04	1.03	15	0.09	11.35	117	1.4	
ZZ43214		<0.005	0.03	1.03	12	0.06	11.20	83	1.5	
ZZ43215		0.008	0.08	1.61	14	0.37	12.55	92	1.0	
ZZ43216		0.026	0.19	0.72	27	0.80	5.77	84	0.5	
ZZ43217		0.064	0.93	2.08	30	0.30	21.5	172	0.7	
ZZ43218		0.039	0.76	0.73	25	0.21	4.84	84	<0.5	
ZZ43219		0.075	1.11	1.46	34	0.29	12.15	176	0.6	
ZZ43220		0.079	1.31	1.76	45	1.34	17.15	174	0.7	
ZZ43221		0.055	0.53	1.99	41	0.27	11.25	152	0.5	
ZZ43222		0.083	1.54	2.16	27	2.21	12.15	726	1.1	
ZZ43223		0.052	1.10	2.17	44	4.58	22.0	1660	0.9	
ZZ43224		0.055	0.53	1.49	35	3.12	7.49	1090	1.6	
ZZ43225		0.075	1.00	1.42	49	4.71	7.72	3890	1.2	
ZZ43226		0.083	0.86	0.94	53	6.42	5.57	1320	1.2	
ZZ43227		0.056	0.39	0.76	26	0.39	3.50	351	<0.5	
ZZ43228		0.048	0.68	0.91	37	16.00	6.14	346	1.0	
ZZ43229		0.059	0.37	0.80	34	1.77	4.06	182	<0.5	
ZZ43230		0.059	0.55	1.07	30	0.94	4.53	121	<0.5	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 29- AUG- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188880

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ43231		0.30	<0.001	0.14	3.25	5.4	<0.2	<10	80	0.90	0.99	0.51	0.28	47.8	17.0	52
ZZ43232		0.41	0.001	0.12	4.10	2.3	<0.2	<10	90	0.98	1.88	1.16	0.28	50.3	18.6	41
ZZ43233		0.34	0.001	0.04	1.22	6.1	<0.2	<10	50	0.32	0.47	0.10	1.31	28.7	5.6	19
ZZ43234		0.38	0.002	0.28	2.56	7.1	<0.2	<10	60	0.99	10.95	0.15	1.77	38.5	21.0	30
ZZ43235		0.35	<0.001	0.45	4.76	3.1	<0.2	<10	60	1.84	5.82	0.51	1.01	67.4	21.1	38
ZZ43236		0.31	0.001	0.47	2.80	4.2	<0.2	<10	80	0.99	3.17	0.10	0.76	45.6	11.6	37
ZZ43237		0.31	0.001	0.42	2.99	4.4	<0.2	<10	110	1.20	4.24	0.28	0.80	68.9	17.3	40
ZZ43238		0.29	0.001	0.56	4.64	4.2	<0.2	<10	70	1.87	6.34	0.43	0.49	46.3	27.7	61
ZZ43239		0.30	<0.001	1.21	3.03	4.7	<0.2	<10	60	1.20	2.31	0.15	0.16	55.8	16.5	45
ZZ43240		0.38	<0.001	1.05	2.04	3.8	<0.2	<10	70	0.93	2.78	0.81	0.26	80.0	17.4	35
ZZ43241		0.40	0.002	0.58	2.80	7.1	<0.2	<10	60	0.98	2.62	0.18	0.10	78.1	18.5	41
ZZ43242		0.53	0.001	0.15	2.02	6.5	<0.2	<10	10	0.44	0.52	0.37	0.07	151.0	25.4	23
ZZ43243		0.42	0.001	0.22	2.44	18.3	<0.2	<10	40	0.30	0.47	0.03	0.06	52.3	13.0	25
ZZ43244		0.29	<0.001	0.15	2.65	11.0	<0.2	<10	30	0.49	0.75	0.12	0.10	155.5	39.5	34
ZZ43245		0.34	<0.001	0.11	2.31	8.6	<0.2	<10	20	0.50	0.56	0.04	0.08	77.3	31.7	27
ZZ43246		0.44	0.004	0.11	1.95	9.7	<0.2	<10	20	0.32	0.60	0.38	0.12	128.5	32.6	25
ZZ43247		0.33	0.002	0.22	1.26	20.7	<0.2	<10	50	0.33	0.38	0.41	0.50	56.3	16.7	16
ZZ43251		0.30	0.002	0.18	1.09	13.4	<0.2	<10	30	0.24	0.20	0.45	0.10	58.9	8.9	15
ZZ43252		0.30	0.001	0.11	1.97	19.8	<0.2	<10	50	0.37	0.38	1.03	0.16	88.8	20.3	24
ZZ43253		0.27	0.002	0.04	1.90	10.0	<0.2	<10	40	0.31	0.26	0.19	0.04	65.2	8.8	23
ZZ43254		0.27	0.002	0.17	1.76	9.8	<0.2	<10	80	0.54	0.57	0.31	0.60	114.0	25.1	25
ZZ43255		0.31	0.001	0.19	2.41	9.5	<0.2	<10	70	0.70	0.82	0.25	0.13	95.4	20.1	29
ZZ43256		0.33	0.001	0.22	2.13	7.2	<0.2	<10	70	0.58	0.73	0.63	0.23	78.4	17.8	27
ZZ43257		0.31	0.001	0.27	2.27	9.2	<0.2	<10	60	0.61	1.06	0.46	0.24	97.8	20.2	29
ZZ43258		0.25	0.001	0.34	3.04	9.6	<0.2	<10	90	0.97	2.74	1.01	0.23	73.2	23.1	46
ZZ43259		0.33	<0.001	0.68	2.95	11.1	<0.2	<10	90	0.95	3.82	0.90	0.47	74.3	21.0	40
ZZ43260		0.28	0.001	0.85	3.11	5.3	<0.2	<10	80	0.98	5.28	0.85	0.56	82.3	20.2	41
ZZ43261		0.24	0.001	0.53	3.38	3.6	<0.2	<10	50	1.01	7.41	3.05	2.31	48.9	17.7	41
ZZ43262		0.22	0.002	0.71	3.55	3.9	<0.2	<10	70	1.26	5.48	1.01	3.27	59.3	22.2	35
ZZ43263		0.31	0.001	0.90	3.82	3.6	<0.2	<10	90	1.12	12.30	3.04	4.87	59.9	33.3	43
ZZ43264		0.22	0.001	0.50	3.35	5.7	<0.2	<10	80	0.97	12.50	0.74	2.46	49.3	25.7	40
ZZ43265		0.28	0.001	0.45	4.11	6.0	<0.2	<10	120	1.09	8.65	0.73	1.95	54.1	25.6	51
ZZ43266		0.26	0.002	0.30	3.59	4.9	<0.2	<10	100	0.99	32.6	0.74	2.23	41.3	24.6	46
ZZ43267		0.21	0.001	0.22	3.46	4.8	<0.2	<10	100	0.90	4.99	0.94	3.83	40.9	18.5	42
ZZ43268		0.30	<0.001	0.19	4.89	2.6	<0.2	<10	110	1.21	7.89	0.96	0.57	54.1	24.1	60
ZZ43269		0.26	0.001	0.45	3.29	3.4	<0.2	<10	80	0.99	1.78	0.56	0.75	47.4	14.6	43
ZZ43270		0.30	0.001	0.15	3.21	3.5	<0.2	<10	70	1.00	4.00	0.53	0.50	55.3	17.6	44
ZZ43271		0.28	<0.001	0.30	3.94	2.3	<0.2	<10	110	1.24	2.66	0.50	0.56	42.2	12.8	44
ZZ43272		0.27	0.002	0.14	4.08	2.2	<0.2	<10	90	1.26	11.05	0.71	0.30	55.8	17.6	54
ZZ43273		0.25	<0.001	0.14	4.98	3.8	<0.2	<10	140	1.32	4.97	0.77	1.78	58.0	22.8	62



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 29- AUG- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188880

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ43231		22.6	46.7	3.42	10.15	0.08	0.06	0.02	0.200	0.24	25.5	84.3	1.04	547	0.72
ZZ43232		35.4	43.1	3.89	12.70	0.06	0.07	0.02	0.437	0.41	19.4	83.9	0.97	584	0.56
ZZ43233		11.30	10.5	1.98	5.99	<0.05	0.05	0.01	0.034	0.07	14.6	23.7	0.39	265	0.63
ZZ43234		16.00	38.1	3.96	10.40	0.06	0.02	0.05	0.952	0.10	19.9	55.6	0.63	440	1.03
ZZ43235		17.40	119.0	5.22	12.95	0.11	0.04	0.05	0.395	0.13	26.2	71.0	0.82	818	0.55
ZZ43236		19.85	70.0	4.51	11.90	0.08	0.03	0.05	0.124	0.19	25.0	80.5	0.78	209	0.60
ZZ43237		16.75	71.2	4.49	10.85	0.09	<0.02	0.03	0.108	0.18	26.8	67.7	0.75	581	0.50
ZZ43238		27.2	43.3	5.82	15.50	0.08	0.02	0.04	0.035	0.22	24.1	119.5	1.09	544	0.71
ZZ43239		20.8	18.4	4.51	11.25	0.09	0.02	0.06	0.041	0.14	29.3	79.5	0.81	379	1.10
ZZ43240		20.7	56.3	4.02	7.53	0.13	0.02	0.06	0.028	0.11	49.4	42.8	0.51	574	0.68
ZZ43241		24.1	36.8	4.42	9.10	0.12	0.04	0.04	0.034	0.27	40.0	73.0	0.94	421	0.43
ZZ43242		1.13	40.9	4.15	6.48	0.24	0.03	0.01	0.036	0.02	93.7	68.4	0.93	1180	0.32
ZZ43243		1.17	17.2	4.18	6.39	0.07	0.03	0.01	0.119	0.03	25.0	59.7	0.81	321	0.42
ZZ43244		1.04	59.3	5.77	8.57	0.17	0.04	0.02	0.038	0.02	52.9	80.4	1.10	1140	0.86
ZZ43245		1.49	39.2	5.49	6.03	0.09	0.04	0.04	0.040	0.02	23.6	59.0	0.86	781	1.28
ZZ43246		0.63	62.7	5.03	6.26	0.20	0.07	0.03	0.035	0.02	67.5	56.8	0.96	590	0.56
ZZ43247		0.82	21.5	3.32	3.71	0.09	0.02	0.01	0.028	0.04	28.0	24.7	0.44	915	0.55
ZZ43251		0.48	15.3	2.60	3.36	0.10	0.04	0.01	0.015	0.03	30.3	20.7	0.47	218	0.25
ZZ43252		0.83	27.5	3.94	5.72	0.12	0.07	<0.01	0.043	0.06	43.8	51.8	0.85	528	0.33
ZZ43253		0.61	18.1	3.43	5.42	0.11	0.03	0.01	0.033	0.04	39.0	50.3	0.82	261	0.19
ZZ43254		1.10	35.1	3.96	5.58	0.19	0.06	0.01	0.043	0.05	69.0	42.1	0.74	1800	0.59
ZZ43255		4.52	38.0	4.42	7.22	0.14	0.03	0.01	0.186	0.10	53.3	56.2	0.88	652	0.46
ZZ43256		4.09	30.8	3.78	6.39	0.13	0.05	0.02	0.074	0.13	41.4	51.8	0.82	595	0.45
ZZ43257		7.32	42.6	4.16	6.94	0.13	0.03	<0.01	0.148	0.16	48.5	58.9	0.90	622	0.52
ZZ43258		20.2	33.5	4.36	11.00	0.13	0.03	<0.01	0.029	0.36	30.6	82.4	1.07	569	0.41
ZZ43259		18.85	68.4	4.72	9.85	0.12	0.02	0.01	0.048	0.47	32.4	74.1	0.92	559	0.42
ZZ43260		20.8	115.5	4.69	11.20	0.12	0.03	0.01	0.089	0.44	37.7	88.3	1.02	532	0.43
ZZ43261		18.15	163.5	4.56	10.30	0.12	0.02	0.01	0.317	0.29	25.1	87.7	1.09	588	0.41
ZZ43262		16.20	140.0	4.38	10.80	0.10	0.03	0.01	0.579	0.17	28.5	69.6	0.83	864	0.43
ZZ43263		24.4	217	4.68	11.25	0.14	0.03	<0.01	1.065	0.42	31.5	87.1	1.06	778	0.41
ZZ43264		19.80	75.3	4.10	9.80	0.10	0.02	0.03	0.946	0.25	22.7	79.2	0.88	533	0.59
ZZ43265		29.0	65.8	4.38	11.50	0.11	0.02	0.02	0.778	0.41	21.9	99.8	1.06	820	0.49
ZZ43266		23.5	49.9	4.82	10.75	0.10	0.02	0.01	0.758	0.34	20.0	83.7	0.91	697	0.77
ZZ43267		20.3	58.5	3.28	9.75	0.09	0.02	0.01	0.490	0.27	19.9	70.5	0.80	882	0.56
ZZ43268		30.8	112.5	4.71	13.80	0.13	0.02	0.01	0.351	0.52	25.0	112.5	1.22	629	0.34
ZZ43269		20.0	54.3	3.25	11.05	0.10	<0.02	0.02	0.126	0.30	22.3	93.9	0.95	398	0.40
ZZ43270		23.2	62.4	3.53	10.00	0.11	0.03	<0.01	0.268	0.42	24.9	80.3	0.99	407	0.38
ZZ43271		26.5	65.2	3.61	12.60	0.09	<0.02	<0.01	0.185	0.38	21.2	94.0	0.97	345	0.38
ZZ43272		24.8	106.5	4.47	12.45	0.11	0.02	0.01	0.174	0.45	27.6	100.0	1.16	435	0.35
ZZ43273		35.7	74.6	4.78	15.45	0.16	0.04	0.02	0.497	0.59	24.6	120.0	1.18	948	0.40



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.

C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED

1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - C

Total # Pages: 6 (A - D)

Plus Appendix Pages

Finalized Date: 29- AUG- 2012

Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188880

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
ZZ43231		5.15	60.5	480	15.1	62.5	<0.001	0.02	0.16	4.5	0.6	7.8	101.0	<0.01	0.01
ZZ43232		2.39	49.5	470	8.9	125.0	<0.001	0.01	0.31	4.3	0.2	12.8	112.5	<0.01	0.01
ZZ43233		1.68	13.2	170	10.6	32.4	<0.001	0.01	0.29	1.8	0.2	1.3	15.6	<0.01	<0.01
ZZ43234		2.21	24.8	480	16.8	35.8	<0.001	0.02	0.39	3.0	<0.2	8.7	41.4	0.01	0.08
ZZ43235		1.54	44.7	600	23.6	41.7	<0.001	0.03	0.19	5.4	0.8	12.1	209	<0.01	0.02
ZZ43236		2.31	27.9	290	18.9	47.0	<0.001	0.06	0.17	4.3	0.6	12.6	59.2	<0.01	0.04
ZZ43237		2.19	34.1	390	42.4	52.5	<0.001	0.05	0.20	4.9	0.4	9.1	87.8	0.01	0.04
ZZ43238		4.64	55.7	720	28.5	64.9	0.001	0.05	0.09	6.4	0.5	15.5	62.0	0.01	0.06
ZZ43239		4.98	30.1	580	15.9	40.2	<0.001	0.03	0.19	4.1	0.5	8.3	25.4	0.01	0.09
ZZ43240		1.25	34.3	860	29.8	42.9	<0.001	0.04	0.82	4.2	0.9	10.2	71.3	<0.01	0.06
ZZ43241		2.18	40.4	480	51.4	77.4	<0.001	0.02	0.28	4.4	0.6	9.7	43.7	<0.01	0.03
ZZ43242		0.16	48.9	620	19.0	2.9	<0.001	0.01	0.08	2.5	1.5	0.3	35.2	<0.01	0.02
ZZ43243		0.52	26.7	250	23.2	7.1	<0.001	0.01	0.19	1.9	0.4	0.8	5.2	0.01	0.01
ZZ43244		0.44	74.1	740	21.5	4.6	0.001	0.01	0.15	3.2	1.2	0.3	9.0	0.01	0.03
ZZ43245		0.31	54.6	460	38.3	4.1	<0.001	0.02	0.17	2.1	0.9	0.2	5.6	<0.01	0.04
ZZ43246		0.31	80.6	700	15.8	2.0	<0.001	0.01	0.16	2.4	1.1	0.2	31.7	<0.01	0.04
ZZ43247		0.54	31.4	930	32.2	8.6	<0.001	0.05	0.73	1.7	0.6	0.3	36.1	0.01	0.02
ZZ43251		0.76	21.7	940	11.5	3.1	0.001	0.01	0.44	1.8	0.4	0.2	23.5	<0.01	0.01
ZZ43252		0.25	39.8	620	14.9	5.0	<0.001	0.01	0.22	2.5	0.6	0.4	58.9	<0.01	0.01
ZZ43253		0.34	25.5	540	7.8	4.9	<0.001	<0.01	0.13	2.2	0.4	0.3	18.9	<0.01	0.01
ZZ43254		0.46	53.3	830	29.2	6.6	<0.001	0.01	0.42	4.1	1.1	0.6	32.4	<0.01	0.04
ZZ43255		0.52	47.4	570	24.6	16.9	<0.001	<0.01	0.25	3.6	0.8	1.8	37.7	<0.01	0.03
ZZ43256		0.65	37.9	720	26.4	22.9	<0.001	0.01	0.33	3.4	0.5	2.0	55.2	<0.01	0.01
ZZ43257		0.79	46.6	750	35.4	29.8	<0.001	0.01	0.28	3.3	1.0	2.9	54.9	<0.01	0.04
ZZ43258		2.27	41.6	1030	27.2	84.7	<0.001	0.02	0.28	5.7	0.3	11.0	141.0	<0.01	0.05
ZZ43259		2.05	44.7	780	44.9	91.4	<0.001	0.03	0.22	5.2	0.8	8.5	126.5	<0.01	0.03
ZZ43260		1.97	42.2	670	41.7	91.5	<0.001	0.02	0.15	6.4	0.8	11.5	156.0	<0.01	0.03
ZZ43261		1.72	39.2	640	18.8	59.5	<0.001	0.04	0.17	5.6	0.6	10.3	281	<0.01	0.04
ZZ43262		1.52	50.2	790	23.5	37.7	<0.001	0.04	0.28	5.0	0.7	10.8	278	<0.01	0.03
ZZ43263		1.90	49.3	1020	27.3	90.1	<0.001	0.01	0.19	6.5	0.9	13.9	343	<0.01	0.07
ZZ43264		3.23	45.5	690	19.4	56.3	<0.001	0.02	0.18	4.1	0.3	9.7	152.0	<0.01	0.08
ZZ43265		3.77	64.2	770	30.5	92.2	<0.001	0.02	0.18	5.0	0.4	14.2	183.5	<0.01	0.05
ZZ43266		3.50	44.5	970	15.5	83.0	<0.001	0.04	0.27	4.1	0.5	11.0	124.0	<0.01	0.12
ZZ43267		2.60	41.7	810	9.3	70.4	<0.001	0.04	0.24	3.6	0.4	8.5	143.0	<0.01	0.04
ZZ43268		3.85	53.8	650	7.4	129.5	<0.001	0.02	0.11	6.8	0.7	17.5	244	0.01	0.06
ZZ43269		3.14	33.3	480	11.1	83.0	<0.001	0.02	0.17	4.8	0.4	8.5	108.0	<0.01	0.02
ZZ43270		2.69	36.0	480	10.4	107.5	0.001	0.01	0.17	4.9	0.4	10.0	147.0	<0.01	0.03
ZZ43271		3.54	36.3	440	14.1	94.8	0.001	0.03	0.15	4.7	0.3	8.9	145.0	<0.01	0.03
ZZ43272		3.31	40.6	510	9.7	106.0	<0.001	0.02	0.10	6.3	0.7	14.5	189.5	0.01	0.13
ZZ43273		4.21	75.0	710	9.4	155.0	<0.001	0.02	0.21	6.6	0.3	20.6	238	<0.01	0.03



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 5 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 29- AUG- 2012
 Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188880

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm	W- XRF05 W ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5	10
ZZ43231		0.093	0.76	1.82	42	2.88	9.31	317	0.5	
ZZ43232		0.039	0.95	1.10	39	1.17	5.43	283	0.5	
ZZ43233		0.068	0.21	0.66	32	0.82	2.99	168	<0.5	
ZZ43234		0.059	0.31	1.03	41	2.62	5.73	1910	0.8	
ZZ43235		0.049	0.50	1.99	45	1.72	12.40	1010	1.6	
ZZ43236		0.064	0.56	1.25	42	1.61	8.60	490	1.5	
ZZ43237		0.062	0.49	1.53	45	0.97	9.84	540	0.7	
ZZ43238		0.068	0.75	1.66	57	0.91	11.05	220	0.6	
ZZ43239		0.077	0.48	1.45	46	0.42	8.78	169	0.8	
ZZ43240		0.033	0.74	3.51	39	0.35	19.25	182	0.7	
ZZ43241		0.065	1.10	1.37	32	0.38	16.35	154	1.6	
ZZ43242		<0.005	0.04	2.32	10	0.06	34.4	91	1.2	
ZZ43243		0.009	0.05	0.72	18	0.23	5.62	144	1.6	
ZZ43244		0.009	0.02	2.36	19	0.08	24.8	123	1.4	
ZZ43245		0.005	0.03	1.00	14	0.07	12.85	99	1.5	
ZZ43246		0.006	0.02	1.24	12	<0.05	23.5	122	2.8	
ZZ43247		0.014	0.04	6.20	14	0.12	13.95	157	0.9	
ZZ43251		0.013	0.02	0.57	11	0.08	12.30	64	1.4	
ZZ43252		0.010	0.04	0.82	15	0.09	15.05	131	3.8	
ZZ43253		0.007	0.03	0.65	13	0.06	12.35	96	1.3	
ZZ43254		0.021	0.09	1.06	20	0.24	25.6	297	2.6	
ZZ43255		0.017	0.19	1.28	20	0.26	23.1	189	1.4	
ZZ43256		0.029	0.25	1.02	22	0.37	18.80	152	1.9	
ZZ43257		0.025	0.37	1.20	20	0.25	19.35	195	1.2	
ZZ43258		0.081	1.02	1.79	55	0.67	12.95	178	1.0	
ZZ43259		0.064	1.10	2.27	41	0.51	16.80	343	0.7	
ZZ43260		0.077	1.08	2.10	48	1.65	18.85	583	1.1	
ZZ43261		0.050	0.81	1.91	45	1.67	14.85	2660	0.8	
ZZ43262		0.042	0.57	1.89	40	3.89	14.40	2770	0.9	
ZZ43263		0.066	1.33	1.33	45	4.66	18.45	3010	1.1	
ZZ43264		0.069	0.80	1.54	43	4.24	10.30	2550	0.7	
ZZ43265		0.086	1.30	1.34	48	4.20	9.47	2310	0.8	
ZZ43266		0.083	0.88	1.33	49	13.15	8.59	2450	0.5	
ZZ43267		0.066	0.83	1.45	39	2.19	9.91	2130	0.7	
ZZ43268		0.087	1.66	1.49	52	3.96	12.75	680	0.9	
ZZ43269		0.062	0.82	1.62	37	1.57	10.55	506	<0.5	
ZZ43270		0.077	1.23	1.42	37	4.87	11.55	720	1.1	
ZZ43271		0.057	1.07	1.41	35	3.47	10.35	597	<0.5	
ZZ43272		0.082	1.46	1.66	45	2.09	13.10	417	0.9	
ZZ43273		0.083	1.90	1.44	55	2.67	11.20	1340	1.6	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 29- AUG- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188880

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ43274		0.22	<0.001	0.29	3.50	5.1	<0.2	<10	110	0.93	4.85	0.88	1.69	52.2	21.0	52
ZZ43275		0.23	0.001	0.43	4.09	8.3	<0.2	<10	110	1.00	12.15	0.78	2.59	57.5	28.4	57
ZZ43276		0.27	0.001	0.29	4.04	5.3	<0.2	<10	130	0.80	8.41	0.67	1.71	50.8	34.1	55
ZZ43277		0.25	0.002	0.67	3.74	5.1	<0.2	<10	80	1.06	15.15	1.01	8.00	61.3	39.4	44
ZZ43278		0.33	0.005	1.24	3.61	4.2	<0.2	<10	80	1.09	19.10	3.59	7.52	68.5	35.6	41
ZZ43279		0.38	0.002	0.94	2.79	4.1	<0.2	<10	60	0.92	13.10	4.62	3.68	66.5	31.4	32
ZZ43280		0.26	0.001	0.72	3.09	3.5	<0.2	<10	60	0.97	5.54	1.41	1.54	58.7	17.3	43
ZZ43281		0.36	0.001	0.87	3.03	5.1	<0.2	<10	60	0.89	4.62	1.84	0.59	71.0	17.5	45
ZZ43282		0.35	0.001	0.90	3.00	31.1	<0.2	<10	80	0.85	4.46	1.43	0.43	75.3	30.2	43
ZZ43283		0.37	0.001	0.54	2.63	8.4	<0.2	<10	70	0.80	2.59	0.58	0.28	99.7	23.7	39
ZZ43284		0.35	0.001	0.29	2.20	6.9	<0.2	<10	80	0.64	1.35	0.49	0.16	67.3	14.5	35
ZZ43285		0.34	<0.001	0.17	2.33	7.0	<0.2	<10	50	0.56	1.00	0.39	0.15	92.4	22.8	32
ZZ43286		0.28	0.001	0.20	2.25	6.2	<0.2	<10	60	0.46	0.72	0.29	0.08	67.5	15.6	29
ZZ43287		0.24	0.005	0.20	1.99	9.7	<0.2	<10	90	0.40	0.66	0.39	0.25	71.6	19.5	27
ZZ43288		0.26	0.003	0.19	2.18	9.9	<0.2	<10	60	0.46	0.57	0.28	0.23	102.0	21.3	29
ZZ43289		0.29	0.001	0.14	2.03	11.8	<0.2	<10	70	0.48	0.54	0.28	0.19	103.5	21.0	25
ZZ43290		0.38	0.002	0.13	1.76	13.4	<0.2	<10	50	0.33	0.37	0.25	0.14	89.1	18.0	23
ZZ43291		0.23	0.004	0.02	1.88	13.3	<0.2	<10	30	0.25	0.33	0.03	0.07	56.2	10.6	26
ZZ43292		0.24	0.005	0.16	1.26	16.6	<0.2	<10	30	0.22	0.25	0.77	0.09	54.4	9.2	17
ZZ43293		0.27	0.002	0.20	1.31	16.8	<0.2	<10	30	0.22	0.30	0.52	0.15	62.0	9.8	17
ZZ43294		0.24	0.059	0.14	1.15	15.5	<0.2	<10	20	0.21	0.27	0.51	0.13	61.9	10.3	15
ZZ43295		0.27	0.001	0.35	1.25	17.8	<0.2	<10	30	0.25	0.26	0.61	0.16	56.6	11.1	18
ZZ43296		0.26	0.002	0.31	1.55	15.2	<0.2	<10	80	0.48	0.78	1.05	0.58	61.3	17.1	27
ZZ43297		0.27	0.001	0.12	2.14	9.4	<0.2	<10	50	0.74	1.99	0.33	1.24	50.7	14.2	32
ZZ43298		0.19	<0.001	0.18	2.50	7.5	<0.2	<10	80	0.75	3.78	0.54	3.07	53.5	22.7	31
ZZ43299		0.24	0.002	0.10	1.95	4.9	<0.2	<10	70	0.59	0.75	0.75	0.23	46.4	12.5	31
ZZ43300		0.24	0.002	0.32	2.48	6.2	<0.2	<10	110	0.87	1.22	0.96	0.47	55.8	16.4	38



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 6 - B
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 29- AUG- 2012
 Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188880

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ43274		28.2	66.0	4.09	10.75	0.11	0.02	0.03	0.378	0.38	21.7	99.7	1.05	840	0.44
ZZ43275		31.5	81.7	4.92	13.25	0.13	0.02	0.03	0.901	0.43	25.8	115.5	1.14	677	0.49
ZZ43276		28.9	76.0	5.11	12.15	0.10	0.02	0.02	0.812	0.46	23.1	110.5	1.27	645	0.49
ZZ43277		24.8	197.0	5.12	11.80	0.14	0.03	0.04	2.11	0.30	42.1	82.7	0.95	854	0.63
ZZ43278		24.5	284	5.56	11.85	0.13	0.03	0.03	1.775	0.43	34.6	87.3	1.01	894	0.52
ZZ43279		17.90	280	5.41	9.59	0.13	0.03	0.03	0.511	0.30	32.4	64.1	0.81	886	0.44
ZZ43280		17.30	160.0	5.11	11.75	0.14	0.03	0.04	0.134	0.29	36.0	93.3	1.04	541	0.58
ZZ43281		18.50	123.5	4.96	11.05	0.13	0.02	0.03	0.073	0.42	38.3	80.4	0.98	463	0.45
ZZ43282		21.4	127.5	5.21	11.20	0.15	0.03	0.01	0.044	0.52	36.6	81.1	1.03	773	0.44
ZZ43283		18.80	67.6	5.34	9.19	0.14	0.08	0.02	0.088	0.39	49.0	64.0	0.98	316	0.55
ZZ43284		11.45	34.0	3.76	7.46	0.13	0.03	0.02	0.054	0.21	36.9	54.7	0.81	429	0.38
ZZ43285		8.75	32.1	4.33	7.84	0.13	0.02	0.02	0.106	0.13	50.3	62.7	0.99	776	0.35
ZZ43286		3.26	26.6	4.21	7.61	0.09	0.02	0.02	0.126	0.06	37.4	66.7	0.95	549	0.35
ZZ43287		1.63	29.8	4.13	6.30	0.11	0.03	0.02	0.056	0.05	40.7	53.6	0.88	1000	0.40
ZZ43288		1.03	34.4	4.50	7.34	0.13	0.04	0.02	0.096	0.06	58.1	63.2	0.96	949	0.45
ZZ43289		1.45	27.3	4.34	6.85	0.13	0.04	0.03	0.079	0.05	54.9	55.2	0.84	651	0.35
ZZ43290		0.65	26.1	3.42	5.34	0.11	0.06	0.02	0.040	0.04	42.8	43.4	0.75	161	0.30
ZZ43291		0.73	20.5	3.86	5.74	0.10	0.04	0.02	0.034	0.02	29.7	51.6	0.85	222	0.28
ZZ43292		0.45	16.7	2.95	3.77	0.11	0.05	0.02	0.014	0.02	30.5	26.2	0.55	219	0.24
ZZ43293		0.51	18.5	3.16	4.00	0.10	0.04	0.02	0.040	0.02	35.0	29.0	0.59	208	0.27
ZZ43294		0.40	16.8	3.13	3.62	0.09	0.03	0.02	0.030	0.02	33.0	26.8	0.53	355	0.30
ZZ43295		0.97	15.7	3.14	3.84	0.09	0.04	0.02	0.022	0.04	31.0	23.4	0.52	417	0.32
ZZ43296		3.11	32.8	3.28	5.34	0.09	0.08	0.03	0.032	0.12	30.4	27.8	0.60	546	0.58
ZZ43297		13.00	32.1	3.34	7.58	0.06	0.05	0.01	0.314	0.14	23.5	47.6	0.66	335	0.57
ZZ43298		14.10	57.4	3.58	8.65	0.07	0.05	0.02	0.582	0.22	18.7	59.0	0.71	436	0.68
ZZ43299		19.40	26.7	2.92	7.25	0.09	0.03	0.02	0.113	0.30	21.7	55.3	0.75	349	0.32
ZZ43300		13.50	48.5	3.32	8.59	0.11	0.03	0.03	0.136	0.38	28.4	67.1	0.81	683	0.56



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - C
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 29- AUG- 2012
 Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188880

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
ZZ43274		4.15	63.1	730	15.2	86.2	<0.001	0.03	0.26	4.5	0.4	10.7	174.5	<0.01	0.04
ZZ43275		4.75	73.6	720	32.2	113.5	<0.001	0.02	0.34	5.7	0.7	13.4	174.5	0.01	0.05
ZZ43276		4.45	58.6	780	25.8	89.8	<0.001	0.02	0.14	4.9	0.3	11.3	160.5	0.01	0.06
ZZ43277		3.49	53.8	860	19.6	68.7	<0.001	0.03	0.20	5.4	1.0	10.3	209	0.01	0.07
ZZ43278		1.68	54.0	1020	52.0	90.2	<0.001	0.01	0.29	6.3	1.0	14.9	374	<0.01	0.10
ZZ43279		1.29	59.4	960	37.9	60.9	0.001	0.03	0.31	5.4	0.9	9.5	383	<0.01	0.06
ZZ43280		1.52	38.1	1090	26.6	61.1	<0.001	0.05	0.24	6.4	1.1	9.7	214	<0.01	0.05
ZZ43281		1.62	39.1	830	41.0	77.3	<0.001	0.04	0.17	6.3	0.7	8.7	216	<0.01	0.03
ZZ43282		1.86	61.6	970	43.3	104.0	<0.001	0.02	0.27	6.1	0.7	10.1	167.5	<0.01	0.03
ZZ43283		0.90	49.0	850	59.7	81.1	0.001	0.01	0.38	4.8	0.8	7.7	83.2	<0.01	0.05
ZZ43284		1.50	36.2	770	26.9	46.9	<0.001	0.02	0.31	4.0	0.8	4.9	62.5	0.01	0.05
ZZ43285		0.85	43.9	640	46.3	28.4	<0.001	0.01	0.19	3.5	0.7	3.6	67.8	<0.01	0.02
ZZ43286		0.50	34.5	610	24.3	14.3	<0.001	0.01	0.18	2.9	0.5	1.9	41.7	<0.01	0.03
ZZ43287		0.48	38.0	680	26.2	8.1	<0.001	0.01	0.31	3.1	0.5	0.9	30.7	<0.01	0.02
ZZ43288		0.21	46.4	630	21.9	6.5	<0.001	<0.01	0.24	3.4	0.7	0.7	30.2	<0.01	0.02
ZZ43289		0.48	37.4	680	20.1	8.0	<0.001	<0.01	0.21	3.1	0.5	0.9	29.2	<0.01	0.02
ZZ43290		0.58	38.0	670	20.1	3.8	<0.001	0.04	0.24	2.4	0.4	0.4	25.1	<0.01	0.02
ZZ43291		0.29	28.3	220	12.6	3.6	<0.001	<0.01	0.17	1.9	<0.2	0.5	5.0	<0.01	0.03
ZZ43292		0.57	22.3	960	13.5	3.1	<0.001	0.03	0.32	1.7	0.5	0.3	37.0	<0.01	0.02
ZZ43293		0.48	23.6	920	19.1	3.1	<0.001	0.02	0.30	2.1	0.4	0.3	28.0	<0.01	0.02
ZZ43294		0.43	23.2	930	19.4	2.9	<0.001	0.02	0.25	2.0	0.4	0.3	31.1	<0.01	0.02
ZZ43295		0.71	24.0	950	26.3	5.7	0.001	0.03	0.66	2.1	0.5	0.5	36.7	<0.01	0.01
ZZ43296		1.05	37.8	870	23.2	22.7	<0.001	0.01	0.66	3.9	0.6	1.2	53.3	<0.01	0.02
ZZ43297		1.83	28.4	170	14.5	59.9	<0.001	0.01	0.41	3.4	0.3	7.4	97.3	<0.01	0.03
ZZ43298		2.54	35.2	210	12.3	79.0	<0.001	0.02	0.31	4.0	<0.2	5.9	91.7	<0.01	0.03
ZZ43299		3.15	31.5	700	9.1	66.1	<0.001	0.01	0.19	3.5	0.2	5.2	144.0	<0.01	0.03
ZZ43300		3.00	38.9	820	14.4	90.2	<0.001	0.02	0.30	4.6	0.8	7.2	108.0	<0.01	0.02



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 29- AUG- 2012
 Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188880

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm	W- XRF05 W ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5	10
ZZ43274		0.084	1.22	1.37	48	3.26	9.99	1790	0.6	
ZZ43275		0.085	1.49	1.46	52	5.60	11.05	3080	0.8	
ZZ43276		0.086	1.35	1.38	50	3.26	9.57	2450	0.6	
ZZ43277		0.074	1.00	1.76	46	4.59	22.4	5030	1.0	
ZZ43278		0.053	1.26	1.58	43	6.91	16.90	3690	1.3	
ZZ43279		0.039	0.83	1.66	38	2.22	17.05	2460	0.9	
ZZ43280		0.053	0.73	2.17	49	1.30	19.95	871	1.0	
ZZ43281		0.062	0.92	1.75	45	0.97	19.20	506	0.6	
ZZ43282		0.073	1.43	1.57	48	0.55	20.5	309	1.1	
ZZ43283		0.049	1.06	1.42	32	0.52	21.1	247	3.0	
ZZ43284		0.049	0.53	1.17	29	0.39	16.60	174	1.2	
ZZ43285		0.031	0.37	1.28	21	0.16	18.50	151	1.1	
ZZ43286		0.014	0.13	0.95	19	0.17	13.45	161	0.9	
ZZ43287		0.014	0.08	0.84	18	0.25	18.25	142	1.4	
ZZ43288		0.014	0.06	0.94	19	0.16	21.9	159	1.8	
ZZ43289		0.012	0.07	1.00	17	0.18	16.85	152	1.3	
ZZ43290		0.007	0.03	1.17	14	0.07	16.25	116	2.5	
ZZ43291		0.008	0.02	0.55	15	0.07	6.97	96	1.7	
ZZ43292		0.009	<0.02	0.63	12	0.07	13.55	69	1.4	
ZZ43293		0.009	<0.02	0.91	12	0.07	14.90	116	1.4	
ZZ43294		0.008	<0.02	0.73	10	0.06	13.70	74	1.1	
ZZ43295		0.020	0.05	0.81	15	0.11	11.70	104	1.1	
ZZ43296		0.053	0.18	0.80	32	0.28	13.30	215	4.2	
ZZ43297		0.050	0.38	0.94	35	0.94	5.80	783	2.4	
ZZ43298		0.063	0.55	1.35	36	3.16	6.69	1580	1.9	
ZZ43299		0.074	0.66	1.35	29	0.79	7.45	193	1.0	
ZZ43300		0.070	0.78	1.77	38	2.29	14.15	220	1.1	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Say Yea Soil

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 29- AUG- 2012
Account: MTT

CERTIFICATE OF ANALYSIS WH12188880

Method	CERTIFICATE COMMENTS
ALL METHODS ME- MS41	NSS is non- sufficient sample. Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 30- AUG- 2012
Account: MTT

CERTIFICATE WH12188881

Project: Say Yea Soil
P.O. No.: Batch 6
This report is for 226 Soil samples submitted to our lab in Whitehorse, YT, Canada on 13- AUG- 2012.

The following have access to data associated with this certificate:

SARAH EATON

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/ o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES


ALS CODE	DESCRIPTION	INSTRUMENT
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 30- AUG- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188881

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ43001		0.25	<0.001	1.36	3.36	5.5	<0.2	<10	60	0.62	10.35	1.25	0.59	65.1	23.0	49
ZZ43002		0.16	<0.001	0.59	2.44	2.9	<0.2	<10	110	0.73	5.91	0.43	0.86	37.4	23.6	52
ZZ43003		0.19	0.001	1.18	3.40	4.8	<0.2	<10	90	0.83	4.51	0.18	0.77	56.1	16.6	42
ZZ43004		0.14	<0.001	0.47	3.30	2.2	<0.2	<10	110	0.98	4.71	0.44	2.47	53.3	19.4	41
ZZ43005		0.18	<0.001	0.17	5.17	4.3	<0.2	<10	100	1.20	7.75	0.83	2.98	74.0	33.8	43
ZZ43006		0.20	0.001	0.06	1.50	3.3	<0.2	<10	40	0.35	1.66	0.22	1.11	26.2	6.2	22
ZZ43007		0.16	0.001	0.09	2.04	3.2	<0.2	<10	110	0.80	1.65	0.15	1.29	35.5	26.2	27
ZZ43008		0.19	<0.001	0.06	2.04	4.3	<0.2	<10	60	0.50	1.22	0.18	0.71	35.9	18.1	38
ZZ43009		0.16	0.001	0.15	3.16	3.7	<0.2	<10	140	0.79	1.82	0.40	0.98	38.4	24.2	47
ZZ43010		0.22	0.002	0.16	0.92	6.2	<0.2	<10	30	0.33	0.28	0.12	0.57	28.1	5.6	13
ZZ43011		0.30	0.003	0.21	1.78	5.5	<0.2	<10	70	0.79	3.10	0.50	0.25	50.8	11.1	28
ZZ43012		0.19	<0.001	0.08	1.22	3.2	<0.2	<10	80	0.28	0.82	0.09	0.71	25.9	8.0	24
ZZ43013		0.20	<0.001	0.13	1.46	7.7	<0.2	<10	50	0.46	1.23	0.23	1.60	36.2	14.8	19
ZZ43014		0.14	0.001	0.19	2.57	5.2	<0.2	<10	80	0.64	4.46	0.20	4.12	37.4	18.4	34
ZZ43015		0.15	<0.001	0.21	3.23	4.1	<0.2	<10	100	0.95	2.59	0.38	3.33	47.6	16.1	37
ZZ43016		0.21	<0.001	0.74	2.43	3.9	<0.2	<10	60	0.62	3.04	0.22	2.45	30.0	13.5	38
ZZ43017		0.20	0.001	0.52	2.47	3.1	<0.2	<10	80	0.48	5.13	0.11	1.89	38.4	13.5	41
ZZ43018		0.18	0.001	1.85	2.07	1.0	<0.2	<10	50	0.61	3.94	1.61	0.67	50.2	9.9	35
ZZ43019		0.14	<0.001	0.88	2.04	3.3	<0.2	<10	40	0.78	5.20	1.27	0.67	101.5	13.4	36
ZZ43020		0.19	0.001	1.28	2.31	5.9	<0.2	<10	70	0.67	2.83	2.23	0.71	65.5	13.5	42
ZZ43021		0.15	0.004	1.49	2.76	2.1	<0.2	<10	70	0.52	7.87	1.54	0.66	74.3	17.4	41
ZZ43022		0.28	0.002	0.72	2.10	6.0	<0.2	<10	40	0.54	1.73	1.50	0.17	75.5	14.8	32
ZZ43023		0.21	0.001	0.37	2.44	2.8	<0.2	<10	50	0.59	1.29	1.34	0.15	49.0	14.8	37
ZZ43024		0.17	<0.001	0.40	2.06	2.9	<0.2	<10	50	0.49	0.94	0.92	0.17	85.4	16.1	29
ZZ43025		0.15	<0.001	0.26	2.12	13.3	<0.2	<10	30	0.43	0.80	0.10	0.38	139.5	25.8	26
ZZ43026		0.27	<0.001	0.40	1.93	13.4	<0.2	<10	20	0.24	0.90	0.56	0.33	65.2	18.9	24
ZZ43027		0.18	0.001	0.18	1.97	11.3	<0.2	<10	10	0.22	0.72	0.44	0.11	82.9	15.8	25
ZZ43028		0.34	<0.001	0.21	1.99	13.6	<0.2	<10	20	0.23	0.75	0.24	0.21	94.0	17.0	26
ZZ43029		0.29	0.027	0.11	1.33	32.1	<0.2	<10	20	0.13	0.24	0.28	0.05	60.8	9.3	19
ZZ43301		0.21	0.001	1.30	3.27	2.9	<0.2	<10	100	0.73	1.28	0.19	0.29	39.0	14.1	54
ZZ43302		0.22	<0.001	0.46	2.85	5.3	<0.2	<10	60	0.56	0.93	0.11	0.13	64.8	16.0	37
ZZ43303		0.17	0.001	0.15	1.65	1.2	<0.2	<10	20	0.19	0.80	0.02	0.07	46.3	14.5	25
ZZ43304		0.24	<0.001	0.61	2.22	9.2	<0.2	<10	40	0.42	0.61	0.01	0.13	43.5	14.2	25
ZZ43305		0.17	0.003	0.10	1.84	13.8	<0.2	<10	60	0.79	0.47	0.64	0.31	115.0	18.8	16
ZZ43306		0.28	0.005	0.12	1.87	9.2	<0.2	<10	30	0.35	0.47	0.43	0.13	95.9	13.4	22
ZZ43307		0.24	0.001	0.10	1.89	15.2	<0.2	<10	40	0.32	0.39	0.24	0.09	80.6	14.5	23
ZZ43308		0.24	0.001	0.85	1.25	28.6	<0.2	<10	30	0.36	0.28	0.15	0.26	71.6	16.0	18
ZZ43309		0.19	0.001	0.14	1.47	11.5	<0.2	<10	30	0.33	0.49	0.73	0.14	58.0	20.9	19
ZZ43310		0.18	0.002	0.16	1.34	12.9	<0.2	<10	30	0.35	0.59	1.07	0.39	71.0	16.4	17
ZZ43311		0.32	0.002	0.26	1.88	14.1	<0.2	<10	30	0.47	0.56	0.39	0.15	147.0	18.2	22



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 30- AUG- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188881

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ43001		18.90	148.5	7.04	12.20	0.18	0.04	0.02	0.040	0.54	34.3	54.4	0.99	749	0.56
ZZ43002		21.3	47.5	4.98	14.20	0.08	0.02	0.03	0.059	0.14	18.8	79.9	0.78	1660	0.62
ZZ43003		21.3	93.9	5.26	10.60	0.12	0.06	0.03	0.162	0.30	28.6	67.5	1.00	328	0.54
ZZ43004		17.80	114.0	4.80	11.85	0.11	0.05	0.03	0.328	0.14	27.6	61.4	0.85	1550	0.59
ZZ43005		18.40	139.5	5.16	14.50	0.14	0.06	0.02	1.485	0.19	26.8	62.9	0.96	725	0.56
ZZ43006		14.80	9.4	2.70	7.20	0.05	0.02	0.01	0.136	0.13	13.0	46.7	0.46	227	0.60
ZZ43007		28.3	25.0	2.91	8.61	0.05	0.02	0.03	0.146	0.16	15.9	42.7	0.43	2180	1.33
ZZ43008		17.65	17.1	3.10	8.31	0.07	<0.02	0.01	0.119	0.13	17.7	69.6	0.71	522	0.68
ZZ43009		33.9	25.5	4.55	11.75	0.10	0.02	0.02	0.161	0.33	17.5	70.1	0.84	2280	1.11
ZZ43010		7.43	6.9	1.74	4.54	<0.05	<0.02	0.01	0.017	0.10	14.2	25.7	0.26	199	0.48
ZZ43011		24.8	29.5	3.04	5.73	0.11	0.04	0.01	0.178	0.25	39.3	57.8	0.55	580	0.51
ZZ43012		10.70	10.5	2.32	6.62	0.06	<0.02	0.01	0.060	0.17	12.8	35.5	0.40	188	0.67
ZZ43013		9.87	15.9	3.81	6.40	0.08	<0.02	0.01	0.103	0.11	15.9	30.3	0.34	1020	1.53
ZZ43014		26.5	23.2	4.03	11.75	0.09	0.04	0.02	0.580	0.20	16.9	60.2	0.68	900	1.28
ZZ43015		24.0	27.8	4.61	11.95	0.11	0.06	0.02	0.357	0.14	22.4	54.0	0.74	1180	0.79
ZZ43016		23.3	38.4	4.23	11.75	0.10	0.02	0.03	0.192	0.13	15.4	60.7	0.69	843	0.73
ZZ43017		19.85	55.8	5.44	12.85	0.10	0.03	0.02	0.123	0.18	19.4	76.4	0.82	497	0.74
ZZ43018		13.80	200	4.34	9.21	0.16	0.06	0.03	0.053	0.22	62.8	61.9	0.75	537	0.56
ZZ43019		18.00	73.7	4.43	7.91	0.15	0.05	0.03	0.090	0.13	52.5	40.2	0.59	459	0.40
ZZ43020		10.60	35.2	4.11	8.19	0.12	0.04	0.06	0.057	0.09	34.5	36.9	0.66	702	0.35
ZZ43021		17.35	173.5	6.40	9.73	0.19	0.06	0.02	0.042	0.51	41.0	54.3	0.99	476	0.56
ZZ43022		13.10	54.8	3.80	7.31	0.13	0.06	0.02	0.021	0.21	46.5	49.0	0.74	385	0.41
ZZ43023		24.7	26.8	3.96	7.37	0.14	0.05	0.02	0.015	0.56	32.3	70.5	1.05	364	0.30
ZZ43024		12.10	30.0	4.00	6.17	0.15	0.05	0.02	0.102	0.16	36.3	51.6	0.90	450	0.41
ZZ43025		1.19	36.6	5.00	5.94	0.16	0.08	0.02	0.204	0.02	54.8	50.8	0.92	783	0.63
ZZ43026		1.25	49.0	4.73	6.29	0.17	0.06	0.02	0.162	0.02	74.1	52.7	0.87	952	0.75
ZZ43027		0.67	31.5	4.51	5.76	0.14	0.05	0.01	0.148	0.02	52.5	55.0	0.96	556	0.47
ZZ43028		0.76	38.0	4.68	6.05	0.17	0.06	0.01	0.165	0.02	61.1	58.7	1.01	595	0.44
ZZ43029		0.62	16.8	3.35	3.78	0.11	0.06	0.01	0.005	0.02	32.1	23.8	0.63	202	0.25
ZZ43301		16.25	19.5	4.71	12.20	0.09	0.03	0.04	0.022	0.17	20.0	64.9	0.78	552	0.62
ZZ43302		8.37	25.3	5.19	7.25	0.13	0.07	0.03	0.070	0.07	32.8	60.6	0.95	421	0.51
ZZ43303		1.72	37.3	5.10	5.93	0.10	0.05	0.01	0.026	0.02	16.0	35.6	0.74	519	0.56
ZZ43304		1.29	24.8	4.15	6.30	0.07	0.06	0.04	0.355	0.03	19.5	55.1	0.78	326	0.50
ZZ43305		1.07	22.5	5.38	4.66	0.11	0.05	0.02	0.059	0.02	45.6	28.8	0.32	1300	0.43
ZZ43306		0.50	26.3	3.98	5.43	0.17	0.05	0.02	0.030	0.02	67.3	49.4	0.82	794	0.20
ZZ43307		0.63	26.0	3.99	5.59	0.12	0.05	0.02	0.051	0.04	51.3	47.9	0.83	484	0.25
ZZ43308		0.86	18.5	3.16	3.67	0.09	0.03	0.04	0.020	0.02	32.4	21.5	0.45	476	0.50
ZZ43309		0.63	33.7	3.91	4.12	0.12	0.04	0.03	0.033	0.02	33.4	40.8	0.66	767	0.34
ZZ43310		0.67	32.9	3.86	4.10	0.11	0.03	0.03	0.335	0.02	45.1	32.5	0.53	667	0.44
ZZ43311		0.84	49.0	4.23	6.46	0.32	0.05	0.02	0.049	0.02	146.0	55.0	0.72	1460	0.49



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - C
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 30- AUG- 2012
 Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188881

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
ZZ43001		2.45	44.9	720	49.7	108.0	<0.001	0.14	0.20	6.0	0.8	11.0	163.5	0.02	0.05
ZZ43002		3.68	31.2	320	26.9	73.1	<0.001	0.04	0.18	4.5	0.5	15.5	46.3	0.01	0.03
ZZ43003		2.48	45.6	310	37.0	82.6	<0.001	0.07	0.19	4.2	0.7	12.3	69.9	0.01	0.04
ZZ43004		2.02	35.8	320	25.5	53.0	<0.001	0.04	0.18	5.1	0.7	10.7	144.0	0.01	0.03
ZZ43005		1.98	50.7	650	24.2	48.7	<0.001	0.03	0.23	5.2	0.8	13.5	297	0.01	0.04
ZZ43006		2.62	14.5	150	8.7	103.0	<0.001	0.02	0.22	2.0	0.3	5.1	40.5	<0.01	0.02
ZZ43007		3.02	21.5	370	11.4	102.5	<0.001	0.03	0.16	1.9	0.4	6.4	26.1	0.01	0.02
ZZ43008		3.15	30.2	210	19.5	62.1	<0.001	0.02	0.24	2.8	0.3	6.6	34.8	<0.01	0.01
ZZ43009		4.28	36.5	390	17.6	201	<0.001	0.03	0.21	3.4	0.4	13.5	67.2	<0.01	0.03
ZZ43010		1.27	10.7	270	9.0	52.5	<0.001	0.02	0.48	1.2	0.2	1.2	18.9	<0.01	0.01
ZZ43011		2.10	29.9	400	13.5	109.5	<0.001	0.02	0.27	3.3	0.6	7.0	46.9	0.01	0.02
ZZ43012		2.87	17.5	160	8.0	113.0	<0.001	0.01	0.23	1.9	0.3	6.4	30.2	<0.01	0.01
ZZ43013		2.36	21.2	550	31.7	80.2	<0.001	0.03	0.35	1.7	0.3	3.2	35.7	0.01	0.02
ZZ43014		3.52	29.2	270	19.2	113.0	<0.001	0.03	0.24	3.1	0.5	9.4	56.3	0.01	0.03
ZZ43015		3.00	31.5	480	21.5	80.2	<0.001	0.03	0.26	3.8	0.7	8.9	136.0	0.02	0.03
ZZ43016		2.53	28.5	260	18.7	73.8	<0.001	0.04	0.24	3.1	0.5	9.5	44.1	0.01	0.03
ZZ43017		3.35	28.8	400	41.1	83.0	<0.001	0.07	0.21	3.6	0.5	14.5	39.0	0.01	0.04
ZZ43018		1.93	27.2	620	62.6	56.3	<0.001	0.10	0.12	3.5	1.2	11.9	96.7	0.01	0.03
ZZ43019		1.24	36.6	560	24.5	55.8	<0.001	0.05	0.62	5.8	0.9	9.2	85.6	0.01	0.04
ZZ43020		1.52	29.1	920	50.9	31.5	<0.001	0.08	0.19	3.9	0.9	3.9	162.0	0.01	0.03
ZZ43021		2.38	42.4	1140	51.8	86.2	<0.001	0.33	0.09	4.6	1.2	11.4	212	0.01	0.05
ZZ43022		1.76	37.9	690	35.0	60.9	<0.001	0.05	0.31	3.3	1.0	7.9	98.3	0.01	0.02
ZZ43023		4.21	45.6	490	25.4	165.5	<0.001	0.06	0.24	3.3	0.8	8.8	214	0.01	0.02
ZZ43024		1.46	42.3	610	64.6	46.3	<0.001	0.07	0.11	2.5	1.0	4.3	126.0	0.01	0.02
ZZ43025		0.35	52.1	460	29.3	6.1	<0.001	0.02	0.26	2.3	0.6	0.6	12.1	0.01	0.02
ZZ43026		0.34	47.4	550	21.0	4.4	<0.001	0.03	0.14	2.3	0.8	0.3	48.3	0.01	0.03
ZZ43027		0.24	42.0	570	17.8	3.2	<0.001	0.03	0.11	2.2	0.6	0.5	34.1	0.01	0.03
ZZ43028		0.25	49.1	580	19.1	3.8	<0.001	0.02	0.13	2.6	0.8	0.4	22.0	0.01	0.02
ZZ43029		1.24	25.6	780	11.9	2.7	<0.001	0.02	0.21	1.6	0.4	<0.2	16.9	0.01	0.01
ZZ43301		4.87	36.0	660	84.3	53.5	<0.001	0.04	0.17	3.7	0.5	8.4	50.6	0.03	0.03
ZZ43302		1.62	46.8	630	57.8	18.2	<0.001	0.02	0.16	2.7	0.6	3.4	21.2	0.01	0.04
ZZ43303		0.43	43.2	600	19.4	5.1	<0.001	0.01	0.09	1.9	0.4	0.4	5.2	0.01	0.02
ZZ43304		0.53	33.8	270	21.9	7.1	0.001	0.01	0.17	1.8	0.5	0.6	5.0	<0.01	<0.01
ZZ43305		0.46	37.1	920	33.7	5.2	0.001	0.04	0.23	4.8	1.4	0.4	73.1	0.01	0.02
ZZ43306		0.16	34.9	910	20.2	2.6	0.001	0.02	0.10	2.9	1.2	0.2	41.4	<0.01	0.02
ZZ43307		0.29	34.7	720	16.3	3.7	0.001	0.01	0.17	2.3	0.9	0.4	22.3	<0.01	0.04
ZZ43308		0.63	33.3	750	36.8	3.9	0.001	0.01	1.40	1.6	0.3	0.5	10.0	<0.01	0.01
ZZ43309		0.23	51.2	560	23.4	2.6	0.001	0.03	0.14	2.5	0.8	<0.2	61.7	<0.01	0.02
ZZ43310		0.39	38.5	580	23.5	3.1	0.001	0.04	0.14	1.7	0.7	0.4	81.3	0.01	<0.01
ZZ43311		0.24	52.4	740	24.0	4.0	0.001	0.02	0.16	3.6	2.2	0.3	42.4	<0.01	0.06



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 30- AUG- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188881

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ43001		0.089	1.18	2.14	47	3.71	18.60	387	0.7
ZZ43002		0.089	0.45	1.14	66	1.30	8.02	399	0.5
ZZ43003		0.064	0.86	1.58	40	2.04	10.75	1280	2.1
ZZ43004		0.051	0.68	1.54	48	1.54	13.15	1140	1.0
ZZ43005		0.051	0.60	2.03	47	3.70	11.10	2750	1.9
ZZ43006		0.066	0.27	0.60	32	1.75	2.61	531	0.6
ZZ43007		0.074	0.60	1.36	37	3.18	3.77	464	<0.5
ZZ43008		0.082	0.32	0.75	40	0.86	3.61	685	<0.5
ZZ43009		0.097	1.03	1.01	54	4.26	4.56	364	0.5
ZZ43010		0.039	0.12	0.56	19	0.32	2.26	131	<0.5
ZZ43011		0.055	0.59	1.36	28	0.99	17.50	152	0.6
ZZ43012		0.066	0.30	0.52	29	1.17	2.47	191	<0.5
ZZ43013		0.055	0.15	0.81	29	1.78	3.64	231	<0.5
ZZ43014		0.086	0.52	0.87	44	3.13	5.26	1480	1.4
ZZ43015		0.082	0.27	1.46	50	0.66	7.21	2130	2.4
ZZ43016		0.077	0.34	0.92	47	4.77	5.11	930	0.9
ZZ43017		0.091	0.44	1.02	55	1.80	6.73	1000	1.0
ZZ43018		0.045	0.56	4.00	38	0.93	28.9	420	0.7
ZZ43019		0.025	0.51	2.16	36	0.50	23.2	473	0.8
ZZ43020		0.038	0.38	1.89	42	0.51	17.10	238	0.6
ZZ43021		0.082	0.95	2.93	39	0.43	22.3	425	1.0
ZZ43022		0.034	0.70	2.55	31	0.30	23.8	143	1.0
ZZ43023		0.080	1.46	1.85	23	0.19	23.3	195	0.6
ZZ43024		0.030	0.45	2.14	17	0.10	22.4	188	0.6
ZZ43025		0.005	0.04	1.89	14	0.09	14.95	243	2.3
ZZ43026		0.006	0.04	7.19	13	0.08	26.0	203	0.9
ZZ43027		<0.005	0.02	2.15	12	0.06	17.25	184	1.0
ZZ43028		0.005	0.03	1.92	12	0.08	22.9	253	1.0
ZZ43029		0.008	0.02	0.74	11	0.06	11.20	65	1.7
ZZ43301		0.079	0.62	1.10	48	0.38	7.91	190	0.9
ZZ43302		0.024	0.26	1.26	21	0.15	8.86	132	2.3
ZZ43303		0.006	0.04	1.88	15	0.09	9.95	89	2.1
ZZ43304		0.009	0.05	0.91	16	0.08	8.27	143	2.2
ZZ43305		0.008	0.05	1.61	13	0.16	24.5	102	1.5
ZZ43306		0.005	0.02	0.94	11	<0.05	27.2	91	1.5
ZZ43307		0.007	0.03	0.89	14	0.07	18.90	120	1.8
ZZ43308		0.017	0.06	0.97	15	0.19	11.60	113	0.9
ZZ43309		0.005	0.03	1.86	9	<0.05	21.4	84	1.3
ZZ43310		<0.005	0.02	2.14	9	0.05	22.7	237	1.1
ZZ43311		<0.005	0.04	3.40	12	0.06	52.3	91	1.4



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.

C/ O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A

Total # Pages: 7 (A - D)

Plus Appendix Pages

Finalized Date: 30- AUG- 2012

Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188881

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ43312		0.33	0.001	0.14	1.99	18.6	<0.2	<10	10	0.36	0.69	0.10	0.21	115.0	23.8	25
ZZ43313		0.25	0.005	0.15	2.19	18.6	<0.2	<10	10	0.35	0.97	0.06	0.12	74.2	24.9	26
ZZ43314		0.15	0.001	0.16	1.68	8.5	<0.2	<10	10	0.20	0.68	0.04	0.11	27.3	13.1	22
ZZ43315		0.12	0.001	0.05	0.41	0.7	<0.2	<10	20	0.13	0.36	0.52	0.11	5.11	4.0	5
ZZ43316		0.17	0.001	2.93	3.38	12.3	<0.2	<10	40	1.40	10.45	0.37	0.66	84.7	21.7	48
ZZ43317		0.20	0.003	0.34	2.79	5.7	<0.2	<10	50	1.14	2.39	0.38	0.54	74.6	14.9	46
ZZ43318		0.23	0.001	0.62	2.83	13.8	<0.2	<10	60	0.94	2.83	1.11	0.28	66.1	18.4	45
ZZ43319		0.22	<0.001	0.08	1.69	6.5	<0.2	<10	40	0.52	0.35	0.15	0.41	37.0	8.5	22
ZZ43320		0.27	0.001	0.19	1.23	11.2	<0.2	<10	40	0.45	0.47	0.23	0.26	31.5	8.4	19
ZZ43321		0.22	<0.001	0.30	2.84	5.8	<0.2	<10	70	1.30	3.17	0.43	4.91	36.4	16.7	33
ZZ43322		0.28	<0.001	0.34	3.83	5.7	<0.2	<10	50	1.37	2.61	0.53	0.74	66.1	20.1	39
ZZ43323		0.26	0.001	0.46	1.86	6.9	<0.2	<10	40	0.76	1.12	9.40	0.40	61.8	13.5	37
ZZ43324		0.28	0.002	0.66	2.36	18.7	<0.2	<10	50	0.94	2.56	1.69	0.20	62.1	14.1	38
ZZ43325		0.27	0.002	0.29	1.95	6.1	<0.2	<10	30	0.38	0.76	0.37	0.21	83.9	16.1	25
ZZ43326		0.24	0.003	0.68	1.68	147.5	<0.2	<10	20	0.33	2.04	0.41	1.69	93.0	19.6	22
ZZ43327		0.35	0.003	0.30	1.17	19.9	<0.2	<10	40	0.28	0.29	1.12	0.18	54.8	11.7	17
ZZ43328		0.27	0.002	0.37	1.27	25.2	<0.2	<10	70	0.39	0.28	0.70	0.17	58.9	12.6	17
ZZ43329		0.34	0.007	0.51	1.36	20.0	<0.2	<10	80	0.44	0.28	0.61	0.24	62.2	13.6	21
ZZ43330		0.31	0.003	0.17	1.39	20.5	<0.2	<10	30	0.26	0.27	0.36	0.08	67.2	11.5	19
ZZ43331		0.49	0.005	0.05	1.88	13.6	<0.2	<10	50	0.27	0.27	0.17	0.04	74.9	10.6	24
ZZ43332		0.46	0.001	0.19	1.96	15.2	<0.2	<10	50	0.42	0.51	0.31	0.17	98.5	21.1	24
ZZ43333		0.47	0.002	0.10	2.12	11.5	<0.2	<10	60	0.50	0.51	0.22	0.11	89.2	17.6	28
ZZ43334		0.32	0.001	0.06	2.15	9.2	<0.2	<10	40	0.40	0.44	0.10	0.09	105.5	15.0	25
ZZ43335		0.35	<0.001	0.05	2.11	3.9	<0.2	<10	40	0.26	0.65	0.19	0.06	51.3	9.0	24
ZZ43336		0.35	0.001	0.08	2.17	4.4	<0.2	<10	40	0.39	0.59	0.15	0.04	61.0	11.8	27
ZZ43337		0.49	0.001	0.16	2.27	5.8	<0.2	<10	50	0.57	0.94	0.32	0.05	67.0	14.2	32
ZZ43338		0.43	0.003	0.50	2.64	14.0	<0.2	<10	60	0.84	2.52	0.65	0.14	90.3	20.7	41
ZZ43339		0.40	0.002	0.48	3.33	4.6	<0.2	<10	80	1.02	2.50	1.10	0.23	63.1	21.0	54
ZZ43340		0.42	0.003	0.79	3.12	11.3	<0.2	<10	90	1.12	3.76	1.53	0.83	58.4	27.6	41
ZZ43341		0.43	0.012	0.75	2.69	6.7	<0.2	<10	50	0.93	4.19	2.47	0.94	81.0	27.4	44
ZZ43342		0.33	0.002	0.93	3.28	3.9	<0.2	<10	50	1.17	5.69	0.92	1.47	56.9	22.7	38
ZZ43343		0.28	0.001	0.34	5.97	1.4	<0.2	<10	80	1.93	3.20	1.79	4.40	63.7	31.1	43
ZZ43344		0.31	<0.001	0.79	3.70	4.6	<0.2	<10	90	1.18	11.10	0.58	4.16	56.5	25.3	37
ZZ43345		0.27	0.001	0.72	3.54	4.3	<0.2	<10	100	1.11	8.59	0.55	4.10	56.3	20.7	42
ZZ43346		0.33	0.001	0.60	3.39	5.1	<0.2	<10	100	0.98	9.38	0.68	2.96	47.5	35.7	44
ZZ43347		0.31	0.007	0.80	2.90	5.6	<0.2	<10	80	1.09	20.0	1.12	4.06	41.8	31.4	37
ZZ43348		0.35	0.001	0.07	2.12	5.6	<0.2	<10	70	0.63	5.77	0.46	1.68	34.1	20.9	33
ZZ43349		0.32	0.003	0.61	3.17	2.6	<0.2	<10	100	1.29	1.69	0.54	0.96	54.3	15.7	45
ZZ43350		0.29	0.001	0.43	1.79	4.1	<0.2	<10	60	0.58	2.10	0.12	0.52	31.5	6.8	29
ZZ43351		0.26	0.002	0.10	0.94	6.2	<0.2	<10	40	0.25	0.40	0.08	0.27	30.2	4.0	13



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 30- AUG- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188881

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ43312		0.90	44.9	4.26	6.11	0.15	0.05	0.02	0.129	0.02	69.3	67.9	0.89	859	0.41
ZZ43313		1.36	53.9	5.03	6.44	0.10	0.04	0.02	0.186	0.02	28.7	65.5	0.90	538	0.82
ZZ43314		0.87	30.1	4.27	6.24	0.07	0.03	0.03	0.087	0.02	15.6	57.0	0.75	492	0.61
ZZ43315		2.22	7.9	0.82	1.53	<0.05	<0.02	<0.01	0.006	0.04	2.5	7.3	0.09	95	0.17
ZZ43316		14.55	26.5	4.57	10.10	0.07	0.04	0.04	0.062	0.12	22.2	58.5	0.59	1340	0.60
ZZ43317		20.0	40.7	4.32	11.20	0.11	0.03	0.02	0.035	0.17	42.0	75.1	0.81	417	0.47
ZZ43318		20.9	61.1	4.61	11.05	0.09	0.03	0.02	0.047	0.31	32.5	75.6	0.98	513	0.32
ZZ43319		4.67	15.0	2.44	5.87	0.05	0.02	0.01	0.035	0.26	18.1	37.1	0.55	221	0.30
ZZ43320		4.88	15.4	2.38	4.92	0.05	<0.02	0.01	0.048	0.19	15.9	30.2	0.40	535	0.58
ZZ43321		18.70	50.4	3.99	10.20	0.05	0.05	0.02	0.474	0.11	17.3	54.1	0.59	774	0.60
ZZ43322		15.70	126.5	5.07	12.55	0.10	0.07	0.02	0.166	0.12	26.4	66.1	0.83	518	0.48
ZZ43323		7.80	45.1	3.11	7.27	0.07	0.04	0.02	0.044	0.12	32.3	44.2	0.71	358	0.29
ZZ43324		20.3	52.3	4.42	8.68	0.11	0.04	0.02	0.032	0.31	39.5	66.4	0.88	355	0.42
ZZ43325		2.67	32.5	3.84	5.98	0.13	0.03	0.01	0.282	0.04	50.4	51.8	0.85	696	0.37
ZZ43326		0.79	39.9	4.11	5.49	0.15	0.03	0.01	1.235	0.03	52.2	49.5	0.77	702	0.50
ZZ43327		0.57	17.6	2.95	3.74	0.08	0.05	0.01	0.033	0.02	29.7	25.7	0.50	355	0.44
ZZ43328		0.80	17.6	3.09	4.00	0.09	0.07	0.02	0.017	0.03	32.0	23.6	0.47	320	0.30
ZZ43329		0.97	19.8	2.93	4.26	0.08	0.05	0.02	0.021	0.04	31.3	22.4	0.53	676	0.42
ZZ43330		0.51	22.4	3.12	4.27	0.09	0.04	<0.01	0.015	0.03	38.5	29.2	0.64	234	0.26
ZZ43331		0.78	17.8	3.61	5.29	0.09	0.02	<0.01	0.023	0.04	38.1	44.4	0.79	447	0.26
ZZ43332		1.48	31.6	3.96	6.61	0.13	0.04	0.02	0.040	0.05	53.8	47.6	0.80	480	0.38
ZZ43333		1.24	30.9	4.07	6.45	0.13	0.06	0.01	0.067	0.08	48.4	49.1	0.86	635	0.36
ZZ43334		0.77	25.5	3.98	6.66	0.18	0.03	0.01	0.102	0.04	61.6	59.6	0.94	543	0.30
ZZ43335		1.57	12.8	3.56	6.22	0.08	0.02	0.01	0.121	0.03	26.4	56.7	0.95	358	0.19
ZZ43336		4.11	14.6	3.63	6.76	0.07	0.02	0.02	0.056	0.06	31.7	57.8	0.91	379	0.27
ZZ43337		12.05	25.3	3.83	7.38	0.09	0.02	0.01	0.040	0.19	34.0	59.2	0.95	419	0.28
ZZ43338		20.5	55.6	4.63	8.77	0.14	0.05	0.01	0.020	0.36	53.1	60.5	0.93	509	0.47
ZZ43339		21.0	38.7	4.54	11.50	0.10	0.02	0.01	0.032	0.38	27.8	79.4	1.02	713	0.36
ZZ43340		17.45	80.7	4.38	11.65	0.13	0.03	0.05	0.039	0.27	30.6	86.7	0.78	912	0.60
ZZ43341		17.05	106.5	5.53	12.15	0.15	0.03	0.04	0.056	0.34	41.3	85.7	0.93	940	0.62
ZZ43342		17.20	126.0	4.96	12.30	0.12	0.02	0.03	0.105	0.23	28.1	86.2	0.97	858	0.59
ZZ43343		17.05	138.5	5.40	20.2	0.21	0.05	0.04	0.160	0.22	27.0	90.1	0.75	1660	0.43
ZZ43344		17.70	205	4.55	11.50	0.11	0.04	0.04	1.170	0.19	24.5	80.2	0.83	721	0.65
ZZ43345		20.7	85.0	4.19	11.50	0.08	0.03	0.05	1.090	0.25	24.9	85.0	0.89	693	0.59
ZZ43346		22.2	63.2	4.27	11.20	0.08	<0.02	0.03	0.963	0.28	21.0	75.0	0.88	842	0.83
ZZ43347		16.85	137.5	3.80	9.06	0.09	0.03	0.04	1.505	0.21	24.5	68.0	0.71	815	0.74
ZZ43348		21.8	16.9	3.86	9.69	0.09	0.02	0.02	0.262	0.27	16.5	60.4	0.71	820	0.73
ZZ43349		21.3	58.4	3.17	13.30	0.09	0.08	0.04	0.131	0.19	29.8	78.6	0.82	610	0.72
ZZ43350		10.45	22.8	2.72	9.44	0.06	<0.02	0.03	0.091	0.13	17.0	42.9	0.54	239	0.60
ZZ43351		10.55	6.6	1.80	5.97	0.05	<0.02	0.02	0.024	0.07	15.6	17.1	0.27	118	0.52



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 30- AUG- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188881

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
ZZ43312		0.12	44.7	570	20.4	3.1	0.001	0.01	0.09	2.1	0.9	0.4	8.3	<0.01	0.01
ZZ43313		0.28	53.1	530	38.5	4.1	0.001	0.02	0.18	1.8	0.6	0.4	6.1	<0.01	0.03
ZZ43314		0.22	36.0	280	13.1	6.1	<0.001	0.01	0.06	1.4	0.5	0.3	6.8	<0.01	0.05
ZZ43315		0.41	6.5	250	2.2	5.3	0.001	0.04	<0.05	0.3	<0.2	0.5	44.7	<0.01	<0.01
ZZ43316		2.85	49.4	540	579	48.5	0.001	0.03	0.37	4.6	0.8	8.2	32.9	0.02	0.04
ZZ43317		2.36	33.6	490	41.7	42.8	<0.001	0.05	0.08	5.3	1.3	8.3	68.6	<0.01	0.04
ZZ43318		2.24	37.6	420	22.5	66.3	0.001	0.07	0.07	6.0	0.8	8.5	120.5	<0.01	0.02
ZZ43319		1.87	21.4	200	12.7	61.5	0.001	0.01	0.23	2.4	0.4	1.7	28.7	<0.01	0.01
ZZ43320		1.50	19.5	330	11.2	57.2	0.001	0.01	0.35	1.8	0.3	2.9	28.6	<0.01	0.02
ZZ43321		1.85	31.1	380	17.6	49.2	0.001	0.02	0.32	3.6	<0.2	9.6	264	0.01	0.01
ZZ43322		1.48	44.4	350	21.0	43.1	0.001	0.04	0.24	5.9	0.9	7.1	145.5	0.01	0.02
ZZ43323		1.10	32.3	580	18.8	27.2	0.001	0.03	0.12	5.4	0.7	5.6	364	<0.01	0.02
ZZ43324		1.53	39.7	970	34.3	71.4	0.001	0.08	0.24	4.9	1.3	9.6	154.5	<0.01	0.03
ZZ43325		0.51	40.1	670	22.3	9.9	0.001	0.02	0.07	2.4	1.0	1.3	41.3	<0.01	0.02
ZZ43326		0.30	47.7	700	33.8	3.9	0.001	0.02	0.26	2.1	1.0	0.6	36.0	<0.01	0.05
ZZ43327		0.60	26.3	1000	24.5	3.6	0.001	0.02	0.43	2.0	1.1	0.3	50.6	<0.01	<0.01
ZZ43328		0.84	26.0	970	27.3	5.4	0.001	0.06	0.50	2.2	1.3	0.4	40.1	<0.01	<0.01
ZZ43329		0.82	29.4	990	31.8	5.9	0.001	0.04	0.68	2.5	1.0	0.5	34.5	<0.01	0.02
ZZ43330		0.71	30.7	810	12.3	2.8	0.001	0.01	0.22	1.8	0.6	0.2	27.4	0.01	0.01
ZZ43331		0.50	28.5	520	12.1	4.9	0.001	0.01	0.08	2.0	0.9	0.3	16.2	<0.01	0.02
ZZ43332		0.65	38.9	710	18.9	8.7	0.001	0.01	0.15	2.7	1.0	0.5	26.9	<0.01	0.05
ZZ43333		0.46	40.2	600	17.2	8.7	0.001	0.01	0.20	3.2	0.8	0.8	27.5	<0.01	0.01
ZZ43334		0.26	31.5	480	14.2	5.4	0.001	0.01	0.09	2.6	1.4	0.5	10.3	<0.01	<0.01
ZZ43335		0.39	20.9	620	13.4	8.0	0.001	0.01	<0.05	1.7	0.2	0.9	16.1	<0.01	0.01
ZZ43336		0.73	23.0	510	23.3	15.9	<0.001	0.01	<0.05	2.1	0.2	1.8	21.1	<0.01	<0.01
ZZ43337		1.53	33.4	640	44.5	39.3	0.001	0.02	0.12	3.0	0.5	4.4	84.8	<0.01	0.03
ZZ43338		1.21	49.1	780	41.5	78.1	0.001	0.04	0.42	4.4	1.4	8.2	93.6	<0.01	0.05
ZZ43339		2.70	46.9	850	34.5	81.8	<0.001	0.03	0.17	5.6	0.6	9.3	206	<0.01	0.02
ZZ43340		2.57	58.0	870	32.5	70.6	<0.001	0.08	0.31	4.6	1.4	7.0	156.5	0.01	0.05
ZZ43341		1.66	57.8	930	34.8	72.1	<0.001	0.06	0.38	7.8	1.4	6.2	227	0.01	0.04
ZZ43342		1.86	44.3	700	33.3	49.5	<0.001	0.06	0.23	5.0	0.8	9.4	137.5	0.01	0.03
ZZ43343		1.02	75.8	1460	9.7	44.8	<0.001	0.08	0.06	4.6	1.2	12.0	337	0.01	0.02
ZZ43344		2.59	55.4	660	36.4	43.2	<0.001	0.06	0.33	4.4	1.2	9.3	134.5	0.01	0.05
ZZ43345		3.17	49.2	750	15.9	57.5	<0.001	0.05	0.20	4.0	1.2	9.1	140.0	0.01	0.06
ZZ43346		3.75	48.3	900	16.1	62.0	<0.001	0.04	0.19	3.7	0.5	9.1	141.5	0.01	0.05
ZZ43347		2.74	43.8	970	12.8	51.1	<0.001	0.06	0.29	3.5	0.9	6.5	126.0	0.01	0.07
ZZ43348		2.92	27.3	570	12.3	92.0	<0.001	0.02	0.24	2.9	0.5	11.6	78.6	<0.01	0.03
ZZ43349		2.90	29.8	740	16.1	62.7	<0.001	0.05	0.15	3.1	0.9	7.8	83.7	<0.01	0.02
ZZ43350		2.09	13.5	280	11.3	40.9	<0.001	0.03	0.19	2.0	0.4	6.3	41.9	<0.01	0.01
ZZ43351		2.34	9.9	140	9.9	29.6	<0.001	0.02	0.35	1.2	<0.2	1.9	13.0	<0.01	0.02



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 30- AUG- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188881

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ43312		<0.005	0.02	2.53	11	<0.05	21.0	259	1.7
ZZ43313		0.007	0.03	2.75	14	0.07	10.70	172	1.3
ZZ43314		0.006	0.02	1.09	13	0.06	11.15	101	1.3
ZZ43315		0.019	0.06	0.28	9	<0.05	1.41	18	<0.5
ZZ43316		0.044	0.56	1.26	43	0.29	17.00	166	1.5
ZZ43317		0.067	0.58	2.40	47	0.45	16.85	342	1.2
ZZ43318		0.069	1.12	1.47	42	0.27	17.05	260	0.9
ZZ43319		0.060	0.40	0.79	24	0.45	4.37	124	0.7
ZZ43320		0.042	0.26	0.65	23	0.95	3.69	90	<0.5
ZZ43321		0.050	0.29	2.31	43	0.51	6.20	2130	1.9
ZZ43322		0.053	0.44	1.80	45	1.15	13.05	554	2.6
ZZ43323		0.032	0.38	1.79	37	0.21	10.85	212	1.6
ZZ43324		0.044	0.93	3.57	43	0.23	23.4	174	1.3
ZZ43325		0.013	0.10	2.58	15	0.07	21.2	225	0.9
ZZ43326		0.007	0.03	1.86	11	0.09	19.60	809	1.3
ZZ43327		0.012	0.04	0.62	13	0.10	14.40	96	1.8
ZZ43328		0.015	0.05	2.80	16	0.11	15.20	95	2.5
ZZ43329		0.016	0.06	1.70	17	0.12	16.20	106	2.3
ZZ43330		0.009	0.02	0.84	11	0.05	15.85	64	1.5
ZZ43331		0.007	0.03	0.91	14	0.10	13.75	84	0.8
ZZ43332		0.016	0.08	0.95	16	0.11	19.60	117	1.2
ZZ43333		0.020	0.08	0.86	20	0.19	20.8	128	2.7
ZZ43334		0.009	0.04	1.11	15	0.09	22.3	145	1.4
ZZ43335		0.008	0.07	0.66	14	0.07	6.73	131	0.6
ZZ43336		0.014	0.14	0.87	17	0.10	8.29	115	0.8
ZZ43337		0.048	0.59	1.20	23	0.15	13.85	123	1.0
ZZ43338		0.048	1.19	1.72	32	0.39	26.2	162	2.3
ZZ43339		0.062	1.17	1.82	45	0.84	13.90	182	0.8
ZZ43340		0.055	0.80	3.81	41	0.66	19.15	227	0.9
ZZ43341		0.071	0.98	2.78	46	0.64	23.8	301	0.9
ZZ43342		0.047	0.55	2.91	47	2.62	13.30	664	0.7
ZZ43343		0.035	0.67	2.73	45	0.35	13.05	402	1.2
ZZ43344		0.054	0.55	1.99	41	6.94	11.90	3470	1.2
ZZ43345		0.058	0.72	1.62	42	3.66	9.81	3640	0.9
ZZ43346		0.073	0.77	1.29	44	2.97	7.53	3430	0.6
ZZ43347		0.061	0.61	1.94	40	6.19	14.40	2320	0.8
ZZ43348		0.096	0.65	0.90	41	1.44	4.15	1030	0.6
ZZ43349		0.046	0.65	2.29	42	0.69	10.25	380	<0.5
ZZ43350		0.049	0.29	0.99	32	0.42	4.32	198	<0.5
ZZ43351		0.051	0.20	0.45	24	0.35	2.13	90	<0.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 30- AUG- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188881

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ43352		0.30	<0.001	0.70	2.54	3.2	<0.2	<10	80	0.73	1.45	0.21	0.51	38.5	9.2	45
ZZ43353		0.44	<0.001	0.14	1.31	5.2	<0.2	<10	50	0.43	0.48	0.23	1.34	31.5	6.4	18
ZZ43354		0.34	0.002	0.50	3.19	5.4	<0.2	<10	100	1.00	5.79	1.04	4.97	46.2	19.9	43
ZZ43355		0.33	0.001	0.34	2.78	5.7	<0.2	<10	80	1.02	10.45	0.39	3.64	45.3	29.6	35
ZZ43356		0.36	0.001	0.69	3.70	3.9	<0.2	<10	90	1.20	9.37	0.61	4.88	53.1	22.9	39
ZZ43357		0.33	0.001	0.24	3.10	3.3	<0.2	<10	60	1.14	2.35	0.63	1.53	57.0	16.0	31
ZZ43358		0.37	0.001	1.37	3.04	4.0	<0.2	<10	60	0.98	5.17	0.52	1.00	75.7	17.7	42
ZZ43359		0.41	0.001	0.91	3.49	5.4	<0.2	<10	80	1.13	3.59	0.60	0.42	89.1	22.4	43
ZZ43360		0.39	0.001	0.57	2.96	7.2	<0.2	<10	90	0.98	1.88	1.39	0.43	45.1	20.2	38
ZZ43361		0.46	0.001	0.81	2.88	4.2	<0.2	<10	70	1.02	2.38	0.63	0.13	78.3	17.1	54
ZZ43362		0.53	0.002	0.40	2.42	4.3	<0.2	<10	60	0.78	1.54	0.50	0.16	74.5	16.2	33
ZZ43363		0.52	0.001	0.14	2.25	3.0	<0.2	<10	40	0.51	0.76	0.30	0.06	62.5	12.4	30
ZZ43364		0.40	0.001	0.18	2.02	5.0	<0.2	<10	30	0.40	0.62	0.23	0.12	86.4	13.2	24
ZZ43365		0.34	0.002	0.16	1.94	4.3	<0.2	<10	30	0.29	0.65	0.21	0.16	76.3	9.3	23
ZZ43366		0.44	0.001	0.15	2.08	16.9	<0.2	<10	40	0.41	0.57	0.38	0.18	97.2	17.3	26
ZZ43367		0.50	0.020	0.13	1.91	15.4	<0.2	<10	50	0.33	0.40	0.36	0.15	77.0	12.0	22
ZZ43368		0.64	0.001	0.06	1.69	6.1	<0.2	<10	50	0.29	0.33	0.13	0.11	67.8	10.6	24
ZZ43369		0.54	0.001	0.07	1.48	12.8	<0.2	<10	30	0.33	0.41	0.10	0.06	89.0	13.7	21
ZZ43370		0.27	0.002	0.16	1.87	30.0	<0.2	<10	20	0.24	1.19	0.12	0.49	85.4	17.0	23
ZZ43371		0.38	0.001	0.41	2.53	9.3	<0.2	<10	70	0.79	1.64	0.89	0.20	80.7	16.1	36
ZZ43372		0.31	0.001	0.31	2.43	7.6	<0.2	<10	70	0.72	1.83	1.05	0.34	61.9	14.4	38
ZZ43373		0.32	0.001	0.24	2.36	5.5	<0.2	<10	70	0.65	2.17	1.17	0.74	56.0	13.5	35
ZZ43374		0.27	0.001	0.34	2.75	3.6	<0.2	<10	60	0.77	3.98	1.90	2.79	56.0	17.0	35
ZZ43375		0.34	0.001	0.26	2.09	12.9	<0.2	<10	50	0.56	2.27	0.61	1.37	64.4	14.6	28
ZZ43376		0.36	0.004	0.24	2.29	8.6	<0.2	<10	90	0.60	2.75	0.80	1.97	61.4	15.9	32
ZZ43377		0.24	0.010	0.53	2.20	12.1	<0.2	<10	80	0.82	8.92	1.23	7.96	54.1	21.3	26
ZZ43378		0.34	0.001	0.36	2.49	5.8	<0.2	<10	90	0.90	5.53	1.26	5.04	50.1	17.4	32
ZZ43379		0.26	0.002	0.49	2.69	4.9	<0.2	<10	100	0.87	7.47	1.63	4.12	39.9	20.4	32
ZZ43380		0.32	0.001	0.33	3.52	2.8	<0.2	<10	140	0.97	3.46	0.62	1.62	47.5	14.3	48
ZZ43381		0.37	0.001	0.63	3.47	2.9	<0.2	<10	100	1.05	2.97	0.46	1.20	42.8	14.4	42
ZZ43382		0.32	0.001	0.22	3.37	3.4	<0.2	<10	120	0.78	3.96	0.51	0.94	43.9	14.1	49
ZZ43383		0.30	0.001	0.34	2.30	3.2	<0.2	<10	80	0.67	1.96	0.50	1.19	34.4	13.0	30
ZZ43384		0.34	0.004	0.58	3.63	4.5	<0.2	<10	90	1.17	10.75	0.94	1.58	49.2	24.8	46
ZZ43385		0.31	0.002	0.35	2.94	7.3	<0.2	<10	120	0.61	17.75	1.05	2.38	42.4	22.9	78
ZZ43386		0.25	0.001	0.37	2.68	7.9	<0.2	<10	90	0.67	4.98	0.78	5.03	52.1	20.2	38
ZZ43387		0.38	0.001	0.17	2.77	8.9	<0.2	<10	80	0.70	6.42	0.66	2.31	53.2	26.2	37
ZZ43388		0.41	0.001	0.36	3.02	7.1	<0.2	<10	90	0.92	6.55	0.90	2.37	63.2	20.5	37
ZZ43389		0.31	0.001	0.53	2.36	5.5	<0.2	<10	60	0.75	3.79	1.42	1.68	60.6	14.6	32
ZZ43390		0.29	0.001	0.41	2.61	7.8	<0.2	<10	80	0.82	2.61	1.09	0.33	71.3	14.9	38
ZZ43391		0.32	<0.001	0.35	2.40	8.3	<0.2	<10	60	0.72	1.90	0.88	0.24	77.8	15.7	36



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 4 - B
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 30- AUG- 2012
 Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188881

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ43352		19.00	23.6	3.38	13.05	0.08	<0.02	0.03	0.089	0.26	19.0	86.7	0.90	263	0.51
ZZ43353		10.75	9.8	2.01	5.50	0.06	<0.02	0.02	0.064	0.13	15.5	31.2	0.43	257	0.46
ZZ43354		21.0	86.0	3.68	9.57	0.10	0.02	0.04	0.681	0.23	21.2	80.2	0.85	769	0.62
ZZ43355		17.60	37.6	3.76	10.45	0.07	<0.02	0.03	1.040	0.13	22.1	61.5	0.65	599	0.84
ZZ43356		17.55	89.7	4.17	10.80	0.09	0.02	0.04	1.030	0.17	24.5	73.2	0.82	779	0.63
ZZ43357		10.70	126.0	4.18	11.10	0.11	0.04	0.04	0.123	0.12	25.4	67.4	0.80	818	0.37
ZZ43358		18.70	137.0	4.56	10.65	0.11	0.03	0.02	0.131	0.30	33.7	88.8	1.04	585	0.38
ZZ43359		18.45	56.8	5.17	10.90	0.12	0.02	0.05	0.057	0.34	41.9	79.5	0.90	685	0.41
ZZ43360		16.15	30.7	3.55	11.20	0.09	0.02	0.04	0.020	0.19	23.3	64.9	0.85	866	0.47
ZZ43361		18.25	35.3	4.19	10.20	0.09	0.02	0.03	0.026	0.26	33.0	82.5	0.94	576	0.42
ZZ43362		19.25	33.7	3.84	7.69	0.11	<0.02	0.03	0.030	0.28	44.4	68.0	0.89	494	0.33
ZZ43363		9.20	20.3	3.82	6.60	0.08	0.02	0.01	0.051	0.13	29.3	62.4	1.02	376	0.21
ZZ43364		2.28	23.6	3.91	6.12	0.13	0.03	0.02	0.133	0.06	46.0	61.4	1.00	530	0.22
ZZ43365		0.99	21.7	3.66	5.40	0.10	0.02	0.02	0.864	0.05	47.2	52.7	0.95	351	0.18
ZZ43366		0.70	31.5	4.15	6.42	0.10	0.04	0.01	0.146	0.06	50.7	64.0	0.95	561	0.43
ZZ43367		0.65	24.8	3.94	5.35	0.10	0.04	0.02	0.078	0.05	44.6	48.2	0.79	449	0.35
ZZ43368		0.97	18.1	3.30	5.18	0.09	0.03	0.02	0.086	0.05	33.2	41.2	0.73	390	0.24
ZZ43369		1.15	23.2	4.12	4.46	0.10	0.03	0.02	0.043	0.04	46.1	38.0	0.61	668	0.30
ZZ43370		0.90	24.3	4.63	5.00	0.06	0.02	0.02	0.566	0.05	20.0	44.0	0.80	611	0.39
ZZ43371		11.25	44.1	4.13	7.64	0.12	0.02	0.03	0.080	0.21	41.1	57.6	0.85	585	0.39
ZZ43372		11.55	45.4	3.63	8.24	0.05	0.03	0.02	0.051	0.19	32.3	56.2	0.75	495	0.47
ZZ43373		10.95	59.9	3.58	7.71	0.05	0.03	0.02	0.089	0.18	27.9	52.5	0.75	564	0.46
ZZ43374		15.75	112.5	4.22	8.82	0.06	0.03	0.02	0.263	0.20	28.7	64.2	0.78	822	0.45
ZZ43375		8.04	50.7	3.63	6.38	0.05	0.03	0.02	0.165	0.08	27.1	39.9	0.61	804	0.44
ZZ43376		9.21	54.7	3.69	6.91	<0.05	0.04	0.01	0.241	0.19	29.5	44.6	0.79	798	0.46
ZZ43377		12.75	111.0	3.19	7.31	0.08	0.02	0.03	0.419	0.11	27.0	39.6	0.50	1410	0.79
ZZ43378		14.20	76.5	3.32	8.82	0.08	0.02	0.01	0.336	0.13	24.9	47.2	0.56	1340	0.74
ZZ43379		14.00	59.6	3.15	8.49	0.07	0.03	0.04	1.105	0.12	21.5	51.8	0.59	1050	0.65
ZZ43380		21.1	81.6	4.01	12.85	0.08	0.02	0.02	0.258	0.33	24.2	88.5	0.97	450	0.55
ZZ43381		21.8	54.1	3.24	11.75	0.07	0.02	0.01	0.230	0.30	23.1	83.3	0.83	410	0.52
ZZ43382		22.9	41.0	3.84	12.80	0.09	0.02	<0.01	0.212	0.31	22.0	97.0	1.00	432	0.52
ZZ43383		13.60	43.0	2.69	8.18	0.06	<0.02	<0.01	0.188	0.13	17.4	52.6	0.58	542	0.51
ZZ43384		23.0	65.1	4.09	11.60	0.10	0.02	0.01	0.740	0.26	24.9	93.9	0.84	845	0.52
ZZ43385		18.95	36.6	3.94	11.95	0.12	0.03	0.02	0.388	0.28	22.9	91.2	1.11	664	0.54
ZZ43386		21.1	58.2	3.44	10.05	0.11	0.02	0.02	0.646	0.23	26.7	72.8	0.76	825	0.68
ZZ43387		18.35	30.0	4.00	10.90	0.13	0.03	0.01	0.554	0.21	25.8	66.7	0.78	916	0.75
ZZ43388		16.20	85.7	4.18	10.25	0.09	0.02	0.02	0.512	0.18	27.9	70.6	0.79	867	0.45
ZZ43389		13.55	91.9	3.76	8.74	0.10	0.02	0.02	0.396	0.20	29.0	66.2	0.72	603	0.40
ZZ43390		14.75	58.0	3.85	8.94	0.10	0.02	0.01	0.068	0.22	37.0	65.0	0.80	468	0.35
ZZ43391		13.90	42.9	3.57	8.57	0.11	0.02	<0.01	0.059	0.19	40.3	63.2	0.77	441	0.40



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 30- AUG- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188881

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
ZZ43352		3.54	28.6	280	8.8	72.5	<0.001	0.03	0.14	3.9	0.2	10.2	65.6	<0.01	0.02
ZZ43353		2.02	14.3	320	10.8	52.1	<0.001	0.03	0.36	1.7	0.3	1.7	26.9	<0.01	0.01
ZZ43354		3.23	51.3	870	18.6	56.0	<0.001	0.05	0.29	3.4	0.6	7.8	139.0	0.01	0.04
ZZ43355		3.11	33.9	590	17.2	34.4	<0.001	0.04	0.25	2.9	0.3	7.3	78.2	0.01	0.07
ZZ43356		2.70	49.5	780	26.6	39.7	<0.001	0.05	0.18	4.2	0.9	9.1	167.0	0.01	0.05
ZZ43357		1.11	48.2	630	15.7	23.8	<0.001	0.05	0.27	4.6	0.7	7.1	170.0	0.01	0.03
ZZ43358		2.20	45.4	530	37.0	61.0	<0.001	0.07	0.15	5.8	0.9	10.1	132.0	<0.01	0.03
ZZ43359		2.37	53.9	780	30.9	67.3	<0.001	0.05	0.13	6.3	0.9	7.2	127.0	0.01	0.02
ZZ43360		3.10	28.1	1050	16.9	48.4	<0.001	0.06	0.20	3.8	0.9	7.9	117.0	0.01	0.02
ZZ43361		3.06	44.3	930	61.5	49.9	<0.001	0.04	0.26	4.8	1.0	8.9	103.5	<0.01	0.02
ZZ43362		1.91	37.6	620	46.8	64.3	<0.001	0.03	0.18	3.4	0.9	5.7	89.2	<0.01	0.03
ZZ43363		1.06	32.4	670	35.2	23.6	<0.001	0.02	0.11	2.4	0.5	2.8	55.7	<0.01	0.02
ZZ43364		0.35	31.7	660	26.9	6.9	<0.001	0.02	0.11	2.0	0.8	0.9	28.9	<0.01	0.01
ZZ43365		0.21	28.8	700	11.5	4.6	<0.001	0.01	0.10	1.8	1.1	0.6	17.6	<0.01	0.03
ZZ43366		0.18	42.7	640	16.1	3.9	<0.001	0.02	0.15	2.4	0.9	0.4	36.9	<0.01	0.03
ZZ43367		0.34	33.4	700	13.9	4.0	0.001	0.02	0.16	2.4	0.9	0.4	31.7	<0.01	0.03
ZZ43368		0.49	25.0	390	12.7	6.1	0.001	0.01	0.23	2.2	0.5	0.6	10.9	<0.01	0.02
ZZ43369		0.24	35.1	270	16.4	3.9	<0.001	0.01	0.12	2.1	0.4	0.4	12.3	<0.01	0.01
ZZ43370		0.42	29.9	690	25.8	5.7	<0.001	0.03	0.25	1.2	0.5	1.2	8.8	<0.01	0.03
ZZ43371		1.76	38.4	770	33.6	47.6	<0.001	0.04	0.30	3.6	1.3	4.8	87.9	<0.01	0.02
ZZ43372		1.87	29.6	770	25.9	50.3	<0.001	0.05	0.29	3.7	0.5	5.5	110.0	<0.01	0.04
ZZ43373		1.64	27.8	720	22.1	45.4	<0.001	0.05	0.32	3.4	0.5	5.2	123.5	<0.01	0.03
ZZ43374		1.38	33.0	1070	20.9	56.5	<0.001	0.07	0.22	4.0	0.7	7.2	215	0.01	0.04
ZZ43375		1.21	33.5	490	21.8	22.7	<0.001	0.03	0.34	3.0	0.3	3.4	84.3	0.01	0.03
ZZ43376		1.81	32.7	550	22.6	38.2	<0.001	0.02	0.32	3.5	0.3	4.4	90.1	<0.01	0.03
ZZ43377		1.33	34.8	1120	19.8	38.6	<0.001	0.07	0.38	2.4	1.0	3.9	108.5	0.01	0.06
ZZ43378		1.90	30.7	940	14.5	42.7	<0.001	0.05	0.30	2.7	1.0	5.5	134.0	<0.01	0.03
ZZ43379		2.08	33.9	870	12.7	42.7	<0.001	0.06	0.31	2.9	0.8	5.1	140.0	0.01	0.04
ZZ43380		3.21	41.3	710	10.3	88.6	<0.001	0.05	0.20	5.2	0.7	10.3	126.5	0.01	0.04
ZZ43381		3.03	38.4	630	11.9	82.2	<0.001	0.03	0.23	4.5	0.6	8.2	100.0	0.01	0.02
ZZ43382		3.57	43.2	520	11.7	84.4	<0.001	0.02	0.21	5.3	0.7	10.4	111.5	0.01	0.02
ZZ43383		1.86	24.6	520	8.6	48.1	<0.001	0.03	0.23	2.7	0.4	5.2	71.9	<0.01	0.01
ZZ43384		2.96	52.8	770	12.9	70.7	<0.001	0.03	0.24	4.8	0.7	11.8	145.5	0.01	0.07
ZZ43385		3.59	54.5	710	13.3	53.5	<0.001	0.06	0.17	4.1	0.5	10.1	130.5	<0.01	0.13
ZZ43386		2.79	42.2	750	18.4	63.5	<0.001	0.06	0.27	3.2	0.7	7.5	109.0	0.01	0.04
ZZ43387		2.82	40.9	690	16.8	52.0	<0.001	0.05	0.28	3.6	0.5	8.1	111.0	0.01	0.05
ZZ43388		1.75	45.1	700	21.7	44.3	<0.001	0.03	0.22	4.2	0.6	8.1	164.5	<0.01	0.04
ZZ43389		1.30	34.9	850	22.7	46.9	<0.001	0.05	0.26	4.2	1.0	7.1	173.0	<0.01	0.01
ZZ43390		1.66	35.6	760	33.8	54.0	<0.001	0.04	0.35	4.4	1.1	6.6	133.0	<0.01	0.04
ZZ43391		1.75	36.9	620	31.9	55.4	<0.001	0.03	0.31	4.1	0.8	6.1	111.0	<0.01	0.03



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 30- AUG- 2012
 Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188881

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ43352		0.067	0.62	0.93	43	0.79	5.80	263	<0.5
ZZ43353		0.058	0.24	0.95	23	1.02	3.21	301	<0.5
ZZ43354		0.060	0.67	1.75	40	3.13	8.64	2280	0.5
ZZ43355		0.059	0.45	1.17	39	2.98	6.22	2330	<0.5
ZZ43356		0.052	0.55	1.60	41	3.59	10.60	2620	0.7
ZZ43357		0.039	0.33	1.87	36	0.48	10.60	640	1.1
ZZ43358		0.056	0.85	1.99	43	0.93	16.50	903	0.8
ZZ43359		0.060	0.85	2.43	41	1.03	21.9	274	0.9
ZZ43360		0.073	0.57	2.56	56	0.21	12.05	125	0.6
ZZ43361		0.055	0.79	2.12	41	0.37	12.90	162	0.7
ZZ43362		0.049	0.81	2.05	24	0.36	20.7	137	<0.5
ZZ43363		0.028	0.33	1.01	18	0.24	11.10	129	0.6
ZZ43364		0.010	0.07	1.47	13	0.05	14.35	145	1.0
ZZ43365		0.005	0.02	1.14	12	<0.05	14.85	251	1.0
ZZ43366		0.006	0.02	0.93	13	0.06	17.50	179	1.6
ZZ43367		0.005	<0.02	0.86	13	0.05	16.60	135	1.2
ZZ43368		0.026	0.04	0.71	18	0.11	9.71	104	1.1
ZZ43369		<0.005	0.02	1.22	11	<0.05	13.10	101	0.7
ZZ43370		0.010	0.03	1.43	13	0.08	4.52	545	<0.5
ZZ43371		0.039	0.50	1.60	30	0.33	19.20	194	0.8
ZZ43372		0.047	0.53	1.94	35	0.35	14.40	213	0.8
ZZ43373		0.045	0.42	1.79	36	2.23	11.75	405	0.7
ZZ43374		0.039	0.45	1.94	38	1.35	14.20	1220	0.8
ZZ43375		0.036	0.27	1.22	29	0.67	10.65	580	0.9
ZZ43376		0.047	0.41	1.09	31	0.99	11.35	919	1.1
ZZ43377		0.038	0.37	2.34	28	1.63	14.00	1540	0.7
ZZ43378		0.063	0.45	1.68	35	11.20	9.88	1480	<0.5
ZZ43379		0.055	0.54	1.93	34	1.13	11.55	1480	0.7
ZZ43380		0.063	0.81	1.41	42	2.76	11.60	794	0.6
ZZ43381		0.056	0.78	1.34	36	1.36	9.48	746	0.5
ZZ43382		0.068	0.84	1.25	42	2.69	9.38	796	0.7
ZZ43383		0.052	0.48	1.03	30	1.03	5.89	660	<0.5
ZZ43384		0.070	0.91	1.42	44	5.42	12.55	1590	0.5
ZZ43385		0.111	0.68	1.10	54	6.98	6.76	1060	1.3
ZZ43386		0.059	0.64	1.41	37	2.88	10.05	1960	0.6
ZZ43387		0.064	0.67	1.13	39	6.72	8.59	2070	0.9
ZZ43388		0.049	0.51	1.63	37	9.64	10.90	1690	0.8
ZZ43389		0.040	0.47	1.95	35	1.79	13.90	756	0.9
ZZ43390		0.045	0.65	2.15	35	0.52	15.90	281	0.9
ZZ43391		0.041	0.59	1.71	31	0.31	16.65	194	0.7



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.

C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - A

Total # Pages: 7 (A - D)

Plus Appendix Pages

Finalized Date: 30- AUG- 2012

Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188881

Sample Description	Method Analyte Units LOR	WEI- 21	Au- ICP21	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ43392		0.39	0.003	0.32	2.24	7.4	<0.2	<10	70	0.63	1.25	0.55	0.38	95.5	16.2	35
ZZ43393		0.39	0.001	0.24	2.15	7.3	<0.2	<10	70	0.56	0.94	0.61	0.23	92.2	15.1	29
ZZ43394		0.47	0.001	0.21	2.28	7.9	<0.2	<10	70	0.57	0.75	0.41	0.30	117.0	18.7	30
ZZ43395		0.41	0.002	0.26	2.11	7.3	<0.2	<10	70	0.49	0.61	0.56	0.27	84.8	13.5	27
ZZ43396		0.33	0.002	0.23	1.82	11.9	<0.2	<10	70	0.47	0.47	0.55	0.14	70.6	10.8	27
ZZ43397		0.53	0.002	0.12	1.78	8.4	<0.2	<10	90	0.50	0.50	0.33	0.13	62.5	10.3	29
ZZ43398		0.42	0.001	0.32	1.20	22.9	<0.2	<10	30	0.29	0.37	0.35	0.27	71.9	11.5	16
ZZ43399		0.25	0.001	0.53	1.20	11.8	<0.2	<10	60	0.38	0.35	1.08	0.80	53.5	11.4	15
ZZ43400		0.48	0.002	0.25	1.59	13.3	<0.2	<10	50	0.40	0.40	0.54	0.15	74.2	10.4	23
ZZ43401		0.23	0.002	0.58	1.79	11.7	<0.2	<10	50	0.47	0.45	1.06	0.59	79.7	9.9	25
ZZ43402		0.31	0.002	0.19	2.20	9.5	<0.2	<10	50	0.50	0.71	0.39	0.37	119.5	19.9	28
ZZ43403		0.30	0.001	0.12	2.15	8.8	<0.2	<10	60	0.42	0.64	0.69	0.31	111.0	20.5	28
ZZ43404		0.36	0.002	0.18	2.14	11.0	<0.2	<10	50	0.48	0.87	0.72	0.37	117.0	21.0	28
ZZ43405		0.36	0.003	0.23	1.80	8.6	<0.2	<10	80	0.53	0.89	0.51	0.33	72.5	13.7	32
ZZ43406		0.32	0.004	0.48	2.64	11.7	<0.2	<10	70	0.73	1.97	0.89	0.22	106.5	20.6	38
ZZ43407		0.35	0.004	0.51	3.05	7.8	<0.2	<10	80	0.88	2.60	3.10	0.45	88.3	21.4	45
ZZ43408		0.30	0.002	0.44	2.76	6.8	<0.2	<10	60	0.93	9.65	1.47	2.77	70.3	23.7	36
ZZ43409		0.27	0.001	0.97	3.50	3.3	<0.2	<10	90	1.13	9.73	1.39	3.54	76.7	25.6	42
ZZ43410		0.26	0.002	0.50	2.70	7.1	<0.2	<10	60	0.77	6.15	1.28	5.04	55.9	16.3	32
ZZ43411		0.28	0.003	0.75	2.59	8.0	<0.2	<10	80	0.75	17.80	0.85	5.03	55.4	22.3	35
ZZ43412		0.26	0.001	0.74	4.35	5.6	<0.2	<10	160	1.01	11.40	0.78	2.07	61.1	26.3	58
ZZ43413		0.32	0.004	0.25	4.14	4.9	<0.2	<10	120	1.16	6.68	1.19	2.46	55.1	20.3	64
ZZ43414		0.26	0.001	0.47	3.79	3.3	<0.2	<10	100	1.23	7.78	1.22	2.66	46.3	17.4	46
ZZ43415		0.25	<0.001	0.25	4.33	3.2	<0.2	<10	140	1.07	7.02	0.63	0.82	52.9	15.9	57
ZZ43416		0.28	<0.001	0.26	3.82	2.4	<0.2	<10	90	0.94	4.30	0.59	0.67	46.4	15.2	48
ZZ43417		0.30	0.001	0.21	4.11	2.6	<0.2	<10	90	1.11	3.15	0.73	0.57	52.3	16.5	46
ZZ43418		0.24	<0.001	0.40	3.48	3.2	<0.2	<10	80	1.14	3.89	0.66	0.75	51.0	15.5	42
ZZ43419		0.27	0.003	0.38	3.76	3.6	<0.2	<10	100	0.94	6.92	0.98	2.43	53.3	22.6	51
ZZ43420		0.26	<0.001	0.42	3.41	4.0	<0.2	<10	110	0.89	4.65	0.68	1.39	42.7	18.7	40
ZZ43421		0.22	<0.001	0.24	4.41	4.2	<0.2	<10	160	1.07	4.94	0.96	1.54	47.5	20.2	64
ZZ43422		0.19	0.001	0.53	3.64	4.0	<0.2	<10	120	0.93	8.93	0.72	3.01	43.1	16.9	48
ZZ43423		0.26	0.001	0.41	3.91	6.1	<0.2	<10	130	0.91	9.49	0.67	1.68	54.3	23.7	52
ZZ43424		0.40	0.001	0.77	3.76	5.4	<0.2	<10	100	1.15	9.36	1.25	3.26	59.8	28.1	49
ZZ43425		0.33	0.001	0.68	3.82	3.6	<0.2	<10	110	1.12	12.05	0.80	2.68	62.6	25.3	44
ZZ43426		0.23	<0.001	0.91	3.81	3.2	<0.2	<10	70	1.15	11.45	0.96	3.54	58.5	23.6	43
ZZ43427		0.27	0.001	1.01	3.02	2.6	<0.2	<10	70	0.91	7.68	4.14	2.07	68.4	18.9	39
ZZ43428		0.27	<0.001	0.78	3.03	4.7	<0.2	<10	70	1.03	5.06	1.30	0.70	83.1	17.7	46
ZZ43429		0.36	<0.001	0.87	3.03	8.7	<0.2	<10	80	1.01	4.76	1.83	0.38	73.0	17.7	44
ZZ43430		0.28	<0.001	0.53	2.98	10.9	<0.2	<10	80	1.04	2.50	0.82	0.26	77.8	16.1	45
ZZ43431		0.35	0.001	0.22	2.13	9.5	<0.2	<10	50	0.53	0.93	0.40	0.29	113.0	20.1	27



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 30- AUG- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188881

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ43392		8.66	29.4	3.71	7.47	0.10	0.03	<0.01	0.101	0.14	47.5	65.7	0.80	822	0.54
ZZ43393		5.43	32.4	3.78	6.84	0.12	0.04	<0.01	0.140	0.10	54.5	60.0	0.82	403	0.47
ZZ43394		2.47	36.1	4.20	6.89	0.13	0.05	<0.01	0.180	0.08	65.4	64.4	0.91	442	0.45
ZZ43395		2.76	24.6	3.69	6.26	0.11	0.05	0.01	0.124	0.06	50.7	57.9	0.81	439	0.30
ZZ43396		1.41	26.6	3.64	5.53	0.09	0.05	0.02	0.061	0.06	37.6	46.4	0.73	393	0.44
ZZ43397		2.50	22.2	3.11	5.70	0.08	0.03	<0.01	0.043	0.07	34.6	42.4	0.68	322	0.42
ZZ43398		0.97	16.7	3.26	4.36	0.10	0.03	<0.01	0.026	0.04	46.6	24.3	0.41	654	0.49
ZZ43399		1.23	27.2	2.54	4.21	0.08	0.02	0.02	0.034	0.04	41.1	20.7	0.32	1100	0.58
ZZ43400		1.06	16.3	3.31	5.03	0.08	0.06	0.01	0.041	0.04	40.1	41.6	0.65	477	0.32
ZZ43401		1.16	25.3	3.33	4.62	0.13	0.05	0.04	0.062	0.04	64.8	40.7	0.57	472	0.35
ZZ43402		2.16	34.2	4.31	6.84	0.13	0.04	<0.01	0.237	0.09	62.3	65.8	0.95	782	0.42
ZZ43403		2.11	33.9	4.16	6.64	0.13	0.06	<0.01	0.129	0.09	53.8	63.0	0.92	743	0.40
ZZ43404		3.73	40.2	4.17	6.88	0.14	0.04	<0.01	0.258	0.10	61.6	63.4	0.88	825	0.45
ZZ43405		4.27	32.9	3.34	5.73	0.09	0.08	<0.01	0.054	0.16	35.3	41.8	0.68	561	0.80
ZZ43406		21.4	64.0	4.59	8.53	0.12	0.03	<0.01	0.051	0.42	52.5	72.5	0.97	602	0.55
ZZ43407		20.5	76.9	4.46	10.20	0.11	0.04	<0.01	0.049	0.49	42.9	76.3	1.00	606	0.52
ZZ43408		13.80	116.0	4.91	9.68	0.10	0.03	<0.01	0.790	0.16	34.1	70.1	0.83	966	0.55
ZZ43409		23.1	171.5	5.05	11.30	0.12	0.03	<0.01	0.718	0.34	39.2	85.8	0.95	949	0.38
ZZ43410		15.15	106.0	3.66	8.33	0.09	0.02	<0.01	0.463	0.19	27.3	59.2	0.68	862	0.41
ZZ43411		16.90	86.7	3.72	8.58	0.08	0.02	0.01	2.55	0.20	28.0	64.5	0.68	730	0.64
ZZ43412		32.6	74.9	4.69	12.50	0.10	0.02	<0.01	1.185	0.48	25.7	113.0	1.11	790	0.49
ZZ43413		32.7	77.3	4.49	13.55	0.13	0.04	0.02	0.806	0.57	30.4	108.5	1.12	887	0.62
ZZ43414		19.85	98.4	3.94	10.75	0.10	0.02	0.04	0.709	0.28	25.6	72.6	0.86	734	0.54
ZZ43415		27.6	65.5	4.24	13.90	0.14	0.02	0.03	0.278	0.45	25.9	108.5	1.08	511	0.36
ZZ43416		24.3	62.5	3.68	12.00	0.12	0.02	0.03	0.197	0.39	24.2	89.2	0.99	434	0.30
ZZ43417		25.2	67.7	4.04	12.00	0.12	0.03	0.02	0.244	0.49	26.8	93.6	1.05	482	0.30
ZZ43418		21.4	70.1	3.59	12.00	0.12	<0.02	0.03	0.197	0.31	26.9	83.0	0.94	531	0.51
ZZ43419		29.8	105.0	4.41	11.75	0.12	0.03	0.01	0.676	0.69	27.5	101.0	1.13	594	0.49
ZZ43420		21.6	51.8	3.90	10.85	0.10	0.02	0.03	0.257	0.30	20.1	78.0	0.86	656	0.53
ZZ43421		31.8	45.7	4.20	13.75	0.12	0.03	0.02	1.225	0.47	23.3	113.0	1.18	769	0.38
ZZ43422		23.8	80.3	4.03	9.88	0.09	<0.02	0.04	0.949	0.37	24.9	74.2	0.93	726	0.57
ZZ43423		27.5	56.0	4.55	11.45	0.10	0.02	0.02	0.940	0.41	22.3	97.7	1.07	703	0.57
ZZ43424		31.7	130.5	4.50	12.05	0.10	0.02	0.02	1.275	0.51	29.8	110.5	1.11	692	0.53
ZZ43425		26.3	112.0	4.72	12.25	0.10	0.03	0.02	1.705	0.32	26.0	91.8	1.04	666	0.44
ZZ43426		17.90	181.0	4.91	11.25	0.10	0.04	0.03	1.060	0.25	32.3	80.1	0.97	928	0.39
ZZ43427		18.45	143.5	5.06	9.22	0.10	0.03	0.01	0.394	0.36	34.4	69.1	0.93	819	0.45
ZZ43428		18.90	113.5	4.88	10.80	0.11	0.04	0.01	0.107	0.41	42.3	80.8	1.00	657	0.42
ZZ43429		19.15	91.5	4.81	10.50	0.10	0.03	0.02	0.052	0.52	35.4	78.2	1.00	561	0.38
ZZ43430		18.90	44.6	4.20	10.10	0.09	0.03	0.02	0.032	0.38	37.6	69.5	0.94	542	0.36
ZZ43431		4.72	38.6	4.35	6.48	0.11	0.06	0.02	0.174	0.12	56.3	52.6	0.89	742	0.41



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 30- AUG- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188881

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ43392		1.15	39.3	820	36.4	36.2	<0.001	0.02	0.22	3.5	1.1	3.9	63.1	<0.01	0.04	13.6
ZZ43393		0.91	41.1	710	29.1	21.8	<0.001	0.02	0.21	3.2	1.0	2.4	55.6	<0.01	0.03	14.8
ZZ43394		0.58	48.6	730	24.0	11.5	<0.001	0.01	0.22	3.3	1.4	1.3	39.0	<0.01	0.03	19.0
ZZ43395		0.63	37.9	740	20.7	12.4	<0.001	0.03	0.21	3.0	0.9	1.2	55.1	<0.01	0.03	11.8
ZZ43396		0.73	33.4	690	17.9	9.2	<0.001	0.02	0.35	3.2	0.9	0.7	42.2	<0.01	0.02	8.3
ZZ43397		1.06	29.4	580	14.4	13.8	<0.001	<0.01	0.37	3.5	0.6	1.2	30.4	<0.01	0.02	10.2
ZZ43398		0.64	25.2	760	29.0	8.4	<0.001	0.02	0.74	2.0	0.9	0.4	31.5	0.01	0.01	7.4
ZZ43399		0.92	23.5	830	20.5	8.0	<0.001	0.06	0.48	1.5	0.7	0.5	94.4	0.01	0.02	1.4
ZZ43400		0.58	25.1	930	18.2	7.1	<0.001	0.03	0.19	2.6	0.9	0.5	44.4	<0.01	0.02	8.3
ZZ43401		0.45	32.3	1280	21.5	8.8	<0.001	0.09	0.34	2.2	1.9	0.4	79.0	<0.01	0.01	5.6
ZZ43402		0.32	47.2	720	23.3	10.5	<0.001	0.01	0.24	3.1	0.9	0.8	39.5	<0.01	0.03	21.1
ZZ43403		0.27	45.9	700	21.4	10.8	<0.001	<0.01	0.25	3.1	1.1	0.9	49.4	<0.01	0.03	19.1
ZZ43404		0.33	51.4	730	28.0	14.7	<0.001	0.01	0.26	3.3	0.7	1.5	58.8	<0.01	0.03	19.9
ZZ43405		0.92	38.1	790	29.1	25.6	<0.001	<0.01	0.44	3.9	0.9	2.0	53.0	<0.01	0.02	12.4
ZZ43406		1.69	52.8	820	53.9	86.0	<0.001	0.03	0.52	4.4	1.2	6.9	107.0	<0.01	0.04	19.0
ZZ43407		1.83	51.3	810	49.4	94.9	<0.001	0.03	0.53	5.7	1.1	9.1	215	<0.01	0.03	16.8
ZZ43408		1.31	46.5	890	21.5	44.4	<0.001	0.05	0.34	5.4	1.1	6.2	195.0	0.01	0.06	6.0
ZZ43409		1.57	52.8	1040	37.3	75.6	<0.001	0.02	0.27	6.5	0.8	12.6	283	<0.01	0.05	16.7
ZZ43410		1.58	39.3	770	20.3	44.7	<0.001	0.04	0.22	3.6	0.7	7.2	196.5	<0.01	0.03	7.4
ZZ43411		2.17	42.0	800	23.1	57.6	<0.001	0.04	0.29	3.6	1.0	6.7	131.0	<0.01	0.07	4.9
ZZ43412		4.67	76.5	970	27.2	122.0	<0.001	0.02	0.31	5.6	0.7	13.6	161.5	<0.01	0.06	10.8
ZZ43413		2.89	60.6	1050	14.9	139.5	0.001	0.01	0.30	6.8	1.0	18.4	227	<0.01	0.06	12.9
ZZ43414		2.89	40.7	1050	8.9	73.3	0.001	0.07	0.18	3.9	0.8	10.9	191.5	0.01	0.05	3.7
ZZ43415		4.47	47.1	620	8.7	126.5	0.001	0.04	0.13	6.0	0.7	14.9	141.0	<0.01	0.09	10.6
ZZ43416		3.37	38.2	400	11.3	106.5	0.001	0.02	0.12	5.3	0.7	10.4	175.0	<0.01	0.04	10.4
ZZ43417		3.09	39.6	440	15.2	126.0	0.001	0.03	0.14	5.4	0.4	11.4	194.5	<0.01	0.03	12.9
ZZ43418		3.03	32.9	510	15.5	88.8	0.001	0.02	0.19	4.9	0.5	9.0	171.5	0.01	0.03	8.8
ZZ43419		2.28	48.1	780	11.8	148.5	0.001	0.02	0.21	5.9	0.6	11.9	181.5	<0.01	0.05	14.1
ZZ43420		3.10	38.5	720	9.2	87.5	0.001	0.04	0.21	4.2	0.5	10.5	121.5	<0.01	0.02	5.7
ZZ43421		3.53	62.1	710	8.0	122.5	0.001	0.02	0.16	6.0	0.6	16.9	218	<0.01	0.03	8.9
ZZ43422		3.46	50.2	770	15.5	77.8	<0.001	0.05	0.24	3.7	0.7	9.2	122.5	0.01	0.04	4.2
ZZ43423		4.19	58.2	710	23.7	88.2	<0.001	0.03	0.29	4.5	0.6	11.8	132.5	<0.01	0.05	9.1
ZZ43424		3.80	62.2	880	28.5	115.0	<0.001	0.03	0.19	5.6	0.6	12.3	217	<0.01	0.06	13.0
ZZ43425		2.80	53.3	630	26.0	84.4	<0.001	0.03	0.18	5.4	0.9	13.1	229	<0.01	0.06	15.2
ZZ43426		1.60	45.8	840	37.6	51.1	<0.001	0.05	0.21	5.6	0.7	11.3	246	<0.01	0.05	11.0
ZZ43427		1.31	43.5	890	38.6	68.3	<0.001	0.03	0.25	5.9	0.8	11.0	370	<0.01	0.06	16.4
ZZ43428		1.48	43.2	590	42.8	75.8	<0.001	0.02	0.18	6.6	1.0	11.2	193.0	<0.01	0.05	19.0
ZZ43429		2.16	46.1	750	36.2	94.3	<0.001	0.03	0.13	6.1	0.5	9.5	182.0	<0.01	0.05	17.8
ZZ43430		2.50	41.4	950	29.8	80.4	<0.001	0.03	0.20	5.1	0.6	9.0	117.5	<0.01	0.02	14.6
ZZ43431		0.29	47.3	750	42.0	17.0	<0.001	0.02	0.29	2.9	1.0	1.7	51.2	<0.01	0.04	20.9



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 30- AUG- 2012
 Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188881

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ43392		0.031	0.42	1.52	25	0.44	18.95	187	0.9
ZZ43393		0.019	0.22	1.63	19	0.85	20.9	188	1.1
ZZ43394		0.013	0.12	1.77	18	0.20	24.6	188	1.2
ZZ43395		0.014	0.11	1.28	16	0.14	21.4	195	1.3
ZZ43396		0.022	0.07	1.93	21	0.18	17.40	130	1.2
ZZ43397		0.044	0.14	0.77	28	0.32	9.66	122	1.4
ZZ43398		0.017	0.04	0.99	15	0.20	18.90	109	0.5
ZZ43399		0.028	0.05	1.93	19	0.20	27.2	123	0.6
ZZ43400		0.013	0.05	2.48	15	0.07	17.95	108	1.4
ZZ43401		0.012	0.05	2.35	13	0.11	29.8	256	1.6
ZZ43402		0.013	0.08	1.07	16	0.18	20.3	214	1.6
ZZ43403		0.016	0.10	1.04	18	0.19	18.45	174	2.5
ZZ43404		0.017	0.14	1.09	18	0.18	23.1	219	2.0
ZZ43405		0.048	0.24	0.87	30	0.39	15.95	140	3.1
ZZ43406		0.050	0.99	1.42	29	0.35	23.1	194	1.0
ZZ43407		0.055	1.16	1.49	38	0.52	20.1	257	1.2
ZZ43408		0.051	0.54	1.78	42	0.94	18.75	1800	1.0
ZZ43409		0.048	1.00	1.92	44	2.68	18.10	2390	0.9
ZZ43410		0.046	0.60	1.50	33	4.82	12.30	1800	0.7
ZZ43411		0.057	0.60	1.69	35	2.89	11.90	2500	0.7
ZZ43412		0.090	1.38	1.28	52	6.73	9.69	2970	0.8
ZZ43413		0.088	1.65	1.20	55	4.11	15.45	1930	1.4
ZZ43414		0.060	1.00	2.05	44	2.63	14.75	1410	0.7
ZZ43415		0.076	1.30	1.40	48	2.64	11.60	785	0.9
ZZ43416		0.065	1.18	1.40	38	2.74	10.90	580	0.6
ZZ43417		0.067	1.31	1.53	37	2.50	14.10	649	0.8
ZZ43418		0.058	0.97	1.94	34	1.29	12.85	491	<0.5
ZZ43419		0.067	1.69	1.31	42	4.36	15.70	1880	0.9
ZZ43420		0.062	0.96	1.31	38	1.67	8.13	824	0.6
ZZ43421		0.082	1.38	1.41	58	2.59	10.25	1540	0.9
ZZ43422		0.072	0.76	1.34	45	3.97	10.90	2970	<0.5
ZZ43423		0.079	1.02	1.22	47	4.46	8.17	2540	0.7
ZZ43424		0.070	1.38	1.37	45	6.09	14.40	2470	0.7
ZZ43425		0.058	1.08	1.63	43	7.29	11.25	3440	0.9
ZZ43426		0.046	0.92	1.91	47	3.65	16.65	2580	1.0
ZZ43427		0.044	0.95	1.66	41	2.28	18.05	1510	1.1
ZZ43428		0.061	1.15	1.75	46	1.57	19.95	622	1.2
ZZ43429		0.066	1.21	1.53	48	2.21	19.15	350	1.0
ZZ43430		0.062	1.00	1.69	45	0.38	16.35	199	0.9
ZZ43431		0.017	0.22	1.13	18	0.19	20.5	211	2.6



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 30- AUG- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188881

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ43432		0.36	<0.001	0.14	1.95	6.1	<0.2	<10	50	0.41	0.73	0.30	0.13	75.7	13.5	24
ZZ43433		0.31	0.002	0.15	2.29	8.4	<0.2	<10	60	0.62	0.70	0.29	0.18	95.1	16.6	30
ZZ43434		0.28	<0.001	0.13	2.19	7.0	<0.2	<10	60	0.43	0.52	0.26	0.19	83.4	13.7	27
ZZ43435		0.21	0.053	0.22	1.32	17.5	<0.2	<10	70	0.34	0.62	0.31	0.70	73.6	12.5	18
ZZ43436		0.38	<0.001	0.12	1.94	13.7	<0.2	<10	50	0.36	0.44	0.22	0.17	90.2	15.0	25
ZZ43437		0.33	0.001	0.12	2.08	15.7	<0.2	<10	50	0.44	0.45	1.14	0.30	102.5	18.1	26
ZZ43441		0.21	0.001	0.31	2.76	4.1	<0.2	<10	70	2.28	1.24	0.24	0.29	83.2	11.8	46
ZZ43442		0.25	<0.001	0.16	2.46	5.5	<0.2	<10	50	2.11	1.32	0.21	0.91	71.7	14.6	39
ZZ43443		0.17	<0.001	0.02	2.67	5.4	<0.2	<10	70	2.95	2.80	0.26	0.45	43.0	14.3	32
ZZ43444		0.16	<0.001	0.06	3.28	1.8	<0.2	<10	60	10.55	1.94	1.20	0.91	94.4	16.1	45
ZZ43445		0.19	0.001	0.03	1.64	3.3	<0.2	<10	60	0.98	0.70	0.20	0.19	34.2	7.8	21
ZZ43446		0.23	0.002	0.14	2.41	3.3	<0.2	<10	100	5.65	3.21	0.84	2.28	57.8	15.9	26
ZZ43447		0.18	<0.001	0.27	2.10	2.5	<0.2	<10	60	8.84	13.45	0.57	6.45	46.5	13.9	27
ZZ43448		0.27	<0.001	0.07	1.70	3.4	<0.2	<10	60	1.25	1.52	0.42	0.36	35.9	8.3	27
ZZ43449		0.21	0.001	0.29	1.84	13.0	<0.2	<10	40	2.72	5.32	1.05	1.88	45.5	11.2	26
ZZ43450		0.27	<0.001	0.28	3.74	2.7	<0.2	<10	100	1.03	3.09	0.59	1.48	43.9	16.0	46
ZZ43451		0.24	<0.001	0.40	2.61	4.7	<0.2	<10	100	0.89	4.15	0.73	1.86	49.4	14.8	36
ZZ43452		0.13	0.001	0.53	2.95	4.3	<0.2	<10	110	0.94	6.63	1.12	3.35	45.7	20.2	43
ZZ43453		0.16	<0.001	0.47	3.11	4.2	<0.2	<10	100	0.99	13.00	1.32	5.02	43.0	21.9	40
ZZ43454		0.31	0.003	0.63	2.73	14.4	<0.2	<10	100	0.98	7.32	1.26	3.47	62.7	21.6	36
ZZ43455		0.15	<0.001	0.58	2.61	6.4	<0.2	<10	80	0.93	3.24	1.11	1.72	67.2	14.5	38
ZZ43456		0.32	0.002	0.23	1.70	7.2	<0.2	<10	70	0.66	1.50	0.60	0.51	53.5	12.3	28
ZZ43457		0.22	<0.001	0.29	2.06	5.8	<0.2	<10	70	0.78	1.71	1.21	0.37	56.3	11.2	29
ZZ43458		0.17	<0.001	0.23	2.09	8.1	<0.2	<10	70	0.72	1.29	0.72	0.25	58.5	12.5	31
ZZ43459		0.34	<0.001	0.36	2.49	7.3	<0.2	<10	60	0.90	1.78	0.93	0.51	72.8	16.9	43
ZZ43460		0.20	<0.001	0.31	2.26	6.9	<0.2	<10	60	0.69	1.28	0.65	0.30	77.2	13.9	33
ZZ43461		0.17	0.001	0.15	1.96	36.7	<0.2	<10	70	0.64	0.70	1.05	0.41	71.6	13.8	34
ZZ43462		0.23	<0.001	0.26	1.82	102.0	<0.2	<10	50	0.71	0.87	1.17	0.45	67.7	12.9	29
ZZ43463		0.22	0.001	0.17	2.10	33.5	<0.2	<10	120	0.74	0.84	0.56	0.45	81.0	13.3	38
ZZ43464		0.20	0.001	0.32	1.38	14.1	<0.2	<10	90	0.48	0.60	0.74	0.37	47.2	9.7	20
ZZ43465		0.14	<0.001	0.18	1.53	40.3	<0.2	<10	80	0.37	0.63	1.26	0.45	50.4	10.1	20
ZZ43466		0.29	<0.001	0.18	1.65	16.1	<0.2	<10	80	0.43	0.48	0.62	0.26	64.4	12.5	24
ZZ43467		0.22	<0.001	0.19	1.09	12.1	<0.2	<10	60	0.37	0.33	0.43	0.13	43.9	7.0	13
ZZ43468		0.30	<0.001	0.15	1.72	8.5	<0.2	<10	30	0.27	0.32	0.34	0.14	55.0	10.3	25
ZZ43469		0.28	0.001	0.20	1.83	18.3	<0.2	<10	100	0.33	0.35	0.38	0.28	79.7	12.8	21
ZZ43470		0.27	<0.001	0.08	1.97	9.2	<0.2	<10	30	0.20	0.38	0.02	0.04	36.4	9.0	24
ZZ43471		0.38	0.001	0.17	1.89	21.5	<0.2	<10	50	0.34	0.44	0.33	0.20	108.5	19.3	24
ZZ43472		0.31	<0.001	0.13	1.83	6.8	<0.2	<10	30	0.24	0.62	0.03	0.12	42.1	9.8	23
ZZ43473		0.31	<0.001	0.17	2.15	9.1	<0.2	<10	40	0.45	0.70	0.16	0.05	108.0	18.9	30
ZZ43474		0.25	0.001	0.26	2.30	5.5	<0.2	<10	70	0.50	0.84	0.35	0.13	60.1	14.3	36



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 30- AUG- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188881

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ43432		2.55	24.5	3.69	5.91	0.09	0.03	0.02	0.127	0.06	42.3	49.1	0.81	511	0.30
ZZ43433		3.66	33.5	4.34	7.21	0.12	0.04	<0.01	0.191	0.08	57.5	64.3	0.90	620	0.47
ZZ43434		1.79	24.1	4.25	6.55	0.10	0.02	0.01	0.091	0.05	47.4	62.4	0.93	639	0.34
ZZ43435		1.06	21.5	3.62	4.44	0.08	0.04	0.02	0.051	0.03	36.0	28.4	0.47	1530	0.56
ZZ43436		0.96	26.3	3.95	5.86	0.12	0.06	<0.01	0.093	0.05	50.9	55.5	0.86	584	0.27
ZZ43437		0.99	27.1	4.46	5.90	0.12	0.02	0.01	0.055	0.08	49.3	56.1	0.86	857	0.34
ZZ43441		19.20	37.3	3.93	10.50	0.11	0.02	0.01	0.048	0.35	41.5	111.0	0.82	276	0.63
ZZ43442		14.05	27.6	3.98	9.15	0.08	<0.02	0.02	0.078	0.26	27.6	64.3	0.78	345	0.40
ZZ43443		12.10	23.5	3.95	10.05	0.07	0.03	<0.01	0.198	0.25	20.8	53.3	0.66	371	0.49
ZZ43444		10.35	41.1	4.53	10.40	0.11	0.06	0.02	0.169	0.16	34.2	54.6	0.61	1080	0.33
ZZ43445		6.10	10.5	2.38	5.93	0.05	0.02	<0.01	0.033	0.28	16.5	37.7	0.49	272	0.25
ZZ43446		13.95	47.9	3.49	8.51	0.07	0.02	0.03	0.163	0.23	25.8	57.4	0.53	939	0.51
ZZ43447		12.40	81.3	2.87	8.25	0.08	<0.02	0.05	0.285	0.22	27.1	58.1	0.47	916	0.73
ZZ43448		9.12	16.1	2.62	6.85	0.08	<0.02	0.01	0.055	0.38	18.2	46.2	0.63	292	0.54
ZZ43449		16.10	50.6	2.77	6.23	0.08	<0.02	0.02	0.222	0.36	24.0	49.4	0.61	572	0.79
ZZ43450		20.5	55.1	3.38	11.35	0.09	0.02	0.03	0.229	0.33	22.8	80.1	0.89	443	0.36
ZZ43451		14.80	67.5	3.33	8.95	0.07	0.02	0.03	0.324	0.18	23.3	61.0	0.70	603	0.50
ZZ43452		17.85	46.7	3.51	9.64	0.08	0.02	0.03	0.577	0.23	23.6	67.7	0.78	887	0.48
ZZ43453		17.30	76.6	3.59	9.96	0.07	0.02	0.04	1.030	0.18	21.4	62.2	0.70	1120	0.61
ZZ43454		15.95	122.0	4.03	8.79	0.10	0.03	0.03	0.521	0.22	33.1	68.5	0.79	878	0.51
ZZ43455		13.30	63.4	3.65	8.64	0.08	0.03	0.02	0.131	0.23	28.8	60.2	0.78	639	0.37
ZZ43456		5.77	38.7	2.78	5.67	0.09	0.07	0.02	0.082	0.26	25.4	39.5	0.60	491	0.51
ZZ43457		7.84	42.6	2.94	6.73	0.09	0.03	0.03	0.070	0.19	29.3	45.5	0.61	395	0.32
ZZ43458		7.07	31.1	3.36	7.17	0.08	0.04	0.02	0.068	0.21	31.2	48.9	0.71	590	0.44
ZZ43459		11.95	36.4	3.68	8.20	0.09	0.03	0.02	0.064	0.27	37.1	74.6	0.81	467	0.56
ZZ43460		9.28	28.9	3.43	7.37	0.10	0.03	0.02	0.089	0.19	41.2	55.1	0.75	351	0.33
ZZ43461		4.89	33.4	3.46	6.28	0.11	0.04	0.01	0.114	0.28	38.7	39.7	0.69	306	0.40
ZZ43462		4.60	40.8	3.44	5.98	0.12	0.04	0.01	0.172	0.25	43.6	38.1	0.65	357	0.46
ZZ43463		8.02	45.6	3.82	6.92	0.10	0.06	<0.01	0.102	0.37	46.7	40.2	0.79	308	0.33
ZZ43464		1.82	21.1	2.71	4.64	0.06	0.02	0.01	0.097	0.06	24.6	23.5	0.48	460	0.40
ZZ43465		1.46	23.6	2.94	4.92	0.08	0.04	0.03	0.120	0.06	29.4	26.7	0.51	423	0.42
ZZ43466		1.48	29.6	3.69	5.44	0.10	0.04	0.02	0.059	0.06	36.6	30.8	0.69	461	0.46
ZZ43467		1.40	13.7	2.13	4.14	0.08	0.02	0.02	0.092	0.03	28.0	18.5	0.34	272	0.29
ZZ43468		0.80	22.2	3.66	5.26	0.10	0.03	0.01	0.045	0.02	32.9	43.1	0.76	320	0.35
ZZ43469		0.95	27.9	3.95	5.41	0.14	0.06	0.02	0.038	0.03	46.3	35.7	0.63	884	0.38
ZZ43470		1.00	16.4	4.36	6.65	0.07	0.03	0.01	0.068	0.02	17.9	43.8	0.78	343	0.54
ZZ43471		0.79	35.1	4.28	5.94	0.15	0.04	0.02	0.060	0.04	63.2	45.6	0.82	793	0.34
ZZ43472		2.25	16.9	3.84	5.92	0.06	0.03	0.02	0.723	0.03	20.8	42.7	0.74	271	0.40
ZZ43473		5.10	28.2	3.84	7.12	0.19	0.02	0.02	0.028	0.05	70.1	48.5	0.93	517	0.25
ZZ43474		13.25	26.3	4.00	8.47	0.09	<0.02	0.02	0.033	0.10	32.9	51.8	0.79	443	0.50



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 30- AUG- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188881

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
ZZ43432		0.43	34.0	720	21.6	10.1	<0.001	0.02	0.17	2.5	0.3	1.4	35.9	<0.01	0.02
ZZ43433		0.33	45.3	590	26.3	13.7	0.001	<0.01	0.24	3.2	0.7	1.6	43.4	<0.01	0.03
ZZ43434		0.39	34.8	710	18.5	9.1	0.002	0.01	0.19	2.5	1.0	0.9	27.4	<0.01	0.01
ZZ43435		0.42	29.5	1040	45.4	6.4	0.001	0.04	0.55	1.7	1.1	0.4	26.3	0.01	0.02
ZZ43436		0.29	36.3	690	19.6	4.6	0.001	<0.01	0.28	2.4	0.6	0.5	23.2	<0.01	0.02
ZZ43437		0.35	42.7	730	25.6	6.3	0.002	0.01	0.26	2.3	0.7	0.4	68.4	<0.01	0.02
ZZ43441		3.00	46.8	350	10.3	60.7	<0.001	0.10	0.20	4.9	0.4	5.3	91.1	0.01	0.05
ZZ43442		2.46	37.4	280	13.4	70.7	<0.001	0.06	0.37	3.9	0.3	4.0	66.6	<0.01	0.02
ZZ43443		2.39	38.7	220	10.4	80.5	<0.001	0.03	0.21	4.0	0.5	8.1	83.0	<0.01	0.03
ZZ43444		1.66	39.0	390	14.7	61.2	<0.001	0.03	0.15	9.3	0.5	12.6	147.5	0.01	0.02
ZZ43445		2.51	18.6	130	8.9	74.9	<0.001	0.02	0.16	2.5	0.2	1.6	28.6	<0.01	0.01
ZZ43446		2.43	35.0	480	10.0	84.4	<0.001	0.04	0.19	3.7	0.5	4.3	124.5	<0.01	0.02
ZZ43447		2.61	25.6	430	8.6	80.0	<0.001	0.05	0.14	3.1	0.5	6.2	51.4	<0.01	0.03
ZZ43448		2.80	21.3	440	7.8	73.7	<0.001	0.03	0.12	3.2	0.2	2.3	43.6	<0.01	0.02
ZZ43449		2.48	28.4	620	9.2	63.3	<0.001	0.05	0.21	3.2	0.4	2.8	66.7	<0.01	0.02
ZZ43450		3.46	42.0	460	9.9	92.9	<0.001	0.03	0.12	4.6	0.7	10.4	137.5	0.01	0.03
ZZ43451		2.15	36.3	630	18.2	48.9	<0.001	0.05	0.26	3.8	0.5	6.0	101.0	<0.01	0.04
ZZ43452		2.53	40.1	860	16.9	60.4	<0.001	0.06	0.19	3.5	0.6	8.6	152.0	<0.01	0.03
ZZ43453		2.30	40.5	910	13.8	48.1	<0.001	0.07	0.19	3.1	0.5	7.7	152.5	0.01	0.06
ZZ43454		2.00	46.2	810	21.0	52.4	<0.001	0.05	0.30	4.1	1.1	7.1	187.0	<0.01	0.03
ZZ43455		1.92	35.1	810	25.0	50.1	<0.001	0.05	0.22	4.6	0.7	6.3	145.0	<0.01	<0.01
ZZ43456		1.59	30.8	780	14.6	42.3	<0.001	0.02	0.41	3.8	0.5	2.4	65.8	<0.01	0.02
ZZ43457		1.66	28.1	700	21.3	43.2	<0.001	0.05	0.28	3.4	0.5	3.9	110.0	<0.01	0.02
ZZ43458		1.86	29.7	750	19.1	41.5	<0.001	0.03	0.35	3.7	0.3	3.5	76.5	<0.01	0.03
ZZ43459		2.21	39.0	810	29.6	52.5	<0.001	0.07	0.25	4.1	1.1	4.8	112.0	<0.01	0.03
ZZ43460		1.67	32.9	750	32.0	43.1	<0.001	0.04	0.18	3.5	0.9	4.0	89.3	<0.01	0.03
ZZ43461		1.79	36.5	880	17.9	33.8	<0.001	0.12	0.22	3.6	1.1	2.1	96.6	<0.01	0.01
ZZ43462		1.58	39.5	870	18.1	36.2	0.001	0.09	0.38	3.1	1.9	2.1	93.6	<0.01	0.02
ZZ43463		1.23	44.9	610	13.9	35.8	<0.001	0.10	0.18	4.1	1.3	1.5	97.1	<0.01	0.03
ZZ43464		0.88	24.2	630	17.7	11.0	<0.001	0.04	0.21	2.2	0.9	1.1	57.9	<0.01	0.02
ZZ43465		0.99	25.5	630	14.2	9.9	0.001	0.06	0.22	2.0	0.7	1.1	97.0	<0.01	<0.01
ZZ43466		1.01	35.5	700	16.9	9.4	0.001	0.02	0.24	3.2	0.5	0.7	52.9	<0.01	0.02
ZZ43467		0.85	17.5	370	11.2	6.8	<0.001	0.02	0.13	1.8	0.6	1.4	39.6	<0.01	0.02
ZZ43468		0.48	31.2	630	14.4	4.1	<0.001	0.02	0.17	2.0	0.7	0.4	29.5	<0.01	<0.01
ZZ43469		0.57	34.7	880	20.2	6.1	<0.001	0.02	0.19	2.4	0.6	0.4	33.9	<0.01	0.04
ZZ43470		0.53	23.6	270	11.2	5.7	<0.001	0.01	0.12	1.8	<0.2	0.6	4.6	<0.01	0.02
ZZ43471		0.29	46.8	830	23.9	3.9	<0.001	0.01	0.19	3.1	0.8	0.4	35.4	<0.01	0.01
ZZ43472		0.64	27.1	250	16.1	9.0	<0.001	<0.01	0.19	1.7	<0.2	1.3	9.3	<0.01	0.03
ZZ43473		0.64	39.9	540	29.9	12.7	<0.001	0.01	0.11	2.8	0.9	2.0	33.8	<0.01	0.03
ZZ43474		1.79	37.4	680	61.5	25.4	<0.001	0.02	0.18	2.9	0.4	4.4	67.0	<0.01	0.02



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 30- AUG- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188881

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ43432		0.014	0.12	0.88	16	0.14	15.10	150	1.1
ZZ43433		0.016	0.17	1.05	19	0.22	20.9	177	1.7
ZZ43434		0.011	0.08	0.95	16	1.01	15.65	155	0.6
ZZ43435		0.013	0.05	1.65	14	0.12	17.85	116	0.9
ZZ43436		0.012	0.04	0.86	15	0.13	17.50	150	2.0
ZZ43437		0.009	0.05	0.99	14	0.10	14.95	161	0.9
ZZ43441		0.067	0.42	1.66	40	0.89	15.60	269	0.6
ZZ43442		0.063	0.31	1.21	37	1.61	8.94	462	<0.5
ZZ43443		0.059	0.35	1.03	35	7.01	5.93	479	1.3
ZZ43444		0.056	0.29	1.28	50	7.96	19.65	878	1.8
ZZ43445		0.070	0.33	0.76	25	0.95	3.87	93	0.7
ZZ43446		0.066	0.36	2.62	30	18.55	9.51	736	0.8
ZZ43447		0.077	0.31	7.79	30	43.5	9.63	1500	<0.5
ZZ43448		0.085	0.45	0.88	27	5.42	5.35	211	<0.5
ZZ43449		0.081	0.41	3.13	25	8.90	9.92	818	<0.5
ZZ43450		0.060	0.94	1.15	38	7.43	9.55	635	0.7
ZZ43451		0.052	0.50	1.24	37	2.07	9.63	840	0.6
ZZ43452		0.059	0.64	1.40	41	3.89	9.66	1970	0.5
ZZ43453		0.056	0.57	1.27	40	3.30	9.36	2790	0.6
ZZ43454		0.052	0.67	1.41	38	3.77	15.70	1530	0.8
ZZ43455		0.052	0.68	1.43	38	1.56	12.45	620	0.8
ZZ43456		0.069	0.39	1.05	31	1.55	11.80	264	2.6
ZZ43457		0.042	0.42	1.42	29	0.71	12.80	220	0.9
ZZ43458		0.050	0.40	1.21	30	0.99	12.65	207	1.2
ZZ43459		0.049	0.56	2.30	35	0.50	17.55	203	0.8
ZZ43460		0.037	0.44	1.91	27	0.37	17.05	173	0.8
ZZ43461		0.038	0.23	2.08	29	0.16	20.9	278	1.1
ZZ43462		0.034	0.22	3.81	26	0.22	25.7	301	1.2
ZZ43463		0.047	0.33	1.97	36	0.11	19.00	270	2.2
ZZ43464		0.026	0.09	0.99	22	0.19	11.65	185	0.7
ZZ43465		0.020	0.07	4.74	19	0.14	16.60	199	1.1
ZZ43466		0.023	0.09	1.42	21	0.17	22.7	158	1.3
ZZ43467		0.022	0.06	1.43	15	0.10	15.40	86	0.6
ZZ43468		0.010	0.03	0.82	13	0.10	14.25	138	0.9
ZZ43469		0.007	0.05	1.13	14	0.08	17.65	120	1.6
ZZ43470		0.007	0.04	0.51	16	0.07	5.91	103	1.2
ZZ43471		0.005	0.03	1.09	13	0.06	25.6	145	1.4
ZZ43472		0.010	0.05	0.65	16	0.09	6.22	193	1.2
ZZ43473		0.016	0.19	1.36	17	0.08	27.6	104	1.0
ZZ43474		0.037	0.41	1.58	28	0.21	14.60	134	<0.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 7 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 30- AUG- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188881

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ43475		0.22	0.001	0.12	1.93	6.0	<0.2	<10	50	0.49	1.14	0.14	0.10	68.7	10.6	31
ZZ43476		0.23	0.001	0.18	2.77	5.0	<0.2	<10	40	0.88	1.84	0.26	0.12	76.2	20.4	45
ZZ43477		0.22	<0.001	0.32	4.18	5.0	<0.2	<10	80	1.09	2.51	0.89	0.13	55.6	22.0	63
ZZ43478		0.16	<0.001	0.30	3.04	4.7	<0.2	<10	70	1.04	2.63	0.45	1.26	43.7	19.5	55
ZZ43479		0.20	<0.001	0.88	3.27	3.2	<0.2	<10	70	0.96	4.98	0.47	0.71	84.6	18.5	50
ZZ43480		0.16	<0.001	0.71	3.58	3.3	<0.2	<10	60	1.20	3.56	0.59	1.66	53.2	15.8	39
ZZ43481		0.18	<0.001	0.17	5.11	3.5	<0.2	<10	100	1.36	2.32	0.88	2.62	55.8	23.5	40
ZZ43482		0.18	0.001	0.49	3.30	4.8	<0.2	<10	80	1.07	7.53	0.73	4.17	47.8	21.2	38
ZZ43483		0.24	0.001	0.42	3.54	5.6	<0.2	<10	100	0.78	9.26	0.92	3.16	51.9	29.2	50
ZZ43484		0.22	0.001	1.14	3.34	5.0	<0.2	<10	120	0.93	42.2	0.97	3.33	43.7	46.7	45
ZZ43485		0.18	<0.001	0.34	3.20	7.7	<0.2	<10	100	0.84	2.80	1.02	2.64	42.0	14.6	49
ZZ43486		0.12	0.001	0.14	1.25	6.0	<0.2	<10	50	0.30	5.14	0.37	0.80	29.5	9.2	23
ZZ43487		0.24	<0.001	0.17	1.02	5.0	<0.2	<10	30	0.22	0.42	0.06	0.32	31.0	3.8	15
ZZ43488		0.18	<0.001	0.14	3.05	3.2	<0.2	<10	80	0.94	1.65	0.24	0.28	40.3	11.3	45
ZZ43489		0.18	<0.001	0.44	2.26	7.3	<0.2	<10	70	0.92	0.65	0.11	0.43	49.7	9.7	29
ZZ43490		0.18	0.001	0.16	3.76	3.6	<0.2	<10	110	1.08	3.22	0.68	0.88	48.7	19.6	52
ZZ43491		0.19	<0.001	0.31	2.43	4.6	<0.2	<10	110	0.76	1.15	0.31	0.59	36.6	10.2	35
ZZ43492		0.19	0.001	0.74	3.26	7.7	<0.2	<10	90	0.98	13.90	0.51	2.60	55.4	23.6	44
ZZ43493		0.22	0.002	0.34	3.95	3.9	<0.2	<10	80	1.03	7.90	0.63	1.04	74.6	21.5	41
ZZ43494		0.15	0.002	0.71	3.10	4.1	<0.2	<10	70	1.15	5.55	0.86	8.12	50.5	19.0	35
ZZ43495		0.20	0.003	0.96	3.02	3.6	<0.2	<10	70	0.96	9.65	0.50	1.67	67.0	19.0	33
ZZ43496		0.20	0.001	0.75	3.18	3.7	<0.2	<10	60	1.01	4.79	0.17	0.55	97.1	21.4	38
ZZ43497		0.19	0.001	0.43	3.22	7.5	<0.2	<10	60	1.06	2.85	0.45	0.31	78.0	14.4	48
ZZ43498		0.21	0.001	1.97	4.00	7.1	<0.2	<10	70	1.27	9.18	0.91	0.27	60.2	26.5	54
ZZ43499		0.24	0.001	0.73	2.35	2.7	<0.2	<10	40	0.65	1.74	0.06	0.16	62.9	13.9	27
ZZ43500		0.22	0.001	0.70	2.51	6.9	<0.2	<10	60	0.57	1.86	0.03	0.07	52.4	9.7	38



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 7 - B
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 30- AUG- 2012
 Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188881

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ43475		12.60	21.7	3.53	7.51	0.10	<0.02	0.01	0.021	0.11	32.6	40.6	0.66	252	0.60
ZZ43476		24.0	32.2	4.19	9.71	0.10	0.02	0.01	0.025	0.23	35.2	82.1	0.94	294	0.34
ZZ43477		20.2	26.4	4.68	14.20	0.11	0.02	0.01	0.021	0.25	26.5	83.7	1.10	816	0.45
ZZ43478		26.5	35.9	4.19	14.50	0.09	<0.02	0.04	0.023	0.14	21.8	79.2	0.91	1320	0.73
ZZ43479		18.30	135.5	4.90	12.35	0.14	0.02	<0.01	0.095	0.26	35.0	87.8	1.04	612	0.49
ZZ43480		13.70	120.5	4.46	12.25	0.11	0.02	0.03	0.083	0.14	27.4	63.4	0.81	733	0.55
ZZ43481		9.80	119.0	4.48	16.30	0.12	0.06	0.03	0.334	0.08	25.7	58.6	0.68	1240	0.65
ZZ43482		13.05	96.2	4.09	11.15	0.10	0.03	0.02	0.770	0.11	25.1	51.9	0.69	821	0.74
ZZ43483		21.9	81.6	4.65	11.65	0.09	<0.02	0.02	0.762	0.26	21.9	86.8	1.04	802	0.68
ZZ43484		25.0	77.9	5.55	11.30	0.09	<0.02	0.01	4.38	0.31	21.0	79.9	0.89	769	0.96
ZZ43485		24.6	38.5	3.90	10.40	0.09	<0.02	0.03	0.367	0.25	22.1	93.5	0.97	714	0.66
ZZ43486		8.53	16.2	2.29	5.39	0.06	<0.02	0.03	0.233	0.10	15.6	41.4	0.46	265	0.67
ZZ43487		14.20	5.8	1.90	7.64	0.05	<0.02	0.02	0.016	0.08	15.8	21.6	0.34	147	0.55
ZZ43488		23.6	41.7	3.77	12.30	0.08	0.02	0.03	0.132	0.25	21.8	96.1	0.91	251	0.47
ZZ43489		12.80	25.9	2.75	7.74	0.09	0.02	0.03	0.113	0.14	24.9	58.5	0.56	185	0.43
ZZ43490		26.7	74.2	4.01	11.60	0.10	0.02	0.03	0.257	0.31	25.9	82.9	0.85	1000	0.77
ZZ43491		10.55	17.2	3.42	9.33	0.05	0.02	0.02	0.119	0.09	19.5	68.2	0.65	439	0.77
ZZ43492		27.3	84.5	4.28	12.05	0.08	<0.02	0.03	0.847	0.19	28.6	94.5	0.84	495	0.78
ZZ43493		23.8	92.0	4.67	11.65	0.11	0.02	0.02	0.800	0.21	35.3	93.0	1.07	614	0.44
ZZ43494		10.60	129.5	3.68	11.80	0.08	0.02	0.05	0.533	0.07	26.0	53.3	0.58	1440	0.78
ZZ43495		15.95	115.0	4.97	10.35	0.09	0.02	0.02	0.580	0.10	28.3	73.2	0.82	855	0.45
ZZ43496		20.4	139.0	5.39	11.25	0.10	0.04	0.03	0.113	0.25	44.1	94.9	1.04	313	0.67
ZZ43497		16.00	49.4	4.72	11.30	0.10	0.02	0.03	0.043	0.21	31.5	82.6	0.93	700	0.37
ZZ43498		22.8	77.8	6.17	13.10	0.12	0.02	0.02	0.025	0.34	26.0	84.9	1.05	982	0.49
ZZ43499		24.2	33.1	4.73	8.24	0.08	0.02	0.02	0.019	0.22	26.3	78.7	0.83	232	0.69
ZZ43500		14.70	36.7	5.06	9.65	0.07	0.05	0.03	0.024	0.13	31.0	63.8	0.67	253	0.65



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 7 - C
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 30- AUG- 2012
 Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188881

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
ZZ43475		1.77	27.1	550	36.5	42.6	0.001	0.03	0.25	2.6	0.4	4.8	40.1	<0.01	0.02
ZZ43476		1.77	41.1	330	65.3	78.1	<0.001	0.02	0.27	4.6	0.4	10.1	53.5	0.01	0.02
ZZ43477		4.03	47.1	810	20.7	74.6	<0.001	0.04	0.23	6.8	0.7	9.5	155.5	0.01	0.01
ZZ43478		2.16	32.5	1150	22.1	44.7	0.001	0.08	0.16	2.9	0.5	7.7	59.6	<0.01	0.04
ZZ43479		2.02	43.3	420	50.9	57.7	0.001	0.06	0.14	6.4	0.7	10.3	145.5	<0.01	0.03
ZZ43480		1.69	39.1	850	22.4	35.0	<0.001	0.06	0.21	4.2	0.4	8.1	130.0	0.02	0.03
ZZ43481		1.78	40.7	720	17.7	19.5	<0.001	0.06	0.28	4.8	0.3	6.7	228	0.02	0.02
ZZ43482		2.54	37.4	620	14.6	31.9	0.001	0.04	0.26	4.2	0.7	6.7	139.5	0.02	0.04
ZZ43483		3.71	53.5	860	30.7	61.7	0.001	0.03	0.17	4.6	0.3	9.3	184.0	0.01	0.06
ZZ43484		3.92	48.7	1130	82.7	89.0	<0.001	0.08	0.19	4.5	0.7	10.8	140.5	0.01	0.19
ZZ43485		4.19	42.1	870	15.6	77.0	0.001	0.05	0.39	4.3	0.5	9.3	129.5	<0.01	0.03
ZZ43486		2.04	16.5	420	11.5	31.0	0.001	0.03	0.20	2.0	<0.2	4.2	34.8	<0.01	0.03
ZZ43487		2.60	8.7	100	11.9	63.8	0.001	0.01	0.25	1.6	<0.2	2.5	16.5	<0.01	0.01
ZZ43488		4.09	30.3	210	11.3	73.5	0.001	0.02	0.21	5.0	0.4	10.2	89.5	<0.01	0.02
ZZ43489		2.70	25.2	210	13.0	42.0	0.001	0.01	0.37	3.4	0.4	4.7	54.7	0.01	0.03
ZZ43490		3.41	46.2	900	8.8	117.0	0.001	0.04	0.17	3.9	0.2	13.6	155.0	<0.01	0.04
ZZ43491		3.99	27.8	320	17.0	30.3	0.001	0.02	0.29	3.0	0.2	7.1	45.6	<0.01	0.02
ZZ43492		3.22	42.5	710	19.4	59.0	0.001	0.03	0.14	3.6	0.7	11.0	107.5	0.01	0.10
ZZ43493		2.67	47.3	750	11.4	52.4	0.001	0.02	0.09	5.0	0.6	9.5	220	<0.01	0.06
ZZ43494		1.32	30.9	1360	22.5	19.8	0.001	0.07	0.23	2.5	0.8	7.1	137.0	0.01	0.02
ZZ43495		1.32	44.3	650	44.9	27.8	0.001	0.05	0.33	4.8	0.8	8.9	125.5	<0.01	0.04
ZZ43496		2.37	49.9	380	52.1	63.7	0.001	0.09	0.11	5.1	0.9	11.5	82.0	0.01	0.03
ZZ43497		2.36	36.5	480	21.5	46.8	0.001	0.03	0.15	5.7	0.5	8.3	90.5	<0.01	0.04
ZZ43498		3.62	68.9	900	96.4	74.0	0.001	0.04	0.16	6.0	1.1	11.1	134.5	<0.01	0.05
ZZ43499		1.66	38.7	370	35.2	61.9	0.001	0.02	0.34	2.6	0.6	8.1	10.3	<0.01	0.04
ZZ43500		1.91	27.7	550	37.6	37.9	0.001	0.05	0.30	3.1	0.5	9.0	20.2	<0.01	0.08



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 7 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 30- AUG- 2012
 Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188881

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ43475		0.044	0.42	1.29	29	0.24	9.50	103	<0.5
ZZ43476		0.052	0.84	1.69	37	0.28	13.45	161	0.8
ZZ43477		0.078	0.98	1.68	56	0.52	16.70	190	0.6
ZZ43478		0.057	0.54	2.20	57	0.27	8.98	288	<0.5
ZZ43479		0.064	0.97	2.06	50	3.37	16.25	765	0.5
ZZ43480		0.045	0.49	2.04	43	0.94	13.55	666	0.6
ZZ43481		0.053	0.33	1.85	45	1.65	10.90	756	2.0
ZZ43482		0.063	0.41	1.67	43	1.86	12.50	2020	0.8
ZZ43483		0.068	0.83	1.31	49	4.25	8.36	2430	0.5
ZZ43484		0.079	0.97	1.29	45	5.42	8.88	3840	0.5
ZZ43485		0.075	0.81	1.51	49	0.75	8.00	1660	<0.5
ZZ43486		0.054	0.31	0.86	25	1.08	3.86	498	<0.5
ZZ43487		0.065	0.19	0.58	33	0.38	2.34	85	0.7
ZZ43488		0.056	0.80	1.02	40	0.79	7.62	365	0.8
ZZ43489		0.039	0.52	1.06	27	0.45	6.99	296	1.0
ZZ43490		0.073	1.04	2.27	52	2.76	9.28	584	0.6
ZZ43491		0.050	0.49	0.91	35	0.57	4.38	364	0.7
ZZ43492		0.057	0.68	1.66	43	5.24	9.20	2050	<0.5
ZZ43493		0.053	1.03	1.76	40	1.51	12.95	1920	0.8
ZZ43494		0.039	0.30	3.23	40	2.98	11.25	2400	0.5
ZZ43495		0.036	0.43	2.19	37	2.61	13.10	1500	0.7
ZZ43496		0.065	0.84	2.14	37	1.47	14.90	752	1.8
ZZ43497		0.066	0.70	2.19	47	0.54	14.40	199	0.6
ZZ43498		0.080	1.23	1.92	52	1.37	14.10	236	0.5
ZZ43499		0.031	0.77	1.61	24	0.25	12.40	183	0.9
ZZ43500		0.030	0.52	1.40	38	0.48	8.00	124	2.2



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Say Yea Soil

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 30- AUG- 2012
Account: MTT

CERTIFICATE OF ANALYSIS WH12188881

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 4- SEP- 2012
Account: MTT

CERTIFICATE WH12188778

Project: Say Yea Soil
P.O. No.: Batch 4
This report is for 250 Soil samples submitted to our lab in Whitehorse, YT, Canada on 13- AUG-2012.

The following have access to data associated with this certificate:

SARAH EATON

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/ o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES


ALS CODE	DESCRIPTION	INSTRUMENT
W- XRF05	Trace Level W XRF Analysis	XRF
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 4- SEP- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188778

Sample Description	Method Analyte Units LOR	WEI- 21	Au- ICP21	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ48001		0.17	0.002	0.34	1.25	5.2	<0.2	<10	40	1.66	5.84	0.14	0.66	43.6	5.9	14
ZZ48002		0.20	0.001	0.27	1.09	23.7	<0.2	<10	40	1.19	5.16	0.17	0.99	45.0	5.5	14
ZZ48003		0.23	<0.001	0.23	0.82	3.9	<0.2	<10	30	0.84	2.27	0.13	0.42	42.6	2.9	9
ZZ48004		0.18	0.001	0.27	0.93	4.7	<0.2	<10	30	1.19	4.08	0.10	0.18	43.0	3.7	10
ZZ48005		0.36	0.001	0.16	0.94	4.8	<0.2	<10	30	1.28	6.37	0.35	0.15	65.6	4.8	9
ZZ48006		0.20	0.001	0.12	5.72	4.5	<0.2	<10	360	1.27	0.30	0.32	0.33	47.4	17.1	71
ZZ48007		0.24	<0.001	0.47	2.83	11.4	<0.2	<10	80	1.28	0.48	0.17	0.19	39.9	12.4	41
ZZ48008		0.19	0.001	0.20	2.55	8.4	<0.2	<10	90	0.96	0.64	0.52	0.49	41.8	12.3	34
ZZ48009		0.26	0.001	0.11	2.88	4.3	<0.2	<10	70	1.30	0.76	0.18	0.22	37.0	13.8	46
ZZ48010		0.15	0.001	0.40	2.32	3.6	<0.2	<10	70	1.50	1.08	1.11	0.38	34.0	14.0	44
ZZ48011		0.16	<0.001	0.12	3.29	8.2	<0.2	<10	90	2.44	1.64	0.43	0.13	59.9	20.5	41
ZZ48012		0.26	0.001	0.12	2.52	9.7	<0.2	<10	80	1.69	1.24	0.29	0.12	61.9	17.8	37
ZZ48013		0.27	0.001	0.16	2.94	17.6	<0.2	<10	120	2.36	1.30	0.62	0.20	63.8	21.4	37
ZZ48014		0.24	0.001	0.07	2.89	34.3	<0.2	<10	120	1.03	0.61	0.32	0.37	80.2	15.8	40
ZZ48015		0.23	0.003	0.16	2.14	11.4	<0.2	<10	90	1.56	1.04	0.45	0.34	47.9	12.6	38
ZZ48016		0.17	0.001	0.17	1.86	5.3	<0.2	<10	90	1.60	2.89	0.34	0.50	26.3	11.0	27
ZZ48017		0.26	0.001	0.06	3.01	12.4	<0.2	<10	80	3.07	2.45	0.82	0.25	61.7	19.3	40
ZZ48018		0.17	0.001	0.13	2.27	7.3	<0.2	<10	80	2.30	2.39	0.90	0.32	48.3	13.2	33
ZZ48019		0.16	0.001	0.21	2.43	16.2	<0.2	<10	70	4.12	5.13	1.12	1.50	60.7	17.8	36
ZZ48020		0.24	0.001	0.11	3.13	7.2	<0.2	<10	90	1.83	1.27	0.40	0.12	51.1	16.2	48
ZZ48021		0.27	0.001	0.04	2.77	4.9	<0.2	<10	60	1.72	1.25	0.31	0.10	62.8	15.2	40
ZZ48022		0.25	<0.001	0.06	3.32	10.6	<0.2	<10	80	1.74	0.89	0.30	0.09	56.8	20.8	49
ZZ48023		0.26	0.012	0.40	3.08	4.4	<0.2	<10	100	1.77	1.52	0.53	0.11	57.9	18.7	46
ZZ48024		0.22	0.001	0.29	3.75	10.7	<0.2	<10	130	1.36	1.03	0.23	0.17	61.2	17.4	53
ZZ48025		0.29	0.001	0.30	3.33	13.0	<0.2	<10	80	1.04	0.63	0.40	0.22	81.6	16.6	45
ZZ48026		0.26	0.001	0.25	2.56	15.9	<0.2	<10	90	0.81	0.67	0.11	0.17	47.4	13.9	41
ZZ48027		0.28	0.001	0.09	2.91	21.9	<0.2	<10	120	0.91	0.75	0.14	0.14	82.2	18.5	41
ZZ48028		0.25	0.001	0.04	2.82	51.6	<0.2	<10	80	1.02	0.63	0.12	0.15	78.4	18.2	38
ZZ48029		0.13	0.002	0.11	2.42	5.9	<0.2	<10	70	3.38	4.60	0.60	0.92	55.1	15.7	37
ZZ48030		0.18	0.001	0.16	2.26	8.6	<0.2	<10	70	2.54	2.20	1.15	0.49	53.1	12.5	33
ZZ48031		0.09	0.001	0.07	1.61	8.1	<0.2	<10	40	1.03	1.73	0.06	0.52	25.9	6.8	22
ZZ48032		0.18	<0.001	0.13	1.35	4.2	<0.2	<10	50	1.15	1.04	0.17	0.55	26.1	7.7	18
ZZ48033		0.16	0.001	0.16	2.10	7.6	<0.2	<10	70	2.73	4.50	0.35	0.24	50.2	11.6	36
ZZ48034		0.27	<0.001	0.04	1.94	7.7	<0.2	<10	50	2.11	4.64	0.24	0.07	42.1	9.7	37
ZZ48035		0.23	<0.001	0.07	2.15	4.8	<0.2	<10	60	2.64	5.26	0.26	0.19	39.4	11.0	40
ZZ48036		0.19	0.001	0.14	2.62	4.2	<0.2	<10	90	4.53	5.16	0.93	0.47	65.5	17.3	38
ZZ48037		0.12	<0.001	0.37	2.82	3.6	<0.2	<10	80	5.46	5.60	0.68	2.88	61.7	19.0	36
ZZ48038		0.16	<0.001	0.07	2.88	4.4	<0.2	<10	100	4.69	3.93	0.47	0.74	46.0	14.9	44
ZZ48039		0.24	<0.001	0.28	3.20	3.7	<0.2	<10	70	8.05	4.61	0.67	1.05	65.5	13.8	36
ZZ48040		0.23	0.001	0.09	3.66	15.5	<0.2	<10	70	6.03	6.48	0.61	0.66	61.7	14.7	46



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 4- SEP- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188778

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ48001		12.30	12.9	2.44	6.78	0.08	<0.02	0.05	0.100	0.18	22.9	69.4	0.30	321	1.80
ZZ48002		7.00	12.1	2.49	7.10	0.08	<0.02	0.03	0.088	0.15	24.0	47.9	0.27	403	2.84
ZZ48003		7.00	7.7	1.70	6.47	0.07	<0.02	0.03	0.044	0.16	22.8	36.2	0.19	157	1.93
ZZ48004		11.70	17.5	1.74	5.62	0.08	<0.02	0.08	0.072	0.23	23.2	37.3	0.24	213	5.87
ZZ48005		8.78	32.9	1.94	5.54	0.12	0.03	0.09	0.135	0.23	34.4	50.2	0.24	285	3.11
ZZ48006		14.45	20.1	4.41	23.3	0.24	0.04	0.02	0.045	1.00	23.9	95.7	1.32	539	0.33
ZZ48007		8.03	15.6	3.84	11.25	0.13	0.03	0.04	0.059	0.27	19.1	67.4	0.83	220	0.47
ZZ48008		6.59	16.7	2.99	10.10	0.11	0.03	0.02	0.064	0.18	21.6	73.4	0.66	467	0.48
ZZ48009		10.55	22.6	4.36	13.45	0.14	0.02	0.02	0.071	0.50	18.3	72.9	0.88	286	0.49
ZZ48010		9.33	20.9	3.24	10.60	0.11	0.02	0.02	0.062	0.16	18.0	60.6	0.69	899	0.73
ZZ48011		13.90	32.3	4.05	11.30	0.14	0.02	0.01	0.176	0.29	28.1	69.8	0.88	408	0.36
ZZ48012		11.35	31.7	3.74	9.76	0.14	0.02	0.01	0.111	0.26	30.2	63.0	0.78	333	0.42
ZZ48013		13.80	33.7	3.86	11.60	0.13	0.02	0.02	0.109	0.23	32.4	68.9	0.76	526	0.39
ZZ48014		5.92	25.3	4.33	9.30	0.09	0.02	0.03	0.056	0.23	31.3	64.0	0.91	488	0.39
ZZ48015		13.10	22.1	3.43	9.85	0.09	<0.02	0.04	0.103	0.21	25.1	62.2	0.73	657	0.44
ZZ48016		12.50	18.4	3.16	8.82	0.05	<0.02	0.04	0.197	0.15	13.4	40.3	0.47	729	0.39
ZZ48017		16.40	50.9	4.04	10.65	0.12	0.04	0.03	0.219	0.29	31.4	63.6	0.90	581	0.33
ZZ48018		15.05	37.0	3.52	7.89	0.09	<0.02	0.04	0.212	0.32	26.4	53.7	0.67	534	0.39
ZZ48019		15.60	64.1	4.26	9.64	0.12	0.02	0.04	0.491	0.44	34.8	62.6	0.73	784	0.53
ZZ48020		12.05	25.0	4.13	11.20	0.12	<0.02	0.03	0.087	0.36	29.4	69.0	1.03	481	0.34
ZZ48021		11.55	23.4	3.66	9.52	0.14	<0.02	0.03	0.117	0.26	31.0	66.9	0.93	401	0.22
ZZ48022		12.80	22.7	4.39	11.30	0.15	<0.02	0.03	0.054	0.72	27.2	88.2	1.12	330	0.40
ZZ48023		10.35	34.1	4.09	10.75	0.16	0.02	0.04	0.057	0.62	41.4	65.3	0.86	521	0.29
ZZ48024		10.35	25.5	4.35	13.10	0.14	0.02	0.04	0.077	0.39	31.1	103.5	1.08	384	0.41
ZZ48025		7.17	22.8	4.13	10.70	0.14	0.03	0.04	0.059	0.33	40.1	80.1	0.97	510	0.40
ZZ48026		5.81	17.2	4.07	10.15	0.08	0.02	0.05	0.071	0.22	23.0	54.5	0.86	470	0.45
ZZ48027		5.15	26.6	4.63	10.35	0.09	0.02	0.04	0.071	0.19	30.3	72.3	0.96	517	0.49
ZZ48028		5.84	24.4	4.45	9.46	0.09	0.02	0.04	0.063	0.23	31.7	51.2	0.85	399	0.42
ZZ48029		15.25	45.6	4.17	8.86	0.09	<0.02	0.02	0.297	0.46	24.6	60.7	0.73	695	0.65
ZZ48030		12.95	36.7	3.31	7.51	0.12	<0.02	0.03	0.159	0.27	29.7	53.8	0.64	473	0.81
ZZ48031		16.00	10.8	2.74	8.24	0.05	0.02	0.03	0.033	0.15	14.5	46.7	0.43	195	0.94
ZZ48032		10.85	7.8	2.31	5.80	0.05	<0.02	0.03	0.044	0.13	14.4	37.7	0.41	369	0.66
ZZ48033		16.00	40.4	3.74	7.87	0.10	<0.02	0.03	0.105	0.47	27.5	62.3	0.72	406	1.25
ZZ48034		14.90	35.2	3.55	7.22	0.10	<0.02	0.03	0.089	0.42	23.3	61.3	0.74	286	0.91
ZZ48035		18.80	35.2	3.75	8.25	0.10	0.02	0.03	0.115	0.53	20.6	67.6	0.79	337	1.10
ZZ48036		17.20	78.7	4.36	9.54	0.14	0.03	0.03	0.242	0.46	35.3	67.6	0.76	600	0.72
ZZ48037		16.95	71.5	4.11	10.40	0.10	<0.02	0.04	0.318	0.37	27.5	63.1	0.65	1390	0.69
ZZ48038		16.60	28.6	4.10	10.45	0.08	<0.02	0.03	0.243	0.28	24.0	76.0	0.80	681	0.65
ZZ48039		13.90	33.7	4.08	11.00	0.11	0.03	0.04	0.262	0.16	35.8	61.5	0.64	1060	0.76
ZZ48040		18.65	39.8	4.92	13.00	0.11	0.02	0.04	0.946	0.29	26.9	78.8	0.84	847	0.62



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.

C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED

1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Say Yea Soil

Page: 2 - C

Total # Pages: 8 (A - D)

Plus Appendix Pages

Finalized Date: 4- SEP- 2012

Account: MTT

CERTIFICATE OF ANALYSIS WH12188778

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
ZZ48001		3.19	10.6	720	14.4	141.0	<0.001	0.04	0.50	1.7	0.3	5.0	19.5	0.01	0.02
ZZ48002		3.00	9.3	920	21.0	114.0	<0.001	0.04	0.47	1.6	0.3	3.8	22.1	0.01	0.02
ZZ48003		3.71	5.5	400	11.1	120.0	<0.001	0.04	0.75	1.1	0.2	3.1	16.7	<0.01	0.02
ZZ48004		5.42	6.1	270	8.7	130.5	<0.001	0.03	0.30	1.5	0.2	2.6	10.0	<0.01	0.01
ZZ48005		5.66	7.5	620	13.8	61.1	<0.001	0.04	0.56	1.6	0.4	2.6	17.3	0.01	0.01
ZZ48006		8.90	43.2	590	8.2	121.5	<0.001	0.06	0.14	11.1	0.6	3.8	123.0	0.03	0.03
ZZ48007		4.11	31.3	340	12.3	40.1	<0.001	0.04	0.33	4.7	0.5	2.1	37.7	0.01	0.03
ZZ48008		3.56	26.7	360	10.4	29.3	<0.001	0.05	0.36	5.8	0.5	1.9	68.2	0.04	0.03
ZZ48009		5.72	35.4	270	9.5	80.3	<0.001	0.04	0.11	6.2	0.4	2.8	53.0	0.01	0.04
ZZ48010		3.56	27.5	900	9.4	40.3	<0.001	0.10	0.21	2.8	0.6	3.1	103.0	0.01	0.04
ZZ48011		4.32	37.7	500	9.5	44.7	<0.001	0.05	0.14	5.8	0.5	5.4	89.3	0.02	0.05
ZZ48012		3.30	33.1	400	9.7	40.2	<0.001	0.06	0.19	4.7	0.5	4.1	77.1	0.01	0.04
ZZ48013		2.94	36.3	610	9.6	41.2	<0.001	0.05	0.65	4.8	0.7	4.8	108.5	0.01	0.04
ZZ48014		1.82	37.3	660	17.0	36.1	0.001	0.03	0.19	3.8	0.7	1.7	65.9	<0.01	0.01
ZZ48015		2.38	28.3	700	9.9	51.9	<0.001	0.03	0.62	4.1	<0.2	4.7	76.6	<0.01	0.02
ZZ48016		1.70	19.3	390	8.3	71.2	<0.001	0.02	0.39	2.7	<0.2	9.6	49.1	<0.01	0.01
ZZ48017		2.39	39.5	370	7.9	52.5	0.001	0.02	0.50	6.7	0.6	8.1	147.5	<0.01	0.03
ZZ48018		2.43	31.6	530	7.3	78.7	0.001	0.06	0.46	4.5	0.5	7.0	124.0	<0.01	0.02
ZZ48019		2.98	31.0	560	8.6	107.0	0.001	0.05	0.80	6.0	0.5	11.7	143.0	<0.01	0.04
ZZ48020		3.08	36.9	650	11.1	56.3	0.001	0.02	0.20	4.7	0.6	4.4	105.0	0.01	0.03
ZZ48021		2.82	32.5	190	8.0	41.8	<0.001	0.01	0.12	5.4	0.4	4.4	95.5	0.01	0.01
ZZ48022		4.54	41.5	260	7.9	79.8	0.001	0.01	0.18	6.7	0.7	2.9	70.1	0.01	0.06
ZZ48023		4.62	38.9	550	11.6	74.0	0.001	0.02	0.21	6.6	1.5	2.6	90.4	0.01	0.10
ZZ48024		4.70	50.1	410	15.6	55.6	<0.001	0.02	0.18	6.4	0.9	2.7	79.8	0.01	0.01
ZZ48025		3.10	38.0	440	15.1	57.8	<0.001	0.02	0.25	5.5	0.7	2.1	96.7	<0.01	0.01
ZZ48026		3.01	34.7	300	19.2	40.9	0.001	0.01	0.17	4.5	0.5	2.1	32.1	<0.01	0.01
ZZ48027		2.49	40.4	380	29.6	32.6	<0.001	0.01	0.19	4.6	0.7	2.0	37.2	<0.01	0.03
ZZ48028		2.42	41.7	340	20.2	30.7	0.001	0.01	0.15	4.3	0.5	1.7	48.0	<0.01	0.01
ZZ48029		2.41	30.6	350	7.5	94.5	0.001	0.04	0.48	5.2	0.3	8.7	104.0	<0.01	0.03
ZZ48030		2.93	27.7	710	7.4	48.2	<0.001	0.05	0.41	4.6	0.8	5.6	125.0	<0.01	<0.01
ZZ48031		3.03	14.7	200	7.8	79.3	<0.001	0.01	0.22	2.5	<0.2	3.9	15.9	<0.01	0.01
ZZ48032		1.99	13.4	210	7.0	107.0	0.001	0.01	0.28	1.8	<0.2	2.1	26.8	<0.01	0.01
ZZ48033		2.75	26.2	400	6.7	114.0	0.001	0.02	0.25	4.2	0.4	5.3	59.0	0.01	0.02
ZZ48034		2.12	22.4	280	6.0	87.4	0.001	0.01	0.23	4.0	0.3	5.0	49.1	<0.01	0.02
ZZ48035		2.41	26.1	190	6.3	117.0	<0.001	0.02	0.24	4.7	0.3	6.1	49.1	<0.01	0.03
ZZ48036		2.73	40.7	510	7.2	91.5	<0.001	0.03	0.34	6.0	1.0	9.7	144.0	<0.01	0.03
ZZ48037		2.42	33.6	530	6.7	146.5	<0.001	0.03	0.28	5.0	0.6	10.9	111.0	<0.01	0.03
ZZ48038		2.92	32.5	400	7.6	104.0	<0.001	0.01	0.37	5.5	0.4	8.7	89.0	<0.01	0.03
ZZ48039		2.53	31.1	490	9.1	50.0	0.001	0.02	0.28	5.8	0.8	11.2	135.0	0.01	0.02
ZZ48040		2.89	42.1	490	8.7	65.7	<0.001	0.02	0.79	6.9	0.2	15.8	109.5	<0.01	0.03



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 4- SEP- 2012
 Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188778

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm	W- XRF05 W ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5	10
ZZ48001		0.034	0.33	3.34	19	31.9	5.18	346	<0.5	
ZZ48002		0.042	0.23	2.32	22	21.6	5.10	520	<0.5	
ZZ48003		0.041	0.30	2.15	14	21.0	3.46	210	<0.5	
ZZ48004		0.042	0.44	4.21	12	59.3	4.31	173	<0.5	
ZZ48005		0.038	0.41	9.85	11	68.8	11.25	182	0.9	
ZZ48006		0.121	0.56	1.53	57	0.61	12.30	191	1.1	
ZZ48007		0.069	0.27	1.01	34	0.63	8.24	137	0.5	
ZZ48008		0.059	0.16	2.42	30	0.54	9.47	124	0.7	
ZZ48009		0.079	0.31	1.08	39	0.36	8.11	145	<0.5	
ZZ48010		0.058	0.18	1.29	40	0.48	7.35	152	0.5	
ZZ48011		0.070	0.43	1.38	36	0.84	10.00	221	<0.5	
ZZ48012		0.062	0.37	1.38	33	0.76	10.40	151	<0.5	
ZZ48013		0.043	0.36	1.58	35	2.31	14.10	196	<0.5	
ZZ48014		0.040	0.24	3.56	36	0.80	14.05	183	0.5	
ZZ48015		0.057	0.29	1.37	39	9.37	6.46	226	<0.5	
ZZ48016		0.050	0.20	0.73	35	22.3	3.17	430	<0.5	
ZZ48017		0.070	0.52	1.42	37	11.90	13.95	318	1.5	
ZZ48018		0.057	0.41	1.49	32	16.85	9.76	386	0.5	
ZZ48019		0.075	0.61	1.67	38	26.8	14.90	633	0.6	
ZZ48020		0.071	0.37	1.73	40	0.74	13.30	194	<0.5	
ZZ48021		0.080	0.42	1.63	31	0.80	12.00	181	<0.5	
ZZ48022		0.142	0.57	1.44	42	0.42	10.85	123	<0.5	
ZZ48023		0.100	0.38	4.34	37	0.32	33.3	117	0.5	
ZZ48024		0.078	0.33	2.06	43	0.40	19.30	195	0.5	
ZZ48025		0.066	0.32	4.10	38	0.44	20.9	147	0.9	
ZZ48026		0.059	0.22	1.28	36	0.26	8.52	220	<0.5	
ZZ48027		0.047	0.18	2.32	36	0.51	11.40	148	0.6	
ZZ48028		0.043	0.24	1.55	33	0.22	11.25	130	0.7	
ZZ48029		0.077	0.58	1.36	38	33.9	7.62	563	0.5	
ZZ48030		0.065	0.38	3.63	30	17.05	13.70	336	0.6	
ZZ48031		0.070	0.25	0.87	32	9.92	2.39	479	0.8	
ZZ48032		0.062	0.17	0.69	27	14.10	2.37	405	<0.5	
ZZ48033		0.100	0.65	1.48	34	24.1	7.85	266	<0.5	
ZZ48034		0.108	0.71	1.12	33	24.0	5.25	191	0.5	
ZZ48035		0.114	0.73	1.06	37	28.7	4.87	294	0.6	
ZZ48036		0.086	0.68	1.47	40	20.8	14.90	458	1.1	
ZZ48037		0.074	0.50	1.46	38	30.7	11.70	784	<0.5	
ZZ48038		0.094	0.40	1.23	45	27.5	6.82	753	0.5	
ZZ48039		0.071	0.35	1.89	40	39.1	16.50	784	1.1	
ZZ48040		0.082	0.55	1.60	47	45.4	7.87	1580	0.5	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 4- SEP- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188778

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ48041		0.16	<0.001	0.08	2.14	5.1	<0.2	<10	70	2.48	1.92	0.28	0.71	31.8	9.3	30
ZZ48042		0.22	0.001	0.16	2.34	10.5	<0.2	<10	60	2.18	0.88	0.48	0.45	57.8	11.4	28
ZZ48043		0.21	0.001	0.31	2.27	11.2	<0.2	<10	60	1.89	1.24	0.80	0.79	56.0	16.4	31
ZZ48044		0.19	0.001	0.10	1.92	9.5	<0.2	<10	100	1.20	1.06	0.66	0.38	39.5	13.4	27
ZZ48045		0.23	<0.001	0.27	2.62	4.7	<0.2	<10	100	1.74	1.10	0.57	0.59	47.5	18.4	35
ZZ48046		0.18	0.001	0.25	3.29	3.4	<0.2	<10	90	2.04	1.15	0.60	0.30	56.2	18.4	45
ZZ48047		0.24	0.001	0.25	3.67	8.4	<0.2	<10	90	2.04	1.22	0.43	0.23	70.7	18.3	50
ZZ48048		0.22	0.001	0.32	3.85	5.9	<0.2	<10	70	1.98	1.08	0.38	0.11	59.8	14.3	52
ZZ48049		0.13	0.001	0.22	3.82	2.9	<0.2	<10	140	0.93	2.09	0.26	0.25	38.2	16.1	59
ZZ48050		0.18	0.003	0.08	5.08	5.3	<0.2	<10	160	20.6	13.75	0.38	1.48	45.8	24.7	59
ZZ48051		0.23	<0.001	0.07	3.79	15.3	<0.2	<10	140	1.07	0.70	0.27	0.31	74.6	18.9	48
ZZ48052		0.20	0.001	0.39	3.59	17.0	<0.2	<10	90	1.10	0.80	0.99	0.46	88.5	16.9	47
ZZ48053		0.21	<0.001	0.16	2.31	30.8	<0.2	<10	110	0.85	0.62	0.27	0.52	58.3	12.8	40
ZZ48054		0.19	0.001	0.22	3.01	6.0	<0.2	<10	100	1.23	0.63	0.24	0.34	76.9	18.3	36
ZZ48055		0.21	0.001	0.07	1.35	8.6	<0.2	<10	60	0.30	0.55	0.11	0.71	37.5	8.8	20
ZZ48056		0.25	0.001	0.16	2.02	3.5	<0.2	<10	60	0.86	0.70	1.28	0.34	131.5	16.7	32
ZZ48057		0.27	0.001	0.19	1.55	21.1	<0.2	<10	60	0.52	0.48	0.54	0.16	53.9	9.3	24
ZZ48058		0.18	<0.001	0.21	3.44	7.9	<0.2	<10	80	1.05	1.42	0.36	0.60	73.3	22.0	42
ZZ48059		0.30	0.004	0.08	4.24	9.0	<0.2	<10	170	1.31	0.66	6.05	0.13	94.3	24.8	90
ZZ48060		0.20	0.001	0.10	3.79	9.7	<0.2	<10	120	0.96	1.00	0.73	0.23	57.7	17.6	43
ZZ48061		0.24	0.004	0.09	2.76	16.1	<0.2	<10	130	1.09	1.77	0.27	0.29	56.5	21.2	55
ZZ48062		0.22	0.002	0.10	6.56	7.9	<0.2	<10	220	2.46	0.73	0.90	0.36	69.1	27.8	70
ZZ48063		0.23	0.001	1.44	3.67	18.8	<0.2	<10	70	1.76	3.88	0.48	0.88	109.0	19.7	54
ZZ48064		0.27	0.001	0.33	3.92	23.8	<0.2	<10	100	2.64	1.11	0.30	0.65	62.3	14.6	60
ZZ48065		0.29	0.001	0.31	3.53	21.2	<0.2	<10	50	7.69	1.59	0.57	0.45	124.0	26.2	41
ZZ48066		0.22	0.001	0.67	2.61	7.5	<0.2	<10	70	1.60	1.08	0.27	0.55	60.5	14.6	36
ZZ48067		0.24	0.002	0.07	2.57	5.2	<0.2	<10	60	1.88	1.52	0.21	0.24	71.2	19.0	32
ZZ48068		0.22	0.003	0.27	1.67	11.1	<0.2	<10	100	1.22	1.13	0.45	1.11	45.5	19.7	28
ZZ48069		0.27	0.002	0.13	3.44	2.5	<0.2	<10	60	3.65	2.35	0.80	0.29	98.5	19.4	44
ZZ48070		0.27	0.002	0.07	2.33	3.4	<0.2	<10	50	4.42	2.94	0.43	0.82	55.4	10.9	25
ZZ48071		0.29	0.001	0.32	3.64	8.8	<0.2	<10	70	8.88	6.25	0.99	0.48	73.7	13.4	53
ZZ48072		0.27	0.002	0.31	2.88	5.2	<0.2	<10	70	7.33	14.85	0.45	0.80	78.7	14.8	40
ZZ48073		0.28	0.001	0.10	1.98	1.6	<0.2	<10	50	2.62	1.23	0.05	0.09	45.8	3.7	36
ZZ48074		0.28	<0.001	0.06	2.90	7.5	<0.2	<10	70	4.11	8.78	0.23	0.28	54.2	12.3	46
ZZ48075		0.28	0.001	0.14	2.36	5.1	<0.2	<10	60	4.09	5.80	0.26	0.28	57.1	14.4	41
ZZ48076		0.26	0.002	0.11	3.14	6.9	<0.2	<10	70	4.84	6.25	0.33	0.18	50.0	18.5	39
ZZ48077		0.30	0.001	0.18	2.17	7.6	<0.2	<10	70	3.19	4.78	0.45	0.41	51.7	13.3	38
ZZ48078		0.26	<0.001	0.14	1.91	13.8	<0.2	<10	50	2.27	4.46	0.17	0.07	47.9	9.8	34
ZZ48079		0.26	<0.001	0.04	2.24	6.4	<0.2	<10	60	2.74	9.02	0.22	0.07	81.0	10.8	45
ZZ48080		0.24	0.001	0.55	2.27	5.7	<0.2	<10	60	4.45	2.48	0.19	0.82	58.5	20.2	38



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 4- SEP- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188778

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ48041		12.50	15.6	3.86	8.33	0.06	0.02	0.03	0.195	0.09	17.6	49.0	0.58	741	0.61
ZZ48042		10.90	16.2	3.60	8.06	0.06	0.02	0.04	0.071	0.06	23.0	35.8	0.47	502	0.30
ZZ48043		10.85	49.9	3.59	8.03	0.16	0.02	0.05	0.083	0.12	72.5	52.4	0.52	722	0.64
ZZ48044		11.35	22.6	3.37	7.56	0.06	<0.02	0.04	0.068	0.14	21.8	38.0	0.48	714	0.53
ZZ48045		11.85	30.2	3.76	9.42	0.08	<0.02	0.03	0.072	0.20	27.3	58.7	0.78	568	0.42
ZZ48046		13.85	29.9	4.02	11.05	0.09	<0.02	0.03	0.125	0.30	25.2	81.4	0.98	451	0.40
ZZ48047		15.05	31.9	4.47	11.10	0.11	0.02	0.01	0.115	0.31	26.2	80.7	1.13	455	0.39
ZZ48048		12.95	30.7	4.28	11.60	0.11	0.04	0.02	0.087	0.33	31.9	80.8	1.09	337	0.25
ZZ48049		9.93	13.9	4.12	14.75	0.09	<0.02	0.03	0.048	0.53	18.6	60.8	1.01	512	0.42
ZZ48050		24.9	59.8	6.26	14.95	0.19	0.03	0.08	0.683	0.70	21.3	96.4	1.32	1100	0.42
ZZ48051		10.20	23.8	4.20	12.55	0.10	0.02	0.03	0.089	0.54	28.2	73.5	1.06	331	0.37
ZZ48052		8.90	35.1	4.04	11.55	0.18	0.02	0.04	0.064	0.29	49.8	85.2	0.97	589	0.34
ZZ48053		6.72	20.9	3.78	9.14	0.08	<0.02	0.03	0.045	0.21	27.1	53.1	0.74	442	0.42
ZZ48054		4.15	28.5	4.77	9.54	0.11	0.04	0.03	0.043	0.11	34.1	61.3	0.73	328	0.58
ZZ48055		1.70	15.9	3.97	7.41	0.06	<0.02	0.02	0.035	0.05	19.1	26.7	0.35	328	0.90
ZZ48056		13.05	49.5	4.32	8.01	0.17	0.04	0.02	0.086	0.19	66.6	42.7	0.88	440	0.51
ZZ48057		2.60	19.7	2.67	5.49	0.09	0.02	0.03	0.051	0.05	28.9	27.6	0.45	241	0.40
ZZ48058		11.90	25.5	4.33	11.30	0.11	0.04	0.04	0.129	0.31	29.0	63.2	0.86	336	0.53
ZZ48059		16.55	33.2	4.74	13.05	0.21	0.02	0.02	0.053	0.62	73.7	79.2	1.20	1110	0.29
ZZ48060		12.00	26.0	3.99	11.85	0.11	0.02	0.04	0.040	0.40	27.2	86.3	1.00	406	0.37
ZZ48061		13.25	29.4	4.64	13.70	0.11	<0.02	0.04	0.046	0.47	26.0	73.7	1.03	652	0.51
ZZ48062		21.2	43.9	4.99	18.75	0.21	0.02	0.03	0.055	1.10	27.6	145.5	1.59	483	0.27
ZZ48063		13.50	46.9	4.45	12.25	0.13	0.02	0.04	0.078	0.34	36.1	79.0	1.12	619	0.46
ZZ48064		13.80	27.2	4.32	13.90	0.13	0.02	0.04	0.140	0.37	33.6	96.1	1.17	424	0.44
ZZ48065		17.35	59.2	3.99	9.70	0.21	0.04	0.03	0.127	0.20	90.8	96.5	0.98	530	0.22
ZZ48066		11.65	23.0	3.42	9.32	0.09	<0.02	0.04	0.101	0.18	29.6	64.1	0.75	395	0.57
ZZ48067		11.65	32.1	3.29	7.65	0.12	0.02	0.02	0.073	0.24	36.5	58.2	0.73	344	0.37
ZZ48068		20.5	34.8	2.95	8.30	0.07	<0.02	0.03	0.052	0.25	24.1	41.3	0.49	766	0.70
ZZ48069		11.20	40.8	4.64	12.50	0.14	0.02	0.05	0.115	0.17	45.3	84.4	0.93	582	0.38
ZZ48070		6.21	20.5	3.70	5.73	0.07	0.05	0.04	0.900	0.04	22.9	23.8	0.57	1770	0.47
ZZ48071		16.75	65.9	4.26	13.20	0.13	0.03	0.04	0.456	0.21	40.9	88.3	0.89	762	0.56
ZZ48072		20.4	60.0	4.38	11.40	0.10	<0.02	0.03	0.346	0.29	35.3	96.1	0.66	781	1.14
ZZ48073		22.6	63.0	3.26	7.76	0.08	<0.02	0.02	0.072	0.43	17.6	74.6	0.61	198	2.55
ZZ48074		19.35	62.5	4.22	10.80	0.09	0.02	0.03	0.261	0.29	29.2	74.5	0.83	402	1.00
ZZ48075		22.3	51.0	3.59	8.97	0.09	<0.02	0.03	0.205	0.29	30.6	92.5	0.67	484	1.82
ZZ48076		21.1	47.1	4.01	10.00	0.10	0.04	0.04	0.249	0.42	25.1	70.8	0.69	334	1.28
ZZ48077		22.3	40.2	3.48	7.76	0.11	<0.02	0.02	0.117	0.48	24.8	63.5	0.72	495	1.58
ZZ48078		17.35	30.1	3.32	7.53	0.11	<0.02	0.02	0.069	0.34	26.5	69.2	0.66	279	2.08
ZZ48079		15.00	70.1	3.97	8.52	0.13	<0.02	0.02	0.220	0.33	42.1	61.7	0.81	345	0.66
ZZ48080		14.45	48.1	3.18	8.51	0.09	<0.02	0.03	0.163	0.16	29.8	59.2	0.63	502	0.85



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 4- SEP- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188778

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
ZZ48041		2.48	20.6	300	11.0	31.8	<0.001	0.01	0.64	3.4	<0.2	5.3	44.6	<0.01	0.01
ZZ48042		1.31	39.4	530	10.5	17.4	<0.001	0.02	0.64	4.8	0.4	2.7	73.7	0.01	0.01
ZZ48043		2.26	41.7	790	10.2	23.9	<0.001	0.07	0.60	3.2	1.7	2.6	129.0	0.01	0.03
ZZ48044		1.90	24.8	920	9.1	50.5	0.001	0.06	0.50	2.1	0.2	3.7	86.3	0.01	0.02
ZZ48045		2.81	34.3	560	9.7	46.9	<0.001	0.03	0.24	2.9	0.3	4.6	65.9	<0.01	0.01
ZZ48046		3.97	49.6	530	10.2	48.1	<0.001	0.04	0.20	4.6	0.4	5.3	90.1	0.01	0.02
ZZ48047		3.70	44.7	270	12.7	42.6	<0.001	0.02	0.25	6.3	0.8	4.9	95.4	0.01	0.01
ZZ48048		4.04	40.8	220	11.0	46.1	<0.001	0.02	0.19	6.6	0.6	4.4	99.8	0.01	0.01
ZZ48049		5.58	35.7	340	10.0	65.6	<0.001	0.03	0.17	6.2	0.2	2.5	67.4	0.01	0.01
ZZ48050		5.37	39.8	380	10.4	88.1	0.001	0.02	0.76	8.0	0.6	19.3	71.0	0.01	0.05
ZZ48051		4.39	44.7	430	14.8	61.9	<0.001	0.02	0.18	6.2	0.9	2.5	74.5	0.01	0.03
ZZ48052		3.64	43.4	670	23.4	53.0	<0.001	0.05	0.17	6.0	1.5	2.4	147.5	0.01	0.02
ZZ48053		1.93	31.4	620	16.3	41.2	<0.001	0.04	0.19	2.7	0.3	1.5	38.1	<0.01	0.04
ZZ48054		3.41	39.1	360	21.6	26.9	<0.001	0.01	0.28	4.5	0.7	1.3	83.8	0.03	0.02
ZZ48055		2.06	19.7	240	26.9	13.8	<0.001	<0.01	0.25	1.6	0.5	1.2	18.5	0.01	0.03
ZZ48056		0.62	44.7	510	17.6	30.4	<0.001	0.01	0.11	4.9	1.4	5.1	85.6	<0.01	0.04
ZZ48057		1.17	25.9	440	13.8	11.2	<0.001	0.02	0.20	2.8	0.5	1.4	67.1	<0.01	0.03
ZZ48058		5.06	42.2	410	23.9	53.8	<0.001	0.02	0.30	5.2	0.6	3.4	73.9	0.02	0.02
ZZ48059		3.45	65.6	1730	21.5	73.8	<0.001	0.01	0.06	10.0	1.7	3.2	336	0.01	0.09
ZZ48060		4.60	38.2	730	8.5	53.4	<0.001	0.04	0.15	4.5	0.7	1.7	147.0	0.03	0.03
ZZ48061		4.05	39.7	500	22.1	89.0	<0.001	0.02	0.13	6.0	0.7	3.9	60.6	0.02	0.05
ZZ48062		7.38	56.2	560	15.2	123.5	<0.001	0.02	0.06	10.2	0.7	4.6	190.0	0.01	0.02
ZZ48063		4.66	50.4	380	82.6	61.7	<0.001	0.03	0.24	7.0	0.9	3.7	94.1	0.01	0.03
ZZ48064		5.97	41.5	390	16.0	57.7	<0.001	0.02	0.31	7.5	0.8	4.6	68.6	0.02	0.02
ZZ48065		3.01	85.0	410	11.7	30.2	<0.001	0.02	0.18	5.8	2.0	3.4	102.0	0.01	0.01
ZZ48066		3.66	37.1	370	12.1	43.6	<0.001	0.01	0.35	4.1	0.5	3.8	50.2	0.02	0.03
ZZ48067		3.08	30.5	430	9.5	34.4	<0.001	0.04	0.18	3.9	0.8	4.3	73.2	0.02	0.04
ZZ48068		1.71	31.5	880	9.7	133.0	<0.001	0.10	0.64	1.7	0.6	5.2	109.5	<0.01	0.04
ZZ48069		2.11	47.1	600	9.9	34.2	<0.001	0.04	0.40	7.3	1.2	5.9	138.5	0.01	0.03
ZZ48070		1.06	28.0	520	7.2	9.6	<0.001	0.02	0.37	3.9	0.5	5.8	75.5	0.01	0.03
ZZ48071		2.81	38.4	510	9.1	47.4	<0.001	0.05	0.39	9.0	0.8	16.5	193.0	0.01	0.04
ZZ48072		2.31	35.2	410	7.4	119.0	<0.001	0.08	1.39	5.2	0.6	13.9	69.4	<0.01	0.06
ZZ48073		2.22	19.7	220	10.6	93.0	<0.001	0.08	0.20	3.6	0.4	3.7	6.9	<0.01	<0.01
ZZ48074		2.86	30.7	280	7.1	68.1	<0.001	0.08	0.30	5.6	0.7	10.0	53.8	<0.01	0.06
ZZ48075		2.81	46.5	340	9.3	93.1	<0.001	0.07	0.31	4.5	0.6	7.5	59.1	<0.01	0.03
ZZ48076		2.71	47.0	530	7.9	96.6	0.001	0.07	0.47	5.1	0.6	7.7	90.2	<0.01	0.03
ZZ48077		2.86	29.7	450	7.4	124.5	<0.001	0.04	0.25	4.5	0.4	5.6	57.4	<0.01	0.03
ZZ48078		2.30	25.9	200	8.3	96.2	<0.001	0.04	0.23	3.6	0.4	4.5	42.8	<0.01	0.02
ZZ48079		1.69	25.6	190	5.8	55.5	<0.001	0.06	0.50	4.6	0.6	6.8	42.9	<0.01	0.04
ZZ48080		2.93	34.8	360	12.5	46.9	<0.001	0.04	0.37	4.4	0.5	3.7	44.3	<0.01	0.02



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 3 - D
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 4- SEP- 2012
 Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188778

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm	W- XRF05 W ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5	10
ZZ48041		0.067	0.16	1.05	43	9.66	4.74	650	0.7	
ZZ48042		0.028	0.10	1.12	33	1.42	9.71	260	0.7	
ZZ48043		0.040	0.21	5.54	32	1.11	36.4	456	0.7	
ZZ48044		0.034	0.21	1.03	32	0.96	6.00	155	<0.5	
ZZ48045		0.052	0.25	1.65	33	0.67	9.05	232	<0.5	
ZZ48046		0.068	0.31	1.86	37	0.71	10.50	252	<0.5	
ZZ48047		0.076	0.33	1.90	40	0.71	12.20	253	0.7	
ZZ48048		0.088	0.43	2.79	41	0.46	18.00	196	1.2	
ZZ48049		0.117	0.36	1.13	52	0.33	7.69	227	0.5	
ZZ48050		0.108	0.80	1.74	47	187.0	12.80	3930	1.3	280
ZZ48051		0.069	0.39	1.44	40	0.70	12.10	174	0.7	
ZZ48052		0.063	0.35	3.78	42	0.44	29.6	183	0.6	
ZZ48053		0.044	0.20	1.50	38	0.18	8.61	169	<0.5	
ZZ48054		0.064	0.14	2.60	38	0.25	14.85	102	1.3	
ZZ48055		0.041	0.08	0.81	35	0.16	3.58	192	0.7	
ZZ48056		0.028	0.29	2.35	26	0.08	28.6	249	1.4	
ZZ48057		0.028	0.13	1.69	25	0.51	12.30	100	0.9	
ZZ48058		0.075	0.30	1.73	39	0.29	13.00	220	1.6	
ZZ48059		0.100	0.57	1.41	65	0.15	42.5	107	0.5	
ZZ48060		0.070	0.37	1.96	36	0.31	14.15	121	0.6	
ZZ48061		0.082	0.43	1.60	51	0.48	10.20	185	<0.5	
ZZ48062		0.116	0.76	1.99	53	1.87	15.75	242	0.8	
ZZ48063		0.077	0.39	2.13	46	0.35	15.50	499	0.8	
ZZ48064		0.094	0.35	2.14	50	0.49	16.75	393	0.8	
ZZ48065		0.048	0.32	3.95	29	0.94	52.2	1260	0.6	
ZZ48066		0.066	0.22	1.29	37	0.74	11.35	329	0.5	
ZZ48067		0.063	0.37	1.84	29	1.46	10.90	136	0.7	
ZZ48068		0.047	0.24	1.33	37	0.62	5.78	221	<0.5	
ZZ48069		0.081	0.36	2.03	45	7.17	20.1	225	0.7	
ZZ48070		0.031	0.14	1.32	23	12.25	7.19	465	1.5	
ZZ48071		0.121	0.50	1.77	51	34.3	18.80	731	1.2	
ZZ48072		0.067	0.46	1.34	41	24.9	9.26	769	<0.5	
ZZ48073		0.061	0.64	0.49	32	12.15	3.69	140	0.7	
ZZ48074		0.114	0.51	1.20	45	30.1	7.33	382	1.0	
ZZ48075		0.098	0.53	1.67	38	27.0	8.00	398	0.5	
ZZ48076		0.084	0.55	1.40	39	19.40	7.30	454	1.4	
ZZ48077		0.106	0.66	2.22	35	15.55	7.78	301	<0.5	
ZZ48078		0.097	0.56	1.40	32	15.45	7.06	147	<0.5	
ZZ48079		0.138	0.62	1.62	37	23.2	10.75	305	0.5	
ZZ48080		0.087	0.30	1.77	37	4.23	7.07	379	<0.5	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 4- SEP- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188778

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ48081		0.25	0.003	0.21	3.53	14.0	<0.2	<10	90	5.09	9.82	0.67	0.22	76.8	14.2	56
ZZ48082		0.24	0.001	0.21	4.25	10.3	<0.2	<10	120	6.96	8.83	0.37	0.60	37.0	14.4	59
ZZ48083		0.22	<0.001	0.12	2.54	2.5	<0.2	<10	60	5.42	8.01	0.44	3.57	39.1	9.9	37
ZZ48084		0.25	<0.001	0.15	3.41	9.1	<0.2	<10	80	5.40	5.20	0.57	1.65	49.2	11.8	40
ZZ48085		0.23	0.001	0.11	2.15	1.1	<0.2	<10	70	0.89	0.67	0.21	0.19	31.7	7.6	59
ZZ48086		0.28	0.002	0.36	2.30	4.2	<0.2	<10	60	3.28	0.76	0.09	0.39	120.5	81.1	28
ZZ48087		0.26	0.001	0.10	2.70	5.7	<0.2	<10	80	15.55	1.61	0.43	0.90	79.9	14.7	34
ZZ48088		0.23	0.001	0.27	2.57	6.9	<0.2	<10	80	2.13	1.09	0.16	0.68	51.6	25.9	32
ZZ48089		0.19	0.001	0.23	3.53	4.4	<0.2	<10	70	2.82	0.55	0.30	0.61	41.8	12.2	37
ZZ48090		0.21	<0.001	0.15	2.66	7.8	<0.2	<10	100	1.15	0.72	0.16	0.39	36.7	13.1	44
ZZ48091		0.28	0.003	0.28	3.88	10.7	<0.2	<10	100	1.19	0.73	1.12	0.39	74.4	19.3	62
ZZ48092		0.29	0.009	0.23	3.35	21.8	<0.2	<10	90	1.14	0.91	0.68	0.19	121.5	20.8	44
ZZ48093		0.24	<0.001	0.13	4.36	16.8	<0.2	<10	80	1.39	0.57	1.08	0.14	86.6	19.4	65
ZZ48094		0.23	0.001	0.12	1.28	46	<0.2	<10	60	0.75	0.35	13.10	0.14	79.3	10.8	24
ZZ48095		0.25	0.002	0.08	1.66	60.8	<0.2	<10	90	0.57	0.52	0.07	0.29	32.5	8.9	27
ZZ48096		0.24	0.009	1.19	2.16	13.0	<0.2	<10	70	1.28	4.45	0.41	0.73	>500	27.0	26
ZZ48097		0.21	0.001	0.15	4.27	31.9	<0.2	<10	110	1.17	0.80	0.75	0.16	85.7	21.8	45
ZZ48098		0.31	0.001	0.19	3.30	525	<0.2	<10	100	1.27	0.67	2.06	0.12	93.3	25.2	54
ZZ48099		0.27	0.002	0.14	3.52	601	<0.2	<10	100	1.07	0.61	3.25	0.18	91.6	23.4	63
ZZ48100		0.22	0.001	0.25	3.25	11.7	<0.2	<10	110	1.19	0.57	1.59	0.41	120.0	23.0	61
ZZ48101		0.13	0.001	0.07	3.02	6.8	<0.2	<10	130	0.73	1.03	0.24	0.30	54.7	15.6	48
ZZ48102		0.11	<0.001	0.10	2.47	14.4	<0.2	<10	80	0.63	2.52	0.08	0.44	37.5	12.1	42
ZZ48103		0.18	0.002	0.18	3.30	8.5	<0.2	<10	150	1.18	0.94	0.47	0.17	52.9	15.0	49
ZZ48104		0.25	0.001	0.09	3.40	6.3	<0.2	<10	110	1.56	1.22	0.29	0.25	80.5	14.3	39
ZZ48105		0.22	0.001	0.14	2.13	3.6	<0.2	<10	80	1.01	0.85	0.20	0.18	51.0	8.2	34
ZZ48106		0.26	<0.001	0.11	3.28	6.4	<0.2	<10	90	2.01	0.67	0.32	0.30	45.6	13.0	38
ZZ48107		0.33	0.001	0.23	5.40	4.1	<0.2	<10	60	5.57	1.40	0.80	0.66	103.0	19.4	49
ZZ48108		0.31	0.001	0.36	2.47	3.1	<0.2	<10	60	2.09	1.12	0.08	0.37	55.7	13.6	32
ZZ48109		0.32	0.002	0.23	3.53	8.9	<0.2	<10	80	5.05	1.85	0.37	0.24	81.4	20.7	45
ZZ48110		0.35	0.001	0.20	1.54	3.1	<0.2	<10	70	1.13	1.11	0.05	0.12	51.8	4.9	29
ZZ48111		0.31	0.004	0.17	3.02	4.4	<0.2	<10	120	4.20	2.36	0.16	0.32	62.9	17.8	37
ZZ48112		0.29	0.001	0.09	2.13	3.7	<0.2	<10	70	4.40	1.55	0.23	2.36	43.0	13.8	34
ZZ48113		0.35	<0.001	0.16	3.00	3.8	<0.2	<10	90	5.02	8.92	0.51	4.07	50.3	15.4	31
ZZ48114		0.34	0.001	0.18	3.57	3.6	<0.2	<10	60	7.14	4.36	0.51	1.15	63.3	15.7	47
ZZ48115		0.33	<0.001	0.15	3.88	3.3	<0.2	<10	70	7.55	9.29	0.84	1.67	59.8	14.7	46
ZZ48116		0.38	<0.001	0.31	2.73	4.7	<0.2	<10	60	4.29	6.43	0.30	0.42	37.0	10.2	42
ZZ48117		0.38	0.002	0.59	2.34	8.7	<0.2	<10	60	2.49	8.07	0.13	0.17	38.6	11.3	37
ZZ48118		0.28	0.001	0.20	1.74	4.1	<0.2	<10	60	1.36	3.17	0.16	0.14	40.7	8.7	28
ZZ48119		0.37	<0.001	0.17	2.28	2.5	<0.2	<10	50	2.88	5.63	0.14	0.05	60.4	11.6	31
ZZ48120		0.32	<0.001	0.17	2.26	2.3	<0.2	<10	60	2.79	5.05	0.12	0.10	44.9	9.6	42



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 4- SEP- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188778

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ48081		22.5	103.5	4.68	13.75	0.15	<0.02	0.02	0.592	0.35	43.2	84.7	1.01	618	0.75
ZZ48082		25.7	73.6	5.11	15.55	0.14	0.04	0.05	0.194	0.42	17.5	129.5	0.94	538	0.87
ZZ48083		14.65	14.6	3.89	11.60	0.07	0.03	0.03	0.919	0.08	17.6	49.3	0.48	604	1.82
ZZ48084		14.05	31.7	4.00	11.70	0.09	0.05	0.03	0.410	0.15	24.8	68.8	0.79	656	0.97
ZZ48085		7.50	17.5	2.43	9.00	0.05	<0.02	0.05	0.032	0.11	16.5	33.1	0.43	375	0.66
ZZ48086		11.95	44.5	3.90	6.77	0.07	0.03	0.03	0.070	0.16	26.7	57.3	0.57	1400	0.73
ZZ48087		21.1	24.4	4.01	8.94	0.12	0.02	0.05	0.235	0.27	28.2	66.0	0.69	2140	0.53
ZZ48088		13.20	23.0	3.58	8.80	0.08	0.03	0.03	0.044	0.17	25.8	56.8	0.68	968	0.56
ZZ48089		9.12	24.5	3.21	12.95	0.08	0.05	0.05	0.043	0.11	19.5	49.5	0.64	456	0.76
ZZ48090		14.45	14.5	3.67	12.30	0.06	<0.02	0.03	0.049	0.20	19.0	64.1	0.93	610	0.51
ZZ48091		13.25	52.4	4.59	13.40	0.20	0.02	0.02	0.055	0.44	65.1	111.0	1.39	428	0.27
ZZ48092		16.80	45.9	4.39	11.40	0.21	0.03	0.03	0.042	0.41	89.5	97.9	1.24	524	0.30
ZZ48093		6.49	19.7	4.94	14.90	0.16	0.02	0.03	0.050	0.15	42.4	72.4	1.13	863	0.30
ZZ48094		3.31	19.6	3.42	4.89	0.10	0.02	0.03	0.044	0.05	48.0	19.3	0.44	347	0.31
ZZ48095		9.17	10.9	3.58	9.28	<0.05	<0.02	0.03	0.046	0.15	16.0	33.2	0.51	651	0.53
ZZ48096		4.25	96.6	8.54	8.32	0.32	0.08	0.07	0.331	0.12	126.0	43.6	0.70	1390	0.95
ZZ48097		9.32	32.1	5.26	12.45	0.13	0.03	0.02	0.068	0.28	37.7	77.4	1.14	507	0.45
ZZ48098		11.55	44.0	5.74	14.00	0.14	0.02	0.02	0.051	0.41	51.3	83.5	1.27	569	0.32
ZZ48099		7.30	25.7	6.15	14.05	0.16	0.02	0.03	0.055	0.35	43.3	78.6	1.28	1160	0.29
ZZ48100		8.59	33.3	6.13	13.40	0.20	0.02	0.04	0.074	0.37	76.8	75.7	1.14	1080	0.34
ZZ48101		11.75	25.8	4.77	13.95	0.10	0.02	0.02	0.062	0.30	26.3	77.9	1.00	251	0.63
ZZ48102		14.75	16.7	3.99	14.00	0.08	0.04	0.03	0.316	0.27	19.2	56.6	0.81	307	0.55
ZZ48103		14.85	27.3	3.91	11.40	0.11	0.04	0.02	0.094	0.44	29.4	60.8	1.04	362	0.45
ZZ48104		14.95	26.5	3.69	10.15	0.11	0.05	0.02	0.100	0.39	29.7	58.5	0.91	297	0.32
ZZ48105		11.70	20.7	3.07	9.14	0.10	<0.02	0.02	0.041	0.28	28.3	58.0	0.72	230	0.54
ZZ48106		15.30	16.2	3.84	10.65	0.09	0.02	0.04	0.042	0.22	21.5	62.9	0.79	251	0.50
ZZ48107		23.1	32.4	4.35	14.20	0.12	0.04	0.04	0.056	0.33	29.1	105.5	1.12	429	0.43
ZZ48108		22.1	30.4	4.72	10.75	0.07	<0.02	0.05	0.062	0.15	30.3	67.5	0.73	341	0.63
ZZ48109		19.95	31.1	4.24	11.15	0.10	0.02	0.02	0.066	0.23	38.8	77.7	0.91	419	0.94
ZZ48110		9.08	40.8	3.70	6.69	0.08	0.02	0.02	0.027	0.28	28.0	37.5	0.53	157	1.08
ZZ48111		18.20	49.4	4.75	10.60	0.09	<0.02	0.02	0.158	0.28	32.9	78.5	0.79	549	0.54
ZZ48112		18.20	21.2	4.08	9.95	0.08	0.02	0.02	0.100	0.15	20.2	54.5	0.60	793	0.62
ZZ48113		15.15	23.0	4.18	11.65	0.08	0.05	0.03	1.695	0.10	21.4	45.5	0.55	1330	0.99
ZZ48114		15.00	39.9	4.40	14.20	0.11	0.03	0.03	0.317	0.15	27.8	81.8	0.80	660	1.32
ZZ48115		21.2	31.8	4.49	14.45	0.11	0.03	0.03	0.658	0.25	25.6	84.6	0.85	627	0.85
ZZ48116		23.6	33.6	4.27	10.70	0.09	<0.02	0.02	0.216	0.33	18.9	93.4	0.87	466	0.63
ZZ48117		23.6	50.2	4.28	10.10	0.08	<0.02	0.03	0.090	0.34	19.9	72.8	0.70	262	1.26
ZZ48118		14.55	19.4	3.62	8.48	0.06	<0.02	0.02	0.045	0.31	20.3	42.2	0.54	231	0.93
ZZ48119		15.40	40.4	3.61	7.86	0.10	<0.02	0.02	0.078	0.25	31.3	65.3	0.68	230	0.65
ZZ48120		23.5	33.1	4.38	10.05	0.09	<0.02	0.02	0.110	0.39	24.5	70.3	0.81	251	0.65



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 4- SEP- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188778

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
ZZ48081		2.25	34.2	360	10.3	68.2	<0.001	0.06	0.45	8.8	0.8	12.3	119.0	0.01	0.06
ZZ48082		4.70	45.1	290	5.3	109.5	0.001	0.05	0.43	8.6	0.6	17.5	82.1	<0.01	0.07
ZZ48083		2.64	20.0	330	9.6	42.0	0.001	0.05	0.36	3.4	0.4	13.5	59.8	0.01	0.02
ZZ48084		2.02	33.9	190	7.7	36.0	<0.001	0.04	0.81	5.9	0.6	19.0	104.0	<0.01	0.02
ZZ48085		4.97	28.8	550	6.4	29.1	<0.001	0.06	0.14	2.2	0.6	2.6	39.4	0.05	0.02
ZZ48086		0.80	123.5	390	15.0	31.2	<0.001	0.01	0.66	5.1	0.8	3.6	28.7	<0.01	0.02
ZZ48087		1.86	40.2	570	10.1	70.1	<0.001	0.02	0.35	3.8	0.6	19.7	112.0	0.01	0.03
ZZ48088		2.22	35.2	460	12.0	33.1	<0.001	0.04	0.26	2.5	0.3	4.3	39.3	0.01	0.03
ZZ48089		3.84	35.8	670	9.4	27.1	<0.001	0.03	0.26	3.9	0.7	2.8	52.4	0.02	0.02
ZZ48090		3.12	26.0	360	9.6	43.6	<0.001	0.01	0.16	4.6	<0.2	2.6	33.3	0.01	0.02
ZZ48091		3.34	53.4	1020	13.2	86.1	<0.001	0.01	0.09	7.4	1.3	1.9	186.0	<0.01	0.03
ZZ48092		2.36	57.4	650	12.1	62.4	<0.001	0.01	0.17	7.5	1.7	2.5	91.6	0.01	0.08
ZZ48093		4.96	41.1	730	18.1	24.7	<0.001	0.02	0.14	9.1	1.1	2.0	355	0.01	0.02
ZZ48094		0.47	28.3	1090	17.3	8.3	<0.001	0.01	0.14	4.5	0.9	0.6	566	<0.01	0.02
ZZ48095		1.12	19.3	420	13.5	43.5	<0.001	<0.01	0.21	1.8	0.3	1.6	16.2	<0.01	0.02
ZZ48096		0.44	62.8	530	205	24.1	0.001	<0.01	0.46	7.1	5.2	3.4	41.1	0.01	0.05
ZZ48097		3.18	57.4	620	17.8	47.1	<0.001	0.01	0.17	6.9	1.1	2.5	108.0	0.01	0.02
ZZ48098		1.76	59.6	1050	19.7	50.9	<0.001	0.01	0.14	10.3	1.5	2.7	367	<0.01	0.04
ZZ48099		0.95	48.0	820	30.0	65.0	<0.001	0.01	0.12	11.5	1.3	1.1	510	<0.01	0.04
ZZ48100		1.71	52.1	1180	26.6	67.8	<0.001	0.05	0.10	11.8	1.4	1.5	198.0	<0.01	0.04
ZZ48101		4.42	45.3	250	11.6	47.2	<0.001	<0.01	0.27	6.1	0.5	3.4	62.5	<0.01	0.03
ZZ48102		4.41	30.9	240	14.2	58.6	<0.001	<0.01	0.26	4.9	0.3	6.8	32.9	<0.01	0.05
ZZ48103		3.52	39.5	550	11.9	66.6	<0.001	<0.01	0.18	6.4	0.8	3.2	101.5	0.01	0.02
ZZ48104		2.39	35.9	330	12.4	57.4	<0.001	<0.01	0.22	5.6	0.8	3.1	78.3	0.01	0.02
ZZ48105		2.55	28.1	460	8.5	54.3	<0.001	0.02	0.18	3.9	0.4	3.9	50.1	<0.01	0.03
ZZ48106		4.86	32.1	360	9.7	39.2	<0.001	0.03	0.28	4.0	0.4	2.9	67.8	0.02	0.03
ZZ48107		3.92	49.3	400	20.7	68.9	<0.001	0.01	0.25	7.3	1.1	9.4	134.5	0.01	0.03
ZZ48108		2.87	34.6	480	18.2	45.2	<0.001	0.02	0.19	2.8	0.4	4.4	20.3	0.01	0.03
ZZ48109		3.83	43.7	770	11.1	49.9	<0.001	0.04	0.21	4.3	0.8	9.4	117.5	0.02	0.05
ZZ48110		2.66	9.9	380	11.1	44.5	<0.001	0.11	0.14	2.0	0.5	1.9	30.0	<0.01	0.07
ZZ48111		1.92	44.4	460	7.9	58.5	<0.001	0.08	0.48	4.5	0.5	11.0	73.9	<0.01	0.03
ZZ48112		2.49	28.3	430	11.7	58.4	<0.001	0.02	0.29	3.6	0.4	6.7	50.8	0.01	0.02
ZZ48113		2.17	28.0	310	10.3	34.0	0.001	<0.01	0.43	4.3	0.4	13.2	87.6	<0.01	0.05
ZZ48114		3.40	39.7	350	8.1	36.5	<0.001	<0.01	0.26	7.4	0.4	11.4	130.0	0.01	0.02
ZZ48115		3.02	42.1	400	7.4	67.8	0.001	0.01	0.33	6.8	0.4	14.8	158.0	0.01	0.03
ZZ48116		2.47	24.6	180	5.6	94.1	<0.001	0.02	0.24	4.9	0.2	8.4	41.4	<0.01	0.04
ZZ48117		2.31	32.6	270	8.1	112.0	<0.001	0.01	0.44	4.3	0.3	6.0	42.1	<0.01	0.05
ZZ48118		2.19	19.3	290	8.3	138.0	<0.001	0.01	0.26	2.4	0.2	4.3	41.4	<0.01	0.03
ZZ48119		2.14	31.2	260	9.6	49.6	<0.001	<0.01	0.56	3.6	0.5	4.2	53.3	<0.01	0.03
ZZ48120		2.85	27.6	200	5.8	100.5	0.001	0.01	0.25	4.3	0.3	6.5	33.7	<0.01	0.04



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 4 - D
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 4- SEP- 2012
 Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188778

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm	W- XRF05 W ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5	10
ZZ48081		0.145	0.79	2.30	53	22.4	16.95	606	0.7	
ZZ48082		0.170	0.68	1.14	63	104.5	7.47	486	1.5	100
ZZ48083		0.071	0.14	0.90	44	59.4	4.80	2170	1.2	
ZZ48084		0.065	0.33	1.31	41	18.05	6.37	903	1.9	
ZZ48085		0.066	0.12	0.89	35	0.52	4.65	104	<0.5	
ZZ48086		0.023	0.37	1.74	34	0.86	10.75	249	1.2	
ZZ48087		0.070	0.69	1.47	35	100.0	10.20	494	0.6	100
ZZ48088		0.041	0.26	1.32	30	0.83	7.27	201	1.1	
ZZ48089		0.060	0.18	1.31	35	1.39	7.89	284	1.8	
ZZ48090		0.060	0.22	0.88	41	0.27	6.25	198	<0.5	
ZZ48091		0.072	0.54	3.72	51	0.17	39.0	374	0.5	
ZZ48092		0.055	0.54	3.01	38	0.17	46.6	181	0.9	
ZZ48093		0.097	0.33	2.08	55	0.27	24.3	107	0.6	
ZZ48094		0.023	0.18	2.11	22	0.11	21.4	79	0.5	
ZZ48095		0.052	0.22	0.68	36	0.22	4.35	101	<0.5	
ZZ48096		0.017	0.35	2.24	21	0.17	115.0	937	1.5	
ZZ48097		0.075	0.33	2.67	43	0.93	26.5	229	0.8	
ZZ48098		0.052	0.44	2.45	52	0.16	33.7	140	0.7	
ZZ48099		0.112	0.50	2.56	65	0.09	30.0	90	<0.5	
ZZ48100		0.093	0.52	3.47	56	0.19	39.4	126	<0.5	
ZZ48101		0.082	0.32	1.04	48	0.56	10.30	155	1.1	
ZZ48102		0.093	0.35	0.67	49	0.95	6.22	335	1.9	
ZZ48103		0.080	0.46	1.44	43	0.72	14.25	175	1.6	
ZZ48104		0.078	0.54	1.68	34	0.53	13.05	171	2.2	
ZZ48105		0.078	0.45	1.29	35	0.89	8.20	123	<0.5	
ZZ48106		0.094	0.26	1.01	36	0.61	7.94	155	0.9	
ZZ48107		0.072	0.61	1.97	41	3.09	16.15	265	1.5	
ZZ48108		0.047	0.26	1.61	34	0.59	7.43	162	<0.5	
ZZ48109		0.065	0.44	2.05	45	1.29	15.55	231	0.5	
ZZ48110		0.077	0.35	1.40	34	2.92	4.61	72	<0.5	
ZZ48111		0.060	0.51	1.60	40	15.30	9.87	500	<0.5	
ZZ48112		0.071	0.25	0.99	41	11.70	5.23	789	0.6	
ZZ48113		0.060	0.23	1.47	34	31.1	5.50	2810	1.2	
ZZ48114		0.105	0.37	1.51	49	43.6	8.55	840	1.1	
ZZ48115		0.100	0.44	1.47	48	64.8	8.25	1660	1.2	
ZZ48116		0.116	0.54	0.93	42	25.6	4.37	430	<0.5	
ZZ48117		0.080	0.53	1.14	40	38.0	4.95	179	0.5	
ZZ48118		0.089	0.47	0.95	37	18.40	3.79	127	<0.5	
ZZ48119		0.091	0.60	1.55	28	24.9	8.49	113	0.5	
ZZ48120		0.110	0.55	1.07	43	34.8	4.73	223	0.5	



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.

C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED

1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - A

Total # Pages: 8 (A - D)

Plus Appendix Pages

Finalized Date: 4- SEP- 2012

Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188778

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ48121		0.31	<0.001	0.18	2.37	3.3	<0.2	<10	70	4.64	6.22	0.30	1.07	37.4	11.6	39
ZZ48122		0.33	<0.001	0.24	3.36	4.5	<0.2	<10	60	6.85	6.33	0.59	1.44	60.5	14.5	48
ZZ48123		0.29	0.001	0.08	2.55	1.8	<0.2	<10	70	4.94	8.88	0.61	3.21	47.1	11.1	23
ZZ48124		0.32	0.001	0.15	3.15	3.1	<0.2	<10	60	5.51	1.60	1.65	0.66	69.8	14.1	33
ZZ48125		0.31	<0.001	0.12	2.19	7.0	<0.2	<10	100	1.32	1.23	0.20	0.92	43.1	29.6	41
ZZ48126		0.23	<0.001	0.17	2.51	3.9	<0.2	<10	70	2.11	1.06	0.22	1.26	44.0	20.3	41
ZZ48127		0.28	0.002	0.13	2.83	2.3	<0.2	<10	70	1.32	0.56	0.20	0.27	28.3	19.2	46
ZZ48128		0.33	0.001	0.25	4.28	4.0	<0.2	<10	80	2.36	1.14	0.41	0.15	55.6	21.8	47
ZZ48129		0.33	0.001	0.10	3.86	7.9	<0.2	<10	120	3.06	1.08	0.15	0.27	47.4	19.3	44
ZZ48130		0.28	0.002	0.24	2.98	6.3	<0.2	<10	80	0.87	0.46	0.19	0.15	61.6	17.5	47
ZZ48131		0.28	0.001	0.08	3.72	20.4	<0.2	<10	120	1.23	0.47	0.58	0.19	94.4	25.3	58
ZZ48132		0.33	0.006	0.09	3.81	32.4	<0.2	<10	110	1.39	0.36	0.65	0.13	90.1	14.0	50
ZZ48133		0.35	0.001	0.19	1.48	1230	<0.2	<10	60	0.42	0.91	0.07	0.66	36.0	10.9	20
ZZ48134		0.34	0.005	0.11	2.74	14.1	<0.2	<10	70	0.65	0.55	0.54	0.13	104.0	19.3	29
ZZ48135		0.26	<0.001	0.14	1.78	25.4	<0.2	<10	70	0.61	0.38	0.75	0.33	81.0	12.0	23
ZZ48136		0.31	<0.001	0.30	2.97	993	<0.2	<10	70	0.87	0.42	3.49	0.61	375	29.3	41
ZZ48137		0.33	0.002	0.28	2.70	90.7	<0.2	<10	80	0.95	0.58	1.27	0.57	82.9	16.4	39
ZZ48138		0.40	0.001	0.12	3.20	5.2	<0.2	<10	100	0.82	0.49	1.28	0.23	67.5	20.7	45
ZZ48139		0.30	0.001	0.15	3.62	10.0	<0.2	<10	110	0.84	0.57	1.27	0.60	60.3	18.0	47
ZZ48140		0.23	<0.001	0.17	3.16	2.3	<0.2	<10	110	2.10	0.67	0.72	2.44	58.5	21.4	46
ZZ48141		0.20	<0.001	0.12	2.15	2.9	<0.2	<10	70	0.82	0.93	0.16	0.20	41.3	8.7	31
ZZ48142		0.23	0.001	0.14	2.16	1.9	<0.2	<10	80	1.38	1.14	0.41	0.19	67.2	15.2	30
ZZ48143		0.13	0.005	0.30	2.55	1.0	<0.2	<10	30	5.04	0.92	0.84	0.32	141.5	14.2	41
ZZ48144		0.21	0.001	0.24	1.91	8.7	<0.2	<10	40	2.94	3.21	1.74	0.61	69.5	12.2	22
ZZ48145		0.17	0.001	0.24	2.46	1.5	<0.2	<10	50	5.56	4.84	6.23	1.84	60.1	20.2	29
ZZ48146		0.21	0.002	0.17	2.41	3.1	<0.2	<10	50	3.88	5.64	4.33	1.78	63.0	17.9	28
ZZ48147		0.35	0.008	0.28	2.04	5.4	<0.2	<10	90	0.77	1.66	0.73	1.10	58.9	12.0	26
ZZ48148		0.26	0.002	0.20	2.61	4.5	<0.2	<10	80	0.64	3.34	0.39	0.38	45.2	12.9	36
ZZ48149		0.24	<0.001	0.10	1.53	4.5	<0.2	<10	60	0.55	0.87	0.38	0.34	48.9	9.0	20
ZZ48150		0.25	0.009	0.48	2.80	5.2	<0.2	<10	90	0.89	4.72	1.04	1.23	66.1	20.4	36
ZZ48151		0.32	0.003	0.81	2.50	5.7	<0.2	<10	90	0.78	3.95	1.29	1.91	56.4	18.3	31
ZZ48152		0.30	0.001	0.38	2.51	8.6	<0.2	<10	90	0.75	4.78	1.89	1.71	56.3	16.4	32
ZZ48153		0.13	0.001	0.35	1.90	5.3	<0.2	<10	60	0.93	7.27	0.32	1.12	38.6	16.7	23
ZZ48154		0.23	0.001	0.20	2.93	3.2	<0.2	<10	60	0.86	1.57	2.73	0.53	54.6	23.5	35
ZZ48155		0.19	0.002	0.13	3.51	1.5	<0.2	<10	90	1.00	0.75	1.24	0.38	74.6	29.0	45
ZZ48156		0.17	0.005	0.18	3.48	2.7	<0.2	<10	90	3.68	1.70	1.10	0.82	49.8	14.0	44
ZZ48157		0.21	0.002	0.19	3.85	3.9	<0.2	<10	80	1.23	1.03	1.36	0.70	42.9	13.0	47
ZZ48158		0.35	0.010	0.33	3.69	6.8	<0.2	<10	100	1.05	1.79	0.79	0.86	65.3	17.5	49
ZZ48159		0.30	0.002	0.37	2.59	15.7	<0.2	<10	110	0.78	1.17	0.42	0.56	55.8	12.2	35
ZZ48160		0.13	0.002	0.15	4.53	24.1	<0.2	<10	220	1.20	0.83	0.72	0.43	94.4	26.1	55



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 4- SEP- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188778

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ48121		22.5	32.0	3.75	11.25	0.10	<0.02	0.02	0.277	0.32	18.8	81.9	0.75	449	0.59
ZZ48122		35.7	37.0	4.39	13.15	0.10	<0.02	0.09	0.390	0.21	34.2	101.5	0.87	552	0.78
ZZ48123		8.64	18.0	3.42	9.18	0.06	0.03	0.07	0.723	0.04	21.1	45.2	0.57	1490	1.79
ZZ48124		14.00	25.7	3.50	9.47	0.10	0.03	0.05	0.095	0.12	33.6	54.7	0.60	692	0.42
ZZ48125		31.6	24.4	3.80	10.95	0.08	<0.02	0.03	0.038	0.36	23.2	55.3	0.79	1050	0.57
ZZ48126		26.8	37.6	4.03	9.73	0.08	<0.02	0.02	0.055	0.17	24.0	99.4	0.73	344	1.00
ZZ48127		18.45	14.7	3.65	13.85	0.06	<0.02	0.04	0.028	0.24	15.5	104.5	0.91	308	0.38
ZZ48128		23.6	27.9	4.26	12.65	0.10	0.02	0.03	0.076	0.34	26.7	78.7	1.00	444	0.43
ZZ48129		17.65	26.5	4.10	11.10	0.10	0.03	0.05	0.091	0.37	23.7	69.1	0.94	326	0.41
ZZ48130		14.55	18.7	3.99	11.90	0.12	0.02	0.04	0.039	0.36	29.2	67.3	0.98	325	0.55
ZZ48131		14.25	31.5	4.40	12.75	0.20	0.02	0.04	0.031	0.39	76.2	126.0	1.19	513	0.60
ZZ48132		13.90	21.3	4.23	12.40	0.10	<0.02	0.03	0.033	0.51	38.6	86.8	1.05	462	0.25
ZZ48133		4.91	17.1	4.28	6.94	0.05	<0.02	0.06	0.041	0.07	17.6	28.9	0.38	411	0.63
ZZ48134		2.72	23.8	4.48	7.85	0.13	0.03	0.03	0.045	0.12	58.9	45.4	0.81	584	0.36
ZZ48135		3.91	29.1	3.52	6.26	0.11	0.03	0.07	0.028	0.08	47.0	43.9	0.71	303	0.46
ZZ48136		6.79	39.3	5.42	10.35	0.47	0.07	0.06	0.047	0.11	195.0	56.9	0.93	932	0.43
ZZ48137		6.77	75.2	4.11	9.28	0.17	0.02	0.07	0.097	0.15	77.7	73.0	0.77	522	0.32
ZZ48138		6.64	33.4	4.99	12.15	0.12	<0.02	0.03	0.051	0.28	37.6	77.1	1.23	931	0.34
ZZ48139		12.40	48.3	3.92	10.75	0.12	0.02	0.04	0.062	0.42	36.9	100.5	0.99	535	0.30
ZZ48140		16.25	46.6	4.09	11.35	0.10	<0.02	0.05	0.050	0.24	36.8	110.0	0.91	1040	0.57
ZZ48141		11.35	23.5	3.14	9.15	0.07	<0.02	0.03	0.044	0.18	24.6	52.2	0.62	186	0.52
ZZ48142		13.40	35.7	3.34	7.68	0.10	<0.02	0.03	0.059	0.19	36.2	53.7	0.70	383	0.31
ZZ48143		12.90	71.3	4.64	9.54	0.10	0.03	0.03	0.103	0.32	40.6	67.0	0.92	654	0.24
ZZ48144		6.31	40.8	3.36	6.43	0.13	0.03	0.02	0.169	0.26	48.3	36.6	0.49	495	0.31
ZZ48145		12.10	96.0	4.84	8.71	0.15	0.05	0.08	0.235	0.23	30.3	53.6	0.56	794	0.41
ZZ48146		12.25	48.3	3.46	8.67	0.13	0.05	0.06	0.216	0.30	30.8	64.7	0.62	707	0.36
ZZ48147		8.20	38.6	3.05	7.41	0.11	0.04	0.05	0.180	0.25	31.0	56.8	0.66	478	0.39
ZZ48148		15.05	78.3	3.48	9.83	0.12	0.04	0.05	0.175	0.24	21.1	69.0	0.85	350	0.49
ZZ48149		6.27	20.5	2.34	6.12	0.09	0.03	0.04	0.049	0.19	20.9	43.5	0.55	310	0.21
ZZ48150		16.40	121.0	3.98	8.72	0.12	0.03	0.02	0.333	0.22	37.5	62.9	0.86	636	0.39
ZZ48151		13.30	102.0	3.34	7.52	0.09	0.02	0.04	0.330	0.15	37.1	52.8	0.70	621	0.42
ZZ48152		13.80	100.0	3.46	7.65	0.11	0.05	0.01	0.270	0.30	31.2	54.3	0.74	867	0.39
ZZ48153		9.85	38.0	3.39	6.24	0.05	<0.02	0.02	0.332	0.23	15.1	47.5	0.52	515	0.44
ZZ48154		13.75	40.1	4.09	9.46	0.11	0.02	0.02	0.102	0.40	30.2	57.5	0.80	517	0.27
ZZ48155		15.70	37.3	4.88	11.80	0.14	<0.02	0.02	0.056	0.42	31.8	85.1	0.98	973	0.34
ZZ48156		35.6	47.1	3.69	10.65	0.19	0.04	0.03	0.136	0.69	33.0	91.3	0.96	473	0.43
ZZ48157		27.9	35.6	3.60	11.20	0.15	0.03	0.01	0.077	0.70	32.5	88.0	1.02	310	0.35
ZZ48158		21.8	41.4	4.13	12.85	0.14	0.02	0.01	0.152	0.64	44.7	89.2	1.10	301	0.49
ZZ48159		7.75	22.3	3.21	9.12	0.07	0.02	0.03	0.196	0.26	30.9	45.6	0.72	328	0.43
ZZ48160		17.00	31.4	5.34	14.20	0.19	0.03	0.02	0.049	0.86	47.1	73.4	1.17	1500	0.79



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 4- SEP- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188778

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
ZZ48121		2.60	27.0	200	7.2	113.5	<0.001	<0.01	0.17	4.6	0.2	10.3	52.7	<0.01	0.02
ZZ48122		3.06	33.8	580	9.6	114.0	0.001	0.01	0.49	7.3	0.8	10.5	130.5	<0.01	0.04
ZZ48123		1.44	16.9	700	12.0	21.0	<0.001	0.01	0.21	3.1	0.4	10.6	146.5	0.01	0.06
ZZ48124		1.75	32.4	530	12.7	43.2	<0.001	0.02	0.20	5.3	0.8	7.8	207	0.01	0.03
ZZ48125		2.94	27.6	600	11.6	112.5	0.001	0.07	0.17	4.1	0.4	4.6	68.0	<0.01	0.03
ZZ48126		2.86	42.2	590	8.8	46.4	<0.001	0.06	0.20	4.3	0.6	4.6	73.2	<0.01	0.03
ZZ48127		5.07	34.1	250	7.2	62.5	0.001	0.02	0.16	5.3	0.5	4.3	72.4	0.01	0.02
ZZ48128		5.11	48.0	310	10.6	53.9	<0.001	0.04	0.24	6.6	0.9	5.2	87.3	0.01	0.02
ZZ48129		4.49	41.6	330	11.6	72.9	0.001	0.02	0.26	5.9	0.7	5.0	60.6	0.01	0.03
ZZ48130		4.76	41.4	350	13.6	62.7	0.001	0.02	0.39	5.9	0.8	1.7	57.8	0.01	0.02
ZZ48131		6.80	57.9	1190	9.9	60.2	0.001	0.03	0.08	6.0	1.4	1.9	64.9	0.01	0.05
ZZ48132		2.97	37.9	930	11.2	82.1	<0.001	0.02	0.10	5.9	1.0	3.1	67.5	0.01	0.02
ZZ48133		0.97	22.5	660	52.8	25.8	<0.001	0.02	0.28	1.2	0.4	1.5	21.5	<0.01	0.04
ZZ48134		1.80	43.5	430	27.9	20.9	0.001	0.01	0.18	4.7	1.7	0.9	77.8	0.01	0.02
ZZ48135		0.66	31.9	580	11.0	15.5	0.001	0.06	0.09	2.7	1.1	0.8	75.5	<0.01	0.03
ZZ48136		0.70	93.4	1350	43.4	20.1	0.001	0.03	0.24	7.7	4.9	0.8	361	0.01	0.03
ZZ48137		1.32	58.5	600	21.1	40.9	<0.001	0.04	0.20	5.9	1.6	1.5	165.5	<0.01	0.02
ZZ48138		1.60	43.7	1240	27.6	57.7	<0.001	0.03	0.11	8.5	1.4	1.3	222	<0.01	0.06
ZZ48139		4.00	53.0	510	16.8	94.7	<0.001	0.04	0.11	5.6	1.3	1.7	225	<0.01	0.03
ZZ48140		3.54	49.9	510	14.0	53.0	0.001	0.03	0.14	4.5	0.9	3.0	60.3	0.01	0.02
ZZ48141		2.58	26.9	330	8.2	46.6	<0.001	0.04	0.20	3.8	0.7	3.5	58.2	<0.01	0.04
ZZ48142		1.79	34.9	660	7.1	49.2	<0.001	0.04	0.15	4.3	0.6	3.8	89.9	<0.01	0.03
ZZ48143		0.30	44.5	470	6.9	64.5	<0.001	<0.01	0.10	9.2	1.1	6.9	86.6	<0.01	0.03
ZZ48144		1.53	28.9	360	11.1	60.8	<0.001	0.01	0.31	5.5	1.1	13.1	122.5	<0.01	0.01
ZZ48145		2.28	42.6	770	8.2	60.2	0.001	0.19	0.17	4.6	0.8	11.0	520	0.01	0.04
ZZ48146		2.67	34.6	650	8.7	65.7	0.001	0.03	0.20	4.8	0.6	9.0	300	0.01	0.03
ZZ48147		2.38	26.9	690	15.0	54.0	<0.001	<0.01	0.24	3.5	0.6	2.8	73.2	0.01	0.02
ZZ48148		2.46	31.0	390	12.4	58.8	<0.001	<0.01	0.21	4.4	0.4	7.7	101.0	<0.01	0.02
ZZ48149		2.55	19.6	490	11.0	44.2	<0.001	<0.01	0.18	2.8	0.3	1.9	47.7	<0.01	0.01
ZZ48150		1.73	41.0	710	25.9	52.1	<0.001	0.02	0.26	5.3	0.9	7.6	170.5	<0.01	0.04
ZZ48151		1.81	35.2	820	21.5	43.6	<0.001	0.04	0.28	3.2	1.1	5.3	146.0	<0.01	0.03
ZZ48152		1.54	35.7	850	17.8	71.9	<0.001	<0.01	0.28	4.6	0.7	6.8	163.0	<0.01	0.03
ZZ48153		2.21	30.0	300	19.1	73.5	0.001	0.01	0.28	2.6	0.6	2.4	48.2	<0.01	0.03
ZZ48154		2.56	54.2	790	9.1	84.7	<0.001	0.02	0.16	5.4	1.4	2.0	233	0.01	0.03
ZZ48155		3.55	57.1	840	11.0	71.3	<0.001	0.04	0.17	7.5	1.2	2.0	165.5	0.01	0.02
ZZ48156		3.97	40.1	410	6.6	104.0	<0.001	0.03	0.17	6.1	1.3	11.2	158.0	0.01	0.01
ZZ48157		4.35	37.9	360	7.5	100.0	0.001	0.06	0.16	6.5	1.2	4.1	166.5	0.01	0.02
ZZ48158		4.21	45.8	530	10.8	86.7	<0.001	0.03	0.21	6.9	1.4	4.2	141.5	0.01	0.02
ZZ48159		3.22	31.7	430	14.6	40.5	<0.001	0.03	0.26	4.2	0.7	2.9	71.5	0.01	0.03
ZZ48160		5.59	56.6	1680	30.1	87.7	<0.001	0.03	0.12	7.4	1.1	1.9	173.5	0.01	0.06



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - D
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 4- SEP- 2012
 Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188778

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm	W- XRF05 W ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5	10
ZZ48121		0.109	0.49	0.93	42	26.6	4.73	1020	<0.5	
ZZ48122		0.088	0.46	2.81	50	15.70	13.15	1020	<0.5	
ZZ48123		0.043	0.12	1.04	29	35.5	5.57	1720	1.0	
ZZ48124		0.059	0.27	1.36	35	10.35	14.75	319	1.1	
ZZ48125		0.092	0.50	0.89	43	1.06	4.78	286	<0.5	
ZZ48126		0.085	0.24	1.54	48	2.86	7.37	460	<0.5	
ZZ48127		0.106	0.28	0.77	43	2.59	5.20	300	<0.5	
ZZ48128		0.104	0.46	1.58	39	0.92	14.90	177	0.7	
ZZ48129		0.070	0.45	1.29	37	1.31	11.05	235	1.0	
ZZ48130		0.076	0.34	1.54	42	0.35	14.50	119	0.5	
ZZ48131		0.084	0.36	5.51	57	0.20	29.7	249	<0.5	
ZZ48132		0.063	0.56	2.16	51	0.13	21.1	100	<0.5	
ZZ48133		0.027	0.15	1.10	27	0.14	4.06	223	<0.5	
ZZ48134		0.039	0.18	2.82	26	0.15	32.0	109	0.6	
ZZ48135		0.026	0.12	5.38	20	0.06	18.70	124	0.9	
ZZ48136		0.043	0.31	3.77	41	0.09	93.4	400	1.5	
ZZ48137		0.060	0.30	2.82	37	0.21	43.8	323	0.6	
ZZ48138		0.092	0.35	2.57	51	0.16	18.80	126	<0.5	
ZZ48139		0.064	0.40	3.21	37	0.16	23.0	240	0.5	
ZZ48140		0.059	0.24	3.81	41	0.25	20.3	909	<0.5	
ZZ48141		0.071	0.27	1.04	37	1.83	6.22	150	0.5	
ZZ48142		0.064	0.39	1.78	32	2.00	16.95	240	<0.5	
ZZ48143		0.012	0.42	2.44	45	1.26	29.2	468	0.7	
ZZ48144		0.044	0.39	1.26	25	1.92	29.3	457	1.0	
ZZ48145		0.061	0.45	1.68	32	29.7	20.9	539	1.1	
ZZ48146		0.063	0.45	1.73	31	14.85	15.90	814	1.1	
ZZ48147		0.060	0.37	1.58	28	2.43	14.60	520	0.5	
ZZ48148		0.059	0.76	1.19	37	1.13	8.47	517	1.4	
ZZ48149		0.064	0.35	1.13	23	0.39	7.36	156	0.5	
ZZ48150		0.056	0.79	1.60	37	1.53	18.95	1200	0.8	
ZZ48151		0.045	0.51	2.43	31	2.06	19.00	936	0.7	
ZZ48152		0.066	0.68	1.16	35	6.32	13.95	893	1.8	
ZZ48153		0.059	0.37	1.20	25	0.49	6.18	897	<0.5	
ZZ48154		0.083	0.58	1.60	35	0.81	21.0	315	0.9	
ZZ48155		0.121	0.47	2.20	45	0.37	21.6	224	<0.5	
ZZ48156		0.080	0.85	3.92	34	3.53	24.9	542	1.0	
ZZ48157		0.090	0.70	2.78	37	0.53	22.9	268	0.8	
ZZ48158		0.086	0.63	2.34	40	0.45	24.7	349	0.7	
ZZ48159		0.053	0.28	1.27	33	0.56	12.90	212	<0.5	
ZZ48160		0.092	0.62	2.23	48	0.32	25.1	133	1.1	



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.

C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED

1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - A

Total # Pages: 8 (A - D)

Plus Appendix Pages

Finalized Date: 4- SEP- 2012

Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188778

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ48161		0.25	0.002	0.31	4.83	6.0	<0.2	<10	240	1.32	0.92	0.93	0.38	64.2	20.1	57
ZZ48162		0.11	0.006	0.21	1.62	14.3	<0.2	<10	90	0.57	0.57	0.77	0.41	77.6	10.5	23
ZZ48163		0.19	0.001	0.22	2.02	18.4	<0.2	<10	60	0.66	1.55	0.29	0.79	89.0	16.5	25
ZZ48164		0.24	0.002	0.18	1.86	28.9	<0.2	<10	100	0.59	0.58	0.53	0.13	72.1	11.0	23
ZZ48165		0.23	0.001	0.39	1.59	161.0	<0.2	<10	50	0.45	0.60	0.63	0.39	88.9	12.2	20
ZZ48166		0.19	0.002	0.08	2.16	6.1	<0.2	<10	80	1.18	0.59	0.23	0.45	207	21.5	25
ZZ48167		0.19	0.001	0.03	1.77	9.5	<0.2	<10	70	0.47	0.58	0.15	0.27	47.1	12.7	23
ZZ48168		0.19	<0.001	0.10	1.76	4.5	<0.2	<10	70	0.84	0.52	0.44	0.22	74.8	11.9	28
ZZ48169		0.18	0.001	0.10	1.80	178.0	<0.2	<10	60	0.70	0.53	0.93	1.11	98.2	13.4	26
ZZ48170		0.26	0.001	0.05	2.77	15.9	<0.2	<10	130	0.86	0.65	0.34	0.12	106.0	16.5	38
ZZ48171		0.20	0.001	0.07	2.63	3.6	<0.2	<10	90	0.67	0.57	0.10	0.28	37.7	14.9	32
ZZ48172		0.18	0.001	0.09	5.20	4.2	<0.2	<10	180	1.50	1.37	0.24	0.37	56.9	26.1	60
ZZ48173		0.22	0.001	0.10	3.98	14.7	<0.2	<10	110	1.37	2.92	0.20	0.46	81.5	27.2	50
ZZ48174		0.16	0.001	0.18	3.40	4.1	<0.2	<10	80	2.19	2.11	0.28	1.35	47.1	17.5	45
ZZ48175		0.22	0.001	0.15	3.12	9.5	<0.2	<10	140	1.32	1.19	0.73	0.47	57.5	13.7	44
ZZ48176		0.25	<0.001	0.10	2.34	6.8	<0.2	<10	60	1.59	1.18	0.12	0.45	53.6	10.6	36
ZZ48177		0.19	0.001	0.40	3.35	2.1	<0.2	<10	60	1.97	4.40	0.50	1.04	68.6	13.8	37
ZZ48178		0.22	<0.001	0.21	4.73	1.2	<0.2	<10	110	1.45	0.65	7.11	0.14	61.6	29.3	67
ZZ48179		0.23	0.001	0.11	3.54	11.4	<0.2	<10	110	1.09	0.99	0.21	0.06	95.3	20.5	48
ZZ48180		0.24	0.001	0.22	4.40	6.9	<0.2	<10	70	2.87	1.30	0.54	0.24	97.7	21.2	43
ZZ48181		0.22	0.001	0.15	3.19	4.1	<0.2	<10	80	1.79	1.17	0.22	0.29	48.1	20.2	44
ZZ48182		0.22	0.001	0.21	3.19	3.6	<0.2	<10	40	3.42	0.74	0.41	0.23	96.7	22.4	40
ZZ48183		0.26	0.001	0.24	3.21	5.1	<0.2	<10	90	3.52	2.76	0.19	0.25	60.0	13.5	48
ZZ48184		0.28	0.001	0.17	1.32	0.8	<0.2	<10	80	2.02	1.64	0.06	0.34	99.2	3.3	27
ZZ48185		0.24	0.001	0.22	2.27	1.7	<0.2	<10	70	2.35	1.35	0.07	0.25	60.3	9.0	35
ZZ48186		0.22	<0.001	0.07	2.63	3.0	<0.2	<10	80	4.17	1.40	0.47	2.24	59.7	14.0	36
ZZ48187		0.24	0.001	0.10	3.89	1.4	<0.2	<10	70	5.27	2.54	1.95	1.23	96.0	17.2	29
ZZ48188		0.23	0.002	0.13	3.05	5.3	<0.2	<10	60	3.48	3.79	0.55	0.55	86.4	18.0	31
ZZ48189		0.27	<0.001	0.13	3.85	2.2	<0.2	<10	70	13.70	7.94	0.87	1.09	92.4	14.3	39
ZZ48190		0.21	<0.001	0.09	2.83	3.5	<0.2	<10	60	3.12	3.59	0.15	0.94	37.7	11.9	38
ZZ48191		0.24	<0.001	0.11	3.33	5.4	<0.2	<10	70	7.33	6.00	0.34	0.98	47.2	13.6	48
ZZ48192		0.25	<0.001	0.08	2.02	3.7	<0.2	<10	50	2.00	7.30	0.10	0.14	41.5	10.6	30
ZZ48193		0.23	<0.001	0.11	3.53	1.9	<0.2	<10	70	5.19	14.80	0.24	1.37	41.7	16.5	43
ZZ48194		0.25	<0.001	0.08	6.66	2.0	<0.2	<10	100	41.9	66.5	4.88	1.02	74.7	11.8	44
ZZ48195		0.25	0.001	0.14	3.64	3.7	<0.2	<10	70	11.70	6.77	1.46	2.24	93.6	18.9	37
ZZ48196		0.23	0.002	0.11	2.38	4.3	<0.2	<10	60	3.62	0.94	0.52	0.45	59.0	13.8	36
ZZ48197		0.30	0.001	0.13	5.22	2.3	<0.2	<10	80	63.7	33.9	4.64	0.59	78.2	11.5	32
ZZ48198		0.21	<0.001	0.17	1.39	1.5	<0.2	<10	80	0.93	0.97	0.07	0.31	56.8	7.2	29
ZZ48199		0.24	<0.001	0.13	2.34	3.8	<0.2	<10	70	3.27	1.98	0.12	0.65	56.0	23.0	43
ZZ48200		0.19	0.001	0.18	2.44	2.0	<0.2	<10	50	2.24	0.90	0.39	0.78	61.6	13.7	34



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 4- SEP- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188778

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ48161		22.5	37.4	5.12	16.20	0.22	0.03	0.01	0.055	1.18	48.1	82.3	1.34	932	0.28
ZZ48162		2.11	21.7	3.22	5.55	0.09	0.02	0.02	0.084	0.07	43.4	34.9	0.55	411	0.46
ZZ48163		3.49	30.5	4.21	7.09	0.09	0.03	0.01	0.546	0.06	37.3	41.4	0.66	593	0.42
ZZ48164		1.92	23.7	3.58	6.16	0.09	0.03	0.01	0.070	0.06	45.5	41.2	0.66	419	0.35
ZZ48165		2.80	31.3	3.56	5.26	0.14	0.04	0.02	0.049	0.08	69.1	37.8	0.64	430	0.41
ZZ48166		3.52	32.1	5.82	6.40	0.16	0.08	0.01	0.062	0.13	76.4	40.2	0.59	870	0.55
ZZ48167		2.38	22.2	4.41	6.57	0.06	0.03	<0.01	0.089	0.09	21.3	43.8	0.59	247	0.67
ZZ48168		5.41	30.5	4.28	6.68	0.10	0.04	0.02	0.044	0.19	30.5	39.2	0.80	308	0.40
ZZ48169		3.12	19.6	4.09	6.36	0.08	0.02	0.02	0.080	0.07	37.0	44.1	0.50	676	0.39
ZZ48170		4.56	36.7	4.10	9.15	0.13	0.04	<0.01	0.083	0.28	54.9	54.1	0.87	500	0.41
ZZ48171		11.35	13.2	4.13	10.65	0.06	0.05	<0.01	0.044	0.20	19.2	67.3	0.78	267	0.51
ZZ48172		27.2	58.0	5.12	16.80	0.15	0.05	<0.01	0.056	0.70	29.9	99.5	1.73	324	0.39
ZZ48173		23.1	38.6	4.78	13.45	0.14	0.05	0.01	0.568	0.64	30.6	83.3	1.25	300	0.36
ZZ48174		20.7	31.2	4.47	14.90	0.09	0.03	<0.01	0.161	0.25	21.0	81.9	0.94	288	0.53
ZZ48175		12.80	35.4	3.74	10.15	0.11	0.03	0.01	0.101	0.39	30.6	59.0	0.97	384	0.56
ZZ48176		11.35	19.4	3.60	10.05	0.08	0.04	<0.01	0.078	0.17	28.8	60.3	0.74	244	0.55
ZZ48177		21.0	59.6	4.89	12.25	0.11	0.02	0.02	0.548	0.31	33.5	83.3	0.97	262	0.57
ZZ48178		15.15	39.2	5.89	16.55	0.17	<0.02	0.01	0.048	1.01	41.6	89.3	1.41	905	0.22
ZZ48179		10.65	29.8	4.62	11.20	0.12	0.03	<0.01	0.130	0.37	38.3	70.5	1.12	461	0.36
ZZ48180		17.55	51.1	4.13	12.05	0.14	0.03	0.04	0.080	0.35	33.5	121.5	0.96	375	0.43
ZZ48181		18.65	30.7	4.02	10.70	0.09	0.04	0.02	0.116	0.28	23.7	120.0	0.95	319	0.45
ZZ48182		26.4	42.9	4.15	9.48	0.09	0.04	0.01	0.047	0.19	28.9	155.0	0.87	455	0.47
ZZ48183		23.6	30.3	4.48	12.90	0.08	0.02	0.01	0.065	0.27	28.1	87.4	0.96	334	0.62
ZZ48184		10.65	69.0	5.68	5.79	0.11	<0.02	<0.01	0.041	0.26	56.5	37.7	0.43	187	1.01
ZZ48185		16.95	46.2	4.51	8.49	0.08	<0.02	0.01	0.080	0.26	32.7	65.9	0.71	221	0.69
ZZ48186		11.60	34.3	3.89	10.15	0.09	0.02	<0.01	0.116	0.14	27.2	69.5	0.83	881	0.39
ZZ48187		10.95	36.1	4.36	11.50	0.11	0.03	0.01	0.105	0.14	39.3	49.3	0.49	1360	0.31
ZZ48188		11.10	69.5	4.24	10.10	0.11	0.03	0.01	0.111	0.10	38.3	47.1	0.52	607	0.57
ZZ48189		23.8	54.5	4.42	13.25	0.15	0.04	0.03	0.498	0.26	45.7	83.6	0.77	862	0.33
ZZ48190		17.00	23.8	3.85	11.50	0.05	0.05	0.01	0.117	0.13	20.3	72.7	0.67	371	0.74
ZZ48191		19.10	32.7	4.48	13.50	0.08	<0.02	0.01	0.432	0.36	23.1	90.4	0.87	501	0.49
ZZ48192		12.35	37.2	3.54	8.76	0.08	<0.02	0.01	0.103	0.29	22.3	60.1	0.64	248	0.72
ZZ48193		24.0	161.0	5.84	12.35	0.08	0.03	<0.01	0.315	0.30	23.3	116.0	0.89	297	1.17
ZZ48194		37.9	211	5.52	18.95	0.36	0.22	0.05	1.020	0.44	39.9	112.0	0.72	1460	0.60
ZZ48195		20.7	77.3	5.14	11.45	0.21	0.04	0.06	0.365	0.25	49.4	82.4	0.84	2260	0.34
ZZ48196		11.85	57.5	3.85	8.10	0.10	0.04	0.05	0.073	0.15	28.9	53.2	0.71	827	0.42
ZZ48197		33.2	77.5	5.26	14.15	0.31	0.20	0.03	0.301	0.35	28.1	74.9	0.81	1440	0.29
ZZ48198		10.60	41.6	3.27	6.05	0.08	<0.02	0.04	0.034	0.31	32.1	26.7	0.48	194	0.87
ZZ48199		24.6	29.8	3.84	8.85	0.07	<0.02	0.04	0.159	0.26	26.0	74.8	0.82	733	0.64
ZZ48200		18.65	21.4	3.72	10.20	0.11	<0.02	0.04	0.041	0.14	36.6	137.0	0.68	294	0.55



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 6 - C
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 4- SEP- 2012
 Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188778

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
ZZ48161		3.78	50.7	820	9.5	112.0	<0.001	0.02	0.16	9.5	0.9	3.6	410	0.01	0.05
ZZ48162		1.19	29.3	540	17.8	15.7	<0.001	0.04	0.22	2.9	1.2	1.1	68.1	<0.01	0.02
ZZ48163		1.47	37.6	480	23.7	11.5	<0.001	0.02	0.15	3.7	1.2	4.5	54.9	<0.01	0.03
ZZ48164		0.94	30.1	590	17.4	11.2	<0.001	0.03	0.17	3.1	1.2	1.2	55.0	<0.01	0.01
ZZ48165		0.74	32.4	580	18.4	13.0	<0.001	0.04	0.20	2.4	2.1	0.7	55.1	<0.01	0.01
ZZ48166		2.14	51.1	810	57.0	23.1	<0.001	0.02	0.15	5.2	1.7	0.8	25.6	0.01	0.03
ZZ48167		1.57	34.1	230	23.1	23.2	<0.001	0.02	0.23	2.5	0.6	1.2	16.5	<0.01	0.02
ZZ48168		0.69	32.1	400	16.2	34.3	<0.001	0.07	0.16	3.7	1.2	0.8	48.3	<0.01	0.04
ZZ48169		1.19	27.7	490	30.3	22.5	<0.001	0.04	0.26	4.2	0.9	1.3	60.6	<0.01	0.03
ZZ48170		1.85	47.0	540	15.8	33.8	<0.001	0.02	0.34	5.9	1.6	2.1	64.4	<0.01	0.04
ZZ48171		3.59	38.1	190	10.6	44.1	<0.001	0.02	0.23	3.5	0.6	1.9	75.8	<0.01	0.02
ZZ48172		2.51	73.6	480	7.6	99.8	<0.001	0.05	0.13	9.0	0.7	6.8	109.0	<0.01	0.06
ZZ48173		2.86	53.7	140	17.6	88.4	<0.001	0.02	0.28	7.1	0.9	5.5	99.7	0.01	0.03
ZZ48174		5.49	42.4	210	10.2	58.7	<0.001	0.03	0.18	5.8	0.7	7.7	99.4	0.01	<0.01
ZZ48175		3.30	40.8	570	11.0	61.1	<0.001	<0.01	0.30	6.1	0.7	3.5	103.0	<0.01	0.03
ZZ48176		3.47	29.1	280	12.3	40.8	<0.001	<0.01	0.24	4.1	0.4	4.2	42.2	<0.01	0.03
ZZ48177		4.25	57.8	630	9.5	65.4	<0.001	0.03	0.17	5.2	1.0	7.2	118.0	0.01	0.03
ZZ48178		3.85	62.0	640	12.7	163.5	<0.001	0.01	<0.05	12.1	1.3	2.8	754	<0.01	0.03
ZZ48179		3.50	49.4	260	19.0	53.8	<0.001	<0.01	0.16	5.7	0.9	2.4	52.8	<0.01	0.04
ZZ48180		4.72	55.5	410	10.4	55.9	<0.001	0.02	0.27	6.3	1.1	4.0	109.0	0.01	0.02
ZZ48181		4.02	42.6	160	10.3	55.7	<0.001	0.01	0.19	5.0	0.7	3.9	64.1	<0.01	0.02
ZZ48182		2.80	53.9	140	10.3	32.0	<0.001	<0.01	0.24	4.9	0.6	6.3	91.0	0.01	0.02
ZZ48183		4.96	41.8	220	10.7	53.4	<0.001	0.01	0.23	5.3	0.6	6.1	51.3	<0.01	0.03
ZZ48184		1.19	11.7	690	15.0	34.6	<0.001	0.28	0.08	1.6	1.1	1.1	132.5	<0.01	0.09
ZZ48185		2.99	28.6	410	8.9	51.6	<0.001	0.06	0.27	3.5	0.8	6.7	39.8	<0.01	0.02
ZZ48186		2.17	35.9	470	10.8	32.4	<0.001	<0.01	0.16	5.0	0.7	10.8	86.5	<0.01	0.02
ZZ48187		1.94	42.5	920	11.6	44.0	<0.001	0.02	0.11	5.0	1.0	7.9	375	0.01	0.03
ZZ48188		2.57	43.5	660	11.6	25.5	<0.001	0.04	0.28	4.7	0.9	5.5	145.5	0.01	0.05
ZZ48189		2.82	40.2	470	8.2	63.5	0.001	0.01	0.13	7.2	1.0	17.9	214	0.01	0.03
ZZ48190		3.24	22.9	190	7.8	59.6	<0.001	<0.01	0.31	4.7	0.6	9.6	32.4	<0.01	0.03
ZZ48191		3.66	36.4	270	8.6	87.5	<0.001	<0.01	0.20	6.4	0.9	15.8	57.2	<0.01	0.04
ZZ48192		3.05	26.7	230	6.6	91.1	<0.001	0.01	0.22	3.6	0.4	4.7	32.0	<0.01	0.04
ZZ48193		3.84	48.6	290	9.8	79.0	<0.001	0.03	0.22	5.4	0.7	8.8	63.7	<0.01	0.08
ZZ48194		3.25	24.7	520	7.5	92.6	<0.001	<0.01	0.25	8.0	0.9	152.5	553	<0.01	0.08
ZZ48195		1.89	33.5	650	14.4	55.2	0.001	0.02	0.20	6.4	1.1	24.7	251	<0.01	0.03
ZZ48196		2.11	34.1	400	12.6	30.6	0.001	0.01	0.31	4.7	0.7	7.2	82.8	<0.01	0.01
ZZ48197		1.89	21.6	570	11.3	115.0	0.001	<0.01	0.23	5.2	0.9	135.5	80.8	<0.01	0.04
ZZ48198		2.01	9.7	510	11.9	41.3	0.001	0.32	0.15	1.5	0.5	2.0	51.0	<0.01	0.06
ZZ48199		2.57	28.9	380	9.4	51.9	0.001	0.03	0.51	3.6	0.4	6.6	36.2	<0.01	0.04
ZZ48200		3.71	28.6	280	15.3	49.8	0.001	<0.01	0.23	3.4	0.5	3.7	34.8	0.01	0.04



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 4- SEP- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188778

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm	W- XRF05 W ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5	10
ZZ48161		0.108	0.77	1.80	49	0.29	30.1	145	0.8	
ZZ48162		0.028	0.11	1.65	24	0.59	22.8	149	0.6	
ZZ48163		0.032	0.15	2.41	26	0.24	15.05	486	1.0	
ZZ48164		0.019	0.09	1.89	21	0.19	23.9	121	0.9	
ZZ48165		0.017	0.10	2.47	15	0.14	36.5	175	1.1	
ZZ48166		0.046	0.20	3.18	20	0.10	25.4	110	4.0	
ZZ48167		0.032	0.10	1.17	25	0.17	6.14	162	1.6	
ZZ48168		0.022	0.20	2.16	23	0.09	14.45	110	1.2	
ZZ48169		0.033	0.16	2.26	29	0.19	14.80	379	0.6	
ZZ48170		0.041	0.25	2.10	34	0.24	26.2	136	1.3	
ZZ48171		0.078	0.27	0.74	34	0.23	6.32	107	1.9	
ZZ48172		0.140	0.80	1.26	58	0.29	10.70	500	1.7	
ZZ48173		0.088	0.61	1.55	39	0.67	17.85	303	1.7	
ZZ48174		0.098	0.33	1.08	44	1.95	9.22	567	1.2	
ZZ48175		0.080	0.46	1.56	41	0.77	14.75	269	1.4	
ZZ48176		0.073	0.25	1.10	37	1.21	7.62	173	1.6	
ZZ48177		0.092	0.48	1.86	43	0.79	17.70	895	<0.5	
ZZ48178		0.081	0.75	2.34	58	0.24	28.8	96	<0.5	
ZZ48179		0.053	0.44	1.95	39	0.58	14.20	138	1.1	
ZZ48180		0.071	0.43	2.44	36	3.72	21.5	140	0.9	
ZZ48181		0.090	0.37	1.72	38	1.55	12.30	242	1.5	
ZZ48182		0.054	0.28	1.90	34	1.14	12.65	198	1.6	
ZZ48183		0.094	0.40	1.41	46	2.87	10.10	260	0.7	
ZZ48184		0.038	0.28	2.91	24	0.14	5.99	166	<0.5	
ZZ48185		0.071	0.47	1.61	38	2.51	8.18	273	0.6	
ZZ48186		0.069	0.29	1.48	39	15.70	7.50	524	0.8	
ZZ48187		0.051	0.29	2.11	30	16.40	13.90	483	0.9	
ZZ48188		0.065	0.22	2.69	33	6.59	13.35	377	0.9	
ZZ48189		0.089	0.67	2.15	40	60.5	20.5	2100	1.7	
ZZ48190		0.051	0.32	0.89	49	16.20	4.43	594	2.1	
ZZ48191		0.097	0.58	1.25	49	21.5	6.57	1200	<0.5	
ZZ48192		0.089	0.41	0.99	32	28.5	4.61	209	1.0	
ZZ48193		0.080	0.44	3.40	46	24.1	6.78	696	2.0	
ZZ48194		0.101	1.09	1.91	49	78.7	20.1	2960	5.9	
ZZ48195		0.086	0.64	2.56	44	142.5	25.4	1180	1.1	140
ZZ48196		0.081	0.28	1.79	41	5.02	14.20	516	1.2	
ZZ48197		0.067	0.59	1.35	39	69.4	13.35	1490	7.2	
ZZ48198		0.067	0.39	1.51	33	0.32	5.50	122	<0.5	
ZZ48199		0.079	0.35	1.36	44	5.18	6.91	499	<0.5	
ZZ48200		0.071	0.20	3.52	36	0.52	16.65	220	<0.5	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 7 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 4- SEP- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188778

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ48201		0.24	0.002	0.12	3.62	5.3	<0.2	<10	100	2.46	1.19	0.35	0.56	47.4	18.2	50
ZZ48202		0.22	<0.001	0.16	3.42	2.7	<0.2	<10	90	2.45	1.44	0.35	0.49	41.1	18.4	50
ZZ48203		0.23	<0.001	0.10	4.78	2.7	<0.2	<10	90	5.34	0.60	0.49	0.68	49.2	21.6	69
ZZ48204		0.22	0.001	0.19	4.51	0.7	<0.2	<10	110	0.86	0.42	2.07	0.10	39.7	20.1	50
ZZ48205		0.23	<0.001	0.15	3.10	9.0	<0.2	<10	90	0.84	0.52	1.18	0.36	67.4	18.6	49
ZZ48206		0.20	<0.001	0.10	3.13	14.8	<0.2	<10	120	0.88	0.43	0.49	0.34	72.1	15.8	42
ZZ48207		0.23	0.001	0.14	4.56	17.9	<0.2	<10	70	1.20	0.75	1.18	0.22	77.6	27.0	60
ZZ48208		0.27	<0.001	0.13	2.66	445	<0.2	<10	70	0.73	0.46	0.23	0.24	60.4	14.3	40
ZZ48209		0.25	0.002	0.26	2.63	33.1	<0.2	<10	60	1.19	0.44	2.98	0.11	165.0	18.6	38
ZZ48210		0.22	0.001	0.07	2.57	15.3	<0.2	<10	100	0.62	0.53	0.17	0.11	103.5	17.5	32
ZZ48211		0.26	0.001	0.23	1.35	14.6	<0.2	<10	50	0.29	0.61	0.44	0.72	46.6	14.7	17
ZZ48212		0.26	<0.001	0.26	1.61	21.2	<0.2	<10	40	0.29	0.49	0.31	0.36	104.5	18.6	20
ZZ48213		0.24	0.002	0.20	1.25	28.3	<0.2	<10	30	0.27	0.47	0.12	0.35	50.5	13.0	17
ZZ48214		0.29	0.002	0.15	2.19	12.7	<0.2	<10	40	0.41	0.45	0.30	0.18	94.6	18.2	27
ZZ48215		0.31	0.001	0.13	3.84	1.2	<0.2	<10	80	3.91	0.78	0.83	0.43	52.5	17.8	44
ZZ48216		0.35	0.001	0.14	3.52	5.3	<0.2	<10	60	4.47	0.88	0.43	0.79	80.3	19.7	40
ZZ48217		0.25	0.001	0.24	3.05	2.2	<0.2	<10	50	2.32	1.04	0.23	0.63	36.3	13.9	42
ZZ48218		0.31	<0.001	0.15	2.97	3.5	<0.2	<10	50	3.77	1.06	0.23	0.50	70.3	31.6	39
ZZ48219		0.37	0.001	0.39	1.42	1.2	<0.2	<10	90	1.19	0.99	0.12	0.38	94.0	4.5	29
ZZ48220		0.34	0.001	0.19	2.26	2.2	<0.2	<10	70	1.68	1.00	0.06	0.25	46.6	9.1	36
ZZ48221		0.36	0.001	0.10	2.93	2.2	<0.2	<10	70	6.07	1.62	0.56	3.25	61.3	16.4	34
ZZ48222		0.33	<0.001	0.14	3.39	<2	<0.2	<10	30	2.54	4.50	10.30	1.24	55.8	18.1	22
ZZ48223		0.31	<0.001	0.42	3.89	1.7	<0.2	<10	70	3.21	1.78	0.66	0.62	39.8	20.5	45
ZZ48224		0.36	0.004	0.24	3.66	4.4	<0.2	<10	60	3.70	1.97	0.80	1.35	43.4	20.3	42
ZZ48225		0.30	0.001	0.12	2.69	11.4	<0.2	<10	60	5.54	36.5	0.42	3.36	29.2	17.3	35
ZZ48226		0.36	0.002	0.14	2.66	4.8	<0.2	<10	60	2.98	6.73	0.34	0.14	50.3	14.4	34
ZZ48227		0.24	0.001	0.18	1.30	3.7	<0.2	<10	50	5.32	6.15	0.64	7.51	29.3	12.5	14
ZZ48228		0.34	0.001	0.09	1.45	3.1	<0.2	<10	40	0.63	0.45	0.13	0.34	28.3	7.5	19
ZZ48229		0.36	0.001	0.07	3.45	4.0	<0.2	<10	120	4.99	4.12	0.68	0.27	63.6	14.4	41
ZZ48230		0.29	0.002	0.17	2.50	2.7	<0.2	<10	40	3.37	1.63	1.27	0.66	80.1	17.3	27
ZZ48231		0.25	0.001	0.22	2.71	1.9	<0.2	<10	100	8.65	4.28	0.59	7.45	58.2	18.3	32
ZZ48232		0.33	0.002	0.15	3.73	1.4	<0.2	<10	70	8.69	1.41	0.49	1.85	77.0	24.8	44
ZZ48233		0.34	0.001	0.51	1.93	3.5	<0.2	<10	60	1.43	1.20	0.08	0.45	38.1	8.9	27
ZZ48234		0.35	0.002	0.12	2.79	1.7	<0.2	<10	90	2.43	1.97	0.31	0.28	73.1	16.0	38
ZZ48235		0.29	0.001	0.16	2.57	2.0	<0.2	<10	50	3.33	2.16	0.27	0.32	65.2	17.5	34
ZZ48236		0.25	<0.001	0.19	2.77	2.6	<0.2	<10	90	2.19	1.49	0.14	1.09	32.6	13.6	39
ZZ48237		0.26	0.001	0.10	3.15	12.0	<0.2	<10	80	1.04	0.76	0.91	0.36	62.0	16.5	44
ZZ48238		0.31	0.002	0.07	2.44	7.3	<0.2	<10	100	0.67	0.78	0.10	0.24	39.9	13.8	38
ZZ48239		0.37	0.002	0.26	3.62	5.9	<0.2	<10	110	1.11	0.74	0.29	0.79	67.4	16.9	61
ZZ48240		0.27	0.001	0.46	2.08	189.0	<0.2	<10	60	0.86	0.84	1.58	0.59	60.6	12.2	38



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 7 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 4- SEP- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188778

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ48201		18.35	26.9	4.53	12.10	0.10	0.03	0.04	0.066	0.33	19.8	107.5	1.03	857	0.45
ZZ48202		19.60	32.7	4.04	11.25	0.08	0.03	0.02	0.156	0.32	23.4	118.0	1.00	549	0.42
ZZ48203		32.5	26.1	4.55	15.45	0.13	0.03	0.03	0.056	0.58	23.5	117.0	1.54	556	0.32
ZZ48204		15.10	26.6	4.39	13.10	0.16	0.02	0.04	0.020	0.75	41.2	87.9	1.23	527	0.28
ZZ48205		10.15	30.4	3.90	9.98	0.13	0.02	0.04	0.051	0.31	46.1	81.7	0.94	634	0.38
ZZ48206		7.17	28.0	4.20	10.55	0.11	0.02	0.06	0.045	0.30	36.0	90.5	0.85	885	0.45
ZZ48207		5.98	32.4	6.73	13.95	0.13	0.02	0.03	0.043	0.29	34.9	62.2	1.29	894	0.51
ZZ48208		7.67	26.0	4.55	9.41	0.09	0.02	0.02	0.036	0.19	25.7	80.7	1.08	198	0.47
ZZ48209		6.63	37.7	5.76	9.88	0.29	0.05	0.04	0.040	0.32	113.5	54.1	1.18	819	0.27
ZZ48210		3.26	23.6	4.65	7.66	0.12	0.04	0.02	0.054	0.17	36.9	49.2	0.87	504	0.35
ZZ48211		0.76	17.2	3.92	4.91	0.06	0.02	0.03	0.133	0.04	20.4	24.4	0.40	1120	0.57
ZZ48212		0.94	27.8	4.39	4.61	0.13	0.04	0.04	0.055	0.03	45.3	34.2	0.67	1400	0.39
ZZ48213		0.75	17.1	4.55	4.45	0.06	0.02	0.02	0.034	0.03	21.1	21.2	0.38	719	0.69
ZZ48214		0.94	30.8	4.35	6.22	0.13	0.04	0.02	0.108	0.07	50.4	54.9	0.96	698	0.27
ZZ48215		17.20	31.9	3.81	10.30	0.10	0.03	0.03	0.050	0.34	34.8	100.0	0.94	727	0.31
ZZ48216		32.1	26.7	5.06	10.60	0.12	0.02	0.03	0.069	0.44	32.3	84.0	0.96	728	0.39
ZZ48217		17.75	19.1	3.69	12.60	0.07	0.02	0.04	0.056	0.24	17.8	80.0	0.83	227	0.40
ZZ48218		30.3	17.8	3.94	9.79	0.07	0.02	0.02	0.044	0.19	26.5	105.0	0.78	372	0.55
ZZ48219		15.50	41.4	3.63	7.02	0.10	<0.02	0.01	0.042	0.26	47.8	28.4	0.44	161	0.56
ZZ48220		19.15	34.5	4.40	10.40	0.08	<0.02	0.03	0.048	0.26	26.8	68.4	0.69	192	0.76
ZZ48221		19.35	49.8	4.05	10.15	0.10	0.02	0.02	0.122	0.12	26.2	63.2	0.69	1250	0.30
ZZ48222		8.62	52.5	3.79	8.95	0.12	0.02	0.03	0.057	0.12	27.5	36.7	0.32	598	0.22
ZZ48223		36.5	31.4	4.14	10.30	0.08	<0.02	0.03	0.086	0.61	18.1	82.2	0.82	245	0.53
ZZ48224		17.15	48.4	4.64	11.30	0.07	<0.02	0.02	0.153	0.21	16.0	67.4	0.72	610	0.74
ZZ48225		19.75	26.4	4.09	10.70	0.07	0.02	0.04	2.44	0.17	14.1	72.9	0.71	627	0.57
ZZ48226		22.8	59.6	3.90	7.72	0.10	<0.02	0.02	0.076	0.47	24.2	68.7	0.78	272	1.11
ZZ48227		8.51	68.1	1.86	4.32	0.07	<0.02	0.03	0.371	0.14	15.4	22.7	0.27	1060	0.43
ZZ48228		4.26	8.6	2.45	5.56	0.05	<0.02	0.01	0.019	0.22	14.6	37.7	0.50	187	0.36
ZZ48229		11.30	45.0	4.11	9.94	0.10	0.06	0.02	0.207	0.23	26.3	56.8	0.72	661	0.39
ZZ48230		10.90	28.0	4.76	8.66	0.10	0.04	0.04	0.088	0.14	35.0	48.5	0.54	676	0.49
ZZ48231		24.2	55.0	3.95	10.70	0.08	0.02	0.04	0.185	0.17	29.4	60.2	0.51	2170	0.48
ZZ48232		19.45	140.0	6.57	13.70	0.06	0.04	0.02	0.071	0.49	20.3	106.5	1.26	843	0.60
ZZ48233		10.95	22.7	3.78	11.30	0.05	<0.02	0.05	0.053	0.13	21.8	51.5	0.49	182	0.73
ZZ48234		18.40	61.4	4.18	9.91	0.12	0.02	0.02	0.064	0.44	37.1	60.4	0.86	252	0.48
ZZ48235		23.9	33.6	4.09	9.36	0.07	<0.02	0.02	0.082	0.27	35.6	69.7	0.71	258	0.45
ZZ48236		21.2	22.8	3.93	12.40	0.06	0.07	0.03	0.055	0.34	17.3	90.4	0.76	260	0.45
ZZ48237		12.95	46.5	3.70	11.00	0.12	0.02	0.04	0.050	0.41	47.0	83.8	0.90	482	0.41
ZZ48238		8.64	16.3	4.08	10.15	0.06	0.03	0.03	0.078	0.27	20.6	73.5	0.79	266	0.56
ZZ48239		8.03	23.2	4.77	12.90	0.11	0.02	0.03	0.099	0.32	34.5	87.3	1.06	523	0.40
ZZ48240		6.87	77.3	4.03	7.77	0.11	0.04	0.05	0.137	0.18	50.1	47.7	0.84	392	0.31



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 7 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 4- SEP- 2012
Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188778

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
ZZ48201		3.90	36.9	200	12.0	63.4	<0.001	<0.01	0.34	5.5	0.2	5.4	58.0	<0.01	0.03
ZZ48202		4.38	35.9	290	11.5	72.0	0.001	0.01	0.21	4.9	0.6	6.4	60.1	<0.01	<0.01
ZZ48203		6.51	46.8	270	8.6	82.4	<0.001	<0.01	0.19	8.6	0.6	7.3	88.8	<0.01	0.01
ZZ48204		5.44	39.1	600	6.5	104.5	0.001	0.04	0.05	6.3	0.9	1.8	362	0.01	0.02
ZZ48205		4.00	40.3	1140	28.3	80.7	0.001	0.05	0.12	3.6	1.3	1.5	133.0	<0.01	0.02
ZZ48206		3.18	34.4	620	15.6	69.3	0.001	0.02	0.24	4.6	0.8	1.5	79.6	<0.01	0.03
ZZ48207		1.15	56.7	660	20.8	46.0	0.001	0.03	0.12	8.2	0.9	1.1	287	<0.01	0.05
ZZ48208		1.35	34.1	420	15.5	29.3	<0.001	0.03	0.21	4.6	0.7	0.9	113.0	<0.01	0.04
ZZ48209		0.48	51.0	910	24.3	51.2	0.001	<0.01	0.09	7.3	2.0	1.1	264	<0.01	0.03
ZZ48210		1.74	37.6	340	20.9	24.8	0.001	<0.01	0.23	3.3	0.7	1.0	62.4	<0.01	0.03
ZZ48211		1.00	20.8	590	32.1	9.8	0.001	0.01	0.57	1.2	0.3	0.7	36.4	0.01	0.04
ZZ48212		0.32	37.3	850	38.6	5.0	0.001	<0.01	0.46	2.8	0.9	0.5	29.8	<0.01	0.01
ZZ48213		0.72	23.2	610	44.7	6.9	<0.001	<0.01	0.82	1.3	0.5	0.4	10.8	0.01	0.04
ZZ48214		0.24	37.0	700	21.0	5.3	0.001	<0.01	0.25	2.4	0.9	0.5	30.3	<0.01	0.02
ZZ48215		3.85	27.5	420	7.4	51.5	<0.001	0.01	0.20	4.9	0.8	6.8	77.6	0.01	0.02
ZZ48216		2.42	37.3	300	9.9	72.5	0.001	<0.01	0.67	5.5	0.9	13.4	62.7	<0.01	0.02
ZZ48217		4.86	30.0	220	8.8	45.9	<0.001	<0.01	0.18	4.1	0.2	6.4	69.8	<0.01	0.01
ZZ48218		3.90	39.5	200	12.2	52.9	0.001	<0.01	0.25	3.9	0.4	7.0	34.6	<0.01	0.01
ZZ48219		1.24	14.3	660	19.8	63.6	<0.001	0.30	0.36	1.8	0.6	3.7	158.0	<0.01	0.06
ZZ48220		2.84	22.0	410	9.5	53.0	<0.001	0.05	0.16	3.4	0.8	6.1	37.5	<0.01	0.04
ZZ48221		1.74	34.1	350	11.7	46.0	<0.001	<0.01	0.22	4.0	0.7	11.2	81.9	<0.01	0.02
ZZ48222		1.13	37.1	1090	6.9	35.6	0.001	0.29	0.08	2.4	0.7	2.8	606	0.01	0.04
ZZ48223		3.12	49.0	420	9.8	141.5	0.001	0.02	0.13	4.3	0.3	5.1	136.0	<0.01	0.02
ZZ48224		3.01	34.0	340	11.2	63.8	0.001	<0.01	0.25	4.4	<0.2	6.9	115.0	<0.01	0.03
ZZ48225		2.37	26.0	250	8.2	88.2	0.001	<0.01	0.24	3.6	0.2	14.1	40.4	<0.01	0.17
ZZ48226		2.70	38.4	300	8.1	88.6	0.001	0.01	0.14	3.3	0.4	3.7	55.9	<0.01	0.06
ZZ48227		1.04	13.2	380	4.0	53.5	0.001	0.02	0.10	1.4	0.6	4.7	32.6	<0.01	0.02
ZZ48228		2.15	14.3	190	7.3	57.2	<0.001	<0.01	0.16	1.8	<0.2	1.4	15.6	<0.01	0.01
ZZ48229		1.83	34.2	310	10.0	54.4	0.001	<0.01	0.27	5.4	0.4	9.6	159.5	<0.01	0.03
ZZ48230		1.72	42.8	590	10.1	58.1	<0.001	0.04	0.14	4.7	1.1	3.4	169.0	0.01	0.03
ZZ48231		2.45	34.7	480	9.4	98.9	<0.001	0.02	0.28	3.6	0.7	13.9	69.8	0.01	0.01
ZZ48232		1.66	59.8	560	5.9	113.0	0.001	<0.01	0.10	6.7	0.6	6.4	52.3	<0.01	0.02
ZZ48233		2.81	26.5	420	7.9	32.8	<0.001	0.02	0.26	3.1	0.7	5.2	43.2	0.01	0.02
ZZ48234		1.80	38.0	960	5.8	64.7	<0.001	0.10	0.15	6.1	1.1	4.4	132.5	0.01	0.05
ZZ48235		2.73	44.9	260	6.3	48.6	<0.001	<0.01	0.13	4.5	0.8	6.3	91.9	0.02	0.04
ZZ48236		5.00	33.8	160	6.7	64.3	<0.001	<0.01	0.17	5.0	0.5	5.1	61.7	0.01	0.02
ZZ48237		4.59	43.7	820	11.3	65.4	<0.001	0.03	0.17	5.6	1.8	2.3	150.0	0.01	0.03
ZZ48238		3.89	32.9	240	14.5	52.4	0.001	<0.01	0.24	4.1	0.3	3.2	26.8	<0.01	0.02
ZZ48239		3.39	40.7	340	26.7	55.9	<0.001	<0.01	0.18	8.0	0.9	3.1	86.2	<0.01	0.03
ZZ48240		0.69	44.2	1200	67.4	32.4	<0.001	0.08	0.89	3.5	2.6	1.9	131.0	<0.01	0.03



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 7 - D
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 4- SEP- 2012
 Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188778

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm	W- XRF05 W ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5	10
ZZ48201		0.093	0.43	1.05	46	1.63	9.93	315	0.9	
ZZ48202		0.094	0.43	1.98	43	0.83	13.35	497	1.0	
ZZ48203		0.114	0.58	1.72	54	2.67	16.00	918	0.8	
ZZ48204		0.087	0.66	3.10	40	0.18	28.7	93	0.7	
ZZ48205		0.061	0.31	4.50	38	0.15	27.3	278	0.5	
ZZ48206		0.083	0.25	3.03	45	0.32	21.4	109	0.6	
ZZ48207		0.090	0.42	3.72	65	0.14	20.4	133	0.7	
ZZ48208		0.066	0.18	2.16	38	0.10	10.40	150	0.7	
ZZ48209		0.057	0.38	2.92	31	0.05	57.2	104	1.1	
ZZ48210		0.032	0.17	2.18	26	0.15	15.55	115	0.9	
ZZ48211		0.023	0.05	0.94	20	0.21	5.58	257	0.5	
ZZ48212		0.009	0.05	1.47	12	0.11	24.5	145	1.0	
ZZ48213		0.017	0.04	0.92	17	0.17	7.03	117	0.7	
ZZ48214		0.010	0.05	0.82	15	0.10	19.10	177	1.7	
ZZ48215		0.041	0.30	2.80	35	3.17	22.3	161	1.1	
ZZ48216		0.038	0.55	2.79	34	0.88	20.4	388	0.6	
ZZ48217		0.098	0.28	0.98	40	1.43	7.10	245	0.7	
ZZ48218		0.093	0.34	1.28	41	0.68	9.07	270	0.9	
ZZ48219		0.050	0.33	1.81	34	0.55	7.55	182	<0.5	
ZZ48220		0.090	0.40	1.43	46	2.27	6.83	199	0.5	
ZZ48221		0.059	0.26	1.50	37	14.25	12.95	944	0.8	
ZZ48222		0.037	0.16	1.71	21	15.60	16.00	269	0.5	
ZZ48223		0.089	0.66	1.31	42	18.20	6.42	269	<0.5	
ZZ48224		0.091	0.23	0.93	52	6.04	5.41	696	0.6	
ZZ48225		0.085	0.25	0.80	42	36.0	4.04	3120	1.0	
ZZ48226		0.109	0.75	1.51	31	11.95	6.76	258	<0.5	
ZZ48227		0.050	0.25	1.34	17	15.40	5.36	1360	<0.5	
ZZ48228		0.068	0.27	0.66	23	1.61	2.87	120	<0.5	
ZZ48229		0.076	0.44	1.54	44	39.8	10.95	492	1.9	
ZZ48230		0.042	0.19	1.50	31	10.60	14.05	205	1.3	
ZZ48231		0.061	0.30	1.38	38	14.65	12.45	1570	0.6	
ZZ48232		0.056	0.53	1.07	49	1.80	13.50	739	1.8	
ZZ48233		0.080	0.20	0.96	44	1.98	4.67	231	0.6	
ZZ48234		0.096	0.64	2.18	43	3.09	12.50	206	0.8	
ZZ48235		0.058	0.51	1.47	31	1.34	12.40	319	<0.5	
ZZ48236		0.096	0.40	0.84	41	5.00	6.34	313	2.3	
ZZ48237		0.061	0.40	4.39	37	0.65	29.5	192	0.8	
ZZ48238		0.072	0.25	0.87	40	0.31	5.71	135	1.0	
ZZ48239		0.088	0.33	2.17	52	0.23	11.90	662	1.0	
ZZ48240		0.026	0.28	1.98	33	0.19	32.7	413	1.0	



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 8 - A
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 4- SEP- 2012
 Account: MTT

Project: Say Yea Soil

CERTIFICATE OF ANALYSIS WH12188778

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ48241		0.42	0.001	0.15	2.89	26.9	<0.2	<10	80	1.07	0.49	2.94	0.13	77.2	15.7	50
ZZ48242		0.40	0.002	0.20	2.69	24.8	<0.2	<10	80	0.81	0.65	3.06	0.15	69.7	13.7	41
ZZ48243		0.32	0.002	0.18	1.67	16.1	<0.2	<10	60	0.49	0.56	0.65	0.15	79.8	14.2	21
ZZ48244		0.26	0.002	0.36	1.45	11.6	<0.2	<10	80	0.56	0.63	1.20	0.60	73.9	14.1	19
ZZ48245		0.33	0.003	0.37	1.48	13.6	<0.2	<10	40	0.47	0.83	1.12	0.91	74.5	13.1	24
ZZ48246		0.26	0.002	0.23	1.79	20.5	<0.2	<10	90	0.56	0.63	0.86	0.35	62.8	13.3	28
ZZ48247		0.34	0.003	0.19	1.76	8.4	<0.2	<10	80	0.52	0.65	0.80	0.30	65.3	13.1	26
ZZ48248		0.34	0.002	0.16	1.63	7.3	<0.2	<10	60	0.50	0.61	0.96	0.27	60.5	11.7	24
ZZ48249		0.31	0.003	0.26	2.25	8.6	<0.2	<10	80	0.56	0.92	0.76	0.19	80.4	16.2	30
ZZ48250		0.25	0.002	0.32	2.24	7.6	<0.2	<10	80	0.61	1.21	0.68	0.14	64.5	14.9	32



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Say Yea Soil

Page: 8 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 4- SEP- 2012
Account: MTT

CERTIFICATE OF ANALYSIS WH12188778

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ48241		5.64	35.8	4.16	11.80	0.11	0.03	0.03	0.047	0.30	46.3	78.6	1.14	487	0.41
ZZ48242		4.83	36.7	3.92	9.98	0.10	0.03	0.11	0.051	0.27	40.7	70.9	0.96	436	0.39
ZZ48243		1.32	30.2	3.91	5.25	0.11	0.06	0.03	0.053	0.05	46.2	38.8	0.70	380	0.34
ZZ48244		1.75	26.3	3.38	4.86	0.08	0.02	0.04	0.132	0.04	40.1	28.6	0.50	755	0.34
ZZ48245		2.26	31.6	3.76	4.84	0.11	0.03	0.02	0.376	0.11	47.7	30.1	0.64	242	0.40
ZZ48246		2.56	27.4	4.06	5.89	0.08	0.07	0.03	0.060	0.10	33.5	47.0	0.67	582	0.32
ZZ48247		2.28	25.1	3.01	5.71	0.10	0.04	0.02	0.062	0.08	35.4	45.5	0.67	326	0.33
ZZ48248		2.80	24.4	3.10	5.11	0.09	0.04	0.03	0.074	0.09	34.3	39.5	0.60	444	0.38
ZZ48249		5.97	34.5	4.05	7.15	0.09	0.05	0.02	0.150	0.11	47.2	55.8	0.85	566	0.43
ZZ48250		7.98	28.1	3.70	7.66	0.08	0.03	0.03	0.095	0.11	38.2	56.2	0.77	407	0.38



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Say Yea Soil

Page: 8 - C
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 4- SEP- 2012
 Account: MTT

CERTIFICATE OF ANALYSIS WH12188778

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ48241		1.71	43.8	490	21.0	44.8	<0.001	0.01	0.13	8.0	1.8	1.3	344	<0.01	0.01	13.1
ZZ48242		1.86	44.4	590	19.5	40.6	<0.001	0.01	0.17	6.2	1.3	1.2	259	<0.01	0.02	10.1
ZZ48243		0.85	37.5	680	18.0	7.0	<0.001	<0.01	0.20	3.1	1.4	0.6	49.3	<0.01	0.01	16.4
ZZ48244		0.96	29.6	780	20.7	10.3	<0.001	0.03	0.28	2.2	1.2	1.1	80.7	<0.01	0.02	4.8
ZZ48245		0.85	33.3	840	16.4	15.1	<0.001	0.01	0.20	2.9	1.1	1.1	72.8	<0.01	0.03	12.8
ZZ48246		1.50	32.1	670	17.5	17.0	<0.001	0.06	0.29	3.2	1.2	1.2	73.5	<0.01	0.01	9.8
ZZ48247		1.28	31.7	620	18.2	14.4	<0.001	0.06	0.31	3.0	1.5	1.1	61.4	<0.01	0.02	7.8
ZZ48248		1.19	29.3	780	17.8	14.5	0.001	0.02	0.25	2.5	1.1	1.3	73.2	<0.01	0.01	6.9
ZZ48249		1.14	39.4	700	25.4	23.0	0.001	0.02	0.21	3.1	1.3	2.3	66.8	<0.01	0.04	11.0
ZZ48250		1.44	35.9	600	26.6	28.0	<0.001	0.02	0.20	3.3	1.3	3.5	68.8	<0.01	0.01	8.3



2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

Project: Say Yea Soil

Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 4- SEP- 2012
Account: MTT

CERTIFICATE OF ANALYSIS WH12188778

[illegible]

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Say Yea Soil

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 4- SEP- 2012
Account: MTT

CERTIFICATE OF ANALYSIS WH12188778

Method	CERTIFICATE COMMENTS
ME- MS41 ME- MS41	Interference: Ca> 10%on ICP- MS As,ICP- AES results shown. Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

APPENDIX IV
STATEMENT OF EXPENDITURES

Statement of Expenditures
Sayyea 1-198 Mineral Claims
October 30, 2012

Labour

G. Wolff (camp manager) July to Aug. 2012 – 20 days @ \$510/day	\$ 11,424.00
C. Dekking (field assistant) July to Aug. 2012 – 29 days @ \$374/day	12,147.52
K. Punnett (field assistant) Aug. 2012 – 11 days @ \$357.00/day	4,398.24
K. Grey (field assistant) July to Aug. 2012 – 29 days @ \$340.00/day	<u>11,043.20</u>
	39,012.96

Expenses

Field room and board – 89 mandays @ \$180/manday	17,942.40
Trans North Helicopters – 14.6 hours Bell 206 @ \$990/hour + fuel and 3.7 Astar @ \$1835/hour + fuel	23,524.22
Discovery Helicopters – 4.2 hours Bell 206LR @ \$1325/hour + fuel	6,519.79
ALS Chemex	<u>57,942.22</u>
	105,928.63

Total	<u>\$144,941.59</u>
-------	---------------------

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 – 510 West Hastings Street
Vancouver, B.C. V6B 1L8

Telephone: 604-688-2568

Fax: 604-688-2578

AFFIDAVIT

I, Joan Mariacher, of Vancouver, B.C. make oath and say:

That to the best of my knowledge the attached Statement of
Expenditures for exploration work on the Sayyea 1-198 mineral claims
on claim sheets 105B/10 is accurate.


Joan Mariacher

Sworn before me at Vancouver, B.C.

this 30th day of October 2012.


Barrister & Solicitor

IAN J. TALBOT
Barrister & Solicitor
281 East 5th Street
North Vancouver
British Columbia
Canada V7L 1L8

