



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DRIVEN CAPITAL CORP**
440-789 W. PENDER ST
VANCOUVER BC V6C 1H2

Page: 1
Finalized Date: 31-JUL-2012
This copy reported on
10-AUG-2012
Account: DRICAP

CERTIFICATE WH12158987

Project: White River

P.O. No.:

This report is for 178 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 10-JUL-2012.

The following have access to data associated with this certificate:

PETER KURISOO

TOMA SOJONKY

JAY TIMMERMAN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-GRA21	Au Ag 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: **DRIVEN CAPITAL CORP**
ATTN: TOMA SOJONKY
440-789 W. PENDER ST
VANCOUVER BC V6C 1H2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: DRIVEN CAPITAL CORP
440-789 W. PENDER ST
VANCOUVER BC V6C 1H2

Page: 2 - A
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 31-JUL-2012
Account: DRICAP

Project: White River

CERTIFICATE OF ANALYSIS WH12158987

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	ME-GRA21 Au ppm	ME-GRA21 Ag ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %
		0.02	0.05	5	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
WRDH-1-7.70-7.90		0.61	0.19	<5	<0.5	8.42	11	20	<0.5	3	10.60	<0.5	43	32	69	7.33
WRDH-1-7.70-7.90-A		0.86	<0.05	<5	<0.5	2.87	<5	530	0.6	<2	2.79	<0.5	3	13	4	1.67
WRDH-1-8.39-9.18		2.39	<0.05	<5	<0.5	7.72	<5	170	<0.5	6	7.32	<0.5	52	38	94	10.45
WRDH-1-9.18-9.85		1.77	<0.05	<5	<0.5	7.61	14	30	<0.5	<2	8.42	<0.5	46	37	49	9.86
WRDH-1-10.89-11.16		0.94	<0.05	<5	<0.5	5.80	<5	90	<0.5	<2	7.28	<0.5	63	38	93	12.90
WRDH-1-11.70-11.90		0.63	<0.05	<5	<0.5	6.93	<5	40	<0.5	6	6.31	<0.5	144	19	201	12.20
WRDH-1-13.78-14.19		1.41	<0.05	<5	<0.5	7.03	<5	130	<0.5	3	6.80	<0.5	54	19	92	11.20
WRDH-1-14.30-14.73		1.74	<0.05	<5	<0.5	7.63	<5	50	<0.5	<2	9.21	<0.5	54	20	80	9.01
WRDH-1-18.29-18.50		0.67	<0.05	<5	<0.5	7.79	<5	160	<0.5	2	6.99	<0.5	54	54	211	8.16
WRDH-1-24.35-25.40		1.99	<0.05	<5	<0.5	7.34	45	450	0.5	<2	9.31	<0.5	33	79	35	6.46
WRDH-1-25.40-26.75		3.05	<0.05	<5	<0.5	7.75	41	530	0.8	<2	8.40	<0.5	25	145	38	6.69
WRDH-1-32.08-32.81		2.33	<0.05	<5	<0.5	7.75	36	600	<0.5	<2	8.21	<0.5	32	76	103	8.52
WRDH-1-37.56-38.11		1.29	<0.05	<5	<0.5	7.54	74	230	<0.5	<2	7.68	<0.5	31	119	89	7.53
WRDH-1-40.70-41.58		2.85	<0.05	<5	1.2	7.89	313	190	<0.5	7	6.92	<0.5	36	158	236	7.86
WRDH-1-49.76-50.07		1.06	<0.05	<5	<0.5	9.08	65	230	<0.5	<2	8.96	<0.5	30	386	15	4.49
WRDH-1-56.40-57.57		4.33	<0.05	<5	<0.5	10.20	17	110	<0.5	<2	9.06	<0.5	39	270	126	5.87
WRDH-1-62.14-62.90		2.75	<0.05	<5	<0.5	9.43	13	160	<0.5	<2	9.08	<0.5	30	342	67	4.93
WRDH-1-63.26-63.56		0.68	<0.05	<5	<0.5	8.96	126	350	1.6	<2	9.11	<0.5	47	449	41	5.33
WRDH-1-63.56-64.60		2.84	<0.05	<5	<0.5	8.60	51	320	<0.5	<2	8.41	<0.5	33	370	66	5.01
WRDH-1-64.60-64.93		0.93	<0.05	<5	0.6	9.28	178	450	0.5	<2	4.97	<0.5	30	467	145	6.79
WRDH-1-65.38-66.61		3.33	<0.05	<5	<0.5	8.61	65	350	<0.5	<2	5.60	<0.5	30	483	39	6.68
WRDH-1-66.61-67.78		3.73	<0.05	<5	<0.5	7.86	21	280	<0.5	<2	7.51	<0.5	25	253	47	8.69
WRDH-1-66.61-67.78-A		0.86	<0.05	<5	<0.5	2.88	7	540	0.6	<2	2.77	<0.5	3	15	4	1.56
WRDH-1-67.78-68.59		2.68	<0.05	<5	<0.5	7.09	64	410	<0.5	<2	6.65	<0.5	25	411	75	7.22
WRDH-1-68.59-70.00		4.78	1.36	<5	0.5	3.95	2280	50	<0.5	109	8.02	<0.5	228	1030	234	7.07
WRDH-1-70.00-70.98		2.84	<0.05	<5	<0.5	7.92	7	40	<0.5	<2	6.16	<0.5	45	166	17	6.45
WRDH-1-70.98-71.94		2.79	<0.05	<5	<0.5	5.63	23	10	<0.5	<2	3.68	<0.5	57	656	12	5.46
WRDH-1-77.94-79.62		2.91	<0.05	<5	<0.5	8.15	11	290	<0.5	<2	7.10	<0.5	37	157	6	6.22
WRDH-1-81.17-82.05		2.63	<0.05	<5	<0.5	5.46	17	20	<0.5	<2	3.98	<0.5	76	946	81	5.68
WRDH-1-85.76-86.48		2.17	<0.05	<5	<0.5	0.78	134	<10	<0.5	<2	0.19	<0.5	91	1315	8	5.64
WRDH-1-89.36-90.10		1.89	<0.05	<5	<0.5	6.13	177	50	<0.5	<2	2.92	<0.5	68	555	51	5.83
WRDH-1-90.10-90.53		1.67	<0.05	<5	<0.5	9.77	23	150	<0.5	<2	10.75	<0.5	47	235	227	6.25
WRDH-1-91.00-91.37		1.29	<0.05	<5	<0.5	9.48	14	300	<0.5	<2	11.40	<0.5	39	149	71	6.13
WRDH-1-92.22-92.87		2.27	<0.05	6	<0.5	9.73	25	170	<0.5	<2	9.73	<0.5	33	177	46	5.94
WRDH-1-96.55-97.33		2.80	<0.05	<5	<0.5	9.57	39	170	<0.5	<2	10.50	<0.5	43	213	330	6.40
WRDH-1-98.47-99.05		1.73	<0.05	<5	<0.5	1.15	1280	<10	<0.5	2	4.53	<0.5	90	1580	201	4.40
WRDH-1-100.59-102.00		1.78	<0.05	5	1.3	6.70	131	170	<0.5	<2	4.57	<0.5	87	343	266	7.90
WRDH-1-106.31-107.06		0.55	<0.05	6	<0.5	7.16	139	210	1.1	<2	4.34	<0.5	38	218	42	7.68
WRDH-1-108.49-109.05		0.62	<0.05	<5	<0.5	7.42	1095	350	0.6	<2	6.02	<0.5	137	190	507	9.31
WRDH-1-109.05-109.53		0.64	<0.05	5	<0.5	7.46	62	240	1.4	<2	6.41	<0.5	30	177	63	6.13



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: DRIVEN CAPITAL CORP
440-789 W. PENDER ST
VANCOUVER BC V6C 1H2

Page: 2 - B
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 31-JUL-2012
Account: DRICAP

Project: White River

CERTIFICATE OF ANALYSIS WH12158987

Sample Description	Method Analyte Units LOR	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sc ppm 1	ME-ICP61 Sr ppm 1	ME-ICP61 Th ppm 20
WRDH-1-7.70-7.90		20	0.07	<10	3.23	1085	<1	0.94	38	90	2	0.03	<5	34	35	<20
WRDH-1-7.70-7.90-A		10	1.07	10	0.63	402	<1	0.88	5	280	8	0.02	<5	2	161	<20
WRDH-1-8.39-9.18		20	0.31	<10	4.67	1575	<1	2.07	50	110	<2	0.08	<5	46	213	<20
WRDH-1-9.18-9.85		20	0.08	<10	4.34	1585	<1	1.44	44	180	4	0.01	<5	46	80	<20
WRDH-1-10.89-11.16		20	0.15	<10	4.86	1910	<1	1.36	64	40	<2	0.47	<5	54	102	<20
WRDH-1-11.70-11.90		20	0.13	<10	4.17	1085	<1	1.34	162	60	2	1.76	6	28	158	<20
WRDH-1-13.78-14.19		20	0.26	<10	4.08	1745	<1	1.66	46	180	3	0.79	6	43	147	<20
WRDH-1-14.30-14.73		20	0.12	<10	4.36	1515	<1	1.17	45	100	2	0.34	<5	43	78	<20
WRDH-1-18.29-18.50		20	0.58	<10	4.17	1440	<1	2.05	55	1540	3	0.82	6	37	232	<20
WRDH-1-24.35-25.40		20	0.43	<10	4.81	1105	<1	0.88	46	150	2	0.01	<5	42	291	<20
WRDH-1-25.40-26.75		20	0.71	<10	4.81	798	<1	0.87	58	90	<2	0.01	9	46	133	<20
WRDH-1-32.08-32.81		20	0.72	<10	4.76	1495	<1	1.42	55	290	4	0.16	17	50	283	<20
WRDH-1-37.56-38.11		10	0.78	<10	4.61	1280	<1	1.66	63	150	<2	0.09	10	46	354	<20
WRDH-1-40.70-41.58		20	0.64	<10	4.20	1115	<1	1.76	82	100	10	0.05	15	41	243	<20
WRDH-1-49.76-50.07		10	0.59	<10	5.27	719	<1	1.48	180	40	<2	<0.01	7	25	187	<20
WRDH-1-56.40-57.57		20	0.36	<10	4.63	828	<1	1.66	120	250	<2	0.22	6	27	206	<20
WRDH-1-62.14-62.90		20	0.48	<10	4.47	844	<1	1.69	100	60	<2	0.04	5	32	156	<20
WRDH-1-63.26-63.56		20	1.14	<10	3.20	680	<1	0.46	163	240	<2	0.01	17	36	116	<20
WRDH-1-63.56-64.60		10	1.01	<10	5.28	760	<1	0.73	131	50	<2	0.01	9	32	792	<20
WRDH-1-64.60-64.93		20	2.09	30	5.58	677	<1	0.95	99	30	3	0.01	11	38	409	<20
WRDH-1-65.38-66.61		10	1.97	<10	5.46	656	<1	1.20	102	30	4	0.01	14	34	473	<20
WRDH-1-66.61-67.78		20	1.58	<10	4.91	1000	<1	0.99	88	320	4	0.05	15	39	403	<20
WRDH-1-66.61-67.78-A		10	1.12	10	0.62	376	<1	0.90	8	280	9	0.02	<5	2	160	<20
WRDH-1-67.78-68.59		10	1.94	<10	4.98	885	<1	0.91	148	130	3	0.05	16	36	466	<20
WRDH-1-68.59-70.00		10	0.61	10	10.40	877	<1	0.36	1055	190	2	0.69	12	19	53	<20
WRDH-1-70.00-70.98		10	0.21	<10	10.85	1165	<1	0.51	159	560	2	<0.01	<5	25	157	<20
WRDH-1-70.98-71.94		10	0.03	<10	16.95	953	<1	0.11	848	370	<2	0.01	<5	20	8	<20
WRDH-1-77.94-79.62		20	0.82	<10	7.69	1100	<1	0.55	230	610	<2	<0.01	9	19	181	<20
WRDH-1-81.17-82.05		<10	0.12	<10	16.70	978	<1	0.16	1040	40	2	0.01	<5	10	16	<20
WRDH-1-85.76-86.48		<10	0.01	10	23.2	862	<1	<0.01	2000	30	2	0.02	5	9	<1	<20
WRDH-1-89.36-90.10		10	0.23	<10	16.20	1265	<1	0.18	639	380	<2	0.02	11	20	30	<20
WRDH-1-90.10-90.53		20	1.15	<10	3.89	1105	<1	1.01	86	630	15	0.62	6	33	316	<20
WRDH-1-91.00-91.37		20	0.86	<10	3.25	1305	<1	1.20	108	530	5	0.66	9	29	317	<20
WRDH-1-92.22-92.87		20	0.89	<10	3.02	1200	<1	1.91	94	550	6	0.29	<5	28	327	<20
WRDH-1-96.55-97.33		20	0.95	<10	2.78	1055	<1	1.24	108	440	12	0.74	10	31	223	<20
WRDH-1-98.47-99.05		<10	0.02	<10	17.10	417	<1	0.04	1995	40	2	0.60	42	9	13	<20
WRDH-1-100.59-102.00		10	0.60	<10	11.05	819	1	0.45	524	440	<2	0.21	9	24	48	<20
WRDH-1-106.31-107.06		20	0.38	<10	4.68	727	<1	0.45	78	390	<2	0.51	20	33	80	<20
WRDH-1-108.49-109.05		20	0.85	<10	4.73	1550	<1	1.23	91	460	2	2.87	29	34	167	<20
WRDH-1-109.05-109.53		20	0.66	<10	2.87	992	<1	0.67	43	750	2	0.07	13	39	77	<20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: DRIVEN CAPITAL CORP
 440-789 W. PENDER ST
 VANCOUVER BC V6C 1H2

Page: 2 - C
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 31-JUL-2012
 Account: DRICAP

Project: White River

CERTIFICATE OF ANALYSIS WH12158987

Sample Description	Method Analyte Units LOR	ME-ICP61 Ti %	ME-ICP61 Ti ppm	ME-ICP61 U ppm	ME-ICP61 V ppm	ME-ICP61 W ppm	ME-ICP61 Zn ppm
		0.01	10	10	1	10	2
WRDH-1-7.70-7.90		1.02	<10	<10	625	<10	55
WRDH-1-7.70-7.90-A		0.06	<10	<10	23	<10	18
WRDH-1-8.39-9.18		1.30	10	<10	704	<10	64
WRDH-1-9.18-9.85		1.46	<10	<10	755	<10	57
WRDH-1-10.89-11.16		2.07	<10	<10	1100	<10	65
WRDH-1-11.70-11.90		0.53	<10	<10	383	<10	65
WRDH-1-13.78-14.19		1.99	10	<10	934	<10	52
WRDH-1-14.30-14.73		1.42	<10	<10	730	<10	50
WRDH-1-18.29-18.50		1.03	<10	<10	375	<10	58
WRDH-1-24.35-25.40		0.51	<10	<10	273	<10	43
WRDH-1-25.40-26.75		0.48	<10	<10	258	<10	43
WRDH-1-32.08-32.81		1.35	<10	10	553	<10	56
WRDH-1-37.56-38.11		1.11	<10	10	423	<10	51
WRDH-1-40.70-41.58		0.94	<10	10	440	<10	51
WRDH-1-49.76-50.07		0.17	<10	10	111	<10	38
WRDH-1-56.40-57.57		0.57	<10	10	240	<10	33
WRDH-1-62.14-62.90		0.36	<10	10	173	<10	34
WRDH-1-63.26-63.56		0.41	<10	<10	198	<10	37
WRDH-1-63.56-64.60		0.25	<10	10	146	<10	35
WRDH-1-64.60-64.93		0.23	<10	10	174	<10	50
WRDH-1-65.38-66.61		0.22	<10	10	163	<10	50
WRDH-1-66.61-67.78		1.11	<10	<10	403	<10	54
WRDH-1-66.61-67.78-A		0.06	<10	<10	19	<10	17
WRDH-1-67.78-68.59		0.49	<10	10	215	<10	45
WRDH-1-68.59-70.00		0.28	<10	<10	121	<10	54
WRDH-1-70.00-70.98		0.68	<10	<10	220	<10	68
WRDH-1-70.98-71.94		0.46	<10	<10	149	<10	61
WRDH-1-77.94-79.62		0.66	<10	10	203	<10	44
WRDH-1-81.17-82.05		0.05	<10	<10	54	<10	252
WRDH-1-85.76-86.48		0.15	<10	<10	74	<10	36
WRDH-1-89.36-90.10		0.46	<10	<10	165	<10	97
WRDH-1-90.10-90.53		0.70	<10	<10	242	<10	85
WRDH-1-91.00-91.37		0.66	<10	10	257	<10	49
WRDH-1-92.22-92.87		0.70	<10	10	244	<10	61
WRDH-1-96.55-97.33		0.66	<10	10	190	<10	77
WRDH-1-98.47-99.05		0.07	<10	<10	47	<10	34
WRDH-1-100.59-102.00		0.65	<10	<10	231	20	43
WRDH-1-106.31-107.06		0.64	<10	<10	235	<10	32
WRDH-1-108.49-109.05		0.71	<10	10	259	<10	58
WRDH-1-109.05-109.53		0.82	<10	<10	290	<10	47



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: DRIVEN CAPITAL CORP
440-789 W. PENDER ST
VANCOUVER BC V6C 1H2

Page: 3 - A
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 31-JUL-2012
Account: DRICAP

Project: White River

CERTIFICATE OF ANALYSIS WH12158987

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	ME-GRA21 Au ppm	ME-GRA21 Ag ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %
		0.02	0.05	5	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
WRDH-1-112.92-113.27		0.36	<0.05	<5	0.6	4.19	120	400	0.9	<2	1.27	<0.5	18	85	83	3.97
WRDH-1-113.27-114.34		1.63	<0.05	5	<0.5	1.62	44	70	0.7	<2	21.3	<0.5	5	23	32	2.03
WRDH-1-114.34-115.33		1.72	<0.05	<5	<0.5	1.80	67	70	0.9	2	20.3	<0.5	7	32	70	2.06
WRDH-1-114.34-115.33-A		0.75	<0.05	<5	<0.5	2.82	7	530	0.6	<2	2.82	<0.5	3	12	4	1.43
WRDH-1-115.33-116.85		1.72	<0.05	<5	<0.5	1.87	94	140	0.7	<2	8.84	<0.5	7	30	106	2.83
WRDH-1-116.85-118.00		0.47	<0.05	<5	<0.5	3.53	99	400	0.9	<2	3.54	<0.5	15	38	101	2.09
WRDH-1-118.00-120.77		1.21	<0.05	<5	<0.5	3.54	19	5500	1.1	<2	0.16	<0.5	9	50	92	3.21
WRDH-1-120.77-122.14		1.24	<0.05	<5	<0.5	3.83	18	5370	1.1	<2	0.16	<0.5	7	54	78	2.62
WRDH-1-122.14-123.32		1.91	<0.05	5	<0.5	4.04	5	7100	1.1	<2	0.10	<0.5	8	53	89	2.70
WRDH-1-124.97-126.49		0.63	<0.05	5	<0.5	3.07	15	4600	0.6	<2	0.77	<0.5	8	73	70	2.51
WRDH-2-30.62-30.84		0.62	<0.05	<5	<0.5	7.64	71	170	<0.5	<2	7.24	<0.5	29	237	63	7.15
WRDH-2-37.59-38.35		2.00	<0.05	<5	<0.5	7.78	29	120	<0.5	<2	7.89	<0.5	32	177	38	7.02
WRDH-2-39.10-39.40		0.79	<0.05	<5	<0.5	7.81	624	90	<0.5	5	8.15	<0.5	70	200	67	7.30
WRDH-2-43.00-44.62		3.18	<0.05	6	<0.5	7.35	151	50	<0.5	3	8.82	<0.5	34	177	77	6.81
WRDH-2-46.50-47.34		2.00	<0.05	<5	<0.5	7.39	44	160	<0.5	<2	7.98	<0.5	33	200	40	6.28
WRDH-2-47.34-48.29		2.38	<0.05	<5	<0.5	7.49	147	480	1.7	<2	14.1	<0.5	30	154	31	5.57
WRDH-2-48.29-50.00		5.44	<0.05	<5	<0.5	8.76	11	140	<0.5	<2	8.61	<0.5	41	206	68	7.39
WRDH-2-51.86-53.25		2.67	<0.05	<5	<0.5	7.86	54	130	<0.5	<2	8.11	<0.5	43	202	91	7.55
WRDH-2-53.25-54.25		1.07	<0.05	7	<0.5	8.03	74	50	0.5	<2	10.55	<0.5	44	104	97	6.91
WRDH-2-55.17-55.66		1.57	<0.05	<5	<0.5	8.13	22	140	<0.5	<2	7.63	<0.5	40	206	81	6.39
WRDH-2-56.25-56.88		2.47	<0.05	<5	<0.5	7.77	3630	110	<0.5	14	7.73	<0.5	62	128	97	7.58
WRDH-2-57.75-58.35		1.48	<0.05	<5	<0.5	8.67	38	190	<0.5	<2	7.84	<0.5	36	132	68	7.18
WRDH-2-58.82-59.10		0.74	<0.05	7	<0.5	8.26	451	190	<0.5	4	6.35	<0.5	40	158	75	6.34
WRDH-2-66.64-66.92		0.36	<0.05	<5	<0.5	8.09	31	350	<0.5	<2	8.72	<0.5	35	180	127	6.18
WRDH-2-66.64-66.92A		0.72	<0.05	<5	<0.5	2.79	12	510	0.6	<2	2.80	<0.5	4	14	5	1.48
WRDH-2-77.78-78.30		0.93	<0.05	5	<0.5	7.25	14	240	<0.5	<2	7.36	<0.5	51	70	212	8.56
WRDH-2-79.35-80.30		1.43	<0.05	<5	<0.5	7.92	14	160	<0.5	<2	7.25	<0.5	32	65	93	8.07
WRDH-2-80.30-81.30		1.45	<0.05	15	<0.5	7.75	30	150	<0.5	<2	6.97	<0.5	49	62	226	8.68
WRDH-2-88.62-89.26		0.83	<0.05	6	<0.5	8.33	60	170	0.5	<2	6.90	<0.5	29	211	227	7.09
WRDH-2-95.45-95.88		0.61	<0.05	<5	<0.5	7.90	74	380	<0.5	<2	7.06	<0.5	24	185	249	6.60
WRDH-2-97.05-97.46		0.57	<0.05	7	2.3	7.52	243	300	0.6	18	5.10	<0.5	64	145	854	10.05
WRDH-2-97.46-98.32		1.22	<0.05	11	5.6	7.00	515	200	0.8	23	4.89	1.5	88	154	1600	12.25
WRDH-2-98.32-98.72		0.48	<0.05	8	1.2	6.14	739	190	1.1	<2	10.35	<0.5	70	109	665	12.55
WRDH-2-98.72-99.10		0.83	3.68	25	16.6	1.89	>10000	60	<0.5	231	1.14	4.9	2810	65	4210	35.4
WRDH-2-99.10-99.25		0.29	<0.05	<5	0.9	7.19	504	390	1.0	5	3.52	<0.5	88	154	531	9.95
WRDH-2-99.25-100.00		0.98	<0.05	8	2.9	6.27	6730	430	1.2	24	1.99	1.0	253	28	897	8.09
WRDH-2-100.00-100.53		0.60	<0.05	<5	1.0	4.09	474	580	0.8	3	2.16	1.0	32	67	282	3.44
WRDH-2-100.53-101.11		0.71	<0.05	30	25.0	2.86	4620	240	0.5	118	1.45	3.8	33	61	1800	12.90
WRDH-2-101.11-101.93		1.10	<0.05	<5	0.9	7.98	460	300	0.9	2	4.17	4.6	50	216	1875	7.88
WRDH-2-101.93-102.53		1.09	<0.05	5	1.6	8.01	849	900	1.1	11	3.97	1.5	52	217	409	8.08



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: DRIVEN CAPITAL CORP
440-789 W. PENDER ST
VANCOUVER BC V6C 1H2

Page: 3 - B
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 31-JUL-2012
Account: DRICAP

Project: White River

CERTIFICATE OF ANALYSIS WH12158987

Sample Description	Method Analyte Units LOR	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sc ppm 1	ME-ICP61 Sr ppm 1	ME-ICP61 Th ppm 20
WRDH-1-112.92-113.27		10	0.56	10	2.50	364	5	0.05	75	540	4	0.03	21	14	21	<20
WRDH-1-113.27-114.34		<10	0.04	<10	3.05	745	<1	0.02	14	100	3	0.56	15	6	362	<20
WRDH-1-114.34-115.33		<10	0.10	<10	3.14	419	1	0.01	21	100	2	0.38	25	6	359	<20
WRDH-1-114.34-115.33-A		10	1.11	10	0.61	370	<1	0.89	7	280	8	0.02	<5	2	157	<20
WRDH-1-115.33-116.85		10	0.48	<10	1.89	411	1	0.02	12	190	2	0.14	13	6	197	<20
WRDH-1-116.85-118.00		10	0.84	10	1.06	327	1	0.02	44	120	8	0.02	9	7	25	<20
WRDH-1-118.00-120.77		10	1.46	10	0.85	201	2	0.07	40	210	3	0.10	8	8	29	<20
WRDH-1-120.77-122.14		10	1.60	20	0.86	158	1	0.18	30	170	<2	0.10	5	9	38	<20
WRDH-1-122.14-123.32		10	1.76	20	0.98	200	<1	0.11	52	170	<2	0.23	<5	9	44	<20
WRDH-1-124.97-126.49		10	1.10	10	1.15	248	1	0.35	37	410	<2	0.08	<5	10	51	<20
WRDH-2-30.62-30.84		10	0.45	<10	4.29	965	<1	1.90	75	410	<2	0.02	10	35	333	<20
WRDH-2-37.59-38.35		10	0.29	<10	4.52	1135	<1	1.93	76	520	<2	0.03	<5	37	282	<20
WRDH-2-39.10-39.40		10	0.31	<10	4.53	1205	<1	1.62	84	600	<2	0.01	15	38	267	<20
WRDH-2-43.00-44.62		20	0.20	<10	4.35	1095	<1	1.52	69	650	<2	0.04	13	36	63	<20
WRDH-2-46.50-47.34		10	0.36	<10	4.46	1020	<1	1.21	72	390	<2	<0.01	6	36	97	<20
WRDH-2-47.34-48.29		10	1.00	<10	2.90	980	<1	0.98	71	350	<2	0.01	11	29	150	<20
WRDH-2-48.29-50.00		10	0.36	<10	5.27	1245	<1	1.66	83	490	<2	0.12	5	35	213	<20
WRDH-2-51.86-53.25		10	0.33	<10	5.08	1295	<1	1.50	89	420	<2	0.01	5	36	265	<20
WRDH-2-53.25-54.25		20	0.14	<10	3.53	1035	<1	1.37	64	560	<2	0.02	11	33	92	<20
WRDH-2-55.17-55.66		10	0.33	<10	4.37	1035	<1	1.71	134	420	<2	0.05	14	32	262	<20
WRDH-2-56.25-56.88		10	0.22	<10	4.29	1125	<1	2.29	66	520	<2	0.46	14	38	239	<20
WRDH-2-57.75-58.35		10	0.44	<10	4.09	1200	<1	2.23	50	570	<2	0.01	7	35	253	<20
WRDH-2-58.82-59.10		10	0.45	<10	4.07	919	<1	2.25	66	410	<2	0.01	16	31	161	<20
WRDH-2-66.64-66.92		10	0.80	<10	3.35	876	<1	1.21	82	360	<2	0.26	10	28	204	<20
WRDH-2-66.64-66.92A		<10	1.11	10	0.60	357	<1	0.89	9	280	5	0.02	<5	2	158	<20
WRDH-2-77.78-78.30		20	0.35	<10	4.20	1090	<1	2.24	43	620	<2	1.23	19	36	237	<20
WRDH-2-79.35-80.30		20	0.48	<10	4.01	1135	<1	2.24	37	730	<2	0.24	20	41	258	<20
WRDH-2-80.30-81.30		20	0.46	<10	3.99	1145	<1	2.11	49	720	<2	1.28	26	41	313	<20
WRDH-2-88.62-89.26		10	0.82	<10	3.90	1205	<1	1.20	96	660	<2	0.80	19	38	397	<20
WRDH-2-95.45-95.88		10	1.86	10	3.12	804	<1	1.75	66	500	2	0.90	14	32	171	<20
WRDH-2-97.05-97.46		10	1.30	<10	2.87	693	<1	1.85	67	520	<2	3.75	21	35	190	<20
WRDH-2-97.46-98.32		10	0.99	20	2.40	348	5	2.29	75	650	11	5.91	8	24	198	<20
WRDH-2-98.32-98.72		20	0.68	10	2.49	606	4	0.61	51	880	<2	2.17	28	31	104	<20
WRDH-2-98.72-99.10		<10	0.13	430	1.17	191	8	0.24	403	590	76	>10.0	98	8	24	<20
WRDH-2-99.10-99.25		20	1.14	<10	3.76	951	1	1.87	74	650	2	0.86	14	36	100	<20
WRDH-2-99.25-100.00		20	0.47	10	1.24	268	1	2.47	47	1100	13	1.00	22	17	140	<20
WRDH-2-100.00-100.53		10	0.68	20	1.35	364	<1	1.26	33	300	7	0.17	5	12	91	<20
WRDH-2-100.53-101.11		10	0.48	10	0.79	217	2	0.86	24	410	244	1.66	25	13	77	<20
WRDH-2-101.11-101.93		20	0.89	10	3.02	770	<1	2.01	90	870	3	0.90	8	38	137	<20
WRDH-2-101.93-102.53		20	1.71	10	3.72	870	<1	2.17	89	940	8	0.45	8	36	140	<20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: DRIVEN CAPITAL CORP
 440-789 W. PENDER ST
 VANCOUVER BC V6C 1H2

Page: 3 - C
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 31-JUL-2012
 Account: DRICAP

Project: White River

CERTIFICATE OF ANALYSIS WH12158987

Sample Description	Method Analyte Units LOR	ME-ICP61 Ti %	ME-ICP61 Ti ppm	ME-ICP61 U ppm	ME-ICP61 V ppm	ME-ICP61 W ppm	ME-ICP61 Zn ppm
		0.01	10	10	1	10	2
WRDH-1-112.92-113.27		0.31	<10	<10	125	10	26
WRDH-1-113.27-114.34		0.12	<10	<10	44	<10	6
WRDH-1-114.34-115.33		0.14	<10	<10	53	<10	9
WRDH-1-114.34-115.33-A		0.06	<10	10	18	<10	16
WRDH-1-115.33-116.85		0.11	<10	<10	49	<10	10
WRDH-1-116.85-118.00		0.17	<10	<10	88	<10	19
WRDH-1-118.00-120.77		0.18	<10	<10	124	<10	26
WRDH-1-120.77-122.14		0.20	<10	<10	115	<10	18
WRDH-1-122.14-123.32		0.20	<10	<10	112	<10	32
WRDH-1-124.97-126.49		0.19	10	<10	78	<10	17
WRDH-2-30.62-30.84		0.65	10	<10	241	<10	53
WRDH-2-37.59-38.35		0.77	<10	<10	275	<10	44
WRDH-2-39.10-39.40		0.84	<10	<10	295	<10	46
WRDH-2-43.00-44.62		0.87	<10	<10	279	<10	41
WRDH-2-46.50-47.34		0.66	10	<10	234	<10	45
WRDH-2-47.34-48.29		0.54	<10	<10	196	<10	38
WRDH-2-48.29-50.00		0.79	<10	<10	267	<10	51
WRDH-2-51.86-53.25		0.68	<10	<10	233	<10	53
WRDH-2-53.25-54.25		0.72	<10	<10	256	<10	57
WRDH-2-55.17-55.66		0.65	10	<10	224	<10	54
WRDH-2-56.25-56.88		0.76	10	<10	272	<10	54
WRDH-2-57.75-58.35		0.81	<10	<10	273	<10	57
WRDH-2-58.82-59.10		0.62	<10	<10	238	<10	44
WRDH-2-66.64-66.92		0.55	<10	<10	205	<10	46
WRDH-2-66.64-66.92A		0.06	<10	<10	19	<10	16
WRDH-2-77.78-78.30		0.80	<10	<10	288	<10	59
WRDH-2-79.35-80.30		0.90	<10	<10	311	<10	56
WRDH-2-80.30-81.30		0.92	<10	<10	326	<10	54
WRDH-2-88.62-89.26		0.83	<10	<10	267	<10	45
WRDH-2-95.45-95.88		0.63	<10	<10	239	<10	40
WRDH-2-97.05-97.46		0.69	<10	<10	235	<10	31
WRDH-2-97.46-98.32		0.57	<10	<10	175	<10	52
WRDH-2-98.32-98.72		1.02	<10	<10	279	<10	39
WRDH-2-98.72-99.10		0.34	10	<10	81	<10	82
WRDH-2-99.10-99.25		0.81	<10	<10	304	<10	56
WRDH-2-99.25-100.00		0.47	<10	<10	163	<10	41
WRDH-2-100.00-100.53		0.31	<10	<10	106	<10	28
WRDH-2-100.53-101.11		0.32	10	<10	111	<10	117
WRDH-2-101.11-101.93		1.02	<10	<10	303	<10	92
WRDH-2-101.93-102.53		0.96	10	<10	294	<10	65



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: DRIVEN CAPITAL CORP
440-789 W. PENDER ST
VANCOUVER BC V6C 1H2

Page: 4 - A
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 31-JUL-2012
Account: DRICAP

Project: White River

CERTIFICATE OF ANALYSIS WH12158987

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	ME-GRA21 Au ppm	ME-GRA21 Ag ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %
		0.02	0.05	5	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
WRDH-2-102.53-103.23		1.04	<0.05	12	0.8	7.60	1230	560	0.8	2	4.36	<0.5	27	231	448	9.05
WRDH-2-103.23-103.90		1.06	<0.05	5	0.6	8.15	118	280	0.7	<2	5.39	<0.5	31	252	296	6.88
WRDH-2-103.90-104.90		1.32	<0.05	8	<0.5	8.30	196	300	0.6	<2	5.64	<0.5	30	315	260	7.44
WRDH-2-107.85-108.45		1.05	<0.05	5	<0.5	8.13	168	150	0.5	7	6.62	<0.5	43	274	292	7.56
WRDH-2-110.20-110.78		1.07	<0.05	6	<0.5	7.30	73	200	0.5	<2	7.16	<0.5	57	228	344	8.72
WRDH-2-110.78-110.78-A		0.72	<0.05	<5	<0.5	2.80	11	530	0.6	<2	2.83	<0.5	2	14	6	1.51
WRDH-2-113.65-114.12		0.68	<0.05	<5	<0.5	7.36	39	670	0.5	<2	8.10	<0.5	30	201	44	6.88
WRDH-2-114.92-115.82		1.63	<0.05	<5	<0.5	6.93	83	560	0.7	5	6.92	<0.5	28	194	27	6.55
WRDH-2-115.82-116.60		1.22	<0.05	6	<0.5	7.41	50	630	0.5	<2	6.32	<0.5	22	227	111	6.63
WRDH-2-116.00-117.55		1.41	<0.05	8	<0.5	7.32	83	650	0.5	<2	6.65	<0.5	21	206	133	5.96
WRDH-2-117.55-118.50		1.32	<0.05	<5	<0.5	7.60	87	490	0.6	<2	7.56	<0.5	29	204	163	6.29
WRDH-2-118.50-119.22		1.28	<0.05	<5	<0.5	7.63	48	360	0.5	<2	6.03	<0.5	26	196	51	7.02
WRDH-2-119.22-120.30		1.63	<0.05	<5	<0.5	7.38	51	820	0.5	<2	7.07	<0.5	31	167	20	7.44
WRDH-2-120.30-120.76		0.31	<0.05	<5	<0.5	7.10	28	590	0.5	<2	7.08	<0.5	29	163	78	7.31
WRDH-2-120.76-121.78		1.54	<0.05	6	<0.5	7.36	28	700	0.5	<2	7.53	<0.5	32	184	61	6.92
WRDH-2-121.78-122.60		1.01	<0.05	5	<0.5	3.74	132	1180	0.8	<2	2.56	<0.5	11	53	169	3.22
WRDH-2-122.60-123.60		1.13	<0.05	<5	<0.5	3.70	58	1760	0.8	<2	1.01	<0.5	11	49	130	2.77
WRDH-2-123.60-124.30		1.11	<0.05	<5	<0.5	4.43	51	1720	1.0	<2	1.79	<0.5	14	50	201	4.26
WRDH-2-124.30-124.97		0.89	<0.05	<5	<0.5	4.00	117	5450	1.1	3	0.27	<0.5	5	36	123	3.13
WRDH-2-124.97-126.00		0.77	<0.05	<5	<0.5	3.52	82	5720	0.8	<2	0.31	<0.5	6	44	152	3.33
WRDH-2-126.00-127.62		0.87	<0.05	<5	<0.5	3.75	75	5180	0.9	<2	0.23	<0.5	6	41	95	2.45
WRDH-2-127.62-127.88		0.73	<0.05	<5	<0.5	7.35	51	490	1.4	<2	7.22	<0.5	19	98	97	5.85
WRDH-2-127.88-129.00		0.59	<0.05	5	0.6	6.90	91	210	1.0	7	1.90	<0.5	26	52	484	10.65
WRDH-2-128.60-129.00		Listed, NR														
WRDH-2-129.00-130.00			<0.05	<5	<0.5	7.32	186	470	0.6	<2	4.79	<0.5	31	46	199	9.34
WRDH-2-130.00-131.06		1.10	<0.05	<5	<0.5	7.29	16	1130	0.5	<2	6.82	<0.5	41	35	72	9.19
WRDH-2-131.06-131.06-A		0.82	<0.05	<5	<0.5	2.78	<5	530	0.6	<2	2.76	<0.5	3	13	4	1.48
WRDH-2-134.33-135.80		2.49	<0.05	<5	<0.5	7.52	37	210	0.6	<2	6.16	<0.5	96	73	205	9.61
WRDH-2-142.29-143.13		1.20	<0.05	<5	<0.5	7.87	156	330	0.8	<2	7.24	<0.5	37	82	132	9.23
WRDH-2-145.82-146.80		1.88	<0.05	<5	0.5	8.13	289	830	1.1	<2	1.34	<0.5	40	14	543	11.50
WRDH-2-146.80-147.65		1.48	2.64	<5	2.5	7.04	>10000	450	0.8	23	1.46	<0.5	1110	18	663	13.05
WRDH-2-147.65-148.18		0.78	<0.05	<5	1.6	5.99	2480	530	0.7	<2	0.91	<0.5	72	212	593	12.20
WRDH-2-148.69-149.53		1.62	<0.05	<5	<0.5	7.89	184	610	<0.5	<2	5.88	<0.5	38	400	92	6.67
WRDH-2-159.03-160.00		1.56	<0.05	<5	<0.5	3.31	16	1580	0.6	<2	0.99	<0.5	15	141	89	2.93
WRDH-2-160.49-162.00		0.93	<0.05	<5	<0.5	7.73	21	1890	0.8	<2	4.01	<0.5	23	105	126	5.32
WRDH-2-162.00-163.30		1.47	<0.05	<5	<0.5	6.16	20	1660	0.7	<2	4.06	<0.5	31	244	89	5.51
WRDH-2-163.30-164.40		2.07	<0.05	<5	<0.5	8.26	9	1370	1.3	<2	7.34	<0.5	35	246	46	7.98
WRDH-2-164.40-165.45		0.96	<0.05	<5	<0.5	4.42	<5	3470	0.9	<2	1.36	<0.5	16	84	128	3.40
WRDH-2-165.45-166.00		0.78	<0.05	<5	<0.5	7.61	22	2170	1.0	<2	3.06	<0.5	24	202	99	4.39
WRDH-2-166.00-167.57		0.76	<0.05	<5	<0.5	5.00	6	1060	0.5	<2	3.66	<0.5	22	140	43	4.42



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: DRIVEN CAPITAL CORP
440-789 W. PENDER ST
VANCOUVER BC V6C 1H2

Page: 4 - B
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 31-JUL-2012
Account: DRICAP

Project: White River

CERTIFICATE OF ANALYSIS WH12158987

Sample Description	Method Analyte Units LOR	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sc ppm 1	ME-ICP61 Sr ppm 1	ME-ICP61 Th ppm 20
WRDH-2-102.53-103.23		20	1.61	10	3.97	863	<1	2.11	118	860	4	1.34	12	35	118	<20
WRDH-2-103.23-103.90		20	1.13	10	3.57	730	<1	2.52	103	840	<2	1.10	10	37	175	<20
WRDH-2-103.90-104.90		20	1.09	<10	3.70	882	<1	1.90	91	810	<2	0.86	19	38	268	<20
WRDH-2-107.85-108.45		10	0.62	<10	3.29	958	<1	2.09	104	740	<2	2.30	13	36	285	<20
WRDH-2-110.20-110.78		10	0.72	<10	3.71	1025	<1	1.59	118	670	<2	2.71	7	33	250	<20
WRDH-2-110.78-110.78-A		<10	1.12	10	0.62	359	<1	0.89	8	300	6	0.03	<5	2	157	<20
WRDH-2-113.65-114.12		10	0.74	<10	3.73	1005	<1	1.27	75	770	<2	0.03	10	36	796	<20
WRDH-2-114.92-115.82		10	1.08	<10	3.56	886	<1	1.63	63	660	2	0.07	14	33	136	<20
WRDH-2-115.82-116.60		10	0.94	<10	4.32	976	<1	1.71	52	750	<2	0.37	17	39	464	<20
WRDH-2-116.00-117.55		10	0.97	10	4.12	909	<1	1.40	56	690	<2	0.35	11	37	471	<20
WRDH-2-117.55-118.50		10	1.03	10	3.14	759	<1	1.35	73	780	<2	0.78	15	34	247	<20
WRDH-2-118.50-119.22		10	0.75	<10	3.91	1075	<1	1.75	65	810	<2	0.10	11	40	228	<20
WRDH-2-119.22-120.30		10	0.66	<10	4.21	1315	<1	1.36	64	750	<2	0.02	8	39	589	<20
WRDH-2-120.30-120.76		10	0.41	<10	3.88	1245	<1	1.61	58	750	<2	0.03	6	37	382	<20
WRDH-2-120.76-121.78		10	0.77	<10	3.79	1225	<1	1.52	65	670	<2	0.11	8	36	272	<20
WRDH-2-121.78-122.60		10	0.74	20	0.87	256	<1	1.00	26	600	6	0.12	6	10	98	<20
WRDH-2-122.60-123.60		10	0.79	20	0.78	199	<1	0.82	27	410	3	0.08	<5	8	105	<20
WRDH-2-123.60-124.30		10	1.10	10	1.25	388	1	0.60	35	400	4	0.70	11	14	132	<20
WRDH-2-124.30-124.97		10	1.33	20	1.21	236	5	0.08	16	310	6	0.04	8	7	33	<20
WRDH-2-124.97-126.00		10	1.27	20	1.03	214	9	0.09	13	380	3	0.07	7	7	44	<20
WRDH-2-126.00-127.62		10	1.25	20	1.13	169	2	0.08	19	270	4	0.02	11	8	29	<20
WRDH-2-127.62-127.88		10	1.09	20	2.19	788	1	0.83	27	720	7	0.37	6	26	99	<20
WRDH-2-127.88-129.00		20	1.23	10	2.46	297	4	1.24	16	960	6	4.91	7	25	129	<20
WRDH-2-128.60-129.00																
WRDH-2-129.00-130.00		20	0.63	<10	3.77	1360	1	2.27	25	840	<2	0.05	15	39	137	<20
WRDH-2-130.00-131.06		20	0.60	<10	4.05	1320	<1	2.24	37	860	<2	0.03	14	38	267	<20
WRDH-2-131.06-131.06-A		10	1.09	10	0.62	359	<1	0.88	7	300	6	0.02	<5	2	156	<20
WRDH-2-134.33-135.80		20	0.49	<10	2.78	1460	<1	2.39	56	810	<2	1.13	15	38	156	<20
WRDH-2-142.29-143.13		20	0.70	10	2.96	1195	<1	2.44	57	1030	<2	0.05	9	41	127	<20
WRDH-2-145.82-146.80		20	1.53	20	1.68	580	<1	2.35	29	1440	<2	1.46	<5	24	210	<20
WRDH-2-146.80-147.65		10	0.93	30	1.31	645	<1	2.91	125	1180	7	3.82	53	23	167	<20
WRDH-2-147.65-148.18		10	1.03	<10	1.68	410	<1	0.84	100	410	<2	1.82	7	21	62	<20
WRDH-2-148.69-149.53		10	1.33	<10	4.18	811	<1	1.89	215	420	<2	0.06	9	30	151	<20
WRDH-2-159.03-160.00		10	0.74	10	1.03	331	2	1.01	85	330	3	0.25	<5	12	74	<20
WRDH-2-160.49-162.00		20	0.98	20	2.37	1800	<1	0.77	73	890	2	0.01	<5	22	94	<20
WRDH-2-162.00-163.30		10	0.93	10	3.40	2190	<1	0.51	128	500	3	0.01	<5	28	186	<20
WRDH-2-163.30-164.40		20	1.24	10	5.02	4540	<1	1.76	124	990	<2	0.03	7	41	188	<20
WRDH-2-164.40-165.45		10	1.32	10	1.77	1180	<1	0.40	54	320	2	0.01	<5	15	50	<20
WRDH-2-165.45-166.00		20	2.02	10	2.44	1495	<1	0.56	119	350	10	0.01	5	18	91	<20
WRDH-2-166.00-167.57		10	0.66	10	2.63	1905	<1	0.65	70	380	3	<0.01	6	21	63	<20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: DRIVEN CAPITAL CORP
 440-789 W. PENDER ST
 VANCOUVER BC V6C 1H2

Page: 4 - C
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 31-JUL-2012
 Account: DRICAP

Project: White River

CERTIFICATE OF ANALYSIS WH12158987

Sample Description	Method Analyte Units LOR	ME-ICP61 Ti %	ME-ICP61 Ti ppm	ME-ICP61 U ppm	ME-ICP61 V ppm	ME-ICP61 W ppm	ME-ICP61 Zn ppm
		0.01	10	10	1	10	2
WRDH-2-102.53-103.23		0.96	10	<10	277	<10	55
WRDH-2-103.23-103.90		0.95	<10	<10	272	<10	41
WRDH-2-103.90-104.90		0.99	10	<10	295	<10	41
WRDH-2-107.85-108.45		0.87	<10	<10	281	<10	38
WRDH-2-110.20-110.78		0.78	<10	<10	265	<10	39
WRDH-2-110.78-110.78-A		0.06	<10	<10	20	<10	16
WRDH-2-113.65-114.12		0.89	<10	<10	272	<10	44
WRDH-2-114.92-115.82		0.78	<10	<10	253	<10	51
WRDH-2-115.82-116.60		0.89	<10	<10	286	<10	42
WRDH-2-116.00-117.55		0.85	<10	<10	260	<10	38
WRDH-2-117.55-118.50		0.82	<10	<10	250	<10	37
WRDH-2-118.50-119.22		0.97	<10	<10	268	<10	47
WRDH-2-119.22-120.30		0.94	10	<10	271	<10	54
WRDH-2-120.30-120.76		0.90	10	<10	287	<10	68
WRDH-2-120.76-121.78		0.83	10	<10	263	<10	53
WRDH-2-121.78-122.60		0.23	<10	<10	144	<10	24
WRDH-2-122.60-123.60		0.18	<10	<10	171	<10	23
WRDH-2-123.60-124.30		0.34	10	<10	185	<10	26
WRDH-2-124.30-124.97		0.15	<10	<10	147	<10	17
WRDH-2-124.97-126.00		0.15	<10	<10	130	<10	15
WRDH-2-126.00-127.62		0.17	<10	<10	123	<10	17
WRDH-2-127.62-127.88		0.56	<10	<10	193	<10	50
WRDH-2-127.88-129.00		0.47	<10	<10	171	<10	28
WRDH-2-128.60-129.00							
WRDH-2-129.00-130.00		1.05	<10	<10	343	<10	59
WRDH-2-130.00-131.06		1.09	10	<10	356	<10	70
WRDH-2-131.06-131.06-A		0.06	<10	<10	20	<10	16
WRDH-2-134.33-135.80		0.99	10	<10	331	<10	59
WRDH-2-142.29-143.13		1.22	10	<10	362	<10	102
WRDH-2-145.82-146.80		0.61	10	<10	201	<10	42
WRDH-2-146.80-147.65		0.44	<10	<10	152	<10	37
WRDH-2-147.65-148.18		0.41	<10	<10	151	<10	38
WRDH-2-148.69-149.53		0.62	<10	<10	218	<10	41
WRDH-2-159.03-160.00		0.24	<10	<10	64	<10	27
WRDH-2-160.49-162.00		0.50	<10	<10	162	<10	102
WRDH-2-162.00-163.30		0.54	<10	<10	189	<10	101
WRDH-2-163.30-164.40		1.06	10	<10	345	<10	126
WRDH-2-164.40-165.45		0.33	<10	<10	115	<10	61
WRDH-2-165.45-166.00		0.38	<10	<10	146	<10	90
WRDH-2-166.00-167.57		0.46	<10	<10	164	<10	67



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: DRIVEN CAPITAL CORP
440-789 W. PENDER ST
VANCOUVER BC V6C 1H2

Page: 5 - A
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 31-JUL-2012
Account: DRICAP

Project: White River

CERTIFICATE OF ANALYSIS WH12158987

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	ME-GRA21 Au ppm	ME-GRA21 Ag ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %
		0.02	0.05	5	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
WRDH-2-169.72-171.13		2.09	<0.05	<5	<0.5	7.52	11	1280	0.7	<2	7.48	<0.5	34	175	113	6.17
WRDH-2-171.13-171.93		1.03	<0.05	<5	<0.5	4.25	14	1970	0.7	<2	2.59	<0.5	16	87	96	3.78
WRDH-2-171.93-173.00		2.25	<0.05	<5	<0.5	7.34	12	710	0.6	<2	7.51	<0.5	38	191	161	8.34
WRDH-2-175.19-175.97		1.39	<0.05	<5	0.7	7.55	23	710	0.6	<2	7.74	<0.5	43	189	713	8.39
WRDH-2-180.66-181.87		2.36	<0.05	<5	<0.5	6.59	15	180	<0.5	<2	6.58	<0.5	49	46	297	11.00
WRDH-2-181.87-182.84		1.79	<0.05	<5	<0.5	6.99	<5	230	0.5	<2	7.82	<0.5	37	74	56	8.81
WRDH-2-192.08-192.90		1.68	<0.05	<5	<0.5	7.65	<5	240	<0.5	<2	8.19	<0.5	41	131	164	7.88
WRDH-2-203.35-204.22		1.78	<0.05	<5	<0.5	7.36	<5	320	<0.5	<2	7.45	<0.5	38	145	82	7.62
WRDH-2-204.22-204.22-A		0.76	<0.05	<5	<0.5	2.80	6	540	0.6	<2	2.80	<0.5	4	14	5	1.51
WRDH-3-10.83-11.81		2.85	<0.05	<5	<0.5	7.87	24	100	<0.5	<2	7.24	<0.5	35	162	38	6.94
WRDH-3-16.58-18.00		2.50	<0.05	<5	<0.5	8.58	123	180	<0.5	<2	10.00	<0.5	41	207	54	6.74
WRDH-3-18.00-19.54		1.63	<0.05	<5	2.0	8.07	67	130	<0.5	<2	8.83	<0.5	32	193	49	6.30
WRDH-3-24.92-25.74		1.18	<0.05	<5	<0.5	8.23	148	100	<0.5	<2	10.70	<0.5	30	155	37	5.28
WRDH-3-34.00-35.18		3.36	<0.05	<5	<0.5	8.09	32	130	<0.5	<2	7.42	<0.5	29	225	22	6.06
WRDH-3-36.75-37.93		3.39	<0.05	<5	<0.5	8.64	117	240	<0.5	<2	6.23	<0.5	55	241	325	7.47
WRDH-3-41.76-42.97		1.76	<0.05	<5	<0.5	8.33	31	1240	1.1	<2	5.49	<0.5	25	78	55	5.80
WRDH-3-42.97-44.20		2.75	<0.05	<5	<0.5	7.90	39	1370	1.0	2	4.77	<0.5	24	83	36	5.84
WRDH-3-49.40-50.37		2.56	<0.05	<5	<0.5	7.87	53	310	<0.5	<2	6.07	<0.5	46	208	321	7.13
WRDH-3-51.52-52.65		2.40	<0.05	7	<0.5	8.12	43	210	<0.5	<2	8.36	<0.5	36	213	22	6.27
WRDH-3-52.65-53.59		2.38	<0.05	<5	0.6	7.89	44	260	<0.5	<2	7.15	<0.5	34	182	47	6.01
WRDH-3-61.40-61.77		1.13	<0.05	<5	<0.5	7.79	12	450	<0.5	<2	7.46	<0.5	65	205	262	7.47
WRDH-3-67.06-68.12		1.61	<0.05	<5	<0.5	7.84	15	190	<0.5	<2	6.44	<0.5	31	201	67	6.39
WRDH-3-69.27-69.83		0.76	<0.05	<5	<0.5	7.80	22	220	<0.5	<2	9.03	<0.5	38	196	76	6.24
WRDH-3-71.43-72.00		1.07	<0.05	<5	<0.5	7.76	36	220	<0.5	<2	10.65	<0.5	43	187	18	6.19
WRDH-3-77.13-78.00		1.46	<0.05	<5	<0.5	7.66	30	410	1.3	<2	8.84	<0.5	27	176	60	5.72
WRDH-3-81.20-84.54		0.60	0.20	5	6.6	7.83	156	890	<0.5	<2	7.21	<0.5	82	177	96	6.35
WRDH-3-85.29-86.20		0.89	<0.05	<5	<0.5	7.27	37	970	0.9	<2	8.08	<0.5	37	186	36	6.56
WRDH-3-86.64-87.15		0.91	<0.05	<5	<0.5	6.68	117	490	<0.5	<2	8.11	<0.5	44	208	5	5.07
WRDH-3-87.15-87.15-A		0.84	<0.05	<5	<0.5	2.82	5	530	0.6	2	2.76	<0.5	5	14	3	1.42
WRDH-3-88.65-92.64		1.12	<0.05	<5	<0.5	7.07	51	510	0.7	<2	5.05	<0.5	30	169	71	7.36
WRDH-3-92.64-94.49		2.45	<0.05	<5	<0.5	5.50	129	240	1.2	<2	8.39	<0.5	25	129	66	3.81
WRDH-3-94.49-95.58		1.72	<0.05	<5	<0.5	6.82	40	640	1.2	<2	3.14	<0.5	30	188	72	6.46
WRDH-3-95.58-97.36		2.32	<0.05	<5	<0.5	3.23	124	110	0.7	<2	19.9	<0.5	18	76	60	2.92
WRDH-3-97.36-98.00		0.73	<0.05	<5	<0.5	5.31	92	610	1.0	<2	6.14	<0.5	14	61	83	3.22
WRDH-3-98.00-98.81		0.91	<0.05	<5	<0.5	6.65	48	930	1.3	<2	5.67	<0.5	12	60	85	6.20
WRDH-3-98.81-99.40		0.96	<0.05	<5	<0.5	3.53	342	200	1.4	2	15.1	<0.5	24	66	43	4.97
WRDH-3-99.40-100.66		1.67	0.98	<5	<0.5	5.89	1735	1230	1.2	120	5.01	<0.5	120	93	407	7.81
WRDH-3-100.66-102.05		2.18	0.30	<5	0.6	5.95	1010	340	0.9	89	2.86	<0.5	50	102	711	10.95
WRDH-3-102.05-103.19		2.48	<0.05	<5	<0.5	5.78	607	590	0.9	3	4.11	<0.5	69	79	596	8.06
WRDH-3-103.19-104.64		2.79	0.21	<5	<0.5	5.95	135	230	1.0	2	3.55	<0.5	24	64	679	9.23



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: DRIVEN CAPITAL CORP
440-789 W. PENDER ST
VANCOUVER BC V6C 1H2

Page: 5 - B
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 31-JUL-2012
Account: DRICAP

Project: White River

CERTIFICATE OF ANALYSIS WH12158987

Sample Description	Method Analyte Units LOR	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sc ppm 1	ME-ICP61 Sr ppm 1	ME-ICP61 Th ppm 20
WRDH-2-169.72-171.13		10	1.00	10	3.52	1570	<1	1.32	97	560	<2	0.01	9	29	74	<20
WRDH-2-171.13-171.93		10	0.63	10	1.79	804	<1	0.36	54	340	2	0.01	<5	14	58	<20
WRDH-2-171.93-173.00		20	0.77	10	4.27	1690	<1	1.49	126	920	<2	0.15	16	36	156	<20
WRDH-2-175.19-175.97		10	0.72	10	4.05	1625	<1	1.26	129	910	<2	0.14	19	36	185	<20
WRDH-2-180.66-181.87		20	0.40	<10	3.41	1550	<1	1.92	47	700	<2	0.39	13	42	70	<20
WRDH-2-181.87-182.84		20	0.42	<10	3.81	1380	<1	1.51	59	780	<2	0.02	16	38	121	<20
WRDH-2-192.08-192.90		20	0.39	<10	4.38	1245	<1	1.88	68	500	3	0.06	9	41	117	<20
WRDH-2-203.35-204.22		20	0.44	<10	4.48	1155	<1	1.61	75	600	<2	0.02	9	40	190	<20
WRDH-2-204.22-204.22-A		<10	1.09	10	0.63	395	<1	0.87	8	290	9	0.02	6	3	156	<20
WRDH-3-10.83-11.81		10	0.39	<10	4.56	1040	<1	1.87	72	570	<2	0.02	19	37	267	<20
WRDH-3-16.58-18.00		10	0.64	<10	4.37	1000	<1	1.24	79	470	2	0.01	21	36	182	<20
WRDH-3-18.00-19.54		10	0.76	<10	4.35	948	1	1.11	85	470	<2	0.08	23	32	399	<20
WRDH-3-24.92-25.74		10	0.57	<10	3.40	775	<1	1.52	83	340	<2	0.02	30	27	192	<20
WRDH-3-34.00-35.18		10	0.55	<10	4.57	836	<1	1.66	87	320	<2	0.01	12	35	790	<20
WRDH-3-36.75-37.93		20	0.81	<10	5.00	841	<1	1.38	107	420	<2	0.16	21	38	1060	<20
WRDH-3-41.76-42.97		20	1.75	20	2.89	830	<1	3.01	16	1010	6	0.01	9	24	237	<20
WRDH-3-42.97-44.20		20	1.53	20	2.98	844	<1	2.47	16	1000	5	<0.01	11	23	361	<20
WRDH-3-49.40-50.37		20	0.74	<10	4.24	833	<1	1.70	90	420	2	0.61	16	34	320	<20
WRDH-3-51.52-52.65		10	0.64	<10	4.54	952	<1	1.38	83	350	<2	0.01	17	35	439	<20
WRDH-3-52.65-53.59		10	1.00	<10	4.19	910	<1	1.29	84	350	<2	0.03	17	30	758	<20
WRDH-3-61.40-61.77		10	1.32	<10	4.05	940	<1	1.86	120	570	<2	1.37	15	33	232	<20
WRDH-3-67.06-68.12		10	0.38	<10	4.39	1000	<1	2.12	87	530	<2	0.19	14	32	223	<20
WRDH-3-69.27-69.83		10	0.39	<10	2.93	971	<1	1.64	114	420	<2	0.17	15	29	403	<20
WRDH-3-71.43-72.00		20	1.35	<10	3.32	783	<1	0.64	70	470	<2	0.08	18	34	99	<20
WRDH-3-77.13-78.00		10	0.80	<10	3.28	873	<1	1.56	72	520	<2	0.09	17	34	177	<20
WRDH-3-81.20-84.54		20	1.48	<10	3.57	1035	7	0.97	67	540	<2	0.09	15	36	199	<20
WRDH-3-85.29-86.20		10	0.99	<10	2.63	1130	<1	0.66	85	490	<2	0.08	21	33	136	<20
WRDH-3-86.64-87.15		10	1.20	<10	3.14	1125	<1	2.02	120	570	<2	<0.01	16	30	161	<20
WRDH-3-87.15-87.15-A		<10	1.10	10	0.60	366	<1	0.87	9	290	9	0.02	<5	3	157	<20
WRDH-3-88.65-92.64		20	1.06	10	4.47	1020	<1	1.19	61	690	<2	0.02	16	37	137	<20
WRDH-3-92.64-94.49		10	0.43	10	1.23	622	<1	0.22	81	420	<2	0.02	23	21	59	<20
WRDH-3-94.49-95.58		20	1.44	10	3.95	611	<1	0.42	82	630	<2	0.07	15	33	31	<20
WRDH-3-95.58-97.36		<10	0.12	<10	2.48	1265	<1	0.02	33	280	<2	0.15	18	13	246	<20
WRDH-3-97.36-98.00		10	0.91	10	1.63	711	1	0.40	31	320	3	0.03	19	16	60	<20
WRDH-3-98.00-98.81		10	1.20	<10	3.61	624	2	1.11	20	370	5	0.04	10	25	152	<20
WRDH-3-98.81-99.40		10	0.92	<10	2.12	1125	3	0.19	14	100	<2	1.04	17	19	145	<20
WRDH-3-99.40-100.66		10	1.86	<10	3.89	535	3	1.16	102	450	3	0.54	16	23	137	<20
WRDH-3-100.66-102.05		10	0.51	<10	3.13	343	8	2.17	75	460	2	1.05	21	18	152	<20
WRDH-3-102.05-103.19		10	0.90	<10	4.31	377	3	1.54	112	170	<2	1.96	6	21	156	<20
WRDH-3-103.19-104.64		10	0.47	<10	3.14	295	3	2.15	84	220	<2	1.98	<5	18	215	<20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: DRIVEN CAPITAL CORP
 440-789 W. PENDER ST
 VANCOUVER BC V6C 1H2

Page: 5 - C
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 31-JUL-2012
 Account: DRICAP

Project: White River

CERTIFICATE OF ANALYSIS WH12158987

Sample Description	Method Analyte Units LOR	ME-ICP61 Ti %	ME-ICP61 Ti ppm	ME-ICP61 U ppm	ME-ICP61 V ppm	ME-ICP61 W ppm	ME-ICP61 Zn ppm
		0.01	10	10	1	10	2
WRDH-2-169.72-171.13		0.65	<10	<10	222	<10	95
WRDH-2-171.13-171.93		0.34	<10	<10	125	<10	61
WRDH-2-171.93-173.00		1.09	<10	<10	305	<10	84
WRDH-2-175.19-175.97		1.06	<10	<10	316	<10	92
WRDH-2-180.66-181.87		1.24	<10	<10	482	<10	86
WRDH-2-181.87-182.84		1.05	<10	<10	376	<10	77
WRDH-2-192.08-192.90		0.75	<10	<10	314	<10	60
WRDH-2-203.35-204.22		0.76	<10	<10	298	<10	57
WRDH-2-204.22-204.22-A		0.06	<10	<10	21	<10	17
WRDH-3-10.83-11.81		0.82	<10	<10	273	<10	32
WRDH-3-16.58-18.00		0.75	<10	<10	258	<10	37
WRDH-3-18.00-19.54		0.71	<10	<10	231	<10	39
WRDH-3-24.92-25.74		0.55	<10	<10	190	<10	29
WRDH-3-34.00-35.18		0.61	<10	<10	221	<10	35
WRDH-3-36.75-37.93		0.74	<10	<10	267	<10	41
WRDH-3-41.76-42.97		0.55	<10	<10	200	<10	50
WRDH-3-42.97-44.20		0.55	<10	<10	201	<10	48
WRDH-3-49.40-50.37		0.69	<10	<10	255	<10	36
WRDH-3-51.52-52.65		0.63	<10	<10	231	<10	37
WRDH-3-52.65-53.59		0.62	<10	<10	220	10	42
WRDH-3-61.40-61.77		0.70	<10	<10	252	<10	50
WRDH-3-67.06-68.12		0.70	<10	<10	243	<10	56
WRDH-3-69.27-69.83		0.54	<10	<10	211	<10	52
WRDH-3-71.43-72.00		0.66	<10	<10	251	<10	41
WRDH-3-77.13-78.00		0.73	10	<10	250	<10	47
WRDH-3-81.20-84.54		0.77	<10	<10	265	20	70
WRDH-3-85.29-86.20		0.66	<10	<10	228	<10	48
WRDH-3-86.64-87.15		0.65	10	<10	218	<10	40
WRDH-3-87.15-87.15-A		0.06	<10	<10	20	<10	16
WRDH-3-88.65-92.64		0.95	<10	<10	311	10	56
WRDH-3-92.64-94.49		0.47	<10	<10	160	10	22
WRDH-3-94.49-95.58		0.73	<10	<10	249	<10	35
WRDH-3-95.58-97.36		0.33	<10	30	100	<10	14
WRDH-3-97.36-98.00		0.26	<10	<10	118	10	24
WRDH-3-98.00-98.81		0.28	<10	<10	218	20	38
WRDH-3-98.81-99.40		0.28	<10	20	170	<10	25
WRDH-3-99.40-100.66		0.57	<10	<10	220	<10	30
WRDH-3-100.66-102.05		0.41	<10	<10	165	<10	31
WRDH-3-102.05-103.19		0.26	<10	<10	185	<10	27
WRDH-3-103.19-104.64		0.36	<10	<10	149	<10	20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: DRIVEN CAPITAL CORP
 440-789 W. PENDER ST
 VANCOUVER BC V6C 1H2

Page: 6 - A
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 31-JUL-2012
 Account: DRICAP

Project: White River

CERTIFICATE OF ANALYSIS WH12158987

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	ME-GRA21 Au ppm	ME-GRA21 Ag ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %
		0.02	0.05	5	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
WRDH-3-104.64-106.30		2.71	0.21	<5	<0.5	6.53	209	290	0.9	8	1.93	<0.5	28	90	873	13.15
WRDH-3-106.30-110.77		2.87	0.27	<5	<0.5	6.32	215	570	0.8	9	4.00	<0.5	20	77	275	5.96
WRDH-3-110.77-112.04		1.14	<0.05	<5	<0.5	5.62	214	640	1.2	<2	2.00	<0.5	38	73	304	5.12
WRDH-3-112.04-115.00		0.76	0.69	14	18.8	5.78	8740	770	1.1	34	2.66	<0.5	263	111	346	6.01
WRDH-3-115.82-117.20		2.19	<0.05	<5	<0.5	4.85	107	360	1.2	<2	10.65	<0.5	12	70	46	2.13
WRDH-3-121.74-126.36		1.47	<0.05	<5	<0.5	5.52	21	2130	1.0	<2	2.68	<0.5	25	123	86	5.11
WRDH-3-129.00-130.15		1.21	<0.05	<5	<0.5	5.63	12	1910	0.9	<2	1.86	<0.5	22	117	66	4.67
WRDH-3-138.71-138.99		0.48	<0.05	<5	<0.5	4.60	18	1190	0.6	2	3.03	<0.5	24	124	138	3.85
WRDH-3-138.99-138.99-A		0.75	<0.05	<5	<0.5	2.81	7	540	0.6	<2	2.64	<0.5	4	14	7	1.38
WRDH-3-142.54-143.28		1.06	<0.05	<5	<0.5	3.17	92	120	0.9	<2	19.7	<0.5	10	63	26	2.36
WRDH-3-145.72-146.66		1.62	<0.05	<5	<0.5	5.82	78	610	0.8	<2	2.29	<0.5	21	129	54	3.95
WRDH-3-146.66-147.07		0.81	0.84	<5	0.9	3.79	3650	200	0.6	78	2.38	<0.5	392	89	1340	16.75
WRDH-3-149.14-149.37		0.35	1.16	<5	0.9	3.88	>10000	170	0.6	87	4.17	<0.5	1250	79	1890	25.7
WRDH-3-149.37-150.02		0.72	<0.05	<5	<0.5	7.59	608	1690	1.3	2	3.23	<0.5	127	107	216	5.61
WRDH-3-152.54-152.99		0.63	0.18	<5	<0.5	7.14	60	390	1.1	2	8.65	<0.5	15	48	90	4.13
WRDH-3-152.99-153.62		0.84	0.28	<5	3.2	7.04	2160	460	0.7	27	3.73	0.6	132	236	1130	11.30
WRDH-3-153.62-154.68		1.65	<0.05	<5	<0.5	8.20	28	270	0.5	<2	6.75	<0.5	30	216	40	6.91
WRDH-3-155.63-156.48		1.54	<0.05	<5	<0.5	7.67	193	220	0.5	<2	6.59	<0.5	27	196	99	7.35



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DRIVEN CAPITAL CORP**
440-789 W. PENDER ST
VANCOUVER BC V6C 1H2

Page: 6 - B
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 31-JUL-2012
 Account: DRICAP

Project: White River

CERTIFICATE OF ANALYSIS WH12158987

Sample Description	Method Analyte Units LOR	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sc ppm 1	ME-ICP61 Sr ppm 1	ME-ICP61 Th ppm 20
WRDH-3-104.64-106.30		10	0.45	<10	1.47	159	4	2.61	89	200	4	2.32	<5	23	219	<20
WRDH-3-106.30-110.77		10	0.39	<10	3.20	383	5	2.73	29	250	3	0.75	<5	17	187	<20
WRDH-3-110.77-112.04		10	0.69	10	1.40	206	6	1.46	59	410	5	1.65	10	15	132	<20
WRDH-3-112.04-115.00		10	0.81	10	2.08	425	24	0.81	94	530	5	0.64	24	18	108	<20
WRDH-3-115.82-117.20		10	1.51	10	0.74	1775	2	0.03	43	370	2	0.52	16	14	72	<20
WRDH-3-121.74-126.36		10	0.69	10	2.44	1440	4	0.85	58	540	<2	0.10	<5	25	90	<20
WRDH-3-129.00-130.15		10	1.35	10	2.50	492	3	1.02	63	480	<2	0.39	5	20	88	<20
WRDH-3-138.71-138.99		10	1.15	10	1.67	414	4	0.94	64	390	<2	0.70	<5	16	137	<20
WRDH-3-138.99-138.99-A		10	1.10	10	0.58	356	2	0.84	8	280	9	0.02	<5	2	159	<20
WRDH-3-142.54-143.28		<10	0.35	10	1.90	862	2	0.02	31	300	<2	0.10	14	12	282	<20
WRDH-3-145.72-146.66		10	1.37	10	2.86	370	3	1.15	72	480	5	0.13	<5	18	123	<20
WRDH-3-146.66-147.07		10	0.74	<10	2.59	329	2	0.32	166	410	6	>10.0	19	16	49	<20
WRDH-3-149.14-149.37		<10	0.79	10	1.98	443	6	0.52	274	570	11	>10.0	75	11	127	<20
WRDH-3-149.37-150.02		20	1.50	20	2.67	510	2	1.62	52	980	5	0.87	7	21	382	<20
WRDH-3-152.54-152.99		10	0.83	20	1.21	766	2	0.68	17	1060	<2	0.25	11	25	163	<20
WRDH-3-152.99-153.62		20	1.14	20	3.16	672	2	0.97	160	520	5	3.63	18	32	240	<20
WRDH-3-153.62-154.68		20	1.22	10	3.90	938	1	1.85	93	660	<2	0.12	14	36	170	<20
WRDH-3-155.63-156.48		10	1.46	10	3.32	701	1	1.43	85	440	<2	0.43	22	33	174	<20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: DRIVEN CAPITAL CORP
 440-789 W. PENDER ST
 VANCOUVER BC V6C 1H2

Page: 6 - C
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 31-JUL-2012
 Account: DRICAP

Project: White River

CERTIFICATE OF ANALYSIS WH12158987

Sample Description	Method Analyte Units LOR	ME-ICP61 Ti %	ME-ICP61 Ti ppm	ME-ICP61 U ppm	ME-ICP61 V ppm	ME-ICP61 W ppm	ME-ICP61 Zn ppm
		0.01	10	10	1	10	2
WRDH-3-104.64-106.30		0.19	<10	<10	142	10	16
WRDH-3-106.30-110.77		0.34	<10	<10	170	<10	25
WRDH-3-110.77-112.04		0.36	<10	<10	148	<10	20
WRDH-3-112.04-115.00		0.48	<10	<10	165	90	57
WRDH-3-115.82-117.20		0.35	<10	10	130	<10	22
WRDH-3-121.74-126.36		0.63	<10	<10	241	<10	38
WRDH-3-129.00-130.15		0.51	<10	<10	187	<10	21
WRDH-3-138.71-138.99		0.37	<10	<10	135	<10	17
WRDH-3-138.99-138.99-A		0.06	<10	<10	20	<10	16
WRDH-3-142.54-143.28		0.27	<10	30	95	10	12
WRDH-3-145.72-146.66		0.39	<10	<10	147	<10	29
WRDH-3-146.66-147.07		0.35	<10	<10	140	<10	25
WRDH-3-149.14-149.37		0.23	<10	<10	87	<10	32
WRDH-3-149.37-150.02		0.43	<10	<10	156	<10	50
WRDH-3-152.54-152.99		0.63	<10	<10	200	<10	24
WRDH-3-152.99-153.62		0.65	<10	<10	216	<10	61
WRDH-3-153.62-154.68		0.98	<10	<10	292	<10	50
WRDH-3-155.63-156.48		0.65	<10	<10	246	<10	50



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: DRIVEN CAPITAL CORP
440-789 W. PENDER ST
VANCOUVER BC V6C 1H2

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 31-JUL-2012
Account: DRICAP

Project: White River

CERTIFICATE OF ANALYSIS WH12158987

Method	CERTIFICATE COMMENTS
ME-ICP61	Uranium ICP-AES results reported below 500ppm are considered to be semi-quantitative due to interference when Ce >500 ppm