



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DRIVEN CAPITAL CORP**
440-789 W. PENDER ST
VANCOUVER BC V6C 1H2

Page: 1
Finalized Date: 30-AUG-2012
Account: DRICAP

CERTIFICATE WH12180698

Project: WHITE RIVER

P.O. No.:

This report is for 38 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 6-AUG-2012.

The following have access to data associated with this certificate:

PETER KURISOO

TOMA SOJONKY

JAY TIMMERMAN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE

To: **DRIVEN CAPITAL CORP**
ATTN: TOMA SOJONKY
440-789 W. PENDER ST
VANCOUVER BC V6C 1H2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: DRIVEN CAPITAL CORP
440-789 W. PENDER ST
VANCOUVER BC V6C 1H2

Page: 2 - A
Total # Pages: 2 (A - C)
Finalized Date: 30-AUG-2012
Account: DRICAP

Project: WHITE RIVER

CERTIFICATE OF ANALYSIS WH12180698

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm	ME-ICP61 K %
		0.02	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10	0.01
WRDH-6 5.97 - 7.00		1.73	0.7	5.66	173	120	1.0	<2	12.25	0.6	8	55	133	3.95	20	0.31
WRDH-6 16.90 - 18.00		2.67	<0.5	8.18	90	110	0.9	<2	3.93	<0.5	10	69	13	4.51	20	0.27
WRDH-6 20.75 - 21.50		2.32	<0.5	9.42	93	270	<0.5	<2	7.45	<0.5	42	193	188	5.69	20	0.42
WRDH-6 21.50 - 22.75		3.10	<0.5	8.72	128	220	0.8	<2	10.85	<0.5	38	270	90	5.22	20	0.48
WRDH-6 23.17 - 24.70		3.57	<0.5	8.32	133	120	0.6	<2	8.76	<0.5	27	256	50	3.68	20	0.43
WRDH-6 24.70 - 26.52		3.86	<0.5	8.24	146	230	0.9	<2	4.76	<0.5	40	139	132	4.01	20	0.68
WRDH-6 26.52 - 27.26		2.76	<0.5	6.95	11	360	<0.5	<2	7.26	<0.5	38	163	104	8.67	20	0.77
WRDH-6 35.37 - 35.72		0.81	0.5	6.83	185	110	<0.5	<2	10.35	0.9	57	178	330	5.60	20	0.57
WRDH-6 47.56 - 47.91		0.99	10.1	7.74	279	170	<0.5	107	7.60	1.5	216	206	668	8.35	20	1.37
WRDH-6 58.55 - 60.09		4.24	3.9	6.75	406	150	<0.5	19	5.01	1.7	83	344	1030	7.15	20	0.85
WRDH-6 60.09 - 61.56		3.11	32.3	7.09	3600	140	0.5	29	0.84	5.4	282	282	3500	16.70	20	1.50
WRDH-6 64.55 - 66.13		4.90	1.4	7.22	299	130	<0.5	15	3.93	0.7	71	1045	203	11.85	20	0.61
WRDH-6 69.93 - 71.43		3.88	4.7	8.68	393	170	<0.5	4	4.23	0.7	104	391	1750	9.34	20	0.93
WRDH-6 71.43 - 72.40		2.31	<0.5	9.25	24	510	<0.5	<2	5.64	<0.5	30	150	106	4.69	20	1.20
WRDH-6 72.40 - 72.40A		0.68	<0.5	2.75	6	550	0.6	<2	2.68	<0.5	2	11	9	1.28	10	1.08
WRDH-6 72.40 - 73.48		3.70	<0.5	8.86	26	340	<0.5	<2	6.89	<0.5	28	193	264	4.79	20	0.78
WRDH-6 79.00 - 79.77		2.12	<0.5	7.44	79	360	<0.5	<2	6.61	<0.5	78	127	457	6.26	10	0.67
WRDH-6 95.63 - 96.34		2.29	0.9	8.83	23	80	<0.5	<2	7.63	<0.5	25	525	505	5.37	20	0.62
WRDH-6 96.34 - 97.00		2.14	21.5	9.11	153	50	<0.5	<2	8.55	2.3	28	607	5170	6.95	20	0.45
WRDH-6 97.00 - 97.86		2.50	35.3	9.27	438	80	<0.5	5	8.55	4.0	32	494	>10000	7.36	20	0.63
WRDH-6 97.86 - 98.56		2.25	9.2	8.54	87	90	<0.5	<2	7.45	1.2	27	516	3330	6.36	20	0.58
WRDH-6 99.39 - 100.09		2.34	3.3	10.00	73	120	<0.5	<2	7.59	0.9	34	388	2890	5.93	20	0.60
WRDH-6 107.72 - 108.95		3.88	<0.5	7.48	92	100	<0.5	<2	4.73	<0.5	53	235	92	8.08	20	0.89
WRDH-6 118.54 - 119.20		1.89	<0.5	7.16	64	230	<0.5	3	6.32	<0.5	34	408	60	5.99	20	0.52
WRDH-6 119.20 - 119.74		1.33	<0.5	6.81	31	60	<0.5	<2	9.29	<0.5	36	174	26	3.56	20	0.29
WRDH-6 119.74 - 120.73		2.32	<0.5	7.21	32	100	<0.5	<2	7.45	<0.5	35	481	38	5.10	10	0.36
WRDH-6 120.73 - 123.17		2.18	<0.5	6.47	24	70	<0.5	<2	10.90	<0.5	29	233	97	4.24	10	0.31
WRDH-6 123.17 - 125.17		2.00	<0.5	8.69	29	750	0.7	<2	3.40	<0.5	30	324	28	6.68	20	1.03
WRDH-6 130.80 - 131.80		1.43	<0.5	7.89	74	1160	0.6	<2	8.68	<0.5	24	376	33	5.93	20	1.28
WRDH-6 131.80 - 132.90		1.50	<0.5	3.72	152	70	0.8	<2	20.6	<0.5	17	174	25	3.21	10	0.20
WRDH- 132.90 - 133.27		0.56	<0.5	5.57	68	210	1.7	<2	14.3	<0.5	35	28	54	4.93	20	0.31
WRDH- 133.27 - 134.75		2.96	<0.5	6.21	55	280	0.5	<2	6.44	0.6	50	6	59	11.00	20	0.26
WRDH- 143.22 - 144.51		2.08	<0.5	6.33	12	80	<0.5	<2	6.82	0.5	46	10	60	10.50	20	0.22
WRDH- 144.51 - 145.40		1.12	<0.5	5.83	21	120	<0.5	<2	9.17	<0.5	34	18	83	8.56	10	0.35
WRDH- 145.40 - 145.40A		0.75	<0.5	2.69	7	580	0.6	<2	2.78	<0.5	3	12	6	1.30	10	1.12
WRDH- 159.75 - 160.10		0.52	0.8	6.20	35	210	<0.5	<2	6.78	0.7	29	19	177	11.70	20	0.67
WRDH- 160.10 - 161.04		1.84	26.7	1.96	2950	10	<0.5	35	2.87	5.3	1225	6	7030	39.5	10	0.04
WRDH- 161.04 - 161.55		0.86	1.0	7.06	152	530	<0.5	3	7.10	<0.5	66	28	232	9.58	20	0.54



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: DRIVEN CAPITAL CORP
440-789 W. PENDER ST
VANCOUVER BC V6C 1H2

Page: 2 - B
Total # Pages: 2 (A - C)
Finalized Date: 30-AUG-2012
Account: DRICAP

Project: WHITE RIVER

CERTIFICATE OF ANALYSIS WH12180698

Sample Description	Method Analyte Units LOR	ME-ICP61 La ppm 10	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sc ppm 1	ME-ICP61 Sr ppm 1	ME-ICP61 Th ppm 20	ME-ICP61 Ti % 0.01	ME-ICP61 Tl ppm 10
WRDH-6 5.97 - 7.00		20	1.66	621	<1	1.65	10	870	7	<0.01	8	26	156	<20	0.47	<10
WRDH-6 16.90 - 18.00		30	1.78	426	<1	3.20	7	1270	11	<0.01	8	33	182	<20	0.66	<10
WRDH-6 20.75 - 21.50		<10	4.00	658	<1	1.71	108	100	2	0.03	14	24	211	<20	0.35	<10
WRDH-6 21.50 - 22.75		<10	2.02	635	<1	0.67	118	170	<2	<0.01	12	27	147	<20	0.31	<10
WRDH-6 23.17 - 24.70		<10	2.53	514	<1	0.64	86	70	2	<0.01	10	24	114	<20	0.18	<10
WRDH-6 24.70 - 26.52		10	2.58	493	<1	2.87	63	460	4	<0.01	12	20	224	<20	0.35	10
WRDH-6 26.52 - 27.26		<10	4.54	1450	<1	1.20	83	190	<2	0.27	10	49	166	<20	2.22	<10
WRDH-6 35.37 - 35.72		<10	3.60	970	<1	1.28	97	110	2	<0.01	13	43	274	<20	0.70	<10
WRDH-6 47.56 - 47.91		<10	4.76	1645	<1	0.94	141	130	85	0.05	16	29	205	<20	0.36	10
WRDH-6 58.55 - 60.09		10	3.72	606	<1	1.24	123	440	3	<0.01	17	25	103	<20	0.49	<10
WRDH-6 60.09 - 61.56		<10	0.80	206	<1	0.48	169	260	16	0.21	36	17	53	<20	0.21	10
WRDH-6 64.55 - 66.13		<10	5.29	2220	<1	0.64	131	50	9	0.01	25	50	75	<20	0.28	<10
WRDH-6 69.93 - 71.43		<10	4.64	939	<1	1.14	139	100	6	0.01	20	28	155	<20	0.23	<10
WRDH-6 71.43 - 72.40		<10	3.91	552	<1	1.39	103	40	3	<0.01	7	16	464	<20	0.15	<10
WRDH-6 72.40 - 72.40A		10	0.61	357	<1	0.86	8	290	8	0.02	<5	2	163	<20	0.06	<10
WRDH-6 72.40 - 73.48		<10	3.84	525	<1	1.56	136	40	2	0.07	12	15	281	<20	0.14	<10
WRDH-6 79.00 - 79.77		<10	5.92	770	<1	0.83	214	50	2	0.02	8	10	229	<20	0.12	<10
WRDH-6 95.63 - 96.34		10	4.40	825	<1	1.81	108	200	<2	0.08	8	27	206	<20	0.44	<10
WRDH-6 96.34 - 97.00		70	4.20	721	<1	0.69	191	60	4	0.02	23	22	75	<20	0.17	<10
WRDH-6 97.00 - 97.86		40	3.27	694	1	1.25	223	90	8	0.07	53	24	176	<20	0.25	<10
WRDH-6 97.86 - 98.56		10	4.06	882	<1	1.45	143	120	2	0.06	14	24	171	<20	0.35	<10
WRDH-6 99.39 - 100.09		<10	4.25	773	<1	1.65	177	120	2	0.02	13	20	258	<20	0.29	<10
WRDH-6 107.72 - 108.95		<10	3.97	1355	<1	1.61	145	100	7	0.01	12	12	147	<20	0.18	10
WRDH-6 118.54 - 119.20		<10	5.75	855	<1	1.42	120	240	4	<0.01	13	37	74	<20	0.39	<10
WRDH-6 119.20 - 119.74		<10	5.37	769	<1	1.17	93	60	<2	<0.01	5	13	46	<20	0.15	10
WRDH-6 119.74 - 120.73		<10	5.93	991	<1	1.25	138	60	<2	<0.01	7	33	76	<20	0.26	<10
WRDH-6 120.73 - 123.17		<10	6.30	850	<1	0.93	105	40	<2	<0.01	<5	19	62	<20	0.15	<10
WRDH-6 123.17 - 125.17		<10	6.53	719	<1	1.14	114	80	<2	<0.01	9	31	103	<20	0.39	10
WRDH-6 130.80 - 131.80		<10	3.53	1050	<1	1.84	88	40	<2	<0.01	17	21	269	<20	0.14	10
WRDH-6 131.80 - 132.90		<10	1.76	815	<1	0.02	39	70	<2	<0.01	22	15	89	<20	0.19	<10
WRDH- 132.90 - 133.27		<10	2.08	667	<1	0.03	28	280	<2	0.15	10	37	226	<20	1.33	<10
WRDH- 133.27 - 134.75		<10	3.39	1835	<1	1.36	26	1360	2	0.20	7	48	150	<20	3.50	10
WRDH- 143.22 - 144.51		10	3.57	1660	<1	1.76	25	1580	2	0.02	7	44	153	<20	2.54	10
WRDH- 144.51 - 145.40		10	3.19	1265	<1	0.97	24	330	3	0.01	6	38	97	<20	1.95	<10
WRDH- 145.40 - 145.40A		10	0.60	342	<1	0.86	8	280	7	0.02	<5	2	159	<20	0.06	<10
WRDH- 159.75 - 160.10		20	3.93	2010	<1	1.28	28	230	5	0.01	13	51	105	<20	2.37	10
WRDH- 160.10 - 161.04		10	0.94	470	1	0.10	118	130	10	>10.0	48	5	15	<20	0.18	10
WRDH- 161.04 - 161.55		10	4.56	1525	<1	1.61	33	490	2	0.33	12	45	151	<20	0.96	10



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: DRIVEN CAPITAL CORP
 440-789 W. PENDER ST
 VANCOUVER BC V6C 1H2

Page: 2 - C
 Total # Pages: 2 (A - C)
 Finalized Date: 30-AUG-2012
 Account: DRICAP

Project: WHITE RIVER

CERTIFICATE OF ANALYSIS WH12180698

Sample Description	Method Analyte Units LOR	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Cu-OG62 Cu % 0.001	Au-AA23 Au ppm 0.005
WRDH-6 5.97 - 7.00		<10	174	<10	33		<0.005
WRDH-6 16.90 - 18.00		<10	246	10	38		<0.005
WRDH-6 20.75 - 21.50		<10	143	<10	30		<0.005
WRDH-6 21.50 - 22.75		<10	144	<10	30		<0.005
WRDH-6 23.17 - 24.70		<10	116	<10	27		<0.005
WRDH-6 24.70 - 26.52		<10	136	<10	40		0.009
WRDH-6 26.52 - 27.26		<10	503	<10	54		<0.005
WRDH-6 35.37 - 35.72		<10	279	<10	61		0.006
WRDH-6 47.56 - 47.91		<10	183	10	157		0.221
WRDH-6 58.55 - 60.09		<10	175	<10	77		0.345
WRDH-6 60.09 - 61.56		<10	115	30	207		0.537
WRDH-6 64.55 - 66.13		<10	229	<10	142		0.273
WRDH-6 69.93 - 71.43		<10	149	10	111		0.050
WRDH-6 71.43 - 72.40		<10	83	<10	41		0.006
WRDH-6 72.40 - 72.40A		<10	18	<10	17		<0.005
WRDH-6 72.40 - 73.48		<10	87	<10	40		0.005
WRDH-6 79.00 - 79.77		<10	74	<10	48		<0.005
WRDH-6 95.63 - 96.34		<10	218	<10	54		<0.005
WRDH-6 96.34 - 97.00		<10	127	10	143		0.194
WRDH-6 97.00 - 97.86		<10	183	10	272	1.015	0.235
WRDH-6 97.86 - 98.56		<10	184	<10	135		0.033
WRDH-6 99.39 - 100.09		<10	148	<10	111		0.050
WRDH-6 107.72 - 108.95		<10	95	10	94		0.009
WRDH-6 118.54 - 119.20		<10	195	<10	53		<0.005
WRDH-6 119.20 - 119.74		<10	63	<10	38		<0.005
WRDH-6 119.74 - 120.73		<10	150	<10	50		<0.005
WRDH-6 120.73 - 123.17		<10	85	<10	46		<0.005
WRDH-6 123.17 - 125.17		<10	212	<10	55		<0.005
WRDH-6 130.80 - 131.80		<10	114	<10	64		<0.005
WRDH-6 131.80 - 132.90		<10	103	<10	23		<0.005
WRDH- 132.90 - 133.27		<10	407	<10	54		<0.005
WRDH- 133.27 - 134.75		<10	657	<10	70		<0.005
WRDH- 143.22 - 144.51		<10	608	<10	69		<0.005
WRDH- 144.51 - 145.40		<10	589	<10	56		<0.005
WRDH- 145.40 - 145.40A		<10	20	<10	16		<0.005
WRDH- 159.75 - 160.10		<10	742	<10	86		<0.005
WRDH- 160.10 - 161.04		<10	53	<10	159		2.32
WRDH- 161.04 - 161.55		<10	392	<10	73		0.067