ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 – 510 West Hastings Street
Vancouver, B.C. V6B 1L8
Telephone: 604-688-2568 Fax: 604-688-2578

ASSESSMENT REPORT

describing

SOIL AND ROCK GEOCHEMICAL SAMPLING

at the

BYNG PROPERTY

Byng 1-20 YC40951-YC40970
Byng 21-42 YD113299-YD113320

NTS 105D/16
Latitude 60°56´N; Longitude 134°22´W

Field work performed between July 29 and September 28, 2012

located in the

Whitehorse Mining District
Yukon Territory

prepared by

Archer, Cathro & Associates (1981) Limited

for

STRATEGIC METALS LTD.

by

S. Drechsler, B.Sc. Geology, P.Geo.

November 2012

CONTENTS

INTRODUCTION	1
PROPERTY LOCATION, CLAIM DATA AND ACCESS	1
HISTORY AND PREVIOUS WORK	1
GEOMORPHOLOGY	6
REGIONAL GEOLOGY	6
PROPERTY GEOLOGY	8
MINERALIZATION	9
SOIL GEOCHEMISTRY	11
AIRBORNE GEOPHYSICS	13
DEPOSIT TYPE	13
DISCUSSION AND CONCLUSIONS	14
REFERENCES	16

APPENDICES

I STATEMENT OF QUALIFICATIONS

II CERTIFICATES OF ANALYSIS

III STATEMENT OF EXPENDITURES

FIGURES

No.	Description	Follows Page
1	Property Location	1
2	Claim Locations	1
3	Historical Work	1
4	Tectonic Setting	6
5	Regional Geology	6
6	Regional Cross-Section	6
7	Property Geology	9
8	Sample Locations	In Pocket
9	Gold Geochemistry	10
10	Silver Geochemistry	10
11	Arsenic Geochemistry	10
12	Copper Geochemistry	10
13	Molybdenum Geochemistry	10
14	Airborne Magnetics	12
15	Airborne VTEM	12

TABLES

No.	Description	Page
I	Lithological Units	2
II	Historical Work Summary	7
III	Main Zone Significant Trench Float Results	10
IV	Threshold and Peak Values for Soil Samples	11

INTRODUCTION

The Byng property covers a precious metal rich mineralized system of possible low sulphidation epithermal type affinity. It lies within Stikinia Terrane, which hosts a number of former epithermal gold-silver mines, including Eskay Creek, Lawyers, Baker and Silbak Premier. The Byng property is wholly owned by Strategic Metals Ltd.

This report describes soil and rock geochemical sampling performed on July 29, August 21 and 22, and September 28, 2012 by Archer, Cathro & Associates (1981) Limited on behalf of Strategic Metals. The author interpreted all results from this program. Appendix I contains the author's Statement of Qualifications.

PROPERTY LOCATION, CLAIM DATA AND ACCESS

The Byng property comprises 42 contiguous quartz claims, which are located in south-central Yukon at latitude 60°56′ north and longitude 134°22′ west on NTS map sheet 105D/16 (Figure 1). The property covers an area of approximately 850 ha (8.5 km^2). The claims are registered with the Whitehorse Mining Recorder in the name of Archer Cathro, which holds them in trust for Strategic Metals. Specifics concerning claim registration are tabulated below, while the locations of individual claims are shown on Figure 2.

Claim Name	Grant Number	Expiry Date*
Byng 1-20	YC40951-YC40970	March 1, 2017
Byng 21-42	YD113299-YD113320	March 1, 2017

* Expiry dates include 2012 work which has been filed for assessment credit but not yet accepted.

Daily access to and from the property was provided by a Bell 206B Jet Ranger helicopter operated by Capital Helicopters (1995) Inc. from its base at the Whitehorse airport, which is located about 50 km to the southwest. The property is not directly road accessible. The closest ground access is an old bulldozer trail, which truncates about two kilometres south of the property.

HISTORY AND PREVIOUS WORK

Mineral exploration has been carried out intermittently within the Mount Byng area since 1981. This work led to the discovery of four auriferous zones within the bounds of the current Byng property. These zones are described in the Mineralization section, while the work programs and results are summarized in Table I and the following paragraphs. The locations of the mineralized zones and historical workings are plotted on Figure 3.

STRATEGIC METALS LTD.


FIGURE 1
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


PROPERTY LOCATION


BYNG PROPERTY

0 200 km

FILE: .../Byng/Figures/Byng-F01-PropertyLocation.wor | DATE: NOV 2012




T.N.
46'
21°44'
Grid north
Magnetic north
Annual change
decreasing 22.1'
BYNG 12
YC40962
BYNG 10
YC40960
BYNG 11
YC40961
BYNG 8
YC40958
BYNG 9
YC40959
BYNG 6
YC40956
BYNG 7
YC40957
BYNG 34
YD113312
BYNG 33
YD113311
BYNG 32
YD113310
BYNG 30
YD113308
BYNG 4
YC40954
BYNG 29
YD113307
BYNG 5
YC40955
BYNG 2
YC40952
BYNG 31
YD113309
BYNG 28
YD113306
BYNG 3
YC40953
BYNG 27
YD113305
BYNG 42
YD113320
BYNG 1
YC40951
BYNG 13
YC40963
BYNG 26
YD113304
BYNG 40
YD113318
BYNG 41
YD113319
BYNG 14
YC40964
BYNG 25
YD113303
BYNG 38
YD113316
BYNG 15
YC40965
BYNG 24
YD113302
BYNG 39
YD113317
BYNG 36
YD113314
BYNG 16
YC40966
BYNG 23
YD113301
BYNG 37
YD113315
BYNG 17
YC40967
BYNG 22
YD113300
BYNG 35
YD113313
BYNG 18
YC40968
BYNG 21
YD113299
BYNG 19
YC40969
BYNG 20
YC40970
6757000mN
6756000mN
6755000mN
534000mE
535000mE
536000mE
537000mE
1,700
1,600
1,800
STRATEGIC METALS LTD.
FIGURE 2
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
CLAIM LOCATIONS
BYNG PROPERTY
0
500
1000 m
UTM ZONE 8, NAD 83, 105D/16. Contour intervals at 20m
FILE: .../Byng/Figures/Byng-F02-Claim Locations.wor
DATE: NOVEMBER 2012



STRATEGIC METALS LTD.

FIGURE 3
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

HISTORICAL WORK

BYNG PROPERTY

0 500 1000 m

UTM ZONE 8, NAD 83, 105D/16. Contour intervals at 20m

FILE: .../Byng/Figures/Byng-F03-HistoricalWorkings.wor | DATE: NOVEMBER 2012

Table I – Historical Work Summary

Year of Work (Source)	Operator	Property Name	Work Summary	Results
1961 (091940)	GSC	n/a	Regional mapping (GSC Memoir 312)	n/a
1981 (091043)	Du Pont Exploration of Canada Exploration Limited	Utshig	Staked 48 claims Regional stream sediment sampling Soil sampling Prospecting Geological mapping	Stream sediment samples elevated for Au (320, 950, 1500 ppb). Rock samples subdued metal values. Claims allowed to lapse.
1985 (091940)	GSC	n/a	Regional stream sediment survey on NTS 105D	Identified several weakly anomalous Au values in Mt. Byng area.
1986 (091940)	Carlyle & MacDonald	BM	Staked 4 claims Prospecting Soil sampling Geological mapping Hand and blast trenching	Discovered auriferous quartz veins. Best rock samples yielded 33.2 g/t Au, 140 g/t Ag + 6.53% Cu and 58.3 g/t Au, 5.0 g/t Ag. Soil samples up to 15.1 g/t Au, 35.0 g/t Ag + 1535 ppm Cu.
1987 (092714)	Carlyle & MacDonald	BM	Staked 2 claims	n/a
1988 (092714)	Carlyle & MacDonald	BM	Staked 37 claims Soil sampling Prospecting VLF-EM surveys Trenching	Soil samples up to 1660 ppb Au and 1018 ppm As. Main and R mineralized zones traced for 800 and 400 m. R-17 Zone discovered.
1989 (092951)	Carlyle & MacDonald	BM	Geological mapping	n/a
1990 (092951)	Carlyle & MacDonald – Aurora Gold Ltd.	BM	Aurora Gold optioned BM claims from Carlyle & MacDonald	n/a
1990 (092951)	Aurora Gold Ltd.	BM	Soil sampling VLF-EM Blast trenching	Trench float samples assayed up to 127 g/t Au with up to 164 g/t Ag.
1990-1994 (092951)	Aurora Gold Ltd. – Carlyle & MacDonald	BM	Option dropped All but 16 BM claims allowed to expire	n/a
1994 (093244)	Carlyle & MacDonald	BM	Hand trenching	Trench grab samples from Main Zone yielded up to greater than 6.66 g/t Au.
1995 (095319)	Exploration & Geological Services Division, Yukon Indian & Northern Affairs Canada	n/a	1:50,000 geological map of 105D/16 released	n/a

1995 (095319)	Carlyle & MacDonald	BM/BC	Staked 20 BC claims Contour soil sampling Blast trenching	Up to 6.721 g/t Au with 372 ppm As at Main Zone. Elevated Au, As + Cu at R-17 and Main Zones.
1996 (093544)	Carlyle & MacDonald	BM/BC	Soil sampling Prospecting Geological mapping Magnetometer survey Blast trenching	Best trenching result was 0.307 g/t Au + 645 ppm As. Soils and rock samples subdued.
1998 (093906)	Carlyle & MacDonald	BM/BC	Soil sampling	Up to 346 ppm Au-in-soil at R-17 Zone. Up to 166 ppb Au-in-soil at R Zone.
2005	ATAC Resources Ltd.	Byng	Staked Byng 1 to 20 claims	n/a
2006	ATAC Resources Ltd. – New Shoshoni Ventures Ltd.	Byng	Optioned property VTEM + Mag airborne survey	No obvious targets identified.
2007	New Shoshoni Ventures Ltd. – ATAC Resources Ltd.	Byng	Option dropped	n/a
2010	ATAC Resources Ltd. – Strategic Metals Ltd.	Byng	Byng 1 to 20 claims sold	n/a
2010	Strategic Metals Ltd.	Byng	Staked Byng 21 to 42 claims	n/a
2011	Strategic Metals Ltd.– Alix Resources Corp.	Byng	Optioned property	n/a
2012	Alix Resource Corp. – Strategic Metals Ltd.	Byng	Option dropped	n/a

In 1961, the Geological Survey of Canada (GSC) released a 1:253,400 scale map of the Whitehorse area (Wheeler, 1961).

In 1981, Du Pont Exploration of Canada Limited completed regional stream sediment sampling in the Mount Byng area (Holmgren and Neelands, 1982). It identified a value of 320 ppb gold in the coarse heavy mineral fraction of a sample collected from a creek draining west from Mount Byng. Du Pont staked the Utshig 1 to 48 claims to cover this creek (the Utshig property was situated five kilometres west of the current Byng property). Additional stream sediment samples collected upstream from the initial anomalous sample yielded elevated gold values, including 950 and 1500 ppb from the fine heavy mineral fractions. Prospecting identified gossanous basalt with five to seven percent pyrite cubes and pyrrhotite blebs and rare float of vuggy quartz and calcite veins with siderite and goethite. All rock samples had low gold contents. The claims were allowed to expire.

In 1985, the GSC published results from a regional stream sediment survey on NTS map sheet 105D. This survey detected several weakly elevated gold values in the Mount Byng area (Geological Survey of Canada, 1986).

In 1986, independent prospectors L. Carlyle and D. MacDonald discovered malachite and azurite stained, auriferous, vuggy quartz vein float associated with steeply dipping rhyolite dykes on the northwest flank of Mount Byng (Carlyle, 1987). They staked the BM 1 to 4 claims to cover this mineralization, which is known as Main Zone. Later that year, they performed soil and rock sampling, limited geological mapping and hand and blast trenching (seven trenches). This work led to the discovery of R Zone, from which a sample of strongly limonitic quartz-calcite vein with trace pyrite yielded 58.3 g/t gold with 5.0 g/t silver. Trenching at Main Zone partially defined two 0.45 and 0.6 m wide, weakly malachite and azurite stained, vuggy quartz veins. The best trench grab samples yielded 33.2 g/t gold with 140 g/t silver and 6.53% copper and 4.0 g/t gold with 121 g/t silver and 4.62% copper. Soil samples taken in the vicinity of the trenches were also significantly elevated, with peak values of 15.1 g/t gold, 35.0 g/t silver and 1535 ppm copper.

In 1987, MacDonald staked the BM 5 and 6 claims on behalf of Carlyle and himself (Carlyle, 1989).

In 1988, Carlyle and MacDonald staked an additional 13 claims (BM 7 to 19). They performed soil sampling and VLF-EM surveys, preliminary geological mapping and hand trenching (Carlyle, 1989). The VLF-EM surveys indicated an 800 m long vein structure at Main Zone and a 400 m long vein at R Zone, both of which were reportedly open along strike in both directions. Soil samples collected along the surface trace of the two veins typically ranged between 20 and 100 ppb gold, with a peak value of 1660 ppb within Main Zone. Four hand trenches were dug at Main Zone, but only one reached bedrock due to frozen ground. Two trench samples were collected and returned 8.61 g/t gold with 70.6 g/t silver and 1.04 g/t gold with 6.2 g/t silver. Geological mapping and prospecting suggested the presence of two other structures in the area – R-7 and R-17 Zones. The BM 20 to 43 claims were added to cover these zones.

In 1989, a mineral deposits geologist with the Division of Indian Affairs and Northern Development (DIAND) performed four days of geological mapping on the BM property and collected samples for age dating (Carlyle, 1991). Geological observations and results from the age dating study are described in the Property Geology section.

In 1990, Carlyle and MacDonald optioned the BM claims to Aurora Gold Ltd. Soil sampling, blast trenching and a VLF-EM survey were conducted on the property (Carlyle, 1991). Blast trenching was performed at Main Zone (six trenches) and R-17 Zone (four trenches). The highest grade Main Zone trench samples yielded 7.30 g/t gold with 164 g/t silver, 10.0 g/t gold with 8.81 g/t silver, 18.4 g/t gold, and 127 g/t gold. These samples comprised vuggy quartz vein, vuggy quartz vein breccia and malachite-stained quartz rhyolite. A small VLF-EM survey was started at R-17 Zone, but the equipment broke mid-survey and it was cancelled. Efforts were instead focussed on grid soil sampling at R-17, Main and R-7 Zones; however, Aurora Gold chose not to analyze the samples and the data was lost. Aurora Gold dropped its option and Carlyle and MacDonald subsequently allowed all but 16 of the BM claims to lapse.

In 1994, Carlyle and MacDonald hand trenched at Main (nine trenches) and R-17 Zones (four trenches). Higher grade rock samples collected from six of the trenches returned gold values between 0.308 and greater than 6.67 g/t (upper detection limit). Four trenches were dug at R-17 Zone, but were commonly limited by frozen ground and melt water. Float samples were collected from these trenches but yielded subdued gold values (Carlyle, 1994).

In 1995, the Exploration & Geological Branch of DIAND released a preliminary 1:50,000 scale geological map of NTS 105D/16 (Hart, 1997). That year, Carlyle and MacDonald completed blast trenching at Main and R-17 Zones, contour soil sampling in the same zones, and minor stream sediment sampling (Carlyle, 1995). Blast and hand trenching were relatively ineffective due to thick overburden, frozen ground and large talus blocks. Six trenches were dug within Main Zone, but only two samples were collected. One of these samples yielded 6.72 g/t gold with 372 ppm arsenic. Blast trenches at R-17 Zone (three trenches) did not reach bedrock and no samples were collected. Contour soil samples taken north of Main Zone reportedly returned elevated values for gold, copper and arsenic. Contour soil samples were collected at 300 m intervals to the south and southeast of R-17 Zone to partially replace the lost 1994 soil data. Anomalous gold, copper and arsenic values were obtained. That year, Carlyle and MacDonald also staked the BC 1 to 20 claims southeast of the BM property to re-acquire R Zone and to protect their newly discovered Creek Showing, which was situated upstream from a stream sediment sample that yielded 82 ppb gold, 64 ppm copper and 59 ppm arsenic.

In 1996, Carlyle and MacDonald's work program comprised grid soil sampling (Creek Showing, R-17 Zone and to the north and east of R Zone), prospecting, limited geological mapping, a grid ground magnetometer survey to the north and east of R Zone, and blast trenching at Main Zone (eight trenches). Soil and rock sampling at Creek Showing returned subdued gold values. Grid soil samples taken from R Zone returned peak values of 65 ppb gold, 226 ppm copper and 602 ppm arsenic. Soil samples collected within the 1995 contour line at R-17 Zone and to the north of the zone reportedly yielded elevated gold and copper values. Blast trenching was conducted at Main Zone to test significant VLF-EM and gold, copper and arsenic soil anomalies. Soil samples were collected rather than rocks because the trenches did not reach bedrock. The best result was 307 ppb gold, 46 ppm copper and 645 ppm arsenic.

In 1998, Carlyle and MacDonald collected closely spaced (50 by 20 m) grid soil samples at R-17 Zone and infill soil samples within the 1996 R Zone grid. The highest gold values were 346 ppb from R-17 Zone and 166 ppb from R Zone.

The BM and BC claim blocks were subsequently allowed to expire.

In November 2005, ATAC Resources Ltd. staked the Byng 1 to 20 claims to cover the historical workings. In early 2006, ATAC optioned the property to New Shoshoni Ventures Ltd., which flew an airborne versatile time domain electromagnetic (VTEM) and magnetic survey prior to dropping its option (Wengzynowski, 2008).

In January 2010, Strategic Metals bought the Byng 1 to 20 claims from ATAC and in November that year it staked the Byng 21 to 42 claims. In January 2011, Strategic Metals optioned the

Byng property to Alix Resources Corp. Alix did not complete any work on the property and dropped its option in 2012.

GEOMORPHOLOGY

The Byng property covers a northwest-trending, arcuate limb of Mount Byng, a local peak within the Big Salmon Range of the Pelly Mountains. The property is drained by creeks that flow into M'Clintock Lakes and Byng Creek, and ultimately into the Pacific Ocean via the M'Clintock and Yukon Rivers.
Local topography is sub-alpine to alpine, with elevations ranging from about 1440 to 1960 m above sea level (asl). Outcrop exposures are moderately abundant at higher elevations, especially along ridge crests and on steep slopes. Most of the property lies above treeline, which is at approximately 1450 m asl. Slopes above that elevation are characterized by alpine tundra, talus and outcrop. Vegetation primarily comprises low grass and staghorn moss.

The climate in the Byng property area is typical of northern continental regions with long, cold winters, truncated fall and spring seasons and short, mild summers. Although summers are relatively mild, snowfall can occur in any month. The property is mostly snow free from early June to late September.


REGIONAL GEOLOGY

In 1961, the Geological Survey of Canada published a geological map of the Whitehorse area (NTS 105D) at a 1:253,400 scale (Wheeler, 1961). In 1997, the Exploration & Geological Branch of DIAND released a 1:50,000 scale geological map of NTS 105D/16 (Hart, 1997). The following geological descriptions are based on the published data.

The Byng property lies near the northern end of Stikinia Terrane (Figure 4), the largest of the accreted Cordilleran terranes. In southern Yukon, the terrane is 80 km across and comprises four tectonic elements: Paleozoic Stikine assemblage, Mid-Triassic Joe Mountain volcanics, Upper Triassic Lewes River Arc and Upper Triassic to Mid-Jurassic Whitehorse Trough (Hart, 1997).

Basal strata in the vicinity of the Byng property comprise mafic volcanic rocks of Joe Mountain Formation, which is part of the 40 by 20 km Joe Mountain volcanic complex (Figures 5 and 6). Overlying this basement are sedimentary rocks of Whitehorse Trough Supergroup. The trough was a fault-bound, marginal basin that was formed off the west coast of North America and was filled with up to seven kilometres of largely arc-derived clastic rocks. The sediments comprising Whitehorse Trough Supergroup extend over a strike length of 600 km, spanning the area between Carmacks, Yukon and Dease Lake, British Columbia. Whitehorse Trough Supergroup is divided into two main stratigraphic components: Late Triassic Aksala Formation (part of Lewes River Group) and Late Triassic to Middle Jurassic formations of Laberge Group, which is not found near the property. Locally, Aksala Formation overlies and/or is juxtaposed against Joe Mountain Formation (Hart, 1997).

Two large plutons comprising Mid-Cretaceous intrusions of Teslin, Whitehorse and Mount McIntyre plutonic suites lie near the property. Byng Creek Pluton is located two kilometres



YA	Yakutat	Outboard
PW	Prince William	
CG	Chugach	
PR	Pacific Rim	
CR	Crescent	
KY	Koyukuk, Nyak, Togiak	
PE	Peninsular	Insular
AX	Alexander	
WR	Wrangellia	
KS	Kluane, Windy, Coast	
AG	Angayucham/ Tozitna/Innoko	Northern Alaska
AA	Arctic-Alaska, Hammond	
RB	Coldfoot, Ruby, Seward	
FW	Farewell	
KB	Kilbuck	

MT	Methow	Intermontane
CD	Cadwallader	
BR	Bridge River	
CC	CacheCreek	
HA	Harrison	
CK	Chilliwack	
ST	Stikinia	
QN	Quesnellia	
OK	Okanagan	
YT	Yukon-Tanana	
SM	SlideMountain	

Ancestral North America	
CA	Cassiar
NAb	North America - basinal
NAp	North America - platform
NAc	North America - craton & cover

Taken from Colpron, M. and Nelson, J.L., 2011

STRATEGIC METALS LTD.

FIGURE 4


ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

TECTONIC SETTING

BYNG PROPERTY

FILE: 2012/RYE/Figures/Rye-F_3_Tectonic_Settings.cdr

DATE:NOVEMBER 2012



Q — Quaternary
Unconsolidated silt, sand and gravel of glacial, fluvial and lacustrine origin.

MID-CRETACEOUS

mKB4 — Byng Creek Volcanics
Rhyolite and quartz-feldspar porphyry.

mKqM — Byng Creek Pluton (Mt. McIntyre Plutonic Suite)
Hornblende-biotite quartz monzonite, granite and quartz syenite.

mKgT — M'Clintock Lakes Granite (Teslin Plutonic Suite)
Hornblende-biotite granite and granodiorite.

mKfT — Mount Byng Felsite (Teslin Plutonic Suite)
Feldspar-hornblende felsite and hornblende granodiorite.

UPPER TRIASSIC

uTA — Aksala Formation (Lewes River Group)
Limy siltstone, siltstone, sandstone, conglomerate and hornfels.

uTC — Casca Member of Aksala Formation (Lewes River Group)
Siliceous siltstone, limey sandstone interbedded with mudstone, sandy limestone, and volcanogenic clastic units.

MID-TRIASSIC

mTJM — Joe Mountain Formation
Andesite and basaltic flows, breccia, microdiorite and diabase.

mTJMB — Joe Mountain Formation
Pyroxene gabbro with pyroxenite and anorthosite.

Geological boundary (defined, approximate, assumed or covered)

Fault (dot on downthrown side) (defined, approximate, assumed or covered)

Bedding (inclined, vertical, horizontal)

Anticline, syncline

Dykes, generally felsic

Dyke swarm

Polymictic, igneous-clast dominated cobble conglomerate

Breccia zone

Isotopic age determinations

An — Anorthosite

Px — Pyroxenite

After Hart and Hunt, 2003

T.N. 46' 21°44' Grid north Magnetic north Annual change decreasing 22.1'

STRATEGIC METALS LTD.


FIGURE 5
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

REGIONAL GEOLOGY

BYNG PROPERTY

0 1000 2000 m
UTM ZONE 8, NAD 83, 105D/16, Contour intervals at 20m

FILE: .../Byng/Figures/Byng-F05-RegionalGeology.wor | DATE: NOVEMBER 2012



MID-CRETACEOUS

mKB4 — Byng Creek Volcanics
Rhyolite and quartz-feldspar porphyry.

mKgT — M'Clintock Lakes Granite (Teslin Plutonic Suite)
Hornblende-biotite granite and granodiorite.

mKfT — Mount Byng Felsite (Teslin Plutonic Suite)
Feldspar-hornblende felsite and hornblende granodiorite.

UPPER TRIASSIC

uTA — Aksala Formation (Lewes River Group)
Limy siltstone, siltstone, sandstone, conglomerate and hornfels.

MID-TRIASSIC

mTJM — Joe Mountain Formation
Andesite and basaltic flows, breccia, microdiorite and diabase.

mTJMB — Joe Mountain Formation
Pyroxene gabbro with pyroxenite and anorthosite.

Geological contact (defined, approximate)

Dyke

Fault (defined, approximate)
Direction of movement shown by arrows.

STRATEGIC METALS LTD.

FIGURE 6
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

REGIONAL CROSS-SECTION

BYNG PROPERTY

0 1000 2000 m

UTM ZONE 8, NAD 83, 105D/16

FILE: .../Byng/Figures/Byng-F06-Cross-section.wor | DATE: NOVEMBER 2012

south of the property, while M'Clintock Lakes Pluton lies four kilometres to the west. The property is centered on a smaller Mid-Cretaceous stock belonging to Mount Byng Felsite part of the Teslin Plutonic Suite. Several north- to northwest-trending, Mount Byng Felsite dykes were mapped in the area. The Mount Byng Felsite stock and surrounding country rocks were cut by Mid-Cretaceous Byng Creek volcanic rhyolite dykes and plugs.

Low elevation valleys in the region are blanketed by Quaternary unconsolidated glacial, fluvial and lacustrine sediments.

The main lithologies in the project area are summarized in Table II.

Table II – Lithological Units (*after Deklerk and Traynor, 2005)*

Unit Name	Age	Map Name	Description
Quaternary	Quaternary	Q	Unconsolidated silt, sand and gravel of glacial, fluvial and lacustrine origin.
Byng Creek Volcanics	Mid-Cretaceous 109 Ma	mK_{B4}	Light yellow and orange weathering, yellow, white and pink, locally flow-banded, quartz-phyric rhyolite and quartz-feldspar porphyry plugs, dykes, sills and breccias. Same as some phases of mK_{qM}.
Byng Creek Pluton (Mount McIntyre Plutonic Suite)	Mid-Cretaceous ca. 109 Ma	mK_{qM}	Light pink-grey to orange weathering, pink, medium to coarse-grained, hornblende-biotite quartz monzonite, granite and quartz syenite with small, mafic clots; locally pegamtitic with numerous phases of granophyric quartz monzonite with plagioclase, quartz and hornblende phenocrysts in a fine-grained, sucrosic, potassium-feldspar and quartz matrix. Some phases form crowded quartz-feldspar porphyry and are the same as $mK_{B4.}$
M'Clintock Lakes Granite (Teslin Plutonic Suite)	Mid-Cretaceous ca. 120 Ma	mK_{gT}	White to pale grey weathering, recessive, leucocratic, coarse-grained, equigranular, hornblende-biotite granite and granodiorite, locally with sparse grey and pink potassium feldspar phenocrysts. This unit has associated aplitic phases and dykes.
Mount Byng Felsite (Teslin Plutonic Suite)	Mid-Cretaceous ca. 120 Ma	mK_{fT}	White to pale grey weathering, recessive, leucocratic, fine-grained to granophyric to porphyritic, feldspar-hornblende felsite and hornblende granodiorite. Occurs predominantly as north trending dykes but forms small bodies near Mount Byng.
Aksala Formation (Lewes River Group)	Upper Triassic	uT_A	Undifferentiated sedimentary rocks dominated by limy siltstone, siltstone, sandstone, conglomerate and hornfels; all with limestone. Includes massive and angular, to well-bedded and well-rounded, limestone-clast conglomerate; and resistant, thick bedded, massive and densely packed, gritty sandstone with pebble-cobble sixed igneous clasts.
Casca Member of Aksala Formation	Upper Triassic	uT_C	Undifferentiated sedimentary rocks dominated by dark weathering, siliceous, black and white, wispy to finely laminated, thick bedded, bioturbated siliceous

(Lewes River Group)			siltstone, finely-laminated, limey brown sandstone interlaminated with black muds and interbedded with sandy and gritty limestone, and recessive weathering volcanogenic sandstone with siltstone, shale, gritty sandstone, conglomerate and hornfels.
Joe Mountain Formation	Mid-Triassic	mT_{JM}	Dark grey-green weathering, fine grained and locally medium grained, monomineralic or feldspar and pyroxene-phyric, massive andesite and basaltic flows, breccia, microdiorite and diabase. Variably altered to greenstone or cut by aplite and epidote veinlets.
		mT_{JMB}	Coarse-grained, varitextured pyroxene gabbro with small bodies of pyroxenite and anorthosite.

Hart (1997) recognized at least three periods of faulting in the area. The earliest episode created faults with easterly strikes and steep dips. The next episode resulted in northerly striking faults with steep dips. These faults have lengths of several kilometres and cut and displaced the earlier faults. The most recent faults strike northwest, have lengths of several kilometres and terminate the northerly striking faults.

PROPERTY GEOLOGY

Carlyle and MacDonald completed isolated geological mapping on their BM and BC claims blocks. In 1989, Trevor Bremner, a DIAND mineral deposits geologist, performed four days of geological mapping on the BM property and collected samples for age dating (Bremner, 1990 in Carlyle, 1991). The following geological descriptions are based on the historical work, since Strategic Metals has not yet completed any geological mapping in the area.

The Byng property is underlain by a package of Joe Mountain Formation volcanics and Aksala Formation sediments. This package is intruded by Mount Byng Felsite and Byng Creek volcanic complex.

Joe Mountain Formation volcanics underlie the western two-thirds of the property. Two phases of this formation have been recognized – mT_{JM} and mT_{JMB}. Unit mT_{JM} consists of dark grey-green weathering, fine grained to locally medium grained, monomineralic or feldspar- and pyroxene-phyric, massive andesite and basalt flows, breccia, microdiorite and diabase. It is variably altered to greenstone and is often cut by aplite and epidote veinlets. An age of 252 ± 10 Ma was obtained from Rb/Sr whole rock analysis of the andesite (Bremner, 1990). Unit mT_{JMB} is composed of coarse grained, variably textured pyroxene gabbro with small bodies of pyroxenite and anorthosite. The age of the gabbro and anorthosite is questionable, but a K/Ar whole rock date of 168 ± 6 Ma was obtained, with minor argon loss suspected (Bremner, 1990).

Joe Mountain Formation is conformably overlain by Aksala Formation and is locally juxtaposed against it along faults. Aksala Formation consists of undifferentiated sedimentary rocks dominated by dark weathering, siliceous, black and white wispy to finely laminated, thick bedded, bioturbated siliceous siltstone; finely laminated, limey brown sandstone interlaminated with black mudstone and interbedded with sandy and gritty limestone; and recessive weathering

volcanogenic sandstone with siltstone, shale, gritty sandstone, conglomerate and hornfels. These rocks are found along the eastern margin of the claim block.

The sedimentary rocks are intruded by Mount Byng Felsite, which comprises a 3000 by 1000 m stock and several satellite plugs and dykes. Mount Byng Felsite is composed of white to pale grey weathering, recessive, leucocratic, fine grained to porphyritic, feldspar-hornblende felsite and hornblende granodiorite. These rocks mainly occur within the southern portion of the Byng property and were likely emplaced during faulting (Carlyle, 1998). A sample of granodiorite collected from the stock returned a K-Ar hornblende age of 121 ± 5 Ma (Bremner, 1990).

Younger rhyolite intrusions belonging to the Byng Creek volcanic complex cut all units on the property. It consists of light yellow and orange weathering, yellow, white and pink, locally flow-banded quartz-phyric rhyolite and quartz-feldspar porphyry plugs, dykes, sills and breccias. Where the rhyolite intrudes sediments, local hornfelsing has occurred (Carlyle, 1998). A K/Ar whole rock age of 104 ± 4 Ma was obtained from the rhyolite (Bremner, 1990).


The youngest igneous phase on the property is a small diatreme of heterolithic breccia, which contains angular fragments of all of the major rock types in the area and is welded by granodiorite porphyry (Bremner, 1990). This diatreme lies within the Mount Byng Felsite stock.

Two major strike-slip faults have been mapped on the property. These faults trend northerly and dropped the rocks in the western half of the property relative to those of the eastern half. The westerly fault likely acted as a conduit for emplacement of the Mount Byng Felsite stock. Carlyle (1998) suspects that the northerly striking fault set partially controlled mineralization on the property. Another set of faults strikes northwest and cuts the northerly trending faults. The magnitude of displacement and direction of movement of the faults are unknown at this time.

MINERALIZATION

HISTORICAL WORK

Between 1986 and 1998, Carlyle and MacDonald conducted intermittent prospecting and hand and blast trenching in the Mount Byng area. They discovered four gold-bearing zones that lie along a 3500 m trend within the current Byng property boundary. From northwest to southeast, these zones are designated the R-17, R-7, Main and R Zones (Figure 7). Gold occurs with minor silver and copper in locally brecciated quartz-carbonate veins that lie adjacent to rhyolite dykes and appear to be controlled by vertical, north-trending structures (Bremner, 1990). Due to the absence of reference points on historical maps, Carlyle and MacDonald's rock sample and trench locations could not be reliably reproduced and, thus, are not included in this report. The mineralized zones are described individually in the following paragraphs, while significant rock sample results are provided in the History and Previous Work section.



2 Vent breccia

1 Rhyolite

MID-CRETACEOUS

mKgT M'Clintock Lakes Granite

mKfT Mount Byng Felsite

UPPER TRIASSIC

uTA Limy siltstone, sandstone, hornfels

MID-TRIASSIC

mTJM Joe Mountain Volcanics

mTJMB Joe Mountain pyroxenite/gabbro

Geological boundary (defined, approximate, assumed or covered)

Fault (dot on downthrown side) (defined, approximate, assumed or covered)

Bedding (inclined, vertical, horizontal)

Anticline, syncline.

Dykes, generally felsic

Dyke swarm

Polymictic, igneous-clast dominated cobble conglomerate

Breccia zone

Isotopic age determinations

Anorthosite An

Pyroxenite Px

After Carlyle, 1998

T.N. 46' 21°44' Grid north Magnetic north Annual change decreasing 22.1'

STRATEGIC METALS LTD.

FIGURE 7
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

PROPERTY GEOLOGY

BYNG PROPERTY

0 500 1000 m

UTM ZONE 8, NAD 83, 105D/16, Contour intervals at 20m

FILE: .../Byng/Figures/Byng-F06-Propert_Geol.wor | DATE: NOVEMBER 2012

R-17 Zone

R-17 Zone is situated within a north-trending fault gully at the northwest corner of the property. It is hosted by Joe Mountain pyroxene/gabbro and is defined by a 100 m diameter zone of rusty weathering, vuggy, chalcedony-cemented breccia with altered and silicified fragments up to 15 cm across (Carlyle, 1996a). The chalcedonic breccia yielded low precious metal values at surface (less than 100 ppb). Carlyle (1996a) believes this zone may represent the silica cap of a hot spring deposit.

R-7 Zone

R-7 Zone is located within a tight valley, approximately 1000 m southeast of R-17 Zone. R-7 Zone lies near the intersection of two major faults – a northerly striking fault and a northwest-trending fault, which defines the contact between Joe Mountain pyroxene/gabbro and Mount Byng Felsite granodiorite stock. A sample of limonitic and silicified rhyolite with trace pyrite and malachite staining returned 0.840 g/t gold, 3.2 ppm silver and 340 ppm arsenic. No trenching has been done at this zone.

Main Zone


Main Zone was the first significant mineralized zone to be discovered in the area. It lies on a west-facing slope on the northern limb of Mount Byng. Mineralization is hosted by brecciated and vuggy quartz-carbonate veins, which are thought to be associated with rhyolite dykes and a small stock. The dykes strike parallel to the north-trending faults, while the veins are oriented to the northwest. The veins are relatively flat dipping and contain spots of malachite, azurite, chalcopyrite and tetrahedrite. Numerous high gold and silver values with sporadic, strong copper support have been reported. The gold-rich material is frequently anomalous in mercury, arsenic, antimony, tungsten and barium (Carlyle, 1987 and 1998). Table III lists the best gold, silver and copper results obtained from trenching at Main Zone.


Table III – Main Zone Significant Trench Float Results


Year	Gold (g/t)	Silver (g/t)	Copper (%)
1986	33.2	140	6.53
1986	4.0	121	4.62
1988	8.61	70.6	
1990	7.30	164	
1990	10.0	8.81	
1990	18.4		
1990	126.9		


R Zone


R Zone is situated on a ridge 1500 m southeast of Main Zone. The mineralization is hosted primarily in brecciated, fine-grained Joe Mountain Formation volcanics. The breccia fragments are cemented by dark brown iron oxide and epidote. Sulphide mineralization includes up to one


T.N.
46'
21°44'
Grid north
Magnetic north
Annual change
decreasing 22.1'
6757000mN
6756000mN
R-17 ZONE
0.06
D
R-7 ZONE
MAIN ZONE
A
B
13.45
0.005
0.003
0.008
R-ZONE
C
PROPERTY BOUNDARY
534000mE
535000mE
536000mE
537000mE
Gold in Soil (ppb)
≥ 200 ≤ 1770
≥ 100 < 200
≥ 50 < 100
≥ 20 < 50
≥ 10 < 20
0 < 10
2012 soil sample
Historical soil sample
2012 rock sample
(values in g/t)
STRATEGIC METALS LTD.
FIGURE 9
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
GOLD GEOCHEMISTRY
BYNG PROPERTY
0
500
1000 m
UTM ZONE 8, NAD 83, 105D/16. Contour intervals at 20m
FILE: .../Byng/Figures/Byng-F07-Geochem_Au.wor
DATE: NOVEMBER 2012


T.N.
46'
21°44'
Grid north
Magnetic north
Annual change
decreasing 22.1'
6757000mN
6756000mN
0.23
R-17 ZONE
D
R-7 ZONE
MAIN ZONE
A
B
35.8
0.1
0.24
3.28
R ZONE
C
PROPERTY BOUNDARY
533000mE
534000mE
535000mE
536000mE
537000mE
Silver in Soil (ppm)
≥ 10 ≤ 30
≥ 5.0 < 10
≥ 2.0 < 5.0
≥ 1.0 < 2.0
≥ 0.5 < 1.0
0 < 0.5
2012 rock sample
STRATEGIC METALS LTD.
FIGURE 10
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
SILVER GEOCHEMISTRY
BYNG PROPERTY
0
500
1000 m
UTM ZONE 8, NAD 83, 105D/16. Contour intervals at 20m
FILE: .../Byng/Figures/Byng-F08-Geochem_Ag.wor
DATE: NOVEMBER 2012


T.N.
46'
21°44'
Grid north
Magnetic north
Annual change
decreasing 22.1'
6757000mN
6756000mN
R-17 ZONE
62.5
D
R-7 ZONE
MAIN ZONE
2,080
A
B
7.3
3.3
4.1
R ZONE
C
Arsenic in Soil (ppm)
≥ 1000 ≤ 3420
≥ 500 < 1000
≥ 200 < 500
≥ 100 < 200
≥ 50 < 100
0 < 50
2012 rock sample
STRATEGIC METALS LTD.
FIGURE 11
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
ARSENIC GEOCHEMISTRY
BYNG PROPERTY
0
500
1000 m
UTM ZONE 8, NAD 83, 105D/16. Contour intervals at 20m
FILE: .../Byng/Figures/Byng-F09-Geochem_As.wor
DATE: NOVEMBER 2012
534000mE
535000mE
536000mE
537000mE


T.N.
46'
21°44'
Grid north
Magnetic north
Annual change
decreasing 22.1'
6757000mN
6756000mN
32.5
R-17 ZONE
D
R-7 ZONE
MAIN ZONE
A
B
C
R ZONE
635
101
464
419
Copper in Soil (ppm)
≥ 500 < 517
≥ 200 < 500
≥ 100 < 200
≥ 50 < 100
0 < 50
2012 rock sample
STRATEGIC METALS LTD.
FIGURE 12
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
COPPER GEOCHEMISTRY
BYNG PROPERTY
0
500
1000 m
UTM ZONE 8, NAD 83, 105D/16. Contour intervals at 20m
FILE: .../Byng/Figures/Byng-F12-Geochem_Cu.wor
DATE: NOVEMBER 2012
534000mE
535000mE
536000mE
537000mE


T.N.
46'
21°44'
Grid north
Magnetic north
Annual change
decreasing 22.1'
6757000mN
6756000mN
0.34
R-17 ZONE
D
R-7 ZONE
MAIN ZONE
A
B
35.7
1.52
0.43
1.36
R ZONE
C
Molybdenum in Soil (ppm)
≥ 50 ≤ 69.4
≥ 20 < 50
≥ 10 < 20
≥ 5 < 10
≥ 2 < 5
0 < 2
2012 rock sample
STRATEGIC METALS LTD.
FIGURE 13
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
MOLYBDENUM GEOCHEMISTRY
BYNG PROPERTY
0
500
1000 m
UTM ZONE 8, NAD 83, 105D/16. Contour intervals at 20m
FILE: .../Byng/Figures/Byng-F12-Geochem_Mo.wor
DATE: NOVEMBER 2012
534000mE
535000mE
536000mE
537000mE

percent pyrite and arsenopyrite, with traces of chalcopyrite, molybdenite and pyrrhotite. At least three east-southeast striking rhyolite dykes cut the ridge near the zone. The only rock sample collected from this zone was taken at the east end of these dykes. It comprised gossanous, brecciated quartz-carbonate vein material that returned a value of 58.3 g/t gold with 5.0 g/t silver (Carlyle, 1996b).

2012 WORK

In 2012, Strategic Metals completed limited prospecting in conjunction with soil sampling. Five rock samples were collected from various parts of the property, including one sample from a historical trench at Main Zone. Sample locations are plotted on Figure 8, while results for gold, silver, arsenic, copper and molybdenum are illustrated thematically on Figures 9 to 13.

Rock geochemical sample sites on the property were marked with orange flagging tape labelled with the sample number. The location of each sample was determined using a handheld GPS unit.

The 2012 rock samples were sent to ALS Minerals laboratory in Whitehorse where they were dried, fine crushed to better than 70% passing 2 mm. A 250 g split was then pulverized to better than 85% passing 75 microns. The pulverized samples were sent to ALS Minerals laboratory in North Vancouver where they were analyzed for gold using fire assay followed by inductively coupled plasma-atomic emission spectroscopy analysis (Au-ICP21) and for 51 elements using an aqua regia digestion followed by inductively coupled plasma combined with mass spectroscopy and atomic emission spectroscopy (ME-MS41). Over limit gold values were determined by fire assay with gravimetric finish (Au-GRA21). Certificates of Analysis are provided in Appendix II.

Of the five 2012 samples, only the trench sample yielded significant results – 13.45 g/t gold, 35.8 g/t silver, 2080 ppm arsenic, 635 ppm copper, 1000 ppm lead, 2670 ppm antimony and 35.7 ppm molybdenum. This sample comprised strongly limonitic quartz vein.

SOIL GEOCHEMISTRY

Soil geochemical surveys were conducted within the area now covered by the Byng property in 1986, 1988, 1990, 1995, 1996, 1998 and 2012. Historically, grid and contour sampling were performed in the immediate vicinity of known mineralized zones to define their orientations and extents. In 2012, 558 contour soil sampling were collected to confirm the tenor and locations of historical anomalies and to obtain wider spread, multi-element coverage across the entire property. Sample locations and results, where available, for gold, silver, arsenic, copper and molybdenum are plotted on Figures 8 to 13, respectively.

All 2012 soil sample locations were recorded using hand-held GPS units. Sample sites are marked by aluminum tags inscribed with the sample numbers and affixed to 0.5 m wooden lath that were driven into the ground. Soil samples were collected from 5 to 30 cm deep holes dug by mattock or hand-held auger. They were placed into individually pre-numbered Kraft paper bags.

The soil samples were sent to ALS Minerals laboratory in Whitehorse, where they were dried, screened to -180 microns, and then to ALS Minerals laboratory in North Vancouver, where they were analyzed for 51 elements using an aqua regia digestion followed by inductively coupled plasma combined with mass spectroscopy and atomic emission spectroscopy (ME-MS41). An additional 30 g charge was further analysed for gold by fire assay with inductively coupled plasma-atomic emissions spectroscopy finish (Au-ICP21). Certificates of Analysis are provided in Appendix II, while anomalous thresholds and peak 2012 values for soil samples are listed in Table IV.

Table IV – Threshold and Peak Values for Soil Samples

Element	Anomalous Thresholds			
	Weak	**Moderate**	**Strong**	**2012 Peak**
Gold (ppb)	≥ 20 < 50	≥ 50 < 100	≥ 100	1770
Silver (ppm)	≥ 1 < 2	≥ 2 < 5	≥ 5	30
Arsenic (ppm)	≥ 100 < 200	≥ 200 < 500	≥ 500	3420
Copper (ppm)	≥ 100 < 200	≥ 200 < 500	≥ 500	517
Molybdenum (ppm)	≥ 10 < 20	≥ 20 < 50	≥ 50	69.4

Soil sampling on the property has identified four primary gold, silver, arsenic, copper and/or molybdenum anomalies (Anomalies A to D) that lie within Joe Mountain andesite and gabbro/pyroxene where they are cut by rhyolite dykes.

Anomaly A is the strongest of the four soil anomalies. It is characterized by moderately to very strongly elevated gold values within a 200 by 400 m area that covers Main Zone. Locally elevated silver, arsenic, copper and molybdenum values are also present. Typical samples that comprise this anomaly returned between 20 and 347 ppb gold, but three samples yielded 725, 1660 and 1770 ppb gold. The peak gold value was obtained from a sample collected within an old trench at Main Zone.

Anomaly B encompasses a 300 by 500 m area with several strong gold values between 105 and 249 ppb. This anomaly also covers an isolated strong silver value, numerous moderate to strong arsenic values, widespread weak copper values and several moderate to locally strong molybdenum values. It lies 300 m east of Anomaly A and is not associated with any known mineralization. The high grade silver value (30.0 ppm) is coincident with the best gold value in this anomaly (249 ppb) and with the highest lead (908 ppm) and antimony (158 ppm) values on the property.

The areas between and to the north of Anomalies A and B are characterized by abundant weak to moderate gold and arsenic values, while the area south of these anomalies is weakly to strongly anomalous for molybdenum.

Anomaly C is defined by sporadic, moderately to strongly elevated gold values within a 500 by 600 m area that covers R Zone. The highest gold-in-soil values are not coincident with known mineralization. This anomaly also encompasses locally concentrated, strong arsenic values and moderate copper and molybdenum values. Scattered, elevated arsenic, copper and molybdenum values were also obtained from a contour line that extends north from the anomaly.

Anomaly D is characterized by five weakly to strongly elevated copper values that occur along a single contour line immediately east of R-17 Zone. The elevated copper values are often supported by weak to moderate gold values. No copper values are available from the historical grid that was centered over R-17 Zone.

AIRBORNE GEOPHYSICS

In 2006, New Shoshoni commissioned Geotech Ltd. of Aurora, Ontario to fly a helicopter-borne VTEM and magnetic survey over the Byng 1 to 20 claims. Figures 14 and 15 illustrate the magnetic and VTEM results. The data has not been interpreted in detail.

Preliminary analysis of the magnetic data suggests that it is closely related to topography – magnetic highs coincide with topographic highs and magnetic lows overlap topographic lows. There is little correlation between magnetic susceptibility and mapped lithological units; however, north-and northwest-trending faults locally correspond to magnetic lows and anorthosite bodies are coincident with discrete magnetic highs.

The electromagnetic response is flat across the property.

DEPOSIT TYPE

Mineralization at the Byng property shows greatest affinity to the low sulphidation style of epithermal gold-silver deposits. This style of mineralization is also commonly known as "Comstock" or "bonanza." Deposits are typically associated with magmatic arcs or continental volcanic fields featuring large extensional structures. Most are hosted within predominantly volcanic packages of mainly calc-alkaline andesitic composition, which are cut by regional-scale fault and fracture systems related to grabens, calderas or dome complexes or by large extensional faults. Sub-volcanic intrusions and localized clastic basins are sometimes present (Panteleyev, 1996). At some deposits (i.e. Eskay Creek), mineralizing fluids vented into local water filled basins and deposited stratabound or strataform sulphides (Alldrick, 1995).

Low sulphidation epithermal deposits are formed by hydrothermal systems at shallow depths (less than one kilometre below surface). Most comprise quartz-rich veins, stockworks and breccias containing varying amounts of gold, silver, electrum, argentite and pyrite plus lesser sphalerite, chalcopyrite, galena, tetrahedrite and sulphosalt minerals. Besides quartz, guange minerals can include chalcedony, amethyst, calcite, adularite, sericite, barite, fluorite, rhodochrosite, hematite and chlorite. Common textures include open space filling, multiple brecciation, colloform banding, crustification and symmetrical or other banding (Panteleyev, 1996).

Low sulphidation epithermal mineralization is localized in hot springs and underlying hydrothermal conduits, typically developed along complex, intersecting and bifurcating fault systems. Cooling, depressurization and fluid mixing are important controls regarding metal deposition. There may be a genetic link to underlying or nearby porphyry or skarn deposits related to deeper parts of the hydrothermal system. Silver-rich parts of the deposits generally have higher base metal contents than gold or gold-silver enriched parts. Vertical zoning is

observed over distances of 250 to 350 m, with a base-metal deficient gold-silver rich top, giving way to a silver-rich base metal zone, then to an underlying base metal zone with little silver and finally to relatively barren pyrite (Panteleyev, 1996).

Subaqueous hot springs are a particular subset of the deposit model. They are deposited in water-filled reservoirs in active continental volcanic areas or in restricted submarine basins in volcanic arcs. Typically they are fed by fault or fracture systems that exhibit the type of mineralization and alteration described in the previous paragraphs. The hydrothermal fluids vent on the floor of the reservoir or into unconsolidated sediments, where metals are precipitated to form stratabound or strataform deposits (Alldrick, 1995).

Discordant, low sulphidation epithermal deposits are found in many parts of the world and they can be of any age. Many are Tertiary but Jurassic deposits are particularly common in Stikinia Terrane of northern British Columbia. Well known B.C. deposits include Lawyers and Baker in the Toodoggone District, Silbak Premier near Stewart and Cinola on the Queen Charlotte Islands. International deposits include Comstock in Nevada, Creede in Colorado, Republic in Washington, El Bronce in Chile, Guanajuato in Mexico, Colqui in Peru and Ladolam in Papua-New Guinea. The median grade and tonnage of 41 Comstock-type "bonanza" deposits is 770,000 tonnes at 7.5 g/t gold and 110 g/t silver with minor copper, lead and zinc (Panteleyev, 1996).


Concordant, subaqueous hot spring gold-silver deposits are less common. The best known deposits are Eskay Creek in northern B.C. and Ororezan in Japan. Eskay Creek commenced commercial production in 1995 and since then has produced about 93,320 kg (3 million ounces) of gold (Stanley, 2007 and Barrick, 2008). As of March 2008 mining has ceased at Eskay Creek (Barrick, 2008).

DISCUSSION AND CONCLUSIONS

The Byng property covers a precious metal rich mineralized system that is favourably located within a package of volcanic and high level intrusive rocks, which are cut by numerous large and complex faults. This package lies within Stikinia Terrane, which hosts numerous significant epithermal gold-silver deposits.

Most historical exploration on the Byng property was focussed on the four known mineralized zones. These areas were tested by soil sampling, prospecting, geological mapping and hand and blast trenching. Soil sampling appears to be an effective tool for identifying mineralized zones. Prospecting and trenching within the zones was inhibited by overburden and frozen ground, so the extent and controls of mineralization are poorly defined.

The Byng property definitely warrants additional work because of its prospective geological setting, geochemical characteristics and mineralogical textures, which are consistent with low sulphidation, epithermal gold-silver deposits. Future work should be performed to better define areas of known mineralization, to follow up soil anomalies identified in 2012 and to explore for new mineral occurrences. Work should consist of: 1) closely spaced grid soil sampling over 2012 contour samples that returned elevated gold, silver, arsenic, copper and molybdenum



STRATEGIC METALS LTD.


FIGURE 14
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

AIRBORNE MAGNETICS

BYNG PROPERTY

UTM ZONE 8, NAD 83, 105D/16. Contour intervals at 20m

FILE: .../Byng/Figures/Byng-F15-Airborne_mag.wor | DATE: NOVEMBER 2012



STRATEGIC METALS LTD.

FIGURE 15
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

AIRBORNE VTEM

BYNG PROPERTY

0 500 1000 m


UTM ZONE 8, NAD 83, 105D/16. Contour intervals at 20m

FILE: .../Byng/Figures/Byng-F16-VTEM.wor | DATE: NOVEMBER 2012

values; 2) prospecting in the vicinity of the anomalous 2012 contour samples; 3) detailed mapping to relocate known mineralization and better understand the mineralizing controls; 4) hand trenching in selected areas that are geomorphologically, geologically and geochemically favourable; and, 5) diamond drilling to test high grade precious metal potential in areas that cannot be properly assessed by surface exploration. Drill holes should be oriented to cut rhyolite dykes and north-trending faults, both of which appear to be associated with or control mineralization at the known zones.

Respectfully submitted,

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED



S. Drechsler, B.Sc. Geology, P.Geo.

REFERENCES

Alldrick, D.J.

1995 Subaqueous hot spring Au-Ag; in Selected British Columbia Mineral Deposit Profiles, Volume 1 – Metallics and Coal; Lefebure, D.V. and Ray, G.E., Editors, British Columbia Ministry of Energy of Employment and Investment, Open File 1995-20, pages 55-58.

Barrick Gold Corporation

2008 http://www.barrick.com/GlobalOperations/NorthAmerica/EskayCreek/default.aspx

Bremner, T.J.

1990 Mount Byng; in Yukon Exploration 1990; Exploration and Geological Services Division, Indian and Northern Affairs Canada.

Carlyle, L.

1987 Report on BM claims #1 to #4, Mount Byng area; assessment report 091940.

1989 Assessment report on the BM claims 1 to 43; assessment report 092714.

1991 Report on the 1990 work program, BM claims, Mt. Byng area; assessment report 092951.

1994 Report on the 1994 work program, BM claims, Mt. Byng area; assessment report 093244.

1995 Report on the 1995 work program, BM claims, Mt. Byng area; assessment report 095319.

1996a Assessment report on BM 1-6, 9-12 & 36-41; assessment report 093544.

1996b Assessment report on BC 1-20 claims; assessment report 093566.

1998 Work program on Byng property; assessment report 093906.

Colpron, M. and Nelson, J. L.

2011 A Digital atlas of terranes for the Northern Cordillera; Yukon Geological Survey and BC Geology Survey, BCGS GeoFile 2011-11 (http://www.geology.gov.yk.ca/pdf/CanCord_terranes_2011.pdf).

Deklerk, R. and Traynor, S. (compilers)

2005 Minfile detail report on Movement Showing (105D 184). Available at: http://ygsftp.gov.yk.ca/publications/minfile/text_files/105D/105D184.pdf

Geological Survey of Canada
1986 Regional stream sediment and water geochemical reconnaissance data, Yukon Territory. Geological Survey of Canada, Open File 1218.

Hart, C.J.R.
1997 Geology of Mount M'Clintock map area, southern Yukon (NTS 105D/16), 1:50,000-scale. Exploration and Geological Services Division, Yukon Indian and Northern Affairs Canada, Geoscience Map 1997-7.

Holmgren, L.D. and Neelands, J.T.
1982 Geological and geochemical report on the Utshig property, Whitehorse Mining Division, Yukon Territory; assessment report (091043) prepared for Du Pont of Canada Exploration Limited.

Panteleyev, A.
1996 Epithermal Au-Ag: Low Sulphidation; in Selected British Columbia Mineral Deposit Profiles, Volume 2 – Metallic Deposits; Lefebure, D.V. and Hoy, T., Editors; British Columbia Ministry of Employment and Investment, Open File 1996-13, pages 41-44.

Stanley, S.G.
2007 Hathor Starts 2007 Exploration Program at Eskay Creek (21 August 2007). Available at: http://news.manta.com/articles/description/200708210955410_642476000_0-0304

Wengzynowski, W.A.
2008 Technical report describing diamond drilling at the Hartless Joe property; Whitehorse Mining District.

Wheeler, J.O.
1961 Whitehorse map-area, Yukon Territory; Geological Survey of Canada Memoir 312; scale 1:253,400.

APPENDIX I

STATEMENT OF QUALIFICATIONS

STATEMENT OF QUALIFICATIONS

I, Sarah Drechsler (née Eaton), geologist, with business addresses in Whitehorse, Yukon Territory and Vancouver, British Columbia and residential address in Squamish, British Columbia, hereby certify that:

1. I graduated from the University of British Columbia in 2007 with a B.Sc. in Honours Geological Sciences.

2. From 2002 to present, I have been actively engaged in mineral exploration in Yukon Territory, British Columbia and Northwest Territories.

3. I am a Professional Geoscientist (P.Geo.) with the Association of Professional Engineers and Geoscientists of British Columbia (Member Number 154922).

4. I have personally interpreted all data resulting from this work.



S. Drechsler, B.Sc. Geology, P.Geo.

APPENDIX II

CERTIFICATES OF ANALYSIS

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10-AUG-2012
Account: MTT

CERTIFICATE WH12177496

Project: BYNG

P.O. No.:

This report is for 3 Rock samples submitted to our lab in Whitehorse, YT, Canada on 31-JUL-2012.

The following have access to data associated with this certificate:

SARAH EATON	JOAN MARIACHER	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70%<2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85%<75 um

ANALYTICAL PROCEDURES


ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:



Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10-AUG-2012
Account: MTT

Project: BYNG

CERTIFICATE OF ANALYSIS WH12177496

Sample Description	Method	WEI-21	Au-ICP21	Au-GRA21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.02	0.001	0.05	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1
L836167		0.32	0.008		3.28	0.25	4.1	<0.2	<10	10	<0.05	40.2	0.06	0.25	0.67	7.9
L836168		0.44	>10.0	13.45	35.8	0.08	2080	12.5	<10	50	<0.05	18.30	0.08	0.28	1.08	5.2
L836169		0.36	0.060		0.23	0.66	62.5	<0.2	<10	20	0.16	0.36	9.98	0.04	0.89	20.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10-AUG-2012
Account: MTT

Project: BYNG

CERTIFICATE OF ANALYSIS WH12177496

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cr	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	1	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
L836167		20	0.06	419	1.33	1.05	<0.05	0.03	0.01	0.104	<0.01	0.2	3.0	0.28	175	1.36
L836168		13	0.30	635	5.34	0.47	<0.05	0.04	1.98	0.205	0.04	0.6	1.3	0.05	76	35.7
L836169		120	0.19	32.5	3.02	1.21	<0.05	0.02	0.08	0.037	0.04	0.3	5.4	4.78	648	0.34

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10-AUG-2012
Account: MTT

Project: BYNG

CERTIFICATE OF ANALYSIS WH12177496

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
L836167		0.02	<0.05	10.9	80	4.6	0.2	<0.001	0.03	0.29	1.5	0.7	0.8	3.1	<0.01	29.8
L836168		<0.01	<0.05	6.4	90	1000	1.2	0.001	0.05	2670	0.5	0.5	0.8	23.5	<0.01	1.44
L836169		0.01	<0.05	85.4	20	5.1	1.3	0.001	0.02	11.25	16.2	0.5	0.6	392	<0.01	0.09

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10-AUG-2012
Account: MTT

Project: BYNG

CERTIFICATE OF ANALYSIS WH12177496

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Th	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.2	0.005	0.02	0.05	1	0.05	0.05	2	0.5
L836167		<0.2	0.005	0.03	0.21	13	0.64	0.96	20	0.8
L836168		0.7	<0.005	0.07	4.43	28	3.37	0.24	31	1.2
L836169		<0.2	<0.005	0.04	0.09	65	0.05	7.44	27	0.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10-AUG-2012
Account: MTT

Project: BYNG

CERTIFICATE OF ANALYSIS WH12177496

Method	CERTIFICATE COMMENTS
ME-MS41	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9-SEP-2012
Account: MTT

CERTIFICATE WH12193429

Project: Bung

P.O. No.:

This report is for 2 Rock samples submitted to our lab in Whitehorse, YT, Canada on 24-AUG-2012.

The following have access to data associated with this certificate:

SARAH EATON	JOAN MARIACHER	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70%<2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85%<75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9-SEP-2012
Account: MTT

Project: Bung

CERTIFICATE OF ANALYSIS WH12193429

Sample Description	Method	WEI-21	Au-ICP21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
G286081		0.30	0.005	0.10	1.92	73	<0.2	<10	160	0.32	0.36	13.50	0.41	7.01	21.8	134
G286084		0.17	0.003	0.24	2.89	3.3	<0.2	<10	20	0.05	1.24	3.17	0.16	0.74	46.7	16

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9-SEP-2012
Account: MTT

Project: Bung

CERTIFICATE OF ANALYSIS WH12193429

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
G286081		1.29	101.0	4.23	5.86	0.07	0.24	0.05	0.062	0.05	4.5	17.1	0.99	1110	1.52	0.20
G286084		0.76	464	5.74	7.43	0.10	0.18	0.02	0.031	0.13	0.3	6.9	1.24	366	0.43	0.36

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9-SEP-2012
Account: MTT

Project: Bung

CERTIFICATE OF ANALYSIS WH12193429

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
G286081		<0.05	57.8	500	2.3	2.0	0.002	1.00	2.51	27.7	2.2	0.4	323	<0.01	0.17	0.5
G286084		<0.05	81.9	40	3.5	2.9	<0.001	2.29	0.23	10.6	1.3	0.4	34.5	<0.01	0.26	<0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9-SEP-2012
Account: MTT

Project: Bung

CERTIFICATE OF ANALYSIS WH12193429

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
G286081		0.082	0.14	0.50	221	0.28	14.30	100	4.7
G286084		0.823	0.08	<0.05	692	0.86	4.95	29	4.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9-SEP-2012
Account: MTT

Project: Bung

CERTIFICATE OF ANALYSIS WH12193429

Method	CERTIFICATE COMMENTS
ME-MS41	Interference: Ca>10% on ICP-MS As, ICP-AES results shown.
ME-MS41	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11-AUG-2012
Account: MTT

CERTIFICATE WH12177497

Project: BYNG

P.O. No.:

This report is for 166 Soil samples submitted to our lab in Whitehorse, YT, Canada on 31-JUL-2012.

The following have access to data associated with this certificate:

SARAH EATON	JOAN MARIACHER	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11-AUG-2012
Account: MTT

Project: BYNG

CERTIFICATE OF ANALYSIS WH12177497

Sample Description	Method	WEI-21	Au-ICP21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD010801		0.22	0.004	0.04	1.59	6.0	<0.2	<10	90	0.25	0.18	0.33	0.10	24.0	9.1	34
DD010802		0.26	0.003	0.03	1.59	6.0	<0.2	<10	90	0.28	0.14	0.29	0.06	26.8	7.8	30
DD010803		0.22	0.004	0.04	1.27	6.1	<0.2	<10	100	0.28	0.13	0.27	0.12	29.2	6.8	28
DD010804		0.18	0.011	0.11	2.23	10.2	<0.2	<10	140	0.45	0.19	0.31	0.15	24.5	10.0	38
DD010805		0.21	0.009	0.06	1.44	7.0	<0.2	<10	110	0.26	0.15	0.47	0.23	27.3	9.3	34
DD010806		0.17	0.010	0.08	2.04	10.0	<0.2	<10	150	0.38	0.20	0.46	0.23	22.4	10.1	39
DD010807		0.24	0.010	0.04	1.37	6.2	<0.2	<10	110	0.28	0.11	0.38	0.16	22.7	8.1	33
DD010808		0.25	0.011	0.03	1.39	7.3	<0.2	<10	90	0.22	0.12	0.38	0.15	21.7	10.7	42
DD010809		0.19	0.037	0.03	1.43	6.0	<0.2	<10	90	0.24	0.10	0.34	0.18	20.3	10.2	35
DD010810		0.15	0.012	0.04	1.97	7.1	<0.2	<10	110	0.27	0.14	0.46	0.23	19.40	13.1	40
DD010811		0.22	0.004	0.05	1.40	6.6	<0.2	<10	90	0.27	0.13	0.32	0.10	22.1	8.7	28
DD010812		0.20	0.042	0.06	2.38	10.3	<0.2	<10	110	0.24	0.11	0.54	0.19	20.2	19.2	62
DD010813		0.23	0.017	0.05	2.22	13.3	<0.2	<10	110	0.28	0.15	0.46	0.17	20.4	20.9	73
DD010814		0.24	0.014	0.06	1.69	10.3	<0.2	<10	100	0.18	0.23	0.54	0.16	19.30	19.2	78
DD010815		0.24	0.022	0.07	2.06	11.8	<0.2	<10	110	0.21	0.19	0.59	0.27	16.55	16.8	80
DD010816		0.16	0.005	0.10	3.30	10.2	<0.2	<10	170	0.34	0.22	0.71	0.11	22.0	33.9	82
DD010817		0.26	0.013	0.05	1.66	10.4	<0.2	<10	90	0.24	0.16	0.44	0.18	23.7	12.7	49
DD010818		0.30	0.005	0.05	1.70	7.3	<0.2	<10	110	0.25	0.16	0.48	0.22	25.4	12.9	46
DD010819		0.25	0.004	0.06	1.27	5.7	<0.2	<10	110	0.28	0.11	0.43	0.14	23.7	7.8	30
DD010820		0.18	0.004	0.04	1.43	5.7	<0.2	<10	90	0.23	0.10	0.43	0.12	20.5	8.0	34
DD010821		0.27	0.002	0.04	1.94	6.7	<0.2	<10	130	0.26	0.13	0.66	0.15	25.9	10.2	39
DD010822		0.18	0.002	0.04	1.89	4.8	<0.2	<10	110	0.19	0.09	0.51	0.17	22.8	9.8	37
DD010823		0.19	0.003	0.03	2.09	5.6	<0.2	<10	100	0.29	0.09	0.55	0.13	24.6	12.1	50
DD010824		0.20	0.003	0.04	1.66	3.3	<0.2	<10	100	0.17	0.08	0.42	0.17	15.50	7.4	29
DD010825		0.21	0.007	0.06	2.34	6.7	<0.2	<10	120	0.28	0.13	0.65	0.13	21.9	10.8	47
DD010826		0.16	0.007	0.08	1.53	7.5	<0.2	<10	130	0.29	0.11	0.47	0.16	23.4	10.3	38
DD010827		0.17	0.007	0.08	1.46	7.0	<0.2	<10	140	0.34	0.12	0.33	0.15	25.8	10.5	38
DD010828		0.17	0.007	0.04	1.88	5.3	<0.2	<10	130	0.26	0.09	0.33	0.20	25.4	10.0	37
DD010829		0.18	0.010	0.07	1.37	4.2	<0.2	<10	80	0.24	0.11	0.21	0.22	18.40	8.9	32
DD010830		0.22	0.058	0.05	1.77	4.4	<0.2	<10	110	0.24	0.11	0.35	0.13	17.05	9.3	37
DD010831		0.22	0.008	0.04	1.48	5.4	<0.2	<10	100	0.25	0.12	0.28	0.13	19.05	9.3	34
DD010832		0.21	0.010	0.03	1.53	4.4	<0.2	<10	90	0.25	0.10	0.28	0.15	20.4	10.2	33
DD010833		0.34	0.014	0.02	1.05	3.5	<0.2	<10	70	0.19	0.09	0.34	0.12	22.9	8.5	31
DD010834		0.19	0.005	0.02	1.08	4.0	<0.2	<10	80	0.20	0.10	0.37	0.13	21.8	7.9	30
DD010835		0.18	0.007	0.02	0.83	4.0	<0.2	<10	80	0.21	0.10	0.38	0.11	23.5	7.6	29
DD010836		0.25	0.005	0.05	1.66	5.5	<0.2	<10	130	0.32	0.13	0.30	0.12	26.0	9.8	38
DD010837		0.16	0.004	0.05	1.44	5.5	<0.2	<10	120	0.27	0.13	0.30	0.11	22.1	9.1	35
DD010838		0.23	0.007	0.05	1.56	6.5	<0.2	<10	120	0.29	0.15	0.31	0.12	26.6	8.8	37
DD010839		0.18	0.004	0.05	1.67	6.4	<0.2	<10	140	0.31	0.14	0.30	0.15	21.3	9.6	38
DD010840		0.22	0.004	0.02	1.79	6.8	<0.2	<10	120	0.30	0.16	0.24	0.10	19.40	11.7	40

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11-AUG-2012
Account: MTT

Project: BYNG

CERTIFICATE OF ANALYSIS WH12177497

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD010801		0.99	22.2	2.08	4.61	<0.05	0.02	0.03	0.015	0.05	11.5	8.5	0.51	205	0.49	0.01
DD010802		0.83	22.1	2.01	4.44	0.05	0.02	0.02	0.017	0.04	13.0	8.9	0.46	245	0.47	0.02
DD010803		0.75	17.9	1.97	3.75	0.05	<0.02	0.03	0.013	0.04	14.6	8.4	0.41	273	0.49	0.01
DD010804		1.24	30.3	2.69	5.86	0.05	<0.02	0.06	0.022	0.05	11.9	10.8	0.57	383	0.81	0.02
DD010805		0.89	24.7	2.16	4.22	0.05	<0.02	0.04	0.016	0.05	13.3	7.8	0.51	392	0.61	0.02
DD010806		1.34	31.5	2.59	5.70	0.05	<0.02	0.06	0.023	0.06	10.6	10.3	0.59	407	0.87	0.02
DD010807		0.74	19.9	2.18	3.75	0.05	<0.02	0.02	0.012	0.04	10.8	7.6	0.48	290	0.61	0.02
DD010808		0.98	32.4	2.26	3.82	<0.05	0.02	0.02	0.013	0.04	10.2	7.2	0.63	321	0.63	0.02
DD010809		0.77	23.8	2.32	4.12	0.05	0.03	0.04	0.014	0.03	10.0	7.3	0.51	312	0.74	0.02
DD010810		1.20	31.5	2.53	5.38	0.05	<0.02	0.05	0.017	0.05	9.3	9.4	0.64	552	0.89	0.02
DD010811		0.96	23.5	2.02	4.11	<0.05	<0.02	0.02	0.015	0.04	10.3	8.5	0.45	295	0.74	0.01
DD010812		1.11	517	2.93	5.35	<0.05	0.03	0.04	0.022	0.04	8.4	9.3	1.23	503	0.69	0.02
DD010813		1.29	133.5	2.73	5.32	0.05	0.02	0.01	0.017	0.04	9.5	9.2	1.27	484	0.48	0.02
DD010814		0.94	184.0	2.62	3.90	0.06	0.07	0.03	0.012	0.04	9.8	7.6	1.45	435	0.51	0.03
DD010815		1.22	315	2.75	4.98	<0.05	0.02	0.03	0.018	0.04	8.3	9.1	1.47	378	0.61	0.02
DD010816		1.90	134.0	3.09	7.11	0.05	0.02	0.04	0.020	0.05	10.5	11.0	1.91	652	0.79	0.03
DD010817		0.85	55.6	2.57	4.19	0.05	<0.02	0.01	0.014	0.04	12.0	7.5	0.83	344	0.50	0.03
DD010818		0.96	41.9	2.38	4.24	0.05	<0.02	0.01	0.015	0.05	12.6	8.0	0.81	418	0.46	0.03
DD010819		0.74	25.6	1.87	3.53	0.05	0.03	0.01	0.015	0.05	11.9	8.3	0.50	287	0.46	0.02
DD010820		0.81	25.4	1.82	3.95	<0.05	0.03	0.01	0.014	0.04	9.6	8.5	0.52	256	0.45	0.03
DD010821		1.28	35.3	1.93	4.80	0.05	0.04	<0.01	0.014	0.07	13.1	8.7	0.78	312	0.52	0.03
DD010822		0.92	37.4	1.84	4.31	0.05	0.03	<0.01	0.012	0.05	11.2	7.9	0.62	332	0.44	0.03
DD010823		1.16	41.1	1.84	4.13	<0.05	0.04	0.01	0.014	0.05	11.1	8.6	0.69	338	0.45	0.03
DD010824		0.80	33.7	1.55	3.62	<0.05	0.02	0.02	0.010	0.04	7.4	6.3	0.48	203	0.47	0.03
DD010825		1.20	51.8	1.98	4.56	0.05	0.03	0.03	0.014	0.05	10.5	9.3	0.69	314	0.59	0.03
DD010826		0.95	33.9	2.21	3.88	0.06	0.03	0.11	0.014	0.05	11.5	8.7	0.62	332	0.55	0.03
DD010827		1.01	29.5	2.32	3.91	<0.05	0.02	0.03	0.017	0.05	10.9	9.3	0.62	386	0.55	0.02
DD010828		0.80	32.1	1.86	3.74	0.05	0.02	0.03	0.011	0.04	11.2	7.2	0.51	327	0.74	0.03
DD010829		0.67	27.3	2.00	3.82	<0.05	0.02	0.06	0.017	0.03	9.5	6.4	0.39	258	0.78	0.03
DD010830		0.69	34.1	2.12	4.23	0.05	0.04	0.02	0.012	0.04	9.3	7.3	0.51	268	0.85	0.04
DD010831		0.85	31.5	2.23	4.69	<0.05	0.02	0.03	0.012	0.03	10.2	7.5	0.42	304	0.73	0.03
DD010832		0.71	29.5	2.06	4.36	0.05	0.04	0.04	0.014	0.03	10.4	7.0	0.43	296	0.60	0.03
DD010833		0.48	24.1	1.87	3.20	0.06	0.04	0.03	0.010	0.03	10.8	5.0	0.37	260	0.43	0.03
DD010834		0.55	29.7	1.91	3.52	0.05	0.05	0.01	0.014	0.03	11.7	5.8	0.40	225	0.44	0.03
DD010835		0.51	25.3	1.96	3.18	0.06	0.11	0.01	0.015	0.02	12.2	5.5	0.39	202	0.43	0.03
DD010836		0.87	41.7	2.42	4.68	<0.05	0.02	0.03	0.018	0.04	13.4	7.7	0.48	292	0.63	0.03
DD010837		0.83	27.3	2.27	4.52	0.05	0.03	0.02	0.015	0.05	11.2	8.7	0.51	328	0.51	0.03
DD010838		0.90	34.2	2.55	4.67	0.05	0.03	0.02	0.016	0.06	14.6	8.7	0.53	291	0.59	0.03
DD010839		0.92	27.4	2.53	4.66	<0.05	0.03	0.02	0.017	0.06	10.9	9.7	0.60	358	0.50	0.04
DD010840		0.87	33.0	2.77	5.29	<0.05	0.02	0.02	0.019	0.05	10.2	9.8	0.64	397	0.75	0.04

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11-AUG-2012
Account: MTT

Project: BYNG

CERTIFICATE OF ANALYSIS WH12177497

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD010801		1.18	18.9	600	5.0	5.8	<0.001	0.01	0.40	3.9	0.2	0.4	19.7	<0.01	0.04	2.7
DD010802		1.05	16.3	550	4.7	5.5	<0.001	0.01	0.33	3.7	0.6	0.4	19.7	<0.01	0.02	2.2
DD010803		0.83	17.1	610	4.6	5.0	<0.001	0.02	0.37	2.7	<0.2	0.3	17.5	<0.01	0.02	1.6
DD010804		0.80	25.2	950	5.8	7.1	<0.001	0.07	0.50	2.5	0.6	0.4	26.7	<0.01	0.04	0.5
DD010805		0.83	20.4	870	4.8	5.0	<0.001	0.02	0.40	3.4	0.2	0.3	26.9	<0.01	0.02	1.8
DD010806		0.71	25.4	1080	5.9	7.5	<0.001	0.08	0.51	2.4	0.3	0.4	34.6	<0.01	0.04	0.4
DD010807		0.82	19.5	670	4.0	4.7	<0.001	0.02	0.37	2.9	0.5	0.3	19.5	<0.01	0.04	1.5
DD010808		0.70	27.6	630	3.8	3.3	0.001	0.01	0.37	3.9	<0.2	0.3	23.0	<0.01	0.03	2.7
DD010809		0.78	22.0	650	3.9	3.6	0.001	0.01	0.34	3.2	0.4	0.3	15.8	<0.01	0.03	2.0
DD010810		0.73	26.6	880	5.2	6.0	<0.001	0.04	0.37	3.2	0.5	0.3	31.8	<0.01	0.04	0.8
DD010811		0.85	16.4	680	4.2	5.2	0.001	0.02	0.37	3.1	0.4	0.3	19.3	<0.01	0.04	1.4
DD010812		0.67	48.4	450	3.7	3.2	0.001	0.01	0.44	6.1	0.6	0.3	30.9	<0.01	0.07	2.1
DD010813		0.60	97.7	650	4.2	3.9	<0.001	0.01	0.65	5.4	0.6	0.3	39.4	<0.01	0.04	2.1
DD010814		0.36	113.5	600	3.4	3.4	0.001	<0.01	0.62	5.3	0.3	0.2	30.1	<0.01	0.04	3.2
DD010815		0.60	115.0	740	3.9	4.8	0.001	0.05	0.61	4.4	<0.2	0.2	38.7	<0.01	0.07	1.0
DD010816		0.75	166.5	980	6.0	5.5	<0.001	0.09	0.46	4.4	0.6	0.3	54.7	<0.01	0.06	0.7
DD010817		0.68	42.1	770	4.3	3.8	0.001	0.02	0.48	3.7	0.4	0.3	23.5	<0.01	0.06	1.9
DD010818		0.75	49.0	750	4.6	4.4	<0.001	0.01	0.36	3.8	0.4	0.3	31.6	<0.01	0.04	2.3
DD010819		0.95	21.5	650	4.7	5.4	0.001	0.01	0.33	3.1	0.4	0.3	23.2	<0.01	0.01	2.9
DD010820		0.97	20.4	480	4.1	4.8	<0.001	0.01	0.32	3.3	0.4	0.3	26.5	<0.01	0.03	2.5
DD010821		0.82	27.3	750	4.1	5.0	0.001	<0.01	0.32	3.4	0.3	0.3	46.6	<0.01	0.06	3.1
DD010822		0.83	27.5	780	3.9	4.7	<0.001	0.01	0.25	3.1	0.4	0.3	41.9	<0.01	0.03	2.8
DD010823		0.72	36.0	650	3.6	4.2	<0.001	0.01	0.29	3.0	0.5	0.3	54.6	<0.01	0.02	3.3
DD010824		0.65	23.7	700	3.0	3.9	0.001	0.03	0.20	1.7	0.3	0.2	34.0	<0.01	0.04	0.8
DD010825		0.85	35.8	660	4.1	5.4	0.001	0.03	0.33	3.3	0.4	0.3	47.7	<0.01	0.06	2.1
DD010826		0.84	34.0	530	5.1	4.8	0.001	0.02	0.49	3.1	0.4	0.3	26.9	<0.01	0.03	2.1
DD010827		0.96	32.5	400	6.0	5.1	<0.001	0.02	0.45	3.3	0.3	0.3	19.9	<0.01	0.03	1.9
DD010828		0.94	27.9	390	4.0	3.7	0.001	0.02	0.44	2.5	<0.2	0.3	22.1	<0.01	0.04	2.6
DD010829		0.64	17.3	570	5.7	4.0	<0.001	0.04	0.31	1.8	<0.2	0.2	13.5	<0.01	0.02	1.0
DD010830		0.79	23.3	680	4.7	4.5	<0.001	0.02	0.29	2.8	<0.2	0.2	22.5	<0.01	0.02	2.1
DD010831		0.56	19.1	560	5.7	4.6	<0.001	0.03	0.34	2.2	0.4	0.3	18.9	<0.01	0.04	0.7
DD010832		0.83	18.8	650	4.6	4.5	<0.001	0.02	0.33	3.0	0.2	0.3	17.4	<0.01	0.03	2.0
DD010833		0.68	14.4	640	3.8	2.9	<0.001	<0.01	0.28	3.1	0.5	0.2	17.1	<0.01	0.03	3.0
DD010834		0.70	15.5	660	4.1	3.6	<0.001	<0.01	0.30	3.5	0.2	0.2	20.5	<0.01	0.03	3.4
DD010835		0.46	15.4	650	4.2	2.7	<0.001	<0.01	0.31	3.4	<0.2	0.2	19.7	<0.01	0.02	4.2
DD010836		0.71	21.0	680	5.3	4.7	<0.001	0.02	0.35	3.7	0.3	0.3	19.8	<0.01	0.05	1.6
DD010837		0.89	20.2	610	6.2	6.3	<0.001	0.03	0.36	3.3	0.3	0.3	17.8	<0.01	0.03	2.5
DD010838		0.93	20.4	630	5.8	7.2	<0.001	0.03	0.38	3.8	0.4	0.3	21.0	<0.01	0.05	3.8
DD010839		0.86	23.3	580	6.9	6.6	0.001	0.03	0.38	3.3	<0.2	0.3	17.2	<0.01	0.03	2.4
DD010840		0.88	23.5	370	6.0	6.1	<0.001	0.03	0.41	3.6	<0.2	0.3	13.9	<0.01	0.05	2.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11-AUG-2012
Account: MTT

Project: BYNG

CERTIFICATE OF ANALYSIS WH12177497

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD010801		0.081	0.08	0.85	49	0.40	5.93	33	0.8
DD010802		0.081	0.07	1.01	49	0.32	7.55	32	0.6
DD010803		0.059	0.06	0.92	45	0.37	6.62	31	<0.5
DD010804		0.053	0.09	1.40	64	0.54	6.33	41	<0.5
DD010805		0.074	0.06	1.11	54	0.46	7.21	39	<0.5
DD010806		0.056	0.08	1.37	62	0.47	6.54	46	<0.5
DD010807		0.069	0.05	0.87	54	0.58	5.80	33	<0.5
DD010808		0.066	0.05	0.84	55	0.56	5.17	32	0.6
DD010809		0.075	0.04	0.69	61	0.66	4.45	39	0.7
DD010810		0.070	0.06	0.88	64	0.50	4.87	52	<0.5
DD010811		0.063	0.07	0.77	49	0.84	5.33	33	<0.5
DD010812		0.067	0.04	0.55	64	0.31	4.11	38	0.6
DD010813		0.073	0.04	0.80	62	0.41	6.13	38	<0.5
DD010814		0.083	0.04	0.73	58	1.28	5.93	35	2.2
DD010815		0.051	0.05	0.56	61	1.32	4.22	46	<0.5
DD010816		0.049	0.08	1.19	66	0.49	8.05	46	<0.5
DD010817		0.068	0.06	1.02	66	1.05	6.04	33	<0.5
DD010818		0.065	0.06	0.81	57	0.42	5.79	37	<0.5
DD010819		0.065	0.05	0.88	41	0.32	6.58	35	0.9
DD010820		0.063	0.05	0.70	42	0.78	4.46	33	0.9
DD010821		0.059	0.06	1.11	40	0.43	6.42	36	1.0
DD010822		0.063	0.06	0.77	39	0.93	6.08	35	0.9
DD010823		0.052	0.04	0.62	40	0.57	5.15	29	1.1
DD010824		0.048	0.05	0.64	35	0.37	3.79	34	<0.5
DD010825		0.050	0.06	0.82	42	0.54	6.02	35	0.8
DD010826		0.062	0.07	0.71	48	0.41	5.77	35	0.7
DD010827		0.072	0.06	0.93	52	0.42	5.92	39	0.6
DD010828		0.059	0.05	0.91	42	0.53	4.30	29	0.7
DD010829		0.050	0.05	0.64	52	0.69	3.09	27	<0.5
DD010830		0.056	0.05	0.75	53	0.52	4.18	34	0.8
DD010831		0.051	0.05	0.80	59	0.55	4.78	28	<0.5
DD010832		0.058	0.06	0.64	55	0.51	4.88	27	0.9
DD010833		0.075	0.04	0.69	55	0.41	5.64	22	1.1
DD010834		0.074	0.04	0.66	53	0.42	5.96	24	1.6
DD010835		0.082	0.03	0.64	55	1.38	6.27	22	3.7
DD010836		0.062	0.05	1.01	65	0.87	6.89	30	0.5
DD010837		0.065	0.07	0.79	57	0.42	5.21	34	0.7
DD010838		0.068	0.07	1.06	64	0.76	5.68	36	0.9
DD010839		0.066	0.07	0.77	60	0.43	4.62	38	0.7
DD010840		0.080	0.06	0.67	72	0.80	4.16	37	0.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11-AUG-2012
Account: MTT

Project: BYNG

CERTIFICATE OF ANALYSIS WH12177497

Sample Description	Method	WEI-21	Au-ICP21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD010841		0.18	0.004	0.03	1.45	5.6	<0.2	<10	60	0.26	0.09	0.18	0.20	17.40	8.4	33
DD010842		0.18	0.011	0.04	1.59	6.1	<0.2	<10	70	0.30	0.13	0.18	0.12	18.75	8.4	38
DD010843		0.16	0.002	0.03	1.48	5.5	<0.2	<10	80	0.32	0.12	0.18	0.09	17.45	7.3	37
DD010844		0.17	0.006	0.03	1.55	6.1	<0.2	<10	100	0.27	0.22	0.18	0.14	15.10	6.4	35
DD010845		0.19	0.011	0.03	1.28	6.7	<0.2	<10	100	0.22	0.11	0.38	0.17	24.6	10.1	34
DD010846		0.21	0.004	0.55	3.86	21.9	<0.2	<10	320	0.77	0.33	0.77	0.30	36.5	21.9	63
DD010847		0.18	0.004	0.23	2.86	13.8	<0.2	<10	220	0.52	0.27	0.36	0.42	25.5	14.4	51
DD010848		0.17	0.010	0.03	1.60	6.0	<0.2	<10	80	0.28	0.13	0.21	0.23	19.35	7.9	36
DD010849		0.17	0.004	0.03	1.76	10.4	<0.2	<10	80	0.30	0.16	0.20	0.17	20.2	10.8	36
DD010850		0.21	0.009	0.03	1.51	6.2	<0.2	<10	90	0.25	0.14	0.20	0.12	17.30	6.9	36
ZZ19601		0.18	0.002	0.02	1.82	7.1	<0.2	<10	70	0.31	0.17	0.17	0.14	17.30	9.2	38
ZZ19602		0.20	0.009	0.02	1.39	4.5	<0.2	<10	70	0.23	0.11	0.34	0.11	23.3	6.9	31
ZZ19603		0.15	0.004	0.04	2.15	8.2	<0.2	<10	70	0.38	0.17	0.17	0.17	16.25	10.1	37
ZZ19604		0.16	0.002	0.05	1.45	6.1	<0.2	<10	70	0.19	0.16	0.16	0.13	10.60	6.8	31
ZZ19605		0.15	0.003	0.04	1.61	6.8	<0.2	<10	60	0.30	0.14	0.16	0.16	17.45	8.7	36
ZZ19606		0.17	0.002	0.03	1.13	4.7	<0.2	<10	90	0.20	0.15	0.16	0.10	12.25	4.9	27
ZZ19607		0.19	0.003	0.02	1.35	4.1	<0.2	<10	70	0.24	0.10	0.22	0.11	23.9	8.2	28
ZZ19608		0.22	0.008	0.01	1.09	5.4	<0.2	<10	70	0.20	0.09	0.23	0.14	26.2	7.9	30
ZZ19609		0.15	0.003	0.05	1.86	5.6	<0.2	<10	70	0.28	0.15	0.17	0.15	13.95	7.3	31
ZZ19610		0.21	0.012	0.02	1.30	4.9	<0.2	<10	80	0.21	0.10	0.37	0.12	28.4	7.9	34
ZZ19611		0.17	0.005	0.03	1.89	7.0	<0.2	<10	100	0.30	0.13	0.18	0.16	22.7	10.7	37
ZZ19612		0.17	0.006	0.04	1.82	4.9	<0.2	<10	90	0.25	0.16	0.17	0.12	15.00	6.5	33
ZZ19613		0.20	0.004	0.02	1.36	5.4	<0.2	<10	70	0.27	0.11	0.24	0.11	20.7	7.2	32
ZZ19614		0.18	0.003	0.03	1.14	5.0	<0.2	<10	70	0.23	0.10	0.23	0.16	23.7	7.7	31
ZZ19615		0.18	0.010	0.03	1.47	6.1	<0.2	<10	80	0.31	0.11	0.19	0.12	25.0	8.1	32
ZZ19616		0.16	0.002	0.02	1.26	5.8	<0.2	<10	80	0.27	0.10	0.21	0.10	21.7	8.0	31
ZZ19617		0.18	0.004	0.02	1.32	4.7	<0.2	<10	60	0.22	0.07	0.22	0.16	22.3	8.7	28
ZZ19618		0.19	0.005	0.02	1.43	5.4	<0.2	<10	60	0.24	0.12	0.17	0.13	25.1	7.7	30
DD010501		0.42	0.047	0.17	2.71	578	<0.2	<10	90	0.27	0.41	0.77	0.25	11.65	43.8	79
DD010502		0.36	0.007	0.10	2.24	78.4	<0.2	<10	160	0.33	0.12	0.66	0.19	22.2	24.0	75
DD010503		0.41	0.021	0.21	3.50	79.2	<0.2	<10	70	0.26	0.12	0.82	0.16	6.68	35.0	148
DD010504		0.44	NSS	0.23	2.75	732	<0.2	<10	100	0.33	0.49	0.73	0.38	12.90	56.8	75
DD010505		0.43	0.037	0.20	2.26	526	<0.2	<10	80	0.26	0.30	0.75	0.12	14.00	29.5	70
DD010506		0.29	0.016	0.13	2.74	122.5	<0.2	<10	90	0.27	0.16	0.75	0.14	13.40	32.8	95
DD010507		0.40	0.038	0.22	2.02	111.0	<0.2	<10	90	0.29	0.20	0.54	0.13	16.35	21.5	70
DD010508		0.31	0.113	0.12	2.06	93.0	<0.2	<10	110	0.29	0.20	0.40	0.17	18.65	18.5	73
DD010509		0.30	0.003	0.12	2.82	37.2	<0.2	<10	120	0.43	0.17	0.35	0.18	17.70	18.1	91
DD010510		0.33	0.005	0.15	2.51	34.4	<0.2	<10	160	0.50	0.21	0.49	0.15	22.7	20.8	87
DD010511		0.34	0.007	0.13	3.78	37.9	<0.2	<10	100	0.27	0.15	0.74	0.19	12.05	25.2	126
DD010512		0.41	0.009	0.16	2.35	66.5	<0.2	<10	130	0.43	0.25	0.29	0.38	23.3	19.6	65

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11-AUG-2012
Account: MTT

Project: BYNG

CERTIFICATE OF ANALYSIS WH12177497

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD010841		0.73	19.7	2.12	4.24	<0.05	0.02	0.03	0.013	0.04	9.2	8.3	0.52	255	0.49	0.03
DD010842		0.84	20.2	2.45	4.83	<0.05	<0.02	0.03	0.016	0.05	10.0	9.7	0.53	275	0.64	0.03
DD010843		0.82	21.3	2.30	4.31	<0.05	<0.02	0.03	0.016	0.05	9.4	8.7	0.51	269	0.58	0.03
DD010844		0.99	17.0	2.22	5.49	<0.05	<0.02	0.04	0.019	0.05	8.3	8.2	0.44	298	0.78	0.03
DD010845		0.56	28.1	2.48	3.80	0.07	0.05	0.01	0.012	0.04	12.4	7.3	0.49	330	0.73	0.04
DD010846		2.32	93.4	3.95	9.18	0.07	0.04	0.15	0.035	0.11	17.7	17.7	1.08	743	2.47	0.05
DD010847		1.82	54.4	3.54	8.08	0.05	0.02	0.09	0.029	0.10	11.5	13.9	0.79	686	1.79	0.04
DD010848		0.86	17.6	2.66	4.78	<0.05	<0.02	0.04	0.018	0.04	10.5	9.2	0.45	255	0.71	0.03
DD010849		1.26	27.4	2.45	4.57	<0.05	0.02	0.03	0.016	0.04	10.3	8.7	0.54	367	0.89	0.04
DD010850		1.17	18.3	2.37	4.89	<0.05	<0.02	0.03	0.017	0.04	8.6	8.7	0.48	206	0.80	0.03
ZZ19601		1.03	20.8	2.42	4.40	<0.05	0.02	0.04	0.020	0.05	8.7	9.4	0.59	315	0.74	0.03
ZZ19602		0.68	22.5	1.90	3.97	0.06	0.03	0.02	0.013	0.04	12.0	7.3	0.45	221	0.81	0.03
ZZ19603		1.75	28.3	2.52	5.29	<0.05	0.02	0.04	0.020	0.05	7.8	9.9	0.56	364	0.80	0.03
ZZ19604		1.53	19.0	2.36	5.21	<0.05	<0.02	0.06	0.018	0.06	5.5	7.9	0.40	469	0.91	0.03
ZZ19605		1.54	22.4	2.45	4.86	<0.05	<0.02	0.03	0.018	0.04	7.9	9.0	0.53	332	0.72	0.03
ZZ19606		2.28	12.5	2.11	4.94	<0.05	<0.02	0.05	0.017	0.04	6.8	7.2	0.31	275	0.80	0.02
ZZ19607		0.53	21.3	1.91	3.76	<0.05	0.03	0.01	0.013	0.03	12.3	6.3	0.36	261	0.57	0.03
ZZ19608		0.49	20.1	2.04	3.22	0.06	0.03	0.02	0.012	0.03	13.0	5.9	0.37	247	0.51	0.03
ZZ19609		0.90	19.2	2.03	5.32	<0.05	<0.02	0.11	0.017	0.05	7.1	7.8	0.38	369	0.91	0.03
ZZ19610		0.56	23.3	2.28	3.99	0.07	0.02	0.01	0.014	0.03	15.2	6.8	0.42	250	0.56	0.04
ZZ19611		0.90	25.4	2.45	4.69	<0.05	0.03	0.02	0.018	0.05	10.7	9.6	0.58	337	0.69	0.03
ZZ19612		0.97	18.8	2.41	5.91	<0.05	<0.02	0.05	0.017	0.05	7.8	9.2	0.39	274	0.80	0.03
ZZ19613		0.70	20.8	2.32	4.21	<0.05	0.02	0.03	0.017	0.04	11.0	7.7	0.41	230	0.61	0.03
ZZ19614		0.54	23.8	2.34	3.41	0.05	0.02	0.03	0.012	0.03	11.9	6.2	0.39	273	0.50	0.03
ZZ19615		0.98	19.8	2.24	4.78	<0.05	<0.02	0.03	0.017	0.03	13.6	8.5	0.41	259	0.62	0.01
ZZ19616		0.85	17.9	1.95	4.04	0.05	0.03	0.03	0.014	0.04	12.0	7.8	0.49	260	0.54	0.01
ZZ19617		0.52	20.4	1.98	3.39	0.06	0.04	0.03	0.013	0.03	11.4	6.0	0.36	291	0.46	0.01
ZZ19618		0.85	16.8	2.13	4.69	0.05	<0.02	0.06	0.017	0.03	13.0	8.5	0.36	244	0.68	0.01
DD010501		4.35	340	5.24	7.69	0.08	<0.02	0.04	0.036	0.11	5.5	20.9	1.78	1240	69.4	0.05
DD010502		2.42	98.5	2.90	6.53	0.05	0.02	0.02	0.021	0.15	10.6	14.7	1.52	632	13.60	0.04
DD010503		3.31	190.5	4.22	8.78	0.08	<0.02	0.05	0.026	0.41	2.8	20.2	2.63	761	5.51	0.08
DD010504		4.90	281	5.50	7.88	0.09	0.02	0.07	0.039	0.17	5.7	18.1	1.58	1600	13.05	0.07
DD010505		2.91	111.5	4.08	6.68	0.08	<0.02	0.04	0.031	0.14	7.3	14.9	1.42	731	6.40	0.05
DD010506		3.23	77.8	3.57	7.67	0.07	<0.02	0.05	0.023	0.17	6.7	16.1	1.74	603	3.72	0.06
DD010507		2.43	80.1	3.07	5.71	0.05	<0.02	0.02	0.017	0.08	8.7	13.2	1.16	483	3.87	0.04
DD010508		2.07	51.3	3.07	6.38	0.05	<0.02	0.04	0.022	0.11	8.9	13.3	1.10	441	2.22	0.03
DD010509		2.73	49.5	3.54	9.54	0.05	<0.02	0.04	0.029	0.10	8.4	17.4	1.43	511	1.85	0.02
DD010510		2.41	49.8	3.49	8.09	0.05	<0.02	0.04	0.030	0.11	10.2	17.3	1.37	728	4.74	0.02
DD010511		2.74	91.1	3.45	8.61	0.05	<0.02	0.03	0.025	0.16	6.1	19.1	2.40	391	4.16	0.11
DD010512		2.25	72.1	3.21	7.04	0.06	<0.02	0.03	0.026	0.10	10.6	15.3	1.19	617	2.65	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11-AUG-2012
Account: MTT

Project: BYNG

CERTIFICATE OF ANALYSIS WH12177497

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD010841		0.72	20.7	480	4.9	5.2	<0.001	0.04	0.32	2.0	<0.2	0.2	10.6	<0.01	0.03	0.8
DD010842		0.66	24.3	490	6.1	5.4	<0.001	0.05	0.39	1.5	0.2	0.3	11.8	<0.01	0.03	0.4
DD010843		0.52	21.7	550	5.9	6.1	<0.001	0.05	0.35	1.4	<0.2	0.3	10.5	<0.01	0.03	0.3
DD010844		0.76	18.2	640	6.6	8.9	<0.001	0.05	0.42	1.7	<0.2	0.4	12.5	<0.01	0.02	0.3
DD010845		0.65	18.6	740	4.1	4.0	<0.001	0.01	0.40	3.5	0.2	0.3	21.6	<0.01	0.02	3.9
DD010846		1.32	50.2	1620	13.0	14.4	<0.001	0.18	0.84	6.9	1.1	0.5	50.0	<0.01	0.07	1.3
DD010847		1.08	34.1	1180	9.6	14.1	<0.001	0.11	0.60	3.5	0.6	0.5	24.1	<0.01	0.07	0.6
DD010848		0.84	19.0	630	5.6	4.5	<0.001	0.06	0.36	1.9	0.3	0.3	11.2	<0.01	0.04	0.9
DD010849		0.78	24.3	570	5.3	5.4	<0.001	0.05	0.54	2.6	0.3	0.3	12.5	<0.01	0.05	1.1
DD010850		0.92	19.5	460	5.3	4.2	<0.001	0.05	0.38	2.1	0.2	0.4	13.3	<0.01	0.02	0.8
ZZ19601		0.94	25.1	490	6.0	5.3	<0.001	0.05	0.44	2.4	0.2	0.3	12.3	0.01	0.03	1.0
ZZ19602		1.01	16.3	820	4.1	5.0	<0.001	0.03	0.32	2.9	0.2	0.3	17.2	<0.01	0.04	2.8
ZZ19603		0.76	25.6	780	5.2	6.0	<0.001	0.08	0.47	2.3	0.7	0.3	13.2	<0.01	0.03	0.6
ZZ19604		0.55	15.5	790	5.5	8.9	<0.001	0.09	0.44	1.2	<0.2	0.4	11.5	<0.01	0.03	<0.2
ZZ19605		0.63	22.9	570	5.2	5.5	<0.001	0.06	0.54	1.8	0.2	0.3	11.9	<0.01	0.03	0.4
ZZ19606		0.48	13.0	600	6.6	6.3	<0.001	0.06	0.41	0.7	0.3	0.4	12.7	<0.01	0.04	<0.2
ZZ19607		0.65	14.4	480	3.7	3.9	<0.001	0.02	0.29	2.4	<0.2	0.3	12.9	<0.01	0.02	1.6
ZZ19608		0.76	15.4	380	3.2	3.1	<0.001	0.02	0.34	2.8	0.3	0.3	12.6	<0.01	0.01	2.9
ZZ19609		0.68	17.3	850	5.8	6.8	<0.001	0.09	0.40	1.3	0.3	0.3	11.5	0.01	0.02	0.3
ZZ19610		0.70	17.3	770	3.8	3.8	<0.001	0.02	0.32	3.3	0.5	0.3	18.0	<0.01	0.01	2.6
ZZ19611		0.94	25.2	420	5.7	5.9	<0.001	0.04	0.40	3.1	0.6	0.3	12.5	<0.01	0.04	1.6
ZZ19612		0.62	16.1	680	5.9	6.7	<0.001	0.07	0.39	1.3	<0.2	0.4	10.5	<0.01	0.04	0.2
ZZ19613		0.70	16.9	720	4.6	4.8	<0.001	0.03	0.37	2.0	0.3	0.3	12.5	<0.01	0.04	1.2
ZZ19614		0.67	16.1	640	4.0	3.3	<0.001	0.04	0.38	2.3	0.4	0.3	11.5	<0.01	0.03	1.6
ZZ19615		0.60	21.2	540	5.8	5.7	<0.001	0.05	0.46	1.7	0.4	0.5	13.6	<0.01	0.04	0.7
ZZ19616		0.95	24.6	480	5.0	5.1	<0.001	0.03	0.43	2.5	0.3	0.5	15.1	<0.01	0.04	1.9
ZZ19617		0.84	17.1	560	4.0	3.3	<0.001	0.03	0.29	2.4	0.4	0.4	12.8	<0.01	0.03	2.7
ZZ19618		0.85	17.8	530	5.0	4.1	<0.001	0.04	0.39	2.2	0.5	0.5	12.3	<0.01	0.03	1.4
DD010501		0.41	98.5	650	7.3	7.5	0.001	0.08	4.51	7.5	1.1	0.4	61.7	<0.01	0.21	0.7
DD010502		0.35	60.9	740	11.4	8.3	<0.001	0.03	1.23	6.3	0.5	0.4	48.0	<0.01	0.06	2.1
DD010503		0.36	87.8	700	3.2	16.2	<0.001	0.05	1.37	10.0	0.5	0.4	39.7	<0.01	0.03	0.5
DD010504		0.33	79.3	1220	9.4	12.7	0.001	0.06	12.35	11.9	1.2	0.4	47.4	<0.01	0.17	1.1
DD010505		0.51	66.5	600	17.1	13.2	<0.001	0.07	6.87	7.0	0.4	0.4	39.1	<0.01	0.10	1.2
DD010506		0.68	66.3	760	4.6	11.8	0.001	0.16	2.07	7.1	0.7	0.4	38.8	<0.01	0.06	1.0
DD010507		0.80	67.3	570	6.2	8.4	<0.001	0.07	2.45	5.0	0.5	0.4	31.6	<0.01	0.08	1.5
DD010508		0.75	47.4	690	8.5	9.9	<0.001	0.07	1.53	4.4	0.4	0.5	35.3	<0.01	0.05	0.9
DD010509		0.98	42.7	720	7.4	13.0	<0.001	0.08	0.84	6.2	0.5	0.6	29.7	<0.01	0.04	0.6
DD010510		0.86	57.6	850	11.2	14.5	<0.001	0.07	0.71	4.8	0.6	0.6	29.8	<0.01	0.03	0.9
DD010511		0.58	78.4	570	7.5	7.7	<0.001	0.11	0.48	8.4	0.6	0.4	61.8	<0.01	0.05	1.0
DD010512		0.84	50.7	800	17.9	12.2	<0.001	0.04	0.84	5.7	0.6	0.6	23.5	<0.01	0.02	1.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- AUG- 2012
Account: MTT

Project: BYNG

CERTIFICATE OF ANALYSIS WH12177497

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD010841		0.061	0.05	0.51	52	0.28	4.27	30	<0.5
DD010842		0.058	0.06	0.50	60	0.32	4.14	35	<0.5
DD010843		0.053	0.07	0.61	56	0.27	4.66	33	<0.5
DD010844		0.062	0.08	0.64	57	0.40	3.27	32	<0.5
DD010845		0.080	0.05	0.70	66	0.80	6.01	29	1.5
DD010846		0.067	0.17	3.12	99	1.70	15.10	74	1.1
DD010847		0.078	0.15	1.41	91	1.18	8.21	61	0.5
DD010848		0.068	0.07	0.50	66	0.58	4.17	40	<0.5
DD010849		0.063	0.06	0.68	60	0.82	5.11	34	0.6
DD010850		0.070	0.08	0.50	60	0.45	3.47	30	<0.5
ZZ19601		0.068	0.06	0.51	57	0.46	3.85	35	0.6
ZZ19602		0.076	0.05	0.63	49	0.43	5.56	31	1.0
ZZ19603		0.058	0.06	0.61	59	0.65	5.43	37	0.6
ZZ19604		0.056	0.05	0.44	62	0.52	2.98	37	<0.5
ZZ19605		0.058	0.06	0.48	58	0.69	3.58	38	<0.5
ZZ19606		0.038	0.07	0.48	50	0.34	2.13	30	<0.5
ZZ19607		0.062	0.05	0.71	50	0.52	5.48	25	0.5
ZZ19608		0.064	0.04	0.62	51	0.47	5.89	24	1.0
ZZ19609		0.051	0.08	0.56	53	0.49	3.69	29	<0.5
ZZ19610		0.074	0.05	1.19	61	0.45	7.20	27	0.5
ZZ19611		0.068	0.08	0.58	57	0.47	5.45	35	0.7
ZZ19612		0.055	0.09	0.44	60	0.42	3.15	34	<0.5
ZZ19613		0.054	0.05	0.76	59	0.43	4.62	27	0.5
ZZ19614		0.054	0.05	1.13	61	0.49	5.76	24	0.5
ZZ19615		0.052	0.05	0.67	55	0.42	4.68	29	<0.5
ZZ19616		0.062	0.06	0.57	44	0.43	4.56	28	0.6
ZZ19617		0.060	0.04	0.63	52	2.23	5.08	23	1.1
ZZ19618		0.061	0.06	0.66	53	2.05	5.00	26	0.5
DD010501		0.120	0.22	0.69	106	0.58	8.74	69	<0.5
DD010502		0.078	0.13	1.19	76	0.24	6.42	52	0.6
DD010503		0.179	0.24	0.38	128	0.61	5.71	59	<0.5
DD010504		0.118	0.42	0.86	116	0.62	13.40	83	0.7
DD010505		0.108	0.19	0.89	94	0.31	8.50	52	0.7
DD010506		0.130	0.18	0.88	101	0.33	6.10	50	0.5
DD010507		0.080	0.11	0.77	70	0.37	6.00	44	0.6
DD010508		0.096	0.11	0.77	83	0.54	5.50	52	<0.5
DD010509		0.123	0.12	0.80	104	0.31	5.22	57	<0.5
DD010510		0.095	0.13	0.95	92	0.30	6.40	65	<0.5
DD010511		0.144	0.10	0.83	112	0.18	5.82	58	0.6
DD010512		0.110	0.15	0.89	82	0.24	7.76	73	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11-AUG-2012
Account: MTT

Project: BYNG

CERTIFICATE OF ANALYSIS WH12177497

Sample Description	Method	WEI-21	Au-ICP21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD010513		0.36	0.089	0.09	2.51	267	<0.2	<10	110	0.26	0.64	0.56	0.18	13.85	24.3	62
DD010514		0.43	0.053	0.11	2.95	89.2	<0.2	<10	100	0.30	0.35	0.93	0.22	15.50	31.3	81
DD010515		0.42	0.006	0.07	2.38	14.2	<0.2	<10	120	0.39	0.15	0.68	0.09	38.6	18.9	46
DD010516		0.40	0.008	0.06	3.02	93.2	<0.2	<10	120	0.34	0.19	0.38	0.09	17.90	27.1	85
DD010517		0.29	0.003	0.04	1.30	10.3	<0.2	<10	70	0.24	0.07	0.23	0.08	21.8	8.3	47
DD010518		0.37	0.005	0.08	1.83	29.2	<0.2	<10	120	0.33	0.17	0.30	0.15	25.2	12.5	45
DD010519		0.32	0.007	0.04	1.83	21.4	<0.2	<10	110	0.24	0.11	0.49	0.14	20.1	19.8	51
DD010520		0.34	0.011	0.06	2.29	21.9	<0.2	<10	110	0.24	0.13	0.56	0.14	17.70	18.6	75
DD010521		0.38	0.019	0.16	2.56	104.5	<0.2	<10	110	0.32	0.30	0.59	0.13	18.75	26.8	74
DD010522		0.31	0.008	0.08	2.51	32.8	<0.2	<10	300	0.53	0.21	0.57	0.09	26.7	17.6	81
DD010523		0.32	0.099	0.25	2.23	457	<0.2	<10	130	0.44	0.89	0.32	0.20	21.2	21.4	68
DD010524		0.39	0.002	0.11	4.22	15.4	<0.2	<10	110	0.30	0.09	0.89	0.13	10.95	27.1	138
DD010525		0.33	0.006	0.09	1.79	22.5	<0.2	<10	130	0.36	0.19	0.29	0.11	20.9	12.1	66
DD010526		0.41	0.156	0.12	1.54	15.9	<0.2	<10	150	0.41	0.15	0.29	0.11	24.1	11.0	50
DD010527		0.46	0.009	0.21	3.51	33.2	<0.2	<10	160	0.53	0.21	0.60	0.15	19.80	27.9	122
DD010528		0.31	0.007	0.14	2.40	42.1	<0.2	<10	210	0.71	0.24	0.36	0.15	25.8	15.5	72
DD010529		0.35	0.010	0.10	1.89	28.1	<0.2	<10	180	0.47	0.20	0.31	0.15	23.1	13.0	62
DD010530		0.37	0.004	0.05	2.19	9.9	<0.2	<10	170	0.41	0.14	0.32	0.15	27.3	15.4	67
DD010531		0.33	0.005	0.09	2.95	11.8	<0.2	<10	210	0.39	0.10	0.57	0.13	16.05	19.5	96
DD010532		0.47	0.023	0.09	2.14	15.5	<0.2	<10	130	0.22	0.07	0.52	0.24	16.50	18.0	86
DD010533		0.45	0.007	0.05	2.25	5.7	<0.2	<10	100	0.23	0.09	0.47	0.13	19.80	14.9	87
ZZ21176		0.17	0.005	0.09	1.68	7.1	<0.2	<10	80	0.31	0.13	0.18	0.13	14.25	13.0	36
ZZ21177		0.19	0.004	0.09	1.29	6.4	<0.2	<10	90	0.26	0.14	0.25	0.10	13.75	7.8	32
ZZ21178		0.17	0.003	0.06	2.85	7.8	<0.2	<10	260	0.51	0.12	0.32	0.14	16.80	24.8	111
ZZ21179		0.30	0.004	0.15	2.45	28.2	<0.2	<10	410	0.34	0.31	0.42	0.12	17.20	67.9	27
ZZ21180		0.26	0.070	0.09	1.64	26.0	<0.2	<10	120	0.30	0.18	0.20	0.17	18.75	18.4	36
ZZ21181		0.25	0.003	0.13	2.14	32.0	<0.2	<10	150	0.40	0.76	0.67	0.33	18.05	52.5	43
ZZ21182		0.27	0.008	0.06	1.93	95.2	<0.2	<10	100	0.37	0.25	0.21	0.13	22.2	26.3	38
ZZ21183		0.17	0.008	0.17	2.42	187.5	<0.2	<10	110	0.52	0.21	0.29	0.26	10.30	36.8	38
ZZ21184		0.17	0.005	0.09	3.70	169.0	<0.2	<10	130	0.47	0.24	0.47	0.11	14.95	30.5	95
ZZ21185		0.20	0.004	0.42	3.44	22.7	<0.2	<10	70	0.31	1.05	0.40	0.14	13.15	34.1	42
ZZ21186		0.20	0.012	0.16	2.60	73.8	<0.2	<10	220	0.59	0.52	0.63	0.12	23.0	16.2	63
ZZ21187		0.20	0.003	0.29	2.12	154.0	<0.2	<10	120	0.40	0.32	4.63	0.38	13.05	24.0	59
ZZ21188		0.20	0.007	0.13	2.77	219	<0.2	<10	200	0.61	0.31	1.06	0.15	23.9	30.2	50
ZZ21189		0.26	0.011	1.70	1.52	206	<0.2	<10	220	0.50	0.24	0.76	0.35	31.9	26.0	66
ZZ21190		0.32	0.006	0.16	2.34	41.9	<0.2	<10	160	0.31	0.26	0.94	0.23	15.55	21.4	51
ZZ21191		0.29	0.055	0.20	2.11	120.0	0.5	<10	140	0.33	0.30	0.72	0.20	15.95	31.2	63
ZZ21192		0.22	0.007	0.18	2.17	101.0	<0.2	<10	130	0.43	0.31	0.57	0.40	20.7	35.7	57
ZZ21193		0.18	0.012	0.27	2.38	120.5	<0.2	<10	130	0.38	0.42	0.43	0.17	16.65	17.6	48
ZZ21194		0.17	0.036	0.27	2.98	358	<0.2	<10	140	0.71	0.54	0.43	0.27	26.9	32.0	66

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- AUG- 2012
Account: MTT

Project: BYNG

CERTIFICATE OF ANALYSIS WH12177497

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD010513		2.63	83.4	3.53	6.89	0.08	0.02	0.02	0.018	0.11	6.6	14.2	1.74	450	1.59	0.06
DD010514		2.81	109.5	3.11	6.46	0.06	0.03	0.03	0.018	0.08	7.7	15.4	1.66	613	2.85	0.12
DD010515		4.76	25.6	2.45	6.52	0.06	0.04	0.03	0.020	0.08	17.2	12.9	0.95	600	0.77	0.02
DD010516		5.81	74.6	3.14	7.15	0.08	0.04	0.02	0.020	0.13	7.8	17.2	1.48	489	1.51	0.04
DD010517		1.06	19.6	2.20	3.96	<0.05	0.02	0.03	0.011	0.05	11.1	9.0	0.55	212	0.50	0.02
DD010518		1.61	44.5	2.45	5.19	0.06	<0.02	0.03	0.018	0.05	12.2	11.1	0.72	391	1.91	0.03
DD010519		2.24	48.1	3.05	5.53	0.05	0.02	0.03	0.019	0.06	9.6	13.6	1.12	435	1.43	0.05
DD010520		2.87	48.2	2.92	6.38	0.05	0.02	0.02	0.018	0.13	7.7	14.6	1.42	385	1.72	0.07
DD010521		4.27	115.5	3.40	7.22	0.06	<0.02	0.04	0.020	0.07	8.6	18.2	1.53	446	4.51	0.04
DD010522		4.63	47.1	2.85	7.50	0.05	0.03	0.02	0.017	0.15	12.5	17.1	1.76	695	1.78	0.04
DD010523		4.07	103.5	3.47	6.94	0.05	<0.02	0.04	0.023	0.11	9.0	17.7	1.27	576	1.58	0.02
DD010524		3.71	67.0	4.35	10.20	0.10	0.03	0.02	0.031	0.39	5.0	21.3	2.92	457	1.69	0.18
DD010525		1.83	39.3	2.85	6.35	0.05	<0.02	0.06	0.019	0.06	8.4	12.4	0.75	495	1.86	0.02
DD010526		1.33	34.4	2.41	4.96	0.05	0.02	0.04	0.022	0.06	11.9	10.2	0.60	501	0.99	0.01
DD010527		5.08	98.5	4.22	10.35	0.05	<0.02	0.04	0.036	0.12	9.8	23.5	2.00	766	2.98	0.03
DD010528		3.67	54.9	3.08	7.31	0.05	0.02	0.05	0.030	0.08	13.4	14.5	0.93	640	1.54	0.01
DD010529		2.49	40.1	2.77	6.42	<0.05	<0.02	0.04	0.021	0.07	10.7	12.9	0.81	599	1.07	0.01
DD010530		1.92	57.4	2.69	6.11	0.05	0.02	0.04	0.021	0.08	9.1	13.7	1.06	455	0.73	0.02
DD010531		2.24	104.0	3.13	7.84	0.06	<0.02	0.03	0.021	0.15	8.3	17.5	1.72	581	0.79	0.03
DD010532		2.46	56.7	2.92	5.76	0.07	0.03	0.01	0.019	0.25	8.4	11.7	1.56	502	0.53	0.02
DD010533		1.42	59.1	2.84	5.75	0.09	0.03	0.02	0.019	0.24	9.8	13.0	1.43	318	0.97	0.05
ZZ21176		0.99	57.3	2.68	5.35	<0.05	0.02	0.05	0.016	0.05	7.0	10.9	0.51	252	1.91	0.01
ZZ21177		1.35	23.6	2.44	5.86	0.05	<0.02	0.07	0.019	0.05	7.1	9.1	0.48	239	1.65	0.01
ZZ21178		1.18	69.1	3.69	9.13	<0.05	<0.02	0.05	0.035	0.13	7.7	16.3	1.87	1190	2.29	0.01
ZZ21179		1.46	234	5.62	8.38	0.09	<0.02	0.05	0.040	0.07	7.0	13.0	1.18	1290	13.20	0.02
ZZ21180		1.41	66.0	2.96	5.80	<0.05	<0.02	0.07	0.019	0.06	8.5	11.0	0.57	546	4.94	0.01
ZZ21181		1.83	110.0	3.59	5.75	0.05	<0.02	0.10	0.033	0.10	7.8	11.3	1.28	1060	7.45	0.04
ZZ21182		1.97	83.8	3.92	6.48	0.05	0.03	0.02	0.023	0.07	11.0	12.2	0.69	646	6.93	0.02
ZZ21183		3.49	81.4	5.78	6.06	<0.05	0.06	0.06	0.058	0.06	4.1	10.5	0.72	1080	8.29	0.02
ZZ21184		3.64	79.7	5.07	9.28	0.05	<0.02	0.03	0.032	0.14	7.2	17.5	1.74	949	7.26	0.04
ZZ21185		2.53	150.5	7.73	9.33	0.14	0.02	0.05	0.029	0.37	5.6	16.6	1.64	550	13.15	0.14
ZZ21186		3.66	40.5	3.23	6.91	0.05	0.09	0.04	0.032	0.11	10.0	15.9	1.21	882	3.20	0.02
ZZ21187		2.96	77.3	4.70	5.37	0.06	0.03	0.04	0.036	0.08	8.1	11.1	0.76	914	2.08	0.14
ZZ21188		3.30	117.0	4.45	6.73	0.09	0.04	0.05	0.029	0.06	13.6	17.0	0.78	1200	2.12	0.11
ZZ21189		3.83	94.0	4.38	5.28	0.06	0.03	0.04	0.038	0.09	16.1	13.4	0.82	1040	2.44	0.03
ZZ21190		2.34	83.8	3.95	6.59	0.08	0.03	0.01	0.019	0.20	8.1	13.6	1.15	541	3.46	0.08
ZZ21191		3.44	93.8	4.47	5.92	0.09	0.06	<0.01	0.025	0.10	7.9	15.8	1.32	838	14.10	0.06
ZZ21192		3.35	95.0	4.05	5.97	0.06	<0.02	0.07	0.032	0.09	9.2	13.3	0.99	1280	9.75	0.03
ZZ21193		3.11	65.4	3.23	7.43	0.05	<0.02	0.10	0.023	0.09	7.5	16.1	0.84	548	2.72	0.02
ZZ21194		5.22	115.0	4.38	7.37	0.06	0.04	0.11	0.036	0.09	12.5	17.4	1.14	1040	4.24	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11-AUG-2012
Account: MTT

Project: BYNG

CERTIFICATE OF ANALYSIS WH12177497

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD010513		0.48	61.9	580	5.5	6.7	<0.001	0.03	1.02	6.1	0.3	0.4	35.6	<0.01	0.06	1.3
DD010514		0.72	97.5	650	5.4	7.1	<0.001	0.05	1.00	5.2	0.7	0.4	57.6	<0.01	0.10	1.5
DD010515		0.70	35.8	510	7.9	7.6	<0.001	0.02	0.56	4.7	0.4	0.5	55.8	<0.01	0.07	2.7
DD010516		0.84	77.1	470	5.6	10.1	<0.001	0.03	3.43	5.5	0.3	0.4	42.4	<0.01	0.07	2.2
DD010517		1.02	27.7	410	4.5	5.4	<0.001	0.04	0.41	2.4	0.3	0.4	13.5	<0.01	<0.01	2.6
DD010518		0.69	37.5	680	5.6	8.0	<0.001	0.06	0.61	2.8	0.5	0.5	24.1	<0.01	0.03	0.8
DD010519		0.66	45.8	620	4.0	6.5	<0.001	0.05	1.69	5.0	0.4	0.4	37.1	<0.01	0.02	1.5
DD010520		0.67	55.2	400	4.1	10.1	<0.001	0.04	0.73	5.9	0.3	0.4	34.7	<0.01	0.02	1.6
DD010521		0.61	62.0	490	4.0	7.5	<0.001	0.05	0.95	6.8	0.7	0.4	60.0	<0.01	0.03	1.3
DD010522		0.60	46.5	460	5.7	11.7	<0.001	0.03	0.72	5.7	0.3	0.4	50.3	<0.01	0.03	2.6
DD010523		0.70	47.9	660	9.4	12.7	<0.001	0.08	0.99	5.0	0.4	0.5	25.2	<0.01	0.07	0.9
DD010524		0.41	54.6	380	3.6	11.7	<0.001	0.04	0.45	16.7	0.6	0.5	53.6	<0.01	0.03	1.3
DD010525		0.78	40.7	900	13.3	9.0	<0.001	0.09	0.50	2.0	0.6	0.5	20.6	<0.01	0.04	0.3
DD010526		0.88	36.1	1010	7.8	8.7	<0.001	0.08	0.50	2.7	0.7	0.5	23.8	<0.01	0.03	0.9
DD010527		0.88	63.1	1100	12.1	12.8	<0.001	0.11	1.00	8.7	0.7	0.6	33.1	<0.01	0.05	0.9
DD010528		0.95	44.0	1320	10.4	11.6	<0.001	0.12	0.87	3.8	0.7	0.5	32.9	<0.01	0.05	0.8
DD010529		0.92	42.4	1000	12.3	10.0	<0.001	0.09	0.61	2.8	0.2	0.5	23.7	<0.01	0.04	0.6
DD010530		1.04	47.2	570	8.4	6.6	<0.001	0.05	0.52	4.3	<0.2	0.5	27.7	<0.01	0.03	1.8
DD010531		0.68	53.0	790	5.1	11.5	<0.001	0.07	0.52	5.7	0.4	0.4	36.4	<0.01	0.02	0.9
DD010532		0.38	47.4	540	11.4	12.5	<0.001	0.01	0.52	7.2	0.2	0.4	25.3	<0.01	0.02	2.7
DD010533		0.68	48.0	700	3.8	11.8	<0.001	0.01	0.32	5.2	0.2	0.3	25.5	<0.01	0.01	3.2
ZZ21176		0.75	29.7	610	5.6	6.0	<0.001	0.06	0.42	1.4	0.5	0.3	16.9	<0.01	0.03	0.3
ZZ21177		0.88	21.6	550	6.9	5.9	<0.001	0.05	0.48	1.5	0.6	0.4	18.5	<0.01	0.03	0.3
ZZ21178		1.03	71.2	580	4.6	9.0	<0.001	0.03	0.39	7.1	0.6	0.4	25.9	<0.01	0.02	0.7
ZZ21179		0.49	34.2	1120	5.5	6.5	<0.001	0.03	0.66	11.0	1.7	0.5	70.1	<0.01	0.10	1.3
ZZ21180		0.58	30.2	760	7.4	7.6	<0.001	0.05	0.74	2.8	0.4	0.4	28.2	<0.01	0.09	0.8
ZZ21181		0.58	63.8	1290	15.5	7.9	<0.001	0.11	1.06	5.1	0.7	0.3	49.5	<0.01	0.06	0.6
ZZ21182		0.79	33.3	770	9.1	7.4	<0.001	0.04	2.38	5.4	0.9	0.4	38.9	<0.01	0.07	2.3
ZZ21183		0.31	44.6	930	10.4	6.2	0.001	0.07	6.91	11.2	1.0	0.3	42.4	<0.01	0.05	1.6
ZZ21184		0.54	60.4	930	7.2	11.1	<0.001	0.18	2.58	8.1	0.2	0.4	36.5	<0.01	0.08	0.7
ZZ21185		0.57	37.4	800	5.0	16.9	0.001	0.69	0.71	8.7	1.2	0.4	82.3	<0.01	0.21	1.2
ZZ21186		0.68	35.4	750	18.4	11.2	<0.001	0.07	1.58	5.8	0.5	0.4	34.1	<0.01	0.07	2.9
ZZ21187		0.26	54.1	960	4.1	8.8	0.001	0.10	4.50	11.7	2.0	0.2	105.5	<0.01	0.16	0.5
ZZ21188		0.41	49.6	1030	6.2	6.4	<0.001	0.10	2.89	8.5	1.9	0.2	79.5	<0.01	0.11	1.1
ZZ21189		0.39	66.2	1300	7.3	9.1	<0.001	0.05	6.53	10.5	1.3	0.3	44.6	<0.01	0.09	1.6
ZZ21190		0.52	46.0	760	4.1	18.2	<0.001	0.07	1.08	7.2	1.2	0.2	409	<0.01	0.13	1.9
ZZ21191		0.22	67.8	770	5.5	8.7	<0.001	0.02	5.28	10.4	1.1	0.3	86.4	<0.01	0.11	2.4
ZZ21192		0.54	54.9	1280	7.1	9.4	<0.001	0.08	3.75	10.1	1.0	0.3	42.3	<0.01	0.14	1.3
ZZ21193		0.56	31.6	1240	10.4	9.6	<0.001	0.11	1.67	2.9	0.6	0.2	34.1	<0.01	0.12	0.3
ZZ21194		0.72	61.9	1240	15.2	8.9	<0.001	0.08	5.99	9.1	1.2	0.3	30.1	<0.01	0.14	1.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- AUG- 2012
Account: MTT

Project: BYNG

CERTIFICATE OF ANALYSIS WH12177497

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD010513		0.112	0.11	0.52	91	1.38	8.03	51	0.7
DD010514		0.096	0.13	0.78	71	0.41	7.56	51	1.0
DD010515		0.067	0.13	0.55	61	0.37	6.03	42	1.5
DD010516		0.120	0.24	0.45	81	3.02	5.39	49	1.1
DD010517		0.071	0.06	0.63	53	0.40	3.38	28	0.7
DD010518		0.068	0.10	0.79	54	1.61	6.66	41	<0.5
DD010519		0.082	0.09	0.72	80	0.64	6.93	42	0.6
DD010520		0.115	0.11	0.50	80	0.26	5.12	42	0.7
DD010521		0.091	0.14	0.84	94	0.59	8.99	41	0.5
DD010522		0.061	0.17	1.29	66	0.11	7.17	46	1.0
DD010523		0.090	0.16	0.98	78	0.31	5.26	50	<0.5
DD010524		0.176	0.15	0.52	167	0.16	5.93	58	0.7
DD010525		0.069	0.09	0.77	78	0.25	4.13	35	<0.5
DD010526		0.053	0.09	1.58	53	0.29	5.72	33	0.6
DD010527		0.125	0.13	1.34	133	0.28	8.04	74	0.6
DD010528		0.068	0.13	1.55	76	0.29	7.44	46	0.6
DD010529		0.067	0.10	1.03	67	1.02	5.45	42	<0.5
DD010530		0.091	0.09	0.72	69	0.27	4.44	47	0.7
DD010531		0.115	0.11	0.74	86	0.25	5.38	54	0.5
DD010532		0.112	0.13	0.55	74	0.23	5.97	47	1.4
DD010533		0.138	0.12	0.93	84	0.32	5.28	42	1.5
ZZ21176		0.062	0.09	0.70	66	0.29	3.74	34	<0.5
ZZ21177		0.070	0.09	0.58	59	0.23	3.23	35	<0.5
ZZ21178		0.076	0.10	0.94	92	0.35	6.14	50	<0.5
ZZ21179		0.117	0.13	1.50	130	0.77	10.25	52	<0.5
ZZ21180		0.064	0.10	0.96	70	0.44	4.80	36	<0.5
ZZ21181		0.095	0.16	0.78	79	0.61	10.05	55	0.6
ZZ21182		0.078	0.14	0.88	86	0.81	7.06	46	0.8
ZZ21183		0.014	0.16	1.12	121	0.45	8.01	89	1.1
ZZ21184		0.105	0.18	1.17	122	0.55	8.71	70	<0.5
ZZ21185		0.237	0.24	0.58	132	0.66	10.80	54	0.8
ZZ21186		0.038	0.16	2.25	77	0.83	9.78	46	1.7
ZZ21187		0.030	0.33	0.67	99	0.32	14.50	66	0.8
ZZ21188		0.049	0.19	0.69	98	0.36	16.40	50	0.7
ZZ21189		0.035	0.12	0.83	80	0.32	14.70	76	0.9
ZZ21190		0.114	0.17	0.93	96	0.36	9.70	56	0.9
ZZ21191		0.078	0.22	0.81	90	1.05	10.40	58	2.1
ZZ21192		0.051	0.28	1.42	89	0.71	13.40	65	<0.5
ZZ21193		0.073	0.15	1.42	85	0.81	6.59	57	<0.5
ZZ21194		0.044	0.32	2.81	94	1.44	16.40	76	0.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11-AUG-2012
Account: MTT

Project: BYNG

CERTIFICATE OF ANALYSIS WH12177497

Sample Description	Method	WEI-21	Au-ICP21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ21195		0.23	0.079	0.53	2.61	516	<0.2	<10	300	0.65	0.61	0.77	0.30	26.8	29.4	72
ZZ21196		0.19	0.027	0.27	2.05	289	<0.2	<10	130	0.39	0.35	0.68	0.24	21.3	24.9	68
ZZ21197		0.21	0.031	0.19	1.95	269	<0.2	<10	190	0.45	0.34	0.63	0.20	26.5	24.5	48
ZZ21198		0.25	0.023	0.13	2.52	198.0	<0.2	<10	360	0.51	0.31	0.65	0.19	26.5	27.8	55
ZZ21199		0.23	0.025	0.13	2.33	292	<0.2	<10	120	0.43	0.23	0.41	0.12	16.15	23.1	71
ZZ21200		0.20	0.016	0.11	2.03	197.5	<0.2	<10	110	0.38	0.18	0.28	0.15	17.50	19.7	55
DD010551		0.18	0.031	0.10	2.02	471	<0.2	<10	100	0.33	0.18	0.35	0.11	19.85	21.5	67
DD010552		0.22	0.007	0.08	1.77	182.5	<0.2	<10	90	0.32	0.20	0.43	0.14	19.10	19.6	49
DD010553		0.26	0.033	0.22	1.53	491	0.4	<10	80	0.26	0.19	0.51	0.23	21.2	18.9	46
DD010554		0.24	0.053	0.11	1.61	210	<0.2	<10	110	0.37	0.23	0.41	0.16	19.25	16.6	41
DD010555		0.22	0.018	0.27	1.42	489	<0.2	<10	250	0.63	0.26	1.71	0.31	15.90	15.9	32
DD010556		0.27	0.023	0.37	2.12	470	<0.2	<10	590	0.64	0.34	0.42	0.22	25.5	39.4	44
DD010557		0.32	0.019	0.14	3.41	128.0	<0.2	<10	220	0.37	0.28	0.63	0.22	18.90	29.4	77
DD010558		0.23	0.016	0.13	2.66	114.0	<0.2	<10	200	0.39	0.24	0.64	0.19	21.2	23.2	68
DD010559		0.20	0.014	0.26	3.52	145.0	<0.2	<10	250	0.48	0.22	0.66	0.17	22.0	29.5	64
DD010560		0.23	0.007	0.09	3.62	35.5	<0.2	<10	180	0.32	0.15	0.84	0.16	19.55	20.7	50
DD010561		0.24	0.019	0.19	3.66	57.9	<0.2	<10	160	0.25	0.13	1.10	0.16	17.30	24.3	54
DD010562		0.24	0.006	0.09	3.38	38.7	<0.2	<10	150	0.25	0.13	1.01	0.14	14.15	23.4	40
DD010563		0.25	0.012	0.08	2.77	109.5	<0.2	<10	280	0.35	0.17	0.83	0.16	22.5	18.9	49
DD010564		0.29	0.004	0.10	1.83	13.7	<0.2	<10	250	0.40	0.14	0.59	0.13	25.5	11.7	32
DD010565		0.23	0.016	0.04	2.80	20.5	<0.2	<10	400	0.37	0.14	0.26	0.16	20.0	15.4	39
DD010566		0.20	0.197	1.34	2.66	166.5	<0.2	<10	450	0.38	0.79	0.79	0.61	9.66	48.7	132
DD010567		0.23	1.770	3.93	1.31	877	1.7	<10	320	0.74	3.76	0.45	0.37	8.94	38.9	77
DD010568		0.23	0.002	0.04	6.61	4.3	<0.2	<10	80	0.14	0.06	1.20	0.11	5.75	39.1	35
DD010569		0.22	0.005	0.07	2.10	5.2	<0.2	<10	70	0.24	0.14	0.26	0.18	12.50	10.8	31
DD010570		0.23	0.007	0.08	1.88	5.9	<0.2	<10	50	0.37	0.13	0.14	0.09	17.65	10.0	30
DD010571		0.21	0.002	0.08	3.31	12.0	<0.2	<10	320	0.48	0.14	0.46	0.12	26.2	26.9	53
DD010572		0.24	0.005	0.04	1.08	16.6	<0.2	<10	210	0.31	0.11	0.09	0.09	26.8	6.1	23
DD010573		0.21	0.002	0.06	1.50	8.7	<0.2	<10	150	0.44	0.18	0.24	0.18	21.7	7.1	42
DD010574		0.19	0.005	0.09	1.51	18.4	<0.2	<10	250	0.47	0.20	0.25	0.14	23.2	8.5	44
DD010575		0.24	0.005	0.03	0.83	7.1	<0.2	<10	220	0.23	0.05	0.14	0.07	18.90	3.9	8
DD010576		0.26	0.005	0.09	1.85	41.7	<0.2	<10	240	0.38	0.17	0.43	0.11	27.0	15.7	44
DD010577		0.19	0.004	0.03	1.58	7.7	<0.2	<10	100	0.33	0.16	0.18	0.18	21.5	7.9	37
DD010578		0.22	0.086	0.12	1.93	25.1	<0.2	<10	200	0.60	0.25	0.21	0.12	31.0	11.7	39
DD010579		0.19	0.005	0.06	2.26	15.5	<0.2	<10	190	0.47	0.19	0.25	0.10	24.4	11.2	38
DD010580		0.17	0.009	0.08	1.84	12.1	<0.2	<10	170	0.30	0.15	0.29	0.14	23.7	10.3	36
DD010581		0.21	0.004	0.05	1.54	15.1	<0.2	<10	110	0.36	0.15	0.20	0.13	22.4	6.6	33
DD010582		0.22	0.013	0.13	2.27	126.0	<0.2	<10	170	0.54	0.23	0.21	0.25	37.3	16.3	41
DD010583		0.26	0.009	0.10	1.61	13.6	<0.2	<10	110	0.34	0.16	0.23	0.17	27.2	10.5	36
DD010584		0.25	0.015	0.05	1.24	9.4	<0.2	<10	100	0.27	0.12	0.30	0.17	36.0	11.1	41

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- AUG- 2012
Account: MTT

Project: BYNG

CERTIFICATE OF ANALYSIS WH12177497

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ21195		5.76	105.0	4.85	7.24	0.07	0.06	0.06	0.037	0.14	13.6	18.1	1.27	1220	3.05	0.03
ZZ21196		4.45	86.9	3.88	6.52	0.09	0.02	0.06	0.026	0.20	11.1	15.5	1.14	878	2.42	0.04
ZZ21197		4.05	78.6	3.76	5.53	0.07	0.06	0.04	0.028	0.12	12.9	13.9	0.94	793	3.53	0.03
ZZ21198		5.04	94.1	3.79	6.81	0.05	0.05	0.05	0.031	0.13	13.0	14.9	1.21	939	2.91	0.04
ZZ21199		2.61	59.4	3.87	6.89	0.05	0.02	0.05	0.019	0.10	7.4	15.0	1.05	629	2.73	0.02
ZZ21200		2.76	54.2	3.21	6.25	0.05	<0.02	0.09	0.024	0.08	7.7	12.2	0.94	547	6.32	0.02
DD010551		2.73	84.6	3.48	6.04	0.06	<0.02	0.02	0.017	0.11	8.4	13.7	0.96	511	1.64	0.02
DD010552		2.65	68.1	3.03	5.53	0.05	<0.02	0.05	0.020	0.11	8.5	11.8	0.91	567	2.92	0.02
DD010553		3.25	79.9	3.49	5.01	0.09	0.03	0.01	0.019	0.15	10.8	11.5	0.87	620	2.31	0.03
DD010554		3.13	76.6	3.37	4.97	0.06	<0.02	0.02	0.018	0.11	10.0	10.2	0.76	558	2.24	0.02
DD010555		4.27	104.0	3.79	4.07	0.05	0.06	0.11	0.034	0.05	11.2	9.4	0.46	820	5.55	0.02
DD010556		6.89	339	4.80	5.29	0.05	0.03	0.08	0.043	0.08	11.3	13.0	0.71	1460	7.99	0.02
DD010557		4.60	84.1	2.69	6.67	<0.05	0.06	0.04	0.029	0.08	8.4	17.0	1.61	827	3.08	0.04
DD010558		4.12	66.4	2.62	5.59	0.05	0.07	0.03	0.022	0.06	10.7	13.5	1.05	664	3.86	0.02
DD010559		5.17	85.6	2.91	7.31	<0.05	0.08	0.07	0.027	0.06	10.3	17.0	1.44	948	4.91	0.03
DD010560		3.81	64.4	2.10	5.88	<0.05	0.07	0.06	0.013	0.06	9.7	17.1	1.46	548	2.30	0.07
DD010561		2.88	65.6	2.44	5.97	0.05	0.04	0.03	0.014	0.09	8.7	15.7	1.58	435	2.66	0.08
DD010562		2.05	80.4	2.10	5.77	<0.05	0.05	0.04	0.015	0.09	6.6	12.3	1.07	481	3.70	0.04
DD010563		2.75	91.4	2.31	6.42	<0.05	0.06	0.01	0.021	0.06	12.0	13.9	1.16	508	11.05	0.04
DD010564		2.41	90.2	2.48	7.39	0.05	0.02	0.03	0.019	0.11	14.7	10.2	0.99	519	9.06	0.03
DD010565		2.61	40.0	2.38	5.70	<0.05	0.05	0.06	0.018	0.06	9.9	12.2	1.00	414	4.14	0.03
DD010566		18.80	220	5.28	5.03	<0.05	0.05	0.15	0.066	0.09	5.9	21.9	1.02	1980	8.97	0.06
DD010567		6.49	400	5.48	2.72	<0.05	0.02	0.25	0.062	0.08	5.1	8.5	0.43	1220	17.65	0.03
DD010568		5.67	57.8	2.64	8.17	0.07	0.02	0.02	0.009	0.20	2.9	28.7	4.28	369	2.06	0.07
DD010569		1.08	92.3	2.13	4.72	<0.05	<0.02	0.08	0.014	0.05	6.6	7.6	0.45	290	4.19	0.02
DD010570		0.86	104.0	2.30	5.10	<0.05	<0.02	0.13	0.022	0.04	9.2	9.6	0.41	212	6.65	0.02
DD010571		5.70	78.9	3.24	7.80	<0.05	0.02	0.03	0.025	0.06	14.6	19.4	1.94	699	15.35	0.02
DD010572		1.98	40.8	1.97	3.32	<0.05	<0.02	0.03	0.008	0.04	14.5	6.7	0.29	232	8.34	0.02
DD010573		2.35	15.2	2.44	6.10	<0.05	<0.02	0.05	0.017	0.06	9.1	12.1	0.52	391	3.89	0.02
DD010574		3.60	27.7	2.47	5.04	<0.05	<0.02	0.04	0.019	0.06	9.2	10.4	0.56	431	3.31	0.02
DD010575		1.83	48.4	1.33	4.11	<0.05	0.02	0.03	0.007	0.11	9.7	6.7	0.50	278	5.33	0.01
DD010576		2.69	69.4	2.51	6.08	<0.05	0.02	0.04	0.019	0.06	14.4	12.5	0.75	607	7.98	0.02
DD010577		1.21	16.9	2.23	5.25	<0.05	<0.02	0.05	0.018	0.05	10.0	10.3	0.49	413	1.86	0.02
DD010578		3.04	35.5	2.44	4.97	<0.05	0.04	0.04	0.023	0.06	13.8	11.9	0.70	843	3.51	0.02
DD010579		2.28	33.3	2.47	6.24	<0.05	<0.02	0.05	0.022	0.04	11.1	12.1	0.69	486	4.51	0.02
DD010580		1.49	25.0	2.13	4.46	<0.05	0.03	0.05	0.014	0.04	11.6	9.7	0.67	399	2.25	0.02
DD010581		1.33	17.0	2.04	4.81	<0.05	<0.02	0.05	0.016	0.04	12.2	9.2	0.40	313	1.45	0.02
DD010582		2.73	52.2	2.73	6.17	0.05	0.02	0.06	0.024	0.06	16.1	12.4	0.62	771	8.95	0.02
DD010583		1.23	35.0	2.62	5.23	<0.05	<0.02	0.04	0.017	0.05	13.6	10.3	0.49	366	4.73	0.02
DD010584		0.72	38.1	3.07	3.99	0.07	0.02	0.03	0.014	0.05	19.6	7.8	0.47	316	3.02	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11-AUG-2012
Account: MTT

Project: BYNG

CERTIFICATE OF ANALYSIS WH12177497

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ21195		0.67	59.4	960	22.3	13.9	<0.001	0.05	12.85	11.7	1.1	0.3	47.3	<0.01	0.20	2.6
ZZ21196		0.61	48.9	1150	14.0	15.5	<0.001	0.04	2.92	8.4	1.2	0.2	36.0	<0.01	0.04	1.8
ZZ21197		0.77	45.1	860	12.8	9.5	<0.001	0.02	5.93	10.0	1.2	0.3	29.0	<0.01	0.07	3.8
ZZ21198		0.72	47.9	710	16.3	12.9	<0.001	0.03	3.25	9.0	1.5	0.3	77.4	<0.01	0.14	3.6
ZZ21199		0.61	37.9	900	6.2	8.5	<0.001	0.07	2.07	4.5	0.5	0.2	22.5	<0.01	0.08	0.8
ZZ21200		0.76	41.2	1010	10.4	9.2	<0.001	0.09	2.46	3.0	0.6	0.2	22.6	<0.01	0.06	0.4
DD010551		0.56	41.7	640	6.0	9.6	0.001	0.05	3.18	3.9	0.6	0.2	28.1	<0.01	0.06	0.8
DD010552		0.66	38.5	680	7.2	10.2	0.001	0.05	2.22	3.8	1.1	0.2	31.6	<0.01	0.10	1.1
DD010553		0.53	39.6	810	7.1	9.5	0.001	0.02	4.08	6.3	0.6	0.3	40.1	<0.01	0.07	2.9
DD010554		0.46	35.8	830	6.1	8.0	<0.001	0.03	5.57	5.4	0.5	0.2	26.8	<0.01	0.12	1.1
DD010555		0.62	30.5	1530	10.7	8.0	<0.001	0.15	13.65	7.7	1.4	0.3	62.4	<0.01	0.16	0.7
DD010556		0.33	47.2	1170	11.1	7.5	0.001	0.06	10.45	15.1	1.8	0.3	28.6	<0.01	0.21	2.1
DD010557		0.36	68.9	740	20.4	6.3	<0.001	0.03	1.39	10.3	0.9	0.3	78.8	<0.01	0.08	2.9
DD010558		0.57	56.6	720	12.9	5.2	0.001	0.03	1.91	8.5	0.6	0.2	47.7	<0.01	0.04	2.8
DD010559		0.64	66.1	1390	9.6	7.2	<0.001	0.10	1.24	7.8	0.4	0.2	35.8	0.01	0.08	1.5
DD010560		0.57	71.8	910	6.0	5.9	<0.001	0.05	0.77	4.4	0.9	0.2	42.8	<0.01	0.04	2.1
DD010561		0.56	71.4	580	7.4	6.8	<0.001	0.04	1.08	5.6	0.6	0.2	79.7	<0.01	0.02	2.3
DD010562		0.56	43.8	540	5.3	5.1	<0.001	0.05	0.61	7.4	0.2	0.2	145.0	<0.01	0.02	1.8
DD010563		0.76	41.8	700	7.1	4.5	<0.001	0.03	1.35	7.4	0.4	0.3	142.5	<0.01	0.02	2.6
DD010564		3.64	25.0	950	4.8	7.8	<0.001	0.05	0.58	6.7	0.7	0.5	26.6	0.01	0.03	2.1
DD010565		1.34	49.5	720	8.9	6.6	<0.001	0.05	1.17	3.2	0.3	0.3	20.4	0.01	0.03	2.3
DD010566		0.23	103.5	390	43.1	10.7	<0.001	0.04	9.31	52.4	0.5	0.3	44.3	<0.01	0.03	1.6
DD010567		0.35	92.3	370	118.0	7.3	<0.001	0.04	157.5	36.8	0.4	0.2	15.9	<0.01	0.13	1.4
DD010568		0.40	181.5	610	2.2	10.8	<0.001	0.07	0.34	1.7	0.3	0.2	33.3	<0.01	0.01	0.6
DD010569		0.64	24.3	860	4.6	6.4	<0.001	0.09	0.42	1.2	0.4	0.3	15.5	0.01	0.02	0.4
DD010570		0.79	23.1	810	5.1	4.4	<0.001	0.10	0.44	1.1	0.8	0.3	11.5	0.01	0.02	0.2
DD010571		0.83	101.0	1250	6.5	12.3	<0.001	0.12	1.39	3.8	0.2	0.3	29.7	<0.01	0.04	0.7
DD010572		0.42	14.3	540	5.9	5.8	0.001	0.05	2.21	1.4	0.2	0.2	8.7	<0.01	0.01	0.7
DD010573		0.97	25.7	590	13.8	8.6	<0.001	0.06	0.53	1.7	0.2	0.5	16.9	<0.01	0.03	0.4
DD010574		0.71	25.6	650	7.5	7.4	<0.001	0.07	2.03	2.3	<0.2	0.4	20.8	<0.01	0.01	0.4
DD010575		2.20	7.5	560	2.8	8.3	<0.001	0.05	0.69	1.8	<0.2	0.3	9.3	<0.01	0.01	1.3
DD010576		0.93	32.3	980	11.9	8.9	<0.001	0.07	0.68	3.0	0.5	0.4	33.3	<0.01	0.03	0.8
DD010577		0.65	23.2	510	8.2	6.8	<0.001	0.05	0.44	1.3	0.2	0.4	12.7	<0.01	0.02	0.3
DD010578		0.65	28.4	730	45.7	8.5	<0.001	0.05	0.87	3.8	0.2	0.4	14.5	<0.01	0.01	3.1
DD010579		0.67	31.0	920	9.5	6.8	<0.001	0.07	0.55	1.8	0.3	0.4	20.6	<0.01	0.04	0.5
DD010580		0.70	31.2	870	7.1	5.1	<0.001	0.07	0.50	2.2	0.2	0.3	19.6	<0.01	0.03	1.3
DD010581		0.63	19.9	770	6.8	5.2	<0.001	0.07	0.51	1.2	0.2	0.3	14.6	<0.01	<0.01	0.4
DD010582		0.86	33.6	1090	17.0	8.5	<0.001	0.09	3.22	2.9	0.3	0.4	17.8	<0.01	0.04	0.9
DD010583		0.63	27.5	730	6.4	6.8	<0.001	0.07	0.57	1.8	0.3	0.4	16.2	<0.01	0.02	0.5
DD010584		0.92	26.6	740	4.7	5.0	<0.001	0.04	0.74	2.6	0.2	0.3	19.9	<0.01	0.02	4.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- AUG- 2012
Account: MTT

Project: BYNG

CERTIFICATE OF ANALYSIS WH12177497

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ21195		0.071	0.33	2.69	104	0.74	20.1	74	1.2
ZZ21196		0.101	0.19	2.15	95	0.52	12.20	62	0.6
ZZ21197		0.045	0.21	3.35	68	1.09	13.15	68	1.6
ZZ21198		0.061	0.25	3.32	79	1.29	13.05	65	1.5
ZZ21199		0.112	0.14	0.82	102	0.85	4.74	62	0.6
ZZ21200		0.057	0.16	1.04	73	1.49	4.53	51	<0.5
DD010551		0.098	0.16	0.77	89	0.39	5.42	52	<0.5
DD010552		0.077	0.14	0.89	70	0.43	5.37	51	<0.5
DD010553		0.094	0.23	1.19	79	0.63	9.57	54	1.1
DD010554		0.069	0.16	0.96	69	0.82	8.36	50	<0.5
DD010555		0.013	0.37	1.45	64	0.42	16.75	75	1.7
DD010556		0.018	0.49	2.14	76	0.89	16.25	70	1.0
DD010557		0.024	0.16	1.05	52	1.05	6.95	49	1.7
DD010558		0.030	0.13	1.38	49	1.23	7.80	45	1.7
DD010559		0.028	0.20	1.40	50	0.63	10.10	53	2.2
DD010560		0.032	0.10	0.98	35	0.68	6.26	42	2.1
DD010561		0.034	0.10	1.06	42	2.71	5.27	37	1.3
DD010562		0.013	0.09	0.75	43	0.58	4.70	34	1.3
DD010563		0.013	0.08	1.35	42	0.42	6.42	43	1.9
DD010564		0.078	0.10	3.24	45	0.73	8.37	54	1.1
DD010565		0.034	0.07	0.85	44	0.43	3.34	33	1.5
DD010566		0.006	0.29	0.47	92	3.83	14.35	80	1.3
DD010567		0.005	0.32	2.56	86	2.88	11.90	57	0.6
DD010568		0.024	0.13	0.37	17	1.10	1.46	45	0.5
DD010569		0.042	0.05	0.52	42	0.76	2.80	39	<0.5
DD010570		0.042	0.08	0.70	52	0.63	5.30	28	<0.5
DD010571		0.035	0.15	2.05	59	0.93	7.72	65	0.5
DD010572		0.018	0.05	0.94	32	0.39	3.03	26	<0.5
DD010573		0.066	0.10	1.14	57	0.48	3.32	43	<0.5
DD010574		0.040	0.08	0.98	52	1.92	3.24	48	<0.5
DD010575		0.053	0.05	1.54	28	0.18	3.17	26	0.6
DD010576		0.044	0.09	2.39	53	0.38	7.83	40	0.5
DD010577		0.048	0.07	0.67	49	0.33	3.17	38	<0.5
DD010578		0.022	0.11	2.02	47	0.45	6.48	43	1.0
DD010579		0.031	0.11	1.28	54	0.59	4.27	41	<0.5
DD010580		0.033	0.08	1.39	44	0.81	4.06	34	0.7
DD010581		0.038	0.07	0.83	44	0.52	3.97	33	<0.5
DD010582		0.047	0.12	2.64	55	0.76	8.02	52	0.5
DD010583		0.052	0.06	1.09	59	1.36	4.50	35	<0.5
DD010584		0.078	0.06	1.53	73	1.00	5.91	32	0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11-AUG-2012
Account: MTT

Project: BYNG

CERTIFICATE OF ANALYSIS WH12177497

Sample Description	Method	WEI-21	Au-ICP21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD010585		0.22	0.014	0.10	1.62	8.2	<0.2	<10	110	0.42	0.16	0.22	0.16	22.3	11.9	41
DD010586		0.20	0.006	0.09	1.28	5.0	<0.2	<10	120	0.29	0.17	0.19	0.19	13.35	5.7	32
DD010587		0.26	0.003	0.12	1.75	71.0	<0.2	<10	200	0.51	0.11	0.18	0.16	21.8	13.3	24
DD010588		0.23	0.005	0.29	1.87	17.8	<0.2	<10	250	0.63	0.10	0.16	0.13	25.3	10.6	19
DD010589		0.20	0.006	0.16	1.55	9.2	<0.2	<10	120	0.38	0.21	0.27	0.15	13.75	14.0	38
DD010590		0.19	0.002	0.15	1.63	4.9	<0.2	<10	70	0.26	0.14	0.15	0.12	10.80	7.4	30

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11-AUG-2012
Account: MTT

Project: BYNG

CERTIFICATE OF ANALYSIS WH12177497

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD010585		1.00	38.6	2.54	5.08	<0.05	<0.02	0.07	0.017	0.06	11.9	9.7	0.48	373	4.18	0.02
DD010586		0.94	19.9	1.92	4.42	<0.05	<0.02	0.07	0.015	0.04	6.2	5.5	0.26	333	2.18	0.02
DD010587		1.22	46.7	2.98	9.37	<0.05	<0.02	0.03	0.025	0.15	11.6	10.0	0.77	736	6.39	0.02
DD010588		1.48	27.4	3.09	11.50	0.07	0.03	0.06	0.028	0.31	14.0	11.6	0.98	872	4.73	0.02
DD010589		1.83	47.9	2.63	6.24	<0.05	<0.02	0.09	0.021	0.05	6.8	10.7	0.45	554	6.18	0.02
DD010590		1.11	45.4	2.30	5.36	<0.05	<0.02	0.11	0.015	0.04	5.9	5.8	0.25	224	4.22	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11-AUG-2012
Account: MTT

Project: BYNG

CERTIFICATE OF ANALYSIS WH12177497

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD010585		0.75	30.7	910	6.2	6.8	<0.001	0.10	0.53	1.8	0.4	0.4	18.8	<0.01	0.04	0.5
DD010586		0.60	19.3	1290	6.0	5.5	<0.001	0.15	0.42	0.5	0.4	0.3	17.8	<0.01	0.03	<0.2
DD010587		2.38	17.2	720	10.3	11.2	0.001	0.07	0.83	2.4	0.5	0.6	28.5	<0.01	0.03	0.5
DD010588		5.05	13.1	800	8.1	22.0	<0.001	0.07	0.64	3.8	0.3	0.8	18.5	<0.01	0.03	1.2
DD010589		0.75	25.5	1210	8.4	7.2	<0.001	0.12	0.45	1.6	0.2	0.4	28.4	<0.01	0.05	0.2
DD010590		0.75	15.3	1260	4.8	6.0	<0.001	0.16	0.34	0.8	0.7	0.4	13.4	<0.01	0.02	<0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11-AUG-2012
Account: MTT

Project: BYNG

CERTIFICATE OF ANALYSIS WH12177497

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD010585		0.054	0.08	0.97	57	0.59	4.09	38	<0.5
DD010586		0.025	0.07	0.77	46	0.26	2.75	30	<0.5
DD010587		0.073	0.12	2.61	68	0.36	5.00	62	<0.5
DD010588		0.111	0.22	3.54	55	0.56	6.81	83	1.0
DD010589		0.041	0.08	1.03	65	0.40	3.91	36	<0.5
DD010590		0.044	0.07	0.66	58	0.28	3.75	26	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11-AUG-2012
Account: MTT

Project: BYNG

CERTIFICATE OF ANALYSIS WH12177497

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non-sufficient sample.
ME-MS41	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14-SEP-2012
Account: MTT

CERTIFICATE WH12193427

Project: Bung

P.O. No.:

This report is for 131 Soil samples submitted to our lab in Whitehorse, YT, Canada on 24-AUG-2012.

The following have access to data associated with this certificate:

SARAH EATON	JOAN MARIACHER	HEATHER SMITH

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14-SEP-2012
Account: MTT

Project: Bung

CERTIFICATE OF ANALYSIS WH12193427

Sample Description	Method	WEI-21	Au-ICP21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD021904		0.22	<0.001	0.14	1.64	8.6	<0.2	<10	130	0.34	0.14	0.20	0.16	11.10	10.9	27
DD021905		0.16	0.005	0.03	1.56	8.0	<0.2	<10	110	0.27	0.15	0.18	0.10	16.55	12.0	30
DD021906		0.16	0.002	0.25	1.32	5.5	<0.2	<10	90	0.23	0.12	0.16	0.10	12.35	6.0	23
DD021907		0.22	0.031	0.04	1.21	6.9	<0.2	<10	80	0.22	0.11	0.19	0.14	17.25	8.3	31
DD021908		0.19	0.024	0.19	1.39	27.1	<0.2	<10	80	0.25	0.14	0.37	0.14	33.0	19.2	36
DD021909		0.15	0.024	0.22	2.20	200	<0.2	<10	200	0.43	0.29	0.37	0.20	27.3	17.5	39
DD021910		0.19	0.016	0.14	1.45	74.6	<0.2	<10	130	0.33	0.14	0.27	0.11	32.0	9.3	28
DD021911		0.18	0.024	0.10	1.98	61.3	<0.2	<10	140	0.39	0.33	0.25	0.21	35.3	12.8	42
DD021912		0.20	0.007	0.04	1.72	15.2	<0.2	<10	100	0.22	0.19	0.30	0.13	22.2	10.4	36
DD021913		0.21	0.004	0.05	2.00	11.6	<0.2	<10	130	0.40	0.16	0.26	0.13	25.5	10.2	36
DD021914		0.19	0.005	0.05	2.04	12.1	<0.2	<10	140	0.41	0.19	0.30	0.18	24.2	10.5	36
DD021915		0.18	0.003	0.10	3.16	37.9	<0.2	<10	230	0.36	0.16	0.92	0.15	22.0	17.7	54
DD021916		0.16	0.007	0.04	2.30	35.7	<0.2	<10	190	0.36	0.24	0.33	0.13	20.6	11.2	40
DD021917		0.26	0.010	0.06	2.93	12.3	<0.2	<10	720	0.28	0.08	1.00	0.10	20.8	14.3	76
DD021918		0.20	0.008	0.07	3.21	5.7	<0.2	<10	120	0.26	0.14	0.38	0.23	17.95	21.5	32
DD021919		0.23	0.003	0.06	1.13	56.7	<0.2	<10	180	0.44	0.12	0.17	0.10	38.1	9.0	28
DD021920		0.18	0.004	0.06	1.92	55.7	<0.2	<10	180	0.37	0.12	0.34	0.16	24.3	13.9	48
DD021921		0.22	0.004	0.09	2.39	45.1	<0.2	<10	390	0.29	0.15	0.91	0.16	9.13	28.9	79
DD021922		0.24	0.004	0.08	1.47	54.6	<0.2	<10	180	0.63	0.10	0.49	0.20	10.25	34.1	122
DD021923		0.25	0.003	0.10	2.40	16.7	<0.2	<10	180	0.34	0.26	0.68	0.34	19.20	13.8	41
DD021924		0.27	0.005	0.12	3.76	75.0	<0.2	<10	120	0.22	0.18	1.32	0.10	7.17	35.1	65
DD021925		0.22	0.011	0.06	1.98	26.5	<0.2	<10	100	0.30	0.14	0.26	0.17	22.3	13.6	33
DD021926		0.24	0.005	0.12	3.22	29.3	<0.2	<10	210	0.44	0.36	0.91	0.10	23.2	37.8	54
DD021927		0.24	0.006	0.13	2.88	62.7	<0.2	<10	150	0.33	0.20	0.45	0.29	17.75	23.4	46
DD021928		0.22	0.012	0.13	2.86	391	<0.2	<10	120	0.38	0.42	0.40	0.19	22.5	24.5	45
DD021929		0.24	0.011	0.07	2.11	152.0	<0.2	<10	150	0.44	0.36	0.44	0.17	25.6	18.4	41
DD021930		0.35	0.027	0.21	2.41	169.5	<0.2	<10	130	0.33	0.27	0.48	0.23	23.6	20.0	45
DD021948		0.23	0.078	0.17	3.09	904	<0.2	<10	110	0.22	1.55	0.45	0.33	10.35	27.0	94
DD021949		0.18	0.505	0.21	3.20	1725	0.4	<10	180	0.33	4.94	0.86	0.20	17.50	44.0	73
DD021950		0.27	0.007	0.09	2.78	41.4	<0.2	<10	110	0.22	0.24	0.62	0.23	14.50	22.7	79
DD021951		0.55	0.076	0.13	1.90	30.9	<0.2	<10	330	0.30	0.32	0.51	0.18	24.4	11.3	38
DD021952		0.36	0.126	0.15	1.72	36.9	<0.2	<10	260	0.31	0.38	0.47	0.16	24.4	10.7	32
DD021953		0.54	0.347	0.81	2.63	111.5	0.2	<10	190	0.30	1.48	0.73	0.28	18.25	17.0	53
DD021954		0.41	0.041	0.34	1.86	68.0	<0.2	<10	310	0.40	0.42	0.56	0.17	22.6	13.0	46
DD021955		0.20	0.006	0.12	2.37	10.9	<0.2	<10	170	0.29	0.14	0.45	0.12	22.8	10.6	39
DD021956		0.32	0.005	0.06	1.86	11.5	<0.2	<10	200	0.30	0.16	0.26	0.12	30.0	11.3	40
DD021957		0.19	0.006	0.06	1.71	8.2	<0.2	<10	150	0.34	0.14	0.23	0.15	27.7	8.7	45
DD021958		0.20	0.010	0.04	1.39	5.5	<0.2	<10	140	0.30	0.16	0.23	0.12	23.7	6.8	38
DD021959		0.23	0.004	0.04	1.23	5.1	<0.2	<10	110	0.29	0.15	0.21	0.14	17.90	6.2	31
DD021960		0.26	0.004	0.05	1.20	4.9	<0.2	<10	100	0.29	0.16	0.23	0.10	15.50	5.2	37

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14-SEP-2012
Account: MTT

Project: Bung

CERTIFICATE OF ANALYSIS WH12193427

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD021904		1.36	39.6	2.13	5.28	<0.05	<0.02	0.09	0.017	0.05	5.0	5.2	0.26	479	4.68	0.02
DD021905		1.18	44.5	2.36	5.48	<0.05	<0.02	0.03	0.015	0.04	7.8	8.5	0.43	261	5.15	0.02
DD021906		0.89	35.4	1.69	3.68	<0.05	<0.02	0.12	0.013	0.04	5.9	3.8	0.18	180	3.53	0.02
DD021907		0.76	19.6	2.03	3.66	<0.05	<0.02	0.04	0.013	0.05	8.8	7.5	0.41	259	1.36	0.01
DD021908		1.01	86.5	3.42	4.09	0.06	0.03	0.02	0.015	0.08	17.6	9.0	0.55	353	7.06	0.03
DD021909		3.67	68.3	2.73	5.56	<0.05	0.04	0.12	0.024	0.06	12.1	12.6	0.67	756	14.30	0.03
DD021910		1.69	32.0	2.08	4.03	<0.05	0.04	0.04	0.016	0.04	16.3	8.5	0.44	364	4.77	0.03
DD021911		2.57	42.4	2.67	4.59	0.05	0.03	0.04	0.019	0.05	16.1	10.1	0.51	564	3.32	0.03
DD021912		1.55	24.6	2.14	3.75	<0.05	0.04	0.02	0.013	0.04	10.6	9.4	0.64	274	1.58	0.04
DD021913		1.58	24.9	2.20	4.93	<0.05	0.03	0.03	0.017	0.05	11.6	10.4	0.58	397	2.22	0.03
DD021914		1.85	26.6	2.21	5.40	<0.05	<0.02	0.04	0.018	0.05	11.3	10.3	0.52	493	4.06	0.03
DD021915		2.46	64.8	2.42	6.44	<0.05	0.08	0.05	0.021	0.07	10.3	12.8	1.03	593	4.13	0.04
DD021916		2.15	44.5	2.24	6.04	<0.05	0.04	0.04	0.020	0.06	11.3	11.9	0.69	544	10.20	0.02
DD021917		2.17	79.2	2.17	5.75	<0.05	0.07	0.02	0.015	0.09	9.8	15.5	1.41	501	2.25	0.04
DD021918		2.52	57.8	2.79	6.94	<0.05	0.03	0.06	0.015	0.07	6.8	15.6	1.52	486	6.20	0.05
DD021919		1.90	60.3	2.27	4.07	<0.05	0.03	0.04	0.012	0.04	17.1	6.7	0.40	457	5.37	0.02
DD021920		2.53	65.6	3.20	4.03	<0.05	0.04	0.04	0.018	0.05	11.0	7.2	0.57	1010	6.61	0.03
DD021921		7.04	86.8	2.82	5.17	<0.05	0.04	0.05	0.034	0.05	5.0	10.9	0.98	1080	7.31	0.10
DD021922		3.50	76.0	5.32	3.27	<0.05	0.04	0.02	0.039	0.05	5.6	9.8	0.71	1270	12.80	0.03
DD021923		2.51	72.4	2.21	5.64	<0.05	0.02	0.04	0.026	0.08	9.4	11.4	0.86	302	11.45	0.04
DD021924		3.30	191.5	3.26	5.57	<0.05	0.04	0.02	0.016	0.08	3.6	13.0	1.41	478	21.4	0.05
DD021925		1.63	42.2	2.16	5.04	<0.05	0.03	0.04	0.016	0.05	9.9	9.2	0.60	352	2.29	0.03
DD021926		2.62	84.7	2.09	5.07	<0.05	0.09	0.04	0.017	0.07	9.5	15.9	1.01	673	3.44	0.04
DD021927		2.77	74.6	2.38	6.09	<0.05	0.04	0.09	0.018	0.06	7.9	10.0	0.81	681	3.78	0.04
DD021928		5.49	90.8	3.11	6.21	<0.05	0.05	0.07	0.025	0.06	10.9	14.6	1.11	773	4.58	0.04
DD021929		3.74	60.7	2.63	5.18	<0.05	0.07	0.03	0.018	0.09	12.5	11.6	0.91	600	6.02	0.04
DD021930		2.88	60.6	2.72	5.44	0.05	0.04	0.06	0.020	0.08	12.1	12.2	1.04	681	4.23	0.06
DD021948		2.81	81.8	3.93	7.04	<0.05	<0.02	0.05	0.018	0.16	5.0	17.6	2.06	332	2.23	0.07
DD021949		3.90	220	5.03	7.58	0.05	0.02	0.05	0.025	0.10	8.7	18.9	1.76	784	9.23	0.10
DD021950		1.90	75.3	2.97	5.57	0.05	0.02	0.04	0.013	0.10	7.7	14.4	1.70	496	1.75	0.10
DD021951		2.21	56.9	2.15	4.68	0.05	0.03	0.02	0.017	0.07	13.9	10.6	0.87	336	4.18	0.05
DD021952		2.30	47.7	1.98	4.54	0.05	0.04	0.02	0.015	0.07	12.1	9.6	0.77	331	3.00	0.05
DD021953		4.96	134.0	2.51	4.95	<0.05	0.03	0.05	0.021	0.07	9.6	15.0	1.28	406	4.10	0.07
DD021954		4.85	102.0	2.68	4.79	<0.05	0.06	0.04	0.023	0.07	13.0	12.8	0.88	465	4.18	0.04
DD021955		3.47	47.9	1.97	4.35	<0.05	0.05	0.02	0.012	0.07	11.9	12.8	0.96	304	1.68	0.04
DD021956		2.84	44.1	2.39	5.50	<0.05	0.02	0.04	0.017	0.09	11.8	12.2	0.77	399	1.48	0.03
DD021957		2.58	24.7	2.06	4.11	<0.05	0.04	0.03	0.016	0.07	12.4	10.2	0.64	355	1.23	0.03
DD021958		1.10	13.6	2.08	4.19	<0.05	<0.02	0.04	0.015	0.07	9.7	9.9	0.53	363	1.18	0.02
DD021959		1.03	11.5	1.82	4.12	<0.05	<0.02	0.03	0.012	0.06	9.2	8.2	0.40	353	1.27	0.02
DD021960		0.98	11.7	1.96	3.89	<0.05	<0.02	0.04	0.012	0.06	8.3	8.0	0.40	268	2.03	0.03

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14-SEP-2012
Account: MTT

Project: Bung

CERTIFICATE OF ANALYSIS WH12193427

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD021904		0.60	17.2	1540	5.9	8.4	<0.001	0.18	0.51	0.6	0.5	0.5	20.2	<0.01	0.03	<0.2
DD021905		0.62	22.6	550	5.3	5.6	<0.001	0.07	0.44	1.3	0.6	0.5	36.4	<0.01	0.03	0.2
DD021906		0.47	14.8	1560	3.3	6.0	<0.001	0.21	0.39	0.4	0.7	0.5	15.1	<0.01	0.02	<0.2
DD021907		0.74	21.3	560	4.4	4.7	<0.001	0.06	0.42	1.6	0.2	0.3	13.7	<0.01	0.02	0.9
DD021908		0.74	29.6	920	4.8	6.1	0.001	0.05	0.87	3.6	0.5	0.4	25.9	<0.01	0.02	5.3
DD021909		0.86	34.8	1340	18.2	7.1	0.001	0.12	6.42	3.1	0.7	0.3	29.9	0.01	0.04	0.8
DD021910		1.03	23.8	790	10.9	5.2	0.001	0.06	2.13	2.3	0.4	0.3	17.6	0.01	0.01	1.8
DD021911		0.88	29.4	890	11.1	5.4	0.001	0.08	1.22	3.0	0.4	0.4	16.7	0.01	0.04	1.9
DD021912		0.90	31.9	380	4.6	5.0	0.001	0.03	0.58	3.2	0.3	0.3	21.0	<0.01	0.01	3.9
DD021913		0.70	28.8	800	7.1	6.0	0.001	0.07	0.52	2.7	0.5	0.4	19.4	0.01	0.02	1.2
DD021914		0.64	25.2	1000	9.6	7.0	0.001	0.08	0.47	1.9	0.3	0.4	22.8	<0.01	0.03	0.6
DD021915		1.15	38.8	940	6.6	6.0	<0.001	0.08	0.83	6.3	0.9	0.3	87.3	<0.01	0.03	2.2
DD021916		0.78	27.9	940	9.0	8.4	0.001	0.07	0.64	3.1	0.4	0.4	35.5	0.01	0.02	1.2
DD021917		0.56	34.6	260	3.0	4.0	0.001	0.03	0.57	8.9	0.4	0.3	74.4	<0.01	<0.01	2.4
DD021918		0.72	59.6	1010	5.6	9.4	0.001	0.10	0.40	2.2	0.2	0.3	24.8	<0.01	0.01	0.9
DD021919		0.68	16.1	740	6.9	4.5	0.001	0.06	4.58	2.9	0.6	0.3	14.2	<0.01	0.02	1.1
DD021920		0.51	36.3	1000	8.0	5.4	0.001	0.08	7.76	5.2	0.6	0.3	24.3	<0.01	0.03	1.5
DD021921		0.29	56.2	610	3.6	3.3	0.001	0.06	0.74	16.9	0.6	0.3	62.8	<0.01	0.03	0.8
DD021922		0.28	91.9	630	5.5	4.4	0.001	0.06	1.31	29.5	0.6	0.2	26.1	<0.01	0.01	1.1
DD021923		0.81	38.5	1430	7.9	7.3	0.001	0.09	0.55	4.4	0.5	0.3	47.1	0.01	0.03	1.0
DD021924		0.09	63.6	390	3.3	3.0	0.001	0.04	1.46	9.2	0.5	0.2	535	<0.01	0.08	1.5
DD021925		1.13	28.9	760	5.5	5.7	0.001	0.07	0.65	3.2	0.4	0.3	22.8	<0.01	0.02	1.2
DD021926		0.58	55.1	500	19.3	4.2	0.001	0.06	0.68	6.4	0.7	0.3	185.5	<0.01	0.03	2.9
DD021927		0.93	41.8	1170	10.3	7.0	0.001	0.10	1.24	4.8	0.7	0.3	43.4	<0.01	0.05	1.2
DD021928		0.64	49.1	1130	11.2	6.9	0.001	0.09	1.85	5.6	0.8	0.3	36.6	<0.01	0.15	1.5
DD021929		1.63	40.2	610	23.6	8.1	0.001	0.05	1.84	5.1	0.5	0.3	48.3	<0.01	0.04	3.6
DD021930		1.47	44.0	680	37.0	6.9	0.001	0.06	1.90	5.6	0.4	0.4	39.7	<0.01	0.07	2.4
DD021948		0.45	64.4	810	8.7	6.1	0.001	0.19	0.81	3.2	0.8	0.2	40.8	<0.01	0.04	0.5
DD021949		0.51	89.2	1040	8.5	5.8	0.001	0.16	1.75	6.1	1.0	0.3	53.8	<0.01	0.30	1.1
DD021950		0.57	68.3	690	5.3	5.9	<0.001	0.08	0.67	3.8	0.4	0.2	42.6	<0.01	0.02	1.1
DD021951		1.22	34.6	810	9.8	6.1	0.001	0.03	1.86	5.1	0.4	0.3	34.6	<0.01	0.03	3.0
DD021952		1.22	33.1	710	11.8	6.2	0.001	0.03	3.25	4.5	0.6	0.4	25.9	<0.01	0.01	3.0
DD021953		0.82	62.7	640	18.4	6.8	0.001	0.04	10.05	6.6	0.5	0.3	27.4	<0.01	0.03	2.4
DD021954		1.48	51.8	630	13.0	7.9	0.001	0.04	8.60	7.8	0.6	0.4	23.8	<0.01	0.03	2.6
DD021955		1.05	52.8	540	6.8	7.8	<0.001	0.05	0.86	3.3	0.7	0.3	26.5	<0.01	<0.01	2.9
DD021956		1.22	37.8	690	7.9	10.0	0.001	0.06	1.69	2.9	0.2	0.4	19.2	<0.01	0.02	1.2
DD021957		0.99	36.9	440	6.8	8.8	0.001	0.04	0.56	3.2	0.4	0.3	15.1	<0.01	<0.01	3.2
DD021958		0.66	28.1	530	7.7	7.2	<0.001	0.05	0.35	1.6	0.2	0.3	16.2	<0.01	0.01	0.6
DD021959		0.59	21.4	490	6.3	7.1	0.001	0.05	0.37	1.2	<0.2	0.4	17.0	<0.01	0.02	0.3
DD021960		0.47	20.9	710	7.1	7.3	0.001	0.07	0.35	0.8	<0.2	0.3	16.0	<0.01	0.01	0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14-SEP-2012
Account: MTT

Project: Bung

CERTIFICATE OF ANALYSIS WH12193427

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD021904		0.033	0.08	0.76	58	0.38	3.88	29	<0.5
DD021905		0.056	0.09	0.60	56	0.47	3.21	31	<0.5
DD021906		0.021	0.07	0.79	43	0.44	4.82	19	<0.5
DD021907		0.052	0.06	0.85	48	0.43	3.05	29	<0.5
DD021908		0.090	0.09	2.01	78	1.45	8.92	36	0.8
DD021909		0.039	0.14	3.20	49	0.73	8.30	53	0.8
DD021910		0.045	0.08	1.93	43	0.85	6.57	35	0.8
DD021911		0.047	0.11	2.05	58	1.08	6.50	44	0.7
DD021912		0.056	0.08	1.20	47	0.58	3.58	37	1.3
DD021913		0.040	0.08	0.94	47	0.71	4.41	38	0.6
DD021914		0.039	0.10	1.27	49	0.87	4.68	43	<0.5
DD021915		0.024	0.11	1.57	50	0.73	7.35	44	1.6
DD021916		0.036	0.09	1.68	49	0.63	6.30	49	0.8
DD021917		0.040	0.06	0.71	48	0.47	5.32	31	1.9
DD021918		0.046	0.08	0.68	44	0.99	2.86	62	0.7
DD021919		0.024	0.09	2.09	34	0.24	5.72	31	0.5
DD021920		0.021	0.10	2.32	45	0.36	7.70	57	0.9
DD021921		0.023	0.08	0.43	60	3.21	7.95	44	0.9
DD021922		0.014	0.06	0.43	90	0.56	9.88	82	0.8
DD021923		0.040	0.09	0.82	44	1.67	5.54	73	<0.5
DD021924		0.009	0.11	0.36	54	0.33	5.94	34	1.1
DD021925		0.047	0.10	1.06	46	1.73	4.32	36	0.7
DD021926		0.014	0.10	1.16	37	0.57	6.47	38	2.3
DD021927		0.035	0.14	1.01	47	1.18	5.25	54	0.9
DD021928		0.029	0.17	1.40	49	1.04	7.03	57	1.2
DD021929		0.040	0.14	1.92	48	2.10	7.55	60	1.5
DD021930		0.054	0.14	1.89	47	2.03	6.99	54	0.9
DD021948		0.125	0.13	0.71	103	0.28	4.22	64	<0.5
DD021949		0.101	0.20	0.84	89	0.53	11.95	65	0.5
DD021950		0.104	0.11	0.57	63	0.30	5.63	52	0.5
DD021951		0.044	0.08	1.63	40	1.04	6.82	45	0.9
DD021952		0.046	0.07	1.24	36	0.59	6.07	40	1.1
DD021953		0.039	0.10	1.31	40	0.75	5.69	51	1.0
DD021954		0.040	0.11	3.03	45	1.62	8.08	54	1.1
DD021955		0.055	0.07	1.62	39	0.56	5.80	40	1.2
DD021956		0.068	0.08	0.79	48	1.26	3.58	42	<0.5
DD021957		0.054	0.10	1.42	42	0.50	4.56	39	0.8
DD021958		0.052	0.07	0.67	45	0.28	2.90	38	<0.5
DD021959		0.044	0.07	0.63	42	0.42	3.00	32	<0.5
DD021960		0.043	0.07	0.81	46	0.32	2.45	29	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14-SEP-2012
Account: MTT

Project: Bung

CERTIFICATE OF ANALYSIS WH12193427

Sample Description	Method	WEI-21	Au-ICP21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD021961		0.24	0.006	0.06	1.33	9.3	<0.2	<10	140	0.32	0.13	0.20	0.08	24.2	8.2	37
DD021962		0.20	0.005	0.10	1.55	11.0	<0.2	<10	290	0.45	0.22	0.42	0.12	24.8	12.2	48
DD021963		0.19	0.003	0.12	1.22	5.7	<0.2	<10	140	0.30	0.15	0.24	0.11	17.10	7.0	40
DD021964		0.18	0.016	0.16	1.45	20.4	<0.2	<10	370	0.42	0.12	0.91	0.08	22.9	10.2	34
DD021965		0.11	0.011	0.04	1.19	6.3	<0.2	<10	170	0.27	0.14	0.31	0.10	17.40	8.3	39
DD021966		0.34	0.005	0.09	1.67	23.9	<0.2	<10	230	0.42	0.08	0.45	0.03	25.5	11.1	19
DD021967		0.20	0.014	0.11	1.16	5.1	<0.2	<10	180	0.32	0.13	0.23	0.12	15.05	8.6	33
DD021968		0.23	0.003	0.06	1.28	6.3	<0.2	<10	130	0.34	0.13	0.23	0.18	21.9	6.9	39
DD021969		0.15	0.004	0.08	2.72	15.6	<0.2	<10	200	0.54	0.20	0.62	0.17	25.8	19.1	56
DD021970		0.12	0.012	0.14	1.23	13.9	<0.2	<10	180	0.27	0.16	0.63	0.21	12.75	7.7	27
DD021971		0.17	0.008	0.06	1.75	29.0	<0.2	<10	120	0.38	0.17	0.25	0.18	25.6	9.4	35
DD021972		0.15	0.010	0.15	1.11	18.2	<0.2	<10	110	0.22	0.10	0.30	0.13	22.7	8.0	30
DD021973		0.12	0.012	0.05	1.51	6.6	<0.2	<10	80	0.30	0.13	0.19	0.15	17.50	6.4	32
DD021974		0.09	NSS	0.27	0.92	7.1	<0.2	<10	140	0.21	0.08	1.04	0.47	15.70	15.3	15
DD021975		0.14	0.006	0.11	1.30	7.1	<0.2	<10	110	0.35	0.12	0.19	0.16	20.1	7.1	35
DD021977		0.26	0.007	0.05	1.41	13.0	<0.2	<10	90	0.27	0.18	0.19	0.13	15.15	7.3	32
DD021978		0.25	0.007	0.05	1.42	8.8	<0.2	<10	70	0.26	0.10	0.21	0.11	15.70	11.1	33
DD021979		0.19	0.006	0.08	1.47	6.3	<0.2	<10	110	0.20	0.13	0.23	0.11	9.61	10.5	34
DD021980		0.25	0.003	0.05	1.31	6.7	<0.2	<10	70	0.26	0.10	0.18	0.07	15.90	7.0	28
DD021981		0.29	0.004	0.05	1.81	5.1	<0.2	<10	110	0.29	0.09	0.38	0.10	22.4	13.4	59
DD021982		0.26	0.003	0.04	1.37	3.9	<0.2	<10	70	0.18	0.09	0.21	0.07	11.80	12.2	54
DD021983		0.13	0.014	0.20	1.83	2.9	<0.2	<10	140	0.24	0.06	0.64	0.05	15.00	9.7	65
DD021984		0.13	0.040	0.17	1.04	4.3	<0.2	<10	100	0.15	0.08	0.35	0.11	6.48	6.5	38
DD021985		0.18	0.020	0.26	0.67	10.6	<0.2	<10	120	0.12	0.06	0.72	0.22	7.91	8.1	16
DD021986		0.14	0.021	0.16	1.70	5.9	<0.2	<10	100	0.20	0.10	0.60	0.13	12.00	12.3	50
DD021987		0.43	0.005	0.04	1.34	7.6	<0.2	<10	100	0.32	0.12	0.19	0.10	21.9	8.4	46
DD021988		0.26	0.004	0.09	1.86	38.4	<0.2	<10	100	0.28	0.13	0.50	0.13	16.70	13.8	50
DD021989		0.27	0.012	0.12	1.66	213	<0.2	<10	80	0.29	0.14	0.26	0.12	22.2	13.7	48
DD021990		0.23	0.011	0.11	1.68	34.4	<0.2	<10	110	0.26	0.12	0.23	0.22	13.10	12.0	74
DD021991		0.25	0.008	0.07	1.66	40.8	<0.2	<10	90	0.31	0.13	0.28	0.13	19.70	11.3	37
DD021992		0.30	0.020	0.19	2.14	136.5	<0.2	<10	110	0.38	0.24	0.57	0.19	19.75	29.9	44
DD021993		0.20	0.035	0.12	2.30	39.4	<0.2	<10	100	0.31	0.17	0.33	0.16	15.80	24.3	85
DD021994		0.22	0.036	0.15	2.03	6.1	<0.2	<10	90	0.22	0.12	0.26	0.13	11.85	17.7	95
DD021995		0.47	0.008	0.13	2.64	21.5	<0.2	<10	80	0.20	0.29	0.72	0.10	12.35	30.7	125
DD021996		0.20	0.004	0.26	2.46	11.5	<0.2	<10	130	0.40	0.15	0.37	0.12	20.5	17.9	78
DD021997		0.24	0.008	0.10	1.76	10.8	<0.2	<10	180	0.31	0.12	0.41	0.12	22.8	15.6	45
DD021998		0.22	0.006	0.22	2.60	14.2	<0.2	<10	70	0.17	0.14	0.37	0.27	7.66	27.3	38
DD021999		0.30	0.006	0.11	1.56	33.6	<0.2	<10	270	0.54	0.26	0.41	0.15	24.8	14.4	36
DD022000		0.26	0.007	0.11	3.59	35.1	<0.2	<10	160	0.39	0.29	0.55	0.21	20.2	27.0	106
DD021081		0.23	0.032	0.04	1.78	17.9	<0.2	<10	250	0.31	0.12	0.40	0.19	23.0	11.8	44

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14-SEP-2012
Account: MTT

Project: Bung

CERTIFICATE OF ANALYSIS WH12193427

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD021961		1.24	20.9	2.00	4.02	<0.05	0.02	0.02	0.015	0.06	10.5	9.7	0.57	265	1.65	0.02
DD021962		1.66	30.2	2.36	5.56	<0.05	0.02	0.04	0.021	0.09	11.3	10.6	0.64	587	8.24	0.02
DD021963		1.18	15.4	1.93	4.74	<0.05	<0.02	0.05	0.015	0.07	8.6	7.4	0.43	331	6.26	0.02
DD021964		2.25	56.8	1.90	4.91	<0.05	0.02	0.07	0.016	0.06	14.9	9.2	0.61	538	19.70	0.02
DD021965		1.19	16.4	1.97	4.61	<0.05	<0.02	0.05	0.014	0.07	8.2	8.2	0.44	527	9.18	0.02
DD021966		2.09	53.7	2.56	10.00	0.05	0.03	0.02	0.022	0.23	14.0	9.9	1.04	485	12.65	0.01
DD021967		0.96	13.5	1.83	4.33	<0.05	<0.02	0.04	0.013	0.05	6.9	6.7	0.33	653	3.10	0.01
DD021968		1.02	13.9	2.12	4.52	<0.05	<0.02	0.04	0.015	0.05	9.5	9.3	0.46	340	1.16	0.01
DD021969		2.49	46.9	2.68	6.84	<0.05	0.06	0.04	0.020	0.07	10.3	14.7	1.24	631	3.92	0.02
DD021970		1.60	24.3	1.69	4.10	<0.05	<0.02	0.09	0.012	0.04	6.5	6.1	0.35	472	7.64	0.02
DD021971		1.38	23.9	2.30	4.89	<0.05	0.02	0.03	0.019	0.05	12.1	9.1	0.48	402	2.41	0.02
DD021972		0.99	24.9	2.03	3.71	<0.05	0.02	0.03	0.012	0.04	11.6	7.2	0.42	245	4.86	0.02
DD021973		1.06	23.5	2.17	4.94	<0.05	<0.02	0.05	0.012	0.04	8.5	7.5	0.35	270	2.13	0.02
DD021974		0.60	52.4	1.18	2.55	<0.05	<0.02	0.21	0.010	0.06	7.2	3.2	0.28	1250	8.64	0.02
DD021975		0.99	20.7	2.08	4.42	<0.05	<0.02	0.05	0.016	0.04	9.0	9.0	0.41	259	1.35	0.02
DD021977		1.27	20.3	1.95	4.52	<0.05	<0.02	0.05	0.012	0.06	8.0	9.5	0.50	240	0.82	0.02
DD021978		1.32	39.9	2.14	4.23	0.05	0.02	0.04	0.011	0.06	8.6	10.4	0.75	255	0.82	0.02
DD021979		1.54	28.0	2.31	4.64	<0.05	<0.02	0.09	0.011	0.06	4.8	5.5	0.59	496	1.30	0.02
DD021980		0.91	20.2	1.76	3.78	<0.05	<0.02	0.04	0.013	0.04	8.5	8.4	0.47	234	0.85	0.02
DD021981		1.72	50.2	2.37	5.29	0.05	0.04	0.02	0.014	0.08	11.3	12.2	1.02	259	0.75	0.03
DD021982		0.93	34.7	2.12	5.22	<0.05	<0.02	0.03	0.013	0.04	6.0	9.4	0.75	218	0.74	0.02
DD021983		0.97	45.0	1.93	4.70	0.05	<0.02	0.08	0.014	0.07	8.3	7.1	0.78	151	0.96	0.07
DD021984		1.06	31.7	1.33	3.13	<0.05	<0.02	0.10	0.012	0.05	3.5	3.4	0.32	173	1.31	0.02
DD021985		0.73	24.2	1.00	2.08	<0.05	0.02	0.16	0.007	0.06	3.9	2.6	0.27	423	1.30	0.02
DD021986		1.32	51.1	2.10	4.71	<0.05	<0.02	0.10	0.011	0.12	6.2	6.6	0.69	518	1.15	0.04
DD021987		1.05	18.4	2.44	4.65	<0.05	<0.02	0.04	0.014	0.05	10.9	10.5	0.53	379	0.70	0.02
DD021988		1.78	25.6	2.39	4.96	<0.05	<0.02	0.06	0.015	0.07	8.0	10.4	0.82	548	2.74	0.04
DD021989		1.53	38.8	2.47	4.43	<0.05	<0.02	0.06	0.016	0.06	9.2	8.4	0.63	425	2.12	0.03
DD021990		1.40	32.5	2.56	5.18	0.05	<0.02	0.05	0.014	0.15	6.5	8.1	0.84	304	1.17	0.03
DD021991		1.56	50.1	2.27	4.68	<0.05	<0.02	0.03	0.016	0.05	8.7	8.8	0.61	344	1.50	0.02
DD021992		3.32	177.0	3.69	5.86	<0.05	<0.02	0.04	0.021	0.11	10.5	13.2	1.19	591	8.12	0.04
DD021993		3.06	80.0	2.96	6.76	0.05	<0.02	0.04	0.020	0.09	7.8	13.7	1.29	368	4.97	0.03
DD021994		2.09	38.3	2.72	6.72	<0.05	<0.02	0.05	0.016	0.06	5.7	11.3	1.21	339	2.39	0.03
DD021995		2.25	164.0	3.99	6.34	<0.05	0.04	0.01	0.020	0.28	5.8	14.2	1.94	327	13.80	0.08
DD021996		2.45	62.9	2.94	7.37	<0.05	0.02	0.04	0.025	0.08	10.1	14.4	1.28	542	3.18	0.03
DD021997		3.24	61.3	2.60	5.05	0.05	0.02	0.02	0.017	0.13	12.4	11.7	0.97	522	0.82	0.03
DD021998		4.11	99.5	3.88	8.82	0.05	0.02	0.07	0.017	0.17	3.7	18.7	1.91	285	7.04	0.05
DD021999		5.17	41.5	3.04	5.11	0.05	0.02	0.05	0.022	0.06	11.7	11.4	0.94	485	1.95	0.03
DD022000		2.34	105.0	3.64	8.05	<0.05	0.02	0.08	0.022	0.11	9.0	21.6	2.05	580	3.05	0.07
DD021081		2.32	47.3	2.20	4.97	<0.05	0.03	0.05	0.017	0.07	10.8	8.6	0.79	495	4.50	0.03

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14-SEP-2012
Account: MTT

Project: Bung

CERTIFICATE OF ANALYSIS WH12193427

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD021961		1.09	34.6	420	6.8	6.4	<0.001	0.03	0.60	2.4	0.2	0.3	17.7	<0.01	0.03	1.7
DD021962		0.93	39.8	1060	10.6	12.4	0.001	0.08	0.66	2.5	0.3	0.4	25.5	<0.01	0.04	1.0
DD021963		0.63	28.3	880	7.7	10.4	<0.001	0.08	0.54	1.1	<0.2	0.4	20.3	<0.01	0.02	0.2
DD021964		1.55	32.8	1310	7.8	9.4	0.005	0.14	1.60	2.1	0.8	0.3	37.5	<0.01	0.01	0.7
DD021965		0.71	26.1	900	8.1	9.6	0.001	0.08	0.47	1.2	0.2	0.4	18.7	<0.01	0.02	0.3
DD021966		7.05	16.7	640	4.9	17.4	<0.001	0.06	0.57	5.0	0.4	0.7	20.8	<0.01	<0.01	2.2
DD021967		0.61	21.5	810	8.0	5.8	<0.001	0.09	0.38	0.8	0.2	0.4	18.8	<0.01	0.03	0.2
DD021968		0.69	29.8	580	8.2	7.4	<0.001	0.05	0.42	1.2	0.2	0.4	17.3	<0.01	0.02	0.3
DD021969		0.96	53.3	1030	11.2	8.3	<0.001	0.06	0.64	4.6	0.5	0.4	28.1	<0.01	0.03	1.8
DD021970		0.62	19.4	1660	6.6	6.7	0.001	0.17	0.76	0.7	0.2	0.3	28.6	<0.01	0.02	0.2
DD021971		1.21	26.0	900	19.3	5.8	<0.001	0.07	0.74	1.7	<0.2	0.3	16.1	0.01	0.02	0.9
DD021972		0.65	20.3	760	5.1	4.4	<0.001	0.05	0.91	1.8	0.2	0.3	18.5	<0.01	0.02	0.9
DD021973		0.59	18.6	680	5.8	5.8	<0.001	0.07	0.45	0.8	0.3	0.4	13.5	<0.01	0.03	0.2
DD021974		0.61	15.0	1730	3.9	4.6	0.001	0.29	0.48	0.8	0.9	0.3	65.8	<0.01	0.02	<0.2
DD021975		0.62	27.2	650	6.3	6.2	<0.001	0.07	0.44	1.0	0.4	0.3	15.1	<0.01	0.02	0.2
DD021977		0.78	20.5	550	5.8	7.5	<0.001	0.05	0.46	1.7	<0.2	0.3	14.8	<0.01	0.03	0.6
DD021978		0.97	22.0	380	5.7	7.3	<0.001	0.03	0.38	2.7	0.3	0.3	15.2	<0.01	0.02	1.6
DD021979		0.46	14.6	1330	5.1	8.3	<0.001	0.14	0.34	1.5	0.2	0.3	19.6	<0.01	0.02	0.2
DD021980		0.72	21.1	490	5.0	5.4	0.001	0.04	0.37	1.6	<0.2	0.3	14.0	<0.01	0.02	0.7
DD021981		0.94	40.2	550	4.1	8.6	<0.001	0.02	0.38	5.0	0.4	0.4	23.6	<0.01	0.01	2.8
DD021982		0.70	34.9	510	3.7	5.1	<0.001	0.03	0.28	2.2	0.3	0.3	15.7	<0.01	0.03	0.6
DD021983		0.51	30.8	1170	2.6	5.8	<0.001	0.16	0.33	2.6	0.5	0.3	68.4	<0.01	0.03	0.3
DD021984		0.45	21.2	1540	2.9	4.5	<0.001	0.18	0.42	0.9	0.4	0.3	23.5	<0.01	0.01	<0.2
DD021985		0.51	15.3	1160	3.3	4.0	<0.001	0.18	0.48	1.7	0.2	0.2	49.4	<0.01	0.02	0.4
DD021986		0.64	29.2	1290	4.2	7.3	<0.001	0.16	0.35	2.3	0.6	0.3	37.0	<0.01	0.01	0.2
DD021987		0.73	29.1	660	7.6	6.6	0.001	0.06	0.47	1.9	0.3	0.3	14.3	<0.01	0.02	1.0
DD021988		0.62	35.9	740	6.5	8.1	<0.001	0.08	0.75	2.1	0.4	0.3	26.5	<0.01	0.02	0.6
DD021989		0.62	42.1	740	6.0	6.2	<0.001	0.08	2.04	2.0	0.6	0.3	15.3	<0.01	0.04	0.5
DD021990		0.58	30.0	570	4.8	8.4	<0.001	0.07	0.84	2.4	<0.2	0.3	14.5	<0.01	0.02	0.3
DD021991		0.58	27.9	620	5.7	5.9	0.001	0.06	0.62	2.0	0.3	0.3	18.8	<0.01	0.02	0.4
DD021992		0.61	40.9	720	6.2	8.6	0.001	0.04	2.01	5.9	0.6	0.4	26.5	<0.01	0.08	1.4
DD021993		0.79	73.8	600	5.7	8.6	<0.001	0.05	0.63	4.9	0.5	0.3	24.3	<0.01	0.05	1.0
DD021994		0.61	49.5	720	4.0	7.5	<0.001	0.09	0.38	2.8	0.2	0.3	20.0	<0.01	0.03	0.2
DD021995		0.30	90.7	490	3.1	6.0	0.003	0.31	0.69	10.2	0.6	0.3	102.0	<0.01	0.11	1.9
DD021996		0.75	48.3	850	6.5	9.2	<0.001	0.07	0.52	5.1	0.3	0.4	21.6	<0.01	0.02	0.9
DD021997		0.75	26.0	730	8.7	9.1	<0.001	0.03	0.53	5.0	0.4	0.3	21.1	<0.01	0.03	1.9
DD021998		0.56	32.2	660	6.1	8.8	<0.001	0.09	0.39	3.7	0.6	0.3	20.6	<0.01	0.01	0.3
DD021999		0.55	28.2	830	12.8	7.1	0.001	0.06	0.85	3.7	0.8	0.3	23.3	<0.01	0.01	1.4
DD022000		0.80	80.3	1120	7.7	8.5	0.001	0.13	0.53	4.8	1.2	0.4	27.0	<0.01	0.03	1.1
DD021081		0.88	30.8	840	4.9	5.0	<0.001	0.03	0.90	5.1	0.3	0.4	31.3	<0.01	0.03	2.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- SEP- 2012
Account: MTT

Project: Bung

CERTIFICATE OF ANALYSIS WH12193427

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD021961		0.059	0.08	0.76	44	0.73	3.31	33	0.5
DD021962		0.052	0.10	1.18	51	0.51	5.21	39	0.5
DD021963		0.040	0.08	0.72	44	0.29	2.87	31	<0.5
DD021964		0.042	0.10	2.18	42	0.52	10.70	35	0.5
DD021965		0.042	0.08	0.73	45	0.27	2.75	31	<0.5
DD021966		0.134	0.18	2.69	46	0.30	7.46	57	0.9
DD021967		0.034	0.10	0.62	43	0.22	2.44	26	<0.5
DD021968		0.047	0.07	0.63	48	0.24	3.33	36	<0.5
DD021969		0.032	0.11	1.55	53	0.58	6.94	49	1.3
DD021970		0.022	0.09	1.24	38	0.44	2.79	30	<0.5
DD021971		0.048	0.08	1.28	48	0.48	4.22	37	0.6
DD021972		0.047	0.06	0.94	48	0.53	3.73	32	<0.5
DD021973		0.048	0.08	0.71	55	0.61	3.21	33	<0.5
DD021974		0.021	0.08	1.36	25	0.58	8.15	22	<0.5
DD021975		0.044	0.06	0.67	48	0.23	3.60	32	<0.5
DD021977		0.064	0.08	0.47	47	0.29	2.82	33	<0.5
DD021978		0.089	0.07	0.42	52	0.22	3.34	38	0.5
DD021979		0.057	0.08	0.46	59	0.15	2.37	31	<0.5
DD021980		0.053	0.07	0.49	40	0.22	3.08	33	<0.5
DD021981		0.122	0.10	0.62	62	0.22	6.96	43	1.3
DD021982		0.092	0.06	0.38	60	0.17	3.01	32	<0.5
DD021983		0.064	0.08	0.70	70	0.12	7.70	26	<0.5
DD021984		0.024	0.08	0.51	34	0.16	2.39	16	<0.5
DD021985		0.027	0.05	0.44	26	0.13	3.33	17	0.5
DD021986		0.070	0.10	0.55	58	0.29	5.98	32	<0.5
DD021987		0.065	0.07	0.80	59	0.32	3.25	31	<0.5
DD021988		0.062	0.09	0.48	58	0.37	3.18	39	<0.5
DD021989		0.054	0.11	0.69	62	0.32	3.76	36	<0.5
DD021990		0.086	0.09	0.80	77	0.35	3.18	48	<0.5
DD021991		0.056	0.08	0.64	53	0.33	4.23	35	<0.5
DD021992		0.088	0.15	0.95	84	0.42	8.72	53	<0.5
DD021993		0.116	0.11	0.70	107	0.25	4.85	53	0.5
DD021994		0.103	0.10	0.46	101	0.21	3.58	44	<0.5
DD021995		0.119	0.14	0.86	107	0.56	6.73	39	1.2
DD021996		0.090	0.10	1.00	93	0.24	6.78	55	<0.5
DD021997		0.099	0.09	0.86	64	0.24	7.08	49	0.6
DD021998		0.168	0.14	0.45	140	0.18	3.51	75	<0.5
DD021999		0.054	0.11	2.22	71	0.33	7.72	54	0.9
DD022000		0.125	0.20	1.06	86	0.32	8.49	74	0.7
DD021081		0.039	0.10	1.52	43	0.62	6.13	47	0.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14-SEP-2012
Account: MTT

Project: Bung

CERTIFICATE OF ANALYSIS WH12193427

Sample Description	Method	WEI-21	Au-ICP21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD021082		0.18	0.003	0.06	3.12	14.7	<0.2	<10	470	0.33	0.10	1.35	0.07	17.30	14.1	49
DD021083		0.18	0.003	0.10	5.33	29.1	<0.2	<10	170	0.27	0.13	1.92	0.09	15.20	21.3	43
DD021084		0.19	0.058	0.26	3.52	52.9	<0.2	<10	260	0.33	0.29	1.24	0.14	20.4	21.4	62
DD021085		0.15	0.072	0.25	2.12	268	0.2	<10	280	0.24	0.34	0.68	0.11	20.7	14.6	73
DD021086		0.16	0.013	0.10	2.16	108.0	<0.2	<10	360	0.52	0.23	0.45	0.11	18.85	17.8	64
DD021087		0.24	0.034	0.10	1.02	81.2	<0.2	<10	140	0.28	0.40	0.54	0.12	21.7	9.5	40
DD021088		0.20	0.015	0.11	1.49	112.0	<0.2	<10	170	0.38	0.20	0.71	0.16	22.8	13.1	43
DD021089		0.21	0.010	0.11	1.84	106.5	<0.2	<10	130	0.34	0.28	0.48	0.13	16.40	16.4	46
DD021090		0.27	0.051	0.11	1.33	85.0	<0.2	<10	120	0.26	0.22	0.55	0.27	18.50	11.7	40
DD021091		0.13	0.023	0.32	2.43	488	<0.2	<10	140	0.49	0.50	0.74	0.16	18.50	26.3	61
DD021092		0.18	0.007	0.12	1.91	199.0	<0.2	<10	160	0.31	0.21	0.59	0.11	11.95	16.0	68
DD021093		0.17	0.015	0.17	1.62	186.0	<0.2	<10	100	0.26	0.27	1.16	0.18	13.90	16.9	52
DD021094		0.19	0.009	0.24	1.77	167.5	<0.2	<10	110	0.36	0.23	0.83	0.17	16.80	19.1	60
DD021095		0.22	0.034	0.11	1.61	191.0	<0.2	<10	120	0.33	0.21	0.49	0.12	21.5	15.8	47
DD021096		0.17	0.006	0.17	2.15	98.4	<0.2	<10	150	0.23	0.36	0.78	0.17	12.55	22.6	94
DD021097		0.33	0.017	0.15	1.94	164.5	<0.2	<10	180	0.48	0.30	0.59	0.18	22.9	20.3	54
DD021099		0.20	<0.001	0.08	0.53	1.4	<0.2	<10	40	0.14	0.05	0.13	0.03	9.04	2.5	5
DD021100		0.24	0.025	0.06	1.52	7.0	<0.2	<10	180	0.41	0.15	0.33	0.11	24.4	9.1	43
DD021101		0.24	0.015	0.08	1.87	7.9	<0.2	<10	190	0.52	0.20	0.27	0.13	28.4	9.9	43
DD021102		0.24	0.003	0.08	1.61	9.8	<0.2	<10	220	0.39	0.18	0.34	0.14	24.6	10.8	52
DD021103		0.21	0.004	0.08	1.37	8.4	<0.2	<10	230	0.42	0.16	0.39	0.15	22.3	10.3	49
DD021104		0.25	0.001	0.06	1.33	6.9	<0.2	<10	160	0.24	0.20	0.37	0.10	24.1	8.1	30
DD021537		0.25	0.013	0.06	1.07	10.7	<0.2	<10	150	0.23	0.11	0.29	0.09	21.6	7.1	36
DD021538		0.20	0.002	0.06	1.29	9.6	<0.2	<10	200	0.27	0.17	0.17	0.11	19.10	8.0	37
DD021539		0.20	0.001	0.05	1.42	5.8	<0.2	<10	120	0.39	0.18	0.18	0.11	25.3	7.7	38
DD021540		0.23	0.002	0.05	0.87	5.8	<0.2	<10	90	0.24	0.18	0.16	0.10	18.50	5.6	40
DD021541		0.19	0.009	0.10	1.21	5.3	<0.2	<10	170	0.33	0.18	0.27	0.09	17.40	4.8	37
DD021542		0.19	0.009	0.12	1.19	10.4	<0.2	<10	190	0.38	0.27	0.34	0.11	27.5	7.2	39
DD021543		0.17	0.008	0.09	1.88	19.4	<0.2	<10	120	0.41	0.20	0.30	0.15	19.75	15.1	73
DD021544		0.22	0.008	0.06	2.16	11.9	<0.2	<10	110	0.20	0.13	0.32	0.07	10.95	20.8	133
DD021545		0.18	0.010	0.19	3.60	51.4	<0.2	<10	120	0.30	0.20	1.21	0.17	8.78	37.1	165
DD021546		0.21	0.041	0.21	2.78	295	<0.2	<10	150	0.33	0.64	0.49	0.20	15.55	26.6	101
DD021547		0.19	0.009	0.13	2.06	62.9	<0.2	<10	180	0.57	0.28	0.35	0.15	22.1	15.4	73
DD021548		0.19	0.025	0.23	2.84	189.5	<0.2	<10	140	0.39	0.39	0.98	0.18	21.1	27.9	93
DD021549		0.16	0.016	0.08	3.02	62.2	<0.2	<10	110	0.26	0.15	0.77	0.10	13.10	24.6	117
DD021550		0.22	0.005	0.05	1.65	19.7	<0.2	<10	120	0.31	0.19	0.57	0.16	21.0	16.5	53
DD021551		0.24	0.005	0.08	2.30	42.7	<0.2	<10	80	0.23	0.15	0.76	0.14	14.85	25.4	77
DD021552		0.23	0.045	0.10	2.54	57.6	<0.2	<10	120	0.29	0.43	0.43	0.30	16.05	28.7	77
DD021553		0.21	0.008	0.16	2.71	24.2	<0.2	<10	160	0.41	0.32	0.29	0.61	23.6	45.6	51
DD021578		0.23	0.003	0.07	1.41	7.5	<0.2	<10	100	0.21	0.33	0.25	0.11	16.65	12.6	31

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14-SEP-2012
Account: MTT

Project: Bung

CERTIFICATE OF ANALYSIS WH12193427

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD021082		2.44	43.7	1.50	5.59	<0.05	0.08	0.04	0.009	0.07	8.4	12.1	1.40	281	1.35	0.07
DD021083		4.03	47.6	2.13	8.22	<0.05	0.06	0.03	0.011	0.08	6.5	17.0	1.96	374	1.93	0.20
DD021084		6.30	62.1	2.49	6.48	<0.05	0.08	0.07	0.017	0.06	9.5	23.2	1.75	675	2.06	0.10
DD021085		4.32	50.3	2.18	4.86	<0.05	0.04	0.06	0.024	0.05	10.1	11.7	0.90	503	2.87	0.03
DD021086		4.79	83.5	2.76	5.26	<0.05	0.04	0.05	0.022	0.09	8.0	12.3	1.04	618	3.04	0.03
DD021087		1.84	50.0	2.27	3.71	0.06	0.04	0.02	0.015	0.07	11.0	7.6	0.64	359	1.89	0.03
DD021088		1.67	62.3	2.52	4.78	<0.05	0.04	0.03	0.018	0.06	11.4	9.4	0.80	464	4.29	0.03
DD021089		1.73	59.8	2.77	5.39	<0.05	0.02	0.03	0.017	0.06	7.8	11.0	0.93	404	5.46	0.04
DD021090		1.44	50.3	2.40	4.16	<0.05	0.05	0.03	0.015	0.07	8.9	8.2	0.77	368	3.67	0.04
DD021091		5.59	117.5	4.22	7.62	0.05	0.02	0.07	0.029	0.10	9.7	14.8	1.22	897	5.67	0.04
DD021092		2.77	59.0	3.53	7.10	0.07	0.02	0.03	0.019	0.22	5.9	14.3	1.25	535	1.70	0.05
DD021093		3.37	65.0	3.04	5.80	0.05	0.02	0.07	0.019	0.08	7.3	11.5	0.87	696	3.48	0.04
DD021094		2.73	70.7	3.28	6.62	<0.05	0.02	0.06	0.017	0.13	7.4	13.8	0.93	655	3.01	0.03
DD021095		2.97	55.2	3.00	5.15	0.05	0.02	0.02	0.021	0.08	10.6	10.4	0.90	551	5.13	0.03
DD021096		4.24	85.1	4.58	8.48	0.08	0.04	0.02	0.022	0.32	6.2	16.3	1.52	655	1.39	0.04
DD021097		3.76	68.6	3.63	6.66	0.06	0.02	0.05	0.026	0.15	11.0	13.2	0.99	909	3.70	0.03
DD021099		0.31	15.2	0.65	2.05	<0.05	<0.02	0.02	0.005	0.02	4.4	1.3	0.13	73	0.22	0.03
DD021100		1.41	23.7	2.47	5.39	<0.05	<0.02	0.02	0.015	0.06	10.9	9.6	0.67	412	0.71	0.03
DD021101		1.75	28.0	2.49	6.94	<0.05	<0.02	0.03	0.026	0.06	14.4	12.8	0.71	454	0.77	0.02
DD021102		1.86	25.3	2.86	6.08	<0.05	<0.02	0.02	0.022	0.07	11.2	12.2	0.86	461	0.78	0.02
DD021103		2.07	21.9	2.41	6.01	<0.05	<0.02	0.02	0.020	0.06	11.0	11.2	0.70	545	0.79	0.02
DD021104		2.54	22.8	2.01	5.24	<0.05	<0.02	0.02	0.015	0.06	11.3	11.7	0.67	390	0.61	0.02
DD021537		1.08	24.7	1.87	4.08	<0.05	0.02	0.02	0.013	0.05	10.7	8.4	0.56	274	0.73	0.02
DD021538		1.49	15.8	2.14	5.67	<0.05	<0.02	0.04	0.014	0.06	8.3	9.1	0.49	394	1.01	0.02
DD021539		1.44	13.6	2.26	6.04	<0.05	<0.02	0.04	0.021	0.07	12.2	13.1	0.55	399	0.66	0.02
DD021540		1.07	9.8	1.91	5.45	<0.05	<0.02	0.04	0.013	0.06	9.1	7.3	0.37	265	0.79	0.01
DD021541		1.29	17.5	1.93	4.83	<0.05	<0.02	0.04	0.014	0.05	8.6	5.8	0.33	316	0.74	0.02
DD021542		2.14	36.3	2.09	4.81	<0.05	<0.02	0.05	0.016	0.06	13.3	8.7	0.50	402	1.02	0.02
DD021543		1.98	38.9	2.89	6.64	<0.05	<0.02	0.04	0.019	0.07	8.4	15.7	1.00	408	1.31	0.02
DD021544		2.09	59.9	3.38	7.06	0.05	<0.02	0.02	0.015	0.23	4.9	15.9	1.65	281	1.40	0.03
DD021545		4.17	98.0	4.75	10.90	0.06	<0.02	0.03	0.030	0.25	4.2	22.0	3.03	540	3.87	0.11
DD021546		3.25	90.7	4.15	8.77	0.06	<0.02	0.02	0.027	0.17	6.4	19.4	2.13	558	1.51	0.04
DD021547		2.14	45.9	2.88	6.24	<0.05	<0.02	0.04	0.020	0.07	11.4	14.3	0.88	656	1.83	0.02
DD021548		4.21	121.5	4.09	8.48	0.05	<0.02	0.04	0.022	0.12	10.1	20.6	2.05	583	4.96	0.06
DD021549		3.03	68.6	3.45	7.74	0.05	0.02	0.04	0.016	0.17	6.6	18.3	2.21	527	2.08	0.09
DD021550		1.66	41.7	2.86	5.29	0.05	0.03	0.03	0.014	0.06	9.8	12.3	1.04	450	1.32	0.04
DD021551		2.42	82.4	2.88	5.32	<0.05	0.05	0.02	0.017	0.07	8.2	13.6	1.34	504	3.76	0.04
DD021552		3.65	114.0	3.40	6.87	<0.05	0.04	0.02	0.020	0.07	6.7	17.3	1.74	495	3.96	0.06
DD021553		2.82	187.0	4.14	7.63	0.05	0.03	0.04	0.023	0.09	10.7	13.0	1.30	703	1.96	0.02
DD021578		1.35	41.7	2.30	4.63	<0.05	0.02	0.08	0.011	0.04	7.9	8.6	0.55	315	0.87	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14-SEP-2012
Account: MTT

Project: Bung

CERTIFICATE OF ANALYSIS WH12193427

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD021082		0.31	64.3	310	4.3	3.6	<0.001	0.03	0.47	3.1	0.7	0.2	122.5	<0.01	0.01	2.1
DD021083		0.50	95.8	480	4.2	7.1	0.001	0.04	0.67	3.6	0.7	0.2	61.9	<0.01	0.02	1.7
DD021084		0.63	95.9	720	8.5	6.2	<0.001	0.06	2.34	6.0	0.6	0.3	41.6	<0.01	0.04	2.1
DD021085		0.77	42.7	620	9.6	4.7	<0.001	0.05	2.97	5.2	0.7	0.3	33.3	<0.01	0.03	2.1
DD021086		0.58	52.1	490	11.8	8.5	0.001	0.04	2.49	7.3	0.4	0.3	30.4	<0.01	0.05	2.3
DD021087		0.80	33.1	680	5.6	5.6	<0.001	0.02	3.18	4.6	0.4	0.3	26.4	<0.01	0.06	3.0
DD021088		0.92	38.9	730	7.0	5.7	<0.001	0.05	4.32	5.6	0.4	0.3	40.9	<0.01	0.06	1.8
DD021089		0.85	43.6	500	6.5	5.4	<0.001	0.04	2.11	4.1	0.6	0.3	33.2	<0.01	0.05	1.7
DD021090		0.76	34.4	490	5.6	5.1	0.001	0.03	2.00	4.2	0.5	0.3	41.6	<0.01	0.07	2.6
DD021091		0.64	49.6	1130	11.7	9.6	<0.001	0.10	4.71	7.5	1.7	0.3	39.0	<0.01	0.18	0.8
DD021092		0.67	35.6	390	5.0	11.9	<0.001	0.04	1.57	6.0	0.9	0.3	33.4	<0.01	0.08	1.2
DD021093		0.56	31.8	980	6.0	9.8	<0.001	0.12	2.47	3.4	1.1	0.2	49.5	<0.01	0.06	0.5
DD021094		0.57	33.0	1040	7.1	12.3	<0.001	0.11	1.36	3.7	0.9	0.3	35.7	<0.01	0.06	0.5
DD021095		0.96	34.8	650	11.2	7.0	<0.001	0.04	2.41	5.4	1.1	0.3	25.0	<0.01	0.04	3.0
DD021096		0.62	44.5	480	4.2	26.6	<0.001	0.04	2.30	8.0	0.7	0.3	35.3	<0.01	0.14	1.3
DD021097		1.33	36.8	1020	12.5	12.8	<0.001	0.05	3.78	7.1	1.6	0.4	30.8	<0.01	0.04	1.6
DD021099		0.17	3.9	620	1.5	1.7	<0.001	0.04	0.15	0.3	0.3	0.2	10.0	<0.01	<0.01	<0.2
DD021100		0.89	31.8	790	6.8	7.2	<0.001	0.05	0.60	2.2	0.5	0.4	19.2	<0.01	0.04	0.7
DD021101		0.82	31.4	770	9.9	8.2	<0.001	0.05	1.30	2.0	0.3	0.5	18.4	<0.01	0.02	0.5
DD021102		1.06	45.1	530	9.0	9.3	<0.001	0.04	2.69	3.2	0.2	0.5	19.8	<0.01	0.04	1.9
DD021103		0.81	35.9	880	8.6	8.9	<0.001	0.06	1.79	2.1	0.2	0.4	24.3	<0.01	0.05	0.7
DD021104		0.98	26.1	740	7.4	6.7	<0.001	0.03	0.75	2.2	0.4	0.3	20.2	<0.01	0.03	1.2
DD021537		1.05	22.9	620	4.4	5.6	<0.001	0.03	0.56	2.4	0.7	0.3	20.6	<0.01	0.01	2.0
DD021538		0.86	21.2	640	6.8	8.6	<0.001	0.05	0.44	1.6	0.5	0.4	24.5	<0.01	0.02	0.5
DD021539		1.10	27.1	500	8.8	11.0	<0.001	0.05	0.39	2.1	<0.2	0.5	13.6	<0.01	0.01	1.0
DD021540		0.77	21.8	540	7.5	14.7	<0.001	0.05	0.37	1.1	0.5	0.5	12.0	<0.01	0.02	0.4
DD021541		0.61	16.5	890	6.5	9.8	<0.001	0.10	0.40	0.5	0.4	0.4	19.6	<0.01	0.03	<0.2
DD021542		0.55	25.3	970	7.4	7.1	<0.001	0.09	0.81	1.1	<0.2	0.4	32.8	<0.01	0.05	0.3
DD021543		0.84	44.1	630	9.9	9.1	<0.001	0.06	0.55	3.0	0.4	0.4	18.4	<0.01	0.02	0.7
DD021544		0.76	60.5	400	4.5	11.3	<0.001	0.04	0.33	4.4	0.6	0.3	13.8	<0.01	0.04	1.1
DD021545		0.38	83.9	670	7.9	12.2	0.001	0.09	1.09	13.0	1.0	0.4	41.4	<0.01	0.04	0.6
DD021546		0.55	46.5	550	8.7	12.1	<0.001	0.06	0.69	8.5	1.0	0.4	22.6	<0.01	0.01	1.1
DD021547		0.72	52.1	1210	10.3	9.2	<0.001	0.10	0.78	2.5	0.4	0.4	24.0	<0.01	0.03	0.4
DD021548		0.64	68.7	800	6.2	11.4	<0.001	0.07	1.16	7.8	0.9	0.3	50.3	<0.01	0.03	1.1
DD021549		0.45	69.6	460	3.3	9.0	<0.001	0.03	2.83	9.3	0.4	0.2	43.8	<0.01	0.03	1.2
DD021550		0.72	46.0	570	6.2	6.1	<0.001	0.02	1.79	5.0	0.3	0.3	29.0	<0.01	0.03	2.1
DD021551		0.46	74.2	410	3.4	4.9	<0.001	0.03	1.85	7.5	0.5	0.2	153.0	<0.01	0.02	1.8
DD021552		0.52	67.2	400	3.7	4.7	<0.001	0.08	1.99	6.1	0.2	0.3	31.0	<0.01	0.27	1.7
DD021553		0.85	53.5	1070	7.0	7.3	<0.001	0.11	1.15	6.6	1.0	0.4	37.9	<0.01	0.03	1.9
DD021578		0.69	25.6	670	4.6	3.9	<0.001	0.03	0.63	2.5	0.2	0.3	18.0	<0.01	0.07	1.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14-SEP-2012
Account: MTT

Project: Bung

CERTIFICATE OF ANALYSIS WH12193427

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD021082		0.006	0.06	0.83	21	0.23	4.79	26	2.5
DD021083		0.031	0.14	0.64	32	1.14	3.92	39	2.3
DD021084		0.021	0.12	1.06	34	8.41	7.74	43	2.4
DD021085		0.031	0.11	1.20	40	1.12	6.85	36	1.4
DD021086		0.022	0.17	1.05	53	0.58	6.79	45	1.4
DD021087		0.050	0.09	1.35	47	0.33	6.75	40	1.7
DD021088		0.040	0.12	1.13	51	0.99	8.44	43	1.3
DD021089		0.059	0.10	1.08	58	0.60	4.02	39	0.8
DD021090		0.057	0.11	0.85	52	1.81	6.13	40	1.6
DD021091		0.077	0.25	1.06	94	0.59	11.05	66	0.6
DD021092		0.164	0.14	0.46	113	0.28	5.81	52	1.0
DD021093		0.066	0.17	0.90	78	0.35	6.32	50	0.7
DD021094		0.090	0.16	0.81	92	0.24	6.81	49	0.5
DD021095		0.056	0.15	1.87	65	1.00	7.57	48	0.6
DD021096		0.211	0.33	0.49	163	0.31	9.87	63	1.8
DD021097		0.075	0.20	2.96	76	0.66	11.40	74	0.8
DD021099		0.032	0.04	0.34	16	0.05	2.16	10	<0.5
DD021100		0.080	0.10	1.12	59	0.28	5.20	43	<0.5
DD021101		0.058	0.14	1.26	57	0.43	5.73	46	<0.5
DD021102		0.083	0.13	1.14	64	0.29	5.50	48	0.5
DD021103		0.062	0.08	0.89	55	0.29	5.23	46	<0.5
DD021104		0.069	0.08	0.85	46	0.46	4.40	40	<0.5
DD021537		0.062	0.07	0.82	45	0.21	4.31	28	0.6
DD021538		0.061	0.07	0.68	53	0.33	2.73	33	<0.5
DD021539		0.068	0.11	0.76	52	0.26	3.44	37	<0.5
DD021540		0.066	0.07	0.64	51	0.23	2.17	26	<0.5
DD021541		0.040	0.07	1.23	50	0.19	3.38	31	<0.5
DD021542		0.032	0.07	1.18	46	0.24	4.05	31	<0.5
DD021543		0.104	0.10	0.81	80	0.23	3.76	42	0.5
DD021544		0.213	0.13	0.64	138	0.20	3.23	42	0.5
DD021545		0.157	0.17	0.75	184	0.10	9.42	78	<0.5
DD021546		0.166	0.14	0.76	122	0.18	7.20	66	0.5
DD021547		0.054	0.11	1.27	71	0.29	6.71	44	<0.5
DD021548		0.128	0.17	1.34	125	0.33	11.30	58	0.5
DD021549		0.151	0.12	0.53	108	0.35	7.24	52	0.5
DD021550		0.084	0.08	0.93	75	0.40	6.69	44	0.8
DD021551		0.066	0.09	0.65	75	4.61	9.36	43	1.0
DD021552		0.078	0.10	0.64	83	1.12	5.75	140	1.1
DD021553		0.097	0.13	1.01	89	0.44	13.95	148	0.7
DD021578		0.063	0.04	0.61	58	0.88	4.00	28	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14-SEP-2012
Account: MTT

Project: Bung

CERTIFICATE OF ANALYSIS WH12193427

Sample Description	Method	WEI-21	Au-ICP21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD021579		0.24	0.001	0.02	0.88	5.5	<0.2	<10	50	0.12	0.21	0.12	0.20	11.90	5.6	25
DD021580		0.24	0.004	0.05	1.15	6.4	<0.2	<10	110	0.23	0.18	0.26	0.12	14.90	8.3	27
DD021581		0.28	0.003	0.40	1.19	7.0	<0.2	<10	110	0.17	0.24	0.37	0.16	21.1	13.3	36
DD021582		0.23	0.006	0.05	1.30	5.8	<0.2	<10	110	0.23	0.24	0.30	0.13	23.4	11.3	33
DD021583		0.13	0.001	0.42	4.67	12.4	<0.2	<10	470	0.76	0.34	0.78	0.27	34.5	22.2	65
DD021584		0.19	<0.001	0.04	1.16	6.3	<0.2	<10	80	0.21	0.16	0.13	0.12	14.50	4.9	26
DD021585		0.21	0.008	0.13	1.94	5.6	<0.2	<10	120	0.26	0.14	0.26	0.14	19.25	9.6	34
DD021586		0.13	0.003	0.05	1.31	5.7	<0.2	<10	90	0.20	0.13	0.20	0.26	16.90	7.9	28
DD021587		0.17	NSS	0.57	4.23	12.3	<0.2	<10	470	0.74	0.33	0.92	0.65	37.1	22.5	65
DD021588		0.24	0.002	0.07	1.40	4.3	<0.2	<10	120	0.20	0.10	0.33	0.14	16.65	9.1	31
DD021589		0.19	0.003	0.04	1.71	4.7	<0.2	<10	130	0.22	0.11	0.35	0.09	18.75	8.7	34

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14-SEP-2012
Account: MTT

Project: Bung

CERTIFICATE OF ANALYSIS WH12193427

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD021579		1.01	17.2	2.06	5.29	<0.05	<0.02	0.05	0.010	0.03	6.2	6.7	0.24	171	0.82	0.01
DD021580		1.14	24.7	1.76	4.50	<0.05	<0.02	0.02	0.011	0.04	7.6	7.1	0.47	327	0.64	0.01
DD021581		1.12	41.0	2.27	4.76	0.05	<0.02	0.04	0.013	0.05	11.2	8.8	0.63	391	1.15	0.01
DD021582		1.11	33.5	2.15	4.18	<0.05	<0.02	0.03	0.011	0.04	11.9	8.6	0.58	241	0.67	0.01
DD021583		2.96	144.0	4.33	12.30	0.06	0.05	0.09	0.034	0.10	20.6	17.0	1.16	866	1.46	0.02
DD021584		1.19	15.6	1.98	5.75	<0.05	<0.02	0.05	0.013	0.03	7.8	7.8	0.31	167	0.90	0.01
DD021585		1.24	41.7	2.26	5.78	<0.05	0.03	0.07	0.014	0.03	11.0	8.6	0.56	208	0.94	0.02
DD021586		0.91	20.9	1.92	4.64	<0.05	<0.02	0.04	0.010	0.04	9.4	7.0	0.38	205	0.83	0.01
DD021587		2.47	169.0	3.71	10.70	0.06	0.04	0.09	0.034	0.12	18.5	17.8	1.04	1650	1.75	0.02
DD021588		1.00	36.3	1.92	4.44	<0.05	0.02	0.03	0.013	0.04	9.1	7.3	0.49	283	0.62	0.01
DD021589		0.96	34.5	1.93	4.21	<0.05	0.02	0.03	0.009	0.04	10.3	7.3	0.51	275	0.76	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- SEP- 2012
Account: MTT

Project: Bung

CERTIFICATE OF ANALYSIS WH12193427

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD021579		0.79	12.0	330	4.7	3.6	<0.001	0.02	0.46	1.8	0.2	0.4	9.9	<0.01	0.05	0.7
DD021580		0.58	18.5	580	4.8	5.9	<0.001	0.02	0.42	1.7	<0.2	0.3	18.0	<0.01	0.04	0.4
DD021581		0.82	32.0	710	6.5	4.2	<0.001	0.03	0.64	3.0	<0.2	0.3	24.6	<0.01	0.04	1.6
DD021582		0.95	26.2	740	4.5	3.4	<0.001	0.02	0.54	2.6	<0.2	0.3	16.9	<0.01	0.04	2.0
DD021583		1.68	47.2	1030	12.3	14.0	<0.001	0.10	0.76	13.0	1.0	0.6	73.6	<0.01	0.09	3.4
DD021584		0.98	12.7	380	6.2	5.7	<0.001	0.03	0.46	1.7	0.2	0.5	13.3	<0.01	0.02	0.4
DD021585		1.00	23.6	730	5.0	4.2	<0.001	0.05	0.43	3.3	0.3	0.3	24.8	<0.01	0.03	1.3
DD021586		0.72	18.0	640	4.8	4.2	<0.001	0.04	0.48	1.8	0.3	0.3	18.0	<0.01	0.02	0.6
DD021587		1.34	51.0	1030	10.7	11.9	<0.001	0.09	0.93	10.0	0.7	0.6	72.2	<0.01	0.11	2.3
DD021588		0.70	19.5	570	4.6	4.8	<0.001	0.02	0.36	3.1	<0.2	0.3	28.2	<0.01	0.03	1.5
DD021589		0.78	22.2	610	4.5	4.6	<0.001	0.02	0.33	2.8	0.3	0.3	24.6	<0.01	0.03	1.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- SEP- 2012
Account: MTT

Project: Bung

CERTIFICATE OF ANALYSIS WH12193427

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD021579		0.066	0.06	0.38	59	0.48	1.92	29	<0.5
DD021580		0.058	0.06	0.64	43	0.35	4.22	29	<0.5
DD021581		0.070	0.05	0.71	56	0.45	5.21	42	<0.5
DD021582		0.066	0.04	0.74	54	0.33	4.79	29	<0.5
DD021583		0.092	0.14	3.05	104	2.00	17.75	76	1.4
DD021584		0.066	0.07	0.46	52	0.47	2.48	24	<0.5
DD021585		0.054	0.06	0.76	55	0.71	4.42	27	0.6
DD021586		0.051	0.05	0.52	49	0.49	3.37	26	<0.5
DD021587		0.064	0.18	2.76	87	1.67	17.40	84	1.0
DD021588		0.054	0.05	0.57	49	0.69	3.58	37	<0.5
DD021589		0.051	0.05	0.79	48	0.76	4.59	29	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14-SEP-2012
Account: MTT

Project: Bung

CERTIFICATE OF ANALYSIS WH12193427

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non-sufficient sample.
ME-MS41	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15-SEP-2012
Account: MTT

CERTIFICATE WH12193428

Project: Byng

P.O. No.:

This report is for 139 Soil samples submitted to our lab in Whitehorse, YT, Canada on 24-AUG-2012.

The following have access to data associated with this certificate:

SARAH EATON	JOAN MARIACHER	HEATHER SMITH

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15-SEP-2012
Account: MTT

Project: Byng

CERTIFICATE OF ANALYSIS WH12193428

Sample Description	Method	WEI-21	Au-ICP21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD021651		0.27	0.019	0.15	2.45	188.5	<0.2	<10	250	0.35	0.17	0.52	0.16	19.70	26.9	62
DD021652		0.22	0.034	0.16	2.68	180.0	<0.2	<10	210	0.37	0.37	0.77	0.16	19.95	27.7	62
DD021653		0.30	0.022	0.17	2.41	147.5	<0.2	<10	190	0.40	0.31	0.61	0.22	24.2	28.9	56
DD021654		0.22	0.039	0.13	1.75	200	<0.2	<10	170	0.26	0.42	0.50	0.19	22.4	24.7	48
DD021655		0.26	0.033	0.28	2.30	257	<0.2	<10	570	0.40	0.57	0.67	0.21	28.3	25.8	67
DD021656		0.25	0.018	0.14	1.94	161.0	<0.2	<10	110	0.63	0.36	0.55	0.12	27.4	19.6	37
DD021657		0.22	0.105	0.49	2.52	243	<0.2	<10	150	0.35	0.40	0.55	0.15	20.7	26.8	61
DD021658		0.19	0.021	0.32	2.45	389	<0.2	<10	150	0.43	0.26	0.58	0.26	14.80	38.8	39
DD021659		0.32	0.006	0.13	2.63	89.8	<0.2	<10	110	0.28	0.28	0.42	0.23	16.75	28.5	47
DD021660		0.18	0.011	0.34	2.57	125.5	<0.2	<10	120	0.38	0.46	0.43	0.25	23.4	25.9	40
DD021661		0.27	0.005	0.12	2.39	70.2	<0.2	<10	90	0.26	0.62	0.55	0.13	19.15	30.3	50
DD021662		0.15	0.004	0.05	1.52	42.8	<0.2	<10	90	0.26	0.16	0.23	0.11	13.40	14.9	35
DD021663		0.29	0.004	0.20	3.34	83.5	<0.2	<10	110	0.36	0.36	0.84	0.06	17.00	33.9	68
DD021664		0.19	0.002	0.15	2.47	48.9	<0.2	<10	100	0.33	0.20	0.27	0.19	19.60	28.7	40
DD021665		0.17	0.019	0.12	2.21	16.0	<0.2	<10	150	0.31	0.21	0.32	0.20	16.60	29.8	41
DD021666		0.16	0.003	0.08	2.55	37.9	<0.2	<10	110	0.43	0.26	0.19	0.19	20.6	30.3	38
DD021667		0.27	0.022	0.11	1.04	93.9	<0.2	<10	120	0.67	0.14	0.15	0.06	37.6	9.3	9
DD021668		0.24	0.006	0.04	2.18	27.6	<0.2	<10	110	0.40	0.20	0.21	0.13	19.90	20.1	37
DD021669		0.17	0.016	0.06	1.64	19.3	<0.2	<10	60	0.24	0.16	0.16	0.13	16.25	10.9	34
DD021105		0.24	0.004	0.07	1.56	7.4	<0.2	<10	170	0.41	0.17	0.27	0.14	25.3	10.6	49
DD021106		0.21	0.008	0.16	2.32	15.7	<0.2	<10	340	0.58	0.32	0.57	0.18	33.7	15.0	61
DD021107		0.29	0.005	0.08	1.43	8.3	<0.2	<10	160	0.36	0.17	0.37	0.10	27.2	9.1	40
DD021108		0.21	0.013	0.06	1.54	5.9	<0.2	<10	200	0.30	0.23	0.44	0.11	25.6	9.8	37
DD021109		0.23	0.005	0.09	1.63	7.6	<0.2	<10	120	0.43	0.14	0.31	0.19	26.2	10.2	51
DD021110		0.22	0.006	0.10	1.21	16.4	<0.2	<10	150	0.30	0.18	0.33	0.07	18.20	8.0	38
DD021111		0.23	0.004	0.08	1.12	6.2	<0.2	<10	140	0.30	0.18	0.19	0.14	18.30	7.2	38
DD021112		0.24	0.005	0.08	1.90	16.6	<0.2	<10	150	0.48	0.26	0.25	0.10	22.7	12.6	53
DD021113		0.29	0.007	0.07	1.20	8.9	<0.2	<10	150	0.35	0.16	0.29	0.08	21.2	9.0	41
DD021114		0.30	0.004	0.09	1.74	7.0	<0.2	<10	230	0.40	0.20	0.33	0.11	24.2	10.0	39
DD021115		0.26	0.005	0.12	1.29	7.3	<0.2	<10	190	0.41	0.14	0.48	0.10	23.4	7.5	41
DD021116		0.24	0.012	0.22	2.38	12.2	<0.2	<10	350	0.66	0.24	0.46	0.19	31.1	13.6	53
DD021117		0.22	0.002	0.09	1.00	3.1	<0.2	<10	130	0.28	0.11	0.31	0.10	15.40	4.8	22
DD021118		0.23	0.004	0.05	1.30	6.0	<0.2	<10	160	0.40	0.14	0.26	0.13	23.6	7.5	39
DD021119		0.29	0.082	0.15	1.03	9.2	<0.2	<10	170	0.33	0.41	0.47	0.19	30.5	11.2	47
DD021120		0.28	0.004	0.13	1.33	5.4	<0.2	<10	250	0.38	0.14	0.37	0.10	26.1	6.4	32
DD021121		0.25	0.040	0.05	1.14	7.4	<0.2	<10	120	0.29	0.13	0.36	0.15	25.1	9.5	44
DD021122		0.24	0.006	0.04	1.22	7.1	<0.2	<10	170	0.27	0.13	0.32	0.09	19.75	7.3	37
DD021123		0.20	0.004	0.07	1.55	7.2	<0.2	<10	170	0.28	0.14	0.36	0.12	17.80	9.3	53
DD021124		0.27	0.007	0.08	1.32	6.6	<0.2	<10	110	0.36	0.14	0.28	0.15	24.8	8.1	41
DD021125		0.25	0.003	0.12	1.42	6.8	<0.2	<10	150	0.38	0.14	0.31	0.16	26.9	9.5	46

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- SEP- 2012
Account: MTT

Project: Byng

CERTIFICATE OF ANALYSIS WH12193428

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD021651		3.63	69.4	3.08	6.49	<0.05	0.06	0.04	0.022	0.08	11.0	13.8	1.42	761	2.18	0.03
DD021652		5.07	74.1	3.26	6.96	<0.05	0.05	0.06	0.021	0.10	10.0	17.1	1.49	832	3.04	0.05
DD021653		4.50	96.1	3.57	6.98	0.06	0.05	0.04	0.024	0.12	12.7	14.1	1.21	885	3.71	0.05
DD021654		3.39	66.3	3.07	4.71	0.05	0.05	0.06	0.018	0.07	12.1	12.8	0.93	706	3.72	0.04
DD021655		5.43	67.0	3.32	5.24	<0.05	0.08	0.05	0.019	0.09	15.4	17.3	1.24	984	2.63	0.05
DD021656		5.01	39.6	2.64	4.61	<0.05	0.16	0.03	0.019	0.15	13.2	13.4	0.74	919	1.87	0.02
DD021657		4.35	77.4	2.97	5.81	<0.05	0.06	0.05	0.019	0.06	10.1	13.6	1.13	633	3.67	0.04
DD021658		3.99	78.0	3.49	6.07	<0.05	0.03	0.13	0.026	0.06	6.4	12.0	0.91	1360	6.02	0.06
DD021659		3.80	76.7	3.02	6.20	0.05	0.03	0.07	0.023	0.09	8.0	13.0	1.13	894	5.23	0.05
DD021660		4.05	87.5	3.72	7.49	0.05	0.02	0.08	0.030	0.12	11.7	15.4	1.15	585	8.00	0.04
DD021661		2.71	82.9	3.53	6.22	0.06	0.03	0.04	0.019	0.15	10.0	11.9	1.13	535	4.02	0.05
DD021662		1.33	31.3	2.80	4.97	<0.05	<0.02	0.06	0.024	0.04	7.1	7.1	0.42	278	2.29	0.01
DD021663		3.85	88.6	5.69	9.28	0.07	0.09	0.03	0.028	0.18	6.6	15.1	2.05	794	4.06	0.09
DD021664		2.86	65.2	4.10	8.04	<0.05	0.02	0.05	0.019	0.14	9.4	12.1	1.14	451	5.65	0.03
DD021665		1.81	90.7	3.55	6.99	0.06	0.18	0.06	0.019	0.18	8.7	10.9	0.88	588	15.10	0.04
DD021666		1.83	138.5	4.02	8.23	0.05	<0.02	0.06	0.029	0.07	9.1	13.6	0.83	618	13.75	0.02
DD021667		3.29	34.8	1.41	2.75	<0.05	0.02	0.03	0.007	0.07	18.5	3.6	0.31	1290	4.25	<0.01
DD021668		1.76	66.5	2.91	6.07	<0.05	<0.02	0.04	0.019	0.05	9.3	11.9	0.64	514	13.25	0.02
DD021669		1.03	56.5	2.42	5.37	<0.05	<0.02	0.05	0.015	0.05	8.3	10.2	0.50	269	5.48	0.02
DD021105		1.35	24.5	2.57	5.04	<0.05	<0.02	0.02	0.020	0.07	12.5	10.8	0.65	495	0.82	0.02
DD021106		2.83	40.7	3.16	7.18	<0.05	<0.02	0.04	0.029	0.10	18.5	17.8	1.07	661	1.93	0.03
DD021107		1.89	23.6	2.21	4.89	0.06	0.02	0.02	0.015	0.06	15.6	11.9	0.76	294	0.63	0.02
DD021108		1.87	30.9	2.35	5.70	0.06	<0.02	0.02	0.011	0.10	13.9	13.5	0.74	306	0.74	0.02
DD021109		0.99	19.8	2.43	4.07	0.05	0.02	0.04	0.017	0.05	12.0	10.2	0.63	375	0.67	0.02
DD021110		2.23	21.2	2.21	4.38	<0.05	<0.02	0.02	0.016	0.06	10.9	9.4	0.58	374	0.74	0.02
DD021111		1.45	13.9	2.05	4.48	<0.05	<0.02	0.04	0.016	0.05	9.6	7.5	0.37	476	0.83	0.02
DD021112		2.67	25.8	2.87	6.36	<0.05	<0.02	0.04	0.022	0.07	13.4	14.0	0.81	559	1.07	0.02
DD021113		1.54	23.6	2.19	4.14	<0.05	<0.02	0.02	0.014	0.05	12.3	9.1	0.64	436	0.76	0.02
DD021114		2.33	24.7	2.42	5.98	<0.05	<0.02	0.04	0.017	0.05	11.9	12.9	0.64	491	0.81	0.02
DD021115		1.74	36.0	2.02	3.87	<0.05	0.03	0.05	0.016	0.06	15.0	9.6	0.66	286	0.55	0.02
DD021116		2.37	45.2	2.93	6.14	0.05	<0.02	0.05	0.024	0.07	17.8	13.9	0.82	656	0.99	0.03
DD021117		0.75	21.4	1.60	3.36	<0.05	<0.02	0.02	0.008	0.03	9.1	4.1	0.33	194	0.44	0.03
DD021118		1.10	21.4	2.14	4.26	<0.05	<0.02	0.02	0.015	0.04	13.3	9.1	0.61	331	0.55	0.02
DD021119		1.10	34.9	2.44	3.79	0.08	0.05	0.03	0.013	0.07	17.6	9.3	0.86	465	0.99	0.03
DD021120		1.30	24.6	1.72	4.10	<0.05	<0.02	0.03	0.015	0.04	17.3	8.2	0.53	252	0.55	0.02
DD021121		0.85	27.4	2.21	3.80	0.06	0.02	0.02	0.012	0.06	12.9	8.0	0.68	362	0.73	0.02
DD021122		1.48	19.2	1.96	4.00	<0.05	<0.02	0.01	0.013	0.07	11.4	10.4	0.63	306	0.55	0.02
DD021123		1.30	22.4	2.29	5.15	<0.05	<0.02	0.02	0.014	0.07	10.1	10.7	0.79	336	0.85	0.03
DD021124		1.08	24.6	2.06	3.89	<0.05	<0.02	0.01	0.013	0.05	13.5	8.1	0.56	358	0.78	0.02
DD021125		0.93	28.5	2.34	4.12	0.05	<0.02	0.02	0.015	0.07	14.4	9.0	0.67	462	0.73	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15-SEP-2012
Account: MTT

Project: Byng

CERTIFICATE OF ANALYSIS WH12193428

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD021651		1.13	65.0	420	17.1	6.5	<0.001	0.03	2.56	10.5	0.2	0.2	29.1	<0.01	0.07	2.4
DD021652		1.36	66.9	890	14.7	10.7	<0.001	0.07	2.29	7.6	0.7	0.3	38.2	<0.01	0.15	1.9
DD021653		1.04	52.4	830	13.1	11.5	<0.001	0.04	2.56	8.3	0.5	0.3	45.1	<0.01	0.10	2.7
DD021654		0.89	46.7	640	10.8	5.8	<0.001	0.02	4.30	8.0	0.5	0.3	27.9	<0.01	0.07	3.4
DD021655		0.70	55.5	720	20.9	7.2	<0.001	0.04	5.97	8.9	0.5	0.2	36.8	<0.01	0.12	4.8
DD021656		0.83	32.3	460	30.0	9.5	<0.001	0.03	1.81	8.4	0.8	0.3	35.1	<0.01	0.09	5.7
DD021657		0.86	70.4	540	11.0	5.5	<0.001	0.03	2.74	7.4	0.5	0.2	43.6	<0.01	0.11	2.8
DD021658		0.76	53.3	1490	9.7	6.4	<0.001	0.12	6.92	6.2	0.4	0.3	63.5	<0.01	0.10	0.4
DD021659		0.64	61.6	1360	5.6	7.6	<0.001	0.06	1.71	7.9	1.0	0.3	65.9	<0.01	0.08	1.2
DD021660		0.78	42.2	1520	9.0	9.8	<0.001	0.12	3.49	8.1	1.1	0.4	54.1	<0.01	0.09	1.2
DD021661		0.77	46.6	720	4.5	9.2	<0.001	0.11	1.74	6.5	0.8	0.3	92.7	<0.01	0.24	2.4
DD021662		0.38	25.3	780	3.9	6.2	<0.001	0.08	2.01	2.6	0.3	0.3	30.8	<0.01	0.03	0.2
DD021663		0.32	62.3	510	2.6	10.7	<0.001	0.15	1.94	14.8	0.8	0.3	89.5	<0.01	0.12	1.2
DD021664		0.65	37.0	840	4.8	9.1	<0.001	0.20	1.18	4.6	0.4	0.4	48.6	<0.01	0.05	0.6
DD021665		0.75	36.2	950	4.4	10.4	<0.001	0.16	1.75	4.3	0.7	0.4	69.7	<0.01	0.04	0.7
DD021666		0.94	41.2	740	6.6	7.0	<0.001	0.09	0.96	3.7	0.9	0.4	38.7	<0.01	0.05	0.4
DD021667		0.33	11.1	270	92.0	6.1	<0.001	0.02	0.97	1.9	0.4	0.2	20.9	<0.01	<0.01	10.3
DD021668		0.66	30.7	820	5.8	6.2	<0.001	0.07	0.79	2.5	0.5	0.4	46.4	<0.01	0.04	0.5
DD021669		0.74	25.5	550	3.9	5.3	<0.001	0.08	0.48	1.6	0.4	0.3	14.8	<0.01	0.04	0.3
DD021105		0.68	41.1	760	6.5	11.8	<0.001	0.04	0.47	2.1	0.3	0.4	15.8	<0.01	0.05	0.5
DD021106		1.24	63.6	910	15.4	13.6	<0.001	0.05	1.11	4.3	0.4	0.5	33.8	<0.01	0.08	2.0
DD021107		1.46	35.3	630	4.9	7.6	<0.001	0.01	1.07	3.6	0.5	0.4	18.6	<0.01	0.03	4.3
DD021108		1.60	30.7	930	4.8	10.6	<0.001	0.02	0.55	2.6	0.3	0.4	22.7	<0.01	0.07	2.2
DD021109		0.84	41.5	850	6.5	5.6	<0.001	0.05	0.49	2.3	0.4	0.5	18.1	<0.01	0.03	0.7
DD021110		0.68	27.0	860	5.5	8.5	<0.001	0.05	1.16	2.0	<0.2	0.3	20.6	<0.01	0.05	0.7
DD021111		0.60	20.8	620	5.9	10.9	<0.001	0.05	0.38	1.3	<0.2	0.3	15.2	<0.01	0.04	0.3
DD021112		1.08	37.3	610	8.4	10.8	<0.001	0.04	1.36	3.1	0.4	0.4	16.9	<0.01	0.05	1.5
DD021113		0.75	37.1	640	6.0	6.7	<0.001	0.03	1.29	2.7	0.4	0.3	17.5	<0.01	0.03	1.7
DD021114		1.00	30.6	890	7.4	8.1	<0.001	0.06	0.73	2.4	0.2	0.4	21.6	<0.01	0.05	0.8
DD021115		0.86	40.1	650	4.5	7.5	<0.001	0.03	2.00	3.9	0.5	0.3	22.2	<0.01	0.04	2.0
DD021116		0.90	64.2	1190	9.2	11.4	<0.001	0.08	1.56	3.8	0.6	0.4	27.3	<0.01	0.06	1.2
DD021117		0.32	18.0	1090	2.5	5.1	<0.001	0.07	0.23	1.0	0.2	0.2	18.9	<0.01	0.02	0.2
DD021118		0.66	35.3	740	4.9	6.1	<0.001	0.04	0.37	2.4	0.3	0.3	16.1	<0.01	0.02	1.1
DD021119		0.89	54.4	790	5.7	6.6	<0.001	0.01	0.76	4.3	0.2	0.3	21.8	<0.01	0.15	6.5
DD021120		0.54	29.6	1060	4.3	5.6	<0.001	0.08	0.46	1.4	0.4	0.3	23.5	<0.01	0.03	0.3
DD021121		0.94	46.7	830	4.1	5.0	<0.001	0.01	0.74	2.8	0.4	0.3	17.8	<0.01	0.02	2.1
DD021122		1.04	27.1	530	3.5	6.8	<0.001	0.02	0.97	2.6	<0.2	0.3	16.7	<0.01	0.02	2.1
DD021123		0.85	33.8	690	4.8	8.1	<0.001	0.04	0.71	2.5	0.2	0.3	22.3	<0.01	0.03	0.8
DD021124		0.48	38.0	780	5.1	6.9	<0.001	0.03	0.52	1.7	0.3	0.3	14.8	<0.01	0.02	0.4
DD021125		0.74	50.4	760	5.4	7.0	<0.001	0.03	0.45	2.6	0.2	0.3	16.8	<0.01	0.03	0.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15-SEP-2012
Account: MTT

Project: Byng

CERTIFICATE OF ANALYSIS WH12193428

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD021651		0.038	0.15	1.88	59	0.88	11.20	54	1.4
DD021652		0.049	0.15	1.74	62	1.27	9.95	62	1.2
DD021653		0.067	0.21	3.52	74	1.82	11.45	65	1.2
DD021654		0.057	0.17	2.70	63	3.03	9.96	52	1.4
DD021655		0.035	0.20	3.76	67	2.58	14.75	53	2.4
DD021656		0.009	0.18	2.89	45	0.36	19.90	47	2.9
DD021657		0.044	0.14	1.84	56	2.27	7.10	46	1.6
DD021658		0.035	0.22	1.25	61	1.55	9.90	53	0.6
DD021659		0.055	0.24	0.84	59	1.52	8.52	56	0.7
DD021660		0.070	0.16	1.38	83	1.47	13.60	66	<0.5
DD021661		0.102	0.14	1.22	82	2.02	10.55	48	0.8
DD021662		0.030	0.10	0.65	84	0.50	4.42	38	<0.5
DD021663		0.165	0.25	0.75	118	0.35	14.15	46	2.7
DD021664		0.084	0.13	0.94	95	0.71	9.95	50	0.5
DD021665		0.107	0.15	1.10	85	1.17	8.66	49	0.6
DD021666		0.083	0.13	0.84	89	1.03	9.48	50	<0.5
DD021667		0.009	0.09	2.74	23	1.28	7.76	22	0.7
DD021668		0.057	0.09	0.77	67	1.62	5.37	38	<0.5
DD021669		0.064	0.07	0.58	55	0.43	4.13	34	<0.5
DD021105		0.066	0.11	0.93	57	0.31	5.24	41	<0.5
DD021106		0.090	0.14	1.38	71	0.47	8.28	68	<0.5
DD021107		0.098	0.09	1.25	51	0.40	6.28	42	0.8
DD021108		0.114	0.12	0.95	54	0.49	5.49	41	<0.5
DD021109		0.070	0.07	0.83	52	0.21	5.52	33	0.5
DD021110		0.060	0.07	1.10	51	0.35	3.62	35	<0.5
DD021111		0.058	0.07	0.76	49	0.26	2.87	32	<0.5
DD021112		0.091	0.12	1.78	67	0.40	4.58	51	<0.5
DD021113		0.065	0.09	1.22	47	0.57	4.46	35	<0.5
DD021114		0.066	0.10	1.18	55	0.47	4.60	36	<0.5
DD021115		0.061	0.09	1.37	43	0.20	10.20	37	0.8
DD021116		0.066	0.18	2.53	63	0.28	10.60	62	<0.5
DD021117		0.054	0.06	0.91	43	0.14	5.00	28	<0.5
DD021118		0.059	0.09	1.24	48	0.21	6.43	39	<0.5
DD021119		0.090	0.10	1.06	51	0.22	9.52	43	2.0
DD021120		0.043	0.09	1.48	39	0.21	9.13	35	<0.5
DD021121		0.086	0.07	0.79	50	0.30	5.82	41	0.7
DD021122		0.077	0.06	0.78	45	0.32	3.65	39	<0.5
DD021123		0.084	0.08	0.71	56	0.34	3.72	40	<0.5
DD021124		0.056	0.08	0.83	47	0.24	5.42	37	<0.5
DD021125		0.072	0.09	0.75	52	0.44	6.23	44	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15-SEP-2012
Account: MTT

Project: Byng

CERTIFICATE OF ANALYSIS WH12193428

Sample Description	Method	WEI-21	Au-ICP21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD021126		0.24	0.006	0.11	1.09	9.3	<0.2	<10	150	0.29	0.14	0.63	0.22	25.9	11.1	50
DD021127		0.23	0.004	0.10	1.33	7.5	<0.2	<10	140	0.36	0.56	0.29	0.12	23.9	7.4	37
DD021128		0.23	0.015	0.09	1.59	80.0	<0.2	<10	100	0.33	0.15	0.22	0.18	22.3	9.0	36
DD021129		0.30	0.021	0.09	1.33	31.6	<0.2	<10	120	0.27	0.14	0.34	0.10	28.1	12.8	32
DD021130		0.21	0.004	0.10	1.51	6.7	<0.2	<10	100	0.35	0.15	0.21	0.11	20.5	8.3	36
DD021131		0.33	0.006	0.05	1.00	6.3	<0.2	<10	70	0.22	0.11	0.31	0.11	24.6	10.4	32
DD021132		0.25	0.006	0.19	1.72	13.6	<0.2	<10	150	0.37	0.19	0.39	0.12	26.6	28.6	36
DD021133		0.35	0.006	0.05	1.14	5.9	<0.2	<10	110	0.23	0.18	0.48	0.12	26.1	9.7	40
DD021134		0.23	0.011	0.04	1.75	7.0	<0.2	<10	120	0.28	0.12	0.42	0.14	25.6	11.3	63
DD021135		0.27	0.004	0.07	2.59	9.5	<0.2	<10	120	0.29	0.13	0.41	0.09	16.75	18.5	98
DD021136		0.21	0.005	0.15	2.26	15.2	<0.2	<10	210	0.47	0.24	0.65	0.22	17.95	15.6	78
DD021137		0.23	0.006	0.13	2.56	20.5	<0.2	<10	190	0.53	0.24	0.44	0.20	23.6	15.1	72
DD021138		0.25	0.004	0.06	1.25	8.1	<0.2	<10	110	0.31	0.13	0.33	0.14	24.1	7.9	42
DD021139		0.25	0.003	0.13	2.78	39.8	<0.2	<10	230	0.45	0.19	0.67	0.18	21.6	21.4	107
DD021140		0.26	0.007	0.12	1.61	24.1	<0.2	<10	210	0.39	0.32	0.70	0.19	25.0	12.7	56
DD021849		0.28	0.249	30.0	2.27	1000	0.2	<10	90	0.31	0.26	0.60	2.09	24.5	27.7	55
DD021850		0.15	0.028	0.21	3.92	195.5	<0.2	<10	60	0.26	0.20	1.68	0.18	11.45	45.4	70
DD021851		0.23	0.011	0.39	2.19	98.3	<0.2	<10	140	0.31	0.44	0.38	0.21	23.4	38.5	38
DD021852		0.18	0.035	0.25	2.35	344	<0.2	<10	120	0.38	0.33	0.49	0.29	19.30	39.1	45
DD021853		0.20	0.014	0.19	2.19	37.1	<0.2	<10	110	0.19	0.37	0.45	0.25	9.61	32.5	30
DD021859		0.19	0.009	0.18	2.55	26.0	<0.2	<10	210	0.29	0.64	0.43	0.18	16.25	24.6	48
DD021860		0.20	0.105	1.03	1.70	3420	<0.2	<10	1260	0.82	0.76	0.47	0.24	19.80	46.2	76
DD021861		0.21	0.080	0.18	1.88	330	<0.2	<10	170	0.51	0.79	0.46	0.17	25.0	26.1	77
DD021862		0.15	0.007	0.11	1.40	12.2	<0.2	<10	120	0.31	0.15	0.42	0.14	21.9	12.7	35
DD021863		0.20	0.018	0.10	1.97	21.7	<0.2	<10	100	0.27	0.16	0.50	0.12	20.6	17.3	41
DD021864		0.16	0.013	0.08	1.85	24.4	<0.2	<10	100	0.31	0.15	0.53	0.12	25.5	20.5	39
DD021865		0.14	0.067	0.13	1.64	480	<0.2	<10	90	0.32	0.16	0.44	0.18	23.0	32.5	41
DD021866		0.21	0.007	0.07	3.23	23.5	<0.2	<10	110	0.29	0.14	0.62	0.23	17.45	31.6	66
DD021867		0.20	0.020	0.60	2.42	237	<0.2	<10	70	0.27	0.14	0.81	0.16	17.45	29.7	59
DD021868		0.19	0.155	3.39	2.39	436	<0.2	<10	70	0.25	0.16	0.51	2.24	21.3	24.6	57
DD021869		0.17	0.008	0.23	2.33	167.0	<0.2	<10	190	0.34	0.44	0.53	0.17	17.70	36.8	48
DD021870		0.16	0.108	1.25	2.60	896	<0.2	<10	160	0.39	0.79	0.67	0.32	16.70	27.1	52
DD021871		0.16	0.028	0.28	2.06	367	<0.2	<10	200	0.33	0.19	0.33	0.44	21.6	22.8	37
DD021872		0.18	0.017	0.23	2.55	123.0	<0.2	<10	140	0.26	0.26	0.75	0.20	18.80	22.8	67
DD021873		0.17	0.048	0.13	2.39	229	<0.2	<10	180	0.48	0.25	0.45	0.17	26.4	28.0	37
DD021874		0.17	0.039	0.21	2.09	271	<0.2	<10	90	0.38	0.42	0.43	0.15	22.5	32.7	53
DD021875		0.09	0.039	0.24	2.48	463	<0.2	<10	220	0.50	0.97	0.58	0.17	32.1	35.4	51
DD021876		0.16	0.022	0.26	2.94	214	<0.2	<10	160	0.61	0.45	0.38	0.11	28.0	39.5	47
DD021877		0.20	0.014	0.14	2.38	252	<0.2	<10	160	0.52	0.37	0.37	0.25	23.6	34.1	50
DD021878		0.19	0.005	0.67	2.15	68.6	<0.2	<10	100	0.36	0.29	0.40	0.19	22.8	25.3	33

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- SEP- 2012
Account: MTT

Project: Byng

CERTIFICATE OF ANALYSIS WH12193428

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD021126		0.82	43.5	2.52	3.67	0.07	0.11	0.05	0.015	0.08	14.9	8.9	0.98	518	0.81	0.03
DD021127		1.15	23.2	2.10	4.36	<0.05	<0.02	0.01	0.015	0.05	13.8	9.2	0.61	291	1.25	0.02
DD021128		0.94	27.3	2.45	4.77	<0.05	<0.02	0.04	0.019	0.05	12.5	8.5	0.47	340	2.50	0.02
DD021129		1.43	52.9	2.81	4.33	0.05	0.04	0.01	0.015	0.06	15.9	8.4	0.52	320	3.93	0.02
DD021130		0.97	25.4	2.16	4.40	<0.05	<0.02	0.04	0.012	0.06	10.0	8.7	0.47	313	1.75	0.02
DD021131		0.62	44.1	2.54	3.46	0.06	0.04	0.01	0.012	0.04	13.7	7.0	0.45	230	2.94	0.02
DD021132		1.26	134.5	3.48	6.22	0.06	0.02	0.03	0.028	0.08	15.5	11.8	0.76	675	6.13	0.03
DD021133		0.78	38.8	2.38	3.62	0.07	0.07	0.01	0.011	0.08	15.3	7.4	0.63	274	1.72	0.04
DD021134		1.09	36.1	2.42	4.64	0.05	0.02	0.01	0.013	0.11	14.3	9.9	0.87	325	0.94	0.04
DD021135		1.72	79.9	2.95	6.39	0.06	0.02	0.02	0.015	0.22	9.1	15.0	1.46	353	1.92	0.04
DD021136		2.03	53.9	2.83	6.73	<0.05	<0.02	0.05	0.023	0.13	9.6	13.5	1.03	741	1.33	0.03
DD021137		2.16	50.7	2.97	6.63	<0.05	<0.02	0.05	0.021	0.09	11.4	14.4	1.05	684	1.03	0.04
DD021138		0.97	23.1	2.07	3.99	0.05	0.03	0.02	0.015	0.06	12.6	9.0	0.63	314	0.53	0.02
DD021139		2.40	78.2	3.20	8.38	0.06	0.02	0.09	0.028	0.11	10.7	19.3	1.78	589	1.09	0.03
DD021140		1.76	45.8	2.71	5.27	0.05	0.03	0.05	0.021	0.08	12.0	11.8	0.93	500	0.92	0.03
DD021849		2.98	140.5	3.02	5.10	0.06	0.03	0.06	0.039	0.06	11.9	11.1	1.04	858	2.81	0.03
DD021850		6.06	89.0	2.94	8.00	0.06	0.04	0.07	0.024	0.09	5.2	15.7	1.15	923	2.83	0.03
DD021851		3.56	128.0	4.23	5.66	0.05	0.04	0.10	0.028	0.08	10.5	9.6	0.73	805	6.19	0.03
DD021852		4.35	107.5	3.99	5.62	0.06	0.02	0.07	0.032	0.10	8.8	10.5	0.82	1040	8.57	0.04
DD021853		1.99	105.0	2.50	5.02	<0.05	<0.02	0.21	0.020	0.06	4.3	6.3	0.51	649	9.01	0.03
DD021859		5.20	81.2	2.76	5.50	<0.05	<0.02	0.07	0.023	0.08	7.3	10.6	0.86	570	7.11	0.03
DD021860		15.80	42.8	6.87	3.78	0.05	0.04	0.14	0.059	0.10	9.2	16.5	1.12	2740	17.65	0.01
DD021861		12.55	57.9	3.81	4.65	0.05	0.04	0.06	0.043	0.07	11.6	14.6	0.73	980	22.4	0.03
DD021862		2.56	31.5	2.26	4.34	<0.05	0.02	0.08	0.019	0.07	9.2	8.3	0.49	566	3.38	0.02
DD021863		2.84	42.7	2.43	4.93	<0.05	<0.02	0.09	0.015	0.05	9.5	8.2	0.69	526	8.58	0.02
DD021864		4.46	60.0	2.92	4.34	0.06	0.03	0.05	0.013	0.05	13.0	9.0	0.63	437	3.75	0.03
DD021865		3.35	91.7	3.73	4.40	0.05	0.03	0.07	0.026	0.05	10.9	10.1	0.66	704	3.14	0.02
DD021866		2.25	70.6	3.53	6.95	<0.05	0.04	0.07	0.030	0.06	7.5	11.9	1.59	1060	1.47	0.02
DD021867		5.38	67.0	3.15	4.91	<0.05	0.04	0.04	0.025	0.06	8.5	11.0	1.15	758	3.68	0.07
DD021868		3.57	85.1	2.73	4.58	0.06	0.04	0.06	0.026	0.05	10.0	11.2	1.09	664	2.23	0.03
DD021869		6.15	106.5	2.86	5.34	<0.05	0.03	0.06	0.020	0.06	8.2	12.9	1.17	728	5.37	0.02
DD021870		6.96	88.1	3.35	5.20	<0.05	0.03	0.08	0.045	0.06	8.1	14.4	1.08	1200	5.40	0.06
DD021871		3.30	55.6	2.75	5.07	<0.05	0.04	0.05	0.021	0.07	10.2	12.0	1.11	782	1.96	0.03
DD021872		2.97	84.6	2.92	5.28	<0.05	0.04	0.04	0.019	0.08	9.3	11.7	1.25	620	3.61	0.07
DD021873		3.62	90.2	3.74	7.00	0.05	0.03	0.06	0.028	0.08	13.4	12.8	1.13	868	5.80	0.04
DD021874		4.46	103.0	3.55	5.28	<0.05	0.02	0.06	0.022	0.05	10.0	12.8	0.90	677	5.65	0.04
DD021875		5.81	106.0	3.56	5.52	<0.05	0.05	0.08	0.027	0.09	13.7	13.3	0.92	1340	9.19	0.03
DD021876		6.61	106.0	3.59	6.16	<0.05	0.05	0.09	0.025	0.06	13.1	14.1	1.43	936	8.06	0.03
DD021877		6.33	123.5	4.65	7.01	<0.05	0.02	0.07	0.033	0.07	10.8	13.2	1.03	1260	16.80	0.02
DD021878		3.33	120.0	3.23	5.72	0.06	0.02	0.08	0.025	0.09	10.8	9.4	0.72	642	17.50	0.03

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15-SEP-2012
Account: MTT

Project: Byng

CERTIFICATE OF ANALYSIS WH12193428

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD021126		0.78	63.6	730	5.2	5.8	<0.001	0.01	0.65	4.4	0.4	0.3	26.7	<0.01	0.04	4.3
DD021127		0.77	29.4	640	5.1	6.4	<0.001	0.03	0.46	2.6	0.3	0.3	17.6	<0.01	0.04	1.2
DD021128		0.48	24.1	660	11.1	6.8	<0.001	0.05	0.47	1.2	0.3	0.4	15.8	<0.01	0.02	0.3
DD021129		0.96	25.2	670	3.5	5.6	<0.001	0.03	0.58	3.2	0.3	0.3	27.1	<0.01	0.04	3.4
DD021130		0.65	26.9	700	5.5	7.1	<0.001	0.06	0.42	1.1	<0.2	0.3	14.2	<0.01	0.02	0.3
DD021131		0.94	24.6	660	3.2	4.6	<0.001	0.01	0.36	2.3	0.3	0.3	17.0	<0.01	0.02	4.4
DD021132		1.31	34.4	850	4.3	8.3	<0.001	0.05	0.49	5.2	0.8	0.4	32.4	<0.01	0.08	2.1
DD021133		0.80	28.5	860	2.9	6.4	<0.001	0.02	0.34	3.5	0.2	0.3	24.6	<0.01	0.02	4.5
DD021134		0.87	39.4	800	3.4	8.7	<0.001	0.02	0.41	3.5	0.3	0.3	24.2	<0.01	0.03	2.5
DD021135		0.67	59.5	600	2.9	14.0	<0.001	0.03	0.29	5.8	0.3	0.3	20.5	<0.01	0.03	1.9
DD021136		0.78	45.5	1430	8.4	12.5	<0.001	0.12	0.53	3.3	0.4	0.4	32.7	<0.01	0.04	0.6
DD021137		0.73	47.5	1150	8.7	10.6	<0.001	0.09	0.53	3.5	0.3	0.4	25.4	<0.01	0.03	0.7
DD021138		1.00	35.5	590	4.9	6.0	<0.001	0.01	0.38	3.0	0.2	0.3	17.7	<0.01	0.02	2.8
DD021139		0.78	59.4	1020	7.1	12.2	0.001	0.09	1.21	5.6	0.7	0.4	38.4	<0.01	0.02	1.3
DD021140		1.09	44.8	930	9.0	9.2	0.001	0.07	0.86	4.0	0.2	0.4	32.3	<0.01	0.03	1.8
DD021849		0.82	57.4	890	908	6.4	0.001	0.03	24.6	6.1	0.6	0.4	54.0	0.01	0.09	3.1
DD021850		0.52	60.5	960	8.8	4.3	<0.001	0.05	2.41	9.5	0.8	0.2	106.0	<0.01	0.11	1.3
DD021851		1.50	47.3	1340	10.1	6.1	0.002	0.07	3.76	7.0	1.1	0.4	31.1	0.01	0.17	2.2
DD021852		0.86	54.6	1330	8.4	7.8	0.002	0.08	5.02	8.4	1.4	0.3	34.4	0.01	0.15	1.0
DD021853		0.37	36.9	1900	8.6	5.1	0.001	0.12	1.07	1.9	1.1	0.2	43.1	0.01	0.08	<0.2
DD021859		0.68	41.5	1580	13.2	6.7	0.001	0.07	1.01	4.0	1.0	0.4	41.2	<0.01	0.08	0.7
DD021860		0.29	135.0	500	87.8	10.0	0.002	0.12	35.8	21.0	0.7	0.3	28.5	<0.01	0.03	3.3
DD021861		0.62	50.7	510	5.2	7.4	0.001	0.04	4.87	16.0	0.7	0.4	25.7	<0.01	0.03	2.5
DD021862		0.79	26.9	1130	5.5	10.0	0.001	0.11	0.73	2.2	0.5	0.3	22.6	<0.01	0.02	0.6
DD021863		0.56	30.3	1360	5.5	5.4	<0.001	0.12	0.72	2.0	0.8	0.3	28.5	<0.01	0.03	0.4
DD021864		0.84	37.8	1100	4.1	4.8	0.001	0.04	1.09	4.8	0.6	0.3	32.0	0.01	0.03	2.9
DD021865		0.74	45.2	810	3.8	5.1	0.001	0.05	7.74	11.9	0.8	0.3	30.1	<0.01	0.04	3.0
DD021866		0.45	45.7	1040	3.8	5.3	0.001	0.06	0.74	13.1	0.7	0.3	36.2	<0.01	0.03	1.8
DD021867		0.58	62.3	570	14.0	5.0	<0.001	0.04	9.15	10.3	0.7	0.3	44.0	<0.01	0.06	2.4
DD021868		0.74	63.6	660	121.5	5.2	<0.001	0.03	5.18	6.3	0.7	0.3	36.8	0.01	0.06	2.6
DD021869		0.77	45.5	850	5.9	6.3	0.001	0.06	3.65	8.7	0.7	0.3	29.2	<0.01	0.08	1.6
DD021870		0.73	61.7	1020	66.2	6.2	0.001	0.08	9.44	8.7	0.9	0.3	50.0	<0.01	0.06	1.3
DD021871		1.46	50.6	530	38.5	6.7	0.001	0.05	5.16	4.7	0.4	0.3	21.0	<0.01	0.07	3.2
DD021872		0.92	53.5	810	8.8	6.4	0.001	0.05	1.72	5.4	0.4	0.2	36.3	<0.01	0.10	2.2
DD021873		2.52	51.8	850	9.4	7.8	<0.001	0.07	3.50	5.9	0.6	0.4	23.0	<0.01	0.10	2.0
DD021874		0.90	59.8	870	8.2	6.3	0.001	0.08	4.87	6.6	0.8	0.3	23.9	0.01	0.10	1.4
DD021875		0.96	58.7	1120	26.4	7.2	0.001	0.10	4.22	4.8	1.2	0.3	36.3	<0.01	0.11	1.9
DD021876		0.77	97.9	1220	27.8	6.4	0.001	0.11	2.86	4.5	0.8	0.3	17.9	<0.01	0.13	2.0
DD021877		1.51	54.3	1020	9.8	7.7	0.001	0.09	7.97	9.7	1.0	0.4	21.2	<0.01	0.11	1.2
DD021878		1.33	36.4	1460	8.0	7.0	0.001	0.08	2.80	4.7	1.3	0.4	24.1	0.01	0.09	1.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15-SEP-2012
Account: MTT

Project: Byng

CERTIFICATE OF ANALYSIS WH12193428

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD021126		0.102	0.10	0.72	53	0.21	10.35	50	4.0
DD021127		0.071	0.08	1.25	50	1.40	5.68	38	<0.5
DD021128		0.053	0.08	0.90	55	0.32	3.82	41	<0.5
DD021129		0.073	0.08	1.18	63	0.49	5.53	33	0.6
DD021130		0.052	0.08	0.75	50	0.27	3.75	33	0.6
DD021131		0.080	0.06	0.87	61	0.85	5.00	30	1.3
DD021132		0.112	0.12	1.85	92	0.58	8.89	51	0.5
DD021133		0.109	0.09	0.96	59	0.76	6.91	35	2.3
DD021134		0.108	0.09	0.83	62	0.36	5.84	37	0.6
DD021135		0.148	0.13	0.70	84	0.33	4.36	48	0.6
DD021136		0.075	0.12	1.22	77	0.31	4.91	60	0.5
DD021137		0.081	0.12	1.22	78	0.32	5.97	58	<0.5
DD021138		0.078	0.07	0.84	49	0.32	5.11	36	0.7
DD021139		0.119	0.17	1.16	99	0.64	7.53	67	0.6
DD021140		0.075	0.11	1.47	64	0.34	6.85	47	0.7
DD021849		0.056	0.12	2.18	65	8.63	8.20	190	1.0
DD021850		0.038	0.18	0.61	64	9.86	9.65	45	1.0
DD021851		0.057	0.18	1.22	76	2.93	10.80	51	0.7
DD021852		0.053	0.21	1.37	72	1.99	11.80	57	<0.5
DD021853		0.037	0.10	0.49	51	8.84	4.72	49	<0.5
DD021859		0.052	0.11	0.69	56	0.93	6.06	65	<0.5
DD021860		0.020	1.56	5.51	64	1.65	18.00	114	1.2
DD021861		0.025	0.34	1.29	74	1.52	10.80	55	1.0
DD021862		0.041	0.08	0.94	50	0.47	4.08	41	<0.5
DD021863		0.038	0.09	1.32	56	1.99	4.50	34	<0.5
DD021864		0.060	0.13	3.09	65	2.53	8.24	42	0.8
DD021865		0.037	0.33	1.83	86	1.63	11.75	48	0.7
DD021866		0.024	0.29	1.07	91	0.80	12.75	46	0.8
DD021867		0.032	0.18	0.82	65	2.34	10.70	41	0.9
DD021868		0.050	0.08	1.18	49	5.98	7.72	239	0.9
DD021869		0.039	0.18	0.70	61	2.21	6.76	46	0.6
DD021870		0.034	0.20	0.99	50	7.64	8.26	64	0.8
DD021871		0.053	0.15	1.79	46	3.02	6.52	77	1.0
DD021872		0.053	0.14	1.32	54	3.09	6.60	50	0.8
DD021873		0.061	0.17	3.20	60	2.00	8.26	72	0.7
DD021874		0.041	0.15	1.52	65	1.45	7.77	51	0.9
DD021875		0.037	0.17	3.32	60	2.46	11.50	62	1.1
DD021876		0.035	0.16	2.81	58	1.59	10.90	59	1.4
DD021877		0.053	0.15	3.69	83	6.37	13.55	65	<0.5
DD021878		0.060	0.12	2.51	54	4.23	9.49	63	0.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- SEP- 2012
Account: MTT

Project: Byng

CERTIFICATE OF ANALYSIS WH12193428

Sample Description	Method	WEI-21	Au-ICP21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD021879		0.20	0.156	0.38	1.98	80.5	<0.2	<10	180	0.45	0.31	0.59	0.19	25.5	24.0	35
DD021880		0.23	0.007	0.16	2.02	134.0	<0.2	<10	90	0.33	0.29	0.26	0.34	18.50	43.6	62
DD021881		0.16	0.002	0.13	2.04	9.3	<0.2	<10	100	0.21	0.23	0.28	0.21	9.37	15.4	21
DD021882		0.15	0.006	0.06	1.67	7.2	<0.2	<10	80	0.25	0.19	0.19	0.09	15.60	13.3	33
DD021883		0.16	0.011	0.12	1.53	4.3	<0.2	<10	130	0.16	0.22	0.27	0.32	7.97	13.0	23
DD021884		0.17	0.014	0.05	1.80	5.0	<0.2	<10	60	0.22	0.14	0.18	0.16	12.70	12.2	28
DD021885		0.20	0.012	0.05	1.70	11.4	<0.2	<10	90	0.32	0.14	0.26	0.13	21.9	16.5	38
DD021886		0.20	0.017	0.15	1.60	22.5	0.3	<10	70	0.28	0.17	0.39	0.12	29.9	27.7	40
DD021887		0.13	0.010	0.04	1.48	42.9	<0.2	<10	90	0.26	0.13	0.27	0.13	28.4	12.7	34
DD021888		0.22	0.009	0.09	1.50	35.6	<0.2	<10	260	0.41	0.20	0.38	0.13	38.1	15.1	25
DD021889		0.16	0.015	0.12	2.55	17.8	<0.2	<10	140	0.38	0.35	0.48	0.29	31.5	19.9	37
DD021890		0.17	0.016	0.07	1.64	17.0	<0.2	<10	100	0.26	0.22	0.51	0.14	26.0	14.9	39
DD021891		0.21	0.020	0.07	1.81	52.6	<0.2	<10	120	0.35	0.13	0.24	0.20	30.6	12.0	35
DD021892		0.24	0.007	0.04	1.89	23.8	<0.2	<10	290	0.39	0.10	0.27	0.07	30.6	11.6	29
DD021893		0.24	0.013	0.07	2.24	309	<0.2	<10	120	0.34	0.13	0.52	0.09	21.2	22.6	36
DD021894		0.18	0.003	0.07	2.78	41.4	<0.2	<10	120	0.24	0.16	0.93	0.07	12.50	38.1	34
DD021895		0.28	0.008	0.12	3.20	63.7	<0.2	<10	200	0.31	0.17	0.98	0.10	13.30	36.8	41
DD021896		0.20	0.004	0.06	2.36	35.2	<0.2	<10	350	0.28	0.13	0.44	0.16	21.6	16.2	32
DD021897		0.16	0.013	0.19	2.15	212	<0.2	<10	140	0.31	0.15	0.56	0.16	24.1	16.5	44
DD021898		0.20	0.012	0.19	2.88	59.5	<0.2	<10	160	0.23	0.11	0.91	0.13	19.10	21.8	85
DD021899		0.19	0.022	0.15	2.20	229	<0.2	<10	120	0.28	0.16	0.51	0.14	21.1	28.2	55
DD021900		0.22	0.027	0.24	3.15	285	<0.2	<10	140	0.36	0.58	0.62	0.26	16.50	26.6	57
DD021901		0.24	0.011	0.15	3.93	157.5	<0.2	<10	230	0.30	0.21	1.04	0.20	15.45	30.8	96
DD021902		0.20	0.012	0.11	2.41	52.0	0.2	<10	120	0.26	0.18	0.49	0.19	18.90	18.0	47
DD021903		0.16	0.007	0.09	2.72	54.8	<0.2	<10	140	0.26	0.22	0.61	0.16	18.35	19.0	42
ZZ44017		0.26	0.005	0.05	1.43	5.9	<0.2	<10	90	0.25	0.18	0.34	0.15	23.4	9.2	29
ZZ44018		0.28	0.008	0.03	1.89	10.5	<0.2	<10	120	0.27	0.14	0.25	0.11	22.6	11.1	33
ZZ44019		0.30	0.003	0.04	1.42	5.7	<0.2	<10	90	0.22	0.17	0.36	0.11	27.2	10.5	29
ZZ44020		0.19	0.003	0.05	1.39	5.9	<0.2	<10	80	0.23	0.16	0.15	0.08	14.90	4.5	28
ZZ44021		0.27	0.003	0.04	1.09	5.1	<0.2	<10	80	0.18	0.18	0.16	0.11	13.70	4.8	26
ZZ44022		0.22	0.007	0.06	1.66	7.5	<0.2	<10	190	0.36	0.28	0.28	0.16	27.7	11.0	34
ZZ44023		0.14	0.004	0.07	1.56	5.4	<0.2	<10	130	0.20	0.28	0.24	0.12	12.65	10.2	37
ZZ44024		0.12	0.022	0.08	1.31	4.4	<0.2	<10	60	0.17	0.22	0.14	0.15	11.85	4.4	25
ZZ44025		0.27	0.005	0.04	1.42	5.4	<0.2	<10	80	0.20	0.19	0.18	0.14	15.50	6.2	28
ZZ44026		0.30	0.003	0.04	1.32	4.6	<0.2	<10	100	0.17	0.15	0.37	0.12	17.15	15.7	34
ZZ44027		0.25	0.008	0.07	1.63	6.0	<0.2	<10	120	0.33	0.19	0.23	0.11	19.60	8.0	32
ZZ44028		0.28	0.012	0.05	1.37	5.0	<0.2	<10	140	0.23	0.34	0.35	0.15	21.6	10.7	31
ZZ44029		0.25	0.004	0.07	1.51	5.3	<0.2	<10	170	0.21	0.22	0.41	0.09	22.8	14.6	37
ZZ44030		0.21	0.011	0.05	1.32	6.1	<0.2	<10	150	0.28	0.23	0.40	0.16	31.5	11.6	33
ZZ44031		0.21	0.006	0.14	2.34	7.5	<0.2	<10	210	0.46	0.31	0.59	0.15	24.7	17.9	44

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15-SEP-2012
Account: MTT

Project: Byng

CERTIFICATE OF ANALYSIS WH12193428

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD021879		3.74	116.5	3.76	5.77	0.05	0.02	0.07	0.025	0.09	12.1	10.9	0.76	596	17.35	0.03
DD021880		3.51	123.0	6.34	4.60	0.06	0.02	0.08	0.050	0.07	7.6	12.1	0.64	1580	14.45	0.02
DD021881		1.48	84.1	3.16	6.31	<0.05	<0.02	0.18	0.016	0.10	4.0	7.1	0.58	595	11.95	0.04
DD021882		1.08	51.8	2.61	5.13	<0.05	<0.02	0.07	0.015	0.05	7.9	8.9	0.53	271	8.69	0.02
DD021883		1.02	77.5	3.49	5.94	<0.05	<0.02	0.10	0.017	0.08	4.0	5.6	0.35	715	25.4	0.03
DD021884		1.01	49.6	2.73	5.93	<0.05	<0.02	0.07	0.015	0.05	5.8	8.7	0.52	331	9.19	0.02
DD021885		1.22	51.7	2.76	5.11	<0.05	0.02	0.06	0.016	0.06	10.3	10.4	0.62	359	3.62	0.02
DD021886		3.60	95.8	3.43	4.44	0.05	0.02	0.04	0.017	0.04	13.5	10.7	0.64	494	14.60	0.03
DD021887		2.05	37.2	2.37	4.35	0.05	0.02	0.04	0.013	0.05	14.4	9.9	0.57	357	7.29	0.02
DD021888		3.02	55.2	2.76	7.99	0.10	0.05	0.03	0.021	0.21	18.1	10.9	0.94	727	4.75	0.01
DD021889		2.52	50.8	2.49	5.09	0.05	0.04	0.04	0.019	0.06	11.5	13.6	1.00	558	1.85	0.04
DD021890		2.58	43.8	2.66	4.17	0.06	0.03	0.04	0.018	0.05	12.1	9.7	0.74	447	2.78	0.04
DD021891		2.04	34.6	2.37	4.34	<0.05	0.04	0.03	0.018	0.06	12.9	9.7	0.52	412	1.93	0.03
DD021892		1.66	33.3	2.45	7.25	0.05	0.03	0.02	0.020	0.12	13.5	9.2	0.86	435	1.44	0.03
DD021893		2.87	73.4	3.32	5.68	<0.05	0.05	0.05	0.025	0.05	10.3	13.8	0.99	565	3.13	0.03
DD021894		2.47	135.5	3.39	4.95	<0.05	0.04	0.02	0.012	0.06	5.7	8.4	0.80	351	11.20	0.06
DD021895		1.89	128.5	3.62	7.25	<0.05	0.06	0.04	0.027	0.09	6.8	13.3	1.51	704	9.61	0.04
DD021896		2.18	47.4	2.50	6.45	<0.05	0.04	0.04	0.016	0.12	9.5	9.5	0.95	531	1.85	0.03
DD021897		1.90	50.1	2.45	4.92	<0.05	0.03	0.08	0.015	0.05	10.6	9.4	0.84	514	1.81	0.04
DD021898		2.80	57.1	2.70	5.97	0.06	0.06	0.04	0.019	0.06	9.5	11.5	1.50	488	1.36	0.04
DD021899		4.62	62.4	2.89	4.60	0.05	0.04	0.04	0.020	0.05	10.4	12.1	0.99	681	2.11	0.04
DD021900		4.97	116.5	3.13	5.89	<0.05	0.05	0.06	0.028	0.07	8.5	14.3	1.20	782	7.66	0.06
DD021901		5.58	72.1	2.78	6.42	<0.05	0.05	0.05	0.019	0.09	7.7	17.0	1.65	726	3.41	0.04
DD021902		1.96	61.0	2.27	4.68	<0.05	0.03	0.04	0.014	0.06	8.7	9.5	0.82	437	4.22	0.04
DD021903		2.25	61.1	2.16	5.38	<0.05	0.03	0.07	0.018	0.06	7.8	9.5	0.84	537	4.44	0.04
ZZ44017		0.85	32.0	2.00	4.14	0.05	0.05	0.03	0.015	0.04	11.8	8.0	0.50	250	0.40	0.03
ZZ44018		1.36	28.7	2.63	5.46	0.05	0.04	0.02	0.018	0.04	11.5	12.5	0.71	320	0.40	0.03
ZZ44019		1.28	34.9	2.06	4.09	0.06	0.05	0.01	0.012	0.05	12.6	8.8	0.52	262	0.45	0.03
ZZ44020		1.02	12.5	1.84	4.94	<0.05	<0.02	0.03	0.014	0.03	7.5	7.9	0.31	161	0.63	0.02
ZZ44021		1.22	13.3	1.73	4.93	<0.05	<0.02	0.04	0.013	0.04	6.6	7.6	0.30	163	0.63	0.02
ZZ44022		1.79	27.1	2.21	4.67	0.05	0.04	0.02	0.015	0.05	13.2	10.1	0.60	402	0.50	0.03
ZZ44023		1.29	28.8	2.23	5.10	<0.05	<0.02	0.09	0.015	0.05	6.6	9.3	0.59	318	0.60	0.03
ZZ44024		0.89	18.4	1.81	4.52	<0.05	<0.02	0.06	0.014	0.03	6.3	5.5	0.24	123	0.65	0.02
ZZ44025		1.09	18.2	1.97	4.93	<0.05	<0.02	0.05	0.013	0.05	7.6	7.2	0.34	184	0.63	0.03
ZZ44026		0.91	50.5	2.23	4.35	0.05	0.02	0.03	0.011	0.04	8.5	8.8	0.53	262	0.77	0.04
ZZ44027		1.15	24.3	2.07	4.73	<0.05	<0.02	0.05	0.014	0.06	9.1	9.1	0.47	326	0.54	0.03
ZZ44028		1.11	32.3	2.07	3.88	<0.05	0.02	0.03	0.016	0.04	10.8	8.6	0.56	334	0.58	0.03
ZZ44029		1.53	45.4	2.34	4.44	0.05	0.03	0.03	0.015	0.04	10.7	10.3	0.70	404	0.66	0.03
ZZ44030		1.44	33.4	2.37	3.98	0.05	0.04	0.02	0.014	0.04	15.5	8.8	0.54	311	0.75	0.03
ZZ44031		2.45	54.7	2.83	6.45	<0.05	0.02	0.06	0.023	0.06	12.0	14.4	0.87	632	0.71	0.04

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15-SEP-2012
Account: MTT

Project: Byng

CERTIFICATE OF ANALYSIS WH12193428

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD021879		1.02	41.7	1290	7.8	7.3	0.001	0.08	2.21	5.1	1.2	0.4	44.4	0.01	0.06	1.1
DD021880		0.37	64.0	1520	5.6	6.0	0.001	0.08	10.35	14.8	1.1	0.2	14.5	<0.01	0.14	0.8
DD021881		0.38	21.5	1580	4.0	7.0	0.001	0.20	0.83	1.9	0.9	0.3	22.1	<0.01	0.09	<0.2
DD021882		0.84	26.2	710	5.6	5.6	0.001	0.09	0.55	1.9	0.5	0.4	16.0	<0.01	0.03	0.5
DD021883		0.50	17.1	1470	4.6	6.2	0.001	0.23	0.37	1.1	0.7	0.4	30.7	<0.01	0.06	<0.2
DD021884		0.63	20.9	890	4.7	5.0	<0.001	0.11	0.43	1.3	0.5	0.3	13.0	<0.01	0.01	0.2
DD021885		0.73	30.4	680	4.6	6.0	0.001	0.07	0.76	2.2	0.5	0.3	17.3	<0.01	0.02	0.7
DD021886		0.75	41.7	640	4.3	3.9	0.001	0.05	0.89	4.2	0.6	0.3	26.5	0.01	0.06	2.6
DD021887		1.21	29.9	660	7.8	4.8	0.001	0.05	1.02	2.4	0.2	0.3	20.5	<0.01	0.04	2.0
DD021888		4.62	22.6	900	5.8	14.7	<0.001	0.02	1.39	5.3	0.9	0.6	15.9	<0.01	0.04	5.0
DD021889		0.83	56.8	810	6.3	5.7	<0.001	0.07	0.60	4.4	0.6	0.3	26.5	0.01	0.02	2.2
DD021890		0.71	31.5	840	6.2	4.4	0.001	0.04	0.73	4.9	0.2	0.3	26.0	0.01	0.03	3.2
DD021891		0.89	27.5	560	5.2	5.9	<0.001	0.05	1.89	4.3	0.3	0.3	16.2	0.01	0.02	2.9
DD021892		3.12	20.2	380	4.3	7.9	0.001	0.03	0.69	3.7	0.2	0.5	22.6	<0.01	0.03	2.1
DD021893		0.47	33.2	320	3.7	4.2	0.001	0.03	4.09	12.7	0.7	0.3	56.5	<0.01	0.04	2.9
DD021894		0.36	43.2	370	2.9	3.8	0.001	0.04	0.71	5.3	0.7	0.2	514	<0.01	0.11	1.8
DD021895		0.43	41.8	490	4.3	3.8	0.001	0.06	1.17	12.9	0.8	0.2	167.5	<0.01	0.08	1.8
DD021896		2.04	24.4	880	4.3	7.5	0.001	0.06	0.70	5.7	0.6	0.3	40.3	0.01	0.05	1.8
DD021897		1.01	33.1	800	7.8	4.2	0.001	0.06	2.11	4.5	0.5	0.3	32.1	0.01	0.04	2.1
DD021898		0.49	41.8	500	6.0	4.5	<0.001	0.02	0.79	14.1	0.3	0.3	46.2	<0.01	0.03	3.2
DD021899		0.61	45.8	470	8.8	4.2	0.001	0.05	2.10	9.4	0.5	0.3	41.5	0.01	0.04	2.8
DD021900		0.54	55.0	1410	12.1	6.0	0.001	0.09	1.97	8.1	1.1	0.3	59.2	0.01	0.12	1.2
DD021901		0.43	69.5	970	9.7	5.3	<0.001	0.05	2.46	8.2	0.7	0.3	125.0	<0.01	0.09	2.2
DD021902		0.70	39.3	720	5.5	5.1	0.001	0.05	0.77	4.8	0.5	0.3	42.2	0.01	0.05	2.3
DD021903		0.73	36.8	1170	6.6	5.6	<0.001	0.10	0.79	4.1	0.3	0.3	37.9	<0.01	0.09	1.2
ZZ44017		0.75	18.5	660	4.4	3.9	0.001	0.02	0.42	3.7	0.4	0.3	18.7	<0.01	0.05	3.4
ZZ44018		0.76	20.5	550	5.0	4.1	<0.001	0.03	0.50	4.0	0.2	0.3	15.8	<0.01	0.04	2.7
ZZ44019		0.74	21.0	700	4.1	5.4	<0.001	0.02	0.48	3.6	0.2	0.3	25.2	<0.01	0.04	3.9
ZZ44020		0.53	12.1	430	6.4	4.5	<0.001	0.05	0.43	0.9	0.2	0.4	11.5	<0.01	0.03	0.2
ZZ44021		0.55	14.3	450	6.2	6.3	<0.001	0.05	0.40	0.9	0.3	0.4	12.0	<0.01	0.04	0.2
ZZ44022		1.01	25.1	580	12.0	5.6	0.001	0.02	0.46	3.5	<0.2	0.4	16.4	<0.01	0.05	4.1
ZZ44023		0.49	22.3	670	6.1	5.0	<0.001	0.07	0.39	1.5	<0.2	0.3	18.1	<0.01	0.04	0.3
ZZ44024		0.59	10.6	600	6.5	4.6	<0.001	0.09	0.32	0.7	0.2	0.3	10.7	<0.01	0.05	<0.2
ZZ44025		0.65	14.3	460	6.3	5.7	0.001	0.05	0.38	1.4	0.3	0.4	13.0	<0.01	0.06	0.2
ZZ44026		0.67	26.5	630	3.6	3.9	<0.001	0.03	0.30	2.8	<0.2	0.2	25.8	<0.01	0.06	2.5
ZZ44027		0.53	20.4	650	7.4	7.1	0.001	0.07	0.40	1.2	0.2	0.3	16.3	<0.01	0.04	0.3
ZZ44028		0.59	22.4	800	4.7	4.6	<0.001	0.04	0.33	2.4	0.4	0.3	21.3	<0.01	0.03	1.8
ZZ44029		0.67	26.1	660	4.4	4.3	0.001	0.03	0.38	4.2	0.3	0.3	29.1	<0.01	0.05	2.9
ZZ44030		0.81	21.4	860	5.5	4.9	<0.001	0.02	0.45	3.4	0.3	0.3	19.0	<0.01	0.04	5.5
ZZ44031		0.81	30.6	830	8.5	7.6	0.001	0.06	0.49	4.9	0.4	0.4	33.9	<0.01	0.05	1.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15-SEP-2012
Account: MTT

Project: Byng

CERTIFICATE OF ANALYSIS WH12193428

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD021879		0.062	0.11	2.66	60	3.08	10.55	69	0.6
DD021880		0.035	0.28	0.75	84	1.14	17.85	75	0.5
DD021881		0.067	0.07	0.49	89	0.61	6.25	53	<0.5
DD021882		0.069	0.07	0.56	53	0.80	3.41	39	<0.5
DD021883		0.060	0.07	0.48	83	1.47	3.01	65	<0.5
DD021884		0.069	0.09	0.57	76	0.42	3.18	43	<0.5
DD021885		0.076	0.07	0.71	70	1.43	4.21	36	<0.5
DD021886		0.078	0.10	1.89	75	7.14	8.44	34	0.6
DD021887		0.056	0.08	1.30	53	1.59	4.16	38	0.6
DD021888		0.110	0.18	2.83	50	0.99	8.84	66	1.6
DD021889		0.047	0.12	1.77	44	0.91	7.14	51	1.0
DD021890		0.055	0.07	1.48	60	1.03	7.05	42	0.9
DD021891		0.047	0.11	1.38	50	4.80	6.56	40	0.9
DD021892		0.079	0.13	1.97	48	0.59	6.28	45	0.6
DD021893		0.021	0.33	0.74	80	0.90	10.30	38	1.5
DD021894		0.025	0.10	0.54	53	1.07	4.85	30	1.0
DD021895		0.019	0.14	0.86	76	0.61	10.60	37	1.5
DD021896		0.061	0.16	1.35	50	1.26	6.99	47	0.7
DD021897		0.044	0.17	1.25	49	4.27	6.40	42	0.6
DD021898		0.058	0.08	1.05	62	1.31	8.13	42	2.2
DD021899		0.034	0.12	1.18	56	1.42	8.67	39	0.9
DD021900		0.031	0.13	0.94	49	3.25	9.15	64	1.5
DD021901		0.028	0.13	0.75	49	0.90	7.60	59	1.4
DD021902		0.044	0.06	0.61	47	0.91	4.82	45	0.9
DD021903		0.034	0.10	0.91	44	0.96	5.53	43	0.8
ZZ44017		0.066	0.05	0.75	51	0.32	7.48	32	1.4
ZZ44018		0.053	0.06	0.56	69	0.23	5.16	33	0.9
ZZ44019		0.084	0.07	0.83	52	0.91	7.23	35	1.8
ZZ44020		0.047	0.08	0.55	48	0.28	2.95	27	<0.5
ZZ44021		0.045	0.05	0.44	46	0.46	2.22	26	<0.5
ZZ44022		0.065	0.07	1.12	53	0.37	6.80	39	1.3
ZZ44023		0.049	0.06	0.49	55	0.39	2.56	36	<0.5
ZZ44024		0.045	0.06	0.49	46	0.23	2.18	22	<0.5
ZZ44025		0.056	0.06	0.46	53	0.44	3.11	27	<0.5
ZZ44026		0.065	0.04	0.69	60	5.89	4.62	30	0.7
ZZ44027		0.046	0.07	0.63	51	0.27	3.71	34	<0.5
ZZ44028		0.054	0.05	0.68	51	2.17	5.12	35	0.5
ZZ44029		0.060	0.06	0.80	58	0.83	6.37	33	0.6
ZZ44030		0.076	0.08	1.04	61	1.02	6.96	34	1.4
ZZ44031		0.059	0.10	1.39	69	0.54	8.50	52	0.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15-SEP-2012
Account: MTT

Project: Byng

CERTIFICATE OF ANALYSIS WH12193428

Sample Description	Method	WEI-21	Au-ICP21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ44032		0.19	0.006	0.09	1.61	5.7	<0.2	<10	110	0.21	0.22	0.42	0.10	17.40	12.2	30
ZZ44033		0.21	0.007	0.07	1.79	7.0	<0.2	<10	140	0.27	0.20	0.42	0.11	23.8	10.2	31
ZZ44034		0.22	0.004	0.06	1.75	6.0	<0.2	<10	130	0.30	0.26	0.27	0.14	20.8	10.3	31
ZZ44035		0.19	0.004	0.06	2.14	6.6	<0.2	<10	150	0.37	0.25	0.40	0.13	21.6	15.5	37
ZZ44036		0.20	0.005	0.09	2.00	7.3	<0.2	<10	170	0.29	0.39	0.37	0.15	14.25	15.8	38
ZZ44037		0.14	0.005	0.05	1.46	6.3	<0.2	<10	90	0.23	0.28	0.22	0.25	13.55	8.4	28
ZZ44038		0.14	0.003	0.11	2.00	7.8	<0.2	<10	90	0.33	0.39	0.21	0.40	15.60	11.2	36
ZZ44039		0.23	0.006	0.09	2.57	10.4	<0.2	<10	110	0.32	0.38	0.74	0.14	17.95	22.2	44
ZZ44040		0.25	0.012	0.06	1.96	7.5	<0.2	<10	120	0.28	1.69	0.45	0.14	17.85	18.9	40
ZZ44041		0.28	0.004	0.06	1.81	8.1	<0.2	<10	120	0.32	0.25	0.34	0.21	18.65	15.8	39
ZZ44042		0.19	0.004	0.07	2.20	7.5	<0.2	<10	170	0.39	0.27	0.35	0.14	24.7	11.3	34
ZZ44043		0.20	0.004	0.07	2.26	8.2	<0.2	<10	150	0.39	0.30	0.33	0.14	20.6	12.8	38
ZZ44044		0.27	0.004	0.05	1.86	6.4	<0.2	<10	140	0.32	0.20	0.28	0.11	20.1	10.3	32
ZZ44045		0.24	0.004	0.11	2.20	6.7	<0.2	<10	140	0.33	0.23	0.48	0.12	19.10	13.4	44
ZZ44046		0.28	0.008	0.11	2.37	7.7	<0.2	<10	140	0.41	0.25	0.50	0.10	20.3	18.1	44
ZZ44047		0.23	0.008	0.07	1.83	6.8	<0.2	<10	150	0.31	0.24	0.42	0.17	20.8	13.7	34
ZZ44048		0.16	0.005	0.11	2.13	9.0	<0.2	<10	120	0.38	0.43	0.21	0.21	18.60	11.1	37
ZZ44049		0.25	0.007	0.06	2.14	8.0	<0.2	<10	120	0.34	0.25	0.25	0.18	18.20	12.6	34
ZZ44050		0.27	0.008	0.03	1.37	6.5	<0.2	<10	110	0.28	0.22	0.38	0.09	16.40	15.1	34

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15-SEP-2012
Account: MTT

Project: Byng

CERTIFICATE OF ANALYSIS WH12193428

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ44032		1.34	53.2	2.29	5.10	<0.05	<0.02	0.04	0.015	0.04	8.9	8.9	0.60	358	0.74	0.03
ZZ44033		1.34	36.7	2.20	5.15	<0.05	<0.02	0.04	0.019	0.05	12.2	9.5	0.60	360	0.64	0.03
ZZ44034		1.34	32.7	2.16	5.15	<0.05	<0.02	0.03	0.016	0.05	10.0	9.2	0.54	376	0.47	0.03
ZZ44035		1.80	49.7	2.58	6.33	0.05	<0.02	0.05	0.020	0.05	10.4	12.4	0.71	423	0.65	0.04
ZZ44036		2.11	45.2	2.80	6.63	<0.05	<0.02	0.06	0.024	0.06	6.6	10.9	0.62	674	0.94	0.03
ZZ44037		1.23	27.7	2.19	5.35	<0.05	<0.02	0.07	0.013	0.04	7.0	7.1	0.36	194	1.10	0.02
ZZ44038		2.70	43.5	2.63	7.54	<0.05	<0.02	0.05	0.020	0.05	8.2	9.3	0.45	473	1.15	0.02
ZZ44039		3.09	88.9	2.98	7.04	0.05	0.02	0.03	0.018	0.08	9.3	12.7	0.92	434	0.87	0.03
ZZ44040		1.79	69.3	2.58	5.48	<0.05	0.02	0.04	0.017	0.06	8.9	11.1	0.79	403	0.80	0.03
ZZ44041		1.49	46.0	2.61	5.32	0.05	0.02	0.04	0.017	0.06	9.3	11.8	0.68	389	0.82	0.02
ZZ44042		1.75	39.8	2.44	6.50	<0.05	<0.02	0.04	0.018	0.05	13.3	11.3	0.68	342	0.66	0.02
ZZ44043		1.84	41.0	2.70	6.68	0.05	<0.02	0.04	0.019	0.06	10.6	12.5	0.73	481	0.79	0.03
ZZ44044		1.34	29.3	2.21	5.18	<0.05	0.02	0.02	0.016	0.05	9.9	10.8	0.62	335	0.52	0.02
ZZ44045		1.62	47.7	2.65	6.17	<0.05	0.02	0.02	0.018	0.05	10.1	11.7	0.84	470	0.61	0.03
ZZ44046		1.65	69.1	3.13	6.54	0.05	<0.02	0.04	0.019	0.07	9.8	13.1	0.89	444	0.86	0.03
ZZ44047		1.63	44.2	2.41	5.53	<0.05	<0.02	0.04	0.020	0.06	10.9	10.6	0.69	507	0.75	0.03
ZZ44048		2.34	43.7	2.82	7.38	<0.05	<0.02	0.07	0.020	0.05	9.7	12.2	0.64	321	1.15	0.02
ZZ44049		1.95	56.8	2.59	6.50	<0.05	<0.02	0.03	0.017	0.05	8.9	10.7	0.67	394	0.95	0.02
ZZ44050		1.15	47.1	2.79	4.35	0.05	0.03	0.02	0.013	0.05	8.4	9.4	0.63	337	0.71	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- SEP- 2012
Account: MTT

Project: Byng

CERTIFICATE OF ANALYSIS WH12193428

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ44032		0.65	21.1	660	4.6	4.6	0.001	0.07	0.44	2.8	<0.2	0.3	28.6	<0.01	0.04	0.6
ZZ44033		0.84	22.2	700	5.7	6.6	0.001	0.05	0.47	3.7	0.8	0.4	28.2	<0.01	0.05	1.6
ZZ44034		0.57	20.3	690	5.0	6.1	0.001	0.05	0.40	2.2	0.3	0.3	16.0	<0.01	0.05	0.4
ZZ44035		0.76	28.4	730	5.6	7.1	<0.001	0.07	0.51	3.6	0.4	0.4	27.4	<0.01	0.09	0.9
ZZ44036		0.65	27.2	940	6.9	10.0	0.001	0.10	0.57	1.9	0.4	0.4	26.7	<0.01	0.10	0.2
ZZ44037		0.75	17.2	570	4.8	4.8	<0.001	0.04	0.43	1.8	0.2	0.3	15.4	<0.01	0.06	0.4
ZZ44038		0.92	24.3	640	7.3	10.9	<0.001	0.06	0.53	2.3	0.3	0.5	17.6	<0.01	0.06	0.3
ZZ44039		0.81	41.7	820	5.2	6.6	<0.001	0.03	0.73	4.6	0.3	0.3	43.5	0.01	0.08	1.6
ZZ44040		0.73	42.3	730	5.2	5.8	<0.001	0.03	0.47	3.7	0.4	0.3	23.4	<0.01	0.43	1.5
ZZ44041		0.76	37.5	780	5.9	6.1	<0.001	0.04	0.49	3.0	0.2	0.3	18.5	<0.01	0.05	1.0
ZZ44042		1.14	27.5	740	6.5	7.6	<0.001	0.05	0.44	3.3	0.3	0.4	24.8	<0.01	0.05	0.8
ZZ44043		0.82	29.2	740	7.2	8.4	0.001	0.05	0.45	3.4	<0.2	0.4	21.8	<0.01	0.07	0.9
ZZ44044		0.99	25.1	500	6.2	6.2	<0.001	0.02	0.38	3.5	0.3	0.3	17.7	<0.01	0.05	1.8
ZZ44045		0.73	31.0	690	5.9	6.6	<0.001	0.04	0.44	4.6	0.3	0.3	26.7	<0.01	0.06	1.5
ZZ44046		0.85	30.8	770	5.9	6.0	<0.001	0.06	0.57	4.9	0.8	0.4	26.3	<0.01	0.08	1.3
ZZ44047		0.69	27.3	690	5.8	7.1	<0.001	0.03	0.41	3.5	0.3	0.3	25.1	<0.01	0.05	1.2
ZZ44048		0.87	25.3	560	7.9	7.8	<0.001	0.04	0.50	3.1	0.2	0.4	16.3	<0.01	0.05	0.7
ZZ44049		0.61	26.9	640	6.1	6.3	<0.001	0.04	0.43	2.6	0.3	0.4	15.6	<0.01	0.03	0.5
ZZ44050		0.73	24.5	620	4.4	4.0	<0.001	0.02	0.48	4.1	0.7	0.3	16.7	<0.01	0.08	3.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- SEP- 2012
Account: MTT

Project: Byng

CERTIFICATE OF ANALYSIS WH12193428

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ44032		0.060	0.08	0.75	59	0.57	4.76	38	<0.5
ZZ44033		0.062	0.08	1.06	53	0.83	7.21	41	0.5
ZZ44034		0.056	0.08	0.76	54	0.32	5.41	40	<0.5
ZZ44035		0.062	0.09	0.84	65	0.56	7.18	46	<0.5
ZZ44036		0.059	0.08	0.60	72	0.70	3.94	54	<0.5
ZZ44037		0.070	0.06	0.43	58	0.50	2.59	24	<0.5
ZZ44038		0.072	0.12	0.78	75	0.59	3.45	45	<0.5
ZZ44039		0.090	0.09	0.78	74	0.72	5.57	40	0.5
ZZ44040		0.076	0.08	0.67	67	0.53	4.98	39	<0.5
ZZ44041		0.072	0.07	0.59	62	0.53	4.71	44	<0.5
ZZ44042		0.064	0.10	1.15	58	0.50	7.61	44	<0.5
ZZ44043		0.067	0.10	0.94	64	0.52	5.35	48	<0.5
ZZ44044		0.060	0.08	0.72	52	0.42	4.21	39	0.5
ZZ44045		0.060	0.08	0.99	67	0.49	6.01	46	<0.5
ZZ44046		0.085	0.08	1.31	85	0.69	5.99	44	<0.5
ZZ44047		0.069	0.08	0.81	65	0.51	5.90	39	<0.5
ZZ44048		0.074	0.12	0.84	77	0.62	4.24	41	<0.5
ZZ44049		0.068	0.08	0.77	74	0.62	4.55	44	<0.5
ZZ44050		0.084	0.06	0.69	82	1.20	4.91	30	0.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15-SEP-2012
Account: MTT

Project: Byng

CERTIFICATE OF ANALYSIS WH12193428

Method	CERTIFICATE COMMENTS
ME-MS41	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9-OCT-2012
Account: MTT

CERTIFICATE WH12227178

Project: BYNG

P.O. No.:

This report is for 122 Soil samples submitted to our lab in Whitehorse, YT, Canada on 2-OCT-2012.

The following have access to data associated with this certificate:

SARAH EATON	JOAN MARIACHER	HEATHER SMITH

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9-OCT-2012
Account: MTT

Project: BYNG

CERTIFICATE OF ANALYSIS WH12227178

Sample Description	Method	WEI-21	Au-ICP21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD010628		0.16	0.003	0.07	1.37	6.8	<0.2	<10	100	0.44	0.14	0.20	0.21	22.4	10.2	48
DD010629		0.16	0.002	0.09	1.42	7.1	<0.2	<10	110	0.56	0.14	0.20	0.24	26.0	7.4	39
DD010630		0.16	0.002	0.04	0.94	7.4	<0.2	<10	90	0.24	0.14	0.22	0.26	16.95	6.7	33
DD010631		0.16	0.003	0.09	1.67	12.4	<0.2	<10	210	0.54	0.17	0.43	0.12	23.8	9.7	37
DD010632		0.13	0.003	0.06	1.41	8.6	<0.2	<10	90	0.30	0.19	0.11	0.36	16.80	6.5	30
DD010633		0.12	<0.001	0.07	1.14	7.0	<0.2	<10	100	0.30	0.16	0.22	0.19	19.60	6.7	41
DD010634		0.17	0.004	0.04	0.52	4.1	<0.2	<10	60	0.12	0.19	0.13	0.14	12.35	3.0	19
DD010635		0.15	0.003	0.06	1.28	9.8	<0.2	<10	120	0.40	0.14	0.31	0.18	27.5	9.4	48
DD010636		0.16	0.003	0.03	0.77	5.2	<0.2	<10	70	0.31	0.07	0.23	0.17	19.15	7.4	36
DD010637		0.13	0.003	0.05	1.51	7.8	<0.2	<10	90	0.46	0.15	0.17	0.20	18.70	8.0	42
DD010638		0.15	0.001	0.04	0.87	5.5	<0.2	<10	100	0.20	0.15	0.13	0.17	11.50	3.9	25
DD010639		0.15	0.008	0.04	1.09	5.2	<0.2	<10	140	0.32	0.12	0.29	0.35	16.70	6.8	31
DD010640		0.17	0.002	0.05	1.12	4.3	<0.2	<10	90	0.28	0.14	0.14	0.22	17.40	4.6	30
DD010641		0.14	0.010	0.05	1.23	5.8	<0.2	<10	180	0.24	0.15	0.27	0.13	20.6	6.8	39
DD010642		0.14	0.003	0.07	1.78	6.3	<0.2	<10	220	0.44	0.16	0.29	0.20	26.8	10.4	37
DD010643		0.17	0.010	0.03	1.55	5.7	<0.2	<10	180	0.37	0.14	0.27	0.14	31.6	7.9	32
DD010644		0.19	0.002	0.04	1.52	5.7	<0.2	<10	100	0.33	0.13	0.19	0.22	21.7	6.4	33
DD010645		0.15	0.002	0.09	1.76	7.4	<0.2	<10	390	0.42	0.15	0.69	0.09	31.8	10.5	34
DD010646		0.17	0.007	0.06	1.40	6.2	<0.2	<10	210	0.29	0.14	0.34	0.07	18.75	12.0	37
DD010647		0.15	0.002	0.04	1.49	5.8	<0.2	<10	200	0.26	0.08	0.33	0.09	19.50	15.0	39
DD010648		0.18	0.004	0.04	1.47	4.4	<0.2	<10	110	0.26	0.11	0.17	0.10	18.75	6.6	29
DD010649		0.18	0.004	0.13	1.50	6.4	<0.2	<10	420	0.25	0.10	0.62	0.05	15.55	16.8	39
DD010650		0.19	0.003	0.08	1.22	10.3	<0.2	<10	240	0.26	0.10	0.43	0.07	18.60	15.7	41
DD010651		0.18	0.001	0.08	1.55	9.8	<0.2	<10	280	0.34	0.14	0.42	0.09	23.0	13.9	45
DD010652		0.25	0.003	0.04	0.80	7.5	<0.2	<10	200	0.25	0.07	0.29	0.08	23.4	7.3	31
DD010653		0.23	0.002	0.13	1.31	7.9	<0.2	<10	200	0.41	0.12	0.46	0.13	27.9	9.0	43
DD010654		0.17	0.003	0.06	0.95	5.4	<0.2	<10	110	0.31	0.10	0.24	0.11	21.0	6.9	42
DD010655		0.16	0.004	0.09	1.16	6.8	<0.2	<10	160	0.36	0.14	0.45	0.15	24.2	10.5	44
DD010656		0.21	0.001	0.07	1.15	6.6	<0.2	<10	130	0.35	0.12	0.24	0.22	22.2	7.5	47
DD010657		0.18	0.005	0.11	1.33	12.3	<0.2	<10	230	0.40	0.15	0.42	0.08	30.5	9.4	40
DD010658		0.22	0.004	0.07	0.88	11.4	<0.2	<10	190	0.28	0.09	0.46	0.08	30.0	6.9	29
DD010659		0.26	0.007	0.07	0.98	12.1	<0.2	<10	170	0.25	0.12	0.50	0.09	25.6	7.8	37
DD010660		0.21	0.009	0.87	1.23	9.8	2.4	<10	120	0.29	0.12	0.29	0.11	23.4	8.2	46
DD010661		0.18	0.003	0.08	1.32	9.1	<0.2	<10	170	0.34	0.13	0.51	0.16	27.0	8.1	46
DD010662		0.16	0.011	0.13	1.93	18.2	<0.2	<10	210	0.45	0.22	0.38	0.21	28.2	12.7	64
DD010663		0.15	0.016	0.09	1.63	28.2	<0.2	<10	190	0.33	0.23	0.31	0.09	19.35	11.3	54
DD010664		0.15	0.041	0.22	1.49	175.5	<0.2	<10	270	0.46	0.21	0.55	0.21	24.1	11.5	48
DD010665		0.12	0.054	0.29	2.03	116.0	<0.2	<10	340	0.56	0.38	0.42	0.15	23.1	14.8	59
DD010666		0.18	0.077	0.34	2.39	471	<0.2	<10	500	0.47	0.34	1.04	0.18	20.8	17.3	46
DD010667		0.20	0.099	0.15	1.25	128.0	<0.2	<10	220	0.33	0.16	0.71	0.17	24.3	15.5	47

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- OCT- 2012
Account: MTT

Project: BYNG

CERTIFICATE OF ANALYSIS WH12227178

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD010628		1.15	17.9	2.17	4.50	0.09	0.02	0.03	0.018	0.06	11.1	9.5	0.46	530	0.93	0.01
DD010629		1.07	16.3	2.07	4.79	0.05	0.02	0.04	0.015	0.06	13.4	9.4	0.39	377	1.45	0.01
DD010630		1.00	11.1	1.97	4.91	<0.05	<0.02	0.03	0.012	0.05	8.6	9.6	0.39	406	2.75	0.01
DD010631		1.97	29.8	2.20	5.73	0.05	<0.02	0.04	0.018	0.06	12.5	13.8	0.58	518	6.70	0.01
DD010632		1.87	21.7	2.09	6.56	<0.05	<0.02	0.04	0.016	0.06	8.9	9.8	0.34	313	7.53	0.01
DD010633		1.23	14.3	2.23	5.35	0.06	0.02	0.04	0.015	0.09	9.4	10.2	0.45	249	2.09	0.01
DD010634		0.97	7.3	1.31	5.18	<0.05	0.02	0.02	0.008	0.07	6.5	3.2	0.16	166	6.54	0.01
DD010635		1.19	17.4	2.43	4.91	0.07	0.02	0.03	0.017	0.09	12.6	14.3	0.66	339	1.37	0.01
DD010636		0.50	11.5	1.80	2.95	0.05	0.02	0.02	0.012	0.04	9.0	7.9	0.49	264	0.64	0.01
DD010637		1.24	14.0	2.57	5.56	0.05	0.02	0.04	0.019	0.05	8.7	14.5	0.52	291	1.06	0.01
DD010638		1.08	7.6	2.14	6.80	<0.05	0.02	0.03	0.012	0.04	6.0	9.4	0.24	191	1.80	0.01
DD010639		0.99	11.5	1.97	4.93	<0.05	<0.02	0.06	0.015	0.06	8.1	8.5	0.43	446	1.22	<0.01
DD010640		1.04	9.1	1.75	4.81	<0.05	0.02	0.04	0.015	0.04	9.1	5.9	0.27	279	1.39	<0.01
DD010641		1.57	15.6	2.06	5.63	<0.05	<0.02	0.02	0.014	0.06	10.8	10.5	0.61	279	2.49	0.01
DD010642		1.93	18.4	2.33	6.38	<0.05	<0.02	0.05	0.019	0.06	12.4	16.0	0.72	522	3.56	0.01
DD010643		1.91	17.5	2.09	5.34	<0.05	<0.02	0.03	0.015	0.05	13.3	12.5	0.66	334	2.12	0.01
DD010644		1.12	11.6	1.96	4.46	<0.05	0.02	0.03	0.015	0.05	10.4	10.3	0.45	238	2.22	0.01
DD010645		3.22	29.4	2.48	6.80	<0.05	<0.02	0.04	0.017	0.08	16.4	18.0	0.90	400	3.62	0.01
DD010646		2.02	61.6	2.56	5.90	0.05	0.02	0.02	0.014	0.16	9.3	11.6	0.85	353	2.15	0.01
DD010647		2.02	81.4	2.68	6.66	0.06	0.02	0.02	0.012	0.20	10.1	13.7	1.12	320	1.09	0.01
DD010648		1.53	26.9	2.10	5.95	<0.05	0.02	0.02	0.014	0.05	9.9	12.3	0.54	197	0.96	0.01
DD010649		2.75	127.5	3.14	6.70	<0.05	0.02	0.04	0.018	0.10	8.8	12.1	1.10	410	2.04	0.01
DD010650		2.22	102.0	3.13	5.53	0.05	0.03	0.02	0.014	0.12	9.7	10.9	0.98	354	2.22	0.01
DD010651		2.68	79.3	2.81	6.00	<0.05	0.02	0.03	0.018	0.08	11.2	14.3	0.90	374	3.51	0.01
DD010652		1.77	31.7	1.84	3.12	<0.05	0.03	0.02	0.011	0.05	12.2	7.3	0.54	292	1.77	0.01
DD010653		1.32	25.5	2.03	4.24	0.05	0.02	0.03	0.016	0.08	15.2	10.1	0.66	422	2.33	0.01
DD010654		0.78	15.2	2.04	3.61	<0.05	<0.02	0.04	0.011	0.05	11.3	8.0	0.49	322	0.77	0.01
DD010655		1.01	21.6	2.28	3.95	<0.05	<0.02	0.03	0.015	0.05	11.0	9.9	0.63	520	0.91	0.02
DD010656		1.04	16.9	2.03	4.18	<0.05	<0.02	0.03	0.013	0.04	11.4	8.7	0.53	308	0.75	0.01
DD010657		1.98	32.5	2.13	4.71	0.05	0.03	0.02	0.015	0.06	17.4	11.0	0.69	353	1.73	0.01
DD010658		1.68	31.0	1.83	3.35	0.05	0.04	0.01	0.012	0.05	16.7	7.5	0.55	279	0.76	0.01
DD010659		1.47	28.0	1.94	3.40	0.05	0.04	0.02	0.011	0.05	14.1	8.4	0.61	325	0.73	0.02
DD010660		1.45	20.0	2.13	4.02	<0.05	<0.02	0.02	0.012	0.05	12.4	9.2	0.61	344	0.80	0.01
DD010661		1.69	27.6	2.03	4.18	0.05	0.03	0.02	0.014	0.07	15.0	10.1	0.71	269	0.92	0.02
DD010662		2.73	43.3	2.38	5.35	<0.05	0.02	0.03	0.019	0.09	16.1	13.2	0.93	418	1.84	0.02
DD010663		2.83	49.4	2.03	4.37	<0.05	0.02	0.02	0.017	0.06	11.0	11.4	0.78	385	2.68	0.01
DD010664		3.40	46.4	2.28	4.16	<0.05	0.04	0.03	0.020	0.08	14.0	10.2	0.77	539	2.49	0.02
DD010665		4.59	77.4	2.65	5.30	<0.05	0.02	0.03	0.022	0.08	13.9	12.3	0.95	537	4.36	0.02
DD010666		4.64	68.0	2.50	4.65	<0.05	0.09	0.04	0.018	0.06	12.5	14.8	1.29	441	4.82	0.03
DD010667		2.18	60.0	2.63	3.70	<0.05	0.08	0.04	0.022	0.07	14.0	8.0	0.75	690	3.21	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9-OCT-2012
Account: MTT

Project: BYNG

CERTIFICATE OF ANALYSIS WH12227178

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD010628		0.64	36.3	740	8.4	9.6	<0.001	0.05	0.51	1.3	0.4	0.3	11.9	<0.01	0.04	0.2
DD010629		0.62	23.5	600	8.4	9.7	<0.001	0.04	0.48	1.2	0.4	0.3	13.9	<0.01	0.02	0.2
DD010630		0.94	18.3	390	5.9	10.5	<0.001	0.02	0.45	1.7	0.2	0.3	13.1	<0.01	0.02	0.5
DD010631		0.66	25.1	930	9.7	9.9	<0.001	0.06	0.64	2.1	0.4	0.4	22.1	<0.01	0.04	0.4
DD010632		0.96	15.7	520	6.7	8.9	<0.001	0.05	0.49	1.6	0.4	0.5	11.9	<0.01	0.07	0.2
DD010633		1.24	28.5	520	7.1	11.6	<0.001	0.03	0.46	2.3	0.3	0.4	15.9	<0.01	0.03	0.8
DD010634		2.03	8.1	250	7.1	16.7	<0.001	0.02	0.36	1.7	0.2	0.7	9.7	<0.01	0.02	1.0
DD010635		1.19	39.7	610	8.1	9.3	<0.001	0.02	1.20	3.1	0.4	0.3	17.5	<0.01	0.03	1.9
DD010636		0.65	29.6	460	4.6	3.7	<0.001	0.02	0.36	2.1	0.2	0.2	12.1	<0.01	0.02	1.2
DD010637		1.23	25.1	500	7.1	8.4	<0.001	0.02	0.49	2.9	0.4	0.4	12.8	<0.01	0.03	1.1
DD010638		1.97	10.5	260	6.5	7.1	<0.001	0.01	0.38	2.1	0.2	0.5	11.1	<0.01	0.03	1.4
DD010639		1.00	18.5	680	6.6	9.4	<0.001	0.05	0.40	1.4	0.4	0.4	24.2	<0.01	0.01	0.4
DD010640		1.27	14.1	410	7.4	5.8	<0.001	0.03	0.34	1.8	0.4	0.5	12.3	<0.01	0.02	0.7
DD010641		1.49	25.3	560	9.6	7.9	<0.001	0.03	0.44	2.4	<0.2	0.4	20.9	<0.01	0.02	1.2
DD010642		1.66	27.2	770	9.8	9.2	<0.001	0.04	0.41	2.6	0.3	0.4	25.6	<0.01	0.02	1.3
DD010643		1.65	22.3	680	6.5	6.3	<0.001	0.02	0.41	2.7	0.2	0.3	25.2	<0.01	0.02	1.8
DD010644		1.37	20.3	460	7.0	6.1	<0.001	0.03	0.38	2.1	0.3	0.3	16.0	<0.01	0.02	1.2
DD010645		1.92	24.8	630	7.7	11.4	<0.001	0.05	0.71	3.9	0.3	0.4	37.6	<0.01	0.01	1.3
DD010646		1.48	21.2	510	6.0	12.7	<0.001	0.03	0.42	3.4	0.3	0.4	23.8	<0.01	0.02	1.2
DD010647		2.65	22.5	660	5.4	12.4	<0.001	0.02	0.45	4.1	0.3	0.4	21.0	<0.01	0.01	2.1
DD010648		1.80	15.1	390	6.6	5.5	<0.001	0.02	0.42	2.5	0.3	0.4	15.4	<0.01	0.02	1.1
DD010649		1.97	24.3	560	5.6	10.9	<0.001	0.05	1.27	5.3	0.3	0.4	27.6	<0.01	0.02	1.4
DD010650		1.49	25.1	540	5.8	7.9	<0.001	0.02	1.34	4.9	0.3	0.3	18.8	<0.01	0.04	2.3
DD010651		1.35	30.2	690	6.3	8.5	<0.001	0.05	1.23	4.0	0.3	0.4	22.0	<0.01	0.05	1.2
DD010652		1.00	24.3	460	5.3	3.9	<0.001	0.01	1.92	2.7	0.2	0.2	15.5	<0.01	0.01	2.8
DD010653		1.02	53.7	750	7.8	8.8	<0.001	0.03	0.50	3.3	0.4	0.3	23.5	<0.01	0.01	5.5
DD010654		0.57	29.4	680	6.5	6.2	<0.001	0.04	0.41	1.6	0.2	0.3	15.1	<0.01	0.03	0.6
DD010655		0.80	40.8	670	7.7	6.0	<0.001	0.04	0.48	2.6	0.4	0.3	25.3	<0.01	0.02	1.3
DD010656		0.64	40.0	810	6.8	5.9	<0.001	0.04	0.42	1.8	<0.2	0.3	16.9	<0.01	0.02	0.6
DD010657		1.39	32.7	680	8.1	7.6	<0.001	0.04	0.86	3.5	0.4	0.3	26.0	<0.01	0.02	3.0
DD010658		1.24	24.1	760	5.0	4.7	<0.001	0.01	1.47	3.2	0.4	0.2	21.8	<0.01	0.02	4.3
DD010659		1.22	32.0	520	6.0	5.4	<0.001	0.02	1.53	3.1	0.2	0.2	24.6	<0.01	0.03	3.9
DD010660		0.81	38.7	660	7.6	5.9	<0.001	0.03	0.58	2.2	0.3	0.3	15.6	<0.01	0.02	2.1
DD010661		1.11	45.0	870	7.3	7.5	<0.001	0.02	0.66	3.2	0.5	0.3	24.3	<0.01	0.03	2.9
DD010662		1.02	72.1	940	15.1	11.7	<0.001	0.04	1.72	4.1	0.5	0.4	22.9	<0.01	0.03	2.4
DD010663		0.82	61.2	620	15.3	7.7	<0.001	0.04	3.26	3.0	0.2	0.3	19.5	<0.01	0.03	1.4
DD010664		0.97	54.7	700	25.0	7.8	<0.001	0.03	3.11	3.9	0.5	0.3	28.9	<0.01	0.06	2.9
DD010665		1.04	72.4	770	20.3	10.5	<0.001	0.04	3.77	5.0	0.6	0.3	23.9	<0.01	0.04	1.5
DD010666		0.57	83.1	750	36.6	6.8	<0.001	0.07	3.94	5.3	0.6	0.2	47.6	<0.01	0.08	2.1
DD010667		0.54	35.9	580	23.6	5.4	<0.001	0.04	8.99	7.0	0.5	0.2	40.6	<0.01	0.05	3.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9-OCT-2012
Account: MTT

Project: BYNG

CERTIFICATE OF ANALYSIS WH12227178

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD010628		0.047	0.07	0.80	55	0.22	4.63	52	<0.5
DD010629		0.044	0.07	1.21	47	0.25	6.11	37	<0.5
DD010630		0.069	0.06	0.59	49	0.91	2.43	36	<0.5
DD010631		0.040	0.10	1.65	52	0.52	6.09	44	<0.5
DD010632		0.059	0.10	0.82	57	0.51	2.78	36	<0.5
DD010633		0.083	0.07	0.59	55	0.31	3.40	35	0.6
DD010634		0.116	0.06	0.42	54	0.35	1.54	21	0.6
DD010635		0.080	0.09	0.74	54	0.31	4.24	41	0.6
DD010636		0.057	0.04	0.58	42	0.15	3.30	23	0.5
DD010637		0.088	0.08	0.64	58	0.35	3.69	43	0.7
DD010638		0.114	0.08	0.45	66	0.34	1.77	24	0.8
DD010639		0.069	0.06	0.95	51	0.31	2.74	36	<0.5
DD010640		0.079	0.07	0.53	51	0.24	2.57	26	0.5
DD010641		0.080	0.06	0.68	53	1.07	3.16	41	0.5
DD010642		0.082	0.08	1.06	56	2.67	3.93	55	<0.5
DD010643		0.079	0.07	1.02	49	1.21	4.55	39	0.5
DD010644		0.068	0.06	0.65	46	0.53	3.21	29	0.5
DD010645		0.079	0.07	1.33	61	0.71	7.25	47	0.5
DD010646		0.124	0.07	0.86	87	0.52	3.87	38	0.6
DD010647		0.173	0.07	0.71	92	0.58	4.23	41	0.9
DD010648		0.092	0.05	0.75	59	0.52	3.03	29	0.5
DD010649		0.123	0.07	0.91	97	1.05	4.63	51	0.8
DD010650		0.128	0.07	0.79	98	1.38	4.67	44	0.9
DD010651		0.090	0.08	1.00	82	0.45	4.57	46	0.5
DD010652		0.058	0.04	0.72	47	0.52	4.29	27	0.9
DD010653		0.064	0.10	1.73	47	0.25	7.20	40	0.5
DD010654		0.048	0.06	0.59	49	0.20	3.25	29	<0.5
DD010655		0.061	0.07	1.00	53	0.21	3.97	42	<0.5
DD010656		0.049	0.07	0.76	50	0.20	4.12	37	<0.5
DD010657		0.068	0.09	1.60	51	0.56	8.06	38	1.0
DD010658		0.060	0.05	1.10	41	0.42	6.61	32	1.2
DD010659		0.063	0.05	1.03	45	0.67	5.25	29	1.2
DD010660		0.054	0.06	1.04	51	0.52	3.58	34	<0.5
DD010661		0.066	0.06	1.68	46	1.38	7.71	47	0.9
DD010662		0.062	0.11	1.74	49	0.40	9.66	63	0.7
DD010663		0.041	0.09	1.07	40	0.58	4.52	42	<0.5
DD010664		0.047	0.09	4.71	40	0.53	8.01	61	1.1
DD010665		0.042	0.10	2.56	48	0.73	10.15	56	0.5
DD010666		0.010	0.08	2.66	32	0.30	8.52	45	2.2
DD010667		0.034	0.10	1.43	61	0.31	9.07	67	2.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9-OCT-2012
Account: MTT

Project: BYNG

CERTIFICATE OF ANALYSIS WH12227178

Sample Description	Method	WEI-21	Au-ICP21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD010668		0.19	0.001	0.04	1.00	5.3	<0.2	<10	100	0.25	0.15	0.23	0.19	18.25	6.1	32
DD010669		0.20	0.007	0.09	1.41	6.9	<0.2	<10	250	0.41	0.13	0.31	0.10	26.3	11.6	45
DD010670		0.17	<0.001	0.10	1.27	4.4	<0.2	<10	500	0.37	0.09	0.51	0.07	26.9	7.8	33
DD010671		0.17	<0.001	0.14	1.45	7.5	<0.2	<10	260	0.51	0.13	0.71	0.22	31.1	11.8	45
DD010672		0.19	0.003	0.07	1.18	4.6	<0.2	<10	270	0.31	0.10	0.45	0.13	27.4	7.9	36
DD010673		0.14	0.004	0.09	1.17	6.1	<0.2	<10	230	0.30	0.12	0.63	0.12	25.3	7.3	35
DD010674		0.20	0.003	0.04	1.31	6.0	<0.2	<10	120	0.27	0.21	0.32	0.15	23.3	10.3	37
DD010675		0.23	0.029	0.07	1.19	7.5	<0.2	<10	140	0.25	0.18	0.32	0.11	18.50	10.7	45
DD010676		0.19	0.003	0.08	1.34	8.1	<0.2	<10	160	0.31	0.16	0.28	0.07	26.4	8.4	39
DD010677		0.26	0.011	0.08	1.42	9.6	<0.2	<10	210	0.28	0.13	0.55	0.13	29.2	11.1	50
DD010678		0.22	0.002	0.08	1.73	13.1	<0.2	<10	190	0.35	0.13	0.39	0.13	19.85	31.4	105
DD010679		0.18	0.003	0.08	1.70	16.6	<0.2	<10	160	0.36	0.17	0.40	0.13	26.1	12.1	51
DD010680		0.17	0.005	0.08	1.29	19.6	<0.2	<10	120	0.29	0.14	0.31	0.14	23.8	8.9	36
DD010681		0.16	0.002	0.07	1.32	10.7	<0.2	<10	100	0.25	0.12	0.24	0.07	18.55	8.3	31
DD010682		0.15	0.003	0.06	1.33	20.5	<0.2	<10	130	0.32	0.15	0.21	0.11	22.4	8.9	38
DD010683		0.23	0.001	0.06	1.29	7.9	<0.2	<10	90	0.38	0.14	0.24	0.12	25.8	8.5	33
DD010684		0.20	0.011	0.09	1.67	61.0	<0.2	<10	160	0.41	0.20	0.23	0.10	25.5	11.3	44
DD010685		0.21	0.050	0.31	1.86	106.0	<0.2	<10	240	0.40	0.41	0.41	0.10	22.4	12.7	47
DD010686		0.21	0.005	0.13	1.59	66.6	<0.2	<10	210	0.26	0.17	0.61	0.07	18.95	15.1	64
DD010687		0.18	0.008	0.19	2.02	121.0	<0.2	<10	330	0.38	0.28	0.97	0.19	19.45	19.7	80
DD010688		0.22	0.020	0.10	1.61	188.5	<0.2	<10	110	0.24	0.20	0.42	0.14	23.5	16.7	52
DD010689		0.23	0.004	0.15	3.29	65.2	<0.2	<10	120	0.31	0.14	0.57	0.16	16.35	27.3	118
DD010690		0.23	0.004	0.11	2.80	69.6	<0.2	<10	150	0.31	0.18	0.55	0.16	21.9	27.4	91
DD010691		0.18	0.003	0.09	3.22	85.9	<0.2	<10	210	0.53	0.28	0.41	0.18	28.6	20.8	67
DD010692		0.21	0.009	0.14	2.52	72.8	<0.2	<10	190	0.40	0.20	0.69	0.15	22.3	16.5	62
DD010693		0.33	0.005	0.10	1.98	21.5	<0.2	<10	180	0.41	0.17	0.68	0.22	25.9	14.4	69
DD010694		0.26	0.006	0.18	2.28	37.8	<0.2	<10	140	0.32	0.15	0.83	0.14	19.35	17.2	92
DD010695		0.30	0.008	0.16	1.97	52.6	<0.2	<10	160	0.29	0.15	0.73	0.13	21.7	17.6	71
DD010696		0.17	0.003	0.16	2.12	51.9	<0.2	<10	200	0.31	0.16	0.79	0.16	20.6	17.3	73
DD010697		0.25	0.003	0.17	2.13	26.0	<0.2	<10	220	0.32	0.15	0.86	0.21	20.9	15.9	74
DD010698		0.23	0.003	0.25	2.26	31.4	<0.2	<10	230	0.32	0.16	1.02	0.33	22.4	18.0	78
DD010699		0.25	0.001	0.17	2.01	34.2	<0.2	<10	190	0.30	0.13	1.12	0.17	23.5	16.0	80
DD010700		0.23	0.007	0.19	2.33	44.2	<0.2	<10	230	0.37	0.17	0.66	0.18	27.4	17.6	78
DD010701		0.28	0.152	0.15	2.02	19.9	<0.2	<10	240	0.40	0.14	0.71	0.18	25.2	15.8	74
DD010702		0.21	0.001	0.15	2.02	33.7	<0.2	<10	250	0.33	0.13	0.71	0.14	17.45	16.3	65
DD010703		0.24	0.003	0.19	2.57	25.0	<0.2	<10	290	0.34	0.14	0.73	0.15	20.6	16.8	90
DD010704		0.22	0.004	0.17	1.81	13.9	<0.2	<10	270	0.35	0.15	0.71	0.13	25.5	13.4	54
DD010705		0.20	0.003	0.09	1.36	9.0	<0.2	<10	170	0.32	0.13	0.53	0.11	28.5	11.0	48
DD010706		0.22	0.006	0.19	2.32	22.5	<0.2	<10	270	0.32	0.13	0.93	0.26	21.8	18.0	87
DD010707		0.25	0.005	0.24	2.28	19.0	<0.2	<10	340	0.39	0.15	0.94	0.16	24.1	15.8	60

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- OCT- 2012
Account: MTT

Project: BYNG

CERTIFICATE OF ANALYSIS WH12227178

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD010668		1.11	12.5	1.94	4.75	<0.05	<0.02	0.04	0.013	0.05	9.2	7.6	0.42	256	1.01	0.01
DD010669		1.42	41.5	2.36	4.86	<0.05	0.02	0.03	0.020	0.06	13.1	10.1	0.67	413	0.73	0.01
DD010670		1.46	42.2	1.89	4.34	<0.05	0.03	0.04	0.016	0.05	13.9	8.8	0.67	340	0.49	0.01
DD010671		1.43	59.5	2.35	4.81	0.05	0.02	0.04	0.019	0.07	18.0	11.0	0.73	630	1.05	0.02
DD010672		1.41	40.6	1.98	4.02	<0.05	0.02	0.02	0.012	0.05	15.1	9.2	0.74	296	0.56	0.02
DD010673		1.22	43.2	1.92	4.05	<0.05	0.02	0.02	0.013	0.05	13.5	9.8	0.62	326	0.68	0.02
DD010674		1.07	24.3	2.25	4.26	<0.05	<0.02	0.05	0.013	0.05	12.0	8.2	0.55	284	0.80	0.01
DD010675		1.44	25.2	2.41	4.75	0.06	0.02	0.02	0.015	0.06	9.4	10.8	0.67	296	1.12	0.02
DD010676		1.42	25.6	2.15	4.73	0.06	0.03	0.03	0.016	0.04	15.3	11.4	0.62	217	2.12	0.01
DD010677		1.84	33.8	2.05	4.42	0.06	0.05	0.02	0.016	0.06	15.7	11.6	0.81	331	0.67	0.02
DD010678		3.11	53.4	2.90	4.69	0.07	0.02	0.02	0.015	0.05	11.3	13.5	1.84	425	0.96	0.02
DD010679		2.35	34.2	2.28	5.20	0.06	<0.02	0.02	0.016	0.08	13.8	12.4	0.87	423	1.30	0.02
DD010680		1.84	27.2	1.91	4.23	<0.05	<0.02	0.02	0.015	0.06	12.7	10.0	0.59	330	1.29	0.02
DD010681		1.61	29.5	1.78	4.30	<0.05	<0.02	0.02	0.012	0.05	9.4	8.2	0.48	267	0.86	0.02
DD010682		2.21	20.5	1.86	4.29	<0.05	<0.02	0.03	0.015	0.05	12.3	9.8	0.53	364	1.62	0.01
DD010683		1.09	18.8	2.19	3.99	0.06	0.02	0.03	0.015	0.05	12.4	11.4	0.51	277	0.73	0.01
DD010684		2.76	30.5	2.39	5.27	0.05	0.02	0.03	0.019	0.05	14.2	11.1	0.65	538	2.69	0.01
DD010685		3.97	61.5	2.38	5.10	0.05	0.03	0.04	0.021	0.06	12.8	12.6	0.84	396	4.52	0.02
DD010686		2.24	46.0	2.69	5.34	0.05	0.06	0.03	0.021	0.09	10.5	11.7	0.95	406	2.05	0.02
DD010687		4.01	70.6	4.06	6.55	0.08	0.06	0.05	0.025	0.32	11.3	13.2	1.35	647	2.84	0.02
DD010688		1.70	65.4	3.25	5.02	0.08	0.05	0.03	0.018	0.14	12.4	13.0	0.97	397	6.73	0.03
DD010689		2.65	110.5	4.34	8.44	0.10	0.02	0.02	0.022	0.27	8.7	18.9	2.27	466	6.77	0.07
DD010690		2.40	126.5	4.02	7.46	0.08	0.02	0.02	0.021	0.11	12.3	18.8	1.75	531	18.75	0.05
DD010691		3.12	56.6	3.78	8.34	0.06	0.02	0.04	0.028	0.10	14.4	19.5	1.25	648	3.48	0.02
DD010692		2.39	51.3	3.54	7.35	0.05	0.02	0.04	0.027	0.12	11.2	18.3	1.15	535	2.98	0.03
DD010693		1.38	51.8	3.32	6.08	0.07	0.03	0.03	0.027	0.09	12.8	15.7	1.10	474	2.19	0.01
DD010694		2.80	65.0	3.73	7.70	0.09	0.04	0.03	0.021	0.31	10.5	19.4	1.29	431	2.34	0.03
DD010695		2.13	43.6	3.40	6.53	0.08	0.04	0.03	0.020	0.21	11.4	17.4	1.12	772	1.11	0.03
DD010696		2.08	50.7	3.71	6.74	0.08	0.05	0.03	0.022	0.23	10.7	18.9	1.18	697	1.03	0.03
DD010697		2.07	49.8	3.32	6.77	0.06	0.04	0.03	0.023	0.22	10.7	17.8	1.16	872	0.96	0.03
DD010698		2.57	63.2	3.79	7.41	0.08	0.06	0.03	0.023	0.30	12.3	19.5	1.30	672	1.03	0.03
DD010699		2.03	54.3	3.34	6.73	0.08	0.06	0.04	0.022	0.28	13.2	17.7	1.20	580	0.73	0.03
DD010700		2.55	55.8	3.84	7.55	0.09	0.07	0.02	0.026	0.29	14.7	19.9	1.35	555	0.67	0.03
DD010701		1.92	46.5	3.07	6.56	0.08	0.07	0.04	0.024	0.22	13.5	17.3	1.12	434	0.63	0.02
DD010702		1.91	35.5	3.15	6.60	0.08	0.05	0.03	0.021	0.22	9.1	17.9	1.13	888	0.76	0.02
DD010703		2.67	57.1	3.85	8.13	0.09	0.04	0.02	0.024	0.34	11.5	20.5	1.51	444	0.64	0.04
DD010704		1.87	42.3	2.86	5.76	0.07	0.06	0.03	0.024	0.18	14.7	16.4	1.02	546	0.56	0.02
DD010705		1.32	22.7	2.47	4.59	0.07	0.05	0.02	0.018	0.11	14.6	15.4	0.81	381	0.60	0.02
DD010706		2.27	53.5	3.42	7.55	0.08	0.05	0.05	0.026	0.26	11.3	18.5	1.33	830	0.64	0.03
DD010707		2.31	60.3	3.35	7.01	0.08	0.06	0.04	0.027	0.22	14.1	19.5	1.23	566	0.51	0.04

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- OCT- 2012
Account: MTT

Project: BYNG

CERTIFICATE OF ANALYSIS WH12227178

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD010668		0.96	18.6	630	6.8	6.4	<0.001	0.04	0.53	1.4	0.3	0.4	16.2	<0.01	0.02	0.4
DD010669		0.96	43.2	540	6.9	6.8	<0.001	0.03	0.47	3.7	0.3	0.4	21.1	<0.01	0.01	1.5
DD010670		0.87	30.4	610	5.1	5.5	<0.001	0.04	0.39	3.5	0.3	0.3	25.3	<0.01	0.01	2.1
DD010671		0.82	52.0	1010	8.3	8.0	<0.001	0.08	0.56	2.9	0.5	0.3	31.9	<0.01	0.02	0.8
DD010672		1.08	29.4	740	5.2	5.0	<0.001	0.02	0.46	3.2	0.3	0.3	29.4	<0.01	0.02	2.9
DD010673		1.05	30.4	680	5.6	5.9	<0.001	0.05	0.52	2.7	0.2	0.3	25.7	<0.01	0.01	1.7
DD010674		0.78	25.1	650	5.6	4.7	<0.001	0.03	0.45	2.4	0.3	0.3	19.0	<0.01	0.05	0.9
DD010675		0.83	33.2	630	7.0	6.5	<0.001	0.05	0.51	2.4	0.4	0.3	19.5	<0.01	0.04	1.3
DD010676		0.84	29.4	680	6.8	7.3	<0.001	0.05	0.61	3.1	0.5	0.3	19.4	<0.01	0.03	2.2
DD010677		1.36	44.1	700	7.5	7.4	<0.001	0.03	1.12	3.6	0.5	0.3	24.8	<0.01	0.03	4.3
DD010678		0.53	231	820	7.1	6.7	<0.001	0.04	0.85	3.6	0.5	0.3	25.9	<0.01	0.03	1.9
DD010679		1.37	54.6	850	7.1	7.9	<0.001	0.03	1.37	3.4	0.5	0.3	24.3	0.01	0.05	2.6
DD010680		0.76	34.8	870	8.4	6.8	<0.001	0.04	0.82	2.5	0.5	0.3	18.4	<0.01	0.03	2.0
DD010681		0.51	30.3	810	6.7	6.4	<0.001	0.04	0.71	1.7	0.4	0.3	15.6	<0.01	0.03	0.6
DD010682		0.51	35.3	600	8.8	7.5	<0.001	0.04	1.32	1.9	0.5	0.3	14.4	<0.01	0.03	0.8
DD010683		0.95	26.5	690	8.3	5.7	<0.001	0.04	0.47	2.5	0.5	0.3	16.8	<0.01	0.03	3.3
DD010684		0.55	40.7	700	12.5	8.5	<0.001	0.05	2.36	2.2	0.5	0.3	15.5	<0.01	0.04	0.9
DD010685		0.88	56.1	730	15.7	8.9	<0.001	0.06	5.11	3.8	0.6	0.3	23.4	<0.01	0.04	1.8
DD010686		0.65	41.0	580	13.3	9.4	<0.001	0.05	3.07	5.1	0.5	0.2	41.1	<0.01	0.05	2.9
DD010687		0.56	47.6	840	24.7	25.3	<0.001	0.07	5.93	8.1	0.8	0.2	59.0	<0.01	0.06	3.2
DD010688		0.52	40.0	750	10.5	10.7	<0.001	0.06	3.88	4.9	0.6	0.3	25.3	<0.01	0.04	5.2
DD010689		0.51	85.2	730	6.2	15.3	<0.001	0.05	1.46	7.5	0.9	0.3	33.3	<0.01	0.04	1.9
DD010690		0.63	66.9	610	7.3	10.1	0.001	0.05	1.40	6.5	0.7	0.3	37.8	<0.01	0.05	2.8
DD010691		0.89	45.5	890	11.9	12.9	<0.001	0.09	3.20	4.0	0.7	0.4	35.9	<0.01	0.05	0.6
DD010692		0.93	43.7	740	8.2	13.3	<0.001	0.07	2.50	5.1	0.7	0.4	35.9	<0.01	0.05	1.2
DD010693		0.99	72.8	700	7.7	9.7	<0.001	0.04	1.45	4.8	0.7	0.4	29.6	<0.01	0.04	1.4
DD010694		0.79	42.6	880	4.9	23.2	<0.001	0.06	1.85	5.5	0.7	0.3	45.1	<0.01	0.04	1.8
DD010695		0.89	35.8	730	5.6	18.1	<0.001	0.05	1.98	6.1	0.7	0.3	39.8	<0.01	0.03	2.3
DD010696		0.93	36.9	730	5.8	18.3	<0.001	0.07	2.30	5.9	0.9	0.3	41.9	<0.01	0.04	2.2
DD010697		1.04	43.6	760	6.5	18.6	<0.001	0.07	1.36	5.3	0.8	0.4	41.7	<0.01	0.03	1.8
DD010698		1.08	45.4	910	7.1	24.1	<0.001	0.08	1.44	6.8	1.1	0.3	45.2	<0.01	0.04	2.6
DD010699		1.09	42.5	750	6.5	21.2	<0.001	0.08	1.43	6.2	0.8	0.3	44.2	<0.01	0.03	2.8
DD010700		1.19	43.9	810	7.2	21.7	<0.001	0.03	1.66	8.2	0.8	0.4	42.1	<0.01	0.04	4.6
DD010701		1.35	45.3	620	7.5	18.5	<0.001	0.07	1.20	6.4	0.7	0.4	34.2	<0.01	0.03	3.7
DD010702		1.01	36.4	650	6.3	18.6	<0.001	0.38	0.90	5.5	0.6	0.3	37.2	<0.01	0.03	2.3
DD010703		0.87	40.8	820	5.9	22.5	<0.001	0.17	0.94	7.5	0.7	0.4	38.3	<0.01	0.04	2.9
DD010704		1.16	39.0	740	7.4	17.0	<0.001	0.12	0.73	5.8	0.7	0.3	37.1	<0.01	0.03	4.3
DD010705		1.03	35.7	750	6.9	9.3	<0.001	0.08	0.49	4.4	0.4	0.3	31.0	<0.01	0.02	6.5
DD010706		0.98	44.7	800	7.0	20.4	<0.001	0.20	0.94	7.3	0.9	0.4	44.2	<0.01	0.04	1.9
DD010707		1.11	41.0	680	7.5	19.0	<0.001	0.16	0.70	7.5	1.0	0.4	46.1	<0.01	0.04	2.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- OCT- 2012
Account: MTT

Project: BYNG

CERTIFICATE OF ANALYSIS WH12227178

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD010668		0.065	0.04	0.60	52	0.21	2.85	33	<0.5
DD010669		0.062	0.08	1.29	58	0.24	7.15	39	<0.5
DD010670		0.038	0.07	1.18	43	0.15	8.17	34	0.8
DD010671		0.052	0.09	1.35	55	0.21	11.95	43	0.5
DD010672		0.061	0.05	0.86	48	2.48	6.62	34	0.5
DD010673		0.057	0.06	1.29	45	0.28	6.25	34	0.6
DD010674		0.066	0.05	0.60	59	0.28	4.20	32	<0.5
DD010675		0.063	0.06	1.02	54	4.29	4.01	33	0.5
DD010676		0.054	0.08	1.62	47	0.75	7.01	31	0.7
DD010677		0.068	0.08	2.03	46	0.39	7.98	39	1.6
DD010678		0.047	0.10	1.14	42	1.21	6.42	40	<0.5
DD010679		0.063	0.09	4.95	45	0.76	6.90	43	<0.5
DD010680		0.059	0.07	1.45	40	0.65	5.71	43	<0.5
DD010681		0.052	0.07	0.92	37	0.33	4.26	34	<0.5
DD010682		0.039	0.08	1.32	37	0.60	4.91	36	<0.5
DD010683		0.056	0.06	2.11	46	0.28	4.79	27	<0.5
DD010684		0.038	0.11	1.61	46	0.78	6.19	37	<0.5
DD010685		0.036	0.10	2.33	39	0.81	6.78	42	0.8
DD010686		0.064	0.11	1.14	70	0.40	5.27	56	1.9
DD010687		0.104	0.25	2.69	107	0.35	10.35	80	2.3
DD010688		0.101	0.12	1.52	72	0.28	7.96	46	1.6
DD010689		0.164	0.15	0.95	120	0.35	7.59	58	0.7
DD010690		0.136	0.14	1.52	94	0.86	8.99	51	0.7
DD010691		0.082	0.18	1.35	86	0.35	10.25	67	<0.5
DD010692		0.088	0.16	1.03	83	0.30	8.10	62	0.6
DD010693		0.093	0.12	1.21	73	0.20	10.40	70	1.0
DD010694		0.162	0.20	0.71	114	0.22	8.96	62	1.1
DD010695		0.127	0.18	0.70	95	0.22	8.04	54	1.3
DD010696		0.134	0.17	0.81	102	0.19	8.61	61	1.5
DD010697		0.128	0.19	0.88	96	0.19	8.50	62	1.2
DD010698		0.145	0.24	0.91	112	0.21	11.20	72	1.9
DD010699		0.139	0.17	0.80	97	0.17	10.00	63	2.1
DD010700		0.155	0.19	1.11	107	0.24	11.70	70	2.7
DD010701		0.136	0.17	1.01	91	0.19	9.87	59	2.5
DD010702		0.121	0.16	0.70	82	0.16	6.22	51	1.4
DD010703		0.167	0.19	1.07	116	0.25	10.15	67	1.3
DD010704		0.101	0.14	1.08	71	0.30	10.00	51	2.1
DD010705		0.095	0.09	1.10	59	0.22	5.94	47	1.6
DD010706		0.147	0.19	1.02	110	0.15	10.80	73	1.5
DD010707		0.115	0.17	1.10	90	0.18	13.05	68	1.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9-OCT-2012
Account: MTT

Project: BYNG

CERTIFICATE OF ANALYSIS WH12227178

Sample Description	Method	WEI-21	Au-ICP21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD010708		0.18	0.005	0.36	2.69	87.2	<0.2	<10	360	0.33	0.15	1.36	0.30	17.55	19.5	94
DD010709		0.26	0.005	0.25	2.05	52.2	<0.2	<10	310	0.31	0.14	1.11	0.35	19.60	16.5	69
DD010710		0.20	0.006	0.18	1.57	12.5	<0.2	<10	220	0.40	0.20	0.88	0.17	25.8	13.5	60
DD010711		0.20	0.020	0.16	1.42	15.8	<0.2	<10	180	0.35	0.19	0.80	0.14	25.1	12.4	55
DD010712		0.17	0.005	0.36	2.48	32.5	<0.2	<10	350	0.36	0.16	0.69	0.14	21.5	17.7	64
DD010713		0.26	0.008	0.49	2.35	18.0	<0.2	<10	310	0.30	0.16	0.99	0.37	18.75	23.9	66
DD010714		0.26	0.005	0.17	1.50	110.0	<0.2	<10	190	0.28	0.14	0.56	0.30	22.9	13.9	57
DD010715		0.14	0.016	0.26	2.05	45.8	<0.2	<10	260	0.28	0.09	0.83	0.69	17.45	18.7	76
DD010716		0.19	0.005	0.29	2.52	26.6	<0.2	<10	310	0.26	0.08	0.81	0.41	14.70	23.6	85
DD010717		0.20	0.007	0.17	1.66	41.7	<0.2	<10	190	0.29	0.12	0.55	0.21	19.15	14.7	63
DD010718		0.18	0.007	0.18	2.06	59.0	<0.2	<10	180	0.28	0.16	0.71	0.33	21.0	18.2	76
DD010719		0.20	0.007	0.19	2.42	80.2	<0.2	<10	150	0.34	0.24	0.96	0.28	17.90	21.1	87
DD010720		0.16	0.005	0.16	1.17	21.6	<0.2	<10	150	0.32	0.14	0.86	0.16	25.6	11.3	46
DD010721		0.10	0.008	0.20	1.65	72.4	<0.2	<10	130	0.27	0.23	1.50	0.25	14.90	17.6	63
DD010722		0.24	0.007	0.16	1.79	69.2	<0.2	<10	150	0.31	0.24	1.29	0.18	18.10	18.2	73
DD010723		0.11	0.006	0.21	2.33	135.0	<0.2	<10	160	0.31	0.25	1.10	0.10	14.35	23.9	79
DD010724		0.14	0.009	0.22	2.38	110.0	<0.2	<10	140	0.31	0.25	1.55	0.37	13.90	23.1	83
DD010725		0.18	0.010	0.22	2.23	111.0	<0.2	<10	180	0.25	0.19	1.27	0.22	12.85	20.5	85
DD010726		0.18	0.011	0.24	2.15	125.0	<0.2	<10	150	0.27	0.18	1.09	0.21	13.70	21.6	80
DD010727		0.15	0.007	0.21	1.98	73.1	<0.2	<10	170	0.23	0.13	1.25	0.22	13.75	17.7	79
DD010728		0.22	0.022	0.14	1.72	137.0	<0.2	<10	180	0.38	0.22	0.52	0.15	20.1	11.9	44
DD010729		0.23	0.020	0.21	1.49	106.5	<0.2	<10	190	0.37	0.22	0.64	0.08	22.2	13.0	48
DD010730		0.19	0.016	0.23	1.59	85.0	<0.2	<10	180	0.37	0.20	0.67	0.14	22.8	13.7	48
DD010731		0.20	0.012	0.22	1.75	71.6	<0.2	<10	170	0.39	0.24	0.80	0.14	22.7	13.5	49
DD010732		0.17	0.008	0.16	1.69	63.1	<0.2	<10	180	0.37	0.21	0.75	0.09	22.3	13.4	52
DD010733		0.27	0.013	0.26	2.40	124.0	<0.2	<10	240	0.38	0.23	0.65	0.21	19.55	16.8	78
DD010734		0.26	0.013	0.12	1.97	50.2	<0.2	<10	190	0.38	0.17	0.51	0.11	21.4	12.2	60
DD010735		0.25	0.015	0.21	2.13	54.6	<0.2	<10	220	0.40	0.18	0.60	0.16	22.8	13.9	68
DD010736		0.21	0.004	0.08	1.26	30.6	<0.2	<10	100	0.30	0.10	0.31	0.08	17.05	8.6	33
DD010737		0.31	0.009	0.17	1.71	42.3	<0.2	<10	220	0.39	0.15	0.51	0.20	25.7	12.4	50
DD010738		0.25	0.012	0.10	1.56	14.3	<0.2	<10	180	0.40	0.13	0.35	0.15	26.9	10.1	50
DD010739		0.22	0.007	0.17	1.70	31.9	<0.2	<10	360	0.36	0.11	0.71	0.28	23.0	13.5	60
DD010740		0.29	0.010	0.14	1.91	22.4	<0.2	<10	230	0.39	0.13	0.55	0.17	23.2	14.9	73
DD010741		0.11	0.013	0.20	1.99	131.5	<0.2	<10	200	0.23	0.17	1.24	0.23	14.25	18.1	86
DD010742		0.15	0.007	0.25	2.15	179.0	<0.2	<10	230	0.30	0.14	1.21	0.37	15.25	21.3	88
DD010743		0.16	0.008	0.25	1.87	153.0	<0.2	<10	170	0.25	0.16	0.98	0.33	16.35	21.3	79
DD010744		0.19	0.006	0.17	1.98	84.3	<0.2	<10	180	0.26	0.09	0.94	0.10	13.55	16.3	72
DD010745		0.15	0.015	0.26	2.09	109.5	<0.2	<10	170	0.37	0.21	0.89	0.17	19.15	18.3	66
DD010746		0.27	0.019	0.17	1.70	77.6	<0.2	<10	170	0.29	0.19	0.68	0.19	19.70	14.8	59
DD010747		0.23	0.018	0.19	1.69	58.5	<0.2	<10	190	0.33	0.18	0.65	0.13	23.1	13.7	58

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- OCT- 2012
Account: MTT

Project: BYNG

CERTIFICATE OF ANALYSIS WH12227178

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD010708		3.14	91.6	4.49	8.39	0.10	0.05	0.07	0.032	0.38	11.7	20.0	1.60	766	1.04	0.06
DD010709		2.76	60.7	3.83	6.62	0.10	0.05	0.05	0.028	0.26	11.7	16.6	1.28	599	1.00	0.04
DD010710		1.69	42.0	2.51	5.29	0.06	0.06	0.05	0.022	0.13	13.7	14.9	0.90	700	0.62	0.02
DD010711		1.48	33.0	2.38	5.23	0.07	0.05	0.04	0.021	0.10	13.8	13.4	0.78	885	0.99	0.02
DD010712		2.88	59.4	4.03	8.88	0.10	0.04	0.07	0.038	0.15	11.4	18.3	1.32	1000	0.84	0.04
DD010713		2.61	111.5	4.35	9.10	0.12	0.05	0.03	0.038	0.29	11.3	23.2	1.50	859	0.97	0.05
DD010714		2.53	48.9	3.22	5.64	0.10	0.05	0.02	0.022	0.29	12.0	13.0	0.97	567	0.69	0.04
DD010715		2.89	73.3	4.20	8.10	0.13	0.05	0.03	0.025	0.48	9.3	15.5	1.42	576	1.00	0.04
DD010716		2.98	96.6	4.87	9.31	0.15	0.08	0.02	0.024	0.66	7.7	19.4	1.73	736	1.19	0.06
DD010717		2.06	57.5	3.31	6.24	0.11	0.05	0.02	0.020	0.25	10.2	15.0	1.13	551	0.82	0.03
DD010718		2.45	71.1	3.90	8.28	0.13	0.04	0.02	0.022	0.31	12.0	18.1	1.42	643	1.01	0.05
DD010719		3.22	75.0	4.34	9.43	0.11	0.04	0.05	0.027	0.24	9.8	18.2	1.53	665	2.82	0.04
DD010720		1.44	63.7	2.36	4.71	0.08	0.04	0.02	0.017	0.15	13.7	11.2	0.78	448	0.78	0.03
DD010721		2.58	70.2	3.25	6.68	0.08	0.04	0.04	0.019	0.16	7.7	12.7	0.97	679	3.42	0.03
DD010722		2.94	65.8	3.48	7.26	0.09	0.04	0.04	0.023	0.21	9.8	13.9	1.10	662	2.43	0.03
DD010723		3.68	69.3	4.14	9.04	0.07	0.04	0.04	0.026	0.11	7.3	16.0	1.30	781	2.33	0.04
DD010724		3.23	79.5	4.23	8.91	0.09	0.04	0.04	0.025	0.22	7.7	17.7	1.44	792	2.41	0.05
DD010725		3.19	65.5	3.99	8.28	0.09	0.04	0.03	0.023	0.30	6.9	17.2	1.47	637	2.36	0.04
DD010726		3.09	73.0	3.74	8.68	0.09	0.04	0.04	0.024	0.22	7.1	17.0	1.36	721	3.47	0.03
DD010727		2.69	66.9	3.63	7.57	0.10	0.04	0.04	0.020	0.32	7.0	15.5	1.32	615	1.40	0.04
DD010728		2.73	51.3	2.41	5.32	0.06	0.02	0.05	0.018	0.07	10.9	10.5	0.61	412	2.27	0.02
DD010729		2.54	45.7	2.59	5.58	0.07	0.05	0.02	0.022	0.11	11.6	12.8	0.77	387	1.27	0.03
DD010730		2.31	51.6	2.68	6.41	0.08	0.05	0.03	0.022	0.15	12.5	12.7	0.86	500	1.88	0.03
DD010731		2.34	48.2	2.67	6.56	0.07	0.05	0.03	0.023	0.12	12.3	14.2	0.87	476	2.26	0.03
DD010732		2.37	45.8	2.74	6.66	0.07	0.04	0.02	0.021	0.12	11.6	14.1	0.93	467	1.29	0.03
DD010733		4.44	65.6	3.87	8.64	0.10	0.04	0.02	0.028	0.35	10.8	17.0	1.37	552	1.65	0.04
DD010734		2.38	42.0	2.89	6.75	0.07	0.03	0.02	0.022	0.13	11.5	14.7	1.03	408	1.30	0.03
DD010735		2.58	50.8	3.03	7.75	0.08	0.04	0.02	0.024	0.14	13.1	16.5	1.14	496	1.55	0.03
DD010736		1.20	31.4	1.93	4.72	0.06	0.02	0.01	0.013	0.06	7.9	9.6	0.58	320	0.98	0.02
DD010737		2.45	44.4	2.75	6.59	0.08	0.03	0.02	0.023	0.12	13.8	13.4	0.89	459	1.13	0.03
DD010738		2.07	34.7	2.19	5.85	0.08	0.04	0.02	0.022	0.09	14.0	13.7	0.81	233	0.76	0.01
DD010739		2.59	50.5	2.80	6.22	0.08	0.04	0.04	0.023	0.12	12.2	13.2	0.91	1680	0.76	0.02
DD010740		2.99	41.2	3.02	7.28	0.08	0.04	1.51	0.024	0.16	11.5	15.3	1.15	310	0.55	0.02
DD010741		2.75	69.0	3.53	7.89	0.10	0.04	0.05	0.020	0.26	7.4	15.1	1.28	649	1.42	0.04
DD010742		3.46	86.9	4.27	8.63	0.12	0.04	0.05	0.025	0.34	8.4	16.3	1.42	726	1.19	0.04
DD010743		3.92	76.1	3.93	7.47	0.11	0.04	0.03	0.025	0.31	8.4	15.4	1.27	673	1.44	0.04
DD010744		2.64	48.0	3.35	7.61	0.10	0.03	0.02	0.025	0.19	7.3	15.9	1.24	466	1.13	0.07
DD010745		2.93	76.4	3.47	7.38	0.09	0.04	0.04	0.024	0.14	10.6	15.8	1.15	636	2.16	0.05
DD010746		2.25	62.3	2.89	6.21	0.09	0.04	0.02	0.020	0.16	10.3	13.0	1.05	490	2.21	0.04
DD010747		2.50	56.7	2.93	5.96	0.10	0.05	0.02	0.018	0.17	12.6	14.3	1.07	442	1.56	0.03

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9-OCT-2012
Account: MTT

Project: BYNG

CERTIFICATE OF ANALYSIS WH12227178

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD010708		0.90	48.6	890	6.4	27.7	<0.001	0.12	1.27	9.7	1.7	0.4	70.8	<0.01	0.06	1.5
DD010709		0.90	45.8	860	6.4	19.4	<0.001	0.09	1.29	8.5	1.0	0.3	56.5	<0.01	0.04	1.9
DD010710		1.25	44.2	520	7.8	14.4	<0.001	0.08	0.91	5.2	0.7	0.3	38.3	<0.01	0.03	3.2
DD010711		1.18	37.7	580	7.9	12.0	<0.001	0.06	1.04	4.8	0.8	0.3	37.4	<0.01	0.03	2.7
DD010712		0.88	36.5	910	8.8	17.5	<0.001	0.07	1.14	9.4	1.3	0.4	49.4	<0.01	0.04	1.2
DD010713		1.02	55.5	940	9.0	26.9	<0.001	0.05	1.04	11.4	1.6	0.4	57.2	<0.01	0.05	2.4
DD010714		0.49	36.2	920	6.7	15.6	<0.001	0.02	1.96	5.9	0.6	0.3	42.1	<0.01	0.05	3.3
DD010715		0.85	49.1	870	8.6	23.8	<0.001	0.03	1.65	8.3	1.1	0.3	40.2	<0.01	0.04	1.9
DD010716		0.36	54.5	1180	6.9	34.1	<0.001	0.02	1.18	9.4	0.9	0.4	62.8	<0.01	0.04	1.7
DD010717		0.48	40.7	980	6.8	18.0	<0.001	0.01	1.43	6.9	0.7	0.3	37.7	<0.01	0.04	2.3
DD010718		0.76	44.0	1000	8.1	21.7	<0.001	0.03	4.35	7.0	1.0	0.3	42.9	<0.01	0.05	2.3
DD010719		0.85	43.7	1120	13.5	22.1	<0.001	0.06	2.43	8.1	1.2	0.3	50.1	<0.01	0.07	1.4
DD010720		1.05	36.2	760	8.8	11.0	<0.001	0.05	0.93	4.3	0.6	0.3	30.9	<0.01	0.02	2.5
DD010721		0.85	37.8	800	8.2	15.7	0.001	0.10	1.83	4.7	1.2	0.2	55.3	<0.01	0.07	0.8
DD010722		1.02	40.2	750	6.3	19.4	<0.001	0.08	2.34	6.7	1.0	0.3	49.5	<0.01	0.07	1.0
DD010723		0.95	40.6	780	9.3	11.2	<0.001	0.09	2.44	6.2	1.0	0.3	51.0	<0.01	0.09	0.8
DD010724		0.92	44.8	830	8.3	23.7	<0.001	0.09	2.33	6.9	1.5	0.3	55.2	<0.01	0.10	0.8
DD010725		0.84	42.0	790	6.6	25.3	<0.001	0.07	2.27	7.4	1.0	0.3	48.0	<0.01	0.07	0.8
DD010726		0.97	43.4	760	9.3	21.3	<0.001	0.08	2.03	6.7	1.2	0.3	44.3	<0.01	0.07	0.9
DD010727		0.84	38.0	600	6.3	24.4	<0.001	0.07	1.84	6.6	1.2	0.3	48.5	<0.01	0.05	1.0
DD010728		0.55	35.5	930	11.8	8.6	<0.001	0.05	16.45	2.8	0.6	0.2	27.2	<0.01	0.05	0.5
DD010729		0.95	33.5	670	14.1	10.0	<0.001	0.03	6.55	6.3	0.5	0.3	35.1	<0.01	0.06	3.6
DD010730		1.13	33.9	690	8.5	11.7	<0.001	0.04	3.99	6.8	0.6	0.3	38.8	<0.01	0.07	2.3
DD010731		1.12	31.9	730	8.3	11.1	<0.001	0.06	2.74	6.0	0.7	0.3	36.9	<0.01	0.07	1.9
DD010732		1.08	32.4	710	7.8	10.3	<0.001	0.05	2.74	6.2	0.6	0.3	40.4	<0.01	0.07	2.2
DD010733		0.75	42.9	820	8.7	23.2	<0.001	0.02	2.87	11.3	0.7	0.3	37.9	<0.01	0.07	2.2
DD010734		0.78	33.9	700	8.2	11.1	<0.001	0.03	1.71	5.9	0.5	0.3	29.7	<0.01	0.05	2.2
DD010735		1.05	38.0	700	11.2	12.4	<0.001	0.04	2.08	7.6	0.6	0.3	33.4	<0.01	0.06	2.5
DD010736		0.73	26.1	570	5.9	5.3	<0.001	0.02	0.80	3.2	0.5	0.2	22.2	<0.01	0.03	2.0
DD010737		0.98	38.3	750	10.5	10.8	<0.001	0.02	1.79	6.7	0.6	0.4	32.5	<0.01	0.04	2.3
DD010738		1.04	42.2	700	8.5	8.3	<0.001	0.01	0.92	6.8	0.5	0.4	23.6	<0.01	0.03	3.1
DD010739		0.84	40.6	840	12.0	9.9	<0.001	0.04	1.33	7.9	0.7	0.3	34.0	<0.01	0.04	1.9
DD010740		1.00	35.1	760	11.8	11.6	<0.001	0.02	1.17	8.8	0.6	0.3	29.7	<0.01	0.03	2.4
DD010741		0.78	42.4	780	7.0	20.5	<0.001	0.08	2.85	6.5	1.1	0.2	44.6	<0.01	0.06	0.9
DD010742		0.83	46.3	890	6.7	24.7	<0.001	0.07	3.35	8.9	1.4	0.3	56.5	<0.01	0.05	1.0
DD010743		0.73	45.5	920	10.5	22.6	0.001	0.05	4.72	9.5	1.2	0.3	41.6	<0.01	0.06	1.4
DD010744		0.78	37.6	530	6.0	14.4	<0.001	0.05	2.41	8.1	0.8	0.3	53.4	<0.01	0.03	1.2
DD010745		0.86	42.5	820	9.4	13.6	<0.001	0.06	3.60	7.2	1.4	0.4	51.0	<0.01	0.07	1.2
DD010746		0.87	40.7	690	7.3	11.5	<0.001	0.03	3.42	7.1	0.8	0.3	39.9	<0.01	0.06	2.2
DD010747		1.02	40.2	610	9.4	14.3	<0.001	0.02	1.74	6.9	0.7	0.3	37.1	<0.01	0.05	3.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9-OCT-2012
Account: MTT

Project: BYNG

CERTIFICATE OF ANALYSIS WH12227178

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD010708		0.153	0.23	1.20	140	0.30	15.25	96	1.4
DD010709		0.131	0.19	0.73	104	0.18	12.05	78	1.7
DD010710		0.103	0.15	1.65	68	0.20	9.69	53	1.9
DD010711		0.087	0.12	1.41	63	0.20	8.13	47	1.5
DD010712		0.118	0.13	0.95	116	0.19	13.10	82	0.8
DD010713		0.144	0.17	0.73	120	0.22	14.35	123	1.3
DD010714		0.118	0.15	0.82	85	0.22	9.08	61	1.7
DD010715		0.165	0.23	0.89	129	0.13	11.40	86	1.6
DD010716		0.217	0.24	0.65	153	0.32	11.70	86	2.7
DD010717		0.126	0.14	0.91	93	0.18	9.75	60	1.6
DD010718		0.170	0.21	0.70	119	0.22	9.72	74	1.5
DD010719		0.155	0.18	0.97	131	0.24	12.15	89	1.0
DD010720		0.075	0.11	0.83	59	0.19	9.13	41	1.1
DD010721		0.109	0.15	1.23	91	0.18	8.91	58	1.0
DD010722		0.122	0.17	1.30	102	0.18	10.75	58	1.2
DD010723		0.129	0.19	1.22	126	0.38	8.63	63	0.9
DD010724		0.146	0.22	1.06	131	0.26	11.10	83	1.2
DD010725		0.162	0.18	0.75	126	0.47	9.34	71	1.0
DD010726		0.143	0.17	0.97	116	0.24	9.24	67	1.0
DD010727		0.149	0.16	0.64	120	0.12	8.65	61	1.1
DD010728		0.033	0.09	0.97	50	3.35	6.78	44	<0.5
DD010729		0.063	0.12	1.10	63	0.30	7.00	54	1.8
DD010730		0.080	0.12	1.07	67	0.31	9.02	54	1.7
DD010731		0.076	0.12	1.15	70	0.38	8.61	59	1.3
DD010732		0.091	0.12	0.93	74	0.26	7.84	55	1.3
DD010733		0.141	0.20	0.98	117	0.29	10.45	72	1.2
DD010734		0.100	0.10	1.13	82	0.26	7.09	53	0.7
DD010735		0.110	0.13	1.30	88	0.27	9.56	60	1.0
DD010736		0.074	0.06	0.83	53	0.39	4.56	36	<0.5
DD010737		0.091	0.13	0.86	70	0.28	9.79	57	0.8
DD010738		0.095	0.09	0.80	59	0.28	8.65	49	1.0
DD010739		0.086	0.11	0.72	79	0.21	11.15	57	1.1
DD010740		0.119	0.12	0.66	96	0.23	8.28	59	1.0
DD010741		0.141	0.18	0.75	114	0.14	9.70	61	1.0
DD010742		0.159	0.21	0.69	130	0.16	11.95	75	1.2
DD010743		0.143	0.20	0.86	119	0.23	10.50	69	1.1
DD010744		0.138	0.13	0.64	110	0.17	7.22	61	1.0
DD010745		0.104	0.13	1.14	92	0.26	11.20	69	1.1
DD010746		0.093	0.11	0.84	76	0.61	8.70	53	1.4
DD010747		0.104	0.13	1.14	76	0.31	10.25	53	1.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9-OCT-2012
Account: MTT

Project: BYNG

CERTIFICATE OF ANALYSIS WH12227178

Sample Description	Method	WEI-21	Au-ICP21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD010748		0.19	0.041	0.16	1.56	43.9	<0.2	<10	170	0.34	0.18	0.85	0.09	23.6	11.9	50
DD010749		0.20	0.007	0.11	1.20	35.0	<0.2	<10	150	0.29	0.13	0.57	0.16	24.6	10.6	51

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9-OCT-2012
Account: MTT

Project: BYNG

CERTIFICATE OF ANALYSIS WH12227178

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD010748		2.04	46.7	2.45	5.59	0.09	0.06	0.03	0.019	0.12	13.3	14.4	0.93	326	1.19	0.03
DD010749		1.57	30.4	2.35	4.51	0.10	0.07	0.01	0.014	0.13	12.1	10.9	0.83	379	1.11	0.03

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9-OCT-2012
Account: MTT

Project: BYNG

CERTIFICATE OF ANALYSIS WH12227178

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD010748		1.20	35.5	440	7.5	11.3	<0.001	0.04	1.78	6.2	0.7	0.3	39.4	<0.01	0.04	3.2
DD010749		0.75	32.4	690	7.0	9.2	<0.001	0.01	1.28	4.8	0.4	0.3	28.5	<0.01	0.03	5.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9-OCT-2012
Account: MTT

Project: BYNG

CERTIFICATE OF ANALYSIS WH12227178

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD010748		0.084	0.11	1.58	63	0.28	8.25	47	1.9
DD010749		0.089	0.10	0.61	60	0.26	6.39	41	2.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9-OCT-2012
Account: MTT

Project: BYNG

CERTIFICATE OF ANALYSIS WH12227178

Method	CERTIFICATE COMMENTS
ME-MS41	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).

APPENDIX III

STATEMENT OF EXPENDITURES

Statement of Expenditures
Byng 1-42 Mineral Claims
October 12, 2012

Labour

R. Drechsler (camp manager) July 2012 – 1 day @ $680/day	$ 761.60
K. Larsen (field assistant) July 2012 – 1 day @ $595/day	666.40
J. Morton (field assistant) August 2012 – 3 days @ $527/day	1,770.72
T. Den Engelsen (field assistant) August 2012 – 2 days @ $425/day	952.00
S. McDonald (field assistant) August 2012 – 3 days @ $425/day	1,428.00
K. Punnet (field assistant) July 2012 – 1 day @ $357/day	399.84
S. Wedge (field assistant) August 2012 – 1 day @ $357/day	399.84
	6,378.40

Expense (including management fee)

Field room and board – 12 mandays @ $180/manday	2,419.20
Capital Helicopters – 4.2 hrs Bell 206B @ $1025/hours plus fuel	5,265.98
ALS Chemex	19,082.10
	26,767.28

Total	$33,145.68

PROPERTY BOUNDARY

6757000mN
6756000mN
6755000mN
6754000mN
532000mE
533000mE
534000mE
535000mE

● 2012 soil sample
■ 2012 rock sample

STRATEGIC METALS LTD.

FIGURE 8
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

SAMPLE LOCATIONS

BYNG PROPERTY

T.N. 21°44' Grid north, 46' Magnetic north
Annual change decreasing 22.1'

0 250 500 m
UTM ZONE 8, NAD 83, 105D/16, Contour intervals at 20m

FILE: .../Byng/Figures/Byng-F06-Samples.wor
DATE: NOVEMBER 2012