Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Submitted By: Jean-Pierre Londero
Receiving Lab: Canada-Dawson City
Received: July 19, 2012
Report Date: August 12, 2012

CERTIFICATE OF ANALYSIS DAW12000153.1

CLIENT JOB INFORMATION

Project: White Gold
Shipment ID: WG02092012
P.O. Number
Number of Samples: 110

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT-SOIL Store Soil Reject - RJSV Charges Apply

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	108	Dry at 60C sieve 100g to -80 mesh			DAW
Dry at 60C	108	Dry at 60C			DAW
RJSV	108	Saving all or part of Soil Reject			DAW
1DX2	106	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Selene Holdings LP
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8
Canada

CC: Keith Fowlow

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 12, 2012

CERTIFICATE OF ANALYSIS DAW12000153.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
CAE442756	Soil	0.6	9.5	7.3	49	<0.1	9.8	3.9	271	2.05	3.5	2.3	1.1	47.8	19	<0.1	0.3	0.2	22	0.23	0.034
CAE442757	Soil	0.5	16.8	7.9	54	<0.1	12.4	5.7	438	2.83	4.1	1.2	1.7	13.4	48	<0.1	0.3	0.1	36	0.23	0.067
CAE442758	Soil	0.7	30.1	10.1	47	<0.1	22.7	6.6	321	2.80	5.7	1.3	2.5	14.5	18	<0.1	0.4	0.1	42	0.25	0.038
CAE442759	Soil	0.7	111.2	7.5	38	0.3	43.2	16.5	713	2.21	4.0	0.7	6.3	2.5	35	<0.1	0.2	<0.1	51	0.43	0.041
CAE442760	Soil	0.7	35.9	9.2	37	<0.1	23.7	7.8	177	2.06	4.1	0.5	2.6	2.7	28	<0.1	0.3	<0.1	51	0.29	0.044
CAE442761	Soil	0.6	32.3	6.2	35	<0.1	20.9	6.0	127	1.82	4.0	0.8	5.0	0.8	25	<0.1	0.2	<0.1	40	0.24	0.033
CAE442762	Soil	1.0	26.3	8.7	50	<0.1	20.4	8.3	276	2.71	5.9	0.9	2.5	5.4	35	<0.1	0.3	0.1	50	0.29	0.056
CAE442763	Soil	0.8	20.3	7.5	40	<0.1	17.9	6.9	187	2.24	6.5	0.7	2.7	3.5	28	<0.1	0.4	<0.1	49	0.35	0.053
CAE442764	Soil	0.9	28.1	9.6	45	<0.1	21.5	9.2	349	2.52	6.3	1.3	3.7	4.6	38	<0.1	0.4	<0.1	53	0.43	0.057
CAE442765	Soil	0.8	20.8	9.3	47	<0.1	19.0	7.7	269	2.53	5.8	1.1	4.8	7.6	49	<0.1	0.4	0.1	44	0.34	0.049
CAE442912	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
CAE442913	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
CAE442914	Soil	1.3	24.8	7.2	48	0.1	24.4	9.7	597	2.34	13.2	1.5	2.3	3.0	35	0.2	0.7	0.1	51	0.60	0.054
CAE442915	Soil	0.8	25.8	6.3	53	<0.1	25.3	8.5	299	2.42	15.3	0.5	2.8	3.4	32	<0.1	0.7	<0.1	52	0.50	0.085
CAE442916	Soil	1.0	36.8	7.8	58	0.2	32.3	9.9	312	2.60	17.2	1.8	5.3	3.8	35	0.1	0.6	0.1	59	0.55	0.083
CAE442917	Soil	1.7	45.3	5.5	87	<0.1	65.5	13.6	479	3.59	8.9	1.0	2.1	3.8	30	0.2	0.5	<0.1	96	0.45	0.092
CAE442918	Soil	1.9	33.7	7.3	74	0.2	30.8	9.2	227	2.54	15.9	1.2	4.1	3.1	38	0.3	0.6	<0.1	71	0.42	0.084
CAE442919	Soil	1.7	23.6	7.6	55	0.1	22.9	8.0	237	2.50	13.9	0.9	6.0	3.0	25	0.1	0.6	0.1	60	0.32	0.059
CAE442920	Soil	1.1	15.6	6.9	52	<0.1	17.4	6.0	197	1.89	9.1	0.6	1.2	2.1	30	0.2	0.4	0.1	51	0.43	0.051
CAE442921	Soil	1.4	17.1	8.8	54	0.1	20.1	8.1	249	2.55	18.2	1.3	4.5	2.9	33	0.1	0.9	0.1	57	0.51	0.085
CAE442922	Soil	1.5	20.1	10.7	53	0.1	20.8	8.7	375	2.36	12.0	1.1	2.1	2.9	31	0.1	0.9	0.1	52	0.46	0.055
CAE442923	Soil	1.0	22.4	8.7	49	<0.1	24.7	8.8	370	2.33	8.1	0.9	2.8	3.0	28	<0.1	0.6	0.1	53	0.44	0.056
CAE442924	Soil	1.4	32.6	9.0	61	0.1	30.6	9.5	547	2.56	9.7	1.2	4.6	3.2	33	0.2	0.8	0.1	58	0.51	0.061
CAE442925	Soil	2.2	32.1	9.4	82	0.1	38.4	10.7	337	2.94	20.2	1.1	2.4	3.4	22	0.2	1.7	0.1	67	0.36	0.074
CAE442926	Soil	1.4	21.6	8.3	49	0.2	24.2	7.7	226	2.41	17.5	0.7	4.6	3.0	21	0.1	1.0	<0.1	55	0.37	0.061
CAE442927	Soil	1.3	30.0	7.1	62	0.2	31.1	9.5	229	2.41	7.3	1.3	3.6	3.3	27	0.1	0.4	<0.1	62	0.41	0.069
CAE442928	Soil	3.3	65.2	7.7	118	0.2	62.4	17.7	705	3.92	9.3	1.0	2.6	3.7	25	0.4	0.9	0.1	105	0.42	0.133
CAE442929	Soil	2.6	36.3	8.5	88	0.7	41.3	11.9	580	2.71	13.7	1.0	4.2	2.6	36	0.4	1.0	<0.1	73	0.57	0.076
CAE442930	Soil	0.7	18.2	6.0	59	0.1	19.4	5.2	152	1.70	6.6	0.7	5.0	1.9	21	0.2	0.4	<0.1	46	0.31	0.069
CAE442931	Soil	1.0	21.6	6.4	66	0.2	22.3	7.7	257	2.15	4.3	0.6	4.2	1.9	30	0.1	0.3	0.1	51	0.48	0.069

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 12, 2012

CERTIFICATE OF ANALYSIS DAW12000153.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
CAE442756	Soil	34	14	0.32	238	0.059	3	1.00	0.008	0.36	1.5	<0.01	3.1	0.5	0.07	7	<0.5	<0.2
CAE442757	Soil	23	23	0.61	297	0.114	2	1.43	0.009	0.63	0.2	0.02	4.5	0.4	<0.05	8	<0.5	<0.2
CAE442758	Soil	19	30	0.54	310	0.078	2	1.36	0.011	0.46	0.3	0.01	5.7	0.3	0.06	7	<0.5	<0.2
CAE442759	Soil	10	66	0.61	519	0.069	2	1.42	0.017	0.09	<0.1	0.05	7.1	<0.1	<0.05	5	<0.5	<0.2
CAE442760	Soil	8	48	0.62	295	0.075	1	1.22	0.015	0.12	0.1	0.02	3.0	0.1	<0.05	5	<0.5	<0.2
CAE442761	Soil	13	51	0.47	295	0.051	2	1.33	0.014	0.09	0.1	0.05	2.5	0.1	0.06	5	<0.5	<0.2
CAE442762	Soil	18	44	0.60	324	0.084	2	1.61	0.012	0.16	0.2	0.03	3.8	0.2	<0.05	6	<0.5	<0.2
CAE442763	Soil	13	38	0.51	346	0.068	2	1.35	0.016	0.07	0.2	0.02	3.4	0.1	<0.05	5	<0.5	<0.2
CAE442764	Soil	18	44	0.59	395	0.083	2	1.54	0.020	0.07	0.2	0.04	5.1	0.1	<0.05	5	<0.5	<0.2
CAE442765	Soil	23	38	0.56	310	0.087	1	1.43	0.017	0.13	0.2	0.02	4.0	0.2	<0.05	6	<0.5	<0.2
CAE442912	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
CAE442913	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
CAE442914	Soil	13	32	0.47	397	0.057	1	1.28	0.021	0.05	0.2	0.03	4.3	<0.1	0.05	4	<0.5	<0.2
CAE442915	Soil	13	31	0.56	271	0.064	2	1.19	0.022	0.09	0.2	0.03	4.2	<0.1	<0.05	4	<0.5	<0.2
CAE442916	Soil	14	38	0.61	482	0.066	2	1.47	0.023	0.12	0.2	0.05	5.1	0.1	0.07	5	<0.5	<0.2
CAE442917	Soil	14	94	1.22	911	0.160	1	2.10	0.017	0.72	0.2	0.02	6.1	0.3	<0.05	7	<0.5	<0.2
CAE442918	Soil	13	43	0.61	462	0.068	2	1.53	0.018	0.10	0.2	0.03	4.1	0.1	0.09	5	0.7	<0.2
CAE442919	Soil	12	37	0.54	358	0.068	2	1.38	0.015	0.10	0.2	0.03	3.7	0.1	<0.05	5	<0.5	<0.2
CAE442920	Soil	10	30	0.46	341	0.054	1	1.23	0.029	0.07	0.2	0.03	2.9	0.1	<0.05	5	<0.5	<0.2
CAE442921	Soil	12	32	0.44	304	0.045	1	1.32	0.017	0.04	0.2	0.03	4.0	0.1	<0.05	4	<0.5	<0.2
CAE442922	Soil	11	32	0.44	292	0.061	1	1.37	0.019	0.04	0.2	0.03	3.7	<0.1	<0.05	4	<0.5	<0.2
CAE442923	Soil	11	36	0.49	255	0.078	1	1.40	0.020	0.05	0.2	0.03	4.3	<0.1	<0.05	5	<0.5	<0.2
CAE442924	Soil	13	39	0.56	294	0.080	2	1.53	0.024	0.11	0.2	0.03	4.8	<0.1	<0.05	5	0.6	<0.2
CAE442925	Soil	13	45	0.53	287	0.051	1	1.56	0.014	0.12	0.2	0.03	4.9	0.1	<0.05	5	0.6	<0.2
CAE442926	Soil	13	35	0.46	265	0.039	1	1.37	0.011	0.07	0.2	0.03	3.7	0.1	<0.05	4	<0.5	<0.2
CAE442927	Soil	14	40	0.58	513	0.067	1	1.44	0.017	0.10	0.2	0.04	3.9	<0.1	<0.05	5	0.7	<0.2
CAE442928	Soil	14	75	1.00	675	0.104	1	1.82	0.013	0.48	0.2	0.02	6.4	0.3	0.06	7	1.0	<0.2
CAE442929	Soil	14	49	0.55	566	0.054	2	1.41	0.017	0.18	0.2	0.08	5.6	0.2	0.06	5	0.7	<0.2
CAE442930	Soil	10	34	0.48	206	0.061	1	1.15	0.018	0.08	0.2	0.05	3.1	0.1	<0.05	4	<0.5	<0.2
CAE442931	Soil	10	39	0.64	356	0.096	2	1.29	0.020	0.27	0.1	0.05	3.8	0.2	0.07	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 12, 2012

CERTIFICATE OF ANALYSIS DAW12000153.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
CAE442932	Soil	1.4	19.1	6.2	58	<0.1	21.2	9.2	372	2.08	6.4	0.5	1.8	1.6	18	0.1	0.2	<0.1	70	0.23	0.052
CAE442933	Soil	2.0	30.0	5.7	88	0.1	29.2	9.4	337	2.76	6.8	0.8	1.5	2.2	26	0.2	0.3	0.1	96	0.26	0.076
CAE442934	Soil	1.3	20.2	7.5	73	0.1	22.4	13.0	667	2.52	12.7	0.8	1.1	2.5	18	0.1	0.7	0.2	60	0.26	0.075
CAE442935	Soil	1.0	17.5	5.4	35	0.1	15.6	3.6	109	1.32	4.3	0.7	2.0	0.5	17	0.2	0.3	0.1	30	0.20	0.051
CAE442936	Soil	1.1	18.2	9.2	43	0.1	20.2	4.3	137	1.47	4.7	0.7	2.1	0.7	17	<0.1	0.3	<0.1	35	0.19	0.046
CAE442937	Soil	1.3	61.0	5.1	41	0.4	36.3	6.0	124	1.36	8.0	1.9	4.4	0.5	41	0.6	0.3	<0.1	37	0.34	0.084
CAE442938	Soil	2.4	44.9	6.7	98	0.5	38.2	11.8	474	3.19	41.0	1.1	4.1	1.8	36	0.2	0.8	0.1	113	0.20	0.095
CAE442939	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE442940	Soil	3.7	69.3	9.6	174	0.4	78.8	14.5	474	3.86	79.5	1.1	1.3	3.1	64	0.4	1.8	0.4	129	0.22	0.096
CAE442941	Soil	1.3	20.7	6.0	46	0.4	15.3	4.0	129	1.54	11.1	0.6	4.1	0.6	22	0.2	0.4	0.1	33	0.20	0.053
CAE442942	Soil	2.1	70.1	9.0	85	1.1	50.3	39.0	920	2.91	61.7	2.6	3.9	1.8	38	1.0	1.7	0.1	75	0.32	0.074
CAE442943	Soil	1.9	24.3	6.4	74	0.3	24.2	14.9	510	2.61	32.6	0.9	1.7	2.1	22	0.2	1.1	0.1	83	0.21	0.074
CAE442944	Soil	1.0	23.2	8.1	63	0.1	27.5	11.1	618	2.69	27.4	0.5	1.8	3.9	34	0.3	1.3	0.2	61	0.52	0.063
CAE442945	Soil	2.1	32.0	9.6	86	0.4	37.2	12.4	434	2.62	32.5	0.9	0.7	1.7	23	0.3	1.1	0.2	83	0.23	0.091
CAE442946	Soil	2.7	47.7	10.7	101	0.6	64.7	13.6	302	3.38	8.0	1.1	1.3	3.0	31	0.3	0.9	0.2	106	0.29	0.085
CAE442947	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE442948	Soil	2.3	35.4	8.7	89	0.3	31.7	24.3	1278	3.01	21.9	1.2	4.7	2.3	26	0.3	1.2	0.1	81	0.34	0.075
CAE442949	Soil	2.2	33.8	11.5	106	0.3	36.6	13.5	822	3.23	48.4	1.0	2.5	3.8	30	0.9	1.8	0.2	73	0.45	0.074
CAE442950	Soil	4.0	43.0	16.5	136	0.4	51.0	13.0	1276	3.75	230.5	1.3	3.2	3.1	33	1.8	6.2	0.1	70	0.58	0.075
CAE442951	Soil	2.5	35.7	13.7	91	0.6	35.9	13.6	569	2.72	255.6	1.2	5.7	2.8	30	0.6	3.7	0.1	70	0.57	0.065
CAE442952	Soil	1.9	34.7	10.1	72	0.6	34.0	10.6	419	2.47	50.5	0.8	4.2	2.3	25	0.5	1.2	0.1	69	0.34	0.045
CAE442953	Soil	1.9	37.7	10.3	61	0.7	36.0	10.8	429	2.36	46.2	0.8	3.3	2.3	25	0.6	1.1	0.1	64	0.33	0.040
CAE442954	Soil	2.4	72.3	9.5	89	0.9	52.1	18.1	568	3.02	36.2	1.9	5.0	3.6	42	0.8	1.3	0.2	82	0.56	0.078
CAE442955	Soil	2.7	48.4	7.4	125	0.2	49.8	12.1	345	3.24	10.5	1.2	1.3	3.7	34	0.4	0.5	0.1	115	0.30	0.119
CAE442956	Soil	2.2	25.2	11.3	54	0.5	17.4	3.3	274	1.69	5.5	1.0	5.0	1.2	29	0.4	0.4	0.1	55	0.16	0.058
CAE442957	Soil	1.9	47.0	3.6	190	0.1	65.1	23.2	531	5.16	10.2	0.4	2.4	1.3	18	0.5	0.4	<0.1	136	0.45	0.175
CAE442958	Soil	2.9	34.8	8.8	73	0.9	36.4	26.8	2605	1.84	17.8	1.1	6.1	1.5	28	1.1	1.2	0.1	48	0.29	0.082
CAE442959	Soil	1.5	39.4	7.5	79	0.2	37.1	11.3	441	2.69	62.3	1.3	5.0	4.4	43	0.3	0.9	0.1	75	0.57	0.081
CAE442960	Soil	1.3	36.9	7.4	73	0.2	32.9	10.1	382	2.46	34.3	1.1	10.1	3.2	31	0.4	0.8	0.1	67	0.39	0.064
CAE442961	Soil	1.6	26.6	7.9	57	0.1	37.8	10.1	370	2.25	21.6	0.6	1.5	2.3	23	0.3	0.4	<0.1	66	0.26	0.056

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 12, 2012

CERTIFICATE OF ANALYSIS DAW12000153.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
CAE442932	Soil	9	41	0.52	233	0.093	1	1.25	0.012	0.12	0.1	0.02	2.7	0.1	<0.05	6	<0.5	<0.2
CAE442933	Soil	12	56	0.76	274	0.105	1	1.54	0.013	0.24	0.2	0.02	3.6	0.1	0.07	7	<0.5	<0.2
CAE442934	Soil	13	36	0.44	171	0.054	1	1.19	0.010	0.11	0.2	0.03	3.0	0.1	<0.05	5	<0.5	<0.2
CAE442935	Soil	8	31	0.29	196	0.053	1	0.81	0.010	0.11	0.1	0.04	2.2	0.1	0.06	4	<0.5	<0.2
CAE442936	Soil	8	38	0.37	199	0.066	2	0.89	0.012	0.15	0.1	0.04	2.2	0.1	0.09	5	<0.5	<0.2
CAE442937	Soil	10	39	0.32	641	0.050	2	0.92	0.017	0.20	<0.1	0.06	2.6	0.1	0.11	3	0.9	<0.2
CAE442938	Soil	12	71	0.88	429	0.139	1	1.64	0.013	0.52	0.1	0.04	3.9	0.3	0.14	7	1.0	<0.2
CAE442939	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE442940	Soil	16	94	1.23	549	0.183	1	1.84	0.015	0.83	0.2	0.02	5.1	0.3	0.15	9	0.9	<0.2
CAE442941	Soil	8	29	0.32	184	0.055	5	0.75	0.010	0.10	0.2	0.04	1.8	0.1	0.09	5	1.7	<0.2
CAE442942	Soil	19	54	0.63	620	0.075	2	1.45	0.013	0.16	0.1	0.09	4.7	0.2	0.05	6	1.0	<0.2
CAE442943	Soil	11	39	0.51	213	0.067	2	1.17	0.011	0.11	0.1	0.05	3.0	0.1	<0.05	5	1.2	<0.2
CAE442944	Soil	12	32	0.51	447	0.069	2	1.26	0.020	0.13	0.2	0.01	4.7	<0.1	<0.05	4	<0.5	<0.2
CAE442945	Soil	12	67	0.82	407	0.101	2	1.42	0.013	0.41	0.2	0.03	4.0	0.2	<0.05	7	0.6	<0.2
CAE442946	Soil	15	78	0.85	473	0.116	1	1.63	0.013	0.30	0.2	0.03	4.4	0.1	<0.05	7	1.0	<0.2
CAE442947	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE442948	Soil	12	46	0.59	361	0.069	3	1.28	0.012	0.13	0.2	0.04	4.3	0.1	<0.05	5	0.8	<0.2
CAE442949	Soil	11	39	0.52	354	0.053	1	1.28	0.021	0.17	0.2	0.01	5.3	0.1	<0.05	4	<0.5	<0.2
CAE442950	Soil	11	35	0.38	464	0.025	4	1.09	0.014	0.11	0.2	0.04	6.8	0.2	<0.05	4	1.6	<0.2
CAE442951	Soil	15	40	0.46	459	0.050	2	1.20	0.016	0.15	0.1	0.07	5.6	0.2	<0.05	5	<0.5	<0.2
CAE442952	Soil	10	42	0.41	388	0.062	<1	1.12	0.021	0.15	0.1	0.03	4.0	0.1	<0.05	5	<0.5	<0.2
CAE442953	Soil	10	42	0.38	411	0.058	1	1.08	0.022	0.13	0.1	0.03	3.5	0.1	<0.05	5	<0.5	<0.2
CAE442954	Soil	17	54	0.69	632	0.075	1	1.44	0.016	0.24	0.2	0.06	6.1	0.2	<0.05	6	0.8	<0.2
CAE442955	Soil	16	68	0.96	403	0.121	<1	1.67	0.016	0.39	0.2	0.02	4.6	0.2	0.06	6	1.3	<0.2
CAE442956	Soil	10	36	0.34	206	0.061	3	0.95	0.014	0.13	0.1	0.05	2.2	0.1	0.07	6	1.6	<0.2
CAE442957	Soil	6	82	1.74	445	0.241	1	2.86	0.013	1.21	<0.1	<0.01	5.1	0.4	<0.05	10	<0.5	<0.2
CAE442958	Soil	18	29	0.32	385	0.039	2	0.96	0.011	0.10	<0.1	0.06	3.1	0.3	<0.05	4	1.6	<0.2
CAE442959	Soil	14	44	0.71	536	0.086	2	1.42	0.020	0.22	0.2	0.04	5.1	0.1	<0.05	4	0.6	<0.2
CAE442960	Soil	14	40	0.62	461	0.088	2	1.29	0.016	0.22	0.2	0.02	3.5	0.1	<0.05	4	0.8	<0.2
CAE442961	Soil	9	54	0.63	313	0.078	2	1.13	0.014	0.15	0.2	0.02	4.1	<0.1	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 12, 2012

CERTIFICATE OF ANALYSIS DAW12000153.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
CAE442962	Soil	2.4	35.3	7.1	90	0.2	33.6	6.2	250	2.46	23.7	0.7	2.1	2.3	32	0.4	0.5	0.1	92	0.24	0.043
CAE442963	Soil	1.8	70.9	8.5	58	0.3	70.5	23.1	1580	2.56	28.9	2.2	4.6	2.8	43	1.9	0.7	0.1	67	0.49	0.075
CAE442964	Soil	1.3	23.7	7.4	52	0.2	18.4	6.7	204	2.09	21.0	1.1	3.2	3.3	29	0.2	0.6	0.2	58	0.34	0.043
CAE442965	Soil	1.3	19.1	9.2	54	<0.1	20.0	7.0	250	2.28	24.0	0.8	2.2	3.6	25	0.1	0.7	0.3	61	0.29	0.044
CAE442966	Soil	1.1	18.3	7.9	59	0.2	23.7	9.1	282	2.52	21.0	0.7	3.6	4.3	26	0.4	0.6	0.2	60	0.33	0.062
CAE442967	Soil	1.0	17.5	9.9	90	<0.1	23.2	10.6	589	2.91	7.7	0.6	1.0	4.5	30	0.1	0.6	0.1	64	0.42	0.083
CAE442968	Soil	0.9	17.8	8.4	58	<0.1	25.2	10.0	343	2.31	9.7	0.7	2.2	4.9	32	0.2	0.6	0.2	53	0.53	0.071
CAE442969	Soil	0.9	17.9	8.7	64	<0.1	25.7	10.0	412	2.40	9.2	0.7	2.2	5.0	31	0.2	0.7	0.2	58	0.46	0.049
CAE442970	Soil	0.8	16.6	8.3	53	<0.1	20.2	10.0	383	2.50	8.3	0.8	2.8	4.4	25	0.1	0.5	0.1	64	0.29	0.041
CAE442971	Soil	1.2	10.9	6.8	48	<0.1	17.6	5.3	167	1.72	8.1	0.5	2.9	2.3	33	<0.1	0.4	0.1	48	0.48	0.052
CAE442972	Soil	1.2	15.7	12.7	50	<0.1	17.5	8.0	286	2.21	12.6	1.7	3.9	5.6	30	<0.1	0.5	0.3	52	0.36	0.051
CAE442973	Soil	1.1	19.5	10.2	50	<0.1	20.4	9.9	248	2.72	12.6	1.4	5.4	7.0	34	0.1	0.6	0.2	59	0.43	0.062
CAE442974	Soil	1.8	45.9	7.6	70	0.2	39.8	12.8	692	2.40	20.7	2.0	3.5	4.7	47	0.4	0.7	0.2	65	0.60	0.082
CAE442975	Soil	1.2	21.5	8.8	57	0.2	24.8	11.1	504	2.49	10.4	0.5	2.4	3.9	29	0.1	0.7	0.1	59	0.36	0.026
CAE442976	Soil	2.3	42.9	9.8	83	0.3	35.4	12.9	657	2.82	37.4	0.7	4.9	2.8	36	0.3	1.5	0.2	69	0.40	0.049
CAE442977	Soil	1.3	21.8	7.9	68	0.1	29.5	10.4	394	2.70	23.3	0.6	1.4	3.7	28	0.3	0.8	0.2	63	0.43	0.049
CAE442978	Soil	1.7	25.4	7.3	68	0.1	40.2	14.3	605	2.72	15.9	0.6	0.7	2.8	30	0.3	0.6	0.1	80	0.45	0.051
CAE442979	Soil	1.3	21.9	7.7	66	<0.1	30.2	12.0	466	2.80	28.7	0.4	<0.5	3.7	24	0.2	0.9	0.1	70	0.36	0.030
CAE442980	Soil	1.2	30.6	7.8	52	<0.1	36.3	10.9	402	2.66	23.4	0.6	4.1	4.4	28	<0.1	0.8	0.1	58	0.44	0.073
CAE442981	Soil	1.3	15.0	7.8	55	0.1	22.0	9.9	423	2.46	20.1	0.4	1.2	3.8	28	0.2	0.8	0.2	53	0.48	0.050
CAE442982	Soil	2.1	27.5	10.9	62	0.3	33.5	12.2	625	3.10	132.2	0.6	1.2	3.4	24	0.3	2.8	0.2	60	0.42	0.028
CAE442983	Soil	2.4	24.8	9.0	51	0.3	33.3	13.0	839	2.89	174.2	0.4	0.7	2.4	26	0.3	3.7	0.1	56	0.45	0.030
CAE442984	Soil	2.9	36.9	11.2	101	0.5	48.4	10.8	388	3.06	148.8	0.9	3.4	1.7	21	0.3	2.8	0.2	99	0.21	0.073
CAE442985	Soil	1.6	32.7	7.0	94	0.2	36.5	13.3	618	3.22	40.9	0.6	<0.5	3.5	31	0.3	1.6	0.1	83	0.50	0.073
CAE442986	Soil	2.6	58.7	8.1	136	0.2	59.6	16.4	851	3.88	86.5	1.1	1.1	4.9	42	0.6	3.0	0.1	117	0.61	0.112
CAE442987	Soil	1.0	22.7	7.0	58	0.1	25.4	10.1	568	2.33	10.3	0.6	4.2	2.8	31	0.3	0.5	0.1	52	0.50	0.076
CAE442988	Soil	2.0	36.3	6.8	69	0.2	29.5	8.8	247	2.49	15.9	1.2	1.2	2.9	46	0.4	0.7	0.1	88	0.48	0.086
CAE442989	Soil	1.2	28.3	7.0	76	0.2	36.8	12.1	463	2.61	13.5	1.2	60.3	3.6	35	0.4	0.8	0.1	71	0.48	0.072
CAE442990	Soil	1.2	33.4	6.8	70	0.1	38.0	10.3	323	2.48	12.5	2.1	4.1	3.6	42	0.1	0.7	0.1	64	0.66	0.079
CAE442991	Soil	0.8	24.0	7.5	48	<0.1	27.4	10.9	474	2.86	9.7	0.7	2.8	6.4	26	<0.1	0.6	0.1	60	0.43	0.025

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 12, 2012

CERTIFICATE OF ANALYSIS DAW12000153.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
CAE442962	Soil	9	48	0.61	234	0.105	<1	1.05	0.013	0.28	0.2	0.01	2.9	0.2	<0.05	6	<0.5	<0.2
CAE442963	Soil	26	74	0.64	923	0.080	2	1.28	0.023	0.21	0.2	0.05	5.1	0.1	0.06	5	0.5	<0.2
CAE442964	Soil	14	32	0.47	356	0.069	<1	1.15	0.015	0.12	0.2	0.03	3.1	<0.1	<0.05	4	<0.5	<0.2
CAE442965	Soil	13	32	0.51	282	0.074	2	1.13	0.013	0.15	0.3	0.03	2.8	<0.1	<0.05	4	<0.5	<0.2
CAE442966	Soil	13	32	0.55	298	0.079	<1	1.31	0.014	0.16	0.3	0.03	3.2	0.1	<0.05	4	<0.5	<0.2
CAE442967	Soil	13	43	0.71	340	0.098	1	1.60	0.016	0.37	0.2	0.02	4.6	0.2	<0.05	5	<0.5	<0.2
CAE442968	Soil	15	33	0.49	335	0.061	2	1.25	0.017	0.06	0.2	0.02	4.9	<0.1	<0.05	4	<0.5	<0.2
CAE442969	Soil	15	32	0.49	372	0.060	2	1.32	0.019	0.05	0.2	0.03	5.0	<0.1	<0.05	4	<0.5	<0.2
CAE442970	Soil	12	36	0.61	278	0.093	3	1.38	0.016	0.19	0.3	0.01	3.7	0.1	<0.05	5	0.5	<0.2
CAE442971	Soil	10	29	0.47	196	0.072	2	1.04	0.013	0.12	0.2	0.01	2.2	<0.1	<0.05	4	<0.5	<0.2
CAE442972	Soil	24	30	0.45	306	0.059	2	1.21	0.014	0.09	0.2	0.03	3.2	0.1	<0.05	5	<0.5	<0.2
CAE442973	Soil	30	32	0.54	372	0.077	2	1.52	0.017	0.07	0.2	0.03	3.6	<0.1	<0.05	5	0.8	<0.2
CAE442974	Soil	19	53	0.72	415	0.093	2	1.45	0.016	0.23	0.2	0.05	4.7	0.1	<0.05	5	<0.5	<0.2
CAE442975	Soil	12	35	0.50	445	0.070	2	1.36	0.017	0.14	0.2	0.02	5.0	<0.1	<0.05	4	<0.5	<0.2
CAE442976	Soil	11	46	0.58	490	0.064	2	1.41	0.012	0.17	0.2	0.03	5.2	0.1	<0.05	5	0.8	<0.2
CAE442977	Soil	12	43	0.54	289	0.070	2	1.42	0.012	0.15	0.2	0.02	5.3	<0.1	<0.05	5	<0.5	<0.2
CAE442978	Soil	13	53	0.63	539	0.089	1	1.41	0.013	0.29	0.2	<0.01	5.0	<0.1	<0.05	5	<0.5	<0.2
CAE442979	Soil	12	47	0.59	327	0.079	1	1.45	0.013	0.16	0.2	0.02	5.7	0.1	<0.05	5	<0.5	<0.2
CAE442980	Soil	16	36	0.55	287	0.061	1	1.32	0.018	0.09	0.2	0.05	5.9	<0.1	<0.05	4	0.8	<0.2
CAE442981	Soil	11	34	0.43	273	0.057	2	1.22	0.012	0.15	0.2	0.02	4.5	<0.1	<0.05	4	<0.5	<0.2
CAE442982	Soil	11	36	0.40	417	0.040	1	1.31	0.013	0.15	0.3	0.04	6.1	<0.1	<0.05	4	0.9	<0.2
CAE442983	Soil	9	34	0.33	556	0.033	3	1.07	0.015	0.14	0.2	0.02	5.2	<0.1	<0.05	4	<0.5	<0.2
CAE442984	Soil	12	71	0.67	332	0.083	2	1.34	0.012	0.27	0.3	0.04	4.0	0.2	<0.05	7	1.0	<0.2
CAE442985	Soil	13	49	0.66	370	0.080	2	1.50	0.017	0.32	0.2	<0.01	5.7	0.1	<0.05	6	<0.5	<0.2
CAE442986	Soil	22	75	0.94	729	0.104	3	1.70	0.014	0.63	0.2	0.03	7.7	0.2	<0.05	7	1.0	<0.2
CAE442987	Soil	13	31	0.47	443	0.050	2	1.17	0.019	0.08	0.3	0.01	3.9	<0.1	<0.05	4	0.6	<0.2
CAE442988	Soil	12	42	0.53	509	0.073	1	1.11	0.018	0.16	0.2	0.02	4.2	0.1	<0.05	5	1.1	<0.2
CAE442989	Soil	13	43	0.60	402	0.074	1	1.37	0.020	0.13	0.2	0.03	4.6	0.1	<0.05	5	0.5	<0.2
CAE442990	Soil	14	40	0.62	392	0.069	2	1.31	0.022	0.10	0.3	0.04	4.7	<0.1	<0.05	4	0.7	<0.2
CAE442991	Soil	22	39	0.54	401	0.075	2	1.51	0.017	0.13	0.2	0.06	6.1	<0.1	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 12, 2012

CERTIFICATE OF ANALYSIS DAW12000153.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
CAE442992	Soil	0.8	14.6	7.1	46	<0.1	21.6	10.6	826	2.69	5.7	0.4	0.7	4.4	23	<0.1	0.4	0.1	55	0.41	0.020
CAE442993	Soil	1.0	18.5	7.8	46	<0.1	26.1	10.4	444	2.72	8.7	0.6	<0.5	4.8	22	<0.1	0.6	0.1	60	0.37	0.031
CAE442994	Soil	1.0	10.7	6.6	46	<0.1	16.1	8.8	450	2.51	5.3	0.5	3.5	4.9	19	0.1	0.4	0.1	52	0.25	0.042
CAE442995	Soil	1.0	23.2	7.9	54	<0.1	24.8	9.5	275	2.67	9.5	0.8	1.1	5.5	24	<0.1	0.7	0.1	57	0.34	0.052
CAE442996	Soil	1.3	12.1	7.4	56	<0.1	17.9	8.4	788	2.37	6.4	0.8	1.1	9.5	18	0.1	0.5	0.1	57	0.23	0.037
CAE442997	Soil	0.8	11.1	6.3	37	<0.1	16.6	8.0	300	2.27	6.4	0.4	<0.5	3.4	24	<0.1	0.4	0.1	55	0.33	0.041
CAE442998	Soil	0.9	12.7	7.3	45	<0.1	18.5	8.1	258	2.42	7.3	0.7	<0.5	4.3	21	<0.1	0.4	0.1	57	0.30	0.043
CAE442999	Soil	0.9	14.7	7.2	46	<0.1	13.4	7.4	398	2.54	6.1	0.8	0.8	8.0	17	<0.1	0.3	0.2	50	0.22	0.050
CAE443000	Soil	0.8	11.5	7.9	41	<0.1	15.1	7.1	173	2.47	6.1	1.1	2.6	9.2	20	<0.1	0.4	0.1	44	0.24	0.042
CAE443201	Soil	0.8	25.4	7.1	45	<0.1	28.7	9.7	302	2.60	9.8	1.1	1.4	14.4	27	<0.1	0.5	0.1	60	0.40	0.044
CAE443202	Soil	0.6	27.1	7.1	45	<0.1	29.8	9.6	285	2.58	9.6	1.1	4.4	15.2	27	<0.1	0.5	0.1	60	0.38	0.046
CAE443203	Soil	0.7	22.9	6.6	71	<0.1	17.7	6.5	279	2.57	5.2	2.5	1.6	36.3	22	<0.1	0.4	0.2	42	0.25	0.037
CAE443204	Soil	0.8	26.7	9.1	54	<0.1	38.1	16.0	950	3.43	12.9	1.9	3.0	13.3	40	<0.1	1.0	0.2	57	1.04	0.081
CAE443205	Soil	0.4	11.0	4.1	40	<0.1	11.3	6.1	438	2.54	3.8	1.8	<0.5	20.6	25	<0.1	0.2	<0.1	28	0.26	0.058
CAE443206	Soil	1.0	16.7	8.1	55	<0.1	21.2	8.5	257	2.62	8.9	1.0	0.8	7.4	21	<0.1	0.5	0.2	59	0.27	0.031
CAE443207	Soil	1.5	11.5	7.5	66	<0.1	12.8	7.2	477	2.43	5.5	2.4	<0.5	23.5	12	0.1	0.4	0.2	44	0.14	0.036
CAE443208	Soil	0.9	22.8	8.2	45	<0.1	24.2	10.3	227	2.62	8.7	1.2	4.4	14.3	27	<0.1	0.5	0.1	59	0.34	0.029
CAE443209	Soil	1.0	21.3	7.5	51	<0.1	21.6	8.3	259	2.43	7.0	2.0	1.3	14.5	25	<0.1	0.4	0.2	52	0.36	0.063
CAE443210	Soil	2.5	14.8	8.5	48	0.1	17.6	7.5	248	2.71	8.0	1.0	<0.5	8.4	16	<0.1	0.5	0.2	64	0.21	0.051
CAE443211	Soil	1.0	24.7	7.6	45	<0.1	23.7	9.1	324	2.40	7.1	2.6	4.3	7.0	30	0.1	0.5	0.1	57	0.42	0.052

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 12, 2012

CERTIFICATE OF ANALYSIS DAW12000153.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
CAE442992	Soil	12	36	0.48	329	0.076	2	1.35	0.016	0.20	0.2	0.01	5.2	<0.1	<0.05	4	<0.5	<0.2
CAE442993	Soil	13	40	0.49	287	0.075	1	1.43	0.015	0.13	0.2	0.03	5.6	<0.1	<0.05	5	<0.5	<0.2
CAE442994	Soil	11	30	0.46	296	0.075	1	1.38	0.011	0.16	0.2	0.02	3.4	0.1	<0.05	5	<0.5	<0.2
CAE442995	Soil	19	40	0.55	269	0.069	<1	1.35	0.017	0.08	0.3	0.04	6.2	<0.1	<0.05	4	0.6	<0.2
CAE442996	Soil	10	31	0.38	345	0.055	<1	1.41	0.012	0.08	0.3	0.01	3.0	0.1	<0.05	5	<0.5	<0.2
CAE442997	Soil	9	28	0.47	313	0.062	<1	1.39	0.011	0.08	0.3	0.01	2.4	0.1	<0.05	5	<0.5	<0.2
CAE442998	Soil	14	35	0.47	274	0.067	<1	1.35	0.014	0.06	0.2	0.01	3.9	<0.1	<0.05	4	<0.5	<0.2
CAE442999	Soil	17	24	0.44	259	0.075	<1	1.36	0.010	0.21	0.2	<0.01	2.6	0.2	<0.05	6	<0.5	<0.2
CAE443000	Soil	27	29	0.46	212	0.058	<1	1.44	0.009	0.14	0.2	0.02	3.0	0.1	<0.05	5	<0.5	<0.2
CAE443201	Soil	20	39	0.51	271	0.074	<1	1.42	0.017	0.09	0.2	0.02	6.3	<0.1	<0.05	5	<0.5	<0.2
CAE443202	Soil	22	39	0.50	242	0.076	<1	1.33	0.017	0.08	0.2	0.03	6.2	0.1	<0.05	5	<0.5	<0.2
CAE443203	Soil	57	27	0.50	240	0.066	<1	1.22	0.011	0.24	0.3	0.03	5.1	0.3	<0.05	7	<0.5	<0.2
CAE443204	Soil	53	48	0.93	449	0.055	1	1.70	0.014	0.24	0.3	0.07	7.5	0.3	<0.05	5	<0.5	<0.2
CAE443205	Soil	31	15	0.49	175	0.071	<1	1.15	0.007	0.40	3.5	0.01	2.2	0.3	<0.05	6	<0.5	<0.2
CAE443206	Soil	15	38	0.49	254	0.066	<1	1.39	0.014	0.08	0.2	0.02	5.0	<0.1	<0.05	4	<0.5	<0.2
CAE443207	Soil	10	22	0.31	247	0.032	<1	1.17	0.007	0.07	0.2	0.01	2.5	0.1	<0.05	5	<0.5	<0.2
CAE443208	Soil	25	40	0.50	302	0.067	<1	1.31	0.021	0.05	0.2	0.02	5.8	<0.1	<0.05	4	<0.5	<0.2
CAE443209	Soil	24	31	0.47	271	0.057	<1	1.35	0.015	0.05	0.2	0.03	4.1	<0.1	<0.05	4	<0.5	<0.2
CAE443210	Soil	15	33	0.40	207	0.049	<1	1.78	0.010	0.04	0.2	0.03	2.4	0.1	<0.05	6	<0.5	<0.2
CAE443211	Soil	21	35	0.45	371	0.063	<1	1.39	0.018	0.04	0.2	0.04	4.6	<0.1	<0.05	5	0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 12, 2012

QUALITY CONTROL REPORT DAW12000153.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Pulp Duplicates																					
CAE442756	Soil	0.6	9.5	7.3	49	<0.1	9.8	3.9	271	2.05	3.5	2.3	1.1	47.8	19	<0.1	0.3	0.2	22	0.23	0.034
REP CAE442756	QC	0.6	9.9	7.3	48	<0.1	10.0	3.8	265	2.08	3.5	2.4	3.4	47.9	18	<0.1	0.3	0.2	22	0.23	0.031
CAE442934	Soil	1.3	20.2	7.5	73	0.1	22.4	13.0	667	2.52	12.7	0.8	1.1	2.5	18	0.1	0.7	0.2	60	0.26	0.075
REP CAE442934	QC	1.3	20.2	7.5	73	0.1	21.4	12.5	650	2.43	12.3	0.8	3.0	2.5	19	0.1	0.6	0.1	57	0.25	0.073
CAE442940	Soil	3.7	69.3	9.6	174	0.4	78.8	14.5	474	3.86	79.5	1.1	1.3	3.1	64	0.4	1.8	0.4	129	0.22	0.096
REP CAE442940	QC	3.5	72.2	8.7	169	0.5	78.0	14.4	469	3.87	79.2	1.1	42.2	3.2	66	0.3	1.7	0.4	127	0.20	0.095
CAE442970	Soil	0.8	16.6	8.3	53	<0.1	20.2	10.0	383	2.50	8.3	0.8	2.8	4.4	25	0.1	0.5	0.1	64	0.29	0.041
REP CAE442970	QC	0.9	16.9	8.7	52	<0.1	18.8	10.7	392	2.59	8.3	0.9	1.8	4.6	25	0.1	0.5	0.1	63	0.31	0.040
CAE442976	Soil	2.3	42.9	9.8	83	0.3	35.4	12.9	657	2.82	37.4	0.7	4.9	2.8	36	0.3	1.5	0.2	69	0.40	0.049
REP CAE442976	QC	2.4	44.0	10.2	88	0.4	35.9	13.1	694	2.88	38.7	0.7	2.0	2.9	36	0.4	1.6	0.2	70	0.43	0.054
CAE443207	Soil	1.5	11.5	7.5	66	<0.1	12.8	7.2	477	2.43	5.5	2.4	<0.5	23.5	12	0.1	0.4	0.2	44	0.14	0.036
REP CAE443207	QC	1.6	11.6	7.4	66	<0.1	12.8	7.3	467	2.44	5.5	2.4	3.1	23.5	12	<0.1	0.3	0.2	43	0.13	0.038
Reference Materials																					
STD DS9	Standard	14.7	114.8	133.8	324	1.8	44.0	8.1	625	2.49	25.3	2.9	128.9	6.8	70	2.6	5.6	6.8	48	0.76	0.089
STD DS9	Standard	12.8	109.2	122.0	328	1.8	38.9	7.9	592	2.32	26.9	2.8	124.7	6.8	80	2.4	5.9	7.2	43	0.74	0.090
STD DS9	Standard	14.1	101.3	127.0	307	2.0	42.3	7.0	609	2.51	24.0	2.5	123.3	5.9	78	2.4	5.2	5.8	40	0.73	0.086
STD DS9 Expected		12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40	0.7201	0.0819
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	4	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 12, 2012

QUALITY CONTROL REPORT DAW12000153.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																		
CAE442756	Soil	34	14	0.32	238	0.059	3	1.00	0.008	0.36	1.5	<0.01	3.1	0.5	0.07	7	<0.5	<0.2
REP CAE442756	QC	35	14	0.31	232	0.057	2	0.99	0.008	0.36	1.5	<0.01	3.0	0.5	<0.05	7	<0.5	<0.2
CAE442934	Soil	13	36	0.44	171	0.054	1	1.19	0.010	0.11	0.2	0.03	3.0	0.1	<0.05	5	<0.5	<0.2
REP CAE442934	QC	13	34	0.44	158	0.053	1	1.18	0.011	0.11	0.1	0.03	2.8	0.1	<0.05	5	<0.5	<0.2
CAE442940	Soil	16	94	1.23	549	0.183	1	1.84	0.015	0.83	0.2	0.02	5.1	0.3	0.15	9	0.9	<0.2
REP CAE442940	QC	16	93	1.25	542	0.179	<1	1.87	0.015	0.81	0.1	0.03	4.7	0.3	0.15	9	1.6	<0.2
CAE442970	Soil	12	36	0.61	278	0.093	3	1.38	0.016	0.19	0.3	0.01	3.7	0.1	<0.05	5	0.5	<0.2
REP CAE442970	QC	13	36	0.61	285	0.093	1	1.41	0.016	0.18	0.2	<0.01	3.8	0.1	<0.05	5	<0.5	<0.2
CAE442976	Soil	11	46	0.58	490	0.064	2	1.41	0.012	0.17	0.2	0.03	5.2	0.1	<0.05	5	0.8	<0.2
REP CAE442976	QC	11	47	0.60	508	0.062	2	1.45	0.012	0.18	0.2	0.04	5.5	0.1	<0.05	5	0.9	<0.2
CAE443207	Soil	10	22	0.31	247	0.032	<1	1.17	0.007	0.07	0.2	0.01	2.5	0.1	<0.05	5	<0.5	<0.2
REP CAE443207	QC	10	22	0.32	251	0.033	<1	1.22	0.007	0.07	0.2	0.01	2.5	0.1	<0.05	5	<0.5	<0.2
Reference Materials																		
STD DS9	Standard	13	142	0.67	313	0.115	2	0.98	0.087	0.37	3.2	0.21	2.7	5.7	0.17	5	6.8	5.7
STD DS9	Standard	13	118	0.65	315	0.115	5	0.98	0.088	0.37	2.9	0.20	2.4	5.4	0.14	5	5.4	5.0
STD DS9	Standard	13	134	0.63	304	0.109	3	1.01	0.101	0.37	2.9	0.23	2.9	5.7	0.13	5	5.5	5.1
STD DS9 Expected		13.3	121	0.6165	295	0.1108		0.9577	0.0853	0.395	2.89	0.2	2.5	5.3	0.1615	4.59	5.2	5.02
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.