Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Submitted By: Jean-Pierre Londero
Receiving Lab: Canada-Dawson City
Received: June 29, 2012
Report Date: August 06, 2012

CERTIFICATE OF ANALYSIS DAW12000079.1

CLIENT JOB INFORMATION

Project: White Gold
Shipment ID: WG01942012
P.O. Number
Number of Samples: 121

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT-SOIL Store Soil Reject - RJSV Charges Apply

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	121	Dry at 60C sieve 100g to -80 mesh			DAW
Dry at 60C	121	Dry at 60C			DAW
RJSV	121	Saving all or part of Soil Reject			DAW
1DX2	121	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Selene Holdings LP
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8
Canada

CC: Keith Fowlow

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 06, 2012

CERTIFICATE OF ANALYSIS DAW12000079.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
CAE442088	Soil	1.2	18.0	8.6	48	<0.1	24.7	9.9	330	2.65	11.1	0.6	2.4	3.5	21	<0.1	0.6	0.2	59	0.29	0.040
CAE442092	Soil	1.1	17.5	7.7	48	<0.1	46.8	11.6	522	2.51	8.2	0.5	2.6	3.3	18	<0.1	0.4	0.1	62	0.26	0.034
CAE442093	Soil	1.2	29.7	9.1	66	<0.1	98.2	19.0	447	3.42	6.3	0.6	1.8	4.4	26	0.2	0.4	0.1	73	0.43	0.041
CAE442128	Soil	0.9	24.7	8.0	50	<0.1	32.4	11.9	351	2.73	9.0	0.6	1.9	5.8	22	<0.1	0.6	0.1	61	0.36	0.039
CAE442129	Soil	1.1	24.8	8.5	54	0.1	39.3	14.5	429	2.98	9.5	0.7	1.8	6.2	20	<0.1	0.7	0.1	67	0.34	0.022
CAE442130	Soil	1.1	24.6	9.1	73	<0.1	105.7	24.3	671	4.28	3.4	0.8	1.3	8.7	24	<0.1	0.3	0.1	77	0.39	0.048
CAE442131	Soil	1.0	24.0	10.9	69	0.2	94.4	21.1	450	3.95	5.8	0.6	3.3	6.7	22	<0.1	0.3	<0.1	83	0.46	0.052
CAE442132	Soil	1.1	38.0	10.2	70	0.2	95.6	22.0	427	4.34	7.6	0.9	36.7	10.1	20	<0.1	0.5	<0.1	81	0.39	0.056
CAE442196	Soil	0.8	34.4	14.8	104	0.1	41.7	19.3	622	4.21	5.4	1.9	0.9	18.0	26	0.2	0.3	<0.1	68	0.39	0.053
CAE442197	Soil	0.9	31.7	12.6	94	<0.1	40.4	17.1	740	4.12	7.3	1.6	1.8	17.6	29	0.2	0.4	<0.1	60	0.44	0.052
CAE442198	Soil	1.4	37.2	14.6	61	0.2	41.6	13.7	500	3.25	11.5	0.8	4.7	7.9	30	<0.1	0.7	0.1	68	0.46	0.046
CAE442199	Soil	0.9	36.9	11.7	91	<0.1	40.5	17.2	575	4.12	6.0	2.0	1.0	18.9	28	0.1	0.4	0.1	70	0.37	0.062
CAE442200	Soil	0.6	30.4	9.6	82	<0.1	36.9	16.5	545	3.98	5.6	1.3	<0.5	15.8	25	<0.1	0.3	<0.1	69	0.43	0.067
CAE442230	Soil	1.3	31.3	9.4	32	0.4	11.5	3.0	104	1.35	12.9	0.8	3.4	1.0	13	0.2	0.3	<0.1	47	0.10	0.031
CAE442231	Soil	0.9	41.1	17.3	31	1.2	18.2	3.7	74	1.11	4.5	1.2	22.3	0.4	34	0.4	0.3	<0.1	29	0.34	0.069
CAE442232	Soil	1.6	43.0	13.0	98	0.5	21.8	6.0	371	3.14	35.2	1.2	1.9	6.3	21	0.2	0.4	0.2	93	0.11	0.043
CAE442233	Soil	1.5	32.0	10.7	61	0.4	19.6	6.2	212	2.58	21.1	1.0	3.1	3.9	24	<0.1	0.4	0.1	73	0.20	0.039
CAE442234	Soil	1.3	30.2	6.9	74	0.3	19.4	8.0	339	2.58	10.3	0.9	2.9	4.3	24	0.2	0.2	0.1	69	0.18	0.068
CAE442235	Soil	0.9	30.7	18.6	72	0.4	24.1	3.8	268	2.18	4.9	1.0	0.7	0.9	25	0.1	0.1	0.1	78	0.16	0.047
CAE442236	Soil	1.4	33.4	10.4	83	0.2	30.9	11.3	500	3.15	13.5	0.9	6.3	4.4	24	0.1	0.3	0.2	87	0.16	0.058
CAE442237	Soil	1.7	24.1	10.7	85	0.2	24.8	6.6	291	3.27	16.7	0.6	<0.5	3.8	14	0.2	0.4	0.2	83	0.07	0.085
CAE442238	Soil	1.3	14.5	7.7	33	0.2	12.2	4.8	178	1.75	18.9	0.3	0.6	1.4	8	0.1	0.5	0.1	57	0.07	0.026
CAE442239	Soil	1.6	42.7	9.3	94	0.2	40.9	15.7	501	3.13	39.5	0.9	2.8	3.1	16	0.2	0.6	0.2	88	0.14	0.043
CAE442240	Soil	0.7	9.6	5.6	20	0.2	4.9	1.8	69	1.05	4.6	0.2	2.2	0.7	6	0.2	0.2	0.1	37	0.05	0.029
CAE442241	Soil	1.0	30.2	7.4	41	0.5	18.1	5.4	130	1.64	28.0	0.5	1.9	1.4	11	0.2	0.5	0.1	48	0.11	0.029
CAE442242	Soil	0.6	34.0	4.4	43	<0.1	31.7	12.8	290	2.18	17.9	0.4	0.6	1.2	9	<0.1	0.3	<0.1	66	0.15	0.029
CAE442243	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE442244	Soil	1.0	20.6	5.7	39	0.2	16.7	3.6	107	1.20	17.5	0.6	0.9	0.7	13	0.2	0.4	<0.1	46	0.11	0.043
CAE442245	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE442246	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 06, 2012

CERTIFICATE OF ANALYSIS DAW12000079.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
CAE442088	Soil	10	33	0.45	269	0.044	1	1.43	0.011	0.05	0.2	0.01	3.1	<0.1	<0.05	4	<0.5	<0.2
CAE442092	Soil	11	60	0.58	383	0.059	1	1.36	0.013	0.05	0.2	0.02	3.4	<0.1	<0.05	5	<0.5	<0.2
CAE442093	Soil	14	139	1.10	441	0.120	2	1.79	0.014	0.24	0.1	0.01	4.5	0.2	<0.05	7	<0.5	<0.2
CAE442128	Soil	20	44	0.53	277	0.083	2	1.36	0.014	0.17	0.2	0.03	5.4	0.1	<0.05	4	<0.5	<0.2
CAE442129	Soil	18	53	0.58	328	0.087	2	1.64	0.011	0.21	0.2	0.03	5.9	0.1	<0.05	5	<0.5	<0.2
CAE442130	Soil	25	129	1.35	428	0.217	2	2.29	0.011	0.71	0.1	0.02	5.8	0.4	<0.05	8	<0.5	<0.2
CAE442131	Soil	23	134	1.34	297	0.177	2	2.29	0.010	0.59	0.1	0.02	6.6	0.4	<0.05	8	<0.5	<0.2
CAE442132	Soil	30	117	1.38	314	0.183	2	2.37	0.012	0.84	0.1	0.03	7.9	0.4	<0.05	8	<0.5	<0.2
CAE442196	Soil	66	54	0.92	280	0.220	2	2.21	0.011	0.77	<0.1	0.02	6.5	0.4	<0.05	8	<0.5	<0.2
CAE442197	Soil	54	52	0.85	325	0.189	2	2.12	0.011	0.78	<0.1	0.02	5.5	0.4	<0.05	7	<0.5	<0.2
CAE442198	Soil	26	53	0.72	422	0.089	3	1.53	0.014	0.38	0.2	0.04	6.9	0.3	<0.05	5	<0.5	<0.2
CAE442199	Soil	65	53	0.90	263	0.189	2	2.12	0.012	0.71	<0.1	0.02	6.6	0.5	0.07	7	<0.5	<0.2
CAE442200	Soil	49	53	0.86	270	0.199	2	2.10	0.012	0.68	<0.1	0.02	6.8	0.4	<0.05	8	<0.5	<0.2
CAE442230	Soil	9	23	0.31	373	0.056	3	0.97	0.010	0.08	0.1	0.05	2.0	0.2	0.10	5	1.1	<0.2
CAE442231	Soil	10	17	0.22	744	0.039	3	0.66	0.015	0.09	<0.1	0.08	2.0	0.1	0.13	3	0.6	<0.2
CAE442232	Soil	15	51	1.18	715	0.139	2	1.74	0.024	0.39	<0.1	0.05	5.3	0.3	0.21	6	1.4	<0.2
CAE442233	Soil	14	37	0.72	460	0.090	2	1.43	0.014	0.14	<0.1	0.05	3.3	0.2	0.09	6	0.9	<0.2
CAE442234	Soil	15	40	0.85	554	0.102	1	1.52	0.020	0.24	0.1	0.03	3.2	0.2	0.18	5	0.7	<0.2
CAE442235	Soil	16	107	1.48	904	0.091	<1	1.86	0.031	0.52	<0.1	0.05	3.7	0.2	0.24	7	1.2	<0.2
CAE442236	Soil	17	73	1.20	506	0.131	1	1.96	0.014	0.35	0.1	0.02	4.3	0.2	0.09	7	<0.5	<0.2
CAE442237	Soil	10	27	0.67	224	0.101	1	1.40	0.009	0.15	0.1	0.02	2.7	0.2	<0.05	7	<0.5	<0.2
CAE442238	Soil	6	21	0.20	140	0.058	<1	0.91	0.009	0.04	0.1	0.02	1.7	0.1	<0.05	5	<0.5	<0.2
CAE442239	Soil	11	64	0.87	484	0.112	1	1.87	0.009	0.18	0.1	0.03	4.7	0.2	0.05	6	0.5	<0.2
CAE442240	Soil	5	12	0.06	140	0.052	<1	0.53	0.011	0.02	<0.1	0.02	0.9	0.1	<0.05	4	<0.5	<0.2
CAE442241	Soil	7	24	0.26	195	0.057	2	0.98	0.011	0.05	<0.1	0.05	1.9	0.1	<0.05	5	<0.5	<0.2
CAE442242	Soil	6	67	0.92	188	0.120	<1	1.47	0.010	0.11	0.1	0.03	2.3	<0.1	<0.05	5	<0.5	<0.2
CAE442243	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE442244	Soil	8	30	0.28	156	0.055	2	0.68	0.010	0.08	<0.1	0.06	1.9	0.1	0.08	3	<0.5	<0.2
CAE442245	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE442246	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 06, 2012

CERTIFICATE OF ANALYSIS DAW12000079.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
CAE442247	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE442248	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE442249	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE442250	Soil	2.0	40.9	7.4	65	0.2	22.0	5.5	181	2.92	5.7	0.7	1.4	4.2	17	0.3	0.3	0.2	81	0.06	0.050
CAE442261	Soil	2.9	56.4	8.5	92	0.4	14.4	3.3	228	2.73	4.9	1.2	<0.5	4.3	25	0.1	0.3	0.2	96	0.06	0.055
CAE442368	Soil	0.9	21.0	4.6	31	0.1	8.5	2.5	71	1.09	3.2	0.7	1.3	0.5	12	0.1	0.2	<0.1	29	0.12	0.040
CAE442369	Soil	1.2	18.2	7.1	48	0.1	12.9	4.2	127	1.58	6.7	0.6	2.0	1.3	21	0.2	0.4	0.2	35	0.22	0.062
CAE442370	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE442371	Soil	1.4	33.7	5.4	61	0.4	23.6	16.9	457	2.51	10.9	1.1	2.9	1.3	24	0.4	0.4	0.1	56	0.27	0.063
CAE442372	Soil	1.3	35.2	5.2	27	0.3	7.7	2.5	92	0.94	2.5	0.8	<0.5	0.2	16	0.2	0.1	0.1	25	0.15	0.076
CAE442373	Soil	2.0	40.3	10.0	80	0.6	15.7	7.2	264	3.70	9.2	0.7	11.1	3.1	20	0.2	0.4	0.2	93	0.11	0.054
CAE442374	Soil	2.2	20.9	10.0	36	0.3	8.5	3.0	114	2.44	4.8	0.6	0.9	3.1	16	0.1	0.3	0.2	63	0.07	0.043
CAE442375	Soil	2.2	23.4	9.9	40	0.4	9.4	3.3	126	2.58	5.5	0.6	<0.5	3.5	19	0.1	0.3	0.2	64	0.08	0.047
CAE442376	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE442377	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE442378	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE442379	Soil	2.2	31.9	8.7	97	0.6	38.3	8.8	297	2.70	5.0	0.9	2.9	3.1	22	0.3	0.2	0.1	87	0.14	0.051
CAE442380	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE442381	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE442382	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE442383	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE442384	Soil	1.1	37.1	5.5	86	<0.1	50.6	14.6	351	2.81	6.6	0.4	1.2	2.0	17	0.1	0.3	<0.1	76	0.24	0.045
CAE442385	Soil	1.3	32.4	5.7	67	0.3	36.3	8.6	192	2.24	4.9	0.6	4.5	2.0	18	0.2	0.2	0.2	65	0.17	0.038
CAE442386	Soil	0.9	22.6	8.3	82	<0.1	17.6	14.8	573	4.42	5.6	0.6	1.0	4.4	38	<0.1	0.6	<0.1	85	0.36	0.029
CAE442387	Soil	1.1	33.0	6.6	64	0.1	36.0	11.2	271	2.73	7.2	0.7	0.8	2.9	19	<0.1	0.3	0.1	66	0.23	0.042
CAE442388	Soil	1.1	21.0	5.6	48	0.2	24.2	7.6	297	2.32	7.3	0.4	<0.5	2.2	16	0.2	0.4	0.1	61	0.19	0.030
CAE442434	Soil	1.2	17.8	11.2	50	0.1	35.8	13.8	539	3.01	9.4	0.5	0.7	6.2	23	0.1	0.7	0.1	63	0.33	0.024
CAE442435	Soil	0.7	28.2	8.6	49	<0.1	31.2	12.3	389	2.95	11.6	0.5	2.1	5.9	29	<0.1	0.6	0.1	59	0.40	0.017
CAE442436	Soil	3.0	37.0	21.2	81	<0.1	43.1	16.8	453	3.98	24.5	1.0	0.6	8.7	40	0.1	2.0	0.2	42	0.30	0.029
CAE442437	Soil	1.3	56.2	12.5	101	0.1	60.5	20.6	771	4.71	15.2	1.3	10.2	17.4	30	<0.1	0.7	<0.1	67	0.37	0.027

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 06, 2012

CERTIFICATE OF ANALYSIS DAW12000079.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
CAE442247	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE442248	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE442249	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE442250	Soil	17	53	0.66	269	0.125	<1	1.46	0.014	0.34	0.1	0.02	2.5	0.3	0.26	6	1.1	<0.2
CAE442261	Soil	18	73	1.14	631	0.167	<1	1.67	0.022	0.70	<0.1	0.02	3.6	0.4	0.37	7	1.5	<0.2
CAE442368	Soil	7	20	0.22	168	0.042	<1	0.54	0.007	0.13	<0.1	0.02	1.2	0.1	0.08	3	0.5	<0.2
CAE442369	Soil	9	18	0.33	256	0.057	2	0.69	0.013	0.17	0.1	0.05	1.9	0.1	0.06	2	<0.5	<0.2
CAE442370	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE442371	Soil	10	38	0.57	328	0.065	2	1.27	0.018	0.08	<0.1	0.07	3.3	0.1	<0.05	5	0.5	<0.2
CAE442372	Soil	6	14	0.15	244	0.029	3	0.41	0.011	0.11	<0.1	0.08	1.2	<0.1	<0.05	2	<0.5	<0.2
CAE442373	Soil	13	46	0.54	519	0.099	1	1.92	0.012	0.18	0.1	0.03	3.6	0.2	<0.05	8	0.8	0.2
CAE442374	Soil	13	23	0.20	533	0.093	<1	0.76	0.015	0.14	<0.1	0.02	2.0	0.1	0.06	5	0.6	<0.2
CAE442375	Soil	14	25	0.24	672	0.096	<1	0.85	0.014	0.16	0.1	0.02	2.1	0.1	0.08	5	0.6	<0.2
CAE442376	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE442377	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE442378	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE442379	Soil	12	51	0.87	387	0.107	<1	1.56	0.018	0.21	0.1	0.03	3.9	0.2	0.05	6	0.8	<0.2
CAE442380	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE442381	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE442382	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE442383	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE442384	Soil	8	73	1.11	234	0.115	1	1.62	0.016	0.14	0.1	0.02	3.5	0.1	<0.05	6	<0.5	<0.2
CAE442385	Soil	9	55	0.75	287	0.093	1	1.32	0.015	0.09	<0.1	0.04	3.3	0.2	<0.05	6	0.6	<0.2
CAE442386	Soil	14	32	1.04	378	0.158	<1	2.18	0.014	0.32	0.1	<0.01	8.7	0.2	<0.05	10	<0.5	<0.2
CAE442387	Soil	10	49	0.81	382	0.096	2	1.63	0.015	0.09	0.1	0.03	3.5	0.1	<0.05	5	<0.5	<0.2
CAE442388	Soil	7	34	0.51	211	0.083	<1	1.26	0.014	0.08	0.2	0.03	2.7	0.1	<0.05	5	<0.5	<0.2
CAE442434	Soil	15	66	0.67	324	0.089	2	1.58	0.017	0.35	0.1	0.02	6.6	0.2	<0.05	5	<0.5	<0.2
CAE442435	Soil	19	35	0.55	314	0.082	2	1.40	0.022	0.18	0.1	0.04	6.4	0.1	<0.05	4	<0.5	<0.2
CAE442436	Soil	23	26	0.23	359	0.012	2	0.84	0.007	0.21	<0.1	0.05	7.3	0.1	<0.05	3	<0.5	<0.2
CAE442437	Soil	41	61	0.93	507	0.098	2	1.70	0.009	0.63	<0.1	0.05	10.5	0.5	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 06, 2012

CERTIFICATE OF ANALYSIS DAW12000079.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
CAE442438	Soil	0.8	31.9	9.4	60	0.2	32.4	12.2	489	3.23	6.9	0.8	15.5	7.7	37	0.1	0.5	<0.1	56	0.71	0.046
CAE442439	Soil	0.7	31.7	6.8	52	0.1	29.1	11.3	404	2.70	8.4	0.6	4.6	5.9	46	0.1	0.5	<0.1	58	1.53	0.058
CAE442440	Soil	1.9	75.5	10.0	88	0.1	73.1	24.0	669	4.94	13.7	1.8	1.3	15.5	41	<0.1	0.4	0.1	115	0.37	0.041
CAE442441	Soil	1.0	28.6	9.7	54	0.1	35.2	13.0	490	2.96	23.7	0.5	3.5	6.4	34	<0.1	1.2	0.1	54	0.78	0.039
CAE442442	Soil	1.1	22.1	9.5	51	<0.1	30.3	12.1	288	3.01	12.6	0.5	2.1	6.3	24	<0.1	0.6	0.1	64	0.34	0.026
CAE442443	Soil	0.7	35.2	9.8	65	<0.1	35.4	14.0	491	3.36	17.1	0.7	2.7	10.7	27	<0.1	0.8	<0.1	57	0.47	0.036
CAE442444	Soil	1.0	17.6	13.3	54	<0.1	25.3	12.0	795	3.06	7.8	0.5	<0.5	6.0	25	<0.1	0.5	0.1	60	0.39	0.024
CAE442445	Soil	0.8	30.4	13.9	86	<0.1	35.2	17.1	579	4.24	6.6	1.0	1.8	15.9	23	<0.1	0.4	<0.1	60	0.39	0.040
CAE442446	Soil	0.8	29.2	13.3	84	<0.1	34.9	16.3	561	4.04	6.5	0.9	2.1	15.3	23	<0.1	0.4	<0.1	59	0.41	0.037
CAE442447	Soil	0.9	28.3	8.3	54	0.1	28.6	11.7	677	2.98	4.4	1.2	<0.5	5.2	50	0.2	0.4	<0.1	54	1.02	0.030
CAE442448	Soil	1.2	33.8	12.3	64	<0.1	41.1	13.9	500	3.22	13.5	0.8	2.5	6.1	27	<0.1	0.8	0.1	69	0.45	0.035
CAE442449	Soil	1.4	35.6	19.4	60	<0.1	41.4	12.3	450	3.50	19.9	0.8	2.0	6.3	25	<0.1	1.0	0.2	70	0.39	0.037
CAE442450	Soil	0.6	34.0	7.9	47	<0.1	31.4	11.0	345	2.67	10.0	0.7	5.1	5.5	27	<0.1	0.6	0.1	58	0.58	0.042
CAE442451	Soil	0.9	22.2	8.1	51	<0.1	25.9	11.4	429	2.73	9.4	0.5	2.8	4.7	24	<0.1	0.7	0.1	61	0.48	0.018
CAE442452	Soil	0.6	27.0	8.0	50	<0.1	27.5	10.9	452	2.68	6.4	0.8	7.6	6.9	35	<0.1	0.4	0.1	53	0.75	0.038
CAE442453	Soil	0.9	30.0	13.5	60	<0.1	28.6	14.5	674	3.25	5.2	0.9	10.1	9.8	37	0.1	0.4	0.1	54	0.72	0.040
CAE442454	Soil	0.8	35.6	13.6	81	<0.1	33.2	17.1	456	4.09	6.5	1.3	6.7	18.1	26	<0.1	0.4	<0.1	51	0.48	0.032
CAE442455	Soil	1.3	45.0	13.3	90	0.2	45.7	19.4	687	4.11	9.0	1.4	4.1	13.1	44	<0.1	0.7	<0.1	46	0.82	0.045
CAE442456	Soil	1.1	33.9	13.2	85	<0.1	35.3	18.3	606	4.20	8.7	1.6	<0.5	16.2	22	<0.1	0.3	<0.1	54	0.44	0.049
CAE442457	Soil	0.7	27.4	20.8	70	0.1	32.6	15.5	596	3.62	7.1	0.9	24.6	12.9	29	<0.1	0.4	0.1	55	0.72	0.032
CAE442458	Soil	0.8	28.0	18.4	71	0.2	31.6	15.7	581	3.62	7.0	0.9	18.6	12.5	29	<0.1	0.4	<0.1	55	0.72	0.033
CAE442551	Soil	4.3	110.7	20.9	140	0.4	75.3	22.5	957	4.46	524.6	1.3	4.9	3.4	49	0.7	6.1	0.2	78	0.60	0.057
CAE442552	Soil	3.8	99.4	20.2	132	0.4	69.2	22.2	940	4.28	468.0	1.2	5.6	3.2	49	0.7	5.7	0.2	78	0.63	0.055
CAE442553	Soil	1.3	21.8	12.0	62	0.2	27.5	12.3	584	2.65	74.3	0.4	2.8	3.8	32	0.3	1.2	0.2	55	0.55	0.022
CAE442554	Soil	1.1	36.1	10.5	68	0.2	32.6	11.6	506	2.62	47.3	0.5	4.9	4.1	38	0.2	1.2	0.1	53	0.69	0.048
CAE442555	Soil	1.4	42.0	21.9	79	0.2	42.6	18.3	584	3.87	29.9	1.1	3.2	10.1	26	0.2	0.5	0.2	57	0.52	0.039
CAE442556	Soil	0.7	30.3	10.4	53	<0.1	26.7	12.3	426	2.83	6.6	1.2	3.6	6.9	39	0.1	0.4	0.1	55	0.76	0.039
CAE442557	Soil	0.7	24.0	8.0	50	<0.1	36.7	13.0	422	2.65	7.8	0.4	1.9	4.3	31	<0.1	0.5	0.1	62	0.62	0.016
CAE442558	Soil	1.0	26.8	12.9	60	<0.1	37.9	17.5	597	3.35	9.2	0.6	1.1	7.3	28	<0.1	0.5	0.1	71	0.52	0.024
CAE442559	Soil	1.1	27.8	9.7	64	<0.1	42.7	17.2	747	3.19	12.1	0.5	6.6	5.7	35	<0.1	0.5	0.1	69	0.64	0.039

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 06, 2012

CERTIFICATE OF ANALYSIS DAW12000079.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
CAE442438	Soil	25	36	0.64	415	0.090	2	1.45	0.024	0.28	0.1	0.04	6.0	0.2	<0.05	5	<0.5	<0.2
CAE442439	Soil	19	33	0.67	282	0.093	2	1.21	0.026	0.22	0.2	0.04	4.5	0.2	<0.05	4	<0.5	<0.2
CAE442440	Soil	52	118	1.87	620	0.175	1	2.85	0.019	1.22	<0.1	0.03	10.8	0.7	0.07	11	1.1	<0.2
CAE442441	Soil	21	38	0.63	348	0.071	2	1.39	0.019	0.29	0.2	0.04	5.9	0.2	<0.05	5	<0.5	<0.2
CAE442442	Soil	15	48	0.64	234	0.089	2	1.62	0.017	0.28	0.1	0.01	6.5	0.2	<0.05	5	<0.5	<0.2
CAE442443	Soil	32	39	0.75	246	0.102	2	1.53	0.021	0.45	0.1	0.04	6.2	0.3	<0.05	5	<0.5	<0.2
CAE442444	Soil	13	39	0.52	331	0.101	1	1.51	0.016	0.38	0.1	0.02	5.6	0.2	<0.05	5	<0.5	<0.2
CAE442445	Soil	40	46	0.88	291	0.160	1	1.89	0.017	0.71	0.1	0.03	7.5	0.5	<0.05	7	<0.5	<0.2
CAE442446	Soil	38	45	0.84	280	0.155	1	1.79	0.017	0.70	<0.1	0.03	7.4	0.5	<0.05	7	<0.5	<0.2
CAE442447	Soil	17	35	0.62	459	0.105	2	1.54	0.021	0.35	0.1	0.02	4.9	0.2	<0.05	6	<0.5	<0.2
CAE442448	Soil	20	49	0.65	382	0.081	1	1.58	0.020	0.25	0.1	0.05	7.2	0.2	<0.05	5	<0.5	<0.2
CAE442449	Soil	21	53	0.62	460	0.078	2	1.58	0.017	0.21	0.1	0.03	9.3	0.2	<0.05	5	<0.5	<0.2
CAE442450	Soil	20	34	0.51	335	0.081	<1	1.23	0.023	0.17	0.1	0.04	6.2	0.1	<0.05	4	<0.5	<0.2
CAE442451	Soil	14	38	0.50	234	0.083	<1	1.34	0.020	0.16	0.1	0.02	6.0	0.1	<0.05	4	<0.5	<0.2
CAE442452	Soil	22	33	0.58	290	0.095	2	1.41	0.020	0.28	0.1	0.02	4.7	0.2	<0.05	5	<0.5	<0.2
CAE442453	Soil	32	35	0.61	327	0.104	<1	1.54	0.017	0.39	0.1	0.03	6.0	0.2	<0.05	5	<0.5	<0.2
CAE442454	Soil	38	41	0.65	419	0.135	<1	1.72	0.008	0.54	<0.1	0.05	7.5	0.4	<0.05	6	<0.5	<0.2
CAE442455	Soil	26	33	0.53	318	0.055	<1	1.15	0.010	0.40	<0.1	0.11	8.0	0.3	<0.05	5	<0.5	<0.2
CAE442456	Soil	26	46	0.86	385	0.145	<1	1.72	0.009	0.76	<0.1	<0.01	6.9	0.5	<0.05	7	<0.5	<0.2
CAE442457	Soil	33	39	0.63	481	0.118	<1	1.57	0.015	0.49	0.1	0.02	6.8	0.3	<0.05	5	<0.5	<0.2
CAE442458	Soil	33	40	0.65	449	0.119	<1	1.60	0.016	0.48	<0.1	0.02	6.7	0.3	<0.05	6	<0.5	<0.2
CAE442551	Soil	16	54	0.46	844	0.023	1	1.17	0.012	0.25	0.2	0.24	9.7	0.2	<0.05	4	0.9	<0.2
CAE442552	Soil	15	50	0.46	830	0.025	1	1.23	0.012	0.23	0.2	0.23	9.0	0.2	<0.05	4	1.1	<0.2
CAE442553	Soil	13	35	0.39	636	0.046	2	1.41	0.016	0.14	0.1	0.02	5.3	<0.1	<0.05	4	<0.5	<0.2
CAE442554	Soil	16	33	0.52	409	0.061	1	1.20	0.021	0.16	0.2	0.04	4.9	<0.1	<0.05	4	<0.5	<0.2
CAE442555	Soil	22	41	0.67	380	0.109	1	1.60	0.012	0.46	0.1	0.06	5.8	0.3	<0.05	6	<0.5	<0.2
CAE442556	Soil	24	35	0.58	311	0.093	1	1.40	0.020	0.31	0.1	0.02	4.9	0.2	<0.05	5	<0.5	<0.2
CAE442557	Soil	14	49	0.62	315	0.081	<1	1.48	0.020	0.16	<0.1	0.02	5.0	<0.1	<0.05	5	<0.5	<0.2
CAE442558	Soil	19	58	0.75	334	0.121	<1	1.90	0.017	0.32	<0.1	0.01	6.0	0.2	<0.05	6	<0.5	<0.2
CAE442559	Soil	17	55	0.76	332	0.111	1	1.69	0.019	0.37	0.1	0.03	5.7	0.2	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 06, 2012

CERTIFICATE OF ANALYSIS DAW12000079.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
CAE442560	Soil	0.9	27.7	11.5	57	<0.1	31.1	14.4	520	2.79	8.8	0.6	3.1	6.2	28	<0.1	0.5	0.1	59	0.49	0.032
CAE442561	Soil	0.8	31.9	11.3	60	<0.1	31.0	12.8	336	2.95	7.7	1.2	6.8	7.2	35	<0.1	0.4	0.1	60	0.69	0.052
CAE442562	Soil	0.9	29.8	10.9	66	<0.1	30.7	14.5	492	3.08	6.8	0.8	2.8	8.5	32	0.1	0.4	0.1	60	0.65	0.037
CAE442563	Soil	1.0	30.6	12.6	58	0.1	34.5	14.3	463	2.85	10.9	0.7	4.1	5.6	30	0.1	0.5	0.2	61	0.56	0.034
CAE442564	Soil	1.0	29.7	12.5	61	0.1	33.6	14.3	581	2.73	8.3	0.4	3.4	4.5	35	0.3	0.5	0.2	56	0.69	0.056
CAE442565	Soil	0.7	38.9	15.3	72	<0.1	52.0	18.0	498	3.23	9.3	0.7	3.3	5.9	40	<0.1	0.5	0.1	65	0.77	0.081
CAE442566	Soil	0.8	46.9	17.0	62	0.1	60.1	20.9	681	3.21	6.4	1.9	7.6	7.0	50	0.4	0.4	0.1	62	0.91	0.050
CAE442567	Soil	0.7	30.9	11.9	56	0.1	29.5	12.6	367	2.87	5.6	1.8	8.8	6.0	47	0.1	0.4	0.1	54	0.94	0.046
CAE442576	Soil	0.7	49.7	5.5	65	<0.1	83.6	15.6	392	2.70	8.8	0.3	8.8	2.2	26	<0.1	0.3	<0.1	71	0.43	0.030
CAE442577	Soil	0.7	47.0	5.4	66	<0.1	85.4	15.5	411	2.59	8.2	0.3	0.9	2.1	26	<0.1	0.3	<0.1	69	0.42	0.029
CAE442578	Soil	0.8	19.0	6.6	48	<0.1	54.2	14.6	401	2.61	8.2	0.3	4.1	3.1	22	<0.1	0.4	<0.1	65	0.42	0.019
CAE442579	Soil	1.2	57.5	6.7	62	0.1	127.6	21.3	437	3.12	15.2	0.7	1.7	5.0	22	<0.1	0.5	0.1	83	0.43	0.016
CAE442580	Soil	1.2	56.0	9.4	81	0.1	98.8	18.7	408	3.37	24.4	1.4	2.5	10.8	26	<0.1	0.9	0.2	65	0.39	0.026
CAE442581	Soil	1.6	33.9	8.2	68	0.1	65.0	17.9	454	2.89	11.4	0.8	3.0	6.3	24	<0.1	0.6	0.1	63	0.43	0.018
CAE442582	Soil	1.1	59.4	26.7	90	0.2	74.1	20.8	577	3.94	26.2	1.2	4.7	4.4	45	0.3	1.3	0.2	76	0.83	0.061
CAE442583	Soil	0.9	43.8	7.9	56	0.2	32.9	10.6	381	2.25	10.5	0.5	4.4	3.1	99	0.2	0.8	0.1	54	3.71	0.058
CAE442584	Soil	1.3	24.0	14.4	46	0.2	25.8	11.4	338	2.62	29.7	0.4	4.1	4.0	26	<0.1	1.1	0.1	61	0.44	0.020
CAE442585	Soil	1.2	39.3	29.8	68	0.1	52.0	17.6	423	3.52	19.9	1.7	5.4	6.7	46	0.1	0.9	0.2	57	0.87	0.058
CAE442586	Soil	0.9	32.9	11.8	69	0.1	35.1	11.9	484	2.58	8.6	0.6	6.8	4.7	52	0.3	0.7	0.1	51	1.97	0.057
CAE442587	Soil	1.2	30.9	10.0	69	0.3	35.8	15.1	609	3.15	6.1	1.2	1.9	6.1	32	0.3	0.4	0.1	61	0.57	0.051
CAE442588	Soil	0.9	35.9	9.9	67	<0.1	42.2	13.1	474	2.86	23.4	0.6	2.7	5.8	35	0.2	0.8	0.1	60	0.75	0.052
CAE442589	Soil	1.0	27.8	8.3	54	<0.1	29.7	11.7	303	2.66	9.2	0.5	2.0	4.5	38	0.2	0.5	0.1	64	0.71	0.047
CAE442590	Soil	1.0	31.2	8.5	63	<0.1	39.6	13.2	350	3.28	8.8	1.6	12.2	8.8	29	<0.1	0.5	<0.1	65	0.54	0.043
CAE442591	Soil	1.1	26.5	11.0	64	<0.1	33.4	13.3	436	3.34	16.9	1.1	4.0	9.1	27	0.1	0.7	<0.1	70	0.44	0.028
CAE442592	Soil	1.3	33.3	11.6	70	<0.1	38.0	16.8	756	3.47	11.0	1.2	4.2	9.5	26	0.1	0.7	0.1	65	0.37	0.029
CAE442593	Soil	1.2	32.7	10.9	69	0.1	38.4	14.1	488	3.39	12.1	0.9	6.2	8.7	33	0.1	0.7	0.1	67	0.50	0.045
CAE442594	Soil	1.3	32.0	12.9	69	0.1	32.4	12.4	423	3.18	13.4	0.5	8.4	6.1	30	0.3	0.9	0.1	67	0.47	0.026
CAE442595	Soil	0.8	30.5	9.1	73	0.1	31.4	12.6	553	2.93	10.6	0.9	5.8	4.5	33	0.2	0.7	0.1	67	0.53	0.054
CAE442596	Soil	1.1	23.7	9.0	68	<0.1	28.3	13.4	633	3.05	7.3	0.7	4.7	5.3	31	0.1	0.5	<0.1	71	0.53	0.030
CAE443031	Soil	0.7	29.0	8.3	73	<0.1	36.7	16.1	516	4.01	5.4	1.2	0.8	14.2	24	<0.1	0.5	<0.1	68	0.40	0.036

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 06, 2012

CERTIFICATE OF ANALYSIS DAW12000079.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
CAE442560	Soil	20	38	0.55	308	0.084	<1	1.51	0.019	0.19	0.2	0.02	5.1	0.1	<0.05	5	<0.5	<0.2
CAE442561	Soil	23	44	0.67	238	0.102	<1	1.42	0.019	0.35	0.2	0.05	5.4	0.2	<0.05	5	<0.5	<0.2
CAE442562	Soil	24	41	0.62	329	0.102	2	1.54	0.019	0.37	0.1	0.03	5.9	0.2	<0.05	5	<0.5	<0.2
CAE442563	Soil	18	41	0.63	325	0.089	<1	1.54	0.022	0.18	0.1	0.01	5.3	0.1	<0.05	5	<0.5	<0.2
CAE442564	Soil	16	40	0.63	376	0.082	2	1.42	0.021	0.23	0.1	0.02	4.9	0.1	<0.05	4	<0.5	<0.2
CAE442565	Soil	21	60	0.92	394	0.108	<1	1.65	0.022	0.40	0.2	0.03	5.2	0.2	<0.05	6	<0.5	<0.2
CAE442566	Soil	27	79	0.83	447	0.097	2	1.54	0.019	0.30	<0.1	0.04	5.6	0.2	<0.05	5	0.7	<0.2
CAE442567	Soil	22	37	0.57	314	0.086	1	1.37	0.022	0.37	0.1	0.03	5.3	0.2	<0.05	5	<0.5	<0.2
CAE442576	Soil	7	108	1.07	200	0.107	<1	1.52	0.019	0.29	<0.1	0.01	5.0	0.1	<0.05	5	<0.5	<0.2
CAE442577	Soil	7	107	1.10	204	0.101	<1	1.46	0.019	0.27	<0.1	0.01	4.9	0.1	<0.05	5	<0.5	<0.2
CAE442578	Soil	10	74	0.71	229	0.088	<1	1.44	0.018	0.18	0.1	<0.01	5.4	<0.1	<0.05	4	<0.5	<0.2
CAE442579	Soil	17	116	1.52	363	0.125	2	2.06	0.019	0.33	0.1	0.03	8.2	0.2	<0.05	6	<0.5	<0.2
CAE442580	Soil	31	79	1.30	279	0.116	<1	2.05	0.018	0.53	0.1	0.02	6.3	0.4	<0.05	6	<0.5	<0.2
CAE442581	Soil	19	57	0.73	253	0.097	<1	1.55	0.018	0.32	0.1	0.03	6.1	0.2	<0.05	5	<0.5	<0.2
CAE442582	Soil	16	76	0.72	494	0.046	2	1.37	0.019	0.27	0.1	0.09	10.1	0.2	<0.05	5	0.8	<0.2
CAE442583	Soil	12	30	0.79	322	0.071	<1	1.20	0.031	0.08	0.2	0.04	5.5	<0.1	<0.05	4	<0.5	<0.2
CAE442584	Soil	12	35	0.43	320	0.052	<1	1.41	0.015	0.12	0.1	0.01	5.1	<0.1	<0.05	4	<0.5	<0.2
CAE442585	Soil	36	61	0.64	320	0.064	1	1.59	0.018	0.32	0.1	0.10	6.3	0.2	<0.05	6	<0.5	<0.2
CAE442586	Soil	16	34	0.73	337	0.083	1	1.24	0.022	0.14	0.3	0.05	3.9	0.1	<0.05	4	<0.5	<0.2
CAE442587	Soil	28	45	0.66	394	0.109	1	1.58	0.016	0.30	0.1	0.01	5.1	0.2	<0.05	6	<0.5	<0.2
CAE442588	Soil	21	43	0.69	315	0.089	2	1.34	0.022	0.18	0.2	0.07	4.7	0.2	<0.05	5	<0.5	<0.2
CAE442589	Soil	15	34	0.59	317	0.072	2	1.39	0.024	0.08	0.2	0.02	4.7	<0.1	<0.05	5	0.5	<0.2
CAE442590	Soil	31	47	0.77	260	0.113	1	1.62	0.018	0.25	0.2	0.03	5.3	0.2	<0.05	6	0.8	<0.2
CAE442591	Soil	21	47	0.69	298	0.127	1	1.99	0.016	0.29	0.1	0.02	6.1	0.2	0.08	7	<0.5	<0.2
CAE442592	Soil	24	45	0.75	486	0.115	1	1.75	0.017	0.50	0.1	0.02	6.4	0.3	0.07	6	0.8	<0.2
CAE442593	Soil	27	44	0.75	396	0.117	2	1.63	0.019	0.31	0.2	0.04	6.1	0.3	0.06	6	0.6	<0.2
CAE442594	Soil	20	41	0.55	330	0.076	2	1.53	0.017	0.15	0.2	0.04	5.9	0.2	0.06	5	<0.5	<0.2
CAE442595	Soil	18	39	0.61	350	0.079	2	1.54	0.022	0.12	0.2	0.04	5.0	<0.1	0.05	5	0.8	<0.2
CAE442596	Soil	17	39	0.58	349	0.084	<1	1.64	0.020	0.17	0.1	0.02	5.1	0.1	0.07	6	<0.5	<0.2
CAE443031	Soil	43	51	0.82	290	0.198	2	2.06	0.011	0.68	<0.1	0.02	7.0	0.4	0.07	8	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 06, 2012

CERTIFICATE OF ANALYSIS DAW12000079.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
CAE443032	Soil		0.7	24.6	8.7	56	<0.1	33.1	13.2	590	3.00	7.9	0.4	3.0	5.0	25	0.1	0.6	0.1	68	0.48	0.023

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 06, 2012

CERTIFICATE OF ANALYSIS DAW12000079.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
CAE443032	Soil		18	41	0.52	317	0.094	2	1.53	0.017	0.20	0.2	0.03	5.9	0.1	0.08	5	0.8	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 06, 2012

QUALITY CONTROL REPORT DAW12000079.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Pulp Duplicates																					
CAE442200	Soil	0.6	30.4	9.6	82	<0.1	36.9	16.5	545	3.98	5.6	1.3	<0.5	15.8	25	<0.1	0.3	<0.1	69	0.43	0.067
REP CAE442200	QC	0.7	30.9	9.4	81	<0.1	37.6	16.6	555	3.95	5.9	1.3	1.3	16.0	25	<0.1	0.3	<0.1	68	0.42	0.065
CAE442234	Soil	1.3	30.2	6.9	74	0.3	19.4	8.0	339	2.58	10.3	0.9	2.9	4.3	24	0.2	0.2	0.1	69	0.18	0.068
REP CAE442234	QC	1.3	30.1	7.4	76	0.4	19.4	8.2	352	2.65	10.2	0.9	2.5	4.4	25	0.2	0.2	0.1	70	0.18	0.067
CAE442379	Soil	2.2	31.9	8.7	97	0.6	38.3	8.8	297	2.70	5.0	0.9	2.9	3.1	22	0.3	0.2	0.1	87	0.14	0.051
REP CAE442379	QC	2.5	34.1	8.9	102	0.6	39.0	9.3	325	2.86	5.3	0.9	1.1	3.1	23	0.3	0.2	0.1	92	0.14	0.052
CAE442386	Soil	0.9	22.6	8.3	82	<0.1	17.6	14.8	573	4.42	5.6	0.6	1.0	4.4	38	<0.1	0.6	<0.1	85	0.36	0.029
REP CAE442386	QC	0.9	22.1	8.0	82	<0.1	16.8	14.2	557	4.25	5.5	0.6	<0.5	4.2	37	<0.1	0.5	<0.1	81	0.35	0.030
CAE442554	Soil	1.1	36.1	10.5	68	0.2	32.6	11.6	506	2.62	47.3	0.5	4.9	4.1	38	0.2	1.2	0.1	53	0.69	0.048
REP CAE442554	QC	1.0	35.2	10.0	65	0.2	32.1	11.0	483	2.56	47.3	0.5	4.9	4.1	36	0.2	1.1	0.1	51	0.68	0.049
CAE442559	Soil	1.1	27.8	9.7	64	<0.1	42.7	17.2	747	3.19	12.1	0.5	6.6	5.7	35	<0.1	0.5	0.1	69	0.64	0.039
REP CAE442559	QC	1.1	26.7	10.0	65	<0.1	42.2	17.5	723	3.16	11.9	0.5	2.4	5.7	34	0.2	0.4	0.1	68	0.66	0.040
Reference Materials																					
STD DS9	Standard	14.6	119.6	120.8	315	1.8	45.6	8.0	617	2.44	25.0	2.7	114.8	6.1	67	2.3	5.4	5.6	51	0.73	0.079
STD DS9	Standard	14.1	114.1	123.2	303	1.8	44.1	8.4	588	2.32	24.4	2.7	112.4	6.7	65	2.3	5.2	6.0	46	0.72	0.078
STD DS9	Standard	13.2	99.9	116.3	305	1.8	38.5	7.4	581	2.33	25.8	2.5	123.8	6.0	68	2.1	5.2	5.8	41	0.71	0.082
STD DS9	Standard	12.7	105.0	109.8	289	1.7	37.4	7.3	562	2.19	24.3	2.5	104.9	5.8	67	2.2	5.5	6.2	42	0.79	0.078
STD DS9 Expected		12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40	0.7201	0.0819
BLK	Blank	<0.1	0.2	<0.1	<1	<0.1	0.2	<0.1	2	0.02	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	4	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 06, 2012

QUALITY CONTROL REPORT DAW12000079.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																		
CAE442200	Soil	49	53	0.86	270	0.199	2	2.10	0.012	0.68	<0.1	0.02	6.8	0.4	<0.05	8	<0.5	<0.2
REP CAE442200	QC	49	53	0.87	279	0.197	2	2.07	0.012	0.69	<0.1	0.02	6.7	0.4	<0.05	7	<0.5	<0.2
CAE442234	Soil	15	40	0.85	554	0.102	1	1.52	0.020	0.24	0.1	0.03	3.2	0.2	0.18	5	0.7	<0.2
REP CAE442234	QC	15	41	0.85	549	0.104	2	1.55	0.021	0.25	0.1	0.04	3.1	0.2	0.19	5	0.9	<0.2
CAE442379	Soil	12	51	0.87	387	0.107	<1	1.56	0.018	0.21	0.1	0.03	3.9	0.2	0.05	6	0.8	<0.2
REP CAE442379	QC	12	54	0.89	398	0.116	<1	1.55	0.017	0.22	0.1	0.03	4.1	0.2	0.05	6	0.9	<0.2
CAE442386	Soil	14	32	1.04	378	0.158	<1	2.18	0.014	0.32	0.1	<0.01	8.7	0.2	<0.05	10	<0.5	<0.2
REP CAE442386	QC	13	31	1.04	365	0.152	<1	2.15	0.013	0.30	<0.1	0.02	8.4	0.2	<0.05	9	<0.5	<0.2
CAE442554	Soil	16	33	0.52	409	0.061	1	1.20	0.021	0.16	0.2	0.04	4.9	<0.1	<0.05	4	<0.5	<0.2
REP CAE442554	QC	15	32	0.51	405	0.060	1	1.17	0.021	0.16	0.2	0.05	4.9	<0.1	<0.05	4	<0.5	<0.2
CAE442559	Soil	17	55	0.76	332	0.111	1	1.69	0.019	0.37	0.1	0.03	5.7	0.2	<0.05	6	<0.5	<0.2
REP CAE442559	QC	16	54	0.72	329	0.108	2	1.64	0.018	0.38	0.1	0.02	5.9	0.2	<0.05	6	<0.5	<0.2
Reference Materials																		
STD DS9	Standard	14	132	0.67	302	0.125	2	0.99	0.079	0.33	3.1	0.21	2.5	5.8	0.24	5	5.6	5.2
STD DS9	Standard	14	131	0.62	291	0.116	3	0.93	0.082	0.34	3.1	0.21	2.5	5.7	0.22	5	5.4	4.7
STD DS9	Standard	13	119	0.63	298	0.107	3	0.93	0.104	0.36	2.9	0.23	2.7	5.6	0.10	5	4.9	5.1
STD DS9	Standard	13	120	0.60	287	0.107	2	0.93	0.100	0.37	2.7	0.21	2.9	5.0	0.14	5	5.3	4.7
STD DS9 Expected		13.3	121	0.6165	295	0.1108		0.9577	0.0853	0.395	2.89	0.2	2.5	5.3	0.1615	4.59	5.2	5.02
BLK	Blank	<1	1	<0.01	<1	<0.001	<1	0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.