Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Submitted By: Jean-Pierre Londero
Receiving Lab: Canada-Dawson City
Received: July 30, 2012
Report Date: August 09, 2012

CERTIFICATE OF ANALYSIS DAW12000177.1

CLIENT JOB INFORMATION

Project: White Gold
Shipment ID: WG02182012
P.O. Number
Number of Samples: 108

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT-SOIL Store Soil Reject - RJSV Charges Apply

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	108	Dry at 60C sieve 100g to -80 mesh			DAW
Dry at 60C	108	Dry at 60C			DAW
RJSV	108	Saving all or part of Soil Reject			DAW
1DX2	108	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Selene Holdings LP
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8
Canada

CC: Keith Fowlow

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 09, 2012

CERTIFICATE OF ANALYSIS DAW12000177.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
CAG199390	Soil	0.5	77.7	6.2	52	<0.1	26.2	11.7	260	2.35	4.6	0.7	4.7	2.2	23	0.1	0.4	0.1	61	0.43	0.048
CAG199391	Soil	0.3	72.9	4.5	45	<0.1	22.3	10.3	226	2.18	3.7	0.6	2.1	2.5	21	0.1	0.4	0.1	56	0.39	0.049
CAG199392	Soil	0.6	75.5	6.5	53	<0.1	26.1	14.2	334	2.53	4.8	0.8	3.1	2.6	22	0.2	0.4	0.1	66	0.38	0.047
CAG199393	Soil	0.5	72.0	5.3	52	<0.1	26.8	12.5	322	2.33	4.0	0.6	3.3	2.3	22	0.1	0.5	<0.1	63	0.43	0.055
CAG199394	Soil	0.5	57.0	5.9	49	<0.1	22.9	10.1	228	2.30	4.0	0.7	1.7	2.0	21	<0.1	0.4	<0.1	59	0.33	0.046
CAG199395	Soil	0.5	81.4	6.1	53	<0.1	27.9	10.9	217	2.35	3.7	0.6	3.3	1.6	21	<0.1	0.4	0.2	65	0.32	0.043
CAG199396	Soil	0.6	54.0	5.7	49	<0.1	23.1	11.0	296	2.15	4.3	0.6	5.0	2.0	21	<0.1	0.3	<0.1	56	0.34	0.050
CAG199397	Soil	0.6	52.2	5.6	49	<0.1	23.8	10.5	213	2.22	4.9	0.7	4.7	1.6	22	0.1	0.4	0.1	59	0.33	0.047
CAG199398	Soil	0.5	51.8	6.6	50	<0.1	25.3	11.1	247	2.40	4.9	0.7	3.5	1.7	20	0.1	0.4	<0.1	63	0.33	0.051
CAG199399	Soil	0.5	46.0	5.6	48	<0.1	22.8	11.4	253	2.17	4.5	0.6	3.0	1.8	19	0.2	0.4	<0.1	62	0.34	0.049
CAG199400	Soil	0.9	31.4	7.4	48	<0.1	20.5	9.5	254	2.33	6.3	0.4	2.1	2.0	17	0.2	0.3	<0.1	67	0.26	0.046
CAG197101	Soil	0.8	37.7	6.7	52	<0.1	19.9	9.9	228	2.34	5.4	0.7	1.9	1.8	24	0.1	0.4	<0.1	58	0.38	0.054
CAG197102	Soil	0.6	38.8	6.1	48	<0.1	21.6	10.1	229	2.32	4.8	0.6	1.3	2.4	21	0.1	0.4	<0.1	63	0.35	0.042
CAG197103	Soil	0.7	59.6	6.1	53	<0.1	24.0	11.8	315	2.49	5.2	0.6	2.1	1.9	31	0.2	0.4	<0.1	68	0.68	0.046
CAG197104	Soil	0.7	47.7	5.7	51	0.1	20.0	10.6	288	2.28	4.3	0.6	5.7	1.4	30	0.2	0.3	<0.1	58	0.62	0.048
CAG197105	Soil	1.2	155.6	3.6	45	0.2	23.3	12.2	307	3.15	4.3	0.4	5.8	0.4	22	0.3	0.4	<0.1	95	0.42	0.054
CAG197106	Soil	1.0	172.3	5.1	62	0.1	21.6	18.5	419	4.13	4.5	0.3	8.4	1.2	20	<0.1	0.4	<0.1	149	0.42	0.053
CAG197107	Soil	1.0	152.5	4.2	52	0.2	19.7	15.6	403	3.54	4.1	0.4	72.5	0.9	27	<0.1	0.4	<0.1	117	0.71	0.041
CAG197108	Soil	1.2	50.2	5.6	41	0.2	16.6	10.3	883	2.41	3.9	0.2	5.6	0.5	23	0.2	0.4	<0.1	86	0.46	0.044
CAG197109	Soil	0.8	143.9	3.6	52	0.1	29.9	18.3	478	3.12	1.8	0.4	75.4	0.9	18	<0.1	0.2	<0.1	88	0.44	0.061
CAG197110	Soil	0.8	136.0	3.9	57	0.1	47.2	21.8	405	3.47	3.0	0.3	17.8	0.9	18	<0.1	0.3	<0.1	109	0.44	0.054
CAG197111	Soil	0.9	170.3	3.7	57	0.1	46.5	21.5	677	3.79	5.9	0.5	12.6	0.9	21	0.1	0.2	<0.1	101	0.82	0.067
CAG197112	Soil	0.7	94.4	2.8	40	0.2	18.3	8.7	312	1.75	2.0	0.4	2.6	0.2	48	0.3	0.2	<0.1	50	1.75	0.063
CAG197113	Soil	1.0	79.0	5.4	59	<0.1	32.9	21.0	683	4.26	5.1	0.9	1.6	2.8	23	0.1	0.3	<0.1	116	0.50	0.045
CAG197114	Soil	0.7	76.0	6.6	67	<0.1	22.9	18.4	417	4.11	5.8	0.8	4.3	2.8	23	<0.1	0.3	<0.1	111	0.46	0.040
CAG197115	Soil	0.8	78.0	6.9	70	<0.1	30.7	16.9	696	3.89	14.0	2.1	5.1	5.5	29	0.1	0.4	<0.1	93	0.62	0.054
CAG197116	Soil	0.8	69.4	4.9	56	0.2	25.4	11.7	536	2.49	5.1	1.7	3.9	1.1	52	0.5	0.3	<0.1	67	1.33	0.065
CAG197117	Soil	0.4	108.8	4.9	76	<0.1	35.3	22.1	527	4.57	7.2	0.9	6.1	2.5	28	0.1	0.2	<0.1	130	0.60	0.061
CAG197118	Soil	0.4	76.6	4.6	73	<0.1	34.4	23.1	880	4.04	5.0	0.6	2.8	1.4	33	0.2	0.3	<0.1	111	1.11	0.065
CAG197119	Soil	0.9	54.4	16.9	94	0.2	47.1	22.3	587	4.18	7.5	1.6	11.4	9.9	25	0.1	0.2	0.2	70	0.83	0.073

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 09, 2012

CERTIFICATE OF ANALYSIS DAW12000177.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
CAG199390	Soil	9	48	0.75	183	0.066	1	1.76	0.016	0.04	0.2	0.03	4.0	<0.1	<0.05	5	<0.5	<0.2
CAG199391	Soil	8	44	0.74	145	0.069	2	1.42	0.018	0.03	0.2	0.02	3.7	<0.1	<0.05	5	<0.5	<0.2
CAG199392	Soil	11	47	0.74	198	0.072	3	1.93	0.019	0.03	0.1	0.04	4.4	<0.1	<0.05	6	<0.5	<0.2
CAG199393	Soil	9	51	0.83	152	0.075	3	1.62	0.019	0.04	<0.1	0.02	4.3	<0.1	<0.05	5	<0.5	<0.2
CAG199394	Soil	8	44	0.64	149	0.071	3	1.56	0.019	0.04	0.2	0.02	3.8	<0.1	<0.05	5	<0.5	<0.2
CAG199395	Soil	8	53	0.76	177	0.073	3	1.83	0.016	0.04	0.1	0.04	4.4	<0.1	<0.05	6	<0.5	<0.2
CAG199396	Soil	8	47	0.68	141	0.073	1	1.51	0.015	0.04	0.2	0.03	3.4	<0.1	<0.05	5	<0.5	<0.2
CAG199397	Soil	9	47	0.69	151	0.066	<1	1.57	0.016	0.04	0.1	0.04	3.8	<0.1	<0.05	5	<0.5	<0.2
CAG199398	Soil	9	48	0.69	169	0.064	2	1.71	0.015	0.04	0.1	0.04	4.1	<0.1	<0.05	6	0.7	<0.2
CAG199399	Soil	8	44	0.65	134	0.062	<1	1.47	0.013	0.04	0.2	0.03	3.4	<0.1	<0.05	5	<0.5	<0.2
CAG199400	Soil	8	38	0.58	107	0.073	1	1.40	0.013	0.04	0.2	0.03	2.6	<0.1	<0.05	5	<0.5	<0.2
CAG197101	Soil	9	38	0.59	189	0.060	1	1.53	0.015	0.04	0.2	0.04	3.5	<0.1	<0.05	5	<0.5	<0.2
CAG197102	Soil	9	39	0.62	171	0.067	3	1.43	0.016	0.04	0.2	0.03	3.9	<0.1	<0.05	5	<0.5	<0.2
CAG197103	Soil	10	41	0.69	228	0.068	2	1.57	0.018	0.04	0.1	0.04	4.0	<0.1	<0.05	5	<0.5	<0.2
CAG197104	Soil	8	35	0.60	203	0.056	<1	1.32	0.018	0.04	0.2	0.04	3.8	<0.1	<0.05	5	0.7	<0.2
CAG197105	Soil	4	36	0.80	138	0.053	3	1.71	0.017	0.04	<0.1	0.07	4.6	<0.1	<0.05	6	0.9	<0.2
CAG197106	Soil	5	29	1.00	201	0.082	<1	2.02	0.021	0.05	<0.1	0.03	5.9	<0.1	<0.05	7	<0.5	<0.2
CAG197107	Soil	7	35	0.83	273	0.072	2	1.71	0.020	0.04	0.1	0.04	6.0	<0.1	<0.05	8	0.6	<0.2
CAG197108	Soil	4	29	0.46	245	0.051	4	1.00	0.017	0.05	0.1	0.05	3.2	<0.1	<0.05	6	<0.5	<0.2
CAG197109	Soil	4	84	0.99	132	0.076	2	1.45	0.022	0.04	<0.1	0.02	4.8	<0.1	<0.05	6	<0.5	<0.2
CAG197110	Soil	4	122	1.30	124	0.090	2	1.85	0.026	0.03	<0.1	0.03	5.1	<0.1	<0.05	7	<0.5	<0.2
CAG197111	Soil	7	118	1.23	190	0.016	5	1.77	0.022	0.05	<0.1	0.04	12.3	<0.1	<0.05	6	<0.5	<0.2
CAG197112	Soil	7	31	0.58	307	0.017	3	0.95	0.016	0.04	<0.1	0.08	4.5	<0.1	0.09	4	0.7	<0.2
CAG197113	Soil	14	59	0.83	451	0.016	<1	1.80	0.015	0.05	<0.1	0.04	10.6	<0.1	<0.05	6	0.6	<0.2
CAG197114	Soil	12	36	0.78	394	0.029	2	2.11	0.014	0.05	<0.1	0.02	8.1	<0.1	<0.05	7	<0.5	<0.2
CAG197115	Soil	24	49	0.83	588	0.034	2	1.81	0.017	0.05	<0.1	0.08	13.3	<0.1	<0.05	7	<0.5	<0.2
CAG197116	Soil	28	41	0.72	731	0.026	2	1.48	0.016	0.05	<0.1	0.10	8.4	<0.1	0.07	5	<0.5	<0.2
CAG197117	Soil	11	64	1.45	342	0.045	3	2.04	0.018	0.05	<0.1	0.03	9.6	<0.1	<0.05	8	<0.5	<0.2
CAG197118	Soil	7	68	1.17	322	0.042	3	1.63	0.017	0.04	<0.1	0.08	11.8	<0.1	<0.05	7	<0.5	<0.2
CAG197119	Soil	33	60	0.80	289	0.025	4	1.11	0.010	0.09	<0.1	0.05	10.6	<0.1	<0.05	4	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 09, 2012

CERTIFICATE OF ANALYSIS DAW12000177.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
CAG197120	Soil	0.4	58.5	19.2	102	0.1	41.0	22.3	627	4.74	2.9	1.5	5.1	18.3	20	0.1	0.1	0.4	75	0.70	0.077
CAG197121	Soil	0.4	71.1	13.0	80	<0.1	35.2	19.6	491	3.66	4.0	1.3	2.3	4.7	32	0.1	0.2	<0.1	85	1.18	0.063
CAG197122	Soil	0.4	58.6	10.5	83	<0.1	41.2	20.5	446	4.13	4.4	1.4	1.2	9.6	21	0.1	0.2	0.1	76	0.75	0.065
CAG197123	Soil	0.5	38.3	11.5	71	<0.1	34.1	15.4	464	3.21	4.0	1.0	2.1	6.7	29	0.1	0.1	0.2	54	1.11	0.079
CAG197124	Soil	0.4	77.5	6.5	71	<0.1	39.1	19.0	390	3.43	3.2	1.3	1.8	2.9	34	0.2	0.3	<0.1	88	1.07	0.067
CAG197125	Soil	0.7	66.2	7.9	75	<0.1	38.2	19.9	465	3.88	3.7	1.0	2.6	5.5	24	<0.1	0.2	<0.1	92	0.68	0.062
CAG197126	Soil	0.7	65.9	10.0	67	<0.1	30.9	17.4	503	3.45	3.7	1.2	2.6	5.2	25	0.1	0.2	0.2	75	0.82	0.057
CAG197127	Soil	0.5	78.8	4.8	72	<0.1	27.0	19.7	494	4.05	2.7	0.7	3.9	2.9	21	0.1	0.2	<0.1	108	0.77	0.071
CAG197128	Soil	0.7	92.7	7.9	72	<0.1	23.4	18.2	355	3.70	3.8	0.9	3.7	4.0	22	0.1	0.2	<0.1	109	0.61	0.063
CAG197129	Soil	0.9	93.0	7.1	63	0.1	24.7	16.9	575	3.41	4.3	0.8	2.8	2.7	28	0.1	0.2	<0.1	99	0.84	0.057
CAG197130	Soil	0.6	93.4	5.5	63	0.1	24.8	17.2	535	3.55	5.0	0.7	4.8	2.4	27	0.2	0.3	<0.1	120	0.83	0.069
CAG197131	Soil	0.7	93.1	4.8	31	0.1	18.5	10.7	389	2.35	3.3	0.6	1.7	0.4	34	0.1	0.2	<0.1	76	1.39	0.049
CAG197132	Soil	0.5	80.2	2.9	44	<0.1	15.1	9.2	545	1.30	2.2	0.6	2.9	0.2	48	<0.1	0.2	<0.1	42	2.08	0.057
CAG197133	Soil	0.5	33.3	4.3	49	<0.1	17.9	11.7	573	2.27	3.4	0.5	3.5	1.1	35	0.2	0.2	<0.1	67	1.06	0.056
CAG197134	Soil	0.5	37.2	4.0	44	<0.1	16.3	10.8	446	2.14	4.1	0.6	1.9	0.8	40	0.1	0.3	<0.1	66	1.33	0.056
CAG197135	Soil	0.7	94.8	5.5	59	<0.1	23.8	15.1	447	3.02	4.9	0.4	3.2	1.9	23	<0.1	0.2	<0.1	96	0.64	0.063
CAG197136	Soil	0.6	41.0	4.9	40	0.1	16.2	8.0	212	1.94	4.1	0.5	2.2	0.6	18	0.1	0.2	<0.1	62	0.39	0.044
CAG197137	Soil	0.6	39.2	5.5	52	<0.1	21.9	12.0	308	2.79	5.2	0.5	4.1	2.3	18	0.1	0.2	<0.1	82	0.34	0.055
CAG197138	Soil	0.6	27.3	6.0	48	<0.1	18.0	10.3	286	2.39	5.3	0.5	1.9	1.6	20	0.1	0.3	<0.1	74	0.32	0.048
CAG197139	Soil	0.7	37.1	6.0	42	<0.1	17.3	10.5	304	2.25	5.8	0.6	2.5	1.4	17	<0.1	0.3	<0.1	70	0.27	0.049
CAG197140	Soil	0.6	25.0	5.8	46	<0.1	18.0	10.3	273	2.40	6.0	0.5	2.4	1.8	22	0.1	0.3	<0.1	74	0.37	0.053
CAG197141	Soil	0.4	34.0	5.2	41	0.1	20.0	9.0	286	2.18	5.1	0.8	4.7	1.0	31	0.2	0.4	<0.1	67	0.51	0.062
CAG197142	Soil	0.5	33.1	6.1	57	<0.1	21.4	12.1	314	2.50	6.0	0.7	4.9	1.7	25	0.2	0.3	<0.1	78	0.45	0.053
CAG197143	Soil	0.5	30.0	5.2	48	<0.1	17.7	11.3	275	2.33	4.9	0.5	2.2	1.1	22	0.1	0.2	<0.1	69	0.37	0.053
CAG197144	Soil	0.6	36.6	5.4	56	<0.1	22.6	13.2	265	2.61	4.9	0.6	2.5	1.7	20	0.1	0.3	<0.1	84	0.40	0.056
CAG197145	Soil	0.6	49.1	5.3	58	<0.1	21.4	14.2	314	2.82	5.1	0.5	3.1	1.4	20	0.1	0.3	<0.1	89	0.41	0.060
CAG197146	Soil	0.5	60.4	4.4	68	<0.1	25.2	16.8	336	3.41	4.9	0.6	2.4	2.2	19	0.1	0.3	<0.1	102	0.43	0.067
CAG197147	Soil	0.5	59.0	4.6	65	<0.1	25.4	16.3	326	3.37	5.2	0.5	7.7	2.2	19	<0.1	0.3	<0.1	100	0.42	0.067
CAG199423	Soil	1.6	13.9	21.4	37	<0.1	15.6	7.0	309	2.74	6.2	0.4	0.7	2.3	14	<0.1	0.4	0.1	74	0.17	0.030
CAG199424	Soil	1.2	14.9	24.1	40	0.1	17.4	7.6	253	2.65	7.5	0.4	0.7	2.7	15	<0.1	0.4	<0.1	71	0.17	0.021

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 09, 2012

CERTIFICATE OF ANALYSIS DAW12000177.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
CAG197120	Soil	53	62	1.01	264	0.072	2	1.57	0.009	0.15	<0.1	0.03	11.2	0.2	<0.05	6	<0.5	<0.2
CAG197121	Soil	25	57	1.00	449	0.029	2	1.44	0.013	0.07	<0.1	0.04	12.1	<0.1	<0.05	5	0.6	<0.2
CAG197122	Soil	43	50	0.72	280	0.022	3	1.18	0.010	0.09	<0.1	0.04	13.2	<0.1	<0.05	4	1.2	<0.2
CAG197123	Soil	23	42	0.58	298	0.026	4	0.91	0.011	0.09	<0.1	0.04	6.5	<0.1	<0.05	4	<0.5	<0.2
CAG197124	Soil	18	71	1.21	467	0.032	2	1.79	0.015	0.05	<0.1	0.07	11.9	<0.1	<0.05	6	1.5	<0.2
CAG197125	Soil	22	72	1.21	403	0.034	2	1.71	0.013	0.07	<0.1	0.05	13.2	<0.1	<0.05	6	0.8	<0.2
CAG197126	Soil	23	45	0.74	572	0.015	3	1.31	0.011	0.08	<0.1	0.06	11.0	<0.1	<0.05	5	0.7	<0.2
CAG197127	Soil	14	56	1.26	477	0.033	3	1.87	0.013	0.07	<0.1	0.06	14.2	<0.1	<0.05	7	0.7	<0.2
CAG197128	Soil	13	38	1.11	506	0.049	3	1.86	0.015	0.06	<0.1	0.04	9.3	<0.1	<0.05	7	0.5	<0.2
CAG197129	Soil	18	38	0.85	592	0.032	3	1.74	0.016	0.05	0.1	0.06	10.5	<0.1	<0.05	6	0.7	<0.2
CAG197130	Soil	15	38	0.73	553	0.037	4	1.33	0.018	0.05	0.2	0.14	11.4	<0.1	<0.05	5	0.6	<0.2
CAG197131	Soil	9	35	0.45	524	0.017	2	1.10	0.014	0.04	<0.1	0.07	6.5	<0.1	<0.05	4	<0.5	<0.2
CAG197132	Soil	3	25	0.66	478	0.027	5	0.73	0.010	0.02	<0.1	0.06	2.7	<0.1	0.08	3	0.7	<0.2
CAG197133	Soil	7	28	0.59	263	0.030	2	1.25	0.014	0.04	0.1	0.03	6.6	<0.1	<0.05	4	<0.5	<0.2
CAG197134	Soil	8	25	0.58	340	0.030	3	1.29	0.014	0.03	0.1	0.05	4.9	<0.1	0.05	4	<0.5	<0.2
CAG197135	Soil	10	34	0.84	397	0.062	3	1.73	0.018	0.04	0.2	0.03	7.5	<0.1	<0.05	6	<0.5	<0.2
CAG197136	Soil	8	30	0.46	241	0.044	1	1.17	0.014	0.04	0.1	0.04	3.6	<0.1	<0.05	5	<0.5	<0.2
CAG197137	Soil	11	40	0.67	257	0.058	2	1.53	0.014	0.04	0.2	0.03	6.1	<0.1	<0.05	5	<0.5	<0.2
CAG197138	Soil	9	33	0.57	188	0.055	2	1.53	0.015	0.04	0.1	0.03	4.2	<0.1	<0.05	5	<0.5	<0.2
CAG197139	Soil	12	30	0.48	279	0.051	1	1.47	0.013	0.03	0.1	0.03	4.4	<0.1	<0.05	5	<0.5	<0.2
CAG197140	Soil	9	32	0.56	194	0.059	2	1.42	0.017	0.04	0.2	0.03	4.0	<0.1	<0.05	5	<0.5	<0.2
CAG197141	Soil	11	28	0.44	242	0.044	2	1.30	0.015	0.03	0.2	0.05	4.4	<0.1	<0.05	4	0.6	<0.2
CAG197142	Soil	11	30	0.56	295	0.050	2	1.59	0.017	0.04	0.1	0.04	5.2	<0.1	<0.05	5	<0.5	<0.2
CAG197143	Soil	9	31	0.59	181	0.042	2	1.52	0.014	0.03	0.1	0.04	4.7	<0.1	<0.05	5	<0.5	<0.2
CAG197144	Soil	10	40	0.68	192	0.054	2	1.55	0.015	0.04	0.2	0.05	6.1	<0.1	<0.05	5	<0.5	<0.2
CAG197145	Soil	9	38	0.72	186	0.048	2	1.63	0.017	0.04	0.1	0.03	7.3	<0.1	<0.05	6	<0.5	<0.2
CAG197146	Soil	9	43	0.83	185	0.053	2	1.62	0.017	0.05	0.2	0.08	10.0	<0.1	<0.05	6	<0.5	<0.2
CAG197147	Soil	9	43	0.81	186	0.051	2	1.59	0.016	0.05	0.1	0.07	9.8	<0.1	<0.05	6	<0.5	<0.2
CAG199423	Soil	10	28	0.34	227	0.081	<1	1.46	0.011	0.05	0.1	0.01	3.1	0.1	<0.05	7	<0.5	<0.2
CAG199424	Soil	7	31	0.39	212	0.066	<1	1.80	0.009	0.04	0.1	0.02	3.0	<0.1	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 09, 2012

CERTIFICATE OF ANALYSIS DAW12000177.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
CAG199425	Soil	1.1	25.6	73.8	42	<0.1	15.6	7.8	301	2.59	7.0	0.5	<0.5	3.5	11	<0.1	0.4	0.2	59	0.12	0.019
CAG199426	Soil	0.7	14.8	42.3	42	<0.1	11.6	6.5	283	2.52	4.9	0.8	1.0	5.2	15	<0.1	0.3	<0.1	48	0.15	0.017
CAG199427	Soil	0.6	27.8	135.4	43	<0.1	8.5	4.4	272	2.26	3.4	1.2	<0.5	7.4	17	<0.1	0.2	0.2	34	0.17	0.022
CAG199428	Soil	1.1	24.2	72.9	46	0.1	22.9	9.5	283	2.97	9.8	0.8	2.6	6.2	19	<0.1	0.5	0.2	73	0.20	0.013
CAG199429	Soil	1.4	20.2	66.9	49	0.1	16.6	6.7	280	2.89	7.6	1.1	11.0	6.2	19	<0.1	0.4	0.2	67	0.21	0.016
CAG199430	Soil	1.2	13.8	20.9	41	0.1	14.0	6.0	226	2.49	6.3	0.6	1.8	3.6	16	<0.1	0.3	0.1	60	0.18	0.016
CAG199431	Soil	1.1	15.9	29.8	40	0.1	12.0	6.6	878	2.00	3.9	0.5	1.0	2.2	17	0.2	0.3	0.1	50	0.21	0.028
CAG199432	Soil	1.6	22.6	17.2	50	0.2	15.0	10.0	681	3.18	5.9	1.1	0.8	5.3	19	0.1	0.4	0.1	68	0.27	0.029
CAG199433	Soil	1.6	28.5	29.6	57	0.2	18.9	12.6	937	3.75	7.9	1.3	0.7	6.8	23	<0.1	0.4	0.2	73	0.29	0.038
CAG199434	Soil	1.4	26.6	98.2	59	<0.1	14.9	8.0	499	3.28	6.9	1.0	1.7	7.2	15	0.1	0.4	0.1	63	0.19	0.029
CAG199435	Soil	1.2	18.9	55.3	51	<0.1	11.4	7.9	460	2.54	5.0	0.7	0.6	5.4	14	0.1	0.2	0.1	53	0.17	0.023
CAG199436	Soil	1.0	20.9	20.4	53	0.1	17.0	8.3	422	2.83	6.5	0.8	0.7	4.5	23	0.1	0.3	0.1	64	0.32	0.023
CAG199437	Soil	1.1	17.8	23.1	49	0.1	15.3	10.9	921	2.43	5.5	0.8	2.1	3.1	21	0.1	0.4	0.1	53	0.29	0.032
CAG199438	Soil	1.0	25.6	21.0	49	0.1	14.1	7.4	404	2.41	4.9	0.9	4.3	4.4	19	<0.1	0.3	0.1	55	0.29	0.030
CAG199439	Soil	1.4	21.3	39.2	62	<0.1	16.0	8.8	572	2.82	6.6	0.8	1.9	4.2	25	0.1	0.3	0.2	65	0.31	0.033
CAG199440	Soil	1.5	15.1	27.2	41	0.2	11.8	6.1	363	2.29	4.8	0.5	1.4	2.8	16	0.1	0.3	0.1	53	0.20	0.027
CAG199441	Soil	1.1	21.5	15.8	92	<0.1	14.5	9.2	669	2.89	5.0	1.0	3.2	6.7	15	<0.1	0.4	0.1	51	0.24	0.037
CAG199442	Soil	0.9	27.2	13.6	52	<0.1	18.0	9.8	344	2.87	5.8	0.6	2.8	5.3	17	<0.1	0.4	<0.1	62	0.26	0.031
CAG199443	Soil	1.1	21.8	11.0	49	<0.1	24.8	10.6	352	3.03	7.9	0.4	2.7	3.5	16	<0.1	0.4	0.1	77	0.19	0.023
CAG199444	Soil	1.5	21.5	8.5	59	<0.1	22.0	9.7	317	3.02	9.1	0.8	8.5	4.8	16	<0.1	0.5	0.1	69	0.15	0.016
CAG199445	Soil	1.5	18.6	11.1	58	<0.1	22.9	8.9	518	2.86	10.3	0.5	11.9	3.2	19	0.1	0.5	0.1	65	0.21	0.025
CAG199446	Soil	1.6	17.4	9.8	58	<0.1	22.2	9.1	605	2.83	8.6	0.4	2.1	2.8	17	0.2	0.5	0.1	67	0.22	0.024
CAG199447	Soil	0.7	27.9	10.6	46	0.1	23.6	9.8	394	2.34	5.4	2.1	4.5	3.4	43	<0.1	0.5	0.1	56	0.70	0.056
CAG199448	Soil	1.0	29.7	14.8	50	<0.1	24.0	9.7	292	2.92	7.8	1.3	3.8	5.1	25	<0.1	0.4	0.1	61	0.39	0.046
CAG199449	Soil	0.7	20.7	12.9	46	<0.1	17.8	7.8	253	2.29	5.3	0.9	1.9	3.4	26	<0.1	0.3	0.1	52	0.38	0.043
CAG199450	Soil	1.0	17.9	12.8	46	<0.1	18.7	8.2	239	2.26	5.7	0.6	6.3	3.1	20	0.1	0.3	0.1	55	0.29	0.051
CAE103854	Soil	0.9	28.9	19.8	48	0.1	21.9	8.3	209	2.46	5.7	1.1	5.1	3.8	24	0.2	0.3	0.1	53	0.31	0.049
CAE103855	Soil	0.9	25.2	11.5	48	<0.1	23.1	7.6	246	2.36	5.8	1.0	2.8	3.8	28	0.1	0.4	0.1	55	0.43	0.052
CAE103856	Soil	0.9	19.7	11.7	45	<0.1	18.5	8.1	232	2.32	5.3	0.8	3.5	4.0	24	<0.1	0.3	0.1	58	0.36	0.043
CAE103857	Soil	0.7	17.9	12.2	44	<0.1	16.1	6.2	165	2.12	5.0	0.8	4.6	3.2	23	0.1	0.3	<0.1	50	0.34	0.045

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 09, 2012

CERTIFICATE OF ANALYSIS DAW12000177.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
CAG199425	Soil	7	27	0.36	166	0.063	<1	1.66	0.007	0.09	0.1	0.01	3.0	<0.1	<0.05	6	<0.5	<0.2
CAG199426	Soil	10	20	0.36	155	0.091	<1	1.50	0.008	0.11	<0.1	0.01	3.6	0.1	<0.05	6	<0.5	<0.2
CAG199427	Soil	25	15	0.30	330	0.061	<1	1.10	0.007	0.11	<0.1	<0.01	4.6	0.1	<0.05	5	<0.5	<0.2
CAG199428	Soil	10	42	0.53	299	0.075	<1	2.00	0.010	0.05	0.1	0.02	4.0	0.1	<0.05	6	<0.5	<0.2
CAG199429	Soil	28	32	0.47	276	0.069	1	1.68	0.008	0.07	0.1	0.02	5.1	<0.1	<0.05	7	<0.5	<0.2
CAG199430	Soil	18	26	0.40	174	0.074	<1	1.48	0.009	0.08	0.1	0.02	3.5	0.1	<0.05	6	<0.5	<0.2
CAG199431	Soil	11	20	0.25	211	0.060	<1	1.03	0.012	0.09	<0.1	0.03	2.6	<0.1	<0.05	5	<0.5	<0.2
CAG199432	Soil	29	29	0.42	251	0.074	1	1.84	0.010	0.11	0.1	0.02	5.0	0.1	<0.05	8	<0.5	<0.2
CAG199433	Soil	47	35	0.45	340	0.076	1	2.32	0.012	0.11	0.1	0.03	7.1	0.1	<0.05	9	<0.5	<0.2
CAG199434	Soil	21	29	0.43	242	0.085	1	1.87	0.009	0.09	0.1	0.02	5.4	0.1	<0.05	8	<0.5	<0.2
CAG199435	Soil	16	23	0.36	191	0.088	<1	1.37	0.008	0.11	0.1	0.01	3.8	0.1	<0.05	6	<0.5	<0.2
CAG199436	Soil	18	32	0.45	272	0.083	<1	1.83	0.011	0.07	0.1	0.03	5.0	<0.1	<0.05	7	<0.5	<0.2
CAG199437	Soil	15	28	0.41	289	0.063	1	1.45	0.010	0.06	0.1	0.03	4.0	<0.1	<0.05	5	<0.5	<0.2
CAG199438	Soil	17	27	0.43	324	0.077	1	1.49	0.011	0.07	0.1	0.02	4.4	<0.1	<0.05	5	<0.5	<0.2
CAG199439	Soil	16	31	0.45	419	0.069	2	1.84	0.012	0.06	0.1	0.02	4.6	<0.1	<0.05	7	<0.5	<0.2
CAG199440	Soil	16	22	0.35	249	0.084	2	1.20	0.008	0.12	0.1	0.02	3.7	0.1	<0.05	6	<0.5	<0.2
CAG199441	Soil	28	27	0.43	291	0.073	2	1.40	0.010	0.09	<0.1	0.03	5.8	0.1	<0.05	5	<0.5	<0.2
CAG199442	Soil	16	38	0.58	215	0.084	1	1.53	0.011	0.09	<0.1	0.03	5.7	<0.1	<0.05	5	<0.5	<0.2
CAG199443	Soil	8	46	0.61	197	0.103	1	1.99	0.011	0.06	0.1	0.02	4.2	<0.1	<0.05	6	<0.5	<0.2
CAG199444	Soil	16	42	0.53	204	0.078	1	2.02	0.010	0.05	0.1	0.03	4.6	<0.1	<0.05	6	<0.5	<0.2
CAG199445	Soil	8	38	0.50	200	0.072	2	1.93	0.009	0.07	0.1	0.02	3.6	<0.1	<0.05	6	<0.5	<0.2
CAG199446	Soil	7	38	0.48	218	0.072	1	1.85	0.009	0.06	0.1	0.02	3.4	<0.1	<0.05	6	<0.5	<0.2
CAG199447	Soil	18	33	0.46	299	0.078	2	1.45	0.020	0.05	0.2	0.04	5.1	<0.1	0.07	5	<0.5	<0.2
CAG199448	Soil	19	37	0.51	262	0.085	1	1.59	0.017	0.05	0.2	0.04	5.6	<0.1	<0.05	5	<0.5	<0.2
CAG199449	Soil	14	31	0.46	219	0.086	1	1.41	0.016	0.06	0.2	0.03	4.2	<0.1	0.06	5	<0.5	<0.2
CAG199450	Soil	11	33	0.46	181	0.079	1	1.44	0.014	0.04	0.2	0.03	3.3	<0.1	<0.05	5	<0.5	<0.2
CAE103854	Soil	16	35	0.45	240	0.077	2	1.68	0.015	0.05	0.1	0.04	4.6	<0.1	<0.05	6	<0.5	<0.2
CAE103855	Soil	16	37	0.52	248	0.081	2	1.43	0.018	0.04	0.2	0.03	4.6	<0.1	<0.05	5	<0.5	<0.2
CAE103856	Soil	15	35	0.52	209	0.089	1	1.60	0.015	0.04	0.2	0.02	4.0	<0.1	<0.05	5	<0.5	<0.2
CAE103857	Soil	17	29	0.44	222	0.077	2	1.42	0.012	0.04	0.2	0.04	3.9	<0.1	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 09, 2012

CERTIFICATE OF ANALYSIS DAW12000177.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
CAE103858	Soil	0.8	22.9	16.8	37	0.2	15.7	6.7	113	1.80	3.1	1.7	3.0	3.2	30	0.1	0.2	0.1	39	0.38	0.038
CAE103859	Soil	1.0	16.4	14.1	39	<0.1	13.9	4.9	144	2.05	4.3	0.7	5.5	2.7	20	<0.1	0.3	0.1	51	0.24	0.022
CAE103860	Soil	1.0	15.6	17.7	44	<0.1	17.3	7.9	237	2.49	6.1	0.7	2.3	5.0	20	<0.1	0.4	0.1	60	0.28	0.031
CAE103861	Soil	1.0	17.2	15.2	47	<0.1	18.7	7.8	239	2.59	7.1	0.8	2.8	3.7	20	<0.1	0.4	0.1	66	0.26	0.029
CAE103862	Soil	1.1	14.3	19.7	53	<0.1	15.3	8.4	380	2.46	5.5	0.7	1.1	3.5	18	<0.1	0.3	0.1	53	0.26	0.048
CAE103863	Soil	1.4	38.3	86.1	55	0.3	25.3	10.2	639	3.08	5.8	4.9	3.4	6.0	40	0.2	0.3	0.2	61	0.50	0.068
CAE103864	Soil	1.4	25.5	17.0	50	<0.1	27.7	11.2	373	2.80	6.9	1.0	2.4	5.3	27	<0.1	0.5	0.1	70	0.33	0.019
CAE103865	Soil	0.9	14.4	18.5	42	<0.1	13.5	6.3	202	2.35	3.9	0.6	0.9	4.0	12	<0.1	0.2	0.1	51	0.14	0.017
CAE103866	Soil	1.4	29.5	14.6	57	<0.1	29.5	11.7	426	2.87	8.4	0.8	2.9	4.6	31	<0.1	0.5	0.1	69	0.45	0.047
CAE103867	Soil	1.3	17.3	25.6	43	<0.1	14.7	8.1	345	2.59	4.9	1.0	1.5	7.5	16	<0.1	0.3	0.1	46	0.24	0.023
CAE103868	Soil	1.2	34.6	28.4	48	0.2	26.9	11.1	1008	2.89	5.2	1.4	1.1	4.4	39	0.2	0.4	0.2	62	0.63	0.051
CAE103869	Soil	1.1	16.7	34.2	41	<0.1	15.7	6.5	239	2.68	4.3	0.7	3.0	5.5	16	<0.1	0.3	0.1	52	0.24	0.024
CAE103870	Soil	1.2	35.1	50.1	37	0.3	21.6	9.8	871	2.76	4.4	1.2	1.5	5.0	40	0.1	0.4	0.2	60	0.66	0.034
CAE103871	Soil	0.8	17.0	38.6	42	<0.1	12.3	6.1	254	2.27	3.0	0.8	2.2	8.0	16	<0.1	0.2	0.1	38	0.24	0.017
CAE103872	Soil	1.3	33.3	23.4	69	<0.1	12.1	10.3	429	3.32	3.9	1.0	1.7	11.0	13	<0.1	0.2	0.1	50	0.26	0.033
CAE103873	Soil	0.9	25.4	20.2	48	<0.1	7.4	4.4	326	2.37	2.8	1.7	2.4	13.7	7	<0.1	0.1	<0.1	24	0.13	0.018
CAE103874	Soil	1.5	40.9	32.9	60	0.1	30.7	12.9	481	3.01	7.4	1.2	3.0	5.0	34	0.1	0.6	0.2	71	0.48	0.046
CAE103875	Soil	1.5	47.3	33.1	62	0.1	34.2	12.9	533	3.00	7.2	1.5	3.0	5.4	35	0.2	0.6	0.1	70	0.52	0.047

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 09, 2012

CERTIFICATE OF ANALYSIS DAW12000177.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
CAE103858	Soil	34	28	0.33	349	0.060	2	1.40	0.013	0.04	0.1	0.06	4.9	<0.1	0.06	5	<0.5	<0.2
CAE103859	Soil	16	27	0.35	252	0.079	2	1.42	0.011	0.06	0.1	0.02	3.2	<0.1	<0.05	6	<0.5	<0.2
CAE103860	Soil	15	36	0.43	218	0.091	2	1.67	0.011	0.05	0.1	0.03	3.6	<0.1	<0.05	5	<0.5	<0.2
CAE103861	Soil	15	38	0.46	254	0.082	2	1.71	0.012	0.04	0.2	0.02	3.9	<0.1	<0.05	5	<0.5	<0.2
CAE103862	Soil	13	31	0.38	232	0.084	1	1.57	0.011	0.08	0.1	0.02	3.2	<0.1	<0.05	6	<0.5	<0.2
CAE103863	Soil	82	41	0.45	611	0.063	3	2.30	0.013	0.08	0.1	0.10	9.6	<0.1	0.09	7	<0.5	<0.2
CAE103864	Soil	17	49	0.57	308	0.097	2	1.83	0.021	0.05	0.1	0.02	6.1	<0.1	<0.05	6	<0.5	<0.2
CAE103865	Soil	9	23	0.42	209	0.075	<1	1.37	0.011	0.05	<0.1	0.01	4.0	<0.1	<0.05	7	<0.5	<0.2
CAE103866	Soil	16	45	0.56	322	0.090	2	1.64	0.021	0.04	0.2	0.03	5.7	<0.1	<0.05	5	<0.5	<0.2
CAE103867	Soil	23	26	0.36	305	0.070	1	1.15	0.009	0.10	0.1	0.02	5.0	<0.1	<0.05	5	<0.5	<0.2
CAE103868	Soil	27	33	0.43	674	0.066	2	1.83	0.016	0.07	<0.1	0.04	6.0	0.1	0.06	7	<0.5	<0.2
CAE103869	Soil	18	29	0.33	322	0.058	2	1.29	0.011	0.06	<0.1	0.01	4.9	<0.1	<0.05	5	<0.5	<0.2
CAE103870	Soil	32	30	0.37	818	0.055	2	1.69	0.014	0.09	<0.1	0.03	6.1	<0.1	0.06	6	<0.5	<0.2
CAE103871	Soil	21	23	0.30	345	0.060	1	0.93	0.010	0.07	<0.1	0.01	5.1	<0.1	<0.05	4	<0.5	<0.2
CAE103872	Soil	34	28	0.47	339	0.056	1	0.99	0.007	0.18	<0.1	<0.01	9.3	<0.1	<0.05	6	<0.5	<0.2
CAE103873	Soil	57	12	0.19	331	0.044	<1	0.79	0.006	0.11	<0.1	0.01	6.4	<0.1	<0.05	5	<0.5	<0.2
CAE103874	Soil	19	44	0.60	416	0.089	2	1.75	0.029	0.06	0.1	0.05	6.1	<0.1	<0.05	6	0.8	<0.2
CAE103875	Soil	22	45	0.59	436	0.086	2	1.76	0.030	0.05	0.1	0.05	6.6	<0.1	0.05	6	0.7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 09, 2012

QUALITY CONTROL REPORT DAW12000177.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Pulp Duplicates																					
CAG199392	Soil	0.6	75.5	6.5	53	<0.1	26.1	14.2	334	2.53	4.8	0.8	3.1	2.6	22	0.2	0.4	0.1	66	0.38	0.047
REP CAG199392	QC	0.6	76.3	6.6	53	<0.1	26.0	14.1	334	2.56	4.9	0.8	4.1	2.7	22	0.1	0.4	0.1	68	0.40	0.053
CAG197116	Soil	0.8	69.4	4.9	56	0.2	25.4	11.7	536	2.49	5.1	1.7	3.9	1.1	52	0.5	0.3	<0.1	67	1.33	0.065
REP CAG197116	QC	0.7	71.2	5.0	54	0.2	24.8	12.0	550	2.70	5.5	1.7	4.9	1.1	46	0.4	0.4	<0.1	66	1.31	0.063
CAG197128	Soil	0.7	92.7	7.9	72	<0.1	23.4	18.2	355	3.70	3.8	0.9	3.7	4.0	22	0.1	0.2	<0.1	109	0.61	0.063
REP CAG197128	QC	0.6	93.8	7.8	71	<0.1	23.1	18.3	354	3.69	4.0	0.9	4.8	3.9	22	0.1	0.2	0.1	108	0.59	0.063
CAG199427	Soil	0.6	27.8	135.4	43	<0.1	8.5	4.4	272	2.26	3.4	1.2	<0.5	7.4	17	<0.1	0.2	0.2	34	0.17	0.022
REP CAG199427	QC	0.6	28.0	142.5	42	<0.1	8.4	4.6	275	2.25	3.3	1.2	<0.5	7.4	18	<0.1	0.2	0.2	35	0.17	0.023
CAG199439	Soil	1.4	21.3	39.2	62	<0.1	16.0	8.8	572	2.82	6.6	0.8	1.9	4.2	25	0.1	0.3	0.2	65	0.31	0.033
REP CAG199439	QC	1.3	21.6	39.3	64	<0.1	16.4	9.0	568	2.82	6.5	0.8	1.6	4.0	25	0.2	0.3	0.2	65	0.32	0.033
CAE103866	Soil	1.4	29.5	14.6	57	<0.1	29.5	11.7	426	2.87	8.4	0.8	2.9	4.6	31	<0.1	0.5	0.1	69	0.45	0.047
REP CAE103866	QC	1.4	29.7	14.6	56	<0.1	29.5	11.2	413	2.76	8.0	0.8	6.0	4.4	30	<0.1	0.6	0.1	66	0.43	0.046
Reference Materials																					
STD DS9	Standard	14.3	110.3	117.5	309	1.8	43.0	8.4	595	2.38	25.6	2.6	108.1	6.3	66	2.3	5.2	6.0	49	0.75	0.081
STD DS9	Standard	14.6	100.6	138.3	327	2.0	42.8	8.7	622	2.55	26.3	3.2	120.6	7.2	82	2.3	5.3	7.4	45	0.75	0.085
STD DS9	Standard	14.4	111.7	128.7	314	1.9	44.3	8.1	613	2.43	23.3	2.6	125.2	6.0	68	2.2	5.5	5.6	46	0.75	0.083
STD DS9 Expected		12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40	0.7201	0.0819
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	3	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	3	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 09, 2012

QUALITY CONTROL REPORT DAW12000177.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																		
CAG199392	Soil	11	47	0.74	198	0.072	3	1.93	0.019	0.03	0.1	0.04	4.4	<0.1	<0.05	6	<0.5	<0.2
REP CAG199392	QC	11	50	0.75	200	0.078	1	1.96	0.019	0.04	0.2	0.05	4.8	<0.1	<0.05	6	<0.5	<0.2
CAG197116	Soil	28	41	0.72	731	0.026	2	1.48	0.016	0.05	<0.1	0.10	8.4	<0.1	0.07	5	<0.5	<0.2
REP CAG197116	QC	28	41	0.70	731	0.025	2	1.40	0.020	0.05	0.1	0.09	8.0	<0.1	<0.05	6	<0.5	<0.2
CAG197128	Soil	13	38	1.11	506	0.049	3	1.86	0.015	0.06	<0.1	0.04	9.3	<0.1	<0.05	7	0.5	<0.2
REP CAG197128	QC	14	37	1.10	504	0.050	3	1.91	0.015	0.06	<0.1	0.04	9.6	<0.1	<0.05	8	0.9	<0.2
CAG199427	Soil	25	15	0.30	330	0.061	<1	1.10	0.007	0.11	<0.1	<0.01	4.6	0.1	<0.05	5	<0.5	<0.2
REP CAG199427	QC	25	15	0.30	331	0.062	2	1.13	0.006	0.11	<0.1	0.01	4.6	0.1	<0.05	5	<0.5	<0.2
CAG199439	Soil	16	31	0.45	419	0.069	2	1.84	0.012	0.06	0.1	0.02	4.6	<0.1	<0.05	7	<0.5	<0.2
REP CAG199439	QC	16	32	0.46	416	0.072	2	1.88	0.012	0.06	0.1	0.03	4.6	<0.1	<0.05	7	<0.5	<0.2
CAE103866	Soil	16	45	0.56	322	0.090	2	1.64	0.021	0.04	0.2	0.03	5.7	<0.1	<0.05	5	<0.5	<0.2
REP CAE103866	QC	16	44	0.56	324	0.089	2	1.63	0.021	0.04	0.2	0.04	5.6	<0.1	<0.05	5	<0.5	<0.2
Reference Materials																		
STD DS9	Standard	14	132	0.62	300	0.117	3	0.94	0.087	0.37	3.0	0.20	2.6	5.4	0.16	5	5.3	5.5
STD DS9	Standard	13	134	0.66	310	0.120	3	1.01	0.087	0.39	3.0	0.22	2.7	5.7	0.10	5	5.8	5.2
STD DS9	Standard	13	141	0.63	296	0.115	3	0.93	0.082	0.36	3.2	0.23	2.3	5.7	0.23	5	5.7	5.1
STD DS9 Expected		13.3	121	0.6165	295	0.1108		0.9577	0.0853	0.395	2.89	0.2	2.5	5.3	0.1615	4.59	5.2	5.02
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.