Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Submitted By: Jean-Pierre Londero
Receiving Lab: Canada-Dawson City
Received: July 06, 2012
Report Date: August 09, 2012

CERTIFICATE OF ANALYSIS DAW12000102.1

CLIENT JOB INFORMATION

Project: White Gold
Shipment ID: WG02002012
P.O. Number
Number of Samples: 58

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT-SOIL Store Soil Reject - RJSV Charges Apply

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	58	Dry at 60C sieve 100g to -80 mesh			DAW
Dry at 60C	58	Dry at 60C			DAW
RJSV	58	Saving all or part of Soil Reject			DAW
1DX2	58	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Selene Holdings LP
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8
Canada

CC: Keith Fowlow

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 09, 2012

CERTIFICATE OF ANALYSIS DAW12000102.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
CAE442698	Soil	0.7	49.1	4.9	46	0.1	25.9	11.1	280	2.74	4.6	0.5	20.6	2.8	18	<0.1	0.4	<0.1	82	0.32	0.040
CAE442699	Soil	0.6	63.2	4.6	44	<0.1	28.4	11.9	293	2.62	4.5	0.4	7.4	1.9	18	<0.1	0.3	<0.1	81	0.37	0.040
CAE442700	Soil	0.6	69.1	4.2	44	<0.1	29.9	11.9	293	2.64	4.4	0.4	11.9	1.5	18	<0.1	0.3	<0.1	83	0.43	0.048
CAE442701	Soil	0.7	86.9	3.6	52	<0.1	47.9	16.7	437	3.35	4.1	0.3	7.9	1.4	16	<0.1	0.2	<0.1	112	0.39	0.040
CAE442702	Soil	0.6	105.2	3.9	56	<0.1	56.5	17.7	487	3.60	4.7	0.4	12.4	2.0	20	<0.1	0.3	<0.1	125	0.50	0.061
CAE442703	Soil	1.8	44.3	5.6	59	<0.1	23.3	12.8	538	3.98	9.3	0.3	7.3	1.7	17	<0.1	0.6	0.1	112	0.30	0.044
CAE442704	Soil	1.3	41.1	5.9	54	0.1	26.7	14.9	741	3.30	6.4	0.7	31.5	2.5	23	0.1	2.6	<0.1	93	0.50	0.047
CAE442705	Soil	9.5	45.1	7.4	59	0.4	30.9	15.5	548	3.89	8.2	0.9	426.1	4.7	23	<0.1	2.6	0.1	105	0.49	0.046
CAE442706	Soil	6.3	40.6	7.3	51	0.5	29.5	12.0	497	3.01	8.4	1.0	266.0	4.0	30	<0.1	1.5	0.1	76	0.57	0.054
CAE442707	Soil	6.9	25.5	7.8	56	0.2	25.2	9.8	402	2.88	6.2	1.0	176.8	4.9	27	<0.1	0.8	0.1	65	0.46	0.052
CAE442708	Soil	2.3	22.2	7.1	46	<0.1	22.7	8.6	262	2.60	7.0	0.8	111.6	4.9	22	<0.1	0.5	0.1	63	0.30	0.031
CAE442709	Soil	2.9	19.1	6.8	46	0.2	23.2	9.0	361	2.73	6.4	0.8	201.1	6.1	23	<0.1	0.6	<0.1	61	0.30	0.046
CAE442710	Soil	1.6	22.7	6.7	47	0.1	21.8	8.0	316	2.45	5.4	0.9	91.7	6.7	25	<0.1	0.6	<0.1	58	0.33	0.044
CAE442711	Soil	1.3	24.4	5.4	57	<0.1	34.5	10.4	347	2.96	5.1	1.1	56.6	6.3	21	<0.1	0.6	<0.1	71	0.33	0.053
CAE442712	Soil	2.0	17.3	6.6	50	<0.1	23.0	7.3	255	3.06	8.5	0.5	7.7	1.7	12	0.1	0.7	0.1	90	0.15	0.068
CAE442713	Soil	2.3	40.7	4.0	94	<0.1	57.0	15.2	328	3.95	4.1	0.7	9.5	4.7	13	<0.1	0.4	<0.1	109	0.29	0.104
CAE442714	Soil	1.5	24.9	6.2	61	<0.1	32.4	12.6	315	3.29	6.2	0.8	28.3	4.7	21	<0.1	0.4	<0.1	90	0.31	0.048
CAE442715	Soil	1.1	22.5	5.7	54	<0.1	27.3	10.7	309	2.85	5.4	0.9	32.9	6.5	19	<0.1	0.4	0.1	70	0.27	0.039
CAE442716	Soil	1.0	21.3	4.5	55	<0.1	29.8	10.5	299	2.77	4.5	0.9	37.4	6.1	20	<0.1	0.3	<0.1	69	0.34	0.067
CAE442717	Soil	0.9	25.5	5.4	53	<0.1	28.2	11.0	418	3.09	6.2	1.7	18.8	7.4	25	<0.1	0.4	<0.1	68	0.38	0.058
CAE442718	Soil	0.9	13.9	4.7	46	<0.1	15.7	6.7	280	2.30	4.8	0.8	10.4	2.8	19	<0.1	0.3	<0.1	52	0.25	0.058
CAE442719	Soil	1.3	15.0	6.0	49	<0.1	19.3	7.5	247	3.02	8.0	0.6	4.1	2.8	13	<0.1	0.4	0.1	75	0.16	0.057
CAE442720	Soil	0.7	19.7	4.9	52	<0.1	28.1	9.8	306	2.78	5.6	0.8	4.8	4.9	17	<0.1	0.5	<0.1	61	0.25	0.048
CAE442721	Soil	0.9	23.3	5.1	63	<0.1	36.2	11.3	376	2.98	4.8	0.8	3.4	4.7	20	<0.1	0.3	<0.1	76	0.30	0.062
CAE442722	Soil	1.3	28.3	6.3	76	<0.1	46.3	15.7	595	3.79	11.5	0.9	4.1	5.7	20	0.1	0.4	<0.1	92	0.34	0.123
CAE442723	Soil	1.4	42.0	6.3	100	<0.1	60.7	21.7	532	5.08	4.5	1.5	0.9	11.0	25	<0.1	0.2	<0.1	89	0.66	0.266
CAE442724	Soil	1.7	37.1	7.7	101	<0.1	46.2	18.1	510	5.12	16.7	1.7	<0.5	13.2	17	0.1	0.7	0.1	93	0.27	0.111
CAE442725	Soil	0.8	42.1	6.5	88	<0.1	41.7	17.0	415	4.12	5.1	2.1	0.9	15.4	16	<0.1	0.2	<0.1	58	0.28	0.083
CAE442726	Soil	0.7	24.4	6.8	66	<0.1	36.6	14.7	308	4.29	7.0	1.1	1.7	11.6	12	<0.1	0.4	0.1	60	0.21	0.064
CAE442727	Soil	1.2	16.0	7.7	44	0.3	15.3	6.6	218	2.22	9.5	0.6	10.4	2.4	19	<0.1	0.2	0.2	59	0.36	0.039

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 09, 2012

CERTIFICATE OF ANALYSIS DAW12000102.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
CAE442698	Soil	9	51	0.75	299	0.091	<1	1.72	0.016	0.03	0.1	0.02	4.2	<0.1	<0.05	6	<0.5	<0.2
CAE442699	Soil	8	59	0.84	288	0.087	<1	1.67	0.015	0.03	0.1	0.02	4.5	<0.1	<0.05	6	<0.5	<0.2
CAE442700	Soil	7	64	0.93	255	0.082	<1	1.72	0.015	0.03	0.1	0.03	4.0	<0.1	<0.05	6	<0.5	<0.2
CAE442701	Soil	6	121	1.47	301	0.090	<1	2.22	0.015	0.04	<0.1	0.03	6.8	<0.1	<0.05	7	<0.5	<0.2
CAE442702	Soil	8	138	1.41	320	0.092	1	2.29	0.018	0.06	0.1	0.25	7.5	0.1	<0.05	8	<0.5	<0.2
CAE442703	Soil	7	48	0.65	202	0.061	<1	1.86	0.011	0.04	0.2	0.11	5.4	0.1	<0.05	8	<0.5	<0.2
CAE442704	Soil	10	50	0.69	399	0.055	1	1.99	0.020	0.05	0.1	0.13	7.1	0.1	<0.05	6	<0.5	<0.2
CAE442705	Soil	16	58	0.83	746	0.059	1	2.12	0.021	0.08	0.2	0.37	11.0	0.1	<0.05	7	<0.5	<0.2
CAE442706	Soil	16	47	0.61	655	0.077	1	1.77	0.024	0.05	0.2	0.23	7.7	<0.1	<0.05	5	<0.5	<0.2
CAE442707	Soil	19	42	0.56	827	0.080	1	1.73	0.017	0.07	0.2	0.12	5.7	0.1	<0.05	6	<0.5	<0.2
CAE442708	Soil	17	39	0.54	467	0.066	1	1.65	0.013	0.05	0.1	0.08	4.9	<0.1	<0.05	5	<0.5	<0.2
CAE442709	Soil	18	42	0.56	591	0.074	1	1.70	0.013	0.07	0.1	0.08	3.8	0.1	<0.05	5	<0.5	<0.2
CAE442710	Soil	24	36	0.54	654	0.084	1	1.47	0.014	0.07	0.2	0.08	4.5	0.1	<0.05	5	<0.5	<0.2
CAE442711	Soil	30	53	0.72	394	0.118	<1	1.73	0.014	0.12	0.2	0.04	4.7	0.2	<0.05	6	<0.5	<0.2
CAE442712	Soil	10	41	0.46	221	0.087	1	1.52	0.010	0.09	0.1	0.03	2.8	0.1	<0.05	8	<0.5	<0.2
CAE442713	Soil	12	83	1.20	514	0.199	<1	2.48	0.010	0.66	0.2	0.01	5.9	0.3	<0.05	9	<0.5	<0.2
CAE442714	Soil	17	56	0.73	467	0.098	1	2.14	0.012	0.14	0.1	0.03	5.1	0.1	<0.05	7	<0.5	<0.2
CAE442715	Soil	20	45	0.63	398	0.092	<1	1.73	0.011	0.12	0.1	0.02	4.6	0.2	<0.05	6	<0.5	<0.2
CAE442716	Soil	21	50	0.70	384	0.118	<1	1.62	0.012	0.18	0.1	0.02	4.1	0.2	<0.05	6	<0.5	<0.2
CAE442717	Soil	35	48	0.72	426	0.124	1	1.90	0.013	0.19	0.2	0.03	6.3	0.2	<0.05	7	<0.5	<0.2
CAE442718	Soil	18	28	0.43	199	0.088	1	1.33	0.010	0.15	0.2	0.02	2.3	0.1	<0.05	6	<0.5	<0.2
CAE442719	Soil	14	38	0.46	189	0.102	<1	1.50	0.012	0.11	0.1	0.02	2.5	0.1	<0.05	7	<0.5	<0.2
CAE442720	Soil	19	44	0.63	235	0.110	<1	1.63	0.011	0.15	0.1	0.02	3.2	0.1	<0.05	6	<0.5	<0.2
CAE442721	Soil	19	58	0.82	326	0.159	<1	1.82	0.012	0.29	0.1	0.01	3.7	0.2	<0.05	7	<0.5	<0.2
CAE442722	Soil	23	78	1.09	287	0.198	1	2.19	0.012	0.46	0.1	0.01	3.9	0.3	<0.05	9	<0.5	<0.2
CAE442723	Soil	40	94	1.81	403	0.279	<1	3.26	0.010	1.30	<0.1	<0.01	4.7	0.6	<0.05	11	<0.5	<0.2
CAE442724	Soil	34	76	1.54	376	0.292	<1	2.97	0.009	1.05	<0.1	<0.01	4.4	0.6	<0.05	11	<0.5	<0.2
CAE442725	Soil	74	68	1.31	265	0.222	<1	2.60	0.010	0.95	<0.1	<0.01	4.7	0.6	<0.05	8	<0.5	<0.2
CAE442726	Soil	32	55	1.01	239	0.215	<1	2.31	0.009	0.77	<0.1	<0.01	5.2	0.4	<0.05	9	<0.5	<0.2
CAE442727	Soil	15	31	0.43	285	0.051	<1	1.46	0.010	0.06	0.1	0.04	2.9	0.1	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 09, 2012

CERTIFICATE OF ANALYSIS DAW12000102.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
CAE442728	Soil	2.1	19.0	9.9	70	0.2	23.2	9.7	411	3.24	6.5	0.8	102.6	5.9	15	<0.1	0.4	0.2	69	0.21	0.065
CAE442729	Soil	1.2	41.0	7.8	56	0.9	30.1	13.4	1056	2.75	4.9	1.5	85.8	3.0	36	0.2	0.4	0.1	51	1.09	0.066
CAE442730	Soil	1.8	43.4	6.2	71	0.9	64.8	21.2	1228	3.29	5.2	1.6	90.5	3.2	42	0.3	1.5	0.1	74	1.32	0.071
CAE442731	Soil	2.5	29.4	5.6	68	0.6	41.8	16.1	754	3.44	5.1	1.1	163.1	3.4	33	0.2	1.2	<0.1	77	1.00	0.064
CAE442732	Soil	1.4	10.6	7.1	40	0.2	10.3	5.2	310	1.77	5.0	0.3	23.5	1.1	15	0.1	0.2	0.1	63	0.24	0.029
CAE442733	Soil	2.1	68.6	4.2	105	0.4	63.5	28.6	695	6.63	1.6	0.8	137.1	4.1	17	0.2	0.9	<0.1	166	0.55	0.113
CAE442734	Soil	1.1	27.9	7.5	57	0.4	35.4	11.0	277	3.20	6.5	0.7	97.9	3.7	20	<0.1	0.8	0.2	73	0.29	0.039
CAE442735	Soil	1.3	31.7	9.5	69	0.4	34.7	12.2	458	3.34	8.7	1.4	79.3	5.3	22	<0.1	0.8	0.2	71	0.36	0.055
CAE442736	Soil	1.2	34.3	8.7	70	0.2	35.3	12.1	331	3.44	7.0	1.0	52.9	8.9	17	0.1	0.6	0.3	59	0.27	0.071
CAE442737	Soil	1.5	30.5	9.2	88	0.1	39.9	12.8	601	3.62	6.4	0.6	9.6	6.7	13	0.2	0.6	0.2	69	0.19	0.083
CAE442738	Soil	1.2	30.9	10.6	65	0.2	30.0	11.8	332	3.36	9.3	1.2	166.4	11.1	18	0.2	0.9	0.2	56	0.20	0.034
CAE442739	Soil	1.2	23.2	9.3	54	1.2	23.4	10.2	276	2.98	9.4	0.8	97.9	5.2	17	<0.1	0.6	0.1	60	0.21	0.050
CAE442740	Soil	1.1	21.6	6.9	60	0.2	25.5	11.9	499	3.25	5.3	0.5	62.1	6.0	16	<0.1	0.7	0.1	56	0.24	0.072
CAE442741	Soil	0.7	39.6	4.5	69	<0.1	45.6	18.7	603	4.01	2.2	0.8	83.5	12.3	27	<0.1	0.5	<0.1	61	0.45	0.115
CAE442742	Soil	2.4	26.9	8.3	81	0.2	32.6	15.6	527	4.51	6.4	1.0	282.7	13.0	20	<0.1	1.3	0.1	60	0.21	0.081
CAE442743	Soil	2.0	28.3	10.3	54	0.2	25.1	10.3	316	3.19	7.6	1.7	107.2	9.6	22	<0.1	3.0	0.2	42	0.25	0.035
CAE442744	Soil	1.5	25.4	8.6	52	0.2	26.9	9.8	296	2.98	7.5	1.9	73.6	12.3	22	<0.1	1.0	0.1	51	0.25	0.042
CAE442745	Soil	1.3	23.3	10.7	65	0.1	27.0	11.2	383	3.57	5.2	1.8	59.7	16.1	16	<0.1	1.2	0.1	37	0.18	0.049
CAE442746	Soil	2.0	40.7	10.7	107	0.3	61.0	28.0	2354	5.05	6.7	1.1	42.1	8.1	30	0.1	0.6	0.4	95	0.56	0.269
CAE442747	Soil	0.5	32.0	8.2	57	<0.1	110.2	14.1	367	2.90	7.3	1.8	18.0	5.0	25	<0.1	0.4	<0.1	65	0.37	0.073
CAE442748	Soil	0.7	19.5	5.3	84	0.2	99.7	31.0	487	5.84	2.5	2.4	100.7	10.4	59	<0.1	0.6	<0.1	126	0.75	0.265
CAE442749	Soil	1.2	16.7	9.9	46	0.3	21.0	9.2	278	2.83	9.0	1.4	56.0	9.2	17	<0.1	0.7	<0.1	58	0.17	0.030
CAE442750	Soil	0.8	20.2	8.6	44	1.3	21.5	10.5	240	2.71	9.1	0.9	165.6	7.4	17	<0.1	0.7	<0.1	53	0.17	0.023
CAE442751	Soil	1.4	25.2	9.5	51	1.2	20.8	9.7	304	3.01	9.8	2.0	174.7	8.2	22	<0.1	0.7	0.1	63	0.20	0.019
CAE442752	Soil	1.8	13.3	10.1	52	0.4	12.1	12.4	427	3.08	9.0	1.1	75.0	8.6	15	<0.1	0.9	0.1	53	0.12	0.039
CAE442753	Soil	1.2	19.5	10.9	54	0.4	14.6	8.2	341	3.27	17.8	1.4	69.7	8.5	19	<0.1	1.2	0.2	54	0.17	0.025
CAE442754	Soil	0.9	23.8	8.0	47	0.4	20.5	9.0	320	2.59	8.8	1.5	92.0	8.0	22	<0.1	0.6	<0.1	55	0.21	0.026
CAE442755	Soil	1.3	16.9	9.3	37	0.2	14.5	7.1	214	2.46	7.5	1.0	11.6	5.1	19	<0.1	0.5	<0.1	64	0.21	0.029

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 09, 2012

CERTIFICATE OF ANALYSIS DAW12000102.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
CAE442728	Soil	29	33	0.37	193	0.045	1	1.12	0.009	0.09	0.1	0.04	4.0	<0.1	0.05	6	<0.5	0.3
CAE442729	Soil	35	30	0.36	944	0.016	2	1.33	0.013	0.07	0.1	0.17	6.1	<0.1	0.09	4	0.7	<0.2
CAE442730	Soil	14	43	0.40	837	0.015	2	1.14	0.014	0.06	0.2	0.26	10.2	<0.1	0.09	3	0.6	<0.2
CAE442731	Soil	13	49	0.55	743	0.023	3	1.21	0.017	0.06	0.2	0.45	13.2	<0.1	0.06	4	0.5	<0.2
CAE442732	Soil	8	24	0.28	361	0.047	<1	1.01	0.013	0.05	<0.1	0.02	2.4	<0.1	<0.05	6	<0.5	<0.2
CAE442733	Soil	12	66	0.96	1014	0.037	1	1.89	0.016	0.27	<0.1	0.34	14.2	0.2	<0.05	7	<0.5	<0.2
CAE442734	Soil	13	42	0.56	685	0.032	2	1.73	0.010	0.06	0.1	0.16	6.6	0.1	<0.05	5	<0.5	<0.2
CAE442735	Soil	19	46	0.60	707	0.041	2	1.84	0.015	0.06	0.1	0.13	8.7	<0.1	<0.05	5	<0.5	<0.2
CAE442736	Soil	37	54	0.87	326	0.070	1	2.05	0.007	0.12	0.1	0.04	4.7	0.2	<0.05	7	<0.5	<0.2
CAE442737	Soil	12	56	0.90	234	0.106	<1	1.90	0.007	0.29	0.1	0.03	4.4	0.2	<0.05	7	<0.5	<0.2
CAE442738	Soil	32	36	0.60	297	0.067	1	1.77	0.011	0.12	0.2	0.04	5.1	0.1	<0.05	5	<0.5	<0.2
CAE442739	Soil	14	37	0.57	217	0.065	1	2.00	0.028	0.09	0.2	0.07	3.9	<0.1	<0.05	6	<0.5	<0.2
CAE442740	Soil	17	38	0.74	175	0.065	2	1.76	0.009	0.17	0.2	0.02	4.8	0.1	<0.05	6	<0.5	<0.2
CAE442741	Soil	48	65	1.48	525	0.163	1	2.45	0.008	0.72	0.1	0.04	7.5	0.4	<0.05	9	<0.5	<0.2
CAE442742	Soil	40	48	0.79	263	0.120	1	1.80	0.007	0.54	0.2	0.03	6.7	0.4	<0.05	7	<0.5	<0.2
CAE442743	Soil	27	29	0.41	538	0.033	1	1.29	0.008	0.10	0.1	0.10	6.6	0.1	<0.05	4	<0.5	<0.2
CAE442744	Soil	35	33	0.49	546	0.048	1	1.70	0.012	0.08	0.1	0.10	6.6	<0.1	<0.05	5	<0.5	<0.2
CAE442745	Soil	33	29	0.50	365	0.088	1	1.50	0.007	0.38	0.1	0.04	4.5	0.2	<0.05	4	<0.5	<0.2
CAE442746	Soil	22	110	1.66	610	0.123	2	2.26	0.007	0.78	0.1	0.03	5.9	0.4	<0.05	10	<0.5	<0.2
CAE442747	Soil	17	126	1.14	540	0.099	1	1.95	0.013	0.29	0.2	0.06	5.6	0.4	<0.05	6	<0.5	<0.2
CAE442748	Soil	27	589	3.39	1142	0.199	<1	2.86	0.008	1.90	<0.1	0.06	22.0	1.3	<0.05	10	<0.5	<0.2
CAE442749	Soil	17	34	0.55	370	0.070	<1	1.90	0.011	0.06	0.2	0.04	3.6	0.1	<0.05	5	<0.5	<0.2
CAE442750	Soil	10	31	0.53	234	0.063	1	2.01	0.010	0.05	0.2	0.06	3.3	0.1	<0.05	5	<0.5	<0.2
CAE442751	Soil	27	38	0.51	765	0.075	<1	1.93	0.013	0.04	0.2	0.12	8.2	<0.1	<0.05	5	<0.5	<0.2
CAE442752	Soil	10	25	0.42	161	0.045	1	1.58	0.006	0.13	0.2	0.03	2.7	0.2	<0.05	6	<0.5	0.3
CAE442753	Soil	20	27	0.42	396	0.053	1	1.87	0.009	0.10	0.1	0.09	4.0	0.2	<0.05	6	<0.5	<0.2
CAE442754	Soil	30	33	0.49	836	0.062	<1	1.68	0.012	0.04	0.1	0.11	6.5	<0.1	<0.05	5	<0.5	<0.2
CAE442755	Soil	27	30	0.40	482	0.064	<1	1.55	0.012	0.03	0.1	0.03	4.5	<0.1	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 09, 2012

QUALITY CONTROL REPORT DAW12000102.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Pulp Duplicates																					
CAE442713	Soil	2.3	40.7	4.0	94	<0.1	57.0	15.2	328	3.95	4.1	0.7	9.5	4.7	13	<0.1	0.4	<0.1	109	0.29	0.104
REP CAE442713	QC	2.6	39.5	3.9	91	<0.1	56.3	15.1	320	3.91	4.2	0.8	6.7	4.7	13	<0.1	0.4	<0.1	109	0.30	0.106
CAE442729	Soil	1.2	41.0	7.8	56	0.9	30.1	13.4	1056	2.75	4.9	1.5	85.8	3.0	36	0.2	0.4	0.1	51	1.09	0.066
REP CAE442729	QC	1.1	38.8	7.4	54	0.9	28.5	13.1	1014	2.65	5.1	1.5	88.5	3.1	34	0.1	0.4	0.1	48	1.01	0.063
CAE442741	Soil	0.7	39.6	4.5	69	<0.1	45.6	18.7	603	4.01	2.2	0.8	83.5	12.3	27	<0.1	0.5	<0.1	61	0.45	0.115
REP CAE442741	QC	0.7	38.4	4.4	68	<0.1	43.9	18.3	592	3.89	1.9	0.8	77.6	11.5	26	<0.1	0.5	<0.1	59	0.44	0.110
CAE442743	Soil	2.0	28.3	10.3	54	0.2	25.1	10.3	316	3.19	7.6	1.7	107.2	9.6	22	<0.1	3.0	0.2	42	0.25	0.035
REP CAE442743	QC	2.0	28.4	10.2	52	0.2	24.6	9.9	316	3.09	7.4	1.7	91.3	9.8	22	<0.1	3.1	0.2	41	0.25	0.036
Reference Materials																					
STD DS9	Standard	11.6	106.9	123.6	308	1.9	37.0	7.2	557	2.27	25.7	2.8	116.3	5.7	70	2.8	6.2	6.5	38	0.66	0.083
STD DS9	Standard	14.2	110.6	126.3	305	1.9	43.4	8.0	597	2.37	23.8	2.6	112.2	6.2	70	2.3	5.0	5.6	46	0.75	0.082
STD DS9 Expected		12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40	0.7201	0.0819
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	2	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 09, 2012

QUALITY CONTROL REPORT DAW12000102.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																		
CAE442713	Soil	12	83	1.20	514	0.199	<1	2.48	0.010	0.66	0.2	0.01	5.9	0.3	<0.05	9	<0.5	<0.2
REP CAE442713	QC	12	81	1.18	519	0.198	<1	2.45	0.010	0.65	0.2	0.01	5.6	0.3	<0.05	9	<0.5	<0.2
CAE442729	Soil	35	30	0.36	944	0.016	2	1.33	0.013	0.07	0.1	0.17	6.1	<0.1	0.09	4	0.7	<0.2
REP CAE442729	QC	34	29	0.34	910	0.017	2	1.19	0.013	0.07	0.1	0.19	5.9	<0.1	0.08	4	0.7	<0.2
CAE442741	Soil	48	65	1.48	525	0.163	1	2.45	0.008	0.72	0.1	0.04	7.5	0.4	<0.05	9	<0.5	<0.2
REP CAE442741	QC	46	64	1.47	509	0.151	<1	2.37	0.008	0.72	0.1	0.03	7.1	0.4	<0.05	8	<0.5	<0.2
CAE442743	Soil	27	29	0.41	538	0.033	1	1.29	0.008	0.10	0.1	0.10	6.6	0.1	<0.05	4	<0.5	<0.2
REP CAE442743	QC	27	30	0.41	522	0.034	2	1.25	0.008	0.10	0.1	0.11	6.6	0.1	<0.05	4	<0.5	<0.2
Reference Materials																		
STD DS9	Standard	11	113	0.59	294	0.104	3	0.88	0.087	0.37	3.0	0.21	2.6	5.6	0.16	5	5.1	5.2
STD DS9	Standard	14	140	0.64	292	0.117	3	0.96	0.086	0.35	2.9	0.20	2.5	5.6	0.23	5	5.1	5.2
STD DS9 Expected		13.3	121	0.6165	295	0.1108		0.9577	0.0853	0.395	2.89	0.2	2.5	5.3	0.1615	4.59	5.2	5.02
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.