Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Submitted By: Jean-Pierre Londero
Receiving Lab: Canada-Dawson City
Received: July 11, 2012
Report Date: August 10, 2012

CERTIFICATE OF ANALYSIS DAW12000125.1

CLIENT JOB INFORMATION

Project: White Gold
Shipment ID: WG02042012
P.O. Number
Number of Samples: 116

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT-SOIL Store Soil Reject - RJSV Charges Apply

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	115	Dry at 60C sieve 100g to -80 mesh			DAW
Dry at 60C	115	Dry at 60C			DAW
RJSV	115	Saving all or part of Soil Reject			DAW
1DX2	115	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Selene Holdings LP
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8
Canada

CC: Keith Fowlow

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 10, 2012

CERTIFICATE OF ANALYSIS DAW12000125.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
CAE442400	Soil	0.6	31.0	3.3	44	<0.1	21.0	9.7	158	2.15	2.2	0.6	2.5	1.2	16	0.1	0.1	0.2	52	0.23	0.053
CAE442600	Soil	0.7	21.6	3.2	56	<0.1	24.7	11.4	215	2.51	1.7	0.7	1.4	1.4	25	0.1	0.3	<0.1	52	0.39	0.095
CAE442601	Soil	0.5	17.0	3.3	47	<0.1	31.3	13.3	272	2.45	2.4	0.5	61.2	2.7	20	<0.1	0.1	<0.1	56	0.36	0.105
CAE442602	Soil	0.6	21.9	3.9	47	<0.1	24.2	15.0	275	2.52	3.4	0.4	11.8	1.8	22	<0.1	0.2	<0.1	60	0.45	0.134
CAE442603	Soil	0.5	21.0	2.8	26	0.2	18.6	5.9	91	1.57	1.9	1.1	2.0	0.5	25	0.3	0.2	0.1	26	0.28	0.084
CAE442604	Soil	0.6	64.8	4.3	36	0.2	44.7	18.0	285	2.42	4.2	1.4	1.7	1.6	29	0.1	0.2	<0.1	46	0.46	0.063
CAE442605	Soil	0.3	23.9	2.1	38	<0.1	178.1	28.4	225	2.40	1.8	0.3	1.1	1.6	22	<0.1	<0.1	<0.1	38	0.42	0.040
CAE442606	Soil	0.2	33.4	3.6	42	<0.1	321.6	27.6	682	2.15	3.5	1.1	3.6	3.5	46	0.2	0.3	<0.1	30	0.69	0.066
CAE442607	Soil	0.2	28.2	3.6	43	<0.1	166.6	14.3	239	1.73	2.2	0.7	2.3	3.3	28	0.2	0.3	0.1	35	0.47	0.069
CAE442608	Soil	0.1	22.1	3.7	38	<0.1	163.2	14.9	193	1.78	2.2	0.5	5.0	3.1	25	0.1	0.3	<0.1	34	0.42	0.077
CAE442609	Soil	0.1	13.0	4.5	36	<0.1	81.8	11.4	203	2.33	7.0	0.6	5.3	2.4	29	0.1	0.3	<0.1	48	0.44	0.071
CAE442610	Soil	<0.1	18.3	5.4	38	<0.1	149.6	12.9	139	1.87	2.8	0.7	4.9	3.3	24	0.1	0.3	<0.1	39	0.38	0.052
CAE442611	Soil	0.1	17.8	5.5	52	<0.1	112.0	15.0	246	2.21	4.2	0.7	16.6	3.1	29	0.2	0.4	<0.1	50	0.44	0.053
CAE442612	Soil	0.1	17.4	4.8	38	<0.1	137.9	15.1	226	1.99	3.9	0.9	1.5	2.8	29	0.1	0.3	<0.1	42	0.46	0.054
CAE442613	Soil	0.1	14.9	4.7	36	<0.1	218.4	19.0	317	2.59	6.3	0.7	3.8	2.3	27	0.2	0.3	<0.1	46	0.40	0.048
CAE442614	Soil	0.2	22.4	5.7	48	<0.1	242.0	19.1	305	2.14	2.8	0.5	4.1	2.6	34	0.2	0.4	<0.1	41	0.53	0.054
CAE442615	Soil	0.1	24.9	5.1	46	<0.1	232.3	19.5	314	2.23	3.3	0.8	3.4	3.1	32	0.2	0.5	<0.1	44	0.51	0.052
CAE442616	Soil	0.2	23.6	5.5	43	<0.1	278.9	20.5	338	2.12	2.9	1.0	3.0	3.0	33	0.2	0.5	<0.1	42	0.50	0.052
CAE442617	Soil	0.2	25.9	5.7	49	<0.1	282.9	24.3	351	2.35	3.4	1.1	3.3	3.5	31	0.2	0.5	<0.1	45	0.43	0.055
CAE442618	Soil	0.3	20.8	4.3	39	<0.1	183.9	16.1	762	1.67	2.7	0.7	2.1	1.5	55	0.3	0.5	<0.1	29	0.78	0.067
CAE442619	Soil	0.2	25.2	6.5	46	<0.1	242.9	22.0	349	2.31	5.7	0.9	2.4	4.3	28	0.2	0.5	<0.1	44	0.37	0.052
CAE442620	Soil	0.2	21.4	5.3	44	<0.1	378.5	22.9	292	2.52	2.9	0.5	2.2	5.9	24	<0.1	0.3	<0.1	42	0.30	0.046
CAE442621	Soil	0.4	30.1	5.0	70	<0.1	906.7	46.5	449	3.68	4.5	0.6	0.5	4.5	27	0.1	1.0	<0.1	54	0.35	0.036
CAE442622	Soil	0.8	36.1	4.6	95	<0.1	55.4	17.2	414	3.89	2.9	0.9	<0.5	7.4	15	<0.1	0.5	<0.1	75	0.25	0.083
CAE442623	Soil	1.2	40.1	5.8	95	<0.1	48.0	13.4	379	3.68	2.3	1.6	<0.5	10.2	33	0.1	0.2	<0.1	88	0.30	0.103
CAE442624	Soil	2.7	58.0	5.8	149	<0.1	62.2	18.1	657	5.17	3.2	1.2	<0.5	7.1	26	<0.1	0.4	<0.1	151	0.42	0.110
CAE442625	Soil	0.9	34.5	6.4	85	<0.1	57.1	14.1	326	3.50	5.0	0.6	0.5	7.4	20	<0.1	1.3	<0.1	76	0.34	0.084
CAE442626	Soil	0.9	17.4	6.4	65	0.2	21.5	11.9	995	2.39	6.2	0.3	<0.5	2.1	25	0.2	0.5	<0.1	57	0.35	0.091
CAE442627	Soil	1.2	52.1	5.0	97	<0.1	56.4	14.3	430	4.04	4.4	0.7	<0.5	5.7	21	<0.1	0.3	<0.1	87	0.33	0.087
CAE442628	Soil	0.4	24.1	3.1	38	<0.1	27.2	8.9	139	1.73	2.2	0.7	1.0	2.0	19	<0.1	0.1	<0.1	36	0.30	0.055

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 10, 2012

CERTIFICATE OF ANALYSIS DAW12000125.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
CAE442400	Soil	7	48	0.71	297	0.117	1	1.30	0.013	0.16	<0.1	0.02	2.5	0.1	<0.05	5	<0.5	<0.2
CAE442600	Soil	10	60	0.92	390	0.134	2	1.52	0.016	0.25	<0.1	0.04	3.4	0.2	<0.05	5	<0.5	<0.2
CAE442601	Soil	10	79	1.01	283	0.137	1	1.53	0.009	0.29	0.1	<0.01	2.2	0.2	<0.05	5	<0.5	<0.2
CAE442602	Soil	6	60	0.79	283	0.099	1	1.41	0.011	0.16	<0.1	0.02	3.3	0.1	<0.05	5	<0.5	<0.2
CAE442603	Soil	13	44	0.37	397	0.049	2	0.89	0.011	0.08	<0.1	0.06	2.1	<0.1	0.06	3	<0.5	<0.2
CAE442604	Soil	19	53	0.57	499	0.052	1	1.43	0.010	0.05	0.1	0.04	6.0	0.1	<0.05	4	<0.5	<0.2
CAE442605	Soil	7	205	2.83	132	0.078	<1	2.41	0.008	0.07	<0.1	<0.01	2.1	0.1	<0.05	5	<0.5	<0.2
CAE442606	Soil	19	70	1.74	505	0.051	2	1.26	0.017	0.04	0.1	0.07	5.5	<0.1	<0.05	3	0.7	<0.2
CAE442607	Soil	10	63	1.02	240	0.066	2	1.04	0.016	0.04	0.1	0.04	3.7	<0.1	<0.05	3	<0.5	<0.2
CAE442608	Soil	9	57	1.12	194	0.067	2	1.00	0.016	0.04	0.1	0.02	3.3	<0.1	<0.05	3	<0.5	<0.2
CAE442609	Soil	8	48	0.88	181	0.059	1	0.96	0.017	0.02	0.2	0.03	2.7	<0.1	<0.05	3	0.8	<0.2
CAE442610	Soil	9	76	1.31	179	0.069	1	1.14	0.019	0.03	0.1	0.03	3.7	<0.1	<0.05	3	0.8	<0.2
CAE442611	Soil	10	54	0.98	195	0.076	3	1.18	0.022	0.03	0.1	0.03	4.0	<0.1	<0.05	4	<0.5	<0.2
CAE442612	Soil	9	67	1.12	187	0.060	<1	1.04	0.019	0.02	0.1	0.05	4.0	<0.1	<0.05	3	<0.5	<0.2
CAE442613	Soil	8	121	1.71	183	0.058	2	1.10	0.015	0.02	<0.1	0.03	3.8	<0.1	<0.05	3	<0.5	<0.2
CAE442614	Soil	10	65	1.21	213	0.073	2	1.22	0.022	0.04	0.1	0.04	4.3	<0.1	<0.05	3	<0.5	<0.2
CAE442615	Soil	11	73	1.18	219	0.074	2	1.24	0.020	0.03	0.1	0.03	4.7	<0.1	<0.05	4	<0.5	<0.2
CAE442616	Soil	12	75	1.20	277	0.072	2	1.27	0.021	0.03	<0.1	0.04	4.4	<0.1	<0.05	4	0.5	<0.2
CAE442617	Soil	12	98	1.31	332	0.076	2	1.27	0.020	0.05	0.1	0.02	4.3	<0.1	<0.05	4	<0.5	<0.2
CAE442618	Soil	9	60	1.06	439	0.042	3	0.95	0.016	0.03	0.1	0.04	2.8	<0.1	<0.05	3	<0.5	<0.2
CAE442619	Soil	14	93	1.28	358	0.065	<1	1.33	0.016	0.05	0.1	0.03	4.5	<0.1	<0.05	4	0.6	<0.2
CAE442620	Soil	16	120	1.99	283	0.085	2	1.80	0.021	0.05	0.1	0.03	5.0	0.1	<0.05	5	<0.5	<0.2
CAE442621	Soil	15	459	4.53	377	0.064	1	2.11	0.010	0.10	<0.1	0.04	8.2	0.2	<0.05	8	<0.5	<0.2
CAE442622	Soil	21	89	1.33	590	0.221	<1	2.35	0.009	1.11	0.1	0.01	3.9	0.4	<0.05	8	<0.5	<0.2
CAE442623	Soil	26	83	1.31	876	0.187	<1	2.22	0.010	0.99	0.1	0.02	5.2	0.4	<0.05	8	0.5	<0.2
CAE442624	Soil	17	234	2.50	1104	0.264	<1	3.80	0.010	1.43	<0.1	0.01	7.2	0.6	<0.05	13	0.6	<0.2
CAE442625	Soil	15	80	1.15	592	0.150	<1	2.08	0.007	0.59	0.1	<0.01	4.7	0.3	<0.05	7	0.6	<0.2
CAE442626	Soil	7	34	0.51	529	0.075	1	1.31	0.010	0.30	0.1	0.02	2.8	<0.1	<0.05	4	<0.5	<0.2
CAE442627	Soil	14	88	1.55	678	0.226	<1	2.54	0.009	1.18	0.1	0.01	3.7	0.4	<0.05	8	<0.5	<0.2
CAE442628	Soil	10	59	0.63	260	0.091	2	1.10	0.011	0.08	0.1	0.05	2.8	0.1	<0.05	4	0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 10, 2012

CERTIFICATE OF ANALYSIS DAW12000125.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
CAE442629	Soil	0.6	32.7	3.2	21	0.1	20.4	8.0	152	1.21	1.5	0.5	<0.5	0.3	25	<0.1	0.2	<0.1	17	0.47	0.094
CAE442630	Soil	0.4	36.4	3.9	25	<0.1	37.5	8.9	115	1.50	3.2	0.2	<0.5	1.2	10	<0.1	0.1	<0.1	45	0.15	0.020
CAE442631	Soil	0.3	42.0	3.4	36	<0.1	77.4	15.5	271	2.06	4.4	0.6	1.2	1.9	30	0.1	0.2	<0.1	53	0.55	0.057
CAE442632	Soil	0.3	17.0	3.9	43	<0.1	174.4	22.8	394	1.74	4.0	0.7	8.6	2.2	34	0.2	0.2	<0.1	41	0.57	0.065
CAE442633	Soil	0.3	14.3	5.6	43	<0.1	127.9	15.8	349	1.98	4.3	0.7	8.9	2.3	26	<0.1	0.3	<0.1	44	0.41	0.051
CAE442634	Soil	0.4	13.7	5.9	44	<0.1	128.6	16.0	358	2.02	4.2	0.6	4.0	2.2	26	<0.1	0.2	<0.1	46	0.40	0.050
CAE442635	Soil	0.3	11.0	4.5	48	<0.1	119.6	12.8	282	1.91	3.7	0.5	1.9	2.3	25	<0.1	0.2	0.2	43	0.50	0.070
CAE442636	Soil	0.2	12.1	4.4	39	<0.1	192.2	17.4	394	1.94	4.6	0.5	2.7	1.9	26	0.1	0.2	0.1	41	0.47	0.062
CAE442637	Soil	0.4	19.1	3.2	46	<0.1	287.4	14.3	428	1.49	2.8	0.6	0.9	0.9	43	0.1	0.3	0.1	30	0.84	0.080
CAE442638	Soil	0.2	17.4	4.7	43	<0.1	260.2	15.3	256	1.99	3.7	0.6	3.2	1.8	32	0.1	0.2	<0.1	38	0.60	0.066
CAE442639	Soil	0.2	16.2	4.7	47	<0.1	171.5	15.0	431	2.02	5.1	0.6	3.6	1.9	27	0.1	0.2	<0.1	46	0.53	0.062
CAE442640	Soil	0.2	14.7	4.1	45	<0.1	174.7	15.4	408	1.82	3.9	0.6	2.5	1.9	33	0.1	0.3	<0.1	40	0.63	0.065
CAE442641	Soil	0.4	15.7	5.4	55	<0.1	83.3	12.1	485	1.96	4.8	0.7	3.1	2.0	32	0.2	0.4	<0.1	50	0.61	0.069
CAE442642	Soil	0.3	14.1	5.8	45	<0.1	148.5	13.8	406	2.07	5.4	0.7	3.4	2.2	29	0.1	0.3	<0.1	51	0.52	0.063
CAE442643	Soil	0.3	13.7	4.8	46	<0.1	169.2	15.7	287	1.95	4.3	0.7	4.1	2.4	27	0.1	0.3	<0.1	45	0.49	0.067
CAE442644	Soil	0.6	17.3	5.6	49	<0.1	37.5	11.3	417	2.35	5.2	0.8	3.7	3.1	27	<0.1	0.3	<0.1	63	0.47	0.064
CAE442645	Soil	0.7	14.4	5.3	47	<0.1	25.2	9.5	270	2.13	6.1	0.8	2.0	2.1	19	0.1	1.0	<0.1	53	0.31	0.063
CAE442646	Soil	0.9	18.3	6.3	53	0.1	25.5	9.5	261	2.55	12.6	1.0	2.4	3.6	20	<0.1	1.4	<0.1	68	0.31	0.069
CAE442647	Soil	1.0	23.7	5.4	55	0.2	25.1	8.3	228	2.29	8.1	1.1	3.6	2.0	23	0.2	0.9	<0.1	60	0.36	0.077
CAE442648	Soil	1.0	21.7	6.2	57	0.1	27.0	9.6	258	2.44	9.0	1.0	2.3	2.8	22	0.1	0.9	<0.1	65	0.36	0.081
CAE442649	Soil	1.2	32.7	5.7	81	0.1	36.4	12.9	353	3.26	10.4	1.3	2.3	3.7	19	0.1	1.5	<0.1	81	0.28	0.078
CAE442650	Soil	1.5	41.2	4.7	102	0.1	39.3	15.6	487	3.62	7.4	1.6	1.7	3.1	22	0.2	0.6	<0.1	89	0.29	0.087
CAE442651	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
CAE442851	Soil	1.3	37.9	5.1	90	0.2	44.0	15.3	450	3.53	12.5	1.6	3.4	3.7	20	0.2	1.5	<0.1	93	0.27	0.074
CAE442852	Soil	1.0	11.7	12.0	60	<0.1	18.7	6.6	198	2.34	15.0	0.8	6.2	6.8	16	<0.1	1.6	<0.1	45	0.26	0.074
CAE442853	Soil	1.8	19.9	8.2	47	0.2	16.1	6.2	298	2.10	187.8	0.7	6.0	1.5	17	0.2	12.8	0.1	60	0.25	0.057
CAE442854	Soil	1.8	26.3	7.3	72	0.3	27.3	8.9	283	2.59	222.9	0.9	11.2	2.6	23	0.2	39.7	0.1	59	0.30	0.080
CAE442855	Soil	1.6	33.6	7.7	102	<0.1	39.9	15.1	500	3.41	17.5	1.1	3.1	3.6	19	0.3	5.5	<0.1	93	0.41	0.117
CAE442856	Soil	1.6	25.6	9.3	108	<0.1	32.5	11.1	429	3.00	94.1	0.9	5.7	5.1	23	0.3	39.6	0.3	54	0.42	0.122
CAE442857	Soil	1.0	23.4	9.5	62	0.2	21.0	9.6	274	2.46	43.9	1.9	7.5	4.7	30	0.2	3.3	0.2	58	0.45	0.065

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 10, 2012

CERTIFICATE OF ANALYSIS DAW12000125.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
CAE442629	Soil	7	19	0.27	270	0.038	3	0.63	0.010	0.07	<0.1	0.07	1.9	<0.1	0.10	2	<0.5	<0.2
CAE442630	Soil	5	60	0.62	85	0.089	1	0.97	0.010	0.03	0.1	<0.01	1.6	<0.1	<0.05	5	<0.5	<0.2
CAE442631	Soil	8	77	0.98	289	0.072	<1	1.16	0.012	0.07	<0.1	0.03	3.0	0.1	<0.05	4	<0.5	<0.2
CAE442632	Soil	8	65	1.26	185	0.050	2	0.96	0.017	0.02	0.1	0.03	2.7	<0.1	<0.05	3	<0.5	<0.2
CAE442633	Soil	10	60	1.02	219	0.065	2	1.12	0.018	0.03	0.2	0.04	3.3	<0.1	<0.05	4	<0.5	<0.2
CAE442634	Soil	9	61	1.03	219	0.065	<1	1.14	0.018	0.03	0.2	0.03	3.3	<0.1	<0.05	4	<0.5	<0.2
CAE442635	Soil	8	65	1.20	155	0.055	2	1.07	0.023	0.03	0.3	0.03	2.9	<0.1	<0.05	3	<0.5	<0.2
CAE442636	Soil	8	73	1.42	167	0.049	2	1.00	0.019	0.03	0.2	0.02	3.3	<0.1	<0.05	3	<0.5	<0.2
CAE442637	Soil	7	80	1.58	240	0.029	5	0.91	0.017	0.02	0.1	0.05	2.3	<0.1	<0.05	3	<0.5	<0.2
CAE442638	Soil	9	72	1.37	301	0.050	3	1.17	0.021	0.03	0.1	0.03	3.8	<0.1	<0.05	4	<0.5	<0.2
CAE442639	Soil	8	77	1.26	224	0.049	3	1.05	0.019	0.02	0.1	0.04	3.4	<0.1	<0.05	3	0.5	<0.2
CAE442640	Soil	8	75	1.40	217	0.047	3	1.08	0.021	0.03	0.1	0.04	3.3	<0.1	<0.05	3	<0.5	<0.2
CAE442641	Soil	9	45	0.81	219	0.052	2	1.20	0.021	0.03	0.2	0.02	3.5	<0.1	<0.05	3	<0.5	<0.2
CAE442642	Soil	10	46	0.92	227	0.058	2	1.28	0.021	0.03	0.2	0.02	3.4	<0.1	<0.05	4	<0.5	<0.2
CAE442643	Soil	10	62	0.99	198	0.057	2	1.09	0.021	0.04	0.2	0.04	3.3	<0.1	<0.05	3	<0.5	<0.2
CAE442644	Soil	12	51	0.72	285	0.085	1	1.49	0.021	0.06	0.2	0.03	3.8	0.1	<0.05	5	<0.5	<0.2
CAE442645	Soil	11	38	0.52	221	0.071	1	1.30	0.016	0.06	0.2	0.05	2.8	<0.1	<0.05	5	<0.5	<0.2
CAE442646	Soil	19	46	0.61	315	0.086	<1	1.55	0.013	0.15	0.2	0.04	3.5	0.1	<0.05	5	<0.5	<0.2
CAE442647	Soil	15	40	0.59	339	0.075	2	1.29	0.016	0.21	0.1	0.05	3.2	0.1	<0.05	5	<0.5	<0.2
CAE442648	Soil	16	42	0.63	307	0.086	1	1.43	0.016	0.19	0.1	0.04	3.4	0.1	<0.05	5	0.5	<0.2
CAE442649	Soil	17	67	0.97	582	0.130	<1	1.90	0.011	0.53	<0.1	0.02	3.6	0.3	<0.05	6	<0.5	<0.2
CAE442650	Soil	18	86	1.21	849	0.158	<1	2.16	0.010	0.82	0.1	0.02	3.4	0.3	<0.05	7	0.5	<0.2
CAE442651	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
CAE442851	Soil	25	82	1.15	943	0.148	<1	2.10	0.010	0.74	0.1	0.03	3.8	0.3	<0.05	7	<0.5	<0.2
CAE442852	Soil	24	30	0.49	145	0.072	<1	1.32	0.012	0.18	0.1	0.02	2.6	0.2	<0.05	6	<0.5	<0.2
CAE442853	Soil	11	26	0.37	202	0.043	2	0.91	0.016	0.08	0.2	0.04	2.4	0.1	<0.05	4	<0.5	<0.2
CAE442854	Soil	13	54	0.64	420	0.067	2	1.31	0.013	0.35	0.2	0.06	3.7	0.3	<0.05	5	0.5	<0.2
CAE442855	Soil	20	70	1.04	617	0.109	<1	1.95	0.011	0.64	0.1	0.02	4.3	0.4	<0.05	7	0.6	<0.2
CAE442856	Soil	23	43	0.82	450	0.099	1	1.42	0.010	0.59	0.1	0.02	3.7	0.8	<0.05	5	<0.5	<0.2
CAE442857	Soil	19	34	0.52	390	0.073	2	1.52	0.020	0.08	0.2	0.06	4.5	0.2	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 10, 2012

CERTIFICATE OF ANALYSIS DAW12000125.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
CAE442858	Soil	0.8	22.5	6.9	56	<0.1	20.7	9.9	377	2.36	12.2	1.4	7.0	3.8	29	0.2	1.3	0.1	56	0.50	0.075
CAE442859	Soil	0.9	30.0	8.0	53	0.1	26.6	9.7	402	2.43	10.1	1.1	2.7	3.9	36	0.2	1.1	0.1	59	0.68	0.071
CAE442860	Soil	0.8	31.1	7.3	53	0.1	26.6	10.3	409	2.53	9.6	1.3	3.9	4.0	40	0.2	0.8	<0.1	61	0.73	0.070
CAE442861	Soil	0.9	23.3	8.2	37	0.2	14.8	6.1	138	1.67	6.0	1.4	2.4	3.6	30	0.3	0.7	<0.1	37	0.40	0.047
CAE442862	Soil	0.7	23.9	7.2	49	<0.1	20.7	9.3	385	2.28	8.1	1.1	5.7	4.1	32	0.1	0.7	<0.1	53	0.59	0.067
CAE442863	Soil	0.7	18.9	9.5	51	0.2	15.9	6.4	153	2.16	8.8	1.6	2.1	4.2	31	0.2	0.7	0.1	46	0.47	0.062
CAE442864	Soil	1.4	16.5	8.8	48	0.1	27.2	11.6	374	2.72	8.8	0.9	4.9	3.6	26	<0.1	0.5	<0.1	60	0.41	0.026
CAE442865	Soil	0.8	39.0	5.3	82	<0.1	63.0	15.3	366	3.80	2.8	1.2	<0.5	5.0	21	<0.1	0.2	<0.1	93	0.48	0.101
CAE442866	Soil	0.9	15.1	9.1	53	<0.1	36.4	8.7	652	2.78	3.6	1.3	<0.5	8.9	24	<0.1	0.3	0.1	46	0.39	0.063
CAE442867	Soil	0.4	34.0	4.5	32	<0.1	554.8	29.0	336	2.39	5.7	0.6	4.6	3.7	79	<0.1	0.3	<0.1	35	3.96	0.021
CAE442868	Soil	0.9	17.1	8.7	40	<0.1	299.6	24.3	373	2.90	5.9	0.4	1.7	3.1	20	<0.1	0.3	<0.1	51	0.39	0.022
CAE442869	Soil	0.6	35.9	6.1	61	<0.1	78.0	13.2	391	2.66	7.5	0.4	3.0	3.1	48	0.3	0.5	<0.1	61	1.66	0.074
CAE442870	Soil	0.2	26.6	4.5	36	<0.1	523.7	32.0	250	2.63	2.8	0.9	3.8	3.8	32	<0.1	0.2	<0.1	39	0.57	0.032
CAE442871	Soil	0.6	37.9	6.0	57	<0.1	142.5	16.6	438	2.64	6.4	0.5	7.0	4.0	52	0.2	0.5	<0.1	52	1.03	0.078
CAE442872	Soil	0.5	21.5	6.9	41	<0.1	75.5	10.4	285	2.32	7.6	0.5	3.3	3.3	40	<0.1	0.5	<0.1	48	0.59	0.051
CAE442873	Soil	0.6	21.0	6.6	43	<0.1	506.2	31.2	480	2.83	7.7	0.5	2.2	3.2	37	<0.1	0.5	<0.1	45	0.76	0.015
CAE442874	Soil	0.5	27.4	5.9	36	<0.1	577.3	34.0	380	2.69	4.5	0.7	5.6	4.8	61	<0.1	0.4	<0.1	40	1.79	0.028
CAE442875	Soil	0.4	33.2	4.5	32	<0.1	581.6	33.8	291	2.68	3.0	0.8	5.5	6.5	57	<0.1	0.3	<0.1	35	1.01	0.037
CAE442876	Soil	0.4	27.6	6.5	35	<0.1	208.1	18.0	490	2.44	5.5	0.5	2.9	5.0	42	<0.1	0.4	<0.1	43	0.61	0.018
CAE442877	Soil	0.8	39.8	6.7	40	0.1	232.9	19.9	388	2.78	6.2	1.0	3.5	5.4	36	<0.1	0.4	<0.1	45	0.64	0.026
CAE442878	Soil	0.6	61.2	6.1	27	<0.1	249.1	39.5	413	3.10	4.9	0.7	0.5	2.9	26	<0.1	0.4	<0.1	32	0.53	0.013
CAE442879	Soil	0.7	131.2	3.2	31	0.1	491.6	47.1	503	3.41	3.0	4.1	4.2	4.7	59	<0.1	0.3	<0.1	27	1.09	0.041
CAE442880	Soil	1.0	32.3	7.3	46	<0.1	34.9	12.0	367	2.69	10.1	1.1	3.2	4.3	30	<0.1	0.8	<0.1	56	0.38	0.055
CAE442881	Soil	0.3	50.7	1.7	12	<0.1	39.9	8.6	114	1.03	1.5	0.3	2.0	1.1	14	<0.1	0.1	<0.1	19	0.24	0.023
CAE442882	Soil	1.3	17.5	7.7	39	<0.1	22.7	9.1	230	2.35	6.6	0.6	3.4	1.6	24	<0.1	0.4	<0.1	55	0.29	0.036
CAE442883	Soil	0.6	67.0	1.9	60	<0.1	30.5	16.1	226	2.25	2.5	0.9	2.8	4.7	14	<0.1	0.2	<0.1	49	0.35	0.072
CAE442884	Soil	1.0	35.0	5.1	46	<0.1	28.0	10.6	323	2.49	8.7	1.3	3.7	3.7	44	<0.1	0.8	<0.1	53	0.70	0.077
CAE442885	Soil	0.5	19.9	2.8	49	<0.1	19.1	12.0	328	2.56	3.5	0.7	2.5	3.0	26	<0.1	0.2	<0.1	48	0.58	0.124
CAE442886	Soil	0.3	21.3	2.4	30	<0.1	24.1	13.3	319	2.22	3.2	0.5	2.4	2.0	40	<0.1	0.4	<0.1	58	0.69	0.116
CAE442887	Soil	0.3	22.3	2.6	32	<0.1	24.9	13.4	314	2.22	2.6	0.5	0.6	1.9	39	<0.1	0.4	<0.1	56	0.68	0.123

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 10, 2012

CERTIFICATE OF ANALYSIS DAW12000125.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
CAE442858	Soil	14	31	0.49	284	0.069	<1	1.25	0.021	0.04	0.2	0.03	3.8	<0.1	<0.05	4	0.6	<0.2
CAE442859	Soil	14	34	0.55	292	0.083	1	1.40	0.031	0.06	0.2	0.03	4.6	<0.1	<0.05	4	<0.5	<0.2
CAE442860	Soil	14	33	0.56	337	0.087	1	1.42	0.034	0.05	0.2	0.04	4.7	<0.1	<0.05	5	<0.5	<0.2
CAE442861	Soil	16	24	0.29	285	0.064	1	1.09	0.020	0.06	0.1	0.04	3.1	<0.1	<0.05	4	<0.5	<0.2
CAE442862	Soil	15	29	0.48	255	0.068	<1	1.31	0.025	0.04	0.2	0.02	4.2	<0.1	<0.05	4	<0.5	<0.2
CAE442863	Soil	19	27	0.39	274	0.069	1	1.30	0.022	0.07	0.1	0.04	3.8	0.1	<0.05	5	<0.5	<0.2
CAE442864	Soil	13	41	0.54	361	0.074	2	1.49	0.018	0.15	0.1	0.02	5.2	<0.1	<0.05	5	<0.5	<0.2
CAE442865	Soil	15	123	1.50	667	0.123	<1	2.36	0.010	0.75	<0.1	0.01	8.7	0.3	<0.05	8	0.5	<0.2
CAE442866	Soil	40	37	0.58	393	0.081	1	1.49	0.015	0.39	0.1	<0.01	4.1	0.3	<0.05	7	<0.5	<0.2
CAE442867	Soil	11	158	3.66	305	0.050	2	1.42	0.021	0.04	<0.1	0.07	4.3	0.2	<0.05	4	<0.5	<0.2
CAE442868	Soil	8	120	1.58	241	0.059	2	1.60	0.016	0.13	0.1	0.02	5.3	<0.1	<0.05	5	<0.5	<0.2
CAE442869	Soil	11	47	1.06	221	0.087	2	1.41	0.041	0.11	0.2	0.02	4.3	0.1	<0.05	5	<0.5	<0.2
CAE442870	Soil	10	189	3.25	312	0.085	2	1.90	0.029	0.11	<0.1	0.02	4.0	0.2	<0.05	5	<0.5	<0.2
CAE442871	Soil	13	68	1.24	266	0.094	2	1.44	0.036	0.11	0.1	0.02	4.8	0.1	<0.05	5	<0.5	<0.2
CAE442872	Soil	12	44	0.77	269	0.068	2	1.30	0.030	0.05	0.1	0.04	4.9	<0.1	<0.05	4	<0.5	<0.2
CAE442873	Soil	15	115	2.29	263	0.059	2	1.27	0.022	0.04	0.1	0.03	5.2	<0.1	<0.05	4	<0.5	<0.2
CAE442874	Soil	14	181	3.56	192	0.073	5	1.54	0.027	0.04	<0.1	0.05	5.5	0.1	<0.05	4	<0.5	<0.2
CAE442875	Soil	15	148	3.42	237	0.063	5	1.46	0.026	0.06	<0.1	0.04	4.6	<0.1	<0.05	4	1.3	<0.2
CAE442876	Soil	12	123	1.45	238	0.065	3	1.35	0.026	0.07	0.1	0.02	4.5	<0.1	<0.05	4	<0.5	<0.2
CAE442877	Soil	15	98	1.68	229	0.074	2	1.82	0.064	0.05	<0.1	0.01	5.2	<0.1	<0.05	5	<0.5	<0.2
CAE442878	Soil	8	119	1.94	140	0.047	3	1.51	0.022	0.06	<0.1	0.01	4.3	0.1	<0.05	3	<0.5	<0.2
CAE442879	Soil	9	136	2.42	346	0.047	6	1.25	0.021	0.08	<0.1	0.02	3.9	0.2	<0.05	3	0.7	<0.2
CAE442880	Soil	18	39	0.58	187	0.090	2	1.36	0.026	0.12	0.2	0.04	6.7	<0.1	<0.05	5	<0.5	<0.2
CAE442881	Soil	4	58	0.45	81	0.056	<1	0.66	0.009	0.07	<0.1	<0.01	2.6	<0.1	<0.05	2	<0.5	<0.2
CAE442882	Soil	8	37	0.47	224	0.063	1	1.47	0.015	0.06	0.1	0.02	3.3	<0.1	<0.05	5	<0.5	<0.2
CAE442883	Soil	4	50	0.84	257	0.129	<1	1.25	0.011	0.43	<0.1	<0.01	2.9	0.2	<0.05	4	<0.5	<0.2
CAE442884	Soil	15	39	0.64	358	0.081	2	1.38	0.023	0.14	0.2	0.03	5.1	<0.1	<0.05	5	0.6	<0.2
CAE442885	Soil	6	86	1.01	310	0.130	1	1.47	0.017	0.34	0.1	<0.01	3.1	0.2	<0.05	5	<0.5	<0.2
CAE442886	Soil	8	68	1.02	204	0.102	1	1.28	0.018	0.09	<0.1	0.01	6.2	<0.1	<0.05	4	<0.5	<0.2
CAE442887	Soil	8	67	1.04	209	0.097	<1	1.28	0.017	0.09	<0.1	<0.01	6.1	<0.1	<0.05	4	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 10, 2012

CERTIFICATE OF ANALYSIS DAW12000125.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
CAE442888	Soil	1.7	42.6	7.9	80	0.1	38.3	10.3	478	2.90	15.3	1.6	4.4	6.9	36	<0.1	0.7	0.3	58	0.37	0.075
CAE442889	Soil	1.8	21.8	10.2	53	0.2	28.6	9.5	393	2.46	13.9	1.1	3.0	4.6	29	0.1	1.2	0.1	52	0.34	0.042
CAE442890	Soil	1.8	76.4	6.4	134	0.2	48.9	10.1	591	3.29	9.3	3.2	4.9	9.6	47	0.2	0.6	0.4	77	0.30	0.106
CAE442891	Soil	1.3	26.8	8.5	59	0.1	31.5	9.8	293	2.77	10.5	1.1	1.4	5.3	32	0.1	0.6	0.1	62	0.35	0.043
CAE442892	Soil	2.2	66.5	10.3	131	<0.1	56.2	14.6	462	3.62	9.7	3.3	3.5	11.7	31	0.2	0.5	0.6	79	0.43	0.124
CAE442893	Soil	2.2	35.4	8.3	74	<0.1	31.8	9.2	341	2.54	26.5	2.0	1.3	7.8	25	0.1	1.1	0.3	51	0.34	0.075
CAE442894	Soil	3.7	48.7	10.7	106	0.2	44.8	8.6	434	2.83	29.2	2.5	3.7	9.6	29	0.3	2.2	0.4	43	0.43	0.124
CAE442895	Soil	2.2	45.6	5.5	131	0.1	69.8	14.1	427	3.68	14.2	1.5	2.1	6.0	30	0.2	0.5	<0.1	119	0.51	0.139
CAE442896	Soil	0.7	27.4	6.7	47	<0.1	30.7	10.2	258	2.96	10.9	0.8	1.0	5.0	26	<0.1	1.0	<0.1	64	0.30	0.033
CAE442897	Soil	0.5	20.9	2.9	21	<0.1	26.8	9.7	160	1.38	3.8	0.2	<0.5	1.3	12	<0.1	0.2	<0.1	30	0.21	0.027
CAE442898	Soil	0.3	38.3	2.7	14	<0.1	47.7	13.5	130	1.25	3.4	0.2	0.9	1.2	13	<0.1	0.2	<0.1	23	0.24	0.015
CAE442899	Soil	0.7	29.2	4.3	27	<0.1	25.5	10.5	257	1.86	5.8	0.4	2.6	2.4	17	<0.1	0.4	<0.1	43	0.26	0.023
CAE442900	Soil	0.6	22.8	5.5	31	<0.1	24.1	8.4	159	2.00	6.1	0.3	3.2	2.7	14	<0.1	0.5	<0.1	46	0.16	0.014
CAE442901	Soil	0.7	25.0	5.3	27	<0.1	36.3	12.4	260	1.78	4.5	0.3	0.7	2.1	22	<0.1	0.3	<0.1	39	0.29	0.035
CAE442902	Soil	0.7	21.6	5.6	35	<0.1	27.9	10.7	253	2.42	7.0	0.5	1.5	3.7	22	<0.1	0.4	<0.1	56	0.31	0.021
CAE442903	Soil	0.6	20.9	5.3	37	0.1	26.6	10.6	275	2.12	5.9	0.4	3.0	2.7	27	<0.1	0.5	0.2	50	0.43	0.023
CAE442904	Soil	0.5	49.2	4.8	39	<0.1	32.5	12.4	219	2.45	6.7	0.5	3.1	3.7	19	<0.1	0.5	<0.1	70	0.27	0.022
CAE442905	Soil	0.3	28.9	3.3	56	<0.1	26.2	15.3	497	3.14	3.7	0.8	<0.5	9.2	28	<0.1	0.2	<0.1	70	0.39	0.097
CAE442906	Soil	0.3	25.3	2.0	17	<0.1	15.1	12.2	132	1.35	3.4	0.2	1.1	1.3	31	<0.1	0.1	<0.1	22	0.36	0.008
CAE442907	Soil	1.0	22.9	8.0	42	<0.1	26.5	11.5	271	2.79	8.6	1.2	2.2	5.1	19	<0.1	0.5	0.1	63	0.24	0.018
CAE442908	Soil	0.5	31.3	3.7	33	<0.1	38.8	15.3	259	2.20	3.6	0.6	2.2	2.5	21	<0.1	0.2	<0.1	48	0.37	0.034
CAE442909	Soil	0.7	28.8	5.7	46	<0.1	36.8	13.4	343	2.88	6.5	0.5	1.8	4.2	21	<0.1	0.3	0.2	66	0.37	0.058
CAE442910	Soil	0.9	33.0	4.9	51	<0.1	37.7	13.2	375	2.87	5.1	0.5	1.4	4.9	23	<0.1	0.3	<0.1	63	0.47	0.089
CAE442911	Soil	0.5	31.8	6.4	40	<0.1	33.9	10.8	356	2.48	7.7	0.9	2.2	3.8	26	<0.1	0.4	<0.1	58	0.42	0.051
CAE442912	Soil	0.9	30.0	7.4	41	<0.1	30.3	10.5	311	2.51	7.8	1.0	2.4	3.5	27	<0.1	0.3	0.1	61	0.42	0.040
CAE442913	Soil	0.8	43.7	6.6	39	<0.1	53.6	13.2	294	2.37	7.0	1.0	1.9	3.4	29	0.1	0.3	<0.1	55	0.49	0.044

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 10, 2012

CERTIFICATE OF ANALYSIS DAW12000125.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
CAE442888	Soil	20	44	0.73	263	0.116	<1	1.57	0.018	0.51	0.4	0.02	5.8	0.3	<0.05	5	0.7	<0.2
CAE442889	Soil	14	33	0.44	226	0.061	<1	1.31	0.016	0.08	0.1	0.02	4.3	<0.1	<0.05	4	<0.5	<0.2
CAE442890	Soil	31	52	1.05	333	0.142	<1	1.75	0.008	0.96	<0.1	0.02	5.9	0.6	<0.05	7	1.9	<0.2
CAE442891	Soil	14	42	0.64	209	0.102	3	1.62	0.016	0.22	0.1	0.02	5.9	0.2	<0.05	5	<0.5	<0.2
CAE442892	Soil	28	46	1.17	747	0.138	<1	2.02	0.011	0.80	0.2	0.02	6.5	0.6	<0.05	7	1.1	<0.2
CAE442893	Soil	21	32	0.58	262	0.074	<1	1.37	0.012	0.26	0.2	0.01	4.5	0.2	<0.05	5	0.9	<0.2
CAE442894	Soil	25	26	0.45	263	0.038	<1	1.07	0.008	0.29	0.2	0.02	4.9	0.2	<0.05	4	1.5	<0.2
CAE442895	Soil	15	109	1.57	842	0.202	1	2.45	0.011	1.03	<0.1	<0.01	5.1	0.4	<0.05	9	0.5	<0.2
CAE442896	Soil	14	49	0.68	273	0.124	2	1.86	0.015	0.17	0.1	0.01	7.5	0.1	<0.05	5	0.6	<0.2
CAE442897	Soil	3	33	0.32	143	0.046	<1	0.91	0.009	0.05	<0.1	<0.01	2.6	<0.1	<0.05	2	<0.5	<0.2
CAE442898	Soil	4	34	0.58	85	0.057	<1	0.94	0.011	0.04	<0.1	<0.01	2.9	<0.1	<0.05	2	<0.5	<0.2
CAE442899	Soil	7	52	0.51	207	0.072	<1	1.19	0.010	0.11	<0.1	0.01	4.3	<0.1	<0.05	3	<0.5	<0.2
CAE442900	Soil	6	35	0.47	130	0.063	<1	1.36	0.010	0.05	<0.1	<0.01	3.0	<0.1	<0.05	4	<0.5	<0.2
CAE442901	Soil	6	55	0.57	232	0.059	<1	1.25	0.010	0.05	<0.1	<0.01	3.0	<0.1	<0.05	3	<0.5	<0.2
CAE442902	Soil	8	49	0.60	212	0.091	<1	1.47	0.013	0.11	0.1	<0.01	4.1	<0.1	<0.05	4	<0.5	<0.2
CAE442903	Soil	7	46	0.52	246	0.074	1	1.29	0.011	0.10	0.1	0.01	3.6	<0.1	<0.05	4	<0.5	<0.2
CAE442904	Soil	10	41	0.73	195	0.115	<1	1.48	0.012	0.18	0.1	0.01	5.7	0.1	<0.05	5	<0.5	<0.2
CAE442905	Soil	12	70	1.65	681	0.234	<1	2.30	0.011	1.04	<0.1	<0.01	2.5	0.5	<0.05	6	<0.5	<0.2
CAE442906	Soil	3	31	1.01	137	0.088	<1	1.36	0.006	0.21	<0.1	<0.01	1.9	<0.1	<0.05	2	<0.5	<0.2
CAE442907	Soil	21	45	0.58	286	0.080	1	1.61	0.015	0.06	<0.1	0.02	6.6	<0.1	<0.05	5	<0.5	<0.2
CAE442908	Soil	10	79	1.11	277	0.078	<1	1.64	0.011	0.16	<0.1	<0.01	4.6	0.1	<0.05	4	<0.5	<0.2
CAE442909	Soil	12	66	0.91	287	0.117	<1	1.75	0.013	0.23	0.1	0.01	3.9	0.2	<0.05	5	<0.5	<0.2
CAE442910	Soil	15	64	1.06	401	0.132	<1	1.89	0.013	0.35	<0.1	0.02	3.7	0.2	<0.05	6	<0.5	<0.2
CAE442911	Soil	11	43	0.57	300	0.067	<1	1.45	0.019	0.05	0.1	0.04	4.6	<0.1	<0.05	4	<0.5	<0.2
CAE442912	Soil	15	46	0.57	363	0.062	<1	1.51	0.017	0.04	0.1	0.03	4.2	<0.1	<0.05	5	<0.5	<0.2
CAE442913	Soil	12	61	0.78	311	0.064	1	1.51	0.018	0.04	0.1	0.02	4.2	<0.1	<0.05	4	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 10, 2012

QUALITY CONTROL REPORT DAW12000125.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Pulp Duplicates																					
CAE442607	Soil	0.2	28.2	3.6	43	<0.1	166.6	14.3	239	1.73	2.2	0.7	2.3	3.3	28	0.2	0.3	0.1	35	0.47	0.069
REP CAE442607	QC	0.2	26.8	3.7	39	<0.1	160.3	14.1	229	1.69	2.5	0.6	23.2	3.3	29	0.1	0.3	<0.1	35	0.47	0.071
CAE442627	Soil	1.2	52.1	5.0	97	<0.1	56.4	14.3	430	4.04	4.4	0.7	<0.5	5.7	21	<0.1	0.3	<0.1	87	0.33	0.087
REP CAE442627	QC	1.2	51.5	4.9	100	<0.1	57.3	15.1	429	3.99	4.6	0.8	0.9	5.6	21	<0.1	0.2	<0.1	87	0.34	0.088
CAE442643	Soil	0.3	13.7	4.8	46	<0.1	169.2	15.7	287	1.95	4.3	0.7	4.1	2.4	27	0.1	0.3	<0.1	45	0.49	0.067
REP CAE442643	QC	0.4	14.2	4.9	47	<0.1	178.7	16.1	300	2.04	4.9	0.7	10.4	2.4	27	0.1	0.3	<0.1	46	0.50	0.068
CAE442863	Soil	0.7	18.9	9.5	51	0.2	15.9	6.4	153	2.16	8.8	1.6	2.1	4.2	31	0.2	0.7	0.1	46	0.47	0.062
REP CAE442863	QC	0.8	18.2	10.2	51	0.2	16.0	6.5	152	2.12	8.8	1.6	3.0	4.2	30	0.2	0.7	0.1	47	0.47	0.063
CAE442879	Soil	0.7	131.2	3.2	31	0.1	491.6	47.1	503	3.41	3.0	4.1	4.2	4.7	59	<0.1	0.3	<0.1	27	1.09	0.041
REP CAE442879	QC	0.7	129.3	3.2	32	0.1	496.0	47.6	486	3.34	2.9	4.3	4.8	5.4	59	<0.1	0.3	<0.1	28	1.07	0.041
CAE442899	Soil	0.7	29.2	4.3	27	<0.1	25.5	10.5	257	1.86	5.8	0.4	2.6	2.4	17	<0.1	0.4	<0.1	43	0.26	0.023
REP CAE442899	QC	0.6	29.5	4.3	28	<0.1	26.9	10.7	258	1.93	5.5	0.4	1.3	2.5	18	<0.1	0.4	<0.1	44	0.28	0.022
Reference Materials																					
STD DS9	Standard	12.9	111.4	119.0	314	1.9	39.6	7.6	561	2.29	26.0	2.8	106.9	6.1	76	2.3	6.1	6.4	42	0.67	0.083
STD DS9	Standard	13.4	108.5	127.3	302	1.9	40.4	7.6	580	2.37	25.0	2.8	116.3	6.5	63	2.4	4.7	4.9	43	0.72	0.082
STD DS9	Standard	13.5	107.0	124.8	295	1.9	39.7	7.3	580	2.30	24.9	2.9	123.9	6.4	66	2.4	5.1	4.6	43	0.72	0.081
STD DS9	Standard	12.6	102.5	122.3	291	1.8	37.8	7.2	564	2.20	25.4	3.0	112.1	6.7	82	2.3	6.1	7.3	38	0.70	0.074
STD DS9 Expected		12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40	0.7201	0.0819
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	5	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 10, 2012

QUALITY CONTROL REPORT DAW12000125.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																		
CAE442607	Soil	10	63	1.02	240	0.066	2	1.04	0.016	0.04	0.1	0.04	3.7	<0.1	<0.05	3	<0.5	<0.2
REP CAE442607	QC	10	61	1.02	238	0.067	1	1.05	0.016	0.04	0.2	0.03	3.6	<0.1	<0.05	3	0.6	<0.2
CAE442627	Soil	14	88	1.55	678	0.226	<1	2.54	0.009	1.18	0.1	0.01	3.7	0.4	<0.05	8	<0.5	<0.2
REP CAE442627	QC	13	89	1.59	672	0.232	<1	2.64	0.009	1.12	0.1	<0.01	3.7	0.4	<0.05	8	<0.5	<0.2
CAE442643	Soil	10	62	0.99	198	0.057	2	1.09	0.021	0.04	0.2	0.04	3.3	<0.1	<0.05	3	<0.5	<0.2
REP CAE442643	QC	10	65	1.01	198	0.059	2	1.09	0.021	0.04	0.2	0.03	3.3	<0.1	<0.05	3	<0.5	<0.2
CAE442863	Soil	19	27	0.39	274	0.069	1	1.30	0.022	0.07	0.1	0.04	3.8	0.1	<0.05	5	<0.5	<0.2
REP CAE442863	QC	19	27	0.38	262	0.069	<1	1.27	0.021	0.07	0.2	0.04	3.8	<0.1	<0.05	5	<0.5	<0.2
CAE442879	Soil	9	136	2.42	346	0.047	6	1.25	0.021	0.08	<0.1	0.02	3.9	0.2	<0.05	3	0.7	<0.2
REP CAE442879	QC	9	132	2.40	354	0.045	7	1.25	0.020	0.08	<0.1	0.02	3.7	0.1	<0.05	3	0.8	<0.2
CAE442899	Soil	7	52	0.51	207	0.072	<1	1.19	0.010	0.11	<0.1	0.01	4.3	<0.1	<0.05	3	<0.5	<0.2
REP CAE442899	QC	7	54	0.51	206	0.078	2	1.17	0.011	0.11	0.1	<0.01	4.4	<0.1	<0.05	4	<0.5	<0.2
Reference Materials																		
STD DS9	Standard	12	122	0.61	304	0.114	2	0.95	0.103	0.36	3.0	0.19	2.5	5.6	0.12	5	5.3	4.7
STD DS9	Standard	12	123	0.64	304	0.103	3	0.93	0.084	0.37	3.0	0.23	2.3	5.7	0.15	5	5.3	5.5
STD DS9	Standard	14	121	0.63	307	0.104	3	0.95	0.090	0.35	3.0	0.19	2.4	5.5	0.12	5	5.4	4.9
STD DS9	Standard	14	110	0.59	304	0.113	3	0.89	0.088	0.34	2.9	0.20	2.5	5.3	0.06	4	5.1	5.1
STD DS9 Expected		13.3	121	0.6165	295	0.1108		0.9577	0.0853	0.395	2.89	0.2	2.5	5.3	0.1615	4.59	5.2	5.02
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.