Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Submitted By: Jean-Pierre Londero
Receiving Lab: Canada-Dawson City
Received: July 30, 2012
Report Date: August 10, 2012

CERTIFICATE OF ANALYSIS DAW12000178.1

CLIENT JOB INFORMATION

Project: White Gold
Shipment ID: WG02142012
P.O. Number
Number of Samples: 112

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT-SOIL Store Soil Reject - RJSV Charges Apply

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	112	Dry at 60C sieve 100g to -80 mesh			DAW
Dry at 60C	112	Dry at 60C			DAW
RJSV	112	Saving all or part of Soil Reject			DAW
1DX2	112	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Selene Holdings LP
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8
Canada

CC: Keith Fowlow

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 10, 2012

CERTIFICATE OF ANALYSIS DAW12000178.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
CAE443401	Soil	0.7	49.7	7.0	74	<0.1	22.9	15.1	460	3.15	6.5	0.8	2.7	2.9	32	0.1	0.8	0.1	75	0.61	0.060
CAE443402	Soil	0.5	46.3	6.8	63	0.1	23.2	12.9	391	2.93	6.3	1.2	4.7	2.8	33	<0.1	0.8	0.1	67	0.61	0.056
CAE443403	Soil	0.5	45.7	6.6	60	0.1	24.1	11.9	404	2.86	6.8	1.1	4.1	2.8	42	0.1	0.7	0.1	64	0.79	0.056
CAE443404	Soil	0.7	43.3	6.5	70	<0.1	21.2	14.8	433	3.45	6.1	0.7	2.5	2.9	31	0.1	0.6	<0.1	83	0.62	0.053
CAE443405	Soil	0.7	38.9	6.5	64	0.1	22.5	13.8	425	3.10	6.6	0.8	5.4	2.7	35	0.1	0.5	<0.1	70	0.66	0.066
CAE443406	Soil	0.6	37.6	5.4	85	<0.1	15.2	17.4	449	3.53	3.1	0.6	1.1	4.0	27	0.2	0.5	<0.1	78	0.66	0.102
CAE443407	Soil	0.6	41.6	6.7	71	<0.1	21.5	15.9	457	3.39	5.8	0.8	2.5	3.6	29	0.1	0.6	<0.1	74	0.63	0.085
CAE443408	Soil	0.6	39.7	7.5	64	<0.1	22.4	14.3	465	3.22	6.6	1.1	4.0	4.2	41	0.1	0.6	0.1	75	0.61	0.063
CAE443409	Soil	1.0	21.6	4.7	173	<0.1	13.2	14.4	751	3.90	2.2	1.0	<0.5	13.0	23	0.4	0.3	<0.1	72	0.41	0.084
CAE443410	Soil	0.8	36.8	7.1	64	<0.1	19.1	16.2	468	3.16	6.1	0.9	3.6	3.6	30	0.1	0.5	0.1	75	0.47	0.060
CAE443411	Soil	0.6	25.5	6.1	70	0.1	17.1	14.0	350	2.81	4.9	0.7	1.7	2.8	37	0.2	0.6	<0.1	64	0.48	0.053
CAE443412	Soil	0.9	40.0	6.4	65	0.2	21.9	12.7	416	2.98	6.3	1.2	2.9	2.8	50	0.3	0.8	<0.1	62	0.70	0.053
CAE443413	Soil	0.9	30.6	6.3	62	0.1	19.4	13.1	446	2.92	5.7	0.9	3.1	3.1	40	<0.1	0.6	<0.1	64	0.59	0.046
CAE443414	Soil	0.7	27.6	7.1	78	0.2	18.0	12.6	300	2.55	3.7	0.7	3.2	2.5	32	0.2	0.5	<0.1	61	0.44	0.054
CAE443415	Soil	0.9	27.5	8.7	55	<0.1	17.7	11.2	335	3.01	6.8	0.6	2.8	2.5	21	<0.1	0.4	<0.1	73	0.30	0.042
CAE443416	Soil	1.6	35.3	9.8	58	0.3	18.9	14.7	937	3.80	10.7	0.8	0.9	2.4	24	0.2	0.5	0.2	98	0.30	0.073
CAE443417	Soil	0.5	53.0	4.9	76	<0.1	21.9	14.9	458	3.75	6.6	0.6	1.7	2.6	30	<0.1	0.4	<0.1	100	0.47	0.054
CAE443418	Soil	1.1	38.8	7.1	86	0.1	18.2	13.0	520	3.64	8.6	0.3	1.0	1.8	21	0.2	0.5	<0.1	96	0.28	0.030
CAE443419	Soil	0.9	30.4	6.6	58	0.2	16.7	12.0	334	3.00	7.2	0.3	1.7	1.9	20	<0.1	0.4	<0.1	78	0.25	0.027
CAE443420	Soil	0.7	53.7	5.3	96	<0.1	18.6	15.3	497	3.89	6.0	0.3	0.9	2.0	25	0.1	0.3	<0.1	103	0.36	0.031
CAE443421	Soil	0.8	34.1	5.4	69	<0.1	22.2	15.3	599	3.44	6.7	0.3	1.4	1.9	26	0.1	0.4	<0.1	78	0.38	0.045
CAE443422	Soil	0.5	63.9	2.7	104	0.1	16.3	20.1	467	4.26	3.8	0.2	<0.5	1.4	25	<0.1	0.3	<0.1	110	0.65	0.121
CAE443423	Soil	0.4	58.5	3.0	65	<0.1	29.4	20.8	447	4.23	4.1	0.4	<0.5	3.1	22	<0.1	0.1	<0.1	105	0.47	0.070
CAE443424	Soil	0.6	50.3	3.0	61	<0.1	22.7	21.0	468	3.62	4.0	0.2	1.7	1.2	34	<0.1	0.2	<0.1	94	0.49	0.047
CAE443425	Soil	1.0	28.1	6.6	65	0.2	21.4	18.2	653	3.23	5.1	0.3	0.9	1.6	34	0.1	0.4	<0.1	79	0.46	0.028
CAE443426	Soil	0.6	48.7	6.2	75	<0.1	21.8	20.0	460	3.78	5.4	0.2	0.7	1.2	27	<0.1	0.3	<0.1	89	0.37	0.037
CAE443427	Soil	0.6	60.5	4.7	74	<0.1	27.9	20.7	488	4.09	4.5	0.4	2.0	3.0	26	<0.1	0.3	<0.1	101	0.46	0.047
CAE443428	Soil	1.0	82.1	5.4	76	0.1	26.7	22.3	665	4.48	5.6	0.5	6.7	2.5	30	0.1	1.0	<0.1	115	0.52	0.051
CAE443429	Soil	0.9	53.3	6.3	72	0.2	24.8	20.5	880	3.90	5.2	0.3	1.3	1.8	30	0.1	0.4	<0.1	89	0.51	0.045
CAE443430	Soil	0.7	36.3	6.0	58	0.1	22.4	14.8	376	3.35	6.6	0.4	1.9	2.6	24	<0.1	0.4	<0.1	79	0.36	0.026

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 10, 2012

CERTIFICATE OF ANALYSIS DAW12000178.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
CAE443401	Soil	11	32	0.89	285	0.097	2	1.81	0.021	0.05	0.1	0.05	5.9	<0.1	<0.05	6	<0.5	<0.2
CAE443402	Soil	11	32	0.86	283	0.094	2	1.78	0.026	0.05	0.2	0.05	5.8	<0.1	<0.05	5	0.7	<0.2
CAE443403	Soil	11	32	0.80	320	0.089	2	1.78	0.032	0.05	0.2	0.04	5.4	<0.1	<0.05	5	<0.5	<0.2
CAE443404	Soil	10	33	0.93	276	0.108	2	1.96	0.030	0.09	0.1	0.04	6.5	<0.1	<0.05	6	<0.5	<0.2
CAE443405	Soil	11	33	0.83	267	0.084	3	1.73	0.025	0.04	0.1	0.04	5.8	<0.1	<0.05	5	<0.5	<0.2
CAE443406	Soil	10	24	0.96	199	0.093	2	1.76	0.023	0.15	<0.1	0.01	6.1	<0.1	<0.05	6	<0.5	<0.2
CAE443407	Soil	13	31	0.86	236	0.084	2	1.68	0.026	0.08	0.1	0.03	6.7	<0.1	<0.05	6	<0.5	<0.2
CAE443408	Soil	13	36	0.87	311	0.109	2	1.82	0.028	0.06	<0.1	0.03	6.1	<0.1	<0.05	6	<0.5	<0.2
CAE443409	Soil	16	13	1.16	670	0.122	2	1.73	0.008	0.56	<0.1	0.01	5.2	0.4	<0.05	10	<0.5	<0.2
CAE443410	Soil	12	31	0.81	271	0.089	3	1.64	0.026	0.06	<0.1	0.03	6.2	<0.1	<0.05	5	<0.5	<0.2
CAE443411	Soil	12	28	0.72	347	0.074	2	1.45	0.022	0.05	0.1	0.04	5.3	<0.1	<0.05	6	<0.5	<0.2
CAE443412	Soil	15	31	0.74	394	0.076	2	1.65	0.020	0.05	0.2	0.07	5.9	<0.1	<0.05	6	0.7	<0.2
CAE443413	Soil	12	31	0.71	321	0.089	2	1.58	0.019	0.04	0.2	0.03	4.8	<0.1	<0.05	6	<0.5	<0.2
CAE443414	Soil	12	31	0.82	340	0.079	2	1.71	0.020	0.04	0.1	0.07	5.5	0.1	<0.05	7	1.0	<0.2
CAE443415	Soil	10	35	0.72	221	0.067	2	1.66	0.014	0.03	0.1	0.03	4.3	<0.1	<0.05	6	0.7	<0.2
CAE443416	Soil	13	39	0.57	366	0.066	2	2.11	0.013	0.04	0.1	0.03	5.1	0.2	<0.05	9	<0.5	<0.2
CAE443417	Soil	11	36	0.93	258	0.093	2	1.76	0.025	0.07	0.1	0.03	8.2	0.1	<0.05	7	<0.5	<0.2
CAE443418	Soil	6	30	0.81	218	0.089	2	1.94	0.016	0.05	0.2	0.02	4.4	<0.1	<0.05	7	<0.5	<0.2
CAE443419	Soil	7	31	0.65	234	0.077	1	1.78	0.014	0.03	0.1	0.02	3.6	<0.1	<0.05	6	<0.5	<0.2
CAE443420	Soil	7	34	1.16	239	0.133	1	2.08	0.018	0.06	<0.1	0.02	4.6	<0.1	<0.05	8	<0.5	<0.2
CAE443421	Soil	7	42	0.96	437	0.151	1	1.89	0.017	0.27	0.1	0.02	4.2	0.1	<0.05	6	<0.5	<0.2
CAE443422	Soil	4	31	1.54	330	0.193	<1	2.18	0.021	0.21	<0.1	0.01	5.3	<0.1	<0.05	9	<0.5	<0.2
CAE443423	Soil	10	61	1.66	300	0.209	1	2.20	0.015	0.37	<0.1	<0.01	3.5	0.2	<0.05	9	<0.5	<0.2
CAE443424	Soil	3	33	1.59	369	0.233	2	2.21	0.012	0.35	<0.1	<0.01	2.3	0.1	<0.05	7	<0.5	<0.2
CAE443425	Soil	5	35	0.95	379	0.165	2	2.11	0.014	0.13	0.1	0.02	2.6	0.1	<0.05	7	<0.5	<0.2
CAE443426	Soil	3	35	1.58	270	0.224	3	2.54	0.010	0.37	<0.1	0.01	2.4	0.1	<0.05	6	<0.5	<0.2
CAE443427	Soil	12	46	1.74	382	0.207	2	2.31	0.014	0.33	<0.1	0.02	4.8	0.2	<0.05	8	<0.5	<0.2
CAE443428	Soil	7	44	1.49	375	0.177	2	2.44	0.014	0.45	0.1	0.02	7.3	0.2	<0.05	8	<0.5	<0.2
CAE443429	Soil	5	39	1.26	311	0.149	2	2.06	0.013	0.33	0.1	0.01	4.5	0.1	<0.05	7	<0.5	<0.2
CAE443430	Soil	11	37	1.01	288	0.124	<1	1.96	0.017	0.11	0.1	0.01	4.1	<0.1	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 10, 2012

CERTIFICATE OF ANALYSIS DAW12000178.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
CAE443431	Soil	0.6	36.1	5.9	67	0.1	19.4	11.9	370	3.10	5.8	0.5	1.9	3.0	25	<0.1	0.4	<0.1	79	0.37	0.030
CAE443432	Soil	0.6	29.6	5.8	52	<0.1	21.0	12.6	381	2.87	5.5	0.5	5.4	3.1	25	<0.1	0.3	<0.1	68	0.43	0.047
CAE443433	Soil	0.6	54.2	6.8	84	0.2	25.9	19.7	686	4.38	4.1	0.8	4.6	2.5	31	0.2	0.9	<0.1	104	0.68	0.065
CAE443434	Soil	1.2	38.1	20.8	72	0.4	17.1	11.3	434	3.36	4.2	0.6	5.4	1.7	26	0.3	0.3	<0.1	99	0.39	0.042
CAE443435	Soil	1.0	37.6	7.4	59	0.4	19.1	9.4	370	2.66	3.9	0.9	2.2	1.3	31	0.4	0.2	<0.1	67	0.51	0.054
CAE443436	Soil	0.5	32.8	8.6	57	0.2	17.3	13.7	405	2.99	4.3	0.7	4.3	2.3	27	0.1	0.3	<0.1	75	0.51	0.048
CAE443437	Soil	0.2	30.9	4.4	59	<0.1	6.3	15.9	359	2.85	2.3	0.2	1.7	0.7	18	<0.1	0.1	<0.1	79	0.43	0.048
CAE443438	Soil	0.9	29.7	7.4	55	0.2	21.0	13.4	550	3.01	5.8	0.8	4.3	2.5	27	<0.1	0.3	0.1	72	0.49	0.034
CAE443439	Soil	0.5	29.3	4.2	69	<0.1	15.3	15.5	504	3.52	3.6	0.3	3.6	1.5	20	0.1	0.2	<0.1	101	0.49	0.047
CAE443440	Soil	0.5	30.5	4.1	69	<0.1	15.7	15.6	511	3.68	3.6	0.3	2.4	1.4	21	<0.1	0.2	<0.1	106	0.50	0.045
CAE443441	Soil	0.6	29.5	5.2	71	0.1	18.3	12.7	459	3.31	4.3	0.4	4.3	2.1	23	0.1	0.2	<0.1	87	0.50	0.053
CAE443442	Soil	0.6	29.6	6.1	61	0.1	18.7	13.1	401	2.94	5.1	0.6	4.1	2.5	25	0.1	0.3	<0.1	71	0.44	0.042
CAE443443	Soil	0.5	27.2	5.3	60	<0.1	18.6	12.8	366	2.89	4.6	0.6	4.3	2.4	26	0.1	0.3	<0.1	70	0.52	0.043
CAE443444	Soil	0.6	22.7	5.1	59	0.1	15.8	14.7	454	3.01	4.4	0.3	9.6	2.0	21	<0.1	0.3	<0.1	81	0.45	0.049
CAE443445	Soil	0.3	52.4	3.8	91	<0.1	19.9	18.9	477	4.38	4.6	0.5	2.8	2.7	26	0.1	0.3	<0.1	104	0.64	0.075
CAE443446	Soil	0.5	58.1	4.7	66	0.2	25.4	17.0	692	3.40	4.7	0.7	5.7	2.4	27	0.1	0.3	<0.1	90	0.64	0.076
CAE443447	Soil	0.4	46.7	5.2	60	0.2	21.0	17.5	549	3.27	4.3	0.7	5.1	2.2	27	0.1	0.3	<0.1	88	0.62	0.060
CAE443448	Soil	0.5	38.6	6.1	68	0.2	19.4	14.6	407	3.17	4.7	0.6	4.6	2.4	23	0.1	0.3	<0.1	82	0.48	0.048
CAE443449	Soil	0.9	36.5	7.3	51	0.2	19.5	13.1	576	2.84	5.2	0.9	4.0	1.4	30	<0.1	0.4	<0.1	69	0.48	0.062
CAE443450	Soil	0.6	34.0	5.9	72	0.1	16.3	12.5	482	3.10	4.8	0.5	2.8	2.1	22	0.1	0.3	<0.1	77	0.41	0.043
CAE443451	Soil	0.7	26.3	6.1	72	0.1	14.8	14.5	593	3.09	4.9	0.5	3.0	1.7	22	0.1	0.4	<0.1	81	0.44	0.055
CAE443452	Soil	0.8	23.2	4.9	60	0.1	13.6	13.3	487	3.10	4.9	0.5	2.6	1.2	35	0.1	0.4	<0.1	61	0.63	0.061
CAE443453	Soil	0.9	27.1	5.8	69	<0.1	15.5	13.0	368	3.44	6.7	0.5	2.1	1.9	18	<0.1	0.4	<0.1	80	0.32	0.070
CAE443347	Soil	0.7	36.4	6.8	62	0.1	24.8	11.7	371	2.76	5.9	1.1	3.0	3.1	30	0.1	0.5	<0.1	61	0.57	0.054
CAE443348	Soil	0.7	36.9	6.5	62	0.1	24.3	12.6	448	2.99	6.3	1.0	3.4	3.0	29	<0.1	0.5	<0.1	64	0.54	0.047
CAE443349	Soil	0.6	46.1	6.7	67	<0.1	23.4	13.3	424	3.21	5.2	0.7	3.0	2.7	28	0.1	0.5	<0.1	80	0.60	0.048
CAE443350	Soil	0.5	44.4	6.0	71	0.1	25.0	12.7	390	2.97	6.2	0.8	4.2	2.6	35	0.2	0.5	<0.1	73	0.75	0.054
CAE442801	Soil	0.6	16.7	7.3	63	0.1	17.8	10.2	482	2.63	6.0	0.6	2.7	2.3	22	<0.1	0.2	<0.1	58	0.43	0.031
CAE442802	Soil	1.0	19.1	15.7	68	0.2	15.3	14.3	779	2.60	7.4	0.5	1.3	1.6	20	0.1	0.2	<0.1	57	0.38	0.047
CAE442803	Soil	0.3	22.7	10.8	59	0.2	14.2	5.8	194	1.75	4.5	0.6	5.1	1.3	25	0.2	0.2	<0.1	31	0.54	0.045

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 10, 2012

CERTIFICATE OF ANALYSIS DAW12000178.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
CAE443431	Soil	11	35	0.77	249	0.106	1	1.79	0.018	0.06	0.1	0.03	5.1	<0.1	<0.05	6	<0.5	<0.2
CAE443432	Soil	11	36	0.65	266	0.093	1	1.58	0.019	0.04	0.1	0.02	5.0	<0.1	<0.05	5	<0.5	<0.2
CAE443433	Soil	14	46	1.17	327	0.082	2	2.65	0.019	0.05	0.1	0.04	9.9	<0.1	<0.05	9	<0.5	<0.2
CAE443434	Soil	9	34	0.70	420	0.079	2	2.13	0.016	0.06	0.1	0.05	6.0	<0.1	<0.05	9	<0.5	<0.2
CAE443435	Soil	12	34	0.60	496	0.059	2	2.08	0.012	0.05	<0.1	0.06	5.9	<0.1	<0.05	7	<0.5	<0.2
CAE443436	Soil	11	32	0.73	280	0.076	<1	1.79	0.024	0.04	<0.1	0.04	5.6	<0.1	<0.05	6	<0.5	<0.2
CAE443437	Soil	2	9	0.73	177	0.083	<1	1.71	0.027	0.05	<0.1	0.01	3.2	<0.1	<0.05	5	<0.5	<0.2
CAE443438	Soil	11	32	0.69	323	0.080	1	1.90	0.022	0.04	0.1	0.03	6.2	<0.1	<0.05	6	<0.5	<0.2
CAE443439	Soil	6	21	1.05	232	0.120	1	1.86	0.024	0.07	<0.1	0.02	5.4	<0.1	<0.05	6	<0.5	<0.2
CAE443440	Soil	5	21	1.04	230	0.128	1	1.85	0.024	0.07	<0.1	0.01	5.5	<0.1	<0.05	6	<0.5	<0.2
CAE443441	Soil	7	31	1.02	214	0.113	1	1.85	0.020	0.13	0.1	0.02	5.3	<0.1	<0.05	6	<0.5	<0.2
CAE443442	Soil	10	27	0.75	244	0.077	1	1.81	0.020	0.04	0.1	0.03	5.4	<0.1	<0.05	6	<0.5	<0.2
CAE443443	Soil	10	27	0.73	232	0.087	1	1.70	0.021	0.04	0.1	0.03	5.4	<0.1	<0.05	5	<0.5	<0.2
CAE443444	Soil	7	27	0.83	217	0.098	1	1.67	0.023	0.07	0.1	0.02	5.0	<0.1	<0.05	6	<0.5	<0.2
CAE443445	Soil	8	25	1.22	239	0.110	1	1.96	0.023	0.07	<0.1	0.02	7.7	<0.1	<0.05	8	<0.5	<0.2
CAE443446	Soil	13	29	0.82	362	0.099	1	1.86	0.024	0.07	<0.1	0.05	8.5	<0.1	<0.05	6	<0.5	<0.2
CAE443447	Soil	12	28	0.80	262	0.088	1	1.93	0.023	0.04	<0.1	0.06	8.6	<0.1	<0.05	6	<0.5	<0.2
CAE443448	Soil	11	28	0.91	231	0.084	1	1.85	0.022	0.04	0.1	0.05	7.1	<0.1	<0.05	6	<0.5	<0.2
CAE443449	Soil	13	29	0.61	328	0.056	2	1.88	0.018	0.04	<0.1	0.06	6.9	<0.1	<0.05	6	<0.5	<0.2
CAE443450	Soil	9	26	0.83	236	0.095	2	1.87	0.017	0.05	<0.1	0.03	5.2	<0.1	<0.05	6	<0.5	<0.2
CAE443451	Soil	8	24	0.79	190	0.073	1	1.82	0.017	0.04	<0.1	0.04	5.5	<0.1	<0.05	6	<0.5	<0.2
CAE443452	Soil	9	22	0.69	250	0.061	2	1.66	0.019	0.04	<0.1	0.07	6.0	<0.1	0.07	5	<0.5	<0.2
CAE443453	Soil	9	25	0.76	208	0.076	1	1.75	0.018	0.05	<0.1	0.04	5.2	0.1	<0.05	6	<0.5	<0.2
CAE443347	Soil	12	32	0.67	257	0.087	2	1.70	0.024	0.04	0.1	0.03	5.4	<0.1	<0.05	5	<0.5	<0.2
CAE443348	Soil	12	32	0.73	260	0.087	1	1.76	0.027	0.04	0.1	0.04	5.6	<0.1	<0.05	5	<0.5	<0.2
CAE443349	Soil	11	33	0.82	255	0.096	1	1.87	0.025	0.05	0.1	0.04	6.5	<0.1	<0.05	6	<0.5	<0.2
CAE443350	Soil	11	31	0.76	248	0.092	2	1.74	0.025	0.05	0.1	0.04	5.6	<0.1	<0.05	5	<0.5	<0.2
CAE442801	Soil	11	31	0.70	256	0.083	2	1.52	0.016	0.06	0.1	0.03	3.9	0.1	<0.05	5	<0.5	<0.2
CAE442802	Soil	9	27	0.66	248	0.075	2	1.36	0.015	0.06	0.1	0.04	3.5	0.1	<0.05	5	<0.5	<0.2
CAE442803	Soil	9	22	0.54	319	0.056	2	1.17	0.015	0.05	0.1	0.06	3.4	0.1	0.06	4	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 10, 2012

CERTIFICATE OF ANALYSIS DAW12000178.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
CAE442804	Soil	0.4	22.2	7.4	58	0.1	14.8	6.6	193	1.98	3.8	0.6	2.6	1.5	18	0.1	0.2	<0.1	39	0.32	0.042
CAE442805	Soil	0.5	25.4	6.0	70	<0.1	18.7	9.5	250	2.50	4.1	0.6	1.6	2.0	24	0.1	0.3	<0.1	48	0.41	0.061
CAE442806	Soil	1.3	18.6	4.8	51	<0.1	13.1	5.9	193	2.31	3.0	0.4	1.3	1.2	23	<0.1	0.2	<0.1	49	0.32	0.045
CAE442807	Soil	1.4	21.6	5.5	58	<0.1	14.9	7.8	271	2.77	4.0	0.5	2.9	1.8	27	<0.1	0.2	<0.1	61	0.41	0.053
CAE442808	Soil	0.8	24.1	5.7	57	0.1	17.6	9.7	384	2.93	5.8	0.6	5.4	2.4	29	<0.1	0.4	<0.1	58	0.46	0.066
CAE442809	Soil	1.0	22.5	5.4	53	0.1	14.1	8.0	294	2.67	4.1	0.5	3.8	1.8	28	<0.1	0.3	<0.1	55	0.40	0.057
CAE442810	Soil	1.9	31.5	8.5	85	<0.1	13.0	8.0	353	5.05	6.0	0.6	0.7	2.5	50	<0.1	0.3	0.1	120	0.18	0.047
CAE442811	Soil	4.7	42.0	8.5	64	<0.1	13.0	14.0	318	4.18	5.3	0.6	3.0	3.5	15	<0.1	0.3	0.2	54	0.12	0.021
CAE442812	Soil	1.4	21.7	8.1	62	0.2	8.8	6.6	342	3.03	3.6	0.3	0.8	1.4	21	<0.1	0.3	0.1	82	0.24	0.043
CAE442813	Soil	2.4	122.5	9.2	110	<0.1	13.7	11.9	374	6.07	3.3	0.9	0.6	3.9	33	<0.1	0.2	0.1	136	0.17	0.049
CAE442814	Soil	1.3	18.2	9.9	74	0.1	15.1	10.4	343	3.68	5.4	0.3	0.8	1.7	17	<0.1	0.4	0.1	89	0.19	0.028
CAE442815	Soil	1.1	16.0	8.7	75	0.1	20.0	13.2	425	3.76	7.8	0.2	1.2	1.6	15	<0.1	0.5	0.2	96	0.17	0.033
CAE442816	Soil	0.8	17.6	8.1	63	<0.1	20.8	15.6	367	3.50	8.4	0.3	3.4	2.3	22	<0.1	0.6	0.1	83	0.23	0.029
CAE442817	Soil	0.8	32.7	9.9	70	<0.1	19.3	15.8	489	3.50	6.2	0.7	3.5	3.3	32	<0.1	0.6	0.2	75	0.36	0.047
CAE442818	Soil	1.6	17.4	9.6	58	<0.1	18.6	9.6	319	3.67	11.0	0.4	3.1	2.1	25	0.1	0.6	0.2	91	0.26	0.033
CAE442819	Soil	1.0	23.9	9.5	66	<0.1	14.4	13.7	417	3.58	5.7	0.5	3.2	2.9	24	<0.1	0.6	0.2	83	0.30	0.036
CAE442820	Soil	1.0	25.5	10.3	64	<0.1	18.1	13.4	405	4.10	7.5	0.5	2.3	3.0	21	0.1	1.1	0.1	89	0.23	0.042
CAE442821	Soil	0.7	16.3	8.3	34	<0.1	13.9	6.0	177	1.67	3.3	0.4	<0.5	1.4	17	<0.1	0.3	0.1	46	0.17	0.030
CAE442822	Soil	0.7	27.9	13.6	71	<0.1	19.7	14.8	458	3.54	6.9	1.0	4.1	5.0	29	<0.1	0.4	0.4	82	0.45	0.059
CAE442823	Soil	1.7	47.9	11.7	80	0.7	29.1	17.9	1080	4.08	12.7	2.8	6.0	3.9	61	0.2	1.1	0.2	81	1.48	0.081
CAE442824	Soil	1.1	25.2	6.7	54	0.2	19.6	8.6	338	2.00	4.9	1.2	2.2	1.1	67	0.5	0.4	0.2	36	1.22	0.081
CAE442825	Soil	1.0	20.9	6.9	49	0.1	17.0	7.4	324	1.90	4.8	0.8	2.2	1.3	34	0.3	0.5	0.1	40	0.66	0.053
CAE442826	Soil	0.9	32.1	5.4	45	0.3	15.8	9.7	590	1.50	3.0	1.5	2.6	0.8	81	0.4	0.4	0.1	28	1.74	0.083
CAE442827	Soil	0.8	22.0	5.2	23	0.3	9.8	6.7	406	1.14	2.5	1.5	2.0	0.4	85	0.4	0.4	0.1	17	1.57	0.120
CAE442828	Soil	1.2	26.1	17.3	65	0.2	21.7	15.9	894	2.90	6.3	1.7	7.2	3.5	51	0.3	0.9	0.2	59	0.98	0.063
CAE442829	Soil	0.7	29.1	10.3	89	0.3	26.1	15.0	606	3.06	6.7	1.5	3.3	4.4	43	0.2	1.7	0.1	65	0.86	0.084
CAE442830	Soil	1.5	33.2	15.5	80	0.7	25.9	16.0	923	3.31	9.5	1.7	3.4	3.3	53	0.3	0.7	0.2	76	1.18	0.079
CAE442831	Soil	0.4	18.4	3.7	16	0.3	9.3	1.9	48	0.87	1.8	0.9	2.5	0.5	65	0.2	0.6	<0.1	10	1.09	0.092
CAE442832	Soil	0.8	24.5	11.5	60	0.2	17.6	7.0	241	2.01	5.3	0.7	1.4	1.7	33	0.2	0.4	0.2	49	0.58	0.061
CAE442833	Soil	0.9	25.6	8.8	64	0.3	21.5	8.0	272	2.23	4.9	0.8	3.4	2.1	37	0.2	0.6	0.1	52	0.57	0.071

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 10, 2012

CERTIFICATE OF ANALYSIS DAW12000178.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
CAE442804	Soil	10	26	0.54	199	0.059	1	1.27	0.014	0.05	<0.1	0.05	3.4	0.1	<0.05	5	<0.5	<0.2
CAE442805	Soil	11	29	0.76	205	0.074	2	1.43	0.018	0.07	0.1	0.04	4.0	<0.1	<0.05	5	<0.5	<0.2
CAE442806	Soil	7	28	0.64	126	0.058	2	1.23	0.020	0.06	<0.1	0.05	2.9	<0.1	<0.05	5	0.7	<0.2
CAE442807	Soil	8	28	0.73	169	0.078	2	1.42	0.027	0.07	0.1	0.03	3.7	<0.1	0.09	5	1.1	<0.2
CAE442808	Soil	10	27	0.68	177	0.077	2	1.30	0.028	0.08	0.1	0.04	4.3	<0.1	0.05	4	1.0	<0.2
CAE442809	Soil	9	24	0.69	182	0.071	2	1.37	0.026	0.07	0.1	0.05	4.1	<0.1	0.09	5	0.9	<0.2
CAE442810	Soil	8	26	1.34	395	0.163	1	2.78	0.028	0.40	<0.1	0.01	6.1	0.2	0.25	8	0.6	<0.2
CAE442811	Soil	11	21	0.49	169	0.035	<1	1.47	0.008	0.11	<0.1	<0.01	5.9	0.1	<0.05	4	0.5	<0.2
CAE442812	Soil	5	18	0.60	218	0.108	1	1.40	0.013	0.22	<0.1	0.02	2.5	0.1	<0.05	7	<0.5	<0.2
CAE442813	Soil	10	30	1.52	449	0.143	<1	3.08	0.023	0.35	<0.1	<0.01	7.9	0.2	0.18	11	1.0	<0.2
CAE442814	Soil	6	29	0.74	243	0.142	<1	2.05	0.011	0.16	<0.1	0.01	3.1	0.1	<0.05	8	<0.5	<0.2
CAE442815	Soil	5	34	0.88	225	0.165	<1	2.30	0.010	0.18	<0.1	0.01	2.7	0.2	<0.05	8	<0.5	<0.2
CAE442816	Soil	7	34	1.07	270	0.163	2	2.57	0.011	0.18	0.1	<0.01	2.7	0.1	<0.05	6	<0.5	<0.2
CAE442817	Soil	14	35	1.04	267	0.131	4	2.05	0.015	0.08	<0.1	0.02	4.4	<0.1	<0.05	6	<0.5	<0.2
CAE442818	Soil	7	31	0.65	189	0.104	2	1.84	0.013	0.05	0.2	<0.01	3.5	<0.1	<0.05	8	<0.5	<0.2
CAE442819	Soil	9	27	0.95	303	0.117	2	2.23	0.011	0.09	0.1	0.01	3.7	0.1	<0.05	7	<0.5	<0.2
CAE442820	Soil	9	33	0.80	166	0.115	3	2.01	0.011	0.13	0.2	<0.01	3.8	0.1	<0.05	7	<0.5	<0.2
CAE442821	Soil	6	26	0.49	134	0.106	1	1.07	0.015	0.13	0.1	0.02	1.7	<0.1	<0.05	4	<0.5	<0.2
CAE442822	Soil	16	37	1.06	386	0.157	3	2.12	0.014	0.18	0.1	0.02	4.8	0.2	<0.05	7	<0.5	<0.2
CAE442823	Soil	22	38	0.78	934	0.089	3	2.82	0.011	0.21	0.2	0.12	10.6	0.2	<0.05	7	0.5	<0.2
CAE442824	Soil	26	21	0.46	531	0.037	3	1.32	0.011	0.07	0.1	0.08	3.6	0.1	<0.05	4	<0.5	<0.2
CAE442825	Soil	17	20	0.36	433	0.039	4	0.96	0.014	0.08	<0.1	0.05	2.9	<0.1	<0.05	4	<0.5	<0.2
CAE442826	Soil	20	18	0.31	753	0.029	4	1.15	0.013	0.05	0.1	0.11	3.7	<0.1	0.06	3	0.9	<0.2
CAE442827	Soil	12	14	0.19	777	0.021	3	0.91	0.016	0.04	0.1	0.09	2.2	<0.1	0.12	2	<0.5	<0.2
CAE442828	Soil	22	35	0.64	639	0.059	4	1.55	0.016	0.07	0.2	0.08	6.6	0.1	<0.05	5	<0.5	<0.2
CAE442829	Soil	19	41	0.82	500	0.080	2	1.72	0.017	0.11	0.2	0.10	7.4	0.2	<0.05	5	1.0	<0.2
CAE442830	Soil	28	42	0.66	735	0.072	5	2.36	0.017	0.10	0.1	0.12	8.4	0.2	<0.05	7	<0.5	<0.2
CAE442831	Soil	26	8	0.15	688	0.015	4	0.60	0.010	0.02	<0.1	0.10	2.2	<0.1	0.08	1	<0.5	<0.2
CAE442832	Soil	11	34	0.54	301	0.068	3	1.39	0.012	0.07	0.1	0.04	3.5	0.1	<0.05	5	<0.5	<0.2
CAE442833	Soil	20	36	0.59	496	0.067	3	1.63	0.015	0.08	0.1	0.09	5.0	0.1	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 10, 2012

CERTIFICATE OF ANALYSIS DAW12000178.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
CAE442834	Soil	0.8	26.4	9.1	41	0.4	18.6	5.3	151	1.61	3.4	1.2	2.9	1.5	45	0.2	0.5	<0.1	27	0.64	0.101
CAE442835	Soil	0.9	30.8	12.6	86	0.2	24.8	17.7	792	3.26	8.6	1.1	3.1	5.4	24	0.2	0.7	0.2	78	0.31	0.067
CAE442836	Soil	1.1	34.7	9.0	76	0.3	23.5	20.0	831	3.23	7.9	2.0	3.7	4.9	43	0.2	0.8	<0.1	70	0.76	0.093
CAE442837	Soil	0.5	32.2	10.7	96	0.2	26.0	15.9	560	3.67	9.1	1.7	3.5	5.4	34	<0.1	1.5	<0.1	74	0.53	0.081
CAE442838	Soil	0.5	21.2	8.1	64	0.2	19.4	10.4	353	2.38	4.2	1.0	14.4	2.4	31	0.1	0.4	0.1	46	0.46	0.074
CAE442839	Soil	0.6	26.3	8.6	100	0.2	21.1	18.2	736	3.60	4.8	1.1	2.7	3.7	32	0.2	0.7	<0.1	79	0.57	0.082
CAE442840	Soil	0.5	26.4	8.5	80	0.2	20.8	13.3	500	2.98	5.1	0.8	0.9	2.4	32	<0.1	0.4	<0.1	69	0.47	0.066
CAE442841	Soil	0.6	18.7	4.5	25	0.2	9.1	4.6	123	1.39	2.5	0.9	2.6	0.4	36	0.1	0.3	<0.1	20	0.46	0.101
CAE442842	Soil	0.5	28.9	8.8	81	0.2	22.8	12.9	502	3.02	4.9	0.8	4.7	2.5	30	0.2	0.7	<0.1	66	0.39	0.071
CAE442843	Soil	0.5	25.7	7.0	57	0.2	18.0	8.6	254	2.29	4.7	0.8	3.3	1.6	27	0.2	0.4	<0.1	47	0.34	0.073
CAE442844	Soil	0.7	26.6	8.5	79	0.1	20.5	12.5	391	2.92	6.8	0.7	2.6	2.4	28	0.1	0.3	<0.1	67	0.37	0.074
CAE442845	Soil	0.8	23.0	9.1	77	<0.1	18.6	13.9	463	2.78	7.7	0.6	3.4	2.4	27	0.1	0.3	<0.1	63	0.34	0.070
CAE443095	Soil	0.7	37.6	9.6	75	0.2	21.0	13.8	728	2.81	5.4	1.0	4.5	2.9	48	0.3	0.5	0.1	56	1.34	0.064
CAE443096	Soil	0.8	27.8	9.3	76	0.1	19.1	15.4	635	2.79	6.0	0.9	3.0	3.2	45	0.1	0.4	<0.1	63	0.84	0.058
CAE443097	Soil	0.8	40.9	8.8	87	0.2	21.1	14.7	708	2.91	5.4	1.1	1.7	3.1	47	0.2	0.6	<0.1	58	1.00	0.066
CAE443098	Soil	0.8	25.8	9.5	85	0.1	19.8	13.3	473	2.90	5.4	1.0	15.0	3.6	40	0.1	0.5	<0.1	65	0.80	0.065
CAE443099	Soil	0.8	27.2	10.4	80	0.2	21.8	13.1	505	3.05	7.0	0.9	4.5	3.0	32	0.1	0.6	0.1	64	0.57	0.060
CAE443100	Soil	1.2	27.5	11.2	85	0.2	21.3	18.5	832	3.22	8.2	1.1	2.7	3.5	36	0.3	0.9	0.1	70	0.58	0.067
CAE443298	Soil	0.7	20.3	8.4	74	0.1	18.3	14.2	675	2.72	6.7	0.9	2.7	3.4	31	0.2	0.6	<0.1	57	0.80	0.051
CAE443299	Soil	0.9	23.2	8.0	78	0.1	19.6	14.9	654	2.72	5.2	0.8	2.1	2.6	35	0.1	0.4	<0.1	62	0.95	0.063
CAE443300	Soil	0.6	28.2	7.7	77	<0.1	18.3	17.1	756	2.91	4.6	1.0	2.1	3.3	35	0.2	0.3	<0.1	58	0.84	0.054
CAE103988	Soil	0.6	23.1	7.2	78	<0.1	19.9	13.4	694	2.78	4.6	0.8	4.4	3.1	37	0.2	0.2	<0.1	58	0.93	0.054

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 10, 2012

CERTIFICATE OF ANALYSIS DAW12000178.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
CAE442834	Soil	30	29	0.37	656	0.037	4	1.31	0.013	0.06	<0.1	0.12	5.0	<0.1	<0.05	4	<0.5	<0.2
CAE442835	Soil	22	44	0.76	301	0.083	2	1.74	0.014	0.09	0.2	0.07	6.4	0.2	<0.05	7	<0.5	<0.2
CAE442836	Soil	51	36	0.66	652	0.061	2	1.82	0.014	0.09	0.2	0.09	8.4	0.2	<0.05	6	1.1	<0.2
CAE442837	Soil	25	45	1.03	484	0.086	1	1.88	0.015	0.10	0.2	0.08	8.9	0.1	<0.05	7	<0.5	<0.2
CAE442838	Soil	20	39	0.82	341	0.071	2	1.70	0.017	0.08	<0.1	0.08	6.2	0.1	<0.05	6	<0.5	<0.2
CAE442839	Soil	17	44	1.16	410	0.102	3	2.05	0.017	0.14	0.1	0.06	7.7	0.1	<0.05	8	<0.5	<0.2
CAE442840	Soil	15	43	0.96	334	0.115	2	1.85	0.017	0.14	0.1	0.06	5.2	0.1	<0.05	7	<0.5	<0.2
CAE442841	Soil	18	16	0.23	371	0.025	4	0.73	0.012	0.04	<0.1	0.09	2.5	<0.1	<0.05	2	<0.5	<0.2
CAE442842	Soil	13	43	0.92	340	0.104	1	2.02	0.017	0.12	0.1	0.04	5.2	0.1	<0.05	7	<0.5	<0.2
CAE442843	Soil	12	34	0.67	246	0.079	1	1.46	0.016	0.07	0.1	0.07	3.8	0.1	<0.05	5	<0.5	<0.2
CAE442844	Soil	12	36	0.86	281	0.100	2	1.85	0.015	0.11	0.1	0.04	4.6	0.1	<0.05	7	<0.5	<0.2
CAE442845	Soil	11	36	0.88	256	0.092	<1	1.94	0.015	0.10	0.1	0.04	4.1	<0.1	<0.05	7	<0.5	<0.2
CAE443095	Soil	13	29	0.68	511	0.058	5	1.38	0.021	0.08	0.1	0.04	6.1	<0.1	<0.05	5	<0.5	<0.2
CAE443096	Soil	12	30	0.81	452	0.078	3	1.60	0.019	0.07	0.2	0.03	4.8	<0.1	<0.05	5	<0.5	<0.2
CAE443097	Soil	15	31	0.81	538	0.070	1	1.62	0.019	0.09	0.1	0.06	6.3	0.1	<0.05	5	<0.5	<0.2
CAE443098	Soil	13	36	0.95	378	0.086	3	1.71	0.019	0.10	0.2	0.06	5.4	<0.1	<0.05	5	<0.5	<0.2
CAE443099	Soil	13	39	0.78	335	0.074	<1	1.64	0.017	0.07	0.1	0.03	4.6	0.1	<0.05	6	<0.5	<0.2
CAE443100	Soil	15	35	0.74	381	0.066	3	1.59	0.017	0.08	0.2	0.04	5.5	0.1	<0.05	6	<0.5	<0.2
CAE443298	Soil	13	32	0.64	327	0.064	2	1.42	0.018	0.08	0.2	0.06	4.9	0.1	<0.05	5	<0.5	<0.2
CAE443299	Soil	11	35	0.77	355	0.067	2	1.52	0.020	0.07	0.1	0.05	4.7	0.1	<0.05	5	<0.5	<0.2
CAE443300	Soil	14	32	0.80	370	0.075	2	1.58	0.018	0.08	0.2	0.04	5.0	0.1	<0.05	5	<0.5	<0.2
CAE103988	Soil	12	35	0.75	343	0.080	2	1.48	0.021	0.08	<0.1	0.04	4.7	0.1	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 10, 2012

QUALITY CONTROL REPORT DAW12000178.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Pulp Duplicates																					
CAE443420	Soil	0.7	53.7	5.3	96	<0.1	18.6	15.3	497	3.89	6.0	0.3	0.9	2.0	25	0.1	0.3	<0.1	103	0.36	0.031
REP CAE443420	QC	0.7	54.0	5.3	95	<0.1	19.2	15.5	490	3.82	5.5	0.3	0.5	1.9	25	0.2	0.3	<0.1	106	0.34	0.032
CAE443434	Soil	1.2	38.1	20.8	72	0.4	17.1	11.3	434	3.36	4.2	0.6	5.4	1.7	26	0.3	0.3	<0.1	99	0.39	0.042
REP CAE443434	QC	1.2	38.7	20.8	72	0.4	17.2	11.2	425	3.34	4.4	0.6	2.4	1.8	25	0.4	0.3	0.1	97	0.40	0.044
CAE443349	Soil	0.6	46.1	6.7	67	<0.1	23.4	13.3	424	3.21	5.2	0.7	3.0	2.7	28	0.1	0.5	<0.1	80	0.60	0.048
REP CAE443349	QC	0.6	47.6	6.7	69	0.1	23.8	13.3	412	3.13	5.3	0.8	3.7	2.7	28	<0.1	0.5	<0.1	79	0.60	0.048
CAE442813	Soil	2.4	122.5	9.2	110	<0.1	13.7	11.9	374	6.07	3.3	0.9	0.6	3.9	33	<0.1	0.2	0.1	136	0.17	0.049
REP CAE442813	QC	2.4	125.6	9.1	111	<0.1	13.2	12.1	372	5.97	3.3	0.9	<0.5	3.9	33	<0.1	0.2	0.1	130	0.16	0.048
CAE442835	Soil	0.9	30.8	12.6	86	0.2	24.8	17.7	792	3.26	8.6	1.1	3.1	5.4	24	0.2	0.7	0.2	78	0.31	0.067
REP CAE442835	QC	0.8	28.6	11.6	83	0.2	23.7	17.4	738	3.23	8.1	1.0	7.1	5.4	23	0.1	0.7	0.2	73	0.32	0.067
CAE443098	Soil	0.8	25.8	9.5	85	0.1	19.8	13.3	473	2.90	5.4	1.0	15.0	3.6	40	0.1	0.5	<0.1	65	0.80	0.065
REP CAE443098	QC	0.8	26.8	9.6	88	0.1	20.9	14.3	486	3.03	5.9	0.9	2.1	3.6	40	0.1	0.5	<0.1	69	0.79	0.065
Reference Materials																					
STD DS9	Standard	13.8	106.0	118.8	291	1.8	39.6	7.7	589	2.27	24.4	2.6	112.4	6.8	68	2.4	5.3	5.8	40	0.70	0.076
STD DS9	Standard	13.4	99.0	121.5	295	1.8	41.8	7.0	558	2.26	22.3	2.3	112.8	5.4	65	2.1	5.1	5.8	37	0.71	0.076
STD DS9	Standard	13.6	111.8	127.1	315	1.9	40.3	7.8	621	2.32	27.1	2.9	116.8	6.7	78	2.3	6.1	7.1	43	0.74	0.087
STD DS9	Standard	15.1	114.2	129.8	333	2.2	42.3	8.0	597	2.47	27.7	2.8	126.0	6.6	79	2.9	6.9	6.3	43	0.72	0.080
STD DS9	Standard	13.0	109.5	120.6	305	1.9	40.4	7.5	573	2.30	27.2	2.9	131.2	6.8	79	2.7	6.7	7.7	42	0.83	0.089
STD DS9 Expected		12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40	0.7201	0.0819
BLK	Blank	<0.1	0.1	<0.1	<1	<0.1	<0.1	<0.1	2	0.02	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	0.2	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	0.2	<0.1	<1	<0.1	0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 10, 2012

QUALITY CONTROL REPORT DAW12000178.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																		
CAE443420	Soil	7	34	1.16	239	0.133	1	2.08	0.018	0.06	<0.1	0.02	4.6	<0.1	<0.05	8	<0.5	<0.2
REP CAE443420	QC	6	34	1.12	232	0.130	2	2.05	0.017	0.06	<0.1	0.02	4.7	<0.1	<0.05	7	<0.5	<0.2
CAE443434	Soil	9	34	0.70	420	0.079	2	2.13	0.016	0.06	0.1	0.05	6.0	<0.1	<0.05	9	<0.5	<0.2
REP CAE443434	QC	9	34	0.69	422	0.081	2	2.14	0.016	0.06	<0.1	0.04	6.1	<0.1	<0.05	8	<0.5	<0.2
CAE443349	Soil	11	33	0.82	255	0.096	1	1.87	0.025	0.05	0.1	0.04	6.5	<0.1	<0.05	6	<0.5	<0.2
REP CAE443349	QC	11	32	0.84	258	0.094	1	1.80	0.025	0.04	0.1	0.04	6.5	<0.1	<0.05	6	<0.5	<0.2
CAE442813	Soil	10	30	1.52	449	0.143	<1	3.08	0.023	0.35	<0.1	<0.01	7.9	0.2	0.18	11	1.0	<0.2
REP CAE442813	QC	10	30	1.51	445	0.138	<1	2.89	0.025	0.34	<0.1	<0.01	7.5	0.2	0.14	11	0.9	<0.2
CAE442835	Soil	22	44	0.76	301	0.083	2	1.74	0.014	0.09	0.2	0.07	6.4	0.2	<0.05	7	<0.5	<0.2
REP CAE442835	QC	22	42	0.75	288	0.081	<1	1.73	0.014	0.09	0.2	0.05	6.1	0.1	<0.05	7	<0.5	<0.2
CAE443098	Soil	13	36	0.95	378	0.086	3	1.71	0.019	0.10	0.2	0.06	5.4	<0.1	<0.05	5	<0.5	<0.2
REP CAE443098	QC	14	37	0.94	377	0.085	2	1.67	0.019	0.10	0.1	0.05	5.5	0.1	<0.05	6	<0.5	<0.2
Reference Materials																		
STD DS9	Standard	14	116	0.61	306	0.111	3	0.95	0.089	0.36	3.0	0.18	2.6	5.5	0.14	5	4.9	5.0
STD DS9	Standard	11	124	0.62	250	0.101	3	0.90	0.086	0.35	2.9	0.22	2.3	5.4	0.17	4	5.1	5.1
STD DS9	Standard	13	128	0.65	304	0.112	4	0.97	0.092	0.39	2.9	0.22	3.1	5.6	0.09	5	5.7	5.1
STD DS9	Standard	14	126	0.64	343	0.106	3	0.89	0.090	0.33	3.4	0.23	2.6	6.1	0.13	5	6.1	6.2
STD DS9	Standard	13	123	0.63	312	0.120	3	0.93	0.103	0.37	2.8	0.21	3.0	5.2	0.13	4	5.3	5.4
STD DS9 Expected		13.3	121	0.6165	295	0.1108		0.9577	0.0853	0.395	2.89	0.2	2.5	5.3	0.1615	4.59	5.2	5.02
BLK	Blank	<1	<1	<0.01	1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.