Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Submitted By: Jean-Pierre Londero
Receiving Lab: Canada-Dawson City
Received: July 06, 2012
Report Date: August 08, 2012

CERTIFICATE OF ANALYSIS DAW12000103.1

CLIENT JOB INFORMATION

Project: White Gold
Shipment ID: WG01992012
P.O. Number
Number of Samples: 126

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT-SOIL Store Soil Reject - RJSV Charges Apply

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	126	Dry at 60C sieve 100g to -80 mesh			DAW
Dry at 60C	126	Dry at 60C			DAW
RJSV	126	Saving all or part of Soil Reject			DAW
1DX2	124	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Selene Holdings LP
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8
Canada

CC: Keith Fowlow

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 08, 2012

CERTIFICATE OF ANALYSIS DAW12000103.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
CAE442651	Soil	1.6	19.8	3.9	36	<0.1	12.1	7.1	176	2.07	3.5	0.5	2.0	1.4	17	<0.1	0.2	0.3	64	0.27	0.032
CAE442652	Soil	1.0	16.1	4.1	32	<0.1	10.5	7.0	166	1.78	2.4	0.7	15.8	1.3	14	<0.1	0.1	0.2	44	0.23	0.053
CAE442653	Soil	0.8	12.4	6.0	48	<0.1	13.7	8.4	245	2.73	3.7	1.0	6.9	7.7	15	<0.1	0.2	0.4	50	0.26	0.055
CAE442654	Soil	1.0	11.5	6.4	53	<0.1	13.7	8.9	565	3.07	3.5	1.3	6.5	7.0	17	<0.1	0.3	0.2	49	0.26	0.079
CAE442655	Soil	0.7	16.0	6.1	42	<0.1	16.6	7.7	220	2.66	4.3	0.9	5.9	4.9	22	<0.1	0.3	0.2	52	0.29	0.044
CAE442656	Soil	0.8	19.9	7.1	44	<0.1	17.7	7.3	250	2.59	6.1	1.0	11.7	5.8	25	<0.1	0.3	0.2	57	0.33	0.027
CAE442657	Soil	0.9	22.1	6.3	44	<0.1	17.7	7.6	314	2.59	5.8	0.9	5.2	5.2	24	<0.1	0.4	0.2	53	0.33	0.038
CAE442658	Soil	0.8	16.0	5.8	41	<0.1	15.6	7.8	216	2.58	5.0	0.9	4.8	5.4	23	<0.1	0.4	0.1	58	0.32	0.044
CAE442659	Soil	1.1	16.8	5.2	43	<0.1	14.4	7.9	199	2.87	4.5	1.3	3.4	7.7	23	<0.1	0.3	0.2	49	0.30	0.042
CAE442660	Soil	0.6	24.6	5.8	41	<0.1	20.5	8.3	246	2.66	5.8	1.0	4.3	7.1	26	<0.1	0.5	0.2	60	0.35	0.031
CAE442661	Soil	1.0	14.4	6.3	37	<0.1	15.5	6.7	249	2.47	6.5	0.7	4.3	5.9	22	<0.1	0.4	0.2	47	0.28	0.024
CAE442662	Soil	0.6	29.7	5.1	41	<0.1	21.6	8.0	261	2.67	8.5	1.1	7.3	11.2	25	<0.1	0.4	0.1	52	0.34	0.028
CAE442663	Soil	1.0	17.8	5.8	44	<0.1	18.6	9.3	310	2.82	5.0	1.3	2.9	11.7	25	<0.1	0.3	0.2	54	0.36	0.044
CAE442664	Soil	1.3	13.9	6.9	41	<0.1	14.2	8.6	257	2.94	5.0	1.1	17.0	10.9	21	<0.1	0.3	0.3	47	0.33	0.041
CAE442665	Soil	1.2	12.0	6.7	41	<0.1	13.4	8.7	236	2.90	4.4	1.0	2.8	9.9	21	<0.1	0.2	0.2	45	0.32	0.043
CAE442666	Soil	1.2	11.5	5.8	35	<0.1	12.5	6.6	194	2.45	4.1	0.8	9.5	6.1	21	<0.1	0.2	0.2	42	0.32	0.054
CAE442667	Soil	0.8	26.1	7.4	43	<0.1	19.5	8.0	393	2.42	6.2	1.3	2.6	7.7	32	0.1	0.4	0.2	44	0.55	0.049
CAE442668	Soil	1.3	15.1	7.7	50	<0.1	16.4	8.5	298	2.51	6.4	0.8	1.1	7.0	27	<0.1	0.3	0.2	50	0.49	0.030
CAE442669	Soil	0.5	29.9	7.1	41	0.1	20.4	8.0	286	2.12	5.4	0.9	4.4	5.8	36	<0.1	0.3	0.1	46	0.69	0.048
CAE442670	Soil	0.9	12.5	6.4	36	<0.1	12.0	6.0	238	2.23	5.1	0.4	4.3	1.5	11	0.1	0.3	0.1	52	0.13	0.052
CAE442671	Soil	0.8	12.5	7.9	48	<0.1	12.6	7.3	469	2.43	4.5	0.8	4.2	6.6	14	0.2	0.2	0.1	50	0.21	0.054
CAE442672	Soil	1.2	14.7	9.1	59	<0.1	18.3	8.6	457	2.72	4.5	1.2	3.7	11.6	17	0.1	0.2	0.3	54	0.25	0.056
CAE442673	Soil	1.2	11.6	8.3	49	<0.1	14.0	6.9	386	2.45	3.8	0.9	2.8	6.2	14	0.1	0.2	0.2	50	0.20	0.052
CAE442674	Soil	1.1	12.6	8.7	58	<0.1	14.2	7.7	425	2.64	4.2	1.0	2.8	6.3	21	<0.1	0.2	0.2	51	0.33	0.059
CAE442675	Soil	0.5	13.5	4.9	25	0.1	8.9	3.7	108	1.10	1.5	1.3	3.2	1.1	64	0.3	0.2	<0.1	21	1.40	0.060
CAE442676	Soil	1.0	13.5	8.4	56	<0.1	15.6	8.1	341	2.43	4.1	1.3	3.1	6.0	19	0.1	0.3	0.2	50	0.32	0.058
CAE442677	Soil	1.0	12.7	8.7	63	<0.1	16.0	9.5	448	2.50	4.2	1.2	5.9	9.0	28	0.1	0.3	0.1	50	0.51	0.058
CAE442678	Soil	0.7	13.5	7.9	57	<0.1	16.3	9.7	441	2.28	5.0	0.9	5.1	5.4	28	0.2	0.3	0.1	52	0.49	0.054
CAE442679	Soil	0.7	13.5	6.5	47	<0.1	16.2	8.8	272	2.23	4.8	1.0	2.9	5.5	25	<0.1	0.3	0.1	50	0.43	0.051
CAE442680	Soil	0.6	20.5	5.9	44	<0.1	18.0	8.3	303	2.10	3.9	1.1	4.5	4.5	45	0.1	0.3	0.1	45	0.97	0.056

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 08, 2012

CERTIFICATE OF ANALYSIS DAW12000103.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
CAE442651	Soil	7	26	0.62	153	0.113	2	1.31	0.015	0.09	0.1	0.02	2.8	<0.1	<0.05	7	<0.5	0.2
CAE442652	Soil	7	25	0.50	155	0.077	<1	1.14	0.014	0.10	<0.1	0.02	2.7	<0.1	<0.05	5	<0.5	0.3
CAE442653	Soil	23	34	0.57	280	0.066	1	1.62	0.011	0.15	0.1	<0.01	3.9	<0.1	<0.05	7	<0.5	<0.2
CAE442654	Soil	23	28	0.63	189	0.088	<1	1.64	0.009	0.29	0.1	0.01	4.4	0.1	<0.05	8	<0.5	<0.2
CAE442655	Soil	19	29	0.55	258	0.082	2	1.61	0.012	0.10	0.1	<0.01	3.6	<0.1	<0.05	6	<0.5	<0.2
CAE442656	Soil	21	32	0.49	260	0.081	<1	1.61	0.013	0.07	0.2	0.02	6.0	<0.1	<0.05	5	<0.5	<0.2
CAE442657	Soil	18	30	0.51	229	0.075	<1	1.45	0.014	0.08	0.1	0.02	5.3	<0.1	<0.05	6	<0.5	<0.2
CAE442658	Soil	17	30	0.57	218	0.086	<1	1.56	0.013	0.11	<0.1	0.03	4.6	0.1	<0.05	6	<0.5	<0.2
CAE442659	Soil	28	26	0.59	222	0.065	<1	1.51	0.011	0.09	0.1	0.01	4.7	<0.1	<0.05	7	<0.5	<0.2
CAE442660	Soil	31	34	0.63	264	0.076	<1	1.53	0.018	0.06	0.1	0.02	6.6	<0.1	<0.05	6	<0.5	<0.2
CAE442661	Soil	11	25	0.43	218	0.056	1	1.39	0.009	0.11	0.1	0.01	3.2	<0.1	<0.05	6	<0.5	<0.2
CAE442662	Soil	40	32	0.65	383	0.081	<1	1.42	0.016	0.17	0.2	0.04	7.7	<0.1	<0.05	6	<0.5	<0.2
CAE442663	Soil	39	31	0.57	503	0.073	1	1.49	0.016	0.17	0.1	0.02	6.7	0.1	<0.05	6	<0.5	<0.2
CAE442664	Soil	39	26	0.56	370	0.066	<1	1.55	0.012	0.15	0.1	<0.01	4.6	<0.1	<0.05	6	<0.5	<0.2
CAE442665	Soil	33	25	0.54	367	0.070	<1	1.50	0.011	0.16	0.1	0.01	4.3	0.1	<0.05	6	<0.5	<0.2
CAE442666	Soil	22	23	0.55	299	0.076	<1	1.27	0.012	0.21	0.2	0.03	3.5	<0.1	<0.05	5	<0.5	<0.2
CAE442667	Soil	36	24	0.46	361	0.061	1	1.25	0.021	0.10	0.2	0.04	4.6	<0.1	<0.05	4	<0.5	<0.2
CAE442668	Soil	19	28	0.47	247	0.067	<1	1.45	0.015	0.12	0.1	<0.01	4.5	<0.1	<0.05	5	<0.5	<0.2
CAE442669	Soil	22	26	0.48	304	0.064	1	1.21	0.024	0.08	0.1	0.04	4.1	<0.1	<0.05	4	<0.5	<0.2
CAE442670	Soil	7	29	0.38	99	0.061	<1	1.22	0.012	0.06	<0.1	0.01	2.1	<0.1	<0.05	6	<0.5	<0.2
CAE442671	Soil	14	37	0.57	163	0.085	<1	1.45	0.011	0.14	<0.1	0.01	3.0	0.1	<0.05	7	<0.5	<0.2
CAE442672	Soil	30	41	0.59	212	0.094	<1	1.83	0.011	0.15	0.2	0.02	3.9	0.1	<0.05	7	<0.5	<0.2
CAE442673	Soil	13	33	0.54	130	0.089	1	1.52	0.011	0.14	0.1	0.01	3.1	0.1	<0.05	7	<0.5	<0.2
CAE442674	Soil	32	35	0.55	226	0.103	2	1.57	0.010	0.19	0.1	0.01	3.2	0.2	<0.05	8	<0.5	<0.2
CAE442675	Soil	58	17	0.23	281	0.028	2	0.86	0.013	0.05	<0.1	0.06	2.3	<0.1	0.07	3	<0.5	<0.2
CAE442676	Soil	23	35	0.52	199	0.065	<1	1.63	0.013	0.09	0.1	0.03	4.1	0.1	<0.05	7	<0.5	<0.2
CAE442677	Soil	20	29	0.58	210	0.085	1	1.45	0.015	0.11	0.1	0.02	4.4	0.1	<0.05	6	<0.5	<0.2
CAE442678	Soil	14	28	0.54	170	0.087	1	1.26	0.020	0.09	0.1	0.04	3.5	0.1	<0.05	5	<0.5	<0.2
CAE442679	Soil	19	26	0.49	174	0.080	1	1.32	0.020	0.08	0.2	0.02	3.7	<0.1	<0.05	5	<0.5	<0.2
CAE442680	Soil	30	27	0.47	266	0.067	1	1.28	0.018	0.08	0.1	0.04	4.5	<0.1	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 08, 2012

CERTIFICATE OF ANALYSIS DAW12000103.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
CAE442681	Soil	1.1	12.9	6.4	39	<0.1	12.6	6.0	193	2.20	4.5	0.9	4.5	5.0	29	<0.1	0.3	0.1	52	0.58	0.038
CAE442682	Soil	1.2	14.3	7.6	50	<0.1	15.1	8.8	307	2.74	4.5	1.2	15.9	7.4	33	0.2	0.2	0.2	48	0.55	0.055
CAE442683	Soil	1.0	10.7	6.1	34	<0.1	9.1	4.6	204	1.51	2.7	0.6	1.9	2.3	22	<0.1	0.2	0.1	37	0.36	0.042
CAE442684	Soil	0.8	17.1	4.9	22	0.2	9.9	3.6	115	1.32	2.1	1.4	3.0	1.6	55	0.2	0.2	<0.1	24	1.03	0.060
CAE442685	Soil	1.4	9.9	3.0	20	<0.1	4.1	1.2	179	0.32	0.8	4.3	2.2	1.2	90	0.2	0.2	<0.1	8	2.43	0.064
CAE442686	Soil	0.8	10.1	3.5	27	<0.1	7.7	5.2	536	0.88	2.0	0.7	1.8	0.9	64	0.2	0.2	<0.1	22	1.36	0.065
CAE442687	Soil	2.1	16.2	6.1	39	0.2	15.6	10.3	477	2.19	3.1	2.6	2.7	2.3	65	0.2	0.2	0.2	47	1.21	0.062
CAE442688	Soil	0.8	14.4	5.7	43	0.1	15.5	8.9	295	2.23	3.9	1.5	2.8	3.6	41	0.1	0.2	0.1	51	0.78	0.053
CAE442689	Soil	1.1	14.5	6.5	47	<0.1	17.3	9.5	340	2.70	4.8	0.9	2.5	5.1	25	<0.1	0.3	0.2	60	0.48	0.056
CAE442690	Soil	1.5	12.2	6.0	46	<0.1	16.6	10.1	418	2.78	4.8	0.9	2.7	6.6	21	0.1	0.3	0.2	63	0.38	0.062
CAE442691	Soil	0.9	13.1	5.5	44	<0.1	17.7	8.7	247	2.65	4.8	0.6	3.8	4.6	20	<0.1	0.3	0.1	61	0.32	0.048
CAE442692	Soil	1.0	11.0	7.3	32	<0.1	10.6	5.4	198	2.11	3.4	0.7	2.0	2.6	12	0.1	0.2	0.2	50	0.15	0.045
CAE442693	Soil	1.1	11.6	7.7	51	<0.1	18.4	9.5	364	3.20	7.0	0.5	1.4	2.0	13	0.2	0.3	0.2	78	0.18	0.050
CAE442694	Soil	1.9	12.3	5.1	62	<0.1	14.2	13.4	383	4.29	0.8	1.9	1.8	11.1	11	<0.1	<0.1	0.3	59	0.33	0.123
CAE442695	Soil	1.1	8.1	4.5	34	<0.1	9.3	5.7	217	2.20	2.5	0.7	2.9	5.2	15	<0.1	0.1	0.2	44	0.25	0.042
CAE442696	Soil	1.2	23.8	7.2	55	0.1	20.5	8.8	202	2.53	4.0	3.3	6.8	8.7	31	0.1	0.3	0.3	54	0.60	0.062
CAE442697	Soil	0.6	35.9	6.8	48	<0.1	25.3	10.2	387	2.52	5.4	1.0	3.3	5.0	37	0.1	0.4	0.1	56	0.78	0.046
CAE443122	Soil	1.1	19.1	9.1	66	<0.1	22.7	9.5	382	3.02	8.1	1.8	4.4	11.1	23	0.2	0.3	0.2	57	0.47	0.074
CAE443123	Soil	0.9	17.7	9.0	63	<0.1	21.4	8.8	353	2.88	8.0	1.6	1.8	10.4	25	0.1	0.3	0.2	55	0.49	0.073
CAE443124	Soil	1.1	12.9	8.3	54	<0.1	16.4	7.4	317	2.65	5.4	1.6	6.6	10.6	23	<0.1	0.3	0.1	48	0.49	0.064
CAE443125	Soil	1.2	16.8	12.8	67	0.1	21.0	10.7	575	2.81	5.2	1.7	2.4	10.0	20	0.2	0.2	0.4	58	0.36	0.066
CAE443126	Soil	1.3	23.1	8.8	80	0.1	33.8	14.1	527	2.93	3.7	2.3	0.9	7.2	28	0.2	0.2	0.2	65	0.68	0.091
CAE443127	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE443128	Soil	1.4	17.5	9.9	61	<0.1	33.0	10.9	363	2.54	4.0	1.2	8.2	6.4	22	0.1	0.2	0.2	63	0.44	0.047
CAE443129	Soil	1.2	21.8	10.6	72	<0.1	41.6	11.4	413	2.91	3.5	2.1	0.8	11.9	20	0.2	0.2	0.2	59	0.43	0.068
CAE443130	Soil	1.6	27.6	12.3	72	0.2	70.9	12.6	475	3.15	3.6	3.5	3.7	13.7	29	0.2	0.2	0.2	62	0.65	0.060
CAE443131	Soil	0.9	23.2	10.0	65	0.1	193.6	23.6	706	2.73	2.8	1.7	0.6	6.0	27	0.1	0.1	0.1	57	0.55	0.065
CAE443132	Soil	1.3	13.3	10.7	37	0.1	7.3	3.7	305	1.12	1.4	2.2	0.5	2.4	20	0.6	0.2	0.2	22	0.34	0.075
CAE443133	Soil	1.4	14.1	6.1	35	0.2	10.5	6.4	769	1.75	2.6	3.0	2.3	4.0	59	0.1	0.3	0.2	32	1.16	0.078
CAE443134	Soil	1.9	11.0	10.0	51	<0.1	12.7	7.2	400	2.72	3.4	1.2	1.7	7.5	18	<0.1	0.2	0.2	49	0.28	0.043

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 08, 2012

CERTIFICATE OF ANALYSIS DAW12000103.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
CAE442681	Soil	39	24	0.37	196	0.065	<1	1.24	0.012	0.06	0.2	0.03	3.4	<0.1	<0.05	6	<0.5	<0.2
CAE442682	Soil	43	29	0.53	360	0.088	1	1.52	0.014	0.11	0.2	0.02	3.9	0.1	<0.05	6	<0.5	<0.2
CAE442683	Soil	14	18	0.26	202	0.058	<1	0.82	0.011	0.08	<0.1	0.04	2.4	<0.1	<0.05	4	<0.5	<0.2
CAE442684	Soil	31	18	0.21	309	0.034	2	0.77	0.012	0.05	0.2	0.07	2.8	<0.1	<0.05	3	<0.5	<0.2
CAE442685	Soil	16	5	0.13	212	0.010	6	0.26	0.011	0.04	<0.1	0.09	1.2	<0.1	0.13	<1	0.5	<0.2
CAE442686	Soil	20	12	0.26	290	0.026	4	0.59	0.011	0.04	0.1	0.07	1.6	<0.1	0.07	2	<0.5	<0.2
CAE442687	Soil	43	26	0.47	463	0.048	2	1.39	0.014	0.05	0.1	0.06	4.5	<0.1	<0.05	5	<0.5	<0.2
CAE442688	Soil	21	29	0.46	291	0.070	2	1.38	0.015	0.06	0.2	0.04	3.9	<0.1	<0.05	5	<0.5	<0.2
CAE442689	Soil	18	31	0.56	275	0.083	2	1.41	0.017	0.10	0.2	0.03	4.4	<0.1	<0.05	5	<0.5	<0.2
CAE442690	Soil	20	29	0.64	306	0.097	2	1.54	0.013	0.14	0.2	0.02	4.2	0.1	<0.05	6	<0.5	<0.2
CAE442691	Soil	15	31	0.55	280	0.091	2	1.56	0.013	0.07	0.2	0.03	3.8	<0.1	<0.05	6	<0.5	<0.2
CAE442692	Soil	12	24	0.32	203	0.068	2	1.30	0.009	0.10	0.1	0.04	2.7	<0.1	<0.05	6	<0.5	<0.2
CAE442693	Soil	8	32	0.47	183	0.072	2	1.65	0.010	0.07	0.2	0.02	3.0	<0.1	<0.05	7	<0.5	<0.2
CAE442694	Soil	37	30	0.79	529	0.108	1	1.67	0.006	0.56	<0.1	<0.01	6.5	0.2	<0.05	8	<0.5	<0.2
CAE442695	Soil	11	24	0.51	208	0.099	2	1.08	0.010	0.27	0.2	0.03	3.7	0.1	<0.05	6	<0.5	<0.2
CAE442696	Soil	57	32	0.56	358	0.069	2	1.45	0.022	0.10	0.2	0.06	6.1	0.1	<0.05	6	<0.5	<0.2
CAE442697	Soil	22	34	0.60	405	0.083	2	1.43	0.026	0.09	0.1	0.04	4.6	<0.1	<0.05	5	<0.5	<0.2
CAE443122	Soil	36	38	0.64	278	0.097	2	1.46	0.014	0.16	0.2	0.02	4.8	0.2	<0.05	5	<0.5	<0.2
CAE443123	Soil	30	34	0.67	303	0.104	2	1.51	0.015	0.12	0.3	0.02	4.1	0.2	<0.05	6	<0.5	<0.2
CAE443124	Soil	43	26	0.51	292	0.078	2	1.31	0.014	0.11	0.2	0.02	3.3	0.1	<0.05	5	<0.5	<0.2
CAE443125	Soil	35	36	0.60	326	0.068	2	1.65	0.012	0.08	0.2	0.03	4.1	0.2	<0.05	6	<0.5	<0.2
CAE443126	Soil	26	52	0.95	283	0.109	2	1.74	0.016	0.21	0.1	0.04	4.5	0.2	<0.05	6	<0.5	<0.2
CAE443127	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE443128	Soil	24	54	0.68	251	0.099	2	1.45	0.015	0.10	0.2	0.04	3.5	0.2	<0.05	6	<0.5	<0.2
CAE443129	Soil	43	58	0.79	285	0.102	1	1.63	0.015	0.18	0.2	0.03	4.3	0.2	<0.05	6	<0.5	<0.2
CAE443130	Soil	126	72	0.79	486	0.077	3	1.93	0.017	0.13	0.1	0.06	6.2	0.2	<0.05	7	<0.5	<0.2
CAE443131	Soil	31	177	1.46	295	0.087	2	1.68	0.014	0.09	0.1	0.06	4.2	0.3	<0.05	6	<0.5	<0.2
CAE443132	Soil	56	14	0.18	321	0.029	3	0.69	0.010	0.06	0.1	0.09	2.1	<0.1	<0.05	3	<0.5	<0.2
CAE443133	Soil	58	18	0.32	508	0.047	3	0.96	0.014	0.09	0.1	0.08	3.0	0.1	0.05	3	<0.5	<0.2
CAE443134	Soil	25	22	0.46	283	0.087	2	1.50	0.011	0.18	0.2	0.03	2.8	0.2	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 08, 2012

CERTIFICATE OF ANALYSIS DAW12000103.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
CAE443135	Soil	1.2	15.8	8.1	59	0.1	14.2	8.5	827	2.45	2.7	2.7	2.9	10.2	47	0.2	0.2	0.2	39	1.05	0.068
CAE443136	Soil	0.9	12.5	6.3	35	0.1	9.9	5.3	450	1.54	1.6	1.6	1.5	2.6	64	0.3	0.2	0.2	24	1.46	0.068
CAE443137	Soil	1.5	15.5	10.5	69	0.1	18.6	9.2	540	2.90	4.2	1.8	1.2	11.8	30	0.2	0.2	0.2	53	0.54	0.057
CAE443138	Soil	1.1	17.7	9.2	47	0.2	15.5	6.6	332	2.22	2.7	2.3	3.1	7.2	46	0.2	0.2	0.2	42	0.91	0.047
CAE443139	Soil	1.1	12.5	7.4	55	<0.1	12.6	7.4	535	2.25	3.2	1.7	1.6	7.5	36	0.2	0.2	0.2	40	0.78	0.066
CAE443140	Soil	1.2	12.0	8.4	54	<0.1	14.4	7.1	382	2.65	3.9	1.2	3.7	8.0	15	0.1	0.2	0.2	49	0.21	0.048
CAE443141	Soil	1.6	12.9	10.7	57	<0.1	13.2	8.4	536	2.64	4.1	1.3	1.9	9.0	18	0.2	0.2	0.3	49	0.28	0.055
CAE443142	Soil	1.3	13.5	8.8	55	<0.1	15.7	7.8	356	2.58	3.7	1.3	7.0	8.2	21	0.2	0.2	0.2	49	0.34	0.058
CAE443143	Soil	1.3	12.7	9.8	43	0.1	10.1	5.0	291	2.19	2.8	0.9	5.6	6.8	13	<0.1	0.2	0.3	46	0.20	0.024
CAE443144	Soil	1.4	13.3	9.1	49	<0.1	10.4	5.6	315	2.53	3.7	1.0	1.3	5.3	14	0.1	0.2	0.4	51	0.22	0.047
CAE443145	Soil	1.4	10.7	7.4	54	0.1	12.1	7.5	644	2.31	2.6	1.6	5.8	9.8	26	0.1	0.2	0.3	42	0.52	0.071
CAE443146	Soil	0.7	10.0	6.8	45	<0.1	12.3	5.7	275	1.80	1.9	2.5	4.2	7.9	23	0.1	0.2	0.1	29	0.41	0.068
CAE443147	Soil	0.8	10.1	4.4	28	0.2	7.0	3.9	131	1.44	1.8	1.2	6.4	0.7	25	0.2	0.1	0.4	15	0.47	0.085
CAE443148	Soil	1.0	20.9	6.3	44	0.1	14.6	7.5	239	2.34	3.1	0.8	5.7	3.1	19	0.1	0.2	0.2	61	0.31	0.038
CAE443149	Soil	0.9	25.5	5.5	58	<0.1	20.0	9.7	344	2.88	5.2	0.4	6.5	1.8	21	0.1	0.2	0.2	84	0.32	0.049
CAE443150	Soil	1.0	57.9	7.2	53	0.4	22.5	7.6	282	2.30	3.7	0.7	5.9	0.9	20	0.3	0.3	0.1	62	0.28	0.060
CAE443151	Soil	0.6	30.2	5.6	33	0.2	13.9	5.5	128	1.62	2.2	0.3	5.2	0.7	13	<0.1	0.2	0.1	51	0.18	0.021
CAE443152	Soil	0.6	50.3	5.1	60	0.1	25.7	10.8	347	2.61	3.9	0.3	2.5	1.2	18	0.2	0.2	<0.1	76	0.31	0.055
CAE443153	Soil	0.4	48.9	4.5	57	<0.1	21.1	11.8	351	2.71	3.4	0.4	7.3	2.0	21	<0.1	0.2	<0.1	74	0.49	0.068
CAE443154	Soil	0.4	60.8	5.0	60	0.1	23.6	13.4	504	2.73	3.9	0.6	22.8	1.5	34	0.2	0.3	0.2	79	0.81	0.076
CAE443155	Soil	0.5	34.2	4.1	44	<0.1	17.2	11.2	442	2.45	3.6	0.4	7.4	1.6	21	<0.1	0.2	<0.1	65	0.50	0.056
CAE443156	Soil	0.6	33.4	4.2	45	0.1	20.1	10.3	348	2.37	4.0	0.4	3.3	1.1	20	<0.1	0.2	<0.1	69	0.37	0.046
CAE443157	Soil	0.7	33.7	4.3	47	0.2	20.1	10.1	344	2.37	3.7	0.4	4.2	1.2	20	<0.1	0.2	<0.1	70	0.38	0.047
CAE443158	Soil	0.5	40.6	3.4	50	<0.1	22.2	13.4	383	3.03	3.6	0.3	7.9	1.3	18	<0.1	0.2	<0.1	95	0.46	0.061
CAE443159	Soil	0.8	34.8	5.7	52	<0.1	23.1	10.6	285	2.67	4.3	0.5	4.9	2.2	20	<0.1	0.3	<0.1	73	0.44	0.041
CAE443160	Soil	0.4	30.2	4.2	46	<0.1	23.0	10.5	302	2.39	3.9	0.3	4.4	1.8	18	<0.1	0.2	<0.1	64	0.34	0.046
CAE443161	Soil	0.5	37.3	4.2	46	<0.1	27.1	11.2	301	2.43	4.0	0.4	3.6	1.9	18	<0.1	0.2	<0.1	66	0.40	0.046
CAE443162	Soil	0.4	51.1	3.4	65	<0.1	27.1	16.0	403	3.25	2.7	0.3	1.5	1.5	17	<0.1	0.1	<0.1	91	0.49	0.080
CAE443163	Soil	0.3	54.7	3.3	58	<0.1	27.0	13.8	393	2.98	2.7	0.4	4.5	1.8	17	<0.1	0.2	<0.1	78	0.52	0.075
CAE443164	Soil	0.3	45.0	4.7	44	0.1	32.8	11.9	250	2.46	3.7	0.4	21.1	1.7	18	<0.1	0.2	<0.1	74	0.34	0.036

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 08, 2012

CERTIFICATE OF ANALYSIS DAW12000103.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
CAE443135	Soil	64	22	0.47	559	0.073	2	1.35	0.014	0.19	0.1	0.05	4.2	0.2	<0.05	5	<0.5	<0.2
CAE443136	Soil	100	13	0.29	677	0.040	3	1.06	0.012	0.10	0.1	0.07	2.5	0.1	<0.05	3	<0.5	<0.2
CAE443137	Soil	56	29	0.56	401	0.093	2	1.84	0.013	0.17	0.2	0.05	4.6	0.2	<0.05	6	<0.5	<0.2
CAE443138	Soil	174	23	0.36	767	0.059	2	1.56	0.013	0.10	0.1	0.06	4.0	0.1	<0.05	6	<0.5	<0.2
CAE443139	Soil	37	20	0.45	360	0.079	2	1.23	0.014	0.15	0.1	0.05	3.3	0.1	<0.05	5	<0.5	<0.2
CAE443140	Soil	26	23	0.51	237	0.082	2	1.60	0.011	0.11	0.1	0.02	2.9	0.1	<0.05	6	<0.5	<0.2
CAE443141	Soil	29	23	0.52	287	0.095	1	1.50	0.013	0.14	0.1	0.02	2.9	0.1	<0.05	7	<0.5	<0.2
CAE443142	Soil	43	27	0.60	260	0.102	1	1.39	0.013	0.20	0.2	0.04	3.2	0.2	<0.05	6	<0.5	<0.2
CAE443143	Soil	27	21	0.43	229	0.080	2	1.34	0.013	0.10	0.1	0.04	2.6	0.1	<0.05	7	<0.5	<0.2
CAE443144	Soil	15	23	0.45	197	0.082	1	1.28	0.008	0.19	0.1	0.04	2.8	0.2	<0.05	7	<0.5	<0.2
CAE443145	Soil	59	22	0.53	364	0.083	2	1.28	0.015	0.23	0.1	0.09	3.8	0.2	<0.05	5	<0.5	<0.2
CAE443146	Soil	60	22	0.36	314	0.062	2	0.95	0.017	0.08	0.2	0.06	3.7	0.1	<0.05	3	<0.5	<0.2
CAE443147	Soil	25	14	0.19	261	0.024	2	0.75	0.015	0.04	<0.1	0.07	1.7	<0.1	0.10	2	<0.5	<0.2
CAE443148	Soil	22	32	0.59	221	0.078	2	1.55	0.017	0.06	0.1	0.04	4.1	0.1	<0.05	7	<0.5	<0.2
CAE443149	Soil	7	42	0.79	204	0.111	2	1.57	0.015	0.09	0.1	<0.01	3.8	<0.1	<0.05	6	<0.5	<0.2
CAE443150	Soil	10	43	0.53	308	0.084	1	1.43	0.024	0.07	<0.1	0.01	3.1	<0.1	<0.05	6	<0.5	<0.2
CAE443151	Soil	6	28	0.45	142	0.091	<1	1.14	0.017	0.04	<0.1	0.02	2.5	<0.1	<0.05	6	<0.5	<0.2
CAE443152	Soil	6	52	0.86	171	0.111	1	1.69	0.017	0.04	0.1	<0.01	3.7	<0.1	<0.05	6	<0.5	<0.2
CAE443153	Soil	7	41	0.96	266	0.102	1	1.64	0.019	0.08	0.1	0.02	5.4	<0.1	<0.05	6	<0.5	<0.2
CAE443154	Soil	9	39	0.80	389	0.065	2	1.55	0.021	0.06	0.1	0.04	7.2	0.1	<0.05	5	<0.5	<0.2
CAE443155	Soil	7	33	0.73	270	0.072	<1	1.49	0.016	0.06	<0.1	0.02	5.3	<0.1	<0.05	5	<0.5	<0.2
CAE443156	Soil	6	44	0.74	243	0.089	1	1.52	0.017	0.06	0.1	0.01	3.7	<0.1	<0.05	5	<0.5	<0.2
CAE443157	Soil	6	43	0.76	237	0.090	1	1.51	0.017	0.06	0.1	0.02	3.9	<0.1	<0.05	5	<0.5	<0.2
CAE443158	Soil	6	50	1.23	279	0.116	1	2.03	0.018	0.16	<0.1	0.02	5.7	0.1	<0.05	7	<0.5	<0.2
CAE443159	Soil	9	45	0.82	262	0.108	1	1.67	0.017	0.06	0.1	0.02	4.4	<0.1	<0.05	6	<0.5	<0.2
CAE443160	Soil	7	48	0.79	210	0.094	1	1.58	0.017	0.05	<0.1	0.02	3.4	<0.1	<0.05	5	<0.5	<0.2
CAE443161	Soil	7	55	0.89	248	0.091	1	1.53	0.016	0.06	<0.1	<0.01	4.4	<0.1	<0.05	5	<0.5	<0.2
CAE443162	Soil	5	53	1.38	361	0.136	<1	2.11	0.019	0.32	<0.1	<0.01	5.9	0.2	<0.05	7	<0.5	<0.2
CAE443163	Soil	6	57	1.25	319	0.124	<1	1.90	0.019	0.22	<0.1	0.01	5.8	0.1	<0.05	6	<0.5	<0.2
CAE443164	Soil	7	78	0.89	238	0.119	1	1.64	0.017	0.06	<0.1	0.02	3.5	<0.1	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 08, 2012

CERTIFICATE OF ANALYSIS DAW12000103.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
CAE443165	Soil	0.4	62.7	4.5	54	<0.1	35.3	16.1	364	3.17	3.7	0.3	9.7	1.6	22	<0.1	0.1	<0.1	97	0.43	0.050
CAE443166	Soil	0.6	85.9	5.5	53	0.2	18.9	10.1	209	2.74	4.4	0.4	7.4	1.4	19	0.1	0.3	<0.1	94	0.33	0.050
CAE443167	Soil	0.5	184.8	6.0	63	0.3	20.7	13.4	367	2.91	2.9	0.8	21.1	2.1	31	0.2	0.2	<0.1	88	0.77	0.064
CAE443168	Soil	0.5	68.3	7.4	58	0.2	19.6	14.0	651	2.61	3.0	0.6	8.8	2.6	26	0.1	0.2	<0.1	79	0.59	0.067
CAE443169	Soil	0.5	78.4	4.2	50	0.1	19.7	13.3	637	2.18	3.3	0.5	9.6	1.1	34	0.2	0.2	<0.1	67	0.74	0.060
CAE443170	Soil	0.4	50.3	4.5	63	<0.1	19.8	15.7	673	2.78	2.9	0.4	17.4	1.2	36	0.2	0.2	<0.1	90	0.80	0.057
CAE443171	Soil	0.5	43.7	4.2	49	0.2	17.9	9.3	204	2.17	3.3	0.4	34.6	0.9	19	<0.1	0.2	<0.1	67	0.31	0.052
CAE443172	Soil	0.3	75.8	3.6	47	0.1	18.7	11.4	230	2.48	3.1	0.3	21.5	1.3	20	<0.1	0.2	<0.1	79	0.38	0.059
CAE443173	Soil	0.4	80.6	3.2	44	0.1	19.0	10.4	201	2.12	2.5	0.3	27.2	0.9	20	<0.1	0.1	<0.1	67	0.38	0.046
CAE443174	Soil	0.3	79.7	2.3	34	<0.1	13.3	9.2	112	1.62	1.6	0.1	4.7	0.5	17	<0.1	<0.1	<0.1	57	0.25	0.019
CAE443175	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE443176	Soil	0.4	72.5	2.6	36	<0.1	14.3	8.4	107	1.60	2.2	0.2	3.2	0.3	21	<0.1	<0.1	<0.1	49	0.34	0.038
CAE443177	Soil	0.4	107.4	3.1	41	0.2	18.3	9.8	133	1.96	2.4	0.4	4.0	0.8	18	0.1	0.1	<0.1	62	0.32	0.040
CAE443178	Soil	0.5	113.6	4.1	40	0.3	16.8	10.2	189	2.15	3.0	0.7	11.6	1.0	24	<0.1	0.1	<0.1	65	0.43	0.060
CAE443179	Soil	0.3	128.0	1.6	36	<0.1	75.6	20.3	215	2.73	1.5	0.1	2.1	0.6	29	<0.1	<0.1	<0.1	82	0.37	0.029
CAE443180	Soil	0.8	97.9	4.7	33	0.3	30.5	9.0	218	1.97	2.9	0.5	4.4	1.1	22	<0.1	0.1	<0.1	61	0.42	0.040
CAE443181	Soil	0.4	76.0	3.0	34	0.1	41.3	10.3	197	1.93	2.5	0.4	4.6	1.6	17	<0.1	0.1	<0.1	57	0.34	0.052
CAE443182	Soil	0.8	84.8	6.6	39	<0.1	28.5	10.9	317	2.47	6.8	0.8	5.9	2.8	22	<0.1	0.3	<0.1	67	0.34	0.028
CAE443183	Soil	0.4	61.8	3.3	50	<0.1	16.9	15.6	301	2.75	3.2	0.4	3.5	1.4	30	<0.1	0.2	<0.1	78	0.35	0.036
CAE443184	Soil	0.6	33.6	6.2	39	0.1	16.4	8.7	301	2.10	5.3	0.8	2.4	3.4	24	<0.1	0.3	<0.1	47	0.31	0.028
CAE443185	Soil	0.7	48.7	5.2	36	<0.1	28.2	9.8	241	2.09	3.7	0.3	3.9	1.3	23	<0.1	0.2	<0.1	55	0.34	0.041
CAE443186	Soil	0.9	67.3	3.4	90	<0.1	14.4	19.6	508	4.05	2.3	0.2	0.6	0.9	54	<0.1	0.1	<0.1	125	0.60	0.072
CAE443187	Soil	0.8	35.3	5.8	40	<0.1	20.2	10.3	342	2.23	4.2	0.5	3.3	2.3	22	<0.1	0.2	<0.1	56	0.34	0.030
CAE443188	Soil	0.7	41.8	4.8	40	<0.1	26.4	12.3	283	2.58	5.6	0.7	2.4	3.0	25	<0.1	0.3	<0.1	67	0.42	0.051
CAE443189	Soil	1.1	24.3	6.6	39	<0.1	17.4	10.6	316	2.36	6.2	0.7	1.3	2.9	24	<0.1	0.4	<0.1	62	0.32	0.029
CAE443190	Soil	1.3	24.3	7.0	42	0.1	18.2	10.7	317	2.61	6.3	0.8	1.7	3.2	21	<0.1	0.4	<0.1	66	0.28	0.026
CAE443191	Soil	0.4	24.1	2.8	24	<0.1	20.4	11.2	212	2.11	2.3	1.0	1.4	6.3	25	<0.1	0.2	<0.1	63	0.33	0.044
CAE443192	Soil	0.7	39.1	5.6	37	<0.1	16.2	15.1	338	2.68	4.5	0.4	4.7	2.4	24	<0.1	0.3	<0.1	79	0.30	0.055
CAE443193	Soil	1.0	29.0	6.2	35	<0.1	15.6	10.1	185	2.50	5.3	0.4	2.7	2.0	19	<0.1	0.3	<0.1	68	0.25	0.037
CAE443194	Soil	0.6	22.4	5.6	37	<0.1	16.4	9.1	223	2.16	5.7	0.6	<0.5	3.1	23	<0.1	0.3	<0.1	54	0.29	0.037

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 08, 2012

CERTIFICATE OF ANALYSIS DAW12000103.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
CAE443165	Soil	6	76	1.22	271	0.159	1	1.96	0.016	0.16	0.1	0.01	4.1	0.1	<0.05	7	<0.5	<0.2
CAE443166	Soil	7	35	0.77	268	0.136	1	1.74	0.016	0.08	<0.1	0.02	3.6	<0.1	<0.05	7	<0.5	<0.2
CAE443167	Soil	16	32	0.82	617	0.104	1	1.87	0.018	0.12	0.1	0.03	7.2	0.1	<0.05	7	<0.5	<0.2
CAE443168	Soil	17	33	0.75	479	0.079	2	1.49	0.020	0.13	0.1	0.03	6.1	<0.1	<0.05	5	<0.5	<0.2
CAE443169	Soil	7	36	0.70	272	0.073	2	1.26	0.022	0.06	0.1	0.05	4.8	<0.1	<0.05	4	<0.5	<0.2
CAE443170	Soil	5	37	0.88	210	0.061	1	1.42	0.020	0.06	0.2	0.04	6.6	<0.1	<0.05	5	<0.5	<0.2
CAE443171	Soil	6	40	0.72	123	0.080	1	1.38	0.019	0.04	0.1	0.03	4.0	<0.1	<0.05	5	<0.5	<0.2
CAE443172	Soil	5	38	0.75	156	0.102	1	1.40	0.021	0.08	0.1	0.02	4.1	<0.1	<0.05	5	<0.5	<0.2
CAE443173	Soil	5	37	0.67	150	0.096	1	1.34	0.019	0.05	<0.1	0.02	4.0	<0.1	<0.05	5	<0.5	<0.2
CAE443174	Soil	2	26	0.59	53	0.095	<1	1.09	0.023	0.03	<0.1	0.01	2.9	<0.1	<0.05	4	<0.5	<0.2
CAE443175	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE443176	Soil	3	23	0.59	88	0.084	2	1.08	0.022	0.04	<0.1	0.01	2.6	<0.1	<0.05	4	<0.5	<0.2
CAE443177	Soil	5	33	0.68	155	0.092	1	1.34	0.018	0.03	<0.1	0.03	3.4	<0.1	<0.05	5	<0.5	<0.2
CAE443178	Soil	7	34	0.71	277	0.084	<1	1.40	0.019	0.04	<0.1	0.04	4.1	<0.1	<0.05	5	<0.5	<0.2
CAE443179	Soil	2	221	2.25	378	0.100	<1	2.04	0.013	0.12	<0.1	0.01	3.2	<0.1	<0.05	6	<0.5	<0.2
CAE443180	Soil	8	71	0.76	296	0.090	1	1.27	0.019	0.11	<0.1	0.03	2.8	<0.1	<0.05	5	<0.5	<0.2
CAE443181	Soil	8	98	1.00	244	0.092	<1	1.29	0.015	0.11	<0.1	<0.01	2.6	<0.1	<0.05	4	<0.5	<0.2
CAE443182	Soil	12	53	0.69	282	0.106	<1	1.45	0.019	0.06	<0.1	0.04	5.3	<0.1	<0.05	5	<0.5	<0.2
CAE443183	Soil	8	21	1.32	430	0.153	<1	1.79	0.012	0.29	<0.1	0.01	3.5	0.2	<0.05	5	<0.5	<0.2
CAE443184	Soil	12	26	0.52	251	0.085	1	1.22	0.013	0.09	0.1	0.02	4.0	<0.1	<0.05	4	<0.5	<0.2
CAE443185	Soil	6	58	0.90	210	0.106	1	1.39	0.013	0.09	0.1	<0.01	2.5	<0.1	<0.05	4	<0.5	<0.2
CAE443186	Soil	6	17	2.60	476	0.258	<1	3.05	0.017	0.81	0.1	<0.01	4.0	0.4	<0.05	9	<0.5	<0.2
CAE443187	Soil	8	40	0.71	223	0.089	<1	1.41	0.015	0.04	0.1	0.02	3.2	<0.1	<0.05	4	<0.5	<0.2
CAE443188	Soil	10	46	0.89	212	0.108	<1	1.53	0.018	0.09	0.2	0.02	5.2	0.1	<0.05	5	<0.5	<0.2
CAE443189	Soil	10	33	0.65	235	0.086	1	1.38	0.015	0.06	0.1	0.02	3.7	<0.1	<0.05	5	<0.5	<0.2
CAE443190	Soil	10	31	0.64	227	0.097	2	1.52	0.014	0.08	0.1	0.02	3.7	<0.1	<0.05	6	<0.5	<0.2
CAE443191	Soil	17	34	0.96	240	0.124	<1	1.30	0.014	0.25	0.1	<0.01	3.9	0.2	<0.05	5	<0.5	<0.2
CAE443192	Soil	5	24	0.86	269	0.128	1	1.69	0.012	0.26	0.1	0.01	2.6	0.2	<0.05	5	<0.5	<0.2
CAE443193	Soil	6	25	0.73	206	0.093	<1	1.54	0.013	0.08	0.1	0.01	3.0	<0.1	<0.05	5	<0.5	<0.2
CAE443194	Soil	11	27	0.58	230	0.073	<1	1.34	0.015	0.04	0.1	0.03	3.7	<0.1	<0.05	4	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 08, 2012

CERTIFICATE OF ANALYSIS DAW12000103.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
CAE443195	Soil	0.8	22.5	7.2	36	<0.1	17.2	9.5	235	2.27	5.9	0.7	1.2	3.3	23	<0.1	0.4	<0.1	53	0.29	0.038
CAE443196	Soil	0.6	43.0	3.9	43	<0.1	17.1	13.1	220	2.65	3.3	0.3	0.7	1.6	16	<0.1	0.2	<0.1	74	0.28	0.053
CAE443197	Soil	0.8	36.4	4.9	46	<0.1	18.3	12.8	327	2.75	4.8	0.7	3.0	3.3	19	<0.1	0.2	<0.1	76	0.31	0.048
CAE443198	Soil	1.0	38.7	5.3	45	<0.1	19.6	14.0	331	3.04	4.5	0.5	3.0	2.3	19	<0.1	0.2	<0.1	91	0.36	0.054
CAE443199	Soil	1.4	29.9	4.9	42	<0.1	20.4	12.4	289	3.08	5.9	0.6	1.6	2.1	15	<0.1	0.2	0.1	93	0.25	0.040
CAE443200	Soil	1.6	20.1	4.7	40	<0.1	16.3	11.6	330	2.81	4.9	0.7	2.6	2.1	17	<0.1	0.2	0.2	78	0.30	0.062

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 08, 2012

CERTIFICATE OF ANALYSIS DAW12000103.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
CAE443195	Soil	11	27	0.57	239	0.071	<1	1.33	0.014	0.04	0.1	0.02	3.6	<0.1	<0.05	4	<0.5	<0.2
CAE443196	Soil	5	41	1.14	110	0.121	<1	1.82	0.015	0.09	0.1	<0.01	3.2	<0.1	<0.05	6	<0.5	<0.2
CAE443197	Soil	9	40	1.07	160	0.101	<1	1.84	0.015	0.09	0.1	<0.01	3.2	<0.1	<0.05	6	<0.5	<0.2
CAE443198	Soil	8	45	1.18	197	0.129	<1	2.13	0.017	0.13	0.1	0.01	4.0	0.1	<0.05	7	<0.5	<0.2
CAE443199	Soil	8	40	0.94	192	0.116	<1	1.92	0.015	0.11	0.1	0.02	3.5	0.1	<0.05	7	<0.5	<0.2
CAE443200	Soil	9	32	0.90	235	0.111	<1	1.75	0.016	0.14	0.2	0.02	4.0	0.1	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 08, 2012

QUALITY CONTROL REPORT DAW12000103.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Pulp Duplicates																					
CAE442657	Soil	0.9	22.1	6.3	44	<0.1	17.7	7.6	314	2.59	5.8	0.9	5.2	5.2	24	<0.1	0.4	0.2	53	0.33	0.038
REP CAE442657	QC	0.7	21.6	6.2	45	<0.1	17.2	7.4	282	2.57	5.8	0.9	1.9	5.2	24	<0.1	0.4	0.3	52	0.33	0.040
CAE442676	Soil	1.0	13.5	8.4	56	<0.1	15.6	8.1	341	2.43	4.1	1.3	3.1	6.0	19	0.1	0.3	0.2	50	0.32	0.058
REP CAE442676	QC	1.1	13.8	8.0	57	<0.1	15.9	8.2	349	2.47	4.2	1.3	2.2	6.0	20	0.2	0.2	0.1	50	0.33	0.058
CAE442693	Soil	1.1	11.6	7.7	51	<0.1	18.4	9.5	364	3.20	7.0	0.5	1.4	2.0	13	0.2	0.3	0.2	78	0.18	0.050
REP CAE442693	QC	1.1	11.5	7.8	51	<0.1	18.6	9.1	354	3.10	6.5	0.5	3.2	1.9	13	0.1	0.3	0.2	76	0.18	0.049
CAE443136	Soil	0.9	12.5	6.3	35	0.1	9.9	5.3	450	1.54	1.6	1.6	1.5	2.6	64	0.3	0.2	0.2	24	1.46	0.068
REP CAE443136	QC	0.9	13.2	6.8	38	0.1	10.7	5.7	474	1.66	1.5	1.6	1.4	3.0	62	0.4	0.2	0.2	27	1.48	0.070
CAE443153	Soil	0.4	48.9	4.5	57	<0.1	21.1	11.8	351	2.71	3.4	0.4	7.3	2.0	21	<0.1	0.2	<0.1	74	0.49	0.068
REP CAE443153	QC	0.4	49.1	4.5	55	<0.1	21.0	12.2	360	2.74	3.4	0.4	7.0	2.0	21	<0.1	0.2	<0.1	74	0.48	0.069
CAE443172	Soil	0.3	75.8	3.6	47	0.1	18.7	11.4	230	2.48	3.1	0.3	21.5	1.3	20	<0.1	0.2	<0.1	79	0.38	0.059
REP CAE443172	QC	0.4	76.4	3.6	49	0.1	19.0	11.4	231	2.46	3.2	0.3	25.8	1.3	20	<0.1	0.2	<0.1	78	0.39	0.060
Reference Materials																					
STD DS9	Standard	14.0	103.4	121.0	298	1.9	40.3	7.6	596	2.38	24.9	2.7	117.4	6.3	71	2.4	5.5	5.6	46	0.74	0.078
STD DS9	Standard	13.2	100.6	117.6	300	1.8	40.8	7.5	570	2.31	24.4	2.4	118.1	5.6	66	2.3	5.5	5.8	42	0.71	0.077
STD DS9	Standard	11.6	106.9	123.6	308	1.9	37.0	7.2	557	2.27	25.7	2.8	116.3	5.7	70	2.8	6.2	6.5	38	0.66	0.083
STD DS9	Standard	13.9	100.3	114.9	295	1.9	39.1	7.4	573	2.29	25.1	2.5	126.3	6.0	68	2.4	5.4	5.8	41	0.72	0.082
STD DS9	Standard	11.9	97.5	116.1	284	1.8	36.6	6.7	526	2.10	23.0	2.4	115.6	5.6	60	2.2	5.3	5.7	37	0.63	0.076
STD DS9 Expected		12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40	0.7201	0.0819
BLK	Blank	<0.1	0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 08, 2012

QUALITY CONTROL REPORT DAW12000103.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																		
CAE442657	Soil	18	30	0.51	229	0.075	<1	1.45	0.014	0.08	0.1	0.02	5.3	<0.1	<0.05	6	<0.5	<0.2
REP CAE442657	QC	18	29	0.49	228	0.074	<1	1.48	0.015	0.08	0.1	0.02	5.3	<0.1	<0.05	6	<0.5	<0.2
CAE442676	Soil	23	35	0.52	199	0.065	<1	1.63	0.013	0.09	0.1	0.03	4.1	0.1	<0.05	7	<0.5	<0.2
REP CAE442676	QC	23	35	0.52	197	0.064	<1	1.66	0.013	0.09	0.1	0.03	4.1	0.1	<0.05	7	<0.5	<0.2
CAE442693	Soil	8	32	0.47	183	0.072	2	1.65	0.010	0.07	0.2	0.02	3.0	<0.1	<0.05	7	<0.5	<0.2
REP CAE442693	QC	8	32	0.46	177	0.070	2	1.62	0.012	0.07	0.1	0.03	2.9	<0.1	<0.05	7	<0.5	<0.2
CAE443136	Soil	100	13	0.29	677	0.040	3	1.06	0.012	0.10	0.1	0.07	2.5	0.1	<0.05	3	<0.5	<0.2
REP CAE443136	QC	95	15	0.32	687	0.053	4	1.10	0.013	0.11	0.1	0.07	2.7	0.1	<0.05	4	0.6	<0.2
CAE443153	Soil	7	41	0.96	266	0.102	1	1.64	0.019	0.08	0.1	0.02	5.4	<0.1	<0.05	6	<0.5	<0.2
REP CAE443153	QC	7	41	0.95	267	0.103	<1	1.64	0.020	0.08	0.1	0.01	5.5	<0.1	<0.05	6	<0.5	<0.2
CAE443172	Soil	5	38	0.75	156	0.102	1	1.40	0.021	0.08	0.1	0.02	4.1	<0.1	<0.05	5	<0.5	<0.2
REP CAE443172	QC	5	38	0.74	161	0.101	<1	1.41	0.020	0.08	0.1	0.02	4.0	<0.1	<0.05	5	<0.5	<0.2
Reference Materials																		
STD DS9	Standard	14	126	0.62	311	0.115	3	0.97	0.097	0.37	3.0	0.22	2.8	5.7	0.15	5	6.3	5.4
STD DS9	Standard	12	122	0.60	295	0.109	3	0.89	0.082	0.36	3.0	0.22	2.4	5.6	0.15	4	5.6	5.0
STD DS9	Standard	11	113	0.59	294	0.104	3	0.88	0.087	0.37	3.0	0.21	2.6	5.6	0.06	5	5.1	5.2
STD DS9	Standard	13	120	0.63	304	0.108	2	0.94	0.091	0.35	2.9	0.21	2.5	5.4	0.11	5	5.6	4.8
STD DS9	Standard	11	110	0.55	278	0.095	2	0.82	0.074	0.33	2.8	0.18	2.3	5.2	0.11	4	5.0	4.7
STD DS9 Expected		13.3	121	0.6165	295	0.1108		0.9577	0.0853	0.395	2.89	0.2	2.5	5.3	0.1615	4.59	5.2	5.02
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.