Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Submitted By: Jean-Pierre Londero
Receiving Lab: Canada-Dawson City
Received: July 30, 2012
Report Date: August 13, 2012

CERTIFICATE OF ANALYSIS DAW12000176.1

CLIENT JOB INFORMATION

Project: White Gold
Shipment ID: WG02162012
P.O. Number
Number of Samples: 74

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT-SOIL Store Soil Reject - RJSV Charges Apply

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	74	Dry at 60C sieve 100g to -80 mesh			DAW
Dry at 60C	74	Dry at 60C			DAW
RJSV	74	Saving all or part of Soil Reject			DAW
1DX2	74	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Selene Holdings LP
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8
Canada

CC: Keith Fowlow

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 13, 2012

CERTIFICATE OF ANALYSIS DAW12000176.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
CAG199351	Soil	1.1	30.9	10.9	52	<0.1	17.8	10.9	476	2.86	7.1	0.5	14.0	5.2	15	<0.1	0.3	0.1	58	0.21	0.022
CAG199352	Soil	1.0	40.8	15.4	69	0.1	15.1	10.9	738	4.04	6.0	0.4	3.4	3.4	13	<0.1	0.5	0.1	59	0.23	0.031
CAG199353	Soil	1.0	31.3	27.1	93	<0.1	13.6	9.9	452	4.72	6.5	0.5	2.7	3.2	8	<0.1	0.4	0.2	53	0.11	0.034
CAG199354	Soil	1.4	54.9	52.9	82	0.1	23.1	18.1	340	4.48	4.8	0.4	22.8	2.1	21	<0.1	0.3	0.2	122	0.43	0.024
CAG199355	Soil	0.5	44.0	10.0	66	<0.1	58.3	22.1	788	3.93	5.8	0.3	8.5	2.2	24	<0.1	0.3	<0.1	103	0.88	0.045
CAG199356	Soil	1.3	21.4	18.5	49	0.1	17.7	11.1	426	3.17	6.4	0.3	1.3	1.7	17	<0.1	0.3	0.1	93	0.28	0.026
CAG199357	Soil	0.3	62.3	10.9	297	<0.1	6.8	21.5	1056	6.47	1.7	0.3	0.7	0.8	15	0.3	<0.1	<0.1	281	0.51	0.075
CAG199358	Soil	2.2	39.2	15.1	105	0.5	22.0	13.8	607	3.41	9.0	0.4	17.6	2.6	15	0.3	0.4	0.1	71	0.16	0.035
CAG199359	Soil	0.7	193.1	11.2	163	<0.1	5.4	2.6	255	6.61	1.7	0.4	2.2	3.7	22	<0.1	<0.1	0.1	51	0.07	0.023
CAG199360	Soil	0.7	47.9	23.2	206	<0.1	15.2	21.5	1076	6.57	4.3	0.5	3.9	3.1	12	0.1	0.1	<0.1	139	0.16	0.029
CAG199361	Soil	0.4	34.3	10.6	97	0.1	9.2	14.4	416	3.63	3.2	0.3	2.4	1.3	19	<0.1	0.1	<0.1	85	0.42	0.082
CAG199362	Soil	1.0	31.4	21.8	92	<0.1	9.7	21.0	993	3.68	4.0	0.4	2.3	1.5	18	0.1	0.1	<0.1	84	0.37	0.090
CAG199363	Soil	1.0	25.7	20.7	96	<0.1	17.6	10.6	380	3.56	6.6	0.6	7.1	3.0	20	<0.1	0.4	0.1	80	0.30	0.034
CAG199364	Soil	0.8	34.2	10.6	74	<0.1	16.8	16.8	405	3.64	4.6	0.5	5.8	2.3	21	<0.1	0.2	<0.1	89	0.37	0.042
CAG199365	Soil	0.8	31.8	13.6	73	<0.1	11.4	12.9	525	3.06	3.6	0.4	4.3	1.6	19	0.1	0.2	<0.1	87	0.32	0.035
CAG199366	Soil	0.6	50.1	9.8	107	<0.1	15.6	19.1	540	4.25	3.5	0.4	5.0	2.1	18	<0.1	0.2	<0.1	127	0.36	0.027
CAG199367	Soil	0.7	43.6	17.5	87	<0.1	16.3	15.6	560	3.91	5.1	0.6	10.5	2.7	21	<0.1	0.2	<0.1	103	0.47	0.032
CAG199368	Soil	0.6	52.9	12.4	97	<0.1	17.6	21.3	524	4.62	4.8	0.5	7.6	2.5	25	<0.1	0.4	<0.1	116	0.50	0.047
CAG199369	Soil	0.7	38.8	12.5	80	<0.1	13.5	12.9	363	3.55	4.4	0.3	1.6	1.6	25	<0.1	0.3	<0.1	85	0.40	0.025
CAG199370	Soil	0.5	51.7	4.9	82	0.1	15.5	22.3	517	4.71	3.5	0.2	3.8	0.9	21	<0.1	0.1	<0.1	137	0.44	0.034
CAG199371	Soil	0.8	61.3	17.5	64	0.3	20.5	14.6	382	3.44	6.4	0.3	2.6	2.2	27	<0.1	0.3	<0.1	100	0.44	0.025
CAG199372	Soil	0.8	33.5	11.6	50	0.3	18.6	12.1	305	3.05	5.3	0.3	4.3	1.9	25	0.1	0.3	<0.1	92	0.47	0.023
CAG199373	Soil	0.7	76.0	11.9	77	0.1	20.5	15.7	473	3.65	5.5	0.4	31.6	2.7	29	0.1	0.3	<0.1	100	0.55	0.036
CAG199374	Soil	0.8	76.3	12.0	77	0.1	21.8	15.4	448	3.71	5.7	0.5	124.5	2.7	29	<0.1	0.3	<0.1	97	0.54	0.036
CAG199375	Soil	0.7	78.0	28.1	184	0.2	23.2	14.8	490	4.17	4.9	0.4	24.9	2.3	25	0.2	0.2	0.1	113	0.53	0.037
CAG199376	Soil	0.8	78.4	48.7	143	0.2	29.3	16.0	693	4.30	5.9	1.0	50.3	3.8	33	0.1	0.3	0.2	94	0.75	0.059
CAG199377	Soil	0.7	66.1	41.5	106	0.1	48.6	19.9	633	3.83	6.2	0.5	17.3	2.8	30	<0.1	0.2	0.2	103	0.65	0.034
CAG199378	Soil	1.1	41.8	52.2	94	<0.1	34.1	14.2	430	4.15	5.7	0.8	23.3	6.4	15	<0.1	0.3	0.2	80	0.25	0.024
CAG199379	Soil	0.8	64.9	45.7	185	0.4	28.5	15.9	773	4.10	4.7	0.8	19.8	2.6	35	0.4	0.2	0.2	105	1.16	0.051
CAG199380	Soil	0.7	56.4	35.4	68	0.3	18.1	10.3	444	2.72	3.8	1.9	19.7	2.5	44	0.3	0.3	<0.1	54	1.00	0.060

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 13, 2012

CERTIFICATE OF ANALYSIS DAW12000176.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
CAG199351	Soil	11	33	0.46	405	0.055	2	1.84	0.010	0.05	0.1	0.02	3.8	<0.1	<0.05	6	<0.5	<0.2
CAG199352	Soil	11	25	0.44	332	0.043	3	1.75	0.011	0.09	<0.1	0.02	9.6	<0.1	<0.05	7	<0.5	<0.2
CAG199353	Soil	6	23	0.52	160	0.061	2	2.00	0.009	0.11	<0.1	0.02	8.9	<0.1	<0.05	8	<0.5	<0.2
CAG199354	Soil	13	45	1.49	646	0.080	2	2.63	0.019	0.12	<0.1	0.02	14.0	0.2	<0.05	9	<0.5	<0.2
CAG199355	Soil	10	116	1.57	328	0.067	2	2.14	0.030	0.10	0.1	0.04	13.5	0.1	<0.05	7	<0.5	<0.2
CAG199356	Soil	6	32	0.62	216	0.094	2	1.72	0.024	0.07	0.1	0.02	4.5	0.1	<0.05	8	<0.5	<0.2
CAG199357	Soil	4	8	2.35	300	0.297	<1	2.96	0.026	1.35	<0.1	0.01	8.4	0.5	<0.05	13	<0.5	<0.2
CAG199358	Soil	8	35	0.52	314	0.073	2	2.16	0.015	0.11	0.1	0.18	4.1	0.1	0.08	7	<0.5	<0.2
CAG199359	Soil	11	12	0.99	121	0.111	1	2.05	0.137	1.17	<0.1	0.01	5.9	0.6	1.65	10	2.3	<0.2
CAG199360	Soil	9	20	1.62	367	0.344	<1	3.12	0.011	1.27	<0.1	0.02	8.0	0.7	<0.05	13	<0.5	<0.2
CAG199361	Soil	5	14	0.83	242	0.141	1	1.69	0.028	0.29	<0.1	0.03	6.4	0.1	<0.05	8	<0.5	<0.2
CAG199362	Soil	6	16	0.78	254	0.142	1	1.64	0.029	0.33	<0.1	0.02	5.9	0.2	<0.05	9	<0.5	<0.2
CAG199363	Soil	10	33	0.67	307	0.122	1	2.31	0.019	0.09	0.1	0.03	5.3	0.1	<0.05	8	<0.5	<0.2
CAG199364	Soil	10	30	0.87	278	0.151	1	2.07	0.029	0.30	<0.1	0.01	5.5	0.1	<0.05	7	<0.5	<0.2
CAG199365	Soil	9	19	0.65	371	0.133	1	1.69	0.023	0.21	0.1	0.02	4.6	0.1	<0.05	8	<0.5	<0.2
CAG199366	Soil	9	23	1.22	405	0.166	1	2.25	0.031	0.29	0.1	0.01	8.0	0.2	<0.05	9	<0.5	<0.2
CAG199367	Soil	12	26	0.87	339	0.096	1	1.94	0.026	0.13	0.1	0.03	10.1	0.1	<0.05	8	<0.5	<0.2
CAG199368	Soil	10	30	1.01	311	0.101	3	2.07	0.029	0.20	<0.1	0.01	10.3	0.2	<0.05	7	<0.5	<0.2
CAG199369	Soil	7	22	0.84	254	0.126	1	1.90	0.029	0.10	<0.1	<0.01	5.6	0.1	<0.05	7	<0.5	<0.2
CAG199370	Soil	3	19	1.55	253	0.165	<1	2.40	0.031	0.48	<0.1	<0.01	10.0	0.3	<0.05	9	<0.5	<0.2
CAG199371	Soil	6	32	0.84	183	0.105	1	2.45	0.023	0.07	0.1	0.01	6.5	0.1	<0.05	8	<0.5	<0.2
CAG199372	Soil	7	31	0.69	229	0.088	1	1.95	0.028	0.09	0.1	0.02	5.9	<0.1	<0.05	6	<0.5	<0.2
CAG199373	Soil	10	28	0.94	250	0.114	2	2.04	0.040	0.13	0.1	0.03	9.8	0.1	<0.05	7	<0.5	<0.2
CAG199374	Soil	10	30	0.89	250	0.114	2	2.03	0.038	0.12	0.1	0.03	9.5	0.1	<0.05	7	<0.5	<0.2
CAG199375	Soil	7	44	1.17	474	0.136	1	2.09	0.034	0.26	0.1	0.03	8.2	0.2	<0.05	8	<0.5	0.4
CAG199376	Soil	13	46	1.16	558	0.125	2	2.16	0.035	0.15	0.1	0.06	11.3	0.1	<0.05	8	0.6	0.2
CAG199377	Soil	10	96	1.47	467	0.106	2	2.17	0.034	0.13	<0.1	0.04	11.2	0.1	<0.05	8	<0.5	2.1
CAG199378	Soil	17	57	0.88	299	0.110	2	2.13	0.016	0.25	<0.1	0.01	11.3	0.1	<0.05	8	<0.5	0.8
CAG199379	Soil	12	54	1.31	650	0.119	3	2.09	0.026	0.32	<0.1	0.06	12.8	0.3	0.12	9	0.7	0.3
CAG199380	Soil	33	26	0.57	1362	0.069	3	1.63	0.017	0.11	0.1	0.10	8.1	<0.1	0.09	6	0.7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 13, 2012

CERTIFICATE OF ANALYSIS DAW12000176.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
CAG199381	Soil	0.8	75.2	39.0	54	0.4	20.9	13.2	513	2.91	4.5	2.7	19.4	2.3	59	0.1	0.3	0.1	62	1.14	0.074
CAG199382	Soil	0.9	24.4	34.6	69	0.1	10.7	8.6	379	2.74	3.7	0.5	3.9	1.6	17	0.1	0.1	<0.1	54	0.29	0.064
CAG199383	Soil	0.7	19.5	14.0	51	<0.1	11.1	5.1	123	1.83	3.5	0.4	1.6	0.7	14	<0.1	0.1	<0.1	37	0.20	0.051
CAG199384	Soil	0.8	21.3	13.9	71	<0.1	13.2	5.8	159	2.08	3.5	0.4	1.6	0.8	14	0.1	0.1	<0.1	51	0.22	0.046
CAG199385	Soil	0.9	29.4	13.5	88	0.1	15.3	7.4	229	2.72	5.1	0.4	1.4	1.1	14	0.2	0.1	0.1	80	0.22	0.052
CAG199386	Soil	0.7	34.4	12.4	81	0.2	10.5	4.2	149	2.01	2.3	0.4	1.8	0.7	16	0.3	0.1	0.1	38	0.24	0.053
CAG199387	Soil	0.7	19.5	9.3	46	0.2	6.2	3.0	100	1.85	2.8	0.5	8.9	0.4	20	0.2	0.1	0.4	21	0.29	0.070
CAG199388	Soil	0.4	15.9	17.6	57	0.2	8.3	4.3	114	1.74	3.1	0.4	2.5	0.6	16	0.2	0.2	<0.1	27	0.20	0.061
CAG199389	Soil	0.5	11.2	16.2	54	<0.1	7.9	3.7	127	1.75	3.4	0.5	10.1	0.8	14	<0.1	0.2	<0.1	31	0.15	0.039
CAE443363	Soil	1.4	12.9	14.5	54	0.2	13.1	10.6	1058	3.13	8.1	0.4	2.1	1.7	16	0.1	0.6	<0.1	69	0.21	0.056
CAE443364	Soil	1.0	14.7	16.0	44	<0.1	15.1	6.4	266	2.47	7.2	0.5	5.3	3.8	16	<0.1	0.6	<0.1	54	0.18	0.019
CAE443365	Soil	1.0	16.8	39.8	50	<0.1	16.7	6.9	277	3.01	9.0	0.7	18.4	6.0	16	0.1	0.8	0.1	57	0.18	0.022
CAE443366	Soil	0.7	13.5	114.4	36	0.2	9.1	4.8	299	1.70	5.0	0.6	1.0	2.9	16	0.2	0.3	0.2	37	0.18	0.034
CAE443367	Soil	1.2	15.0	24.0	48	<0.1	14.3	6.3	322	2.83	10.4	0.5	6.3	4.2	16	0.2	0.6	<0.1	63	0.17	0.025
CAE443368	Soil	1.1	10.3	12.4	30	0.2	7.1	4.8	307	1.75	3.7	0.4	0.6	2.5	14	<0.1	0.5	<0.1	44	0.18	0.020
CAE443369	Soil	1.0	19.1	42.9	42	0.2	10.4	5.1	390	2.05	5.5	1.9	0.8	2.5	28	0.2	0.8	<0.1	44	0.48	0.097
CAE443370	Soil	0.8	23.4	17.8	53	<0.1	23.5	10.2	283	2.85	8.1	0.7	1.8	4.4	27	<0.1	0.5	<0.1	69	0.29	0.013
CAE443371	Soil	0.7	19.9	70.7	66	0.2	16.0	8.4	396	3.04	11.1	1.0	3.5	6.6	16	<0.1	0.5	0.1	54	0.20	0.047
CAE443372	Soil	0.6	27.0	81.1	69	0.1	22.3	7.7	465	2.96	2.3	1.7	0.7	9.1	26	<0.1	0.2	0.2	39	0.35	0.060
CAE443373	Soil	0.9	17.7	31.0	51	0.3	12.9	10.4	529	2.39	4.8	1.0	2.5	2.5	26	0.2	0.3	<0.1	51	0.28	0.055
CAE443374	Soil	0.8	15.0	43.1	48	<0.1	16.5	8.1	233	2.53	6.5	0.6	<0.5	3.1	20	0.2	0.4	<0.1	56	0.27	0.042
CAE443375	Soil	0.9	19.2	51.6	57	<0.1	17.3	8.7	311	2.86	5.6	0.8	<0.5	4.6	22	0.1	0.4	<0.1	55	0.26	0.039
CAG199401	Soil	0.9	16.6	41.8	42	0.2	11.4	5.2	189	2.05	5.0	0.7	<0.5	2.1	19	0.2	0.4	<0.1	47	0.21	0.032
CAG199402	Soil	1.1	27.2	97.7	70	0.2	20.2	10.8	435	3.32	7.7	1.2	34.0	6.6	27	0.2	0.5	0.1	61	0.36	0.055
CAG199403	Soil	0.8	16.7	16.4	52	<0.1	15.7	8.7	336	2.84	6.1	0.9	1.8	5.3	22	0.1	0.4	<0.1	53	0.30	0.042
CAG199404	Soil	0.9	22.2	11.4	77	0.2	15.5	11.5	857	3.07	5.9	0.6	6.7	2.1	31	0.2	0.4	0.2	57	0.49	0.053
CAG199405	Soil	0.7	35.9	9.0	73	0.3	16.4	8.4	320	2.61	4.4	0.7	5.0	1.1	42	0.1	0.3	0.2	46	0.50	0.058
CAG199406	Soil	1.2	21.6	9.1	96	0.2	15.1	9.8	408	3.28	5.8	0.5	5.0	1.8	28	0.2	0.3	<0.1	58	0.31	0.058
CAG199407	Soil	1.1	28.0	8.8	81	0.2	14.4	10.9	460	2.96	5.6	0.6	8.7	1.5	27	0.1	0.3	<0.1	55	0.32	0.056
CAG199408	Soil	0.5	21.5	7.3	38	0.2	9.8	4.3	217	1.38	1.6	0.5	3.5	0.2	26	0.2	0.2	<0.1	20	0.33	0.056

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 13, 2012

CERTIFICATE OF ANALYSIS DAW12000176.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
CAG199381	Soil	34	32	0.59	1182	0.060	3	1.87	0.020	0.06	<0.1	0.12	9.2	0.1	0.08	7	0.6	<0.2
CAG199382	Soil	8	21	0.54	205	0.103	1	1.37	0.016	0.15	<0.1	0.05	4.5	<0.1	<0.05	6	<0.5	<0.2
CAG199383	Soil	6	25	0.44	101	0.068	2	1.13	0.015	0.08	<0.1	0.04	3.0	<0.1	<0.05	6	<0.5	<0.2
CAG199384	Soil	6	33	0.55	100	0.073	1	1.20	0.015	0.05	0.1	0.04	3.1	<0.1	<0.05	6	<0.5	<0.2
CAG199385	Soil	6	41	0.71	119	0.084	2	1.46	0.016	0.06	0.1	0.04	3.7	0.1	<0.05	6	<0.5	<0.2
CAG199386	Soil	5	31	0.57	202	0.071	2	1.17	0.014	0.06	<0.1	0.03	3.1	0.1	<0.05	5	<0.5	<0.2
CAG199387	Soil	5	13	0.20	176	0.035	4	0.66	0.010	0.03	0.1	0.07	1.7	<0.1	0.10	3	<0.5	<0.2
CAG199388	Soil	6	17	0.33	105	0.043	1	0.92	0.010	0.04	0.1	0.05	2.6	<0.1	0.05	5	<0.5	<0.2
CAG199389	Soil	7	16	0.34	116	0.052	1	0.94	0.009	0.05	0.1	0.06	2.2	<0.1	<0.05	5	<0.5	<0.2
CAE443363	Soil	10	26	0.33	255	0.043	3	1.38	0.007	0.06	0.1	0.03	4.4	<0.1	<0.05	7	0.9	<0.2
CAE443364	Soil	13	27	0.42	337	0.049	<1	1.45	0.008	0.04	0.1	0.03	3.6	<0.1	<0.05	5	<0.5	<0.2
CAE443365	Soil	17	32	0.45	281	0.051	1	1.60	0.007	0.05	0.1	0.03	4.5	<0.1	<0.05	6	<0.5	<0.2
CAE443366	Soil	14	16	0.29	326	0.042	2	1.08	0.010	0.05	0.1	0.03	2.7	<0.1	<0.05	5	<0.5	<0.2
CAE443367	Soil	9	30	0.47	245	0.060	1	1.67	0.006	0.07	0.2	0.02	3.1	<0.1	<0.05	6	<0.5	<0.2
CAE443368	Soil	9	15	0.25	190	0.089	1	0.75	0.008	0.10	<0.1	0.01	2.9	<0.1	<0.05	6	<0.5	<0.2
CAE443369	Soil	51	17	0.26	492	0.047	2	0.93	0.008	0.13	<0.1	0.06	4.4	<0.1	<0.05	5	1.2	<0.2
CAE443370	Soil	14	39	0.60	258	0.082	1	1.99	0.012	0.04	0.1	0.02	5.3	<0.1	<0.05	6	0.7	<0.2
CAE443371	Soil	16	28	0.56	164	0.100	<1	1.68	0.008	0.20	<0.1	0.03	4.8	0.1	<0.05	7	0.8	<0.2
CAE443372	Soil	29	38	0.69	287	0.126	2	1.50	0.009	0.32	<0.1	0.03	5.6	0.2	<0.05	8	0.7	<0.2
CAE443373	Soil	14	24	0.45	296	0.067	<1	1.44	0.010	0.06	0.1	0.05	4.0	<0.1	<0.05	6	<0.5	<0.2
CAE443374	Soil	10	27	0.53	281	0.079	<1	1.53	0.011	0.04	0.2	0.01	3.0	<0.1	<0.05	5	<0.5	<0.2
CAE443375	Soil	14	31	0.52	354	0.095	1	1.62	0.009	0.07	0.1	0.02	4.5	<0.1	<0.05	6	0.6	<0.2
CAG199401	Soil	12	21	0.34	252	0.074	<1	1.18	0.008	0.05	0.1	0.02	3.0	<0.1	<0.05	6	<0.5	<0.2
CAG199402	Soil	19	38	0.57	564	0.082	<1	2.02	0.011	0.07	0.1	0.05	7.0	<0.1	<0.05	6	1.1	<0.2
CAG199403	Soil	18	30	0.53	288	0.084	<1	1.63	0.010	0.05	0.1	0.02	5.1	<0.1	<0.05	6	<0.5	<0.2
CAG199404	Soil	11	26	0.54	377	0.096	2	1.75	0.012	0.09	0.1	0.04	5.7	0.1	<0.05	7	<0.5	<0.2
CAG199405	Soil	10	27	0.49	419	0.085	2	2.09	0.012	0.06	0.1	0.08	5.8	<0.1	<0.05	8	<0.5	<0.2
CAG199406	Soil	11	25	0.62	393	0.111	<1	2.16	0.011	0.13	0.1	0.04	4.7	<0.1	<0.05	8	<0.5	<0.2
CAG199407	Soil	9	25	0.59	293	0.092	1	1.83	0.011	0.11	0.1	0.04	5.5	<0.1	<0.05	7	<0.5	<0.2
CAG199408	Soil	9	17	0.27	249	0.048	<1	0.95	0.013	0.07	<0.1	0.04	2.5	<0.1	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 13, 2012

CERTIFICATE OF ANALYSIS DAW12000176.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
CAG199409	Soil	0.5	25.8	4.8	47	0.2	10.2	4.0	121	0.88	1.6	0.4	2.8	<0.1	29	0.6	0.2	<0.1	17	0.37	0.079
CAG199410	Soil	0.4	34.8	8.0	85	0.3	16.4	7.1	217	1.95	3.2	0.7	7.2	0.8	19	0.3	0.2	<0.1	40	0.25	0.074
CAG199411	Soil	0.5	22.4	4.5	20	0.3	5.6	1.6	85	0.87	0.6	0.8	6.3	0.1	37	0.4	0.2	<0.1	8	0.61	0.120
CAG199412	Soil	0.8	232.2	19.6	436	1.1	13.7	6.0	238	2.03	3.6	0.6	7.5	0.6	46	4.4	0.3	0.1	39	0.80	0.053
CAG199413	Soil	0.9	28.5	11.0	170	<0.1	12.3	9.5	452	3.37	4.7	0.4	14.9	2.3	14	0.3	0.2	<0.1	52	0.21	0.047
CAG199414	Soil	0.3	21.2	15.6	35	0.2	2.9	1.3	69	0.44	<0.5	0.4	1.4	<0.1	16	0.5	<0.1	<0.1	7	0.12	0.045
CAG199415	Soil	1.4	26.0	46.8	193	0.2	7.7	5.1	389	3.02	4.8	0.6	3.2	1.3	17	0.3	0.2	<0.1	41	0.13	0.046
CAG199416	Soil	1.0	22.1	28.9	91	0.3	9.1	5.1	304	2.08	3.0	1.0	14.3	1.0	39	0.3	0.2	<0.1	31	0.38	0.081
CAG199417	Soil	1.2	25.4	36.8	73	0.2	10.2	5.1	253	2.31	3.5	1.0	13.5	1.1	29	0.4	0.3	0.1	34	0.27	0.063
CAG199418	Soil	1.3	38.1	58.4	107	0.1	17.1	9.0	379	3.72	7.2	1.2	14.0	3.6	14	0.2	0.3	0.2	67	0.13	0.035
CAG199419	Soil	1.3	32.6	54.2	102	0.1	16.3	8.2	327	3.77	6.8	0.9	9.7	3.2	13	0.2	0.4	0.2	68	0.11	0.037
CAG199420	Soil	0.5	11.5	16.6	46	<0.1	8.5	3.3	109	1.74	3.2	0.6	8.1	0.7	16	0.1	0.2	<0.1	27	0.17	0.042
CAG199421	Soil	0.5	12.2	11.6	44	<0.1	8.1	3.0	105	1.65	2.8	0.6	8.5	0.5	16	0.1	0.2	<0.1	24	0.17	0.047
CAG199422	Soil	0.5	12.6	11.7	46	0.1	8.5	3.4	95	1.61	2.8	0.5	10.7	0.6	17	<0.1	0.2	<0.1	27	0.20	0.046

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 13, 2012

CERTIFICATE OF ANALYSIS DAW12000176.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
CAG199409	Soil	5	14	0.20	201	0.025	5	0.52	0.011	0.04	<0.1	0.09	1.7	<0.1	<0.05	1	<0.5	<0.2
CAG199410	Soil	8	35	0.63	144	0.063	2	1.25	0.011	0.06	<0.1	0.06	4.3	<0.1	<0.05	5	0.7	<0.2
CAG199411	Soil	8	8	0.10	341	0.010	4	0.39	0.011	0.02	<0.1	0.09	2.0	<0.1	0.14	<1	<0.5	<0.2
CAG199412	Soil	14	22	0.33	696	0.049	2	1.26	0.010	0.06	<0.1	0.09	4.0	<0.1	<0.05	6	0.8	<0.2
CAG199413	Soil	9	22	0.73	239	0.122	<1	1.80	0.008	0.16	0.1	0.01	6.5	<0.1	<0.05	7	<0.5	<0.2
CAG199414	Soil	4	6	0.05	105	0.008	<1	0.29	0.009	0.03	<0.1	0.04	0.6	<0.1	<0.05	2	<0.5	<0.2
CAG199415	Soil	8	17	0.59	142	0.064	<1	1.23	0.017	0.13	<0.1	0.02	4.4	<0.1	<0.05	7	<0.5	<0.2
CAG199416	Soil	15	16	0.42	381	0.050	2	1.16	0.012	0.11	<0.1	0.07	5.0	<0.1	0.07	4	0.8	<0.2
CAG199417	Soil	25	19	0.40	618	0.062	1	1.36	0.009	0.12	<0.1	0.07	4.1	<0.1	<0.05	5	<0.5	<0.2
CAG199418	Soil	18	32	0.60	358	0.115	<1	2.43	0.010	0.10	0.1	0.03	6.0	0.1	<0.05	10	0.7	<0.2
CAG199419	Soil	14	32	0.57	286	0.119	<1	2.30	0.010	0.10	0.1	0.04	5.4	<0.1	<0.05	9	<0.5	<0.2
CAG199420	Soil	8	17	0.28	159	0.047	<1	0.93	0.008	0.04	0.1	0.05	2.4	<0.1	<0.05	4	0.6	<0.2
CAG199421	Soil	7	17	0.26	138	0.044	2	0.82	0.010	0.04	0.1	0.05	2.5	<0.1	<0.05	4	<0.5	<0.2
CAG199422	Soil	8	18	0.28	157	0.054	2	0.93	0.011	0.05	0.1	0.07	2.6	<0.1	<0.05	4	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 13, 2012

QUALITY CONTROL REPORT DAW12000176.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Pulp Duplicates																					
CAG199365	Soil	0.8	31.8	13.6	73	<0.1	11.4	12.9	525	3.06	3.6	0.4	4.3	1.6	19	0.1	0.2	<0.1	87	0.32	0.035
REP CAG199365	QC	0.8	32.1	13.1	74	<0.1	11.0	12.6	513	3.05	3.7	0.4	2.2	1.6	19	0.1	0.2	<0.1	87	0.32	0.035
CAG199378	Soil	1.1	41.8	52.2	94	<0.1	34.1	14.2	430	4.15	5.7	0.8	23.3	6.4	15	<0.1	0.3	0.2	80	0.25	0.024
REP CAG199378	QC	1.1	41.9	52.5	93	<0.1	34.2	14.2	426	4.17	5.7	0.7	23.0	6.4	14	0.1	0.3	0.2	78	0.25	0.025
CAE443374	Soil	0.8	15.0	43.1	48	<0.1	16.5	8.1	233	2.53	6.5	0.6	<0.5	3.1	20	0.2	0.4	<0.1	56	0.27	0.042
REP CAE443374	QC	0.8	14.4	42.1	48	<0.1	16.5	7.8	237	2.49	6.2	0.5	23.2	3.0	21	0.1	0.4	<0.1	55	0.25	0.040
CAG199412	Soil	0.8	232.2	19.6	436	1.1	13.7	6.0	238	2.03	3.6	0.6	7.5	0.6	46	4.4	0.3	0.1	39	0.80	0.053
REP CAG199412	QC	0.8	231.6	19.3	418	1.1	13.8	5.7	238	2.02	3.2	0.5	10.7	0.6	46	4.7	0.3	0.2	39	0.80	0.054
Reference Materials																					
STD DS9	Standard	12.3	112.2	120.1	314	1.9	40.5	7.6	587	2.30	26.0	2.6	119.8	6.0	73	2.3	6.1	6.4	39	0.65	0.083
STD DS9	Standard	14.4	117.6	117.0	309	1.8	42.1	8.1	612	2.47	25.5	2.4	112.0	7.1	67	2.5	4.8	5.0	47	0.76	0.085
STD DS9	Standard	11.3	95.1	115.8	275	1.6	35.3	6.6	506	2.15	22.5	2.7	117.2	5.8	64	2.2	6.2	6.6	33	0.57	0.072
STD DS9	Standard	13.8	113.4	114.7	304	1.8	41.9	7.6	597	2.35	24.6	2.6	124.7	5.7	65	2.3	5.1	5.4	45	0.73	0.076
STD DS9 Expected		12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40	0.7201	0.0819
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 13, 2012

QUALITY CONTROL REPORT DAW12000176.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																		
CAG199365	Soil	9	19	0.65	371	0.133	1	1.69	0.023	0.21	0.1	0.02	4.6	0.1	<0.05	8	<0.5	<0.2
REP CAG199365	QC	9	19	0.68	374	0.137	<1	1.70	0.026	0.20	0.1	0.02	4.5	0.1	<0.05	8	<0.5	<0.2
CAG199378	Soil	17	57	0.88	299	0.110	2	2.13	0.016	0.25	<0.1	0.01	11.3	0.1	<0.05	8	<0.5	0.8
REP CAG199378	QC	17	56	0.86	301	0.106	2	2.09	0.015	0.23	0.1	0.02	11.2	0.1	<0.05	8	<0.5	1.0
CAE443374	Soil	10	27	0.53	281	0.079	<1	1.53	0.011	0.04	0.2	0.01	3.0	<0.1	<0.05	5	<0.5	<0.2
REP CAE443374	QC	10	27	0.50	269	0.075	1	1.43	0.011	0.04	0.1	0.02	3.0	<0.1	<0.05	5	0.5	<0.2
CAG199412	Soil	14	22	0.33	696	0.049	2	1.26	0.010	0.06	<0.1	0.09	4.0	<0.1	<0.05	6	0.8	<0.2
REP CAG199412	QC	14	22	0.34	698	0.049	1	1.28	0.010	0.06	0.1	0.10	4.0	<0.1	<0.05	5	<0.5	<0.2
Reference Materials																		
STD DS9	Standard	12	117	0.61	287	0.105	1	0.86	0.088	0.35	3.1	0.19	2.4	5.3	0.09	5	5.4	5.2
STD DS9	Standard	15	130	0.65	312	0.117	3	1.00	0.096	0.36	3.1	0.22	2.6	5.7	0.15	5	5.1	5.8
STD DS9	Standard	11	108	0.51	300	0.091	1	0.78	0.070	0.30	2.8	0.22	1.9	4.8	0.12	4	4.2	4.2
STD DS9	Standard	14	128	0.61	298	0.118	3	0.95	0.082	0.35	3.0	0.22	2.4	5.5	0.14	5	5.0	4.8
STD DS9 Expected		13.3	121	0.6165	295	0.1108		0.9577	0.0853	0.395	2.89	0.2	2.5	5.3	0.1615	4.59	5.2	5.02
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.