Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Submitted By: Jean-Pierre Londero
Receiving Lab: Canada-Dawson City
Received: July 18, 2012
Report Date: August 09, 2012

CERTIFICATE OF ANALYSIS DAW12000154.1

CLIENT JOB INFORMATION

Project: White Gold
Shipment ID: WG02102012
P.O. Number
Number of Samples: 99

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT-SOIL Store Soil Reject - RJSV Charges Apply

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	99	Dry at 60C sieve 100g to -80 mesh			DAW
Dry at 60C	99	Dry at 60C			DAW
RJSV	99	Saving all or part of Soil Reject			DAW
1DX2	99	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Selene Holdings LP
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8
Canada

CC: Keith Fowlow

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 09, 2012

CERTIFICATE OF ANALYSIS DAW12000154.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
CAE442766	Soil	0.9	74.1	4.7	67	<0.1	40.6	16.2	433	3.07	12.0	0.4	6.9	1.5	19	0.1	0.2	<0.1	71	0.38	0.028
CAE442767	Soil	0.6	66.5	4.1	60	<0.1	28.5	15.3	345	2.67	11.1	0.4	0.6	2.0	20	<0.1	0.2	<0.1	67	0.43	0.041
CAE442768	Soil	0.4	52.4	4.1	49	<0.1	20.3	12.7	368	2.54	5.6	0.3	1.5	1.6	19	<0.1	0.2	<0.1	68	0.45	0.037
CAE442769	Soil	0.7	33.7	6.6	57	<0.1	24.6	11.8	468	3.06	8.8	0.7	3.4	2.7	27	0.1	0.3	0.1	76	0.46	0.038
CAE442770	Soil	0.8	33.0	8.0	55	0.1	25.0	13.0	572	3.00	7.7	0.8	1.7	3.1	31	0.1	0.3	0.1	76	0.51	0.033
CAE442771	Soil	0.9	34.8	6.2	56	0.1	27.3	13.4	471	3.10	6.9	0.6	0.7	2.5	25	<0.1	0.3	<0.1	80	0.49	0.046
CAE442772	Soil	0.8	28.2	6.8	55	0.2	23.9	11.1	552	2.80	7.0	0.8	4.9	2.2	30	0.2	0.3	0.1	69	0.46	0.051
CAE442773	Soil	0.9	28.5	6.9	61	<0.1	24.4	12.1	410	3.23	8.0	0.4	1.5	2.5	23	<0.1	0.3	0.1	84	0.48	0.038
CAE442774	Soil	1.0	28.2	8.0	59	0.1	24.7	13.8	677	3.17	8.1	0.6	1.4	2.3	25	0.2	0.3	0.1	79	0.48	0.039
CAE442775	Soil	0.9	43.2	6.3	95	0.1	24.3	18.7	669	3.88	6.4	0.4	<0.5	1.8	20	0.2	0.3	<0.1	98	0.40	0.050
CAE442776	Soil	0.8	42.1	11.5	90	<0.1	28.5	13.9	486	3.64	9.1	0.7	3.2	3.8	23	<0.1	0.4	0.1	88	0.36	0.025
CAE442777	Soil	1.1	42.3	8.0	95	0.2	22.9	15.7	978	3.60	7.6	0.7	4.4	2.6	27	0.2	0.4	0.1	89	0.50	0.041
CAE442778	Soil	1.3	43.6	9.3	103	0.1	24.0	14.1	457	3.94	11.5	0.6	3.0	3.5	17	0.2	0.6	0.1	94	0.23	0.017
CAE442779	Soil	1.4	38.2	13.0	199	0.1	16.4	10.9	802	3.69	8.8	0.4	<0.5	2.7	17	0.9	0.5	0.1	72	0.24	0.032
CAE442780	Soil	1.8	73.5	20.0	447	<0.1	14.7	11.5	923	5.32	8.0	1.1	1.8	9.0	14	0.6	0.4	0.1	67	0.17	0.020
CAE442781	Soil	1.4	102.4	113.4	391	<0.1	12.7	13.4	833	5.53	13.3	0.9	5.2	7.1	18	0.5	0.9	0.2	90	0.22	0.029
CAE442782	Soil	0.9	66.9	21.3	147	<0.1	87.0	22.6	769	5.01	6.7	1.4	5.1	15.8	45	0.1	0.5	0.1	125	0.46	0.081
CAE442783	Soil	1.4	27.2	11.6	105	0.2	23.4	10.1	446	3.80	14.8	0.5	2.5	3.3	19	0.3	0.5	0.2	83	0.20	0.028
CAE442784	Soil	1.2	45.6	17.7	260	0.1	20.8	20.8	957	4.75	8.7	0.5	2.0	2.3	22	0.8	0.4	0.1	135	0.34	0.054
CAE442785	Soil	1.9	35.3	9.9	90	0.2	23.4	15.8	934	3.47	9.2	0.7	2.9	2.9	21	0.2	0.5	0.1	92	0.27	0.029
CAE442786	Soil	0.7	41.9	7.8	53	<0.1	22.4	11.9	474	3.01	8.0	0.7	1.5	3.3	27	<0.1	0.4	<0.1	79	0.50	0.040
CAE442787	Soil	0.8	35.8	6.5	49	<0.1	20.7	12.5	387	2.98	6.7	0.6	0.9	3.0	27	<0.1	0.4	<0.1	83	0.52	0.043
CAE442788	Soil	0.6	55.4	7.4	54	0.1	21.3	12.8	368	3.06	6.0	0.7	1.3	3.6	28	<0.1	0.3	<0.1	88	0.51	0.042
CAE442789	Soil	0.7	48.2	5.7	56	<0.1	21.7	13.9	372	3.46	6.3	0.4	1.9	3.1	28	<0.1	0.4	0.1	98	0.54	0.044
CAE442790	Soil	0.5	85.8	2.2	59	<0.1	9.6	19.7	351	4.47	2.5	0.2	<0.5	0.7	20	<0.1	0.2	<0.1	157	0.71	0.052
CAE442791	Soil	0.4	52.6	4.6	60	<0.1	15.7	14.8	333	3.65	4.2	0.3	1.8	1.9	28	<0.1	0.2	<0.1	111	0.68	0.057
CAE442792	Soil	0.4	39.5	3.7	37	<0.1	15.3	9.2	257	2.41	4.1	0.3	4.7	1.9	24	<0.1	0.2	<0.1	80	0.60	0.089
CAE442793	Soil	0.8	56.6	5.3	58	<0.1	23.3	14.6	393	3.49	6.5	0.5	1.9	2.7	26	<0.1	0.3	<0.1	103	0.53	0.037
CAE442794	Soil	0.5	49.6	6.2	55	<0.1	17.0	13.6	389	3.31	5.3	0.4	2.3	2.2	27	<0.1	0.3	<0.1	101	0.64	0.061
CAE442795	Soil	0.5	39.5	4.4	43	<0.1	14.1	12.4	307	2.90	3.9	0.2	<0.5	1.4	20	<0.1	0.2	<0.1	92	0.56	0.046

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 09, 2012

CERTIFICATE OF ANALYSIS DAW12000154.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
CAE442766	Soil	6	51	0.61	244	0.062	2	1.43	0.022	0.04	<0.1	0.01	5.9	<0.1	<0.05	5	<0.5	<0.2
CAE442767	Soil	7	38	0.60	219	0.066	3	1.38	0.023	0.03	<0.1	0.01	6.4	<0.1	<0.05	5	<0.5	<0.2
CAE442768	Soil	5	36	0.68	196	0.080	1	1.28	0.023	0.04	<0.1	<0.01	5.1	<0.1	<0.05	5	<0.5	<0.2
CAE442769	Soil	14	41	0.66	311	0.070	1	1.71	0.022	0.04	0.1	0.02	7.4	<0.1	<0.05	6	<0.5	<0.2
CAE442770	Soil	14	40	0.63	332	0.077	2	1.96	0.022	0.04	0.1	0.03	7.4	<0.1	<0.05	6	<0.5	<0.2
CAE442771	Soil	10	44	0.76	291	0.072	2	1.83	0.022	0.04	0.1	0.02	7.0	<0.1	<0.05	6	<0.5	<0.2
CAE442772	Soil	14	38	0.59	342	0.067	1	1.78	0.017	0.04	0.1	0.03	6.6	<0.1	<0.05	6	<0.5	<0.2
CAE442773	Soil	8	41	0.69	294	0.073	1	1.86	0.019	0.04	0.1	0.02	6.5	<0.1	<0.05	6	<0.5	<0.2
CAE442774	Soil	11	40	0.58	348	0.065	1	1.98	0.019	0.04	0.1	0.02	6.0	<0.1	<0.05	7	<0.5	<0.2
CAE442775	Soil	7	38	0.66	317	0.042	1	1.62	0.020	0.04	0.1	0.04	7.4	<0.1	<0.05	6	0.5	<0.2
CAE442776	Soil	13	44	0.68	496	0.064	<1	1.86	0.019	0.05	0.1	0.03	7.6	<0.1	<0.05	6	<0.5	<0.2
CAE442777	Soil	12	36	0.60	757	0.057	1	1.87	0.021	0.05	0.1	0.05	7.7	<0.1	<0.05	6	<0.5	<0.2
CAE442778	Soil	9	38	0.62	523	0.036	1	2.21	0.013	0.05	0.1	0.04	7.6	<0.1	<0.05	6	<0.5	<0.2
CAE442779	Soil	9	27	0.56	385	0.039	1	1.61	0.012	0.09	0.1	0.03	5.0	<0.1	<0.05	6	<0.5	<0.2
CAE442780	Soil	18	22	0.78	302	0.012	1	1.67	0.010	0.05	<0.1	0.09	10.4	<0.1	<0.05	7	0.6	<0.2
CAE442781	Soil	15	17	0.72	347	0.008	1	1.72	0.018	0.05	<0.1	0.08	11.4	<0.1	<0.05	7	0.7	<0.2
CAE442782	Soil	60	129	2.31	884	0.030	2	2.61	0.016	0.04	<0.1	0.05	14.2	<0.1	<0.05	9	<0.5	<0.2
CAE442783	Soil	9	37	0.54	289	0.048	1	2.04	0.015	0.06	0.1	0.04	5.0	<0.1	<0.05	7	<0.5	<0.2
CAE442784	Soil	9	30	0.94	321	0.062	2	2.11	0.025	0.08	<0.1	0.03	7.6	<0.1	<0.05	9	<0.5	<0.2
CAE442785	Soil	11	39	0.64	357	0.055	1	1.94	0.015	0.07	0.1	0.04	6.8	<0.1	<0.05	7	0.5	<0.2
CAE442786	Soil	11	32	0.62	269	0.079	1	1.68	0.026	0.05	0.1	0.03	6.5	<0.1	<0.05	5	<0.5	<0.2
CAE442787	Soil	10	32	0.61	258	0.082	2	1.64	0.027	0.04	0.1	0.02	5.8	<0.1	<0.05	6	<0.5	<0.2
CAE442788	Soil	14	33	0.66	262	0.103	<1	1.85	0.028	0.05	0.1	0.03	7.5	<0.1	<0.05	6	<0.5	<0.2
CAE442789	Soil	10	33	0.69	251	0.101	<1	1.90	0.033	0.05	0.1	0.02	8.4	<0.1	<0.05	6	<0.5	<0.2
CAE442790	Soil	3	10	0.91	154	0.103	1	2.00	0.051	0.04	<0.1	<0.01	8.4	<0.1	<0.05	6	<0.5	<0.2
CAE442791	Soil	6	21	0.75	216	0.118	<1	1.81	0.040	0.05	<0.1	0.01	7.3	<0.1	<0.05	6	<0.5	<0.2
CAE442792	Soil	7	19	0.52	126	0.074	<1	1.15	0.042	0.05	0.1	0.02	6.1	<0.1	<0.05	4	<0.5	<0.2
CAE442793	Soil	8	32	0.71	225	0.113	1	1.85	0.035	0.05	0.1	0.04	8.9	<0.1	<0.05	6	<0.5	<0.2
CAE442794	Soil	7	23	0.69	194	0.106	<1	1.64	0.036	0.06	<0.1	0.02	7.1	<0.1	<0.05	5	<0.5	<0.2
CAE442795	Soil	4	19	0.61	142	0.090	1	1.41	0.036	0.05	<0.1	<0.01	5.6	<0.1	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 09, 2012

CERTIFICATE OF ANALYSIS DAW12000154.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
CAE442796	Soil	0.6	54.0	4.8	61	<0.1	15.1	15.4	347	3.82	4.5	0.3	<0.5	1.5	27	<0.1	0.3	<0.1	117	0.68	0.068
CAE442797	Soil	0.8	35.6	5.9	57	<0.1	19.9	16.6	332	3.81	6.6	0.5	<0.5	2.3	24	<0.1	0.3	<0.1	119	0.44	0.028
CAE442798	Soil	0.6	56.3	3.8	57	<0.1	13.3	16.6	277	3.74	3.3	0.3	<0.5	1.1	21	<0.1	0.1	<0.1	118	0.61	0.071
CAE442799	Soil	0.7	21.3	4.9	70	<0.1	12.5	15.9	527	4.15	4.3	0.3	<0.5	1.3	29	0.1	0.3	<0.1	105	0.60	0.038
CAE442800	Soil	0.5	45.7	3.4	86	<0.1	12.1	20.5	446	5.39	4.5	0.3	<0.5	1.2	21	<0.1	0.2	<0.1	122	0.48	0.072
CAE443212	Soil	0.7	51.5	8.3	66	0.1	20.8	13.5	422	2.99	4.8	0.9	1.1	2.5	26	0.1	0.3	0.1	82	0.60	0.054
CAE443213	Soil	0.8	36.2	8.3	63	<0.1	16.2	10.3	401	2.61	5.7	0.5	1.8	2.1	23	0.2	0.3	0.2	62	0.37	0.058
CAE443214	Soil	0.7	66.8	10.9	59	<0.1	16.6	12.2	477	2.82	5.5	0.8	3.8	2.9	25	0.2	0.4	0.1	64	0.46	0.061
CAE443215	Soil	0.6	91.8	9.6	60	0.2	16.7	11.5	648	2.67	5.6	1.3	4.4	2.1	55	0.3	0.5	0.1	54	1.33	0.068
CAE443216	Soil	1.1	86.0	7.2	62	0.2	18.7	18.6	1230	3.08	5.6	1.8	3.4	1.8	52	0.4	0.5	0.1	60	1.19	0.071
CAE443217	Soil	0.4	50.1	6.5	71	0.1	19.4	17.0	672	3.45	6.2	1.3	2.8	2.6	47	0.3	0.5	0.1	71	1.17	0.068
CAE443218	Soil	0.6	45.6	8.1	105	0.1	18.7	31.0	2274	6.24	8.2	0.7	2.0	2.1	30	0.4	0.5	0.1	98	0.69	0.068
CAE443219	Soil	0.6	38.9	6.1	76	0.1	17.0	22.2	1669	5.07	9.0	0.8	2.4	2.0	38	0.1	0.5	0.1	70	0.80	0.066
CAE443220	Soil	0.6	28.4	10.4	101	0.7	17.1	17.2	702	3.75	5.9	0.7	1.8	2.2	34	0.3	0.4	<0.1	74	0.73	0.061
CAE443221	Soil	0.6	28.7	5.7	84	0.1	17.8	15.6	674	3.66	6.6	0.8	7.5	2.9	25	0.3	0.3	<0.1	75	0.46	0.062
CAE443222	Soil	0.5	31.1	4.3	34	0.2	7.5	5.4	235	1.22	5.1	0.4	1.1	0.2	47	0.3	1.0	<0.1	28	1.23	0.053
CAE443223	Soil	0.8	36.5	6.7	119	0.1	15.5	17.1	636	3.91	33.1	0.7	1.5	2.2	28	0.3	0.5	<0.1	97	0.61	0.063
CAE443224	Soil	1.0	27.1	5.7	114	0.1	14.1	13.7	996	3.02	32.5	0.7	2.2	1.5	41	0.6	0.3	<0.1	60	0.80	0.058
CAE443225	Soil	1.2	33.2	7.8	99	0.2	13.7	12.3	405	3.55	14.9	0.5	0.6	1.5	31	0.2	0.2	<0.1	60	0.52	0.063
CAE443226	Soil	1.0	27.1	5.0	67	0.2	13.4	12.0	397	2.49	26.0	0.8	1.9	0.9	72	0.3	0.3	<0.1	50	1.44	0.076
CAE443227	Soil	1.2	55.3	5.5	94	0.2	13.8	14.7	375	3.50	13.7	1.4	1.1	1.2	59	0.4	0.3	<0.1	89	1.09	0.071
CAE443228	Soil	1.5	44.2	7.7	65	0.4	19.3	11.2	717	2.59	8.6	1.0	3.3	1.0	49	0.3	0.3	0.1	48	1.10	0.056
CAE443229	Soil	0.9	27.2	6.8	101	0.1	16.1	11.9	386	3.49	7.7	0.4	3.1	2.2	22	0.2	0.3	<0.1	75	0.32	0.045
CAE443230	Soil	0.8	39.4	6.1	92	0.1	20.1	14.7	465	3.44	21.4	0.6	1.6	2.1	29	0.1	0.3	<0.1	73	0.50	0.052
CAE443231	Soil	0.7	39.1	5.7	93	0.1	21.3	15.0	479	3.42	26.1	0.7	1.4	2.1	30	<0.1	0.3	<0.1	71	0.53	0.054
CAE443232	Soil	0.9	27.0	5.4	104	0.1	15.0	13.1	498	3.68	9.2	0.4	5.5	1.7	20	0.1	0.3	<0.1	67	0.31	0.046
CAE443233	Soil	0.7	28.8	5.8	85	<0.1	15.5	12.7	354	4.22	21.0	0.5	2.0	2.0	19	<0.1	0.3	<0.1	59	0.34	0.046
CAE443234	Soil	0.6	27.7	7.1	96	0.2	14.2	17.3	1408	2.85	6.6	0.6	0.6	1.4	29	0.2	0.3	0.1	63	0.41	0.070
CAE443235	Soil	0.6	18.9	5.7	49	0.1	9.9	7.1	228	1.93	8.0	0.5	5.3	0.5	20	0.1	0.2	<0.1	42	0.29	0.059
CAE443236	Soil	0.7	15.3	5.0	26	0.1	7.9	4.9	208	1.14	2.1	0.5	2.2	0.3	28	0.1	0.2	0.4	23	0.46	0.061

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 09, 2012

CERTIFICATE OF ANALYSIS DAW12000154.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
CAE442796	Soil	5	20	0.78	197	0.132	<1	1.80	0.038	0.05	<0.1	0.01	6.4	<0.1	<0.05	6	<0.5	<0.2
CAE442797	Soil	7	31	0.67	174	0.104	1	2.05	0.027	0.06	<0.1	0.01	7.1	<0.1	<0.05	7	<0.5	<0.2
CAE442798	Soil	5	15	0.75	102	0.147	1	1.79	0.040	0.07	<0.1	<0.01	7.1	<0.1	<0.05	6	<0.5	<0.2
CAE442799	Soil	4	20	0.56	214	0.126	1	2.09	0.027	0.08	<0.1	<0.01	6.9	<0.1	<0.05	7	<0.5	<0.2
CAE442800	Soil	4	15	1.02	197	0.188	<1	2.24	0.032	0.10	<0.1	<0.01	8.0	<0.1	<0.05	8	<0.5	<0.2
CAE443212	Soil	12	33	0.78	296	0.099	3	2.24	0.019	0.06	0.1	0.03	5.5	<0.1	<0.05	7	<0.5	<0.2
CAE443213	Soil	9	27	0.67	227	0.081	3	1.72	0.014	0.05	0.2	0.02	3.8	<0.1	<0.05	6	<0.5	<0.2
CAE443214	Soil	12	27	0.66	367	0.067	2	1.78	0.015	0.06	0.2	0.03	4.7	<0.1	<0.05	6	<0.5	<0.2
CAE443215	Soil	28	27	0.59	586	0.043	4	1.81	0.013	0.07	0.1	0.07	6.0	<0.1	0.09	6	<0.5	<0.2
CAE443216	Soil	18	27	0.66	471	0.040	2	1.87	0.018	0.04	0.1	0.07	6.5	<0.1	0.07	6	<0.5	<0.2
CAE443217	Soil	11	27	0.83	407	0.047	2	1.65	0.016	0.05	0.1	0.03	7.5	<0.1	0.05	6	<0.5	<0.2
CAE443218	Soil	10	20	0.87	531	0.017	2	1.73	0.013	0.04	<0.1	0.05	14.8	<0.1	<0.05	6	<0.5	<0.2
CAE443219	Soil	9	23	0.65	399	0.012	2	1.46	0.012	0.04	0.1	0.04	10.1	<0.1	<0.05	5	<0.5	<0.2
CAE443220	Soil	9	32	1.01	432	0.035	2	1.92	0.014	0.06	0.1	0.04	6.7	<0.1	0.06	6	<0.5	<0.2
CAE443221	Soil	13	29	0.98	326	0.064	2	1.92	0.016	0.06	0.1	0.03	6.6	<0.1	<0.05	6	<0.5	<0.2
CAE443222	Soil	8	14	0.26	422	0.025	3	0.73	0.015	0.04	<0.1	0.09	2.8	<0.1	0.11	3	<0.5	<0.2
CAE443223	Soil	8	27	0.94	306	0.085	3	1.75	0.020	0.05	0.1	0.04	6.2	<0.1	<0.05	6	<0.5	<0.2
CAE443224	Soil	8	22	0.73	381	0.091	2	1.55	0.016	0.07	0.1	0.04	4.4	<0.1	0.06	5	<0.5	<0.2
CAE443225	Soil	6	23	1.01	300	0.142	1	2.00	0.016	0.25	0.1	0.04	4.8	0.2	0.05	6	<0.5	<0.2
CAE443226	Soil	5	22	0.78	355	0.082	2	1.39	0.019	0.15	<0.1	0.09	3.7	0.1	0.16	5	<0.5	<0.2
CAE443227	Soil	8	19	0.91	344	0.074	2	1.87	0.025	0.14	<0.1	0.05	9.6	<0.1	0.11	7	<0.5	<0.2
CAE443228	Soil	11	25	0.54	521	0.054	1	1.82	0.016	0.07	0.1	0.07	5.7	<0.1	0.08	5	0.5	<0.2
CAE443229	Soil	7	33	0.83	281	0.141	<1	2.15	0.013	0.12	0.1	0.03	4.2	<0.1	<0.05	7	<0.5	<0.2
CAE443230	Soil	9	36	1.00	558	0.167	<1	2.12	0.016	0.28	<0.1	0.04	5.5	0.1	<0.05	6	<0.5	<0.2
CAE443231	Soil	9	35	1.03	573	0.165	<1	2.04	0.016	0.29	0.1	0.04	5.7	0.1	<0.05	6	<0.5	<0.2
CAE443232	Soil	7	26	0.83	344	0.159	1	2.01	0.015	0.18	0.1	0.03	4.5	0.1	<0.05	7	<0.5	0.4
CAE443233	Soil	7	24	0.73	339	0.126	<1	1.99	0.015	0.15	<0.1	0.02	7.0	0.1	<0.05	7	<0.5	<0.2
CAE443234	Soil	9	23	0.58	457	0.058	<1	1.53	0.016	0.07	<0.1	0.03	5.5	<0.1	<0.05	6	<0.5	<0.2
CAE443235	Soil	6	19	0.41	202	0.047	<1	1.15	0.015	0.04	0.1	0.05	3.4	<0.1	0.07	5	<0.5	<0.2
CAE443236	Soil	11	13	0.22	269	0.027	3	0.75	0.013	0.03	0.1	0.07	3.6	<0.1	0.07	3	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 09, 2012

CERTIFICATE OF ANALYSIS DAW12000154.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
CAE443237	Soil	0.6	15.9	6.3	63	<0.1	12.1	9.8	362	2.45	5.5	0.5	4.1	2.3	25	<0.1	0.2	<0.1	63	0.42	0.059
CAE443238	Soil	0.8	23.1	6.0	68	0.1	12.5	16.3	928	2.69	5.0	0.6	3.9	1.0	24	0.1	0.2	<0.1	71	0.36	0.058
CAE443239	Soil	0.7	16.5	5.8	70	<0.1	12.3	8.4	251	2.37	9.1	0.4	<0.5	1.2	23	0.3	0.2	<0.1	51	0.37	0.055
CAE443240	Soil	0.8	16.5	6.5	60	<0.1	12.1	11.6	679	2.63	8.3	0.4	2.0	1.0	24	0.2	0.3	<0.1	75	0.35	0.054
CAE443241	Soil	0.8	18.0	5.7	63	0.1	13.3	11.9	393	2.49	4.8	0.5	1.7	1.5	30	0.1	0.3	<0.1	62	0.48	0.052
CAE443242	Soil	0.6	17.5	5.6	55	0.1	12.4	9.9	393	2.22	3.6	0.5	<0.5	0.9	28	<0.1	0.2	<0.1	54	0.43	0.056
CAE443243	Soil	0.5	21.2	5.6	62	0.1	14.1	11.4	451	2.50	4.4	0.6	<0.5	1.7	37	0.2	0.4	<0.1	62	0.56	0.053
CAE443244	Soil	0.6	25.3	6.1	66	0.1	17.4	13.7	800	2.74	5.0	0.7	1.7	2.2	37	0.3	0.3	<0.1	65	0.59	0.057
CAE443245	Soil	0.6	20.2	6.0	57	0.1	12.3	10.7	338	2.70	5.5	0.6	1.4	1.5	26	0.1	0.3	<0.1	70	0.39	0.057
CAE443246	Soil	0.7	18.6	6.5	61	0.1	13.3	11.0	506	2.54	4.2	0.6	<0.5	1.4	31	<0.1	0.3	<0.1	62	0.51	0.055
CAE443247	Soil	0.7	18.1	6.9	75	<0.1	14.3	11.3	444	2.79	5.0	0.6	<0.5	3.1	32	0.1	0.3	<0.1	70	0.56	0.046
CAE443248	Soil	0.5	25.2	7.8	64	<0.1	15.3	11.9	568	2.61	4.7	0.8	<0.5	2.3	35	0.1	0.3	<0.1	62	0.67	0.070
CAE443249	Soil	0.5	40.8	6.8	66	<0.1	18.6	13.3	575	2.83	4.5	0.8	1.8	2.8	32	0.2	0.4	0.1	64	0.75	0.065
CAE443250	Soil	0.6	41.2	6.9	68	<0.1	18.4	13.0	621	2.80	4.4	0.8	16.7	2.9	32	0.2	0.3	<0.1	64	0.75	0.065
CAE443277	Soil	0.7	29.4	5.5	57	<0.1	13.6	8.1	385	2.08	3.4	0.5	1.0	1.3	32	0.2	0.3	0.1	49	0.75	0.052
CAE443278	Soil	0.7	34.0	7.0	67	<0.1	17.9	15.0	755	2.88	4.8	0.7	1.4	3.0	30	0.2	0.3	<0.1	67	0.72	0.063
CAE443279	Soil	0.6	37.3	6.4	74	<0.1	18.7	14.9	616	3.09	5.4	0.8	2.5	2.8	27	0.2	0.3	<0.1	70	0.55	0.068
CAE443280	Soil	0.8	32.7	5.8	74	0.1	16.8	19.2	937	3.00	4.6	0.6	1.6	2.0	32	0.2	0.3	<0.1	77	0.68	0.069
CAE443281	Soil	0.7	39.6	7.0	81	0.1	17.8	15.8	524	3.44	5.8	0.7	0.5	3.2	25	0.2	0.3	<0.1	84	0.51	0.067
CAE443282	Soil	0.7	37.7	6.3	89	0.1	15.1	15.2	543	3.37	7.0	0.6	2.3	2.4	26	0.1	0.3	<0.1	87	0.57	0.064
CAE443283	Soil	0.8	36.9	7.1	85	<0.1	15.5	15.6	453	3.29	6.0	0.6	3.2	2.7	24	0.2	0.2	<0.1	86	0.50	0.061
CAE443284	Soil	1.1	45.9	6.9	52	0.3	18.7	12.5	328	2.87	5.9	1.1	2.7	0.9	56	0.3	0.4	<0.1	66	1.18	0.068
CAE443285	Soil	1.1	19.0	7.8	49	<0.1	16.6	10.5	293	2.88	6.7	0.4	5.5	2.4	22	<0.1	0.3	<0.1	81	0.42	0.031
CAE443286	Soil	0.9	12.9	6.5	45	<0.1	12.0	6.6	205	2.49	5.0	0.2	1.5	1.1	14	0.1	0.2	0.1	72	0.27	0.031
CAE443287	Soil	0.8	23.2	5.9	47	<0.1	15.0	9.3	287	2.38	4.6	0.7	1.2	1.9	34	<0.1	0.2	<0.1	65	0.73	0.040
CAE443288	Soil	1.1	13.9	6.4	42	<0.1	12.4	6.6	200	2.53	6.3	0.3	2.1	1.6	13	0.1	0.2	<0.1	78	0.20	0.027
CAE443289	Soil	0.7	33.1	5.6	52	<0.1	15.7	11.1	316	2.68	4.9	0.5	3.4	2.3	24	0.2	0.2	<0.1	75	0.48	0.053
CAE443290	Soil	0.7	23.2	4.2	39	<0.1	12.1	7.8	174	2.01	4.3	0.5	1.2	1.2	28	0.1	0.2	<0.1	58	0.66	0.043
CAE443291	Soil	0.9	40.4	5.1	52	0.2	14.2	7.9	167	2.31	4.2	0.4	0.9	0.8	22	0.3	0.2	0.2	65	0.43	0.056
CAE443292	Soil	0.8	40.8	6.3	53	0.2	17.4	10.0	332	2.50	4.6	0.8	2.9	1.3	46	0.2	0.3	<0.1	68	1.14	0.056

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 09, 2012

CERTIFICATE OF ANALYSIS DAW12000154.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
CAE443237	Soil	8	23	0.64	165	0.070	2	1.27	0.020	0.05	0.2	0.01	4.1	<0.1	<0.05	5	0.6	<0.2
CAE443238	Soil	7	23	0.70	255	0.052	1	1.39	0.016	0.04	0.1	0.03	5.8	<0.1	<0.05	6	<0.5	<0.2
CAE443239	Soil	7	22	0.63	188	0.064	1	1.34	0.017	0.05	0.2	0.04	3.7	<0.1	<0.05	6	<0.5	<0.2
CAE443240	Soil	7	23	0.61	212	0.053	2	1.47	0.016	0.04	0.1	0.04	3.8	<0.1	<0.05	6	<0.5	<0.2
CAE443241	Soil	8	21	0.65	217	0.061	2	1.46	0.018	0.04	0.1	0.04	4.4	<0.1	<0.05	5	<0.5	<0.2
CAE443242	Soil	7	23	0.58	233	0.046	1	1.45	0.015	0.04	<0.1	0.05	4.1	<0.1	0.05	5	<0.5	<0.2
CAE443243	Soil	9	24	0.61	246	0.062	2	1.42	0.019	0.05	0.1	0.03	5.0	<0.1	<0.05	5	<0.5	<0.2
CAE443244	Soil	12	27	0.67	325	0.070	1	1.56	0.019	0.05	0.1	0.03	6.5	<0.1	<0.05	5	<0.5	<0.2
CAE443245	Soil	9	23	0.62	213	0.049	2	1.62	0.016	0.03	0.2	0.05	5.4	<0.1	<0.05	6	<0.5	<0.2
CAE443246	Soil	8	23	0.60	319	0.045	<1	1.42	0.017	0.05	0.1	0.03	5.1	<0.1	<0.05	5	<0.5	<0.2
CAE443247	Soil	9	26	0.77	260	0.063	2	1.58	0.019	0.06	0.1	0.03	6.2	<0.1	<0.05	6	<0.5	<0.2
CAE443248	Soil	10	26	0.81	260	0.056	1	1.56	0.016	0.05	0.1	0.04	5.1	<0.1	<0.05	6	<0.5	<0.2
CAE443249	Soil	11	27	0.91	324	0.048	3	1.72	0.014	0.04	0.1	0.04	5.0	<0.1	<0.05	6	<0.5	<0.2
CAE443250	Soil	12	28	0.93	329	0.050	3	1.70	0.015	0.04	0.2	0.03	5.1	<0.1	<0.05	6	<0.5	<0.2
CAE443277	Soil	7	26	0.57	274	0.044	4	1.35	0.013	0.05	0.1	0.07	3.9	<0.1	0.05	5	<0.5	<0.2
CAE443278	Soil	11	28	0.95	332	0.058	3	1.77	0.015	0.06	0.1	0.03	5.2	<0.1	<0.05	6	<0.5	<0.2
CAE443279	Soil	13	28	1.04	311	0.056	2	1.93	0.014	0.05	0.1	0.04	5.7	<0.1	<0.05	7	<0.5	<0.2
CAE443280	Soil	11	24	1.01	316	0.051	3	1.81	0.013	0.04	0.1	0.05	6.1	<0.1	<0.05	7	<0.5	<0.2
CAE443281	Soil	12	28	1.09	304	0.056	2	2.02	0.015	0.05	0.1	0.03	6.8	<0.1	<0.05	8	<0.5	<0.2
CAE443282	Soil	11	24	1.15	258	0.059	2	2.00	0.015	0.05	0.1	0.05	7.1	<0.1	<0.05	8	<0.5	<0.2
CAE443283	Soil	11	25	1.05	256	0.060	2	1.93	0.016	0.05	0.1	0.03	6.1	<0.1	<0.05	8	<0.5	<0.2
CAE443284	Soil	14	27	0.51	371	0.053	3	2.15	0.018	0.05	0.1	0.06	5.6	<0.1	0.05	6	<0.5	<0.2
CAE443285	Soil	8	32	0.57	194	0.090	2	1.93	0.020	0.05	0.2	0.03	4.0	<0.1	<0.05	6	<0.5	<0.2
CAE443286	Soil	5	25	0.40	105	0.073	2	1.51	0.016	0.05	0.1	0.02	2.6	<0.1	<0.05	7	<0.5	<0.2
CAE443287	Soil	8	26	0.52	212	0.074	2	1.56	0.022	0.04	0.2	0.04	4.4	<0.1	<0.05	5	<0.5	<0.2
CAE443288	Soil	6	26	0.41	92	0.082	<1	1.56	0.014	0.04	0.1	0.03	2.8	<0.1	<0.05	6	<0.5	<0.2
CAE443289	Soil	9	25	0.56	174	0.090	2	1.58	0.026	0.05	0.2	0.02	4.7	<0.1	<0.05	5	<0.5	<0.2
CAE443290	Soil	6	22	0.43	118	0.063	2	1.26	0.022	0.03	0.2	0.04	4.0	<0.1	<0.05	4	<0.5	<0.2
CAE443291	Soil	7	23	0.42	171	0.065	2	1.56	0.017	0.06	0.1	0.05	3.7	<0.1	<0.05	6	<0.5	<0.2
CAE443292	Soil	8	25	0.53	263	0.059	3	1.47	0.020	0.05	0.1	0.06	5.0	<0.1	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 09, 2012

CERTIFICATE OF ANALYSIS DAW12000154.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
CAE443293	Soil	0.8	47.4	6.2	63	0.1	17.2	15.2	448	3.19	5.7	0.6	2.8	2.3	24	0.1	0.2	<0.1	87	0.54	0.061
CAE443294	Soil	1.0	38.6	7.6	65	0.2	17.1	13.8	767	2.78	5.7	0.7	1.8	1.4	36	0.2	0.2	<0.1	70	0.81	0.063
CAE443295	Soil	1.0	40.4	7.2	67	0.2	19.6	13.5	649	3.06	6.1	0.9	4.1	2.3	47	0.3	0.3	<0.1	77	1.09	0.058
CAE443296	Soil	0.9	48.6	7.4	60	<0.1	15.8	15.9	357	3.46	8.1	0.3	0.6	1.4	29	0.2	0.3	<0.1	114	0.67	0.045
CAE443301	Soil	0.7	38.6	7.8	60	0.2	14.0	14.9	471	3.92	6.1	0.3	1.5	1.6	24	<0.1	0.3	<0.1	101	0.55	0.043
CAE443302	Soil	0.8	50.2	10.1	64	<0.1	12.1	18.8	527	4.80	4.1	0.3	1.1	1.4	26	<0.1	0.4	<0.1	102	0.61	0.044
CAE443303	Soil	1.5	44.1	8.0	66	<0.1	15.6	16.6	439	4.03	5.8	0.2	4.6	1.1	30	0.1	0.3	<0.1	117	0.63	0.045
CAE443304	Soil	1.3	47.8	13.2	66	<0.1	14.5	18.3	440	4.22	5.8	0.2	<0.5	1.0	31	0.1	0.3	<0.1	120	0.67	0.048
CAE443297	Soil	1.3	35.2	7.5	51	0.2	19.1	11.2	312	3.24	7.6	0.3	1.4	1.9	21	0.2	0.3	<0.1	90	0.34	0.025

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 09, 2012

CERTIFICATE OF ANALYSIS DAW12000154.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
CAE443293	Soil	9	26	0.64	258	0.083	2	1.80	0.025	0.05	0.2	0.02	5.7	<0.1	<0.05	6	<0.5	<0.2
CAE443294	Soil	9	28	0.62	261	0.056	3	1.69	0.022	0.05	0.1	0.07	5.6	<0.1	<0.05	6	<0.5	<0.2
CAE443295	Soil	18	27	0.64	516	0.077	2	1.68	0.018	0.11	0.1	0.06	6.9	<0.1	<0.05	6	<0.5	<0.2
CAE443296	Soil	5	23	0.68	203	0.106	2	2.12	0.027	0.09	0.1	0.02	4.9	<0.1	<0.05	7	<0.5	<0.2
CAE443301	Soil	5	21	0.75	228	0.081	1	2.06	0.027	0.10	<0.1	0.01	6.9	<0.1	<0.05	6	<0.5	<0.2
CAE443302	Soil	6	17	0.80	291	0.072	1	2.11	0.027	0.07	<0.1	<0.01	9.2	<0.1	<0.05	6	<0.5	<0.2
CAE443303	Soil	4	24	0.75	272	0.130	1	2.18	0.030	0.10	<0.1	0.02	5.0	<0.1	<0.05	8	<0.5	<0.2
CAE443304	Soil	4	21	0.81	263	0.133	2	2.26	0.033	0.10	<0.1	0.02	5.2	<0.1	<0.05	8	<0.5	<0.2
CAE443297	Soil	7	32	0.54	261	0.078	2	2.06	0.015	0.06	0.1	0.01	3.9	<0.1	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 09, 2012

QUALITY CONTROL REPORT DAW12000154.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Pulp Duplicates																					
CAE442776	Soil	0.8	42.1	11.5	90	<0.1	28.5	13.9	486	3.64	9.1	0.7	3.2	3.8	23	<0.1	0.4	0.1	88	0.36	0.025
REP CAE442776	QC	0.8	41.1	11.5	87	<0.1	28.7	13.6	480	3.48	8.6	0.7	2.7	3.8	23	0.1	0.4	0.1	87	0.36	0.026
CAE442781	Soil	1.4	102.4	113.4	391	<0.1	12.7	13.4	833	5.53	13.3	0.9	5.2	7.1	18	0.5	0.9	0.2	90	0.22	0.029
REP CAE442781	QC	1.4	100.0	110.1	387	<0.1	13.0	13.3	842	5.61	13.0	0.9	3.8	7.2	18	0.4	0.9	0.2	88	0.21	0.029
CAE443223	Soil	0.8	36.5	6.7	119	0.1	15.5	17.1	636	3.91	33.1	0.7	1.5	2.2	28	0.3	0.5	<0.1	97	0.61	0.063
REP CAE443223	QC	0.9	36.8	7.2	123	<0.1	16.2	17.5	620	3.95	32.8	0.7	3.8	2.3	29	0.3	0.5	<0.1	96	0.61	0.066
CAE443228	Soil	1.5	44.2	7.7	65	0.4	19.3	11.2	717	2.59	8.6	1.0	3.3	1.0	49	0.3	0.3	0.1	48	1.10	0.056
REP CAE443228	QC	1.4	45.0	7.6	66	0.4	19.9	11.6	733	2.72	8.8	1.0	2.4	1.0	51	0.4	0.3	0.1	52	1.11	0.055
CAE443285	Soil	1.1	19.0	7.8	49	<0.1	16.6	10.5	293	2.88	6.7	0.4	5.5	2.4	22	<0.1	0.3	<0.1	81	0.42	0.031
REP CAE443285	QC	1.1	18.8	8.2	47	<0.1	16.7	10.2	286	2.83	6.7	0.4	1.6	2.3	22	0.1	0.3	<0.1	80	0.42	0.030
CAE443290	Soil	0.7	23.2	4.2	39	<0.1	12.1	7.8	174	2.01	4.3	0.5	1.2	1.2	28	0.1	0.2	<0.1	58	0.66	0.043
REP CAE443290	QC	0.6	21.4	4.0	39	<0.1	12.0	7.3	169	1.93	4.0	0.4	0.9	1.2	26	0.1	0.2	<0.1	59	0.61	0.039
Reference Materials																					
STD DS9	Standard	12.6	108.8	123.2	307	1.9	41.7	8.0	590	2.37	25.6	2.6	164.9	6.3	68	2.3	5.4	6.5	42	0.72	0.087
STD DS9	Standard	13.8	106.3	114.2	311	1.9	41.5	7.9	603	2.44	26.3	2.5	121.9	6.2	65	2.4	5.0	5.2	45	0.76	0.084
STD DS9	Standard	13.8	106.8	124.0	317	1.8	40.8	8.2	599	2.50	27.8	2.8	123.6	6.4	79	2.3	5.6	6.4	42	0.67	0.083
STD DS9 Expected		12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40	0.7201	0.0819
BLK	Blank	<0.1	0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	3	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 09, 2012

QUALITY CONTROL REPORT DAW12000154.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																		
CAE442776	Soil	13	44	0.68	496	0.064	<1	1.86	0.019	0.05	0.1	0.03	7.6	<0.1	<0.05	6	<0.5	<0.2
REP CAE442776	QC	13	42	0.68	495	0.063	1	1.86	0.020	0.04	<0.1	0.04	7.6	<0.1	<0.05	6	<0.5	<0.2
CAE442781	Soil	15	17	0.72	347	0.008	1	1.72	0.018	0.05	<0.1	0.08	11.4	<0.1	<0.05	7	0.7	<0.2
REP CAE442781	QC	15	16	0.73	343	0.008	1	1.78	0.020	0.05	<0.1	0.09	11.6	<0.1	<0.05	6	0.5	<0.2
CAE443223	Soil	8	27	0.94	306	0.085	3	1.75	0.020	0.05	0.1	0.04	6.2	<0.1	<0.05	6	<0.5	<0.2
REP CAE443223	QC	8	27	0.94	316	0.086	1	1.80	0.024	0.05	0.1	0.04	6.6	<0.1	<0.05	6	<0.5	<0.2
CAE443228	Soil	11	25	0.54	521	0.054	1	1.82	0.016	0.07	0.1	0.07	5.7	<0.1	0.08	5	0.5	<0.2
REP CAE443228	QC	12	27	0.58	529	0.058	3	1.80	0.015	0.07	0.1	0.06	6.0	<0.1	0.08	6	<0.5	<0.2
CAE443285	Soil	8	32	0.57	194	0.090	2	1.93	0.020	0.05	0.2	0.03	4.0	<0.1	<0.05	6	<0.5	<0.2
REP CAE443285	QC	8	32	0.57	187	0.093	2	1.93	0.020	0.05	0.1	0.03	3.8	<0.1	<0.05	6	<0.5	<0.2
CAE443290	Soil	6	22	0.43	118	0.063	2	1.26	0.022	0.03	0.2	0.04	4.0	<0.1	<0.05	4	<0.5	<0.2
REP CAE443290	QC	5	21	0.42	108	0.064	2	1.23	0.022	0.03	0.1	0.04	3.8	<0.1	<0.05	4	<0.5	<0.2
Reference Materials																		
STD DS9	Standard	12	126	0.65	294	0.111	3	0.95	0.104	0.37	3.0	0.21	2.7	5.6	0.19	5	5.3	5.2
STD DS9	Standard	13	129	0.64	311	0.112	3	0.96	0.088	0.37	2.9	0.20	2.5	5.8	0.18	5	5.8	5.2
STD DS9	Standard	13	119	0.63	300	0.116	2	0.91	0.089	0.36	2.8	0.21	2.4	5.6	0.16	5	5.3	5.5
STD DS9 Expected		13.3	121	0.6165	295	0.1108		0.9577	0.0853	0.395	2.89	0.2	2.5	5.3	0.1615	4.59	5.2	5.02
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.