Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Submitted By: Jean-Pierre Londero
Receiving Lab: Canada-Dawson City
Received: July 30, 2012
Report Date: August 12, 2012

CERTIFICATE OF ANALYSIS DAW12000175.1

CLIENT JOB INFORMATION

Project: White Gold
Shipment ID: WG02152012
P.O. Number
Number of Samples: 89

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT-SOIL Store Soil Reject - RJSV Charges Apply

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	89	Dry at 60C sieve 100g to -80 mesh			DAW
Dry at 60C	89	Dry at 60C			DAW
RJSV	89	Saving all or part of Soil Reject			DAW
1DX2	81	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Selene Holdings LP
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8
Canada

CC: Keith Fowlow

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 12, 2012

CERTIFICATE OF ANALYSIS DAW12000175.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
CAE443454	Soil	0.8	16.5	6.0	40	0.1	12.2	5.3	190	1.72	2.6	0.5	2.2	0.6	22	<0.1	0.2	0.2	39	0.30	0.069
CAE443455	Soil	0.5	14.7	8.3	37	0.1	11.0	4.4	114	1.77	2.7	0.5	1.6	0.4	20	<0.1	0.2	0.2	31	0.25	0.068
CAE443456	Soil	0.5	15.6	4.5	30	0.1	9.3	3.5	98	1.63	2.3	0.4	2.9	0.4	20	0.1	0.2	0.2	29	0.29	0.075
CAE443457	Soil	0.3	13.9	5.5	40	0.1	9.6	4.4	114	1.83	2.5	0.4	5.6	0.5	15	<0.1	0.1	<0.1	35	0.19	0.056
CAE443458	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE443459	Soil	1.1	22.5	7.2	61	0.2	14.5	9.3	298	2.87	3.7	0.5	2.4	1.0	21	<0.1	0.2	<0.1	69	0.28	0.081
CAE443460	Soil	1.4	21.6	4.8	57	0.1	12.1	11.2	398	2.90	3.9	0.4	2.7	0.9	21	0.1	0.1	<0.1	79	0.35	0.107
CAE443461	Soil	0.9	15.2	5.9	53	<0.1	12.3	9.0	317	2.53	4.2	0.3	1.8	1.1	18	<0.1	0.1	<0.1	69	0.29	0.076
CAE443462	Soil	0.8	15.8	4.8	62	<0.1	12.6	10.6	369	2.91	5.7	0.3	1.0	1.4	17	<0.1	0.2	<0.1	71	0.33	0.089
CAE443463	Soil	0.7	15.8	5.5	51	0.2	11.4	6.4	185	2.30	4.0	0.5	2.1	0.7	17	0.1	0.2	<0.1	58	0.26	0.074
CAE443464	Soil	0.7	16.1	4.4	26	0.2	10.5	3.9	116	1.44	1.8	0.6	1.9	0.2	25	0.1	0.2	<0.1	21	0.31	0.087
CAE443465	Soil	0.5	12.3	5.9	35	0.1	8.9	4.5	136	1.61	2.1	0.5	2.3	0.4	17	<0.1	0.2	<0.1	31	0.23	0.063
CAE443466	Soil	0.6	15.9	4.1	28	0.2	10.4	4.0	99	1.65	2.3	0.6	1.7	0.2	22	0.1	0.2	<0.1	25	0.28	0.090
CAE443467	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE443468	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE443469	Soil	0.6	9.0	3.5	12	<0.1	4.9	1.6	40	0.61	1.0	0.2	1.1	<0.1	9	0.1	0.1	<0.1	19	0.07	0.041
CAE443470	Soil	1.0	25.5	5.6	54	0.1	11.4	7.4	263	2.80	4.2	0.4	2.5	1.0	20	<0.1	0.2	0.1	70	0.14	0.048
CAE443471	Soil	0.8	19.5	5.9	27	<0.1	8.7	4.4	108	1.66	3.1	0.2	1.7	0.4	12	0.1	0.2	0.1	59	0.09	0.035
CAE443472	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE443473	Soil	0.6	30.4	4.9	39	0.2	11.3	5.8	151	1.76	4.4	0.5	1.7	0.5	27	<0.1	0.2	<0.1	40	0.31	0.072
CAE443474	Soil	0.6	36.8	4.0	37	0.3	11.3	5.1	181	1.55	3.5	0.6	3.0	0.3	30	0.1	0.2	<0.1	32	0.39	0.084
CAE443475	Soil	0.6	29.9	4.4	24	0.2	9.2	3.9	83	1.49	2.2	0.7	3.0	0.2	20	<0.1	0.1	<0.1	33	0.25	0.089
CAE443476	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE443477	Soil	0.4	20.7	3.5	42	0.1	8.7	6.4	174	1.85	1.6	0.3	2.3	0.7	17	<0.1	<0.1	0.1	43	0.30	0.048
CAE443478	Soil	0.8	27.5	4.0	38	<0.1	10.8	8.4	167	1.84	2.0	0.2	1.7	0.4	13	<0.1	0.1	<0.1	66	0.19	0.041
CAE443479	Soil	1.1	25.2	8.3	52	<0.1	15.3	11.4	348	2.70	4.6	0.3	1.0	1.0	16	<0.1	0.2	<0.1	87	0.35	0.085
CAE443480	Soil	0.8	20.5	6.7	55	<0.1	14.5	9.0	213	2.59	4.5	0.3	3.4	1.2	15	<0.1	0.2	<0.1	75	0.28	0.069
CAE443481	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE443482	Soil	1.3	16.8	6.3	40	0.1	13.6	6.9	166	2.15	4.3	0.4	15.2	0.6	16	<0.1	0.2	<0.1	58	0.31	0.084
CAE443483	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 12, 2012

CERTIFICATE OF ANALYSIS DAW12000175.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
CAE443454	Soil	7	22	0.47	240	0.069	6	1.14	0.015	0.08	0.1	0.07	3.3	<0.1	<0.05	4	<0.5	<0.2
CAE443455	Soil	6	21	0.36	181	0.060	4	1.00	0.013	0.05	0.1	0.07	2.6	<0.1	<0.05	4	<0.5	<0.2
CAE443456	Soil	6	18	0.31	188	0.058	4	0.86	0.011	0.05	0.1	0.07	2.6	<0.1	<0.05	3	<0.5	<0.2
CAE443457	Soil	6	22	0.49	141	0.070	2	1.22	0.010	0.05	<0.1	0.06	2.8	<0.1	<0.05	5	<0.5	<0.2
CAE443458	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE443459	Soil	6	29	0.92	196	0.117	2	1.71	0.015	0.13	<0.1	0.04	3.8	<0.1	<0.05	7	<0.5	<0.2
CAE443460	Soil	6	24	1.02	195	0.119	2	1.71	0.020	0.11	0.1	0.03	4.1	<0.1	<0.05	6	<0.5	<0.2
CAE443461	Soil	6	23	0.79	141	0.114	1	1.44	0.014	0.09	0.1	0.02	3.4	<0.1	<0.05	6	<0.5	<0.2
CAE443462	Soil	6	22	0.85	134	0.108	<1	1.47	0.016	0.09	0.1	0.02	3.7	<0.1	<0.05	6	<0.5	<0.2
CAE443463	Soil	5	23	0.63	157	0.073	1	1.30	0.014	0.05	0.1	0.05	3.3	<0.1	<0.05	6	<0.5	<0.2
CAE443464	Soil	7	18	0.23	263	0.038	4	0.84	0.012	0.04	0.1	0.08	2.3	<0.1	<0.05	3	<0.5	<0.2
CAE443465	Soil	5	19	0.42	167	0.056	2	1.04	0.015	0.04	0.1	0.06	2.6	<0.1	<0.05	4	<0.5	<0.2
CAE443466	Soil	6	20	0.28	235	0.041	5	0.88	0.013	0.04	<0.1	0.08	2.2	<0.1	<0.05	3	<0.5	<0.2
CAE443467	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE443468	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE443469	Soil	1	11	0.06	42	0.019	2	0.30	0.013	0.02	<0.1	0.06	0.4	<0.1	<0.05	2	<0.5	<0.2
CAE443470	Soil	5	26	0.71	136	0.129	1	1.74	0.013	0.12	<0.1	0.05	3.9	<0.1	<0.05	8	<0.5	<0.2
CAE443471	Soil	3	19	0.31	73	0.096	2	0.84	0.012	0.05	<0.1	0.04	1.9	<0.1	<0.05	7	<0.5	<0.2
CAE443472	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE443473	Soil	6	22	0.46	272	0.077	4	1.15	0.014	0.09	<0.1	0.08	3.2	<0.1	<0.05	5	<0.5	<0.2
CAE443474	Soil	7	22	0.40	314	0.054	5	1.01	0.013	0.10	<0.1	0.09	3.1	0.1	<0.05	3	<0.5	<0.2
CAE443475	Soil	6	23	0.33	295	0.046	4	0.85	0.014	0.09	<0.1	0.09	2.4	<0.1	<0.05	3	<0.5	<0.2
CAE443476	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE443477	Soil	4	20	0.60	191	0.095	2	1.14	0.028	0.14	<0.1	0.04	3.7	0.1	<0.05	5	<0.5	<0.2
CAE443478	Soil	3	23	0.80	328	0.105	1	1.18	0.020	0.28	<0.1	0.03	2.2	<0.1	<0.05	5	<0.5	<0.2
CAE443479	Soil	5	29	0.91	228	0.127	2	1.44	0.024	0.25	0.2	0.02	3.3	0.1	<0.05	6	<0.5	<0.2
CAE443480	Soil	6	30	0.85	170	0.117	1	1.51	0.019	0.13	0.2	0.03	3.4	0.1	<0.05	6	<0.5	<0.2
CAE443481	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE443482	Soil	5	28	0.57	156	0.070	1	1.04	0.024	0.09	0.1	0.03	2.5	<0.1	<0.05	5	<0.5	<0.2
CAE443483	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 12, 2012

CERTIFICATE OF ANALYSIS DAW12000175.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
CAE443484	Soil	0.9	16.4	5.6	49	0.1	15.4	7.9	163	2.20	4.1	0.4	1.7	0.8	17	<0.1	0.2	<0.1	51	0.31	0.074
CAE443485	Soil	0.4	13.4	7.0	49	<0.1	13.8	6.2	147	1.86	2.7	0.4	9.3	0.9	14	<0.1	0.3	<0.1	46	0.23	0.041
CAE443486	Soil	0.6	15.7	5.9	63	<0.1	17.0	10.6	266	2.56	4.3	0.4	3.7	1.5	18	<0.1	0.2	<0.1	61	0.33	0.081
CAE443487	Soil	0.9	12.0	6.8	52	<0.1	13.7	7.5	204	2.13	4.2	0.3	2.6	0.8	16	<0.1	0.2	<0.1	59	0.28	0.070
CAE443488	Soil	0.6	11.5	5.9	41	<0.1	12.0	5.5	145	1.72	2.4	0.4	1.6	0.8	16	<0.1	0.2	<0.1	40	0.23	0.049
CAE443489	Soil	0.9	68.5	5.0	61	<0.1	36.0	30.7	579	4.38	2.8	0.1	6.4	0.7	23	<0.1	0.1	<0.1	156	0.40	0.087
CAE443490	Soil	0.8	57.6	3.3	56	<0.1	33.9	29.7	545	4.12	2.5	0.1	3.5	0.7	25	<0.1	<0.1	<0.1	145	0.44	0.077
CAE443491	Soil	0.9	27.1	9.1	52	0.2	20.9	12.2	240	2.58	5.0	0.4	1.9	1.3	21	<0.1	0.2	0.1	69	0.35	0.051
CAE443492	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE443493	Soil	0.7	14.5	6.6	40	0.1	13.2	6.5	142	1.75	2.4	0.4	3.0	0.6	19	0.1	0.2	0.1	38	0.27	0.051
CAE443494	Soil	0.6	14.0	6.2	38	0.1	13.2	5.5	109	1.72	2.5	0.4	3.1	0.4	19	<0.1	0.1	0.1	36	0.28	0.054
CAE443495	Soil	0.5	19.3	6.8	56	0.2	17.1	8.3	165	2.32	3.3	0.5	4.3	1.0	19	0.1	0.2	<0.1	58	0.27	0.051
CAE443496	Soil	0.7	15.3	7.2	48	0.1	14.3	7.1	162	2.13	3.2	0.4	6.0	0.8	19	<0.1	0.1	<0.1	54	0.30	0.053
CAE443497	Soil	0.6	15.2	6.7	44	<0.1	13.0	5.4	123	1.68	3.0	0.4	1.7	0.8	19	<0.1	0.2	<0.1	44	0.26	0.050
CAE443498	Soil	0.8	19.2	8.0	47	0.1	13.7	6.5	127	2.22	4.8	0.4	1.7	0.8	19	<0.1	0.2	<0.1	62	0.23	0.045
CAE443499	Soil	0.8	15.5	5.7	28	0.1	12.6	5.9	136	1.39	1.7	0.3	0.7	0.4	18	0.1	0.1	<0.1	37	0.26	0.051
CAE443500	Soil	1.0	34.3	6.8	53	0.2	19.9	15.3	409	3.11	4.8	0.3	2.5	1.1	19	0.2	0.2	<0.1	94	0.29	0.062
CAE442846	Soil	0.7	38.1	7.5	57	0.1	25.6	12.2	540	2.62	5.2	0.7	3.7	2.3	33	0.1	0.4	<0.1	70	1.10	0.061
CAE442847	Soil	3.0	56.2	8.8	65	0.3	23.2	17.0	329	3.65	4.0	0.4	6.1	1.1	25	0.1	0.2	<0.1	124	0.47	0.064
CAE442848	Soil	1.9	51.9	6.7	61	0.1	29.3	15.9	215	3.59	4.8	0.5	1.8	1.5	29	0.1	0.2	<0.1	110	0.31	0.031
CAE442849	Soil	0.9	46.8	8.8	90	0.1	17.4	18.8	562	4.68	3.4	0.3	0.8	1.0	36	<0.1	0.1	<0.1	122	0.52	0.092
CAE442850	Soil	0.8	31.2	7.0	51	<0.1	23.6	11.6	263	2.95	6.0	0.4	1.4	1.8	18	0.1	0.3	0.1	79	0.31	0.028
CAE443351	Soil	0.9	31.4	11.9	73	<0.1	25.7	12.0	609	2.56	3.3	0.7	3.5	1.5	34	0.4	0.3	<0.1	62	0.99	0.074
CAE443352	Soil	1.1	32.0	10.7	77	<0.1	29.4	12.3	710	2.61	3.7	0.6	2.1	1.6	34	0.4	0.2	<0.1	64	1.00	0.084
CAE443353	Soil	0.8	24.9	4.8	54	<0.1	12.5	12.4	497	2.65	2.4	0.3	4.0	0.9	30	0.2	0.2	<0.1	89	0.97	0.063
CAE443354	Soil	0.5	11.3	6.0	41	0.1	10.9	5.3	123	1.83	3.3	0.4	2.2	0.6	17	0.1	0.2	<0.1	42	0.24	0.051
CAE443355	Soil	1.4	19.7	7.4	59	<0.1	15.5	12.4	306	2.75	5.0	0.4	2.3	1.7	23	<0.1	0.2	<0.1	81	0.41	0.082
CAE443356	Soil	0.9	28.2	6.3	74	<0.1	18.4	17.0	488	3.58	5.4	0.4	5.2	2.1	23	0.1	0.2	<0.1	100	0.43	0.079
CAE443357	Soil	0.7	21.4	6.1	64	<0.1	15.0	12.8	330	3.14	5.1	0.3	2.4	1.9	21	<0.1	0.3	<0.1	90	0.44	0.072
CAE443358	Soil	1.0	18.1	6.8	58	<0.1	17.4	11.8	279	3.08	5.9	0.4	1.7	2.1	22	0.1	0.3	<0.1	86	0.36	0.062

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 12, 2012

CERTIFICATE OF ANALYSIS DAW12000175.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
CAE443484	Soil	6	29	0.61	160	0.064	2	1.33	0.023	0.05	0.1	0.05	3.0	<0.1	<0.05	5	<0.5	<0.2
CAE443485	Soil	7	28	0.58	149	0.075	1	1.42	0.012	0.04	0.1	0.05	2.9	0.1	<0.05	6	<0.5	<0.2
CAE443486	Soil	7	30	0.81	188	0.098	1	1.59	0.017	0.09	0.2	0.03	3.3	<0.1	<0.05	5	<0.5	<0.2
CAE443487	Soil	6	28	0.70	145	0.086	1	1.42	0.014	0.06	0.1	0.04	2.7	<0.1	<0.05	6	<0.5	<0.2
CAE443488	Soil	5	26	0.54	147	0.088	2	1.24	0.011	0.04	0.1	0.06	2.8	<0.1	<0.05	5	<0.5	<0.2
CAE443489	Soil	3	93	2.81	245	0.233	<1	3.10	0.017	0.79	<0.1	<0.01	4.0	0.2	<0.05	8	<0.5	<0.2
CAE443490	Soil	3	87	2.55	209	0.232	<1	3.21	0.021	0.69	<0.1	<0.01	4.4	0.2	<0.05	7	<0.5	<0.2
CAE443491	Soil	7	42	0.87	156	0.090	1	1.67	0.018	0.06	0.1	0.03	4.0	<0.1	<0.05	6	<0.5	<0.2
CAE443492	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE443493	Soil	7	27	0.47	160	0.057	2	1.18	0.014	0.04	0.1	0.06	3.1	<0.1	<0.05	5	<0.5	<0.2
CAE443494	Soil	7	25	0.42	157	0.055	2	1.20	0.015	0.04	0.1	0.05	2.8	<0.1	<0.05	5	<0.5	<0.2
CAE443495	Soil	7	35	0.67	137	0.085	2	1.69	0.017	0.05	0.1	0.04	3.8	0.1	<0.05	6	<0.5	<0.2
CAE443496	Soil	7	29	0.64	140	0.075	2	1.44	0.021	0.05	0.1	0.03	3.2	<0.1	<0.05	6	<0.5	<0.2
CAE443497	Soil	7	27	0.51	134	0.066	1	1.35	0.017	0.04	<0.1	0.05	3.3	0.1	<0.05	5	<0.5	<0.2
CAE443498	Soil	7	28	0.56	145	0.068	1	1.39	0.016	0.05	0.1	0.03	2.8	0.2	<0.05	6	<0.5	<0.2
CAE443499	Soil	5	29	0.44	120	0.066	2	1.06	0.024	0.06	<0.1	0.04	2.7	0.1	<0.05	4	<0.5	<0.2
CAE443500	Soil	6	42	0.83	120	0.136	2	1.59	0.018	0.12	<0.1	0.03	3.2	0.2	<0.05	7	<0.5	<0.2
CAE442846	Soil	11	37	0.84	353	0.117	2	1.77	0.027	0.09	0.1	0.05	5.5	0.1	<0.05	5	<0.5	<0.2
CAE442847	Soil	5	39	1.44	240	0.209	1	2.48	0.020	0.43	<0.1	0.04	4.1	0.2	<0.05	8	<0.5	<0.2
CAE442848	Soil	7	55	0.92	262	0.116	<1	2.60	0.021	0.11	<0.1	0.02	5.7	0.2	<0.05	8	<0.5	0.3
CAE442849	Soil	3	33	1.50	238	0.255	<1	2.73	0.022	0.34	<0.1	0.02	3.4	0.2	<0.05	9	<0.5	<0.2
CAE442850	Soil	7	42	0.82	143	0.123	1	1.89	0.018	0.07	0.1	0.03	4.0	0.1	<0.05	6	<0.5	<0.2
CAE443351	Soil	10	31	0.92	245	0.080	2	1.69	0.022	0.09	0.1	0.04	5.8	<0.1	<0.05	6	<0.5	0.3
CAE443352	Soil	10	33	0.94	255	0.082	2	1.70	0.019	0.10	0.1	0.04	5.9	<0.1	<0.05	6	<0.5	0.4
CAE443353	Soil	4	24	0.98	201	0.123	2	1.64	0.028	0.10	<0.1	0.04	5.9	<0.1	<0.05	6	<0.5	<0.2
CAE443354	Soil	6	23	0.51	135	0.079	1	1.28	0.014	0.04	0.1	0.04	3.2	0.1	<0.05	6	<0.5	<0.2
CAE443355	Soil	7	29	0.88	173	0.128	1	1.85	0.030	0.07	0.1	0.02	4.6	<0.1	<0.05	6	<0.5	<0.2
CAE443356	Soil	7	33	1.01	216	0.157	1	2.16	0.026	0.17	0.1	0.02	5.0	0.1	<0.05	7	<0.5	<0.2
CAE443357	Soil	6	27	0.91	149	0.150	<1	1.92	0.031	0.08	0.1	0.02	4.9	<0.1	<0.05	7	<0.5	<0.2
CAE443358	Soil	7	32	0.77	159	0.133	1	1.94	0.021	0.06	0.1	0.03	4.3	<0.1	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 12, 2012

CERTIFICATE OF ANALYSIS DAW12000175.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
CAE443359	Soil	1.3	37.6	9.8	67	<0.1	20.6	15.4	324	3.36	5.2	0.8	7.5	2.2	24	0.2	0.3	<0.1	93	0.40	0.075
CAE443360	Soil	0.6	16.2	4.5	43	<0.1	9.4	6.9	162	1.93	2.5	0.3	1.7	0.8	18	<0.1	<0.1	<0.1	55	0.31	0.049
CAE443361	Soil	1.1	45.4	8.9	45	0.2	19.4	11.2	232	2.46	2.6	0.3	2.0	0.6	23	0.1	0.2	<0.1	80	0.31	0.054
CAE443362	Soil	1.0	61.2	9.0	65	0.5	26.5	19.2	452	3.71	5.2	0.5	5.3	1.5	28	0.1	0.2	<0.1	96	0.36	0.065
CAE443376	Soil	0.9	43.9	9.0	37	0.3	24.0	15.0	228	2.27	1.6	0.3	6.0	0.5	20	0.1	0.1	<0.1	83	0.31	0.038
CAE443377	Soil	1.2	36.6	8.4	59	0.2	20.6	13.6	396	3.14	5.4	0.5	7.0	2.0	21	<0.1	0.2	<0.1	88	0.33	0.029
CAE443378	Soil	0.9	38.7	7.2	83	<0.1	27.4	22.0	463	3.73	3.3	0.2	2.2	1.2	19	<0.1	0.2	<0.1	125	0.50	0.099
CAE443379	Soil	1.2	73.1	7.3	58	0.2	26.2	17.5	326	3.55	2.7	0.4	1.5	1.3	21	<0.1	0.1	<0.1	115	0.47	0.053
CAE443380	Soil	1.2	41.2	9.7	55	0.2	21.3	10.7	238	2.61	5.4	0.6	3.2	1.7	20	0.1	0.3	<0.1	79	0.30	0.035
CAE443381	Soil	1.2	45.5	8.4	65	0.3	22.3	11.5	275	2.82	6.0	0.6	6.2	1.5	25	0.2	0.3	<0.1	84	0.40	0.040
CAE443382	Soil	1.3	39.2	10.3	61	0.2	18.1	11.3	268	2.54	5.3	0.4	3.5	1.3	21	0.1	0.2	<0.1	84	0.38	0.036
CAE443383	Soil	1.5	64.3	9.3	63	0.7	23.2	34.0	815	2.52	3.5	0.7	5.2	0.8	59	0.3	0.3	<0.1	74	0.90	0.084
CAE443384	Soil	2.5	81.3	8.5	121	0.1	34.2	17.2	405	4.64	1.6	0.3	1.9	1.2	24	<0.1	<0.1	<0.1	169	0.15	0.038
CAE443385	Soil	2.3	80.1	7.1	110	0.1	35.5	19.0	381	4.24	1.5	0.3	2.5	1.2	22	<0.1	0.1	<0.1	164	0.15	0.037
CAE443386	Soil	1.0	58.7	9.3	89	0.2	26.1	21.7	416	3.03	3.0	0.6	3.7	1.4	21	0.1	0.2	<0.1	92	0.23	0.038
CAE443387	Soil	0.8	56.1	9.0	86	0.2	23.5	32.2	650	2.94	2.5	0.4	1.8	1.2	20	0.2	0.1	<0.1	101	0.26	0.039
CAE443388	Soil	1.0	43.2	9.5	59	0.2	19.7	11.3	244	2.45	2.8	0.5	2.8	0.8	22	<0.1	0.2	<0.1	77	0.26	0.037
CAE443389	Soil	1.0	52.3	7.6	57	0.3	19.9	15.0	242	2.27	2.2	0.6	1.7	0.7	25	<0.1	0.2	<0.1	69	0.28	0.048
CAE443390	Soil	0.7	44.1	17.6	98	<0.1	16.2	16.1	271	2.65	1.5	0.2	1.4	0.6	16	0.2	0.1	<0.1	97	0.34	0.044
CAE443391	Soil	0.9	49.2	10.4	90	0.2	16.8	13.3	272	2.55	3.5	0.4	3.1	1.3	22	0.2	0.2	<0.1	80	0.32	0.034
CAE443392	Soil	0.6	48.6	6.5	61	0.2	19.0	14.4	326	2.79	2.8	0.5	2.2	1.3	23	0.1	0.1	<0.1	85	0.34	0.059
CAE443393	Soil	0.7	60.0	7.8	61	0.5	17.5	14.3	394	2.93	2.3	0.7	6.3	1.3	27	<0.1	0.2	<0.1	96	0.48	0.068
CAE443394	Soil	0.5	34.9	5.1	60	<0.1	16.8	14.5	410	3.03	2.9	0.3	2.2	1.0	16	<0.1	0.1	<0.1	94	0.24	0.047
CAE443395	Soil	0.7	37.7	6.6	44	0.2	18.9	16.6	396	2.49	3.0	0.4	25.2	1.0	21	<0.1	0.2	<0.1	72	0.27	0.031
CAE443396	Soil	0.6	40.4	5.7	49	0.2	21.6	14.9	298	2.64	3.7	0.4	7.5	1.3	20	<0.1	0.2	<0.1	82	0.28	0.034
CAE443397	Soil	0.9	34.6	7.1	51	0.2	15.6	11.3	323	2.65	4.2	0.4	6.2	1.3	22	0.1	0.3	<0.1	82	0.26	0.026
CAE443398	Soil	0.6	60.4	4.1	73	0.1	19.6	11.7	255	3.17	1.8	0.3	4.7	0.6	34	<0.1	<0.1	<0.1	112	0.41	0.066
CAE443399	Soil	1.1	38.8	10.3	51	0.2	15.7	9.9	294	2.49	5.6	0.6	5.0	2.1	21	0.1	0.3	<0.1	68	0.24	0.032
CAE443400	Soil	1.3	45.1	9.2	63	0.2	18.3	13.2	445	2.79	6.3	0.6	4.2	1.9	24	0.2	0.3	<0.1	77	0.31	0.038

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 12, 2012

CERTIFICATE OF ANALYSIS DAW12000175.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
CAE443359	Soil	9	38	0.85	268	0.136	1	2.47	0.028	0.09	<0.1	0.03	5.8	0.1	<0.05	8	<0.5	<0.2
CAE443360	Soil	6	21	0.67	125	0.101	1	1.33	0.030	0.06	<0.1	0.03	3.6	0.1	<0.05	6	<0.5	<0.2
CAE443361	Soil	5	41	0.76	160	0.115	1	1.41	0.016	0.14	<0.1	0.04	2.9	0.2	<0.05	5	0.6	<0.2
CAE443362	Soil	7	44	1.05	169	0.132	1	1.96	0.014	0.15	<0.1	0.03	4.1	0.3	<0.05	7	0.5	<0.2
CAE443376	Soil	3	58	1.42	151	0.168	1	1.70	0.022	0.37	<0.1	0.04	2.5	0.3	<0.05	5	<0.5	<0.2
CAE443377	Soil	8	39	1.10	177	0.154	1	1.93	0.014	0.17	<0.1	0.03	3.7	0.2	<0.05	6	<0.5	<0.2
CAE443378	Soil	4	58	1.85	320	0.250	<1	2.49	0.030	0.51	<0.1	<0.01	4.8	0.2	<0.05	9	<0.5	<0.2
CAE443379	Soil	6	53	1.76	252	0.170	<1	2.58	0.025	0.28	<0.1	0.02	4.9	0.1	<0.05	8	<0.5	<0.2
CAE443380	Soil	8	47	0.78	174	0.114	1	1.83	0.019	0.08	0.1	0.03	4.3	0.1	<0.05	6	<0.5	<0.2
CAE443381	Soil	8	43	0.88	188	0.107	1	1.93	0.022	0.09	<0.1	0.03	4.5	0.1	<0.05	6	<0.5	<0.2
CAE443382	Soil	6	38	0.92	137	0.104	1	1.82	0.023	0.07	<0.1	0.02	3.7	<0.1	<0.05	6	<0.5	<0.2
CAE443383	Soil	10	47	0.90	426	0.091	6	1.92	0.021	0.11	<0.1	0.08	6.2	0.1	0.19	6	<0.5	<0.2
CAE443384	Soil	6	122	2.35	330	0.147	<1	2.68	0.043	0.79	<0.1	0.01	17.3	0.2	0.57	9	2.5	<0.2
CAE443385	Soil	5	122	2.30	305	0.143	<1	2.73	0.038	0.68	<0.1	0.01	16.5	0.2	0.47	8	2.5	<0.2
CAE443386	Soil	6	68	1.40	134	0.114	<1	2.20	0.018	0.18	<0.1	0.03	6.5	<0.1	<0.05	7	<0.5	<0.2
CAE443387	Soil	5	57	1.41	140	0.136	<1	2.17	0.020	0.22	<0.1	0.02	5.6	<0.1	<0.05	7	<0.5	<0.2
CAE443388	Soil	5	43	1.13	139	0.099	1	1.83	0.018	0.12	<0.1	0.03	5.0	<0.1	<0.05	6	<0.5	<0.2
CAE443389	Soil	5	49	0.96	156	0.076	2	1.48	0.017	0.10	<0.1	0.05	4.8	<0.1	<0.05	5	<0.5	<0.2
CAE443390	Soil	2	26	1.05	150	0.130	1	1.79	0.025	0.21	<0.1	0.01	3.2	<0.1	<0.05	6	<0.5	<0.2
CAE443391	Soil	6	37	0.93	141	0.109	<1	1.54	0.018	0.08	<0.1	0.02	4.1	<0.1	<0.05	5	<0.5	<0.2
CAE443392	Soil	6	36	1.19	205	0.141	1	1.84	0.019	0.25	<0.1	0.04	4.3	<0.1	<0.05	7	<0.5	<0.2
CAE443393	Soil	6	36	1.24	231	0.145	2	1.94	0.021	0.28	<0.1	0.05	6.0	<0.1	<0.05	7	<0.5	<0.2
CAE443394	Soil	4	37	1.43	280	0.198	<1	2.03	0.013	0.58	<0.1	<0.01	3.8	0.2	<0.05	7	<0.5	<0.2
CAE443395	Soil	4	43	1.25	140	0.136	2	1.66	0.011	0.26	<0.1	0.03	3.4	0.1	<0.05	5	<0.5	<0.2
CAE443396	Soil	5	48	1.39	126	0.158	<1	1.96	0.013	0.26	<0.1	0.02	3.3	0.2	<0.05	5	<0.5	<0.2
CAE443397	Soil	6	31	0.93	147	0.134	<1	1.70	0.014	0.12	<0.1	0.04	3.9	0.1	<0.05	6	<0.5	<0.2
CAE443398	Soil	3	35	1.21	243	0.142	<1	2.23	0.023	0.25	<0.1	0.03	3.7	0.1	<0.05	7	<0.5	<0.2
CAE443399	Soil	7	29	0.60	188	0.089	2	1.53	0.012	0.05	<0.1	0.03	3.5	<0.1	<0.05	6	<0.5	<0.2
CAE443400	Soil	7	31	0.69	293	0.093	2	1.70	0.012	0.09	<0.1	0.04	4.1	<0.1	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 12, 2012

QUALITY CONTROL REPORT DAW12000175.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Pulp Duplicates																					
CAE443457	Soil	0.3	13.9	5.5	40	0.1	9.6	4.4	114	1.83	2.5	0.4	5.6	0.5	15	<0.1	0.1	<0.1	35	0.19	0.056
REP CAE443457	QC	0.3	14.2	5.7	41	0.1	9.6	4.4	115	1.86	2.7	0.4	1.1	0.5	15	<0.1	0.1	0.1	34	0.19	0.054
CAE443460	Soil	1.4	21.6	4.8	57	0.1	12.1	11.2	398	2.90	3.9	0.4	2.7	0.9	21	0.1	0.1	<0.1	79	0.35	0.107
REP CAE443460	QC	1.5	22.4	4.9	59	0.1	12.5	11.9	405	2.98	4.3	0.4	1.3	0.8	22	<0.1	0.2	<0.1	85	0.36	0.113
CAE443494	Soil	0.6	14.0	6.2	38	0.1	13.2	5.5	109	1.72	2.5	0.4	3.1	0.4	19	<0.1	0.1	0.1	36	0.28	0.054
REP CAE443494	QC	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE443496	Soil	0.7	15.3	7.2	48	0.1	14.3	7.1	162	2.13	3.2	0.4	6.0	0.8	19	<0.1	0.1	<0.1	54	0.30	0.053
REP CAE443496	QC	0.7	15.9	7.2	48	0.1	14.6	7.3	168	2.19	3.4	0.4	2.5	0.8	19	<0.1	0.2	<0.1	55	0.30	0.054
Reference Materials																					
STD DS9	Standard	13.1	99.0	124.1	303	2.0	40.6	7.5	585	2.37	24.7	2.4	124.3	5.8	68	2.3	5.4	5.4	42	0.70	0.085
STD DS9	Standard	13.8	97.2	113.3	300	1.8	40.6	7.8	579	2.28	24.9	2.5	107.7	6.2	69	2.4	5.2	5.5	44	0.76	0.078
STD DS9	Standard	11.3	95.1	115.8	275	1.6	35.3	6.6	506	2.15	22.5	2.7	117.2	5.8	64	2.2	6.2	6.6	33	0.57	0.072
STD DS9 Expected		12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40	0.7201	0.0819
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 12, 2012

QUALITY CONTROL REPORT DAW12000175.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																		
CAE443457	Soil	6	22	0.49	141	0.070	2	1.22	0.010	0.05	<0.1	0.06	2.8	<0.1	<0.05	5	<0.5	<0.2
REP CAE443457	QC	6	23	0.49	146	0.066	2	1.21	0.010	0.05	0.1	0.07	2.7	<0.1	<0.05	5	<0.5	<0.2
CAE443460	Soil	6	24	1.02	195	0.119	2	1.71	0.020	0.11	0.1	0.03	4.1	<0.1	<0.05	6	<0.5	<0.2
REP CAE443460	QC	6	25	1.03	206	0.135	2	1.64	0.019	0.12	0.1	0.02	4.2	<0.1	<0.05	7	<0.5	<0.2
CAE443494	Soil	7	25	0.42	157	0.055	2	1.20	0.015	0.04	0.1	0.05	2.8	<0.1	<0.05	5	<0.5	<0.2
REP CAE443494	QC	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE443496	Soil	7	29	0.64	140	0.075	2	1.44	0.021	0.05	0.1	0.03	3.2	<0.1	<0.05	6	<0.5	<0.2
REP CAE443496	QC	6	29	0.62	140	0.075	1	1.43	0.019	0.05	0.1	0.04	3.3	<0.1	<0.05	6	<0.5	<0.2
Reference Materials																		
STD DS9	Standard	12	120	0.64	306	0.102	2	0.91	0.080	0.39	3.1	0.21	2.3	5.5	0.06	5	5.4	4.9
STD DS9	Standard	14	127	0.63	303	0.117	2	1.00	0.100	0.37	3.1	0.21	3.4	5.3	0.13	5	5.1	5.2
STD DS9	Standard	11	108	0.51	300	0.091	1	0.78	0.070	0.30	2.8	0.22	1.9	4.8	0.12	4	4.2	4.2
STD DS9 Expected		13.3	121	0.6165	295	0.1108		0.9577	0.0853	0.395	2.89	0.2	2.5	5.3	0.1615	4.59	5.2	5.02
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.