Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Submitted By: Jean-Pierre Londero
Receiving Lab: Canada-Dawson City
Received: June 29, 2012
Report Date: August 07, 2012

CERTIFICATE OF ANALYSIS DAW12000078.1

CLIENT JOB INFORMATION

Project: White Gold
Shipment ID: WG01932012
P.O. Number
Number of Samples: 164

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT-SOIL Store Soil Reject - RJSV Charges Apply

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	163	Dry at 60C sieve 100g to -80 mesh			DAW
Dry at 60C	163	Dry at 60C			DAW
RJSV	163	Saving all or part of Soil Reject			DAW
1DX2	163	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Selene Holdings LP
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8
Canada

CC: Keith Fowlow

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 07, 2012

CERTIFICATE OF ANALYSIS DAW12000078.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
CAE442182	Soil		0.7	48.6	6.9	115	<0.1	31.2	17.3	772	4.79	2.8	0.7	1.3	6.8	18	<0.1	<0.1	0.1	110	0.21	0.031
CAE442401	Soil		0.9	58.9	9.3	67	0.2	17.8	21.3	696	3.74	2.9	1.4	1.8	2.9	111	0.1	0.1	0.1	87	1.17	0.058
CAE442402	Soil		1.6	56.9	16.5	74	0.1	19.5	12.3	369	3.46	3.6	1.0	1.3	1.8	39	0.1	0.2	0.1	84	0.31	0.062
CAE442403	Soil		1.5	40.0	8.8	39	0.2	16.3	7.9	187	2.61	3.2	0.9	2.2	1.6	23	<0.1	0.2	0.1	66	0.19	0.034
CAE442404	Soil		1.0	36.6	9.6	68	<0.1	23.6	15.4	444	4.26	6.8	0.5	2.0	3.9	18	0.1	0.4	0.1	83	0.20	0.036
CAE442405	Soil		0.8	28.6	9.0	57	<0.1	23.9	14.7	358	3.35	8.5	0.9	3.0	4.6	27	<0.1	0.4	0.1	72	0.31	0.020
CAE442406	Soil		1.0	44.0	18.9	76	<0.1	30.7	18.8	615	4.58	6.7	1.1	2.1	7.8	29	<0.1	0.4	0.1	97	0.35	0.037
CAE442407	Soil		1.3	29.5	8.2	57	<0.1	29.7	14.0	480	4.11	7.1	0.7	0.6	4.7	19	<0.1	0.4	0.1	73	0.22	0.031
CAE442408	Soil		1.0	34.8	11.7	59	<0.1	28.7	12.6	421	3.32	7.7	0.9	3.1	5.3	28	<0.1	0.4	0.1	72	0.38	0.031
CAE442409	Soil		1.4	49.7	12.2	99	<0.1	39.1	18.1	580	4.53	5.5	0.9	2.9	4.5	30	<0.1	0.3	0.1	111	0.44	0.054
CAE442410	Soil		1.8	37.3	11.4	78	<0.1	25.3	12.8	648	5.20	5.8	0.8	<0.5	8.0	26	<0.1	0.4	<0.1	91	0.24	0.025
CAE442411	Soil		1.3	29.4	9.7	61	<0.1	24.5	11.8	429	3.94	6.9	0.4	1.5	4.1	25	<0.1	0.3	<0.1	81	0.30	0.031
CAE442412	Soil		0.8	34.3	12.4	65	0.1	28.2	12.4	626	3.18	9.5	0.4	3.1	3.6	25	<0.1	0.6	0.1	63	0.49	0.027
CAE442413	Soil		1.0	21.4	17.7	50	<0.1	28.4	10.8	302	3.12	8.5	0.5	2.8	3.6	25	<0.1	0.5	0.1	69	0.41	0.019
CAE442414	Soil		2.0	24.6	24.4	59	0.1	35.9	11.7	331	3.37	9.8	0.5	5.2	4.1	27	<0.1	0.6	0.2	77	0.44	0.021
CAE442415	Soil		1.3	22.9	32.5	49	0.1	25.2	10.7	358	3.05	7.9	0.6	5.2	4.2	27	<0.1	0.5	0.2	63	0.41	0.022
CAE442416	Soil		0.5	18.8	50.2	50	0.1	13.4	10.1	622	3.18	4.5	0.4	2.9	2.9	45	<0.1	0.6	0.2	52	1.24	0.064
CAE442417	Soil		0.6	31.2	32.6	69	<0.1	16.9	18.2	483	3.85	4.8	0.3	1.9	1.6	37	<0.1	0.3	<0.1	85	0.59	0.080
CAE442418	Soil		0.6	20.8	77.1	52	<0.1	16.0	12.4	345	3.20	6.2	0.3	2.0	2.2	27	<0.1	0.3	0.3	72	0.43	0.055
CAE442419	Soil		0.8	18.6	25.5	48	<0.1	17.1	11.4	306	2.97	6.3	0.4	1.5	2.4	21	<0.1	0.3	0.1	66	0.28	0.041
CAE442420	Soil		0.6	14.0	16.9	45	<0.1	15.3	9.6	343	2.52	5.0	0.3	0.8	2.2	21	<0.1	0.2	<0.1	56	0.35	0.060
CAE442421	Soil		0.5	25.6	22.1	63	<0.1	17.7	15.5	512	4.21	3.7	0.3	<0.5	3.0	24	<0.1	0.1	<0.1	84	0.45	0.096
CAE442422	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE442423	Soil		0.7	12.8	18.1	52	<0.1	14.3	10.0	288	3.36	5.2	0.7	1.8	3.5	18	<0.1	0.2	0.1	70	0.25	0.043
CAE442424	Soil		0.5	12.6	9.4	63	<0.1	14.7	14.6	470	4.24	3.6	0.5	<0.5	3.9	13	<0.1	0.2	0.1	83	0.25	0.058
CAE442425	Soil		1.1	20.8	5.6	38	<0.1	11.5	6.2	209	2.20	3.4	0.6	2.2	1.2	17	<0.1	0.2	<0.1	39	0.18	0.047
CAE442426	Soil		1.0	17.6	17.8	51	<0.1	14.0	10.0	275	2.78	4.7	0.4	1.9	1.9	18	<0.1	0.2	0.1	71	0.22	0.037
CAE442427	Soil		1.1	50.3	7.4	95	<0.1	22.3	14.3	452	4.28	5.0	0.8	2.2	4.9	24	<0.1	0.2	<0.1	96	0.27	0.056
CAE442428	Soil		0.3	70.5	3.9	273	<0.1	21.0	19.9	1080	7.33	1.8	1.2	<0.5	6.6	28	<0.1	<0.1	0.1	163	0.16	0.058
CAE442429	Soil		1.1	22.4	6.7	54	<0.1	15.4	9.5	336	3.35	5.2	0.6	0.6	3.2	14	<0.1	0.2	0.1	77	0.19	0.049

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 07, 2012

CERTIFICATE OF ANALYSIS DAW12000078.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
CAE442182	Soil	20	78	2.10	436	0.262	<1	2.85	0.010	1.12	<0.1	<0.01	9.2	0.4	<0.05	12	<0.5	<0.2
CAE442401	Soil	26	59	1.42	801	0.172	3	2.02	0.023	0.58	0.1	0.06	8.9	0.3	0.06	8	<0.5	<0.2
CAE442402	Soil	15	56	1.09	431	0.147	3	1.86	0.021	0.34	0.1	0.04	7.7	0.1	<0.05	8	<0.5	<0.2
CAE442403	Soil	10	37	0.73	215	0.114	1	1.80	0.018	0.12	0.1	0.04	5.2	<0.1	<0.05	8	<0.5	<0.2
CAE442404	Soil	11	49	1.10	271	0.169	2	2.43	0.016	0.28	0.1	<0.01	6.0	0.2	<0.05	8	<0.5	<0.2
CAE442405	Soil	19	48	0.79	327	0.107	<1	1.96	0.017	0.06	0.1	0.02	5.8	<0.1	<0.05	6	0.6	<0.2
CAE442406	Soil	24	70	1.50	433	0.212	1	2.56	0.016	0.44	0.1	0.04	9.2	0.2	<0.05	10	0.5	<0.2
CAE442407	Soil	10	48	0.97	283	0.152	1	2.13	0.011	0.38	0.1	0.01	5.2	0.2	<0.05	8	<0.5	<0.2
CAE442408	Soil	19	52	0.84	345	0.123	1	1.87	0.018	0.12	0.1	0.03	8.0	0.1	<0.05	7	<0.5	<0.2
CAE442409	Soil	12	101	1.57	380	0.250	<1	2.61	0.014	0.63	0.1	0.02	6.7	0.2	<0.05	10	<0.5	<0.2
CAE442410	Soil	13	52	1.76	386	0.251	<1	3.03	0.010	0.73	0.1	<0.01	9.5	0.3	<0.05	14	<0.5	<0.2
CAE442411	Soil	8	50	1.28	365	0.192	1	2.32	0.011	0.65	0.1	<0.01	6.6	0.3	<0.05	9	<0.5	<0.2
CAE442412	Soil	13	41	0.73	389	0.103	2	1.60	0.026	0.13	0.1	0.04	6.3	<0.1	<0.05	5	<0.5	<0.2
CAE442413	Soil	11	52	0.70	235	0.088	<1	1.86	0.017	0.07	0.1	<0.01	6.2	<0.1	<0.05	6	<0.5	<0.2
CAE442414	Soil	12	69	0.75	248	0.109	2	1.93	0.018	0.09	0.3	0.02	6.6	0.2	<0.05	7	<0.5	<0.2
CAE442415	Soil	15	44	0.59	320	0.076	<1	1.61	0.014	0.08	0.1	0.02	5.3	<0.1	<0.05	6	<0.5	<0.2
CAE442416	Soil	11	23	0.84	466	0.032	3	1.53	0.016	0.11	0.1	0.07	8.6	<0.1	<0.05	6	<0.5	<0.2
CAE442417	Soil	7	32	1.33	285	0.194	1	2.10	0.021	0.30	<0.1	0.02	4.4	0.1	<0.05	8	<0.5	<0.2
CAE442418	Soil	8	32	0.86	304	0.135	<1	1.73	0.019	0.09	0.1	0.01	3.9	<0.1	<0.05	7	<0.5	<0.2
CAE442419	Soil	10	31	0.70	229	0.121	1	1.71	0.017	0.06	0.1	0.02	3.5	<0.1	<0.05	7	<0.5	<0.2
CAE442420	Soil	8	27	0.68	192	0.100	1	1.37	0.016	0.08	0.1	0.02	3.3	<0.1	<0.05	5	<0.5	<0.2
CAE442421	Soil	8	87	1.60	273	0.233	<1	2.10	0.022	0.79	<0.1	<0.01	5.1	0.3	<0.05	11	<0.5	<0.2
CAE442422	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE442423	Soil	17	40	0.90	314	0.159	1	1.82	0.015	0.16	0.1	0.02	5.5	0.1	<0.05	8	<0.5	<0.2
CAE442424	Soil	10	62	1.49	254	0.234	<1	2.17	0.015	0.64	0.1	<0.01	5.9	0.3	<0.05	11	<0.5	<0.2
CAE442425	Soil	13	28	0.50	298	0.094	1	1.03	0.016	0.20	<0.1	0.05	3.2	<0.1	<0.05	5	<0.5	<0.2
CAE442426	Soil	8	31	0.71	188	0.156	<1	1.59	0.017	0.13	0.1	<0.01	3.3	0.1	<0.05	8	<0.5	<0.2
CAE442427	Soil	19	54	1.30	641	0.185	<1	2.23	0.014	0.61	0.1	0.02	8.4	0.2	0.05	10	<0.5	<0.2
CAE442428	Soil	25	77	4.18	1234	0.394	<1	4.49	0.016	2.77	<0.1	<0.01	14.6	0.7	0.37	18	1.0	<0.2
CAE442429	Soil	9	39	1.03	241	0.198	1	1.83	0.011	0.34	0.1	0.02	5.9	0.2	<0.05	10	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 07, 2012

CERTIFICATE OF ANALYSIS DAW12000078.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
CAE442430	Soil	1.3	29.1	7.3	49	<0.1	23.6	15.2	436	4.14	5.2	0.8	<0.5	5.6	16	<0.1	0.2	0.1	79	0.20	0.045
CAE442431	Soil	1.4	32.5	7.0	38	0.2	21.4	12.2	302	3.24	6.1	1.4	1.4	3.7	24	<0.1	0.3	0.1	56	0.28	0.056
CAE442432	Soil	1.3	23.9	5.2	52	<0.1	37.2	19.1	485	4.95	4.4	0.8	<0.5	7.2	12	<0.1	0.2	0.2	83	0.21	0.069
CAE442433	Soil	1.0	23.5	7.5	85	<0.1	24.5	13.3	753	3.47	5.4	0.4	0.7	3.8	25	0.1	0.3	0.1	65	0.34	0.033
CAE442183	Soil	0.7	37.6	39.8	104	<0.1	16.7	17.0	1033	5.39	3.9	0.6	<0.5	4.1	20	<0.1	0.2	0.2	77	0.37	0.112
CAE442184	Soil	0.7	20.2	7.2	67	<0.1	16.6	13.4	444	3.60	5.5	0.4	3.6	2.9	19	<0.1	0.3	<0.1	66	0.25	0.042
CAE442185	Soil	1.0	19.9	13.4	126	<0.1	14.9	15.6	886	5.78	3.9	0.6	1.0	3.9	21	0.1	0.3	0.1	85	0.35	0.114
CAE442186	Soil	1.0	20.9	11.1	68	<0.1	14.4	9.4	297	3.47	3.9	0.5	2.4	2.6	17	<0.1	0.2	0.1	73	0.23	0.037
CAE442187	Soil	1.3	34.4	11.9	75	0.2	22.5	11.3	257	3.83	4.6	0.9	3.0	3.5	19	<0.1	0.3	0.1	81	0.27	0.033
CAE442188	Soil	1.6	22.9	10.2	53	0.2	21.3	9.0	225	2.95	4.4	0.5	1.4	2.4	17	0.1	0.2	<0.1	67	0.22	0.032
CAE442189	Soil	1.3	26.8	11.6	62	0.2	20.6	11.7	290	3.41	5.7	1.2	2.8	4.1	23	<0.1	0.3	<0.1	67	0.32	0.040
CAE442190	Soil	1.2	43.0	23.0	112	0.1	28.4	16.6	600	4.68	5.3	1.3	1.0	4.9	23	0.1	0.3	0.1	97	0.37	0.049
CAE442191	Soil	1.7	24.9	12.0	46	0.2	19.0	12.5	400	2.22	6.1	1.1	3.1	1.7	21	0.2	0.3	<0.1	51	0.27	0.049
CAE442192	Soil	1.4	35.1	15.2	42	0.5	19.9	8.6	169	2.74	5.4	1.9	4.9	4.3	25	0.4	0.3	0.1	44	0.30	0.054
CAE442193	Soil	0.9	30.7	19.1	61	<0.1	24.8	13.9	289	4.20	11.0	0.6	2.2	4.3	16	<0.1	1.5	<0.1	71	0.24	0.026
CAE442194	Soil	0.8	33.6	17.5	63	<0.1	23.8	13.6	366	4.02	15.1	0.8	2.8	4.6	20	0.1	0.6	0.1	78	0.35	0.040
CAE442195	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE442352	Soil	1.2	28.2	25.5	51	0.1	19.4	13.4	556	4.00	6.8	0.6	1.3	3.1	47	<0.1	0.5	0.2	80	0.32	0.039
CAE442353	Soil	1.5	19.3	15.5	52	<0.1	19.2	9.6	766	3.51	7.5	0.4	2.0	3.0	22	0.1	0.5	<0.1	69	0.20	0.034
CAE442354	Soil	0.9	20.9	18.1	60	<0.1	19.4	14.8	815	4.08	7.1	0.5	1.2	4.0	20	<0.1	0.4	<0.1	76	0.19	0.029
CAE442355	Soil	1.1	25.7	7.9	50	<0.1	13.3	11.4	473	4.47	4.2	0.3	0.8	2.2	25	<0.1	0.4	<0.1	73	0.31	0.032
CAE442356	Soil	1.0	17.5	11.1	44	<0.1	15.1	10.9	366	4.44	5.2	0.4	1.6	2.4	28	<0.1	0.3	<0.1	71	0.38	0.041
CAE442357	Soil	1.1	23.1	10.9	52	<0.1	20.6	10.5	296	3.54	6.5	0.6	2.7	4.0	48	<0.1	0.4	<0.1	72	0.42	0.035
CAE442358	Soil	0.7	27.0	15.5	143	<0.1	13.7	12.3	938	5.57	3.9	1.0	<0.5	10.0	27	0.2	0.4	<0.1	79	0.34	0.028
CAE442359	Soil	1.1	15.9	9.6	51	<0.1	17.3	11.3	785	3.48	6.2	0.5	0.8	3.0	29	<0.1	0.6	<0.1	67	0.40	0.018
CAE442360	Soil	1.3	17.1	17.3	79	<0.1	15.5	8.2	587	3.87	6.4	0.9	1.5	6.6	27	0.1	0.4	<0.1	49	0.34	0.021
CAE442361	Soil	0.9	29.3	13.1	53	<0.1	27.5	11.8	530	3.59	8.1	0.6	9.3	4.3	33	<0.1	0.5	<0.1	72	0.55	0.032
CAE442362	Soil	0.7	29.6	13.1	51	<0.1	26.0	10.6	324	3.19	7.7	0.7	4.0	4.3	30	<0.1	0.6	<0.1	65	0.51	0.044
CAE442363	Soil	0.7	29.6	10.8	49	<0.1	24.7	10.0	332	3.22	7.8	0.7	4.1	4.6	31	<0.1	0.5	<0.1	65	0.54	0.045
CAE442364	Soil	0.7	21.4	12.7	46	<0.1	21.6	11.9	579	3.46	6.2	0.4	1.6	4.0	29	<0.1	0.5	<0.1	69	0.48	0.022

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 07, 2012

CERTIFICATE OF ANALYSIS DAW12000078.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
CAE442430	Soil	19	42	1.18	367	0.209	1	2.19	0.010	0.64	0.1	0.02	6.6	0.3	<0.05	9	<0.5	<0.2
CAE442431	Soil	42	34	0.53	375	0.080	2	1.80	0.012	0.19	<0.1	0.06	5.6	0.2	0.06	7	<0.5	<0.2
CAE442432	Soil	13	71	1.36	315	0.191	2	2.51	0.009	0.87	0.1	<0.01	10.3	0.3	<0.05	10	<0.5	<0.2
CAE442433	Soil	9	45	0.74	408	0.108	1	1.80	0.011	0.26	<0.1	<0.01	5.4	0.2	<0.05	7	<0.5	<0.2
CAE442183	Soil	10	37	1.42	344	0.280	<1	2.24	0.010	1.06	<0.1	<0.01	6.8	0.6	<0.05	11	<0.5	<0.2
CAE442184	Soil	9	33	1.04	294	0.184	<1	1.91	0.012	0.49	<0.1	<0.01	4.3	0.3	<0.05	7	<0.5	<0.2
CAE442185	Soil	11	56	1.44	298	0.257	2	2.37	0.011	0.81	0.1	0.03	6.4	0.6	<0.05	12	<0.5	<0.2
CAE442186	Soil	10	40	0.93	203	0.184	3	1.80	0.015	0.33	<0.1	<0.01	4.7	0.2	<0.05	9	<0.5	<0.2
CAE442187	Soil	16	53	1.04	256	0.168	2	2.30	0.015	0.21	0.1	0.05	5.6	0.2	<0.05	9	<0.5	<0.2
CAE442188	Soil	9	49	0.69	163	0.145	2	1.51	0.014	0.18	0.1	0.04	3.7	0.1	<0.05	7	<0.5	<0.2
CAE442189	Soil	22	40	0.67	348	0.121	2	1.86	0.014	0.20	0.1	0.05	5.4	0.2	<0.05	7	<0.5	<0.2
CAE442190	Soil	22	66	1.22	368	0.170	2	2.10	0.013	0.43	<0.1	0.04	7.2	0.3	<0.05	9	<0.5	<0.2
CAE442191	Soil	26	39	0.51	320	0.069	2	1.24	0.012	0.16	0.1	0.09	4.3	<0.1	<0.05	6	<0.5	<0.2
CAE442192	Soil	62	36	0.40	496	0.042	3	1.54	0.011	0.10	0.1	0.20	7.7	<0.1	<0.05	5	<0.5	<0.2
CAE442193	Soil	14	45	0.66	241	0.086	2	1.88	0.011	0.07	<0.1	0.12	5.6	<0.1	<0.05	6	<0.5	<0.2
CAE442194	Soil	20	47	0.74	314	0.110	2	1.89	0.020	0.09	0.1	0.08	7.8	<0.1	<0.05	6	<0.5	<0.2
CAE442195	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE442352	Soil	14	51	0.78	361	0.122	2	1.83	0.015	0.15	0.1	0.03	5.2	0.1	<0.05	8	<0.5	<0.2
CAE442353	Soil	10	35	0.52	257	0.092	2	1.71	0.012	0.12	0.1	0.02	4.2	<0.1	<0.05	7	<0.5	<0.2
CAE442354	Soil	10	38	0.70	307	0.121	2	1.92	0.016	0.23	0.1	0.03	4.6	0.1	<0.05	7	0.6	<0.2
CAE442355	Soil	6	32	0.85	471	0.171	2	1.71	0.018	0.26	<0.1	0.02	5.2	0.1	<0.05	8	<0.5	<0.2
CAE442356	Soil	7	26	0.71	388	0.093	2	1.83	0.018	0.08	0.1	0.02	6.7	0.1	<0.05	8	<0.5	<0.2
CAE442357	Soil	22	37	0.63	479	0.113	<1	1.74	0.017	0.08	0.1	0.03	5.5	<0.1	<0.05	6	<0.5	<0.2
CAE442358	Soil	22	36	1.70	459	0.215	1	2.53	0.010	0.87	0.1	0.04	11.9	0.5	<0.05	13	<0.5	<0.2
CAE442359	Soil	11	34	0.58	392	0.083	2	1.67	0.014	0.17	<0.1	0.03	5.1	<0.1	<0.05	6	<0.5	<0.2
CAE442360	Soil	15	26	0.58	289	0.112	1	1.65	0.009	0.23	<0.1	0.03	4.9	0.1	<0.05	8	<0.5	<0.2
CAE442361	Soil	17	40	0.61	448	0.115	2	1.69	0.024	0.10	0.1	0.05	6.7	<0.1	<0.05	5	<0.5	<0.2
CAE442362	Soil	16	34	0.64	491	0.098	2	1.42	0.024	0.07	0.1	0.04	5.7	<0.1	<0.05	5	<0.5	<0.2
CAE442363	Soil	16	33	0.63	513	0.102	3	1.44	0.023	0.08	0.2	0.03	6.1	<0.1	<0.05	5	<0.5	<0.2
CAE442364	Soil	15	36	0.57	617	0.095	2	1.72	0.019	0.07	0.1	0.01	6.5	<0.1	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 07, 2012

CERTIFICATE OF ANALYSIS DAW12000078.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
CAE442365	Soil	1.3	14.1	21.6	66	0.2	22.0	10.1	353	4.29	4.4	0.4	2.1	2.9	28	0.1	0.4	<0.1	74	0.43	0.033
CAE442366	Soil	0.7	38.1	14.4	45	0.1	20.7	9.9	1064	2.21	5.3	1.6	0.9	2.1	143	0.4	0.5	<0.1	45	2.03	0.055
CAE442367	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE442301	Soil	1.1	79.2	10.5	88	<0.1	31.7	21.8	839	4.15	7.1	0.7	2.5	3.8	32	0.1	0.5	<0.1	82	0.51	0.032
CAE442302	Soil	0.6	70.6	6.5	89	<0.1	55.5	27.7	721	4.59	3.2	0.6	1.1	2.2	41	<0.1	0.2	<0.1	93	0.72	0.049
CAE442303	Soil	0.8	45.9	8.7	60	0.1	28.5	12.3	542	3.19	10.0	0.5	3.5	3.0	57	<0.1	0.7	<0.1	66	1.74	0.053
CAE442304	Soil	1.0	38.5	20.1	70	<0.1	22.9	13.0	527	3.60	7.2	0.6	2.3	3.9	50	<0.1	0.4	<0.1	79	0.54	0.049
CAE442305	Soil	0.7	69.3	15.4	74	0.1	32.8	16.0	837	3.94	8.2	0.6	4.8	3.2	45	<0.1	0.5	<0.1	92	0.68	0.066
CAE442306	Soil	0.8	70.8	10.5	89	<0.1	49.7	22.4	1201	4.78	4.7	0.5	5.4	3.7	31	<0.1	0.3	<0.1	113	0.64	0.096
CAE442307	Soil	0.8	62.6	11.2	70	0.1	30.2	17.6	713	4.23	8.7	0.5	4.0	3.3	60	<0.1	0.7	<0.1	99	0.90	0.079
CAE442308	Soil	1.0	80.1	19.1	110	<0.1	29.6	19.2	631	4.73	8.1	0.7	<0.5	3.8	49	0.1	1.1	<0.1	124	0.75	0.115
CAE442309	Soil	0.9	54.7	13.4	78	<0.1	27.2	16.0	772	4.03	9.3	0.6	1.8	3.5	47	0.1	0.4	0.3	95	0.54	0.056
CAE442310	Soil	0.9	65.5	10.3	89	<0.1	32.8	17.0	556	4.35	11.5	0.7	2.9	4.6	44	0.1	0.4	0.1	101	0.47	0.037
CAE442311	Soil	0.9	51.5	11.4	78	<0.1	28.3	15.6	493	4.04	11.1	0.5	1.1	3.4	27	<0.1	0.4	0.1	95	0.33	0.052
CAE442312	Soil	1.4	81.4	15.0	83	<0.1	22.1	18.0	543	3.29	6.0	0.5	2.1	1.4	31	0.2	0.4	0.1	100	0.37	0.094
CAE442313	Soil	1.0	47.6	14.1	72	<0.1	15.7	11.1	320	3.67	6.2	0.4	0.7	1.3	40	<0.1	0.4	<0.1	107	0.27	0.051
CAE442314	Soil	1.0	283.9	9.3	223	0.1	27.2	16.8	561	4.93	5.8	0.6	1.4	1.8	83	0.1	0.3	<0.1	96	0.36	0.051
CAE442315	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE442316	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE442317	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE442318	Soil	1.0	38.3	7.7	82	<0.1	14.7	15.0	1013	3.44	6.9	0.9	1.6	2.1	72	0.2	0.6	<0.1	67	1.39	0.062
CAE442319	Soil	1.2	17.6	7.7	76	<0.1	18.2	15.8	1264	2.98	9.5	1.0	0.9	3.4	41	0.2	0.7	0.1	58	0.50	0.064
CAE442320	Soil	0.6	13.5	6.8	65	<0.1	17.0	8.0	218	2.09	7.6	0.7	3.8	3.0	80	0.1	0.4	<0.1	46	0.45	0.045
CAE442321	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE442322	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE442323	Soil	0.7	36.6	13.7	50	<0.1	21.2	9.9	245	2.99	7.5	1.2	3.0	3.3	79	<0.1	0.6	<0.1	63	0.60	0.031
CAE442324	Soil	1.2	30.1	11.0	60	<0.1	25.7	16.2	327	4.25	10.5	1.3	2.5	4.7	33	0.1	0.6	<0.1	82	0.49	0.029
CAE442325	Soil	1.4	29.5	23.2	61	<0.1	25.6	11.1	389	3.26	8.8	1.3	1.5	6.6	51	<0.1	0.5	0.1	63	0.41	0.028
CAE442326	Soil	1.3	37.8	19.2	81	<0.1	28.5	11.9	317	3.95	12.6	1.5	1.1	8.2	109	<0.1	0.6	0.1	68	0.51	0.034
CAE442327	Soil	1.6	58.7	13.9	86	<0.1	28.5	14.0	565	4.56	6.2	2.3	2.0	8.3	73	<0.1	0.6	0.1	78	0.51	0.052

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 07, 2012

CERTIFICATE OF ANALYSIS DAW12000078.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
CAE442365	Soil		7	81	0.89	281	0.143	2	1.76	0.013	0.24	0.1	0.02	5.6	0.2	<0.05	9	<0.5	<0.2
CAE442366	Soil		27	38	0.54	592	0.063	5	1.24	0.015	0.14	<0.1	0.09	5.5	<0.1	0.11	4	0.6	<0.2
CAE442367	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE442301	Soil		17	57	1.02	478	0.146	2	1.90	0.024	0.33	<0.1	0.02	8.0	0.2	<0.05	7	<0.5	<0.2
CAE442302	Soil		8	126	2.12	398	0.229	2	2.43	0.036	0.65	<0.1	0.02	6.0	0.4	<0.05	7	0.5	<0.2
CAE442303	Soil		13	33	0.67	348	0.089	3	1.48	0.033	0.07	0.1	0.04	5.0	<0.1	<0.05	5	<0.5	<0.2
CAE442304	Soil		10	36	0.94	220	0.130	2	1.53	0.017	0.33	0.1	0.02	5.6	0.3	<0.05	6	<0.5	<0.2
CAE442305	Soil		16	39	1.03	425	0.095	2	1.68	0.029	0.07	0.1	0.08	8.7	0.1	<0.05	7	<0.5	<0.2
CAE442306	Soil		7	56	1.35	342	0.126	2	1.87	0.014	0.26	<0.1	0.01	9.5	0.2	<0.05	10	<0.5	<0.2
CAE442307	Soil		15	36	1.01	364	0.091	3	1.75	0.031	0.07	0.1	0.04	8.9	<0.1	<0.05	7	<0.5	<0.2
CAE442308	Soil		9	49	1.11	272	0.145	3	1.94	0.020	0.16	<0.1	0.01	9.6	0.2	<0.05	9	<0.5	<0.2
CAE442309	Soil		9	47	0.99	409	0.147	2	1.91	0.023	0.26	0.1	0.02	6.6	0.2	<0.05	8	<0.5	<0.2
CAE442310	Soil		16	47	1.08	422	0.158	3	2.03	0.027	0.27	0.1	0.02	7.9	0.2	<0.05	8	<0.5	<0.2
CAE442311	Soil		11	44	0.97	251	0.137	2	2.08	0.015	0.27	0.1	<0.01	5.8	0.2	<0.05	7	<0.5	<0.2
CAE442312	Soil		8	41	0.84	177	0.164	3	1.44	0.021	0.32	<0.1	<0.01	4.3	0.2	<0.05	8	<0.5	<0.2
CAE442313	Soil		5	37	0.89	313	0.134	3	1.40	0.012	0.34	0.1	0.01	5.6	0.2	<0.05	8	<0.5	<0.2
CAE442314	Soil		6	81	1.45	484	0.158	2	2.02	0.023	0.60	<0.1	0.02	7.6	0.3	0.14	7	0.9	<0.2
CAE442315	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE442316	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE442317	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE442318	Soil		14	23	0.62	375	0.075	4	1.19	0.017	0.20	<0.1	0.07	8.9	0.2	<0.05	5	0.5	<0.2
CAE442319	Soil		19	26	0.51	252	0.055	2	1.22	0.018	0.08	0.1	0.06	5.0	0.1	<0.05	5	0.6	<0.2
CAE442320	Soil		15	28	0.52	224	0.079	3	1.24	0.024	0.08	0.1	0.05	3.8	0.1	<0.05	5	<0.5	<0.2
CAE442321	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE442322	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE442323	Soil		13	32	0.54	260	0.082	2	1.49	0.023	0.08	0.1	0.04	4.8	<0.1	<0.05	5	<0.5	<0.2
CAE442324	Soil		15	29	1.03	230	0.107	3	1.91	0.018	0.20	0.1	0.02	8.1	0.1	<0.05	7	<0.5	<0.2
CAE442325	Soil		23	38	0.52	240	0.081	1	1.63	0.017	0.14	0.1	0.03	7.5	<0.1	<0.05	5	<0.5	<0.2
CAE442326	Soil		18	34	0.57	307	0.076	2	1.72	0.014	0.22	0.1	0.03	6.4	0.1	<0.05	6	<0.5	<0.2
CAE442327	Soil		27	28	0.72	340	0.047	1	1.62	0.017	0.13	<0.1	0.04	7.9	<0.1	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 07, 2012

CERTIFICATE OF ANALYSIS DAW12000078.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
CAE442328	Soil	1.0	42.4	19.0	91	<0.1	28.2	10.4	332	3.79	8.3	2.2	34.9	7.1	97	0.2	0.4	0.1	65	0.58	0.056
CAE442329	Soil	2.4	77.8	13.8	80	<0.1	26.1	21.5	913	6.07	61.2	2.0	<0.5	2.3	99	<0.1	8.1	<0.1	80	0.87	0.098
CAE442330	Soil	0.8	28.8	12.9	54	<0.1	20.1	10.3	271	3.13	11.1	0.6	2.1	3.5	31	<0.1	0.6	<0.1	68	0.43	0.027
CAE442331	Soil	0.7	24.8	9.0	52	<0.1	23.0	10.9	242	3.16	11.8	0.6	3.1	3.5	25	<0.1	0.5	<0.1	67	0.36	0.026
CAE442332	Soil	0.8	34.5	13.3	51	<0.1	21.3	12.8	449	3.23	7.7	0.9	0.6	2.8	33	<0.1	0.5	<0.1	68	0.44	0.033
CAE442333	Soil	1.3	38.7	11.1	56	<0.1	25.3	12.5	475	3.43	9.1	0.8	3.2	3.8	27	0.1	0.4	0.1	73	0.37	0.025
CAE442334	Soil	0.7	39.0	11.2	57	<0.1	23.5	11.9	561	3.44	8.0	1.7	13.0	3.9	42	0.1	0.5	<0.1	70	0.58	0.043
CAE442335	Soil	0.7	39.4	11.0	54	0.1	25.0	10.8	436	3.29	8.9	1.4	2.6	3.7	42	<0.1	0.6	0.1	68	0.55	0.036
CAE442336	Soil	0.8	25.5	8.5	45	<0.1	17.7	9.4	275	2.80	5.3	0.8	1.3	2.4	43	0.2	0.4	<0.1	59	0.50	0.031
CAE442337	Soil	0.8	35.9	8.6	60	0.1	27.0	10.8	464	3.06	8.0	0.6	4.2	3.0	46	0.2	0.7	<0.1	63	0.86	0.062
CAE442338	Soil	0.7	39.8	8.6	56	<0.1	28.1	11.7	396	3.27	8.5	0.7	3.2	4.1	38	<0.1	0.6	<0.1	67	0.64	0.044
CAE442339	Soil	0.7	33.5	11.7	58	<0.1	24.0	14.2	300	3.65	5.6	0.6	<0.5	2.1	35	0.1	0.5	0.2	77	0.56	0.038
CAE442340	Soil	0.7	37.4	11.9	80	<0.1	28.0	12.6	579	3.77	14.5	1.4	3.3	6.9	42	0.1	0.6	0.2	74	0.64	0.053
CAE442341	Soil	0.8	41.0	9.8	66	0.1	26.6	9.0	336	2.94	7.5	1.4	3.6	3.1	51	0.3	0.6	0.1	56	1.12	0.060
CAE442342	Soil	0.7	37.3	13.0	63	0.1	23.4	9.5	486	2.78	7.1	0.9	8.8	2.3	50	0.3	0.5	0.1	54	1.02	0.056
CAE442343	Soil	0.8	26.9	8.5	54	0.1	13.2	5.4	528	1.35	4.0	0.8	1.9	0.5	107	0.8	0.4	0.1	30	2.50	0.088
CAE442349	Soil	0.7	23.1	13.0	53	0.1	13.7	7.7	615	2.19	6.1	0.6	<0.5	0.9	64	0.6	0.4	0.1	48	1.15	0.045
CAE442350	Soil	0.5	26.2	8.7	51	<0.1	18.4	7.6	216	2.52	6.5	1.1	2.1	2.1	58	0.2	0.5	<0.1	56	1.07	0.052
CAE442351	Soil	0.7	27.2	6.0	52	<0.1	13.5	5.3	437	0.96	4.0	0.7	4.8	0.3	128	0.8	0.3	0.7	14	2.84	0.084
CAE442251	Soil	1.3	24.6	14.2	59	0.1	23.3	9.1	285	2.96	8.1	0.6	8.8	2.3	19	0.3	0.4	0.1	72	0.30	0.027
CAE442252	Soil	1.4	20.4	16.6	66	<0.1	17.9	8.0	173	3.06	8.1	0.3	3.5	1.9	14	0.4	0.4	0.1	71	0.20	0.032
CAE442253	Soil	1.5	14.2	12.8	59	<0.1	16.4	6.4	252	2.52	5.8	0.3	19.9	1.6	13	0.3	0.4	0.1	67	0.18	0.027
CAE442254	Soil	1.6	23.8	13.5	69	<0.1	20.7	10.9	444	3.54	10.2	0.4	2.6	2.0	13	0.2	0.7	0.2	71	0.19	0.033
CAE442255	Soil	1.3	32.6	19.2	83	0.1	15.5	8.3	549	3.34	6.3	0.8	2.4	1.3	19	0.3	0.4	0.1	47	0.32	0.055
CAE442256	Soil	1.3	25.2	13.7	72	<0.1	14.0	8.1	514	2.92	5.2	0.5	1.4	0.5	14	0.3	0.2	0.1	45	0.19	0.042
CAE442257	Soil	1.5	25.0	12.3	80	<0.1	20.1	12.2	372	3.70	12.5	0.6	2.9	3.2	21	<0.1	0.4	0.1	68	0.28	0.027
CAE442258	Soil	1.9	16.4	11.7	55	<0.1	10.8	7.8	406	4.04	12.7	0.3	<0.5	1.5	10	0.2	0.5	0.1	79	0.12	0.049
CAE442259	Soil	2.3	15.1	12.4	55	<0.1	9.2	4.7	188	2.70	10.0	0.3	2.1	1.5	16	0.2	0.3	0.2	72	0.16	0.047
CAE442260	Soil	1.6	21.6	17.2	79	0.1	16.3	11.8	636	3.21	9.0	0.5	2.0	2.0	22	0.2	0.3	0.1	62	0.36	0.076
CAE442261	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 07, 2012

CERTIFICATE OF ANALYSIS DAW12000078.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
CAE442328	Soil	26	36	0.53	273	0.069	3	1.65	0.014	0.28	<0.1	0.02	5.9	0.1	<0.05	7	0.5	<0.2
CAE442329	Soil	7	14	0.19	844	0.002	6	0.81	0.006	0.09	<0.1	0.04	14.7	<0.1	<0.05	4	<0.5	<0.2
CAE442330	Soil	10	32	0.51	275	0.080	<1	1.54	0.023	0.05	0.1	0.02	5.8	<0.1	<0.05	5	<0.5	<0.2
CAE442331	Soil	11	35	0.56	222	0.072	2	1.61	0.021	0.04	0.1	0.02	5.3	<0.1	<0.05	5	<0.5	<0.2
CAE442332	Soil	10	43	0.64	343	0.086	2	1.51	0.021	0.06	<0.1	<0.01	5.5	<0.1	<0.05	5	<0.5	<0.2
CAE442333	Soil	19	45	0.56	335	0.087	1	1.75	0.020	0.05	0.1	0.07	9.0	<0.1	<0.05	6	<0.5	<0.2
CAE442334	Soil	15	36	0.60	373	0.085	<1	1.64	0.027	0.05	<0.1	0.04	7.0	<0.1	<0.05	5	<0.5	<0.2
CAE442335	Soil	17	34	0.56	326	0.081	1	1.74	0.027	0.05	0.1	0.06	6.7	<0.1	<0.05	5	<0.5	<0.2
CAE442336	Soil	11	28	0.47	329	0.067	<1	1.47	0.023	0.04	0.1	0.02	4.2	<0.1	<0.05	5	<0.5	<0.2
CAE442337	Soil	14	32	0.61	335	0.075	2	1.56	0.033	0.05	0.1	0.04	4.9	<0.1	<0.05	5	<0.5	<0.2
CAE442338	Soil	15	34	0.62	300	0.083	1	1.69	0.030	0.05	0.1	0.06	6.0	<0.1	<0.05	5	<0.5	<0.2
CAE442339	Soil	7	46	1.06	273	0.089	<1	1.63	0.019	0.06	<0.1	0.01	5.9	0.1	<0.05	6	<0.5	<0.2
CAE442340	Soil	19	41	0.92	345	0.105	2	1.86	0.025	0.13	0.2	0.05	7.3	0.2	<0.05	6	<0.5	<0.2
CAE442341	Soil	17	29	0.50	364	0.060	3	1.31	0.026	0.05	0.2	0.05	4.8	<0.1	<0.05	4	0.7	<0.2
CAE442342	Soil	14	28	0.51	373	0.068	1	1.39	0.030	0.05	0.1	0.04	5.6	<0.1	<0.05	4	<0.5	<0.2
CAE442343	Soil	8	17	0.34	403	0.033	7	0.69	0.019	0.09	<0.1	0.05	2.5	<0.1	0.10	2	<0.5	<0.2
CAE442349	Soil	9	21	0.37	387	0.046	2	1.19	0.025	0.04	0.1	0.04	4.4	<0.1	<0.05	4	<0.5	<0.2
CAE442350	Soil	9	26	0.50	278	0.072	1	1.27	0.042	0.05	0.1	0.03	4.3	<0.1	<0.05	4	<0.5	<0.2
CAE442351	Soil	7	13	0.30	405	0.030	10	0.69	0.018	0.04	<0.1	0.07	2.3	<0.1	0.10	2	<0.5	<0.2
CAE442251	Soil	12	38	0.43	368	0.056	3	1.78	0.013	0.05	0.1	0.02	4.7	<0.1	<0.05	6	<0.5	<0.2
CAE442252	Soil	8	32	0.39	196	0.051	1	1.73	0.009	0.06	0.1	0.03	3.9	<0.1	<0.05	7	<0.5	<0.2
CAE442253	Soil	7	35	0.34	227	0.058	1	1.33	0.010	0.04	0.1	0.03	3.5	<0.1	<0.05	7	<0.5	<0.2
CAE442254	Soil	7	36	0.45	221	0.036	2	2.30	0.009	0.06	0.1	0.02	4.4	<0.1	<0.05	7	<0.5	<0.2
CAE442255	Soil	25	23	0.36	461	0.028	2	1.35	0.011	0.07	0.1	0.04	7.6	<0.1	<0.05	5	0.6	<0.2
CAE442256	Soil	10	23	0.33	209	0.035	2	1.33	0.012	0.05	<0.1	0.04	4.2	<0.1	<0.05	5	<0.5	<0.2
CAE442257	Soil	13	36	0.59	215	0.078	1	2.39	0.014	0.05	<0.1	0.03	5.9	<0.1	<0.05	7	<0.5	<0.2
CAE442258	Soil	7	29	0.27	90	0.075	2	1.92	0.008	0.03	0.1	0.03	3.2	<0.1	<0.05	9	<0.5	<0.2
CAE442259	Soil	8	20	0.28	149	0.087	1	1.29	0.009	0.05	0.1	<0.01	3.2	<0.1	<0.05	9	<0.5	<0.2
CAE442260	Soil	10	29	0.55	180	0.084	2	1.62	0.015	0.10	0.1	0.03	4.8	<0.1	<0.05	7	<0.5	<0.2
CAE442261	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 07, 2012

CERTIFICATE OF ANALYSIS DAW12000078.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
CAE442262	Soil	1.6	17.1	8.9	35	<0.1	7.0	3.6	114	2.06	6.2	0.3	2.1	0.4	8	0.1	0.2	<0.1	41	0.09	0.033
CAE442263	Soil	2.3	28.6	14.5	82	<0.1	14.8	9.7	348	3.51	8.9	0.4	2.6	1.6	16	0.1	0.3	<0.1	72	0.17	0.037
CAE442264	Soil	1.5	19.2	13.3	72	0.4	9.5	4.1	741	1.75	4.5	0.3	1.3	1.0	19	0.3	0.2	<0.1	46	0.32	0.053
CAE442265	Soil	1.4	21.0	16.8	91	<0.1	18.8	8.1	401	2.88	8.7	0.5	2.1	1.9	17	0.4	0.3	0.1	56	0.28	0.055
CAE442266	Soil	1.4	31.4	24.2	119	<0.1	26.4	9.6	618	3.47	11.3	0.7	2.9	3.3	23	0.2	0.4	0.1	60	0.42	0.052
CAE442267	Soil	1.0	15.7	16.3	53	<0.1	9.5	4.4	263	1.99	5.0	0.3	0.7	0.2	9	0.2	0.3	0.1	41	0.10	0.040
CAE442268	Soil	1.3	24.3	38.7	90	0.2	13.8	6.8	494	2.80	7.8	0.6	1.7	1.5	18	0.3	0.3	0.2	52	0.24	0.042
CAE442269	Soil	1.2	18.6	18.4	76	<0.1	15.4	6.3	417	2.77	6.3	0.5	4.0	2.5	14	0.2	0.3	0.1	50	0.22	0.040
CAE442270	Soil	1.2	27.1	28.3	86	0.2	16.3	6.4	451	3.18	6.3	0.9	4.7	2.4	26	0.1	0.3	0.2	52	0.39	0.044
CAE442271	Soil	1.6	20.2	29.7	94	<0.1	17.7	11.5	760	3.68	10.1	0.5	3.8	2.5	17	0.2	0.4	0.2	74	0.21	0.034
CAE442272	Soil	1.5	18.8	24.7	77	<0.1	14.1	5.9	571	2.50	8.2	0.5	1.4	1.4	15	0.3	0.3	0.2	63	0.21	0.039
CAE442273	Soil	1.2	17.9	14.6	74	<0.1	15.6	7.5	385	2.77	7.0	0.7	4.3	2.7	20	<0.1	0.4	0.1	53	0.33	0.040
CAE442274	Soil	1.4	25.6	16.7	87	<0.1	17.0	8.5	634	3.21	7.8	0.9	4.9	2.8	23	0.2	0.4	0.1	60	0.39	0.042
CAE442275	Soil	1.5	26.5	17.7	87	0.1	17.5	8.8	677	3.28	8.3	0.9	1.8	2.6	25	0.2	0.4	0.1	62	0.41	0.046
CAE442276	Soil	1.8	25.9	11.2	77	0.2	16.7	5.6	258	2.28	5.2	0.6	2.4	0.7	29	0.3	0.4	0.1	53	0.50	0.056
CAE442277	Soil	1.1	16.8	7.4	69	<0.1	13.4	6.7	360	2.78	6.9	0.4	0.6	1.4	23	0.2	0.3	<0.1	67	0.32	0.039
CAE442278	Soil	1.1	37.2	8.0	89	0.2	14.7	8.8	508	3.38	6.9	0.9	1.3	2.6	31	0.4	0.4	0.3	63	0.49	0.050
CAE442279	Soil	1.5	25.2	7.8	63	0.2	16.1	8.0	358	3.13	8.4	0.5	1.9	2.0	19	<0.1	0.3	0.1	73	0.28	0.032
CAE442280	Soil	0.9	22.2	8.0	61	<0.1	14.5	9.4	474	2.84	6.9	0.9	2.3	2.9	22	0.1	0.3	<0.1	57	0.35	0.030
CAE442281	Soil	1.1	24.7	8.1	62	<0.1	17.4	9.3	547	3.11	7.4	1.2	2.7	2.7	24	0.1	0.3	0.1	62	0.34	0.027
CAE442282	Soil	1.1	25.5	9.0	61	<0.1	19.7	9.5	602	3.12	7.7	0.8	1.4	2.5	23	0.1	0.4	0.1	65	0.29	0.029
CAE442283	Soil	1.1	23.1	8.0	61	0.2	18.8	10.4	1120	2.89	6.9	0.8	1.4	1.7	30	0.2	0.4	<0.1	56	0.41	0.040
CAE442284	Soil	1.5	30.1	11.4	70	0.2	23.1	12.9	1777	3.43	7.7	1.0	2.5	3.2	31	0.2	0.5	0.1	68	0.37	0.030
CAE442285	Soil	1.2	18.6	10.1	75	0.2	13.4	7.9	936	3.14	4.2	0.7	0.8	1.6	25	<0.1	0.5	<0.1	49	0.30	0.034
CAE442286	Soil	1.2	13.8	9.6	65	0.1	13.4	8.4	443	2.89	6.1	0.4	0.8	2.0	13	0.1	0.5	0.1	59	0.17	0.016
CAE442287	Soil	0.9	19.4	10.4	57	0.1	17.5	8.3	540	2.57	7.4	0.6	2.0	2.8	31	0.2	0.7	0.2	54	0.25	0.024
CAE442288	Soil	1.0	23.0	11.5	53	0.2	17.9	12.0	1123	2.64	5.6	0.8	5.3	2.3	38	0.2	0.5	0.2	55	0.41	0.028
CAE442289	Soil	1.0	21.7	10.0	62	<0.1	14.4	7.1	378	2.48	5.6	0.5	1.3	3.1	22	<0.1	0.6	0.1	43	0.20	0.014
CAE442290	Soil	0.8	18.5	13.5	57	<0.1	15.2	7.8	522	2.55	5.3	0.4	1.7	2.2	23	<0.1	0.6	0.1	46	0.22	0.016
CAE442291	Soil	0.7	21.9	10.1	53	0.1	21.0	9.9	469	2.55	8.0	0.6	3.3	3.4	29	<0.1	0.6	0.1	59	0.29	0.017

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 07, 2012

CERTIFICATE OF ANALYSIS DAW12000078.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
CAE442262	Soil		5	14	0.20	65	0.064	<1	0.84	0.010	0.07	<0.1	0.03	2.2	<0.1	<0.05	6	<0.5	<0.2
CAE442263	Soil		7	27	0.50	88	0.113	2	1.60	0.014	0.11	0.1	<0.01	5.0	<0.1	<0.05	8	<0.5	<0.2
CAE442264	Soil		10	18	0.21	146	0.063	2	0.99	0.014	0.08	<0.1	<0.01	2.9	<0.1	<0.05	6	<0.5	<0.2
CAE442265	Soil		12	30	0.42	151	0.076	2	1.63	0.014	0.07	0.1	0.02	4.4	<0.1	<0.05	6	<0.5	<0.2
CAE442266	Soil		23	31	0.47	235	0.102	2	1.51	0.015	0.19	0.1	0.04	7.9	0.1	<0.05	7	0.6	<0.2
CAE442267	Soil		6	20	0.18	100	0.032	2	1.01	0.009	0.04	<0.1	0.03	1.7	<0.1	<0.05	5	<0.5	<0.2
CAE442268	Soil		19	28	0.31	222	0.045	2	1.67	0.011	0.05	<0.1	0.04	4.9	<0.1	<0.05	6	<0.5	<0.2
CAE442269	Soil		16	29	0.30	174	0.070	1	1.34	0.011	0.05	0.1	0.02	5.6	<0.1	<0.05	5	<0.5	<0.2
CAE442270	Soil		33	33	0.38	327	0.039	2	2.18	0.012	0.07	0.1	0.06	9.3	<0.1	<0.05	7	<0.5	<0.2
CAE442271	Soil		14	35	0.41	216	0.079	2	2.19	0.010	0.07	0.1	0.04	6.1	0.1	<0.05	9	<0.5	<0.2
CAE442272	Soil		21	29	0.30	237	0.071	1	1.64	0.010	0.06	0.1	0.03	4.7	0.1	<0.05	8	<0.5	<0.2
CAE442273	Soil		16	30	0.39	192	0.081	1	1.30	0.014	0.05	0.2	0.02	5.2	<0.1	<0.05	5	<0.5	<0.2
CAE442274	Soil		22	33	0.41	332	0.060	2	1.78	0.011	0.06	0.2	0.06	8.0	0.1	<0.05	6	<0.5	<0.2
CAE442275	Soil		24	33	0.40	326	0.062	2	1.75	0.013	0.07	0.1	0.04	7.7	<0.1	<0.05	6	<0.5	<0.2
CAE442276	Soil		9	32	0.32	373	0.042	4	1.67	0.011	0.11	0.1	0.04	6.6	0.1	<0.05	6	<0.5	<0.2
CAE442277	Soil		8	26	0.48	151	0.080	1	1.60	0.013	0.08	0.1	0.03	4.0	<0.1	<0.05	6	<0.5	<0.2
CAE442278	Soil		17	25	0.55	281	0.086	2	1.88	0.016	0.15	0.1	0.06	8.7	0.1	<0.05	7	<0.5	<0.2
CAE442279	Soil		12	32	0.58	179	0.094	1	1.90	0.015	0.08	0.2	0.02	4.9	<0.1	<0.05	7	<0.5	<0.2
CAE442280	Soil		18	29	0.54	196	0.080	<1	1.58	0.016	0.06	<0.1	0.02	6.4	<0.1	<0.05	6	<0.5	<0.2
CAE442281	Soil		19	31	0.45	267	0.072	2	1.93	0.014	0.08	0.1	0.03	7.0	0.1	<0.05	7	<0.5	<0.2
CAE442282	Soil		21	35	0.52	248	0.067	2	2.05	0.012	0.05	0.1	0.03	7.1	<0.1	<0.05	7	<0.5	<0.2
CAE442283	Soil		21	31	0.43	341	0.048	2	1.78	0.011	0.08	0.1	0.05	6.6	<0.1	<0.05	7	<0.5	<0.2
CAE442284	Soil		31	37	0.46	353	0.061	2	2.22	0.013	0.08	<0.1	0.05	8.9	<0.1	<0.05	8	<0.5	<0.2
CAE442285	Soil		20	23	0.34	255	0.064	2	1.61	0.011	0.10	0.1	0.03	7.1	0.1	<0.05	7	0.6	<0.2
CAE442286	Soil		9	27	0.36	164	0.066	1	1.56	0.011	0.09	<0.1	0.03	4.6	0.1	<0.05	7	<0.5	<0.2
CAE442287	Soil		12	30	0.51	258	0.057	2	1.55	0.011	0.09	0.1	0.02	4.9	<0.1	<0.05	6	<0.5	<0.2
CAE442288	Soil		22	27	0.47	303	0.058	1	1.60	0.013	0.09	0.1	0.02	6.3	<0.1	<0.05	6	<0.5	<0.2
CAE442289	Soil		26	25	0.46	186	0.060	1	1.29	0.010	0.08	0.1	0.03	6.0	<0.1	<0.05	5	<0.5	<0.2
CAE442290	Soil		9	23	0.44	209	0.060	<1	1.34	0.010	0.09	0.1	0.02	4.8	<0.1	<0.05	5	<0.5	<0.2
CAE442291	Soil		18	35	0.57	279	0.064	<1	1.57	0.011	0.08	<0.1	0.03	6.2	<0.1	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 07, 2012

CERTIFICATE OF ANALYSIS DAW12000078.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
CAE442292	Soil	0.7	21.0	26.9	77	<0.1	12.7	5.6	275	2.67	5.7	0.3	2.6	2.2	13	<0.1	0.4	0.2	39	0.14	0.014
CAE442293	Soil	0.8	12.9	11.5	49	<0.1	19.0	9.3	581	2.49	6.1	0.3	4.0	2.4	27	<0.1	0.4	0.1	57	0.25	0.012
CAE442294	Soil	1.0	12.9	11.0	54	<0.1	17.6	9.5	564	2.56	6.8	0.3	2.4	2.3	26	<0.1	0.6	0.1	60	0.25	0.016
CAE442295	Soil	1.1	13.1	14.3	62	<0.1	15.9	9.1	597	2.62	5.2	0.3	1.5	2.1	22	<0.1	0.5	0.1	56	0.23	0.015
CAE442296	Soil	0.9	20.5	12.8	52	0.2	19.6	9.2	882	2.56	6.5	0.5	1.2	3.0	34	<0.1	0.5	0.2	58	0.34	0.015
CAE442297	Soil	1.1	13.5	11.3	50	0.1	18.1	10.8	790	2.62	5.0	0.4	2.2	2.0	35	0.2	0.5	0.1	62	0.36	0.018
CAE442298	Soil	0.9	20.5	16.6	55	0.3	18.9	10.1	988	2.77	4.9	0.7	2.2	2.4	33	0.2	0.5	0.2	61	0.33	0.022
CAE442299	Soil	0.8	16.1	14.4	51	0.1	16.8	6.7	511	2.58	6.1	0.5	2.8	2.6	25	<0.1	0.4	0.1	51	0.25	0.017
CAE442300	Soil	0.9	17.2	15.9	52	0.2	15.5	6.6	546	2.57	6.2	0.5	3.8	2.5	25	<0.1	0.4	0.2	51	0.25	0.018
CAE442344	Soil	1.2	16.0	25.5	68	0.1	17.4	7.9	554	2.60	5.9	0.4	1.2	1.7	25	<0.1	0.5	0.2	54	0.25	0.019
CAE442345	Soil	0.5	44.2	9.5	48	<0.1	27.6	9.7	308	2.65	10.4	0.6	6.2	4.4	25	<0.1	0.6	<0.1	67	0.26	0.011
CAE442346	Soil	0.9	55.1	13.1	80	0.1	18.4	21.3	576	4.18	5.0	0.2	3.0	1.0	40	0.1	0.4	<0.1	121	0.48	0.027
CAE442347	Soil	0.8	24.7	17.9	56	<0.1	16.2	11.3	583	2.71	6.2	0.2	0.5	1.5	34	0.2	0.4	0.1	74	0.39	0.022
CAE442348	Soil	1.8	23.0	19.7	68	0.1	20.2	9.6	602	3.04	9.6	0.5	2.9	2.8	20	0.1	0.5	0.2	74	0.21	0.038

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 07, 2012

CERTIFICATE OF ANALYSIS DAW12000078.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
CAE442292	Soil	5	20	0.42	152	0.078	<1	1.43	0.009	0.16	0.1	0.02	6.9	0.1	<0.05	7	<0.5	<0.2
CAE442293	Soil	8	28	0.46	309	0.053	<1	1.45	0.010	0.07	0.1	0.01	3.9	<0.1	0.05	5	<0.5	<0.2
CAE442294	Soil	8	30	0.46	252	0.060	<1	1.50	0.011	0.07	0.1	0.02	3.4	<0.1	<0.05	5	<0.5	<0.2
CAE442295	Soil	7	27	0.42	236	0.053	<1	1.47	0.011	0.06	0.1	0.02	4.4	<0.1	0.07	5	<0.5	<0.2
CAE442296	Soil	12	31	0.51	359	0.065	1	1.54	0.014	0.08	<0.1	0.04	5.9	<0.1	0.05	5	<0.5	<0.2
CAE442297	Soil	8	30	0.47	315	0.056	1	1.58	0.012	0.07	<0.1	0.02	4.4	<0.1	0.07	6	<0.5	<0.2
CAE442298	Soil	39	30	0.46	346	0.050	1	1.77	0.013	0.07	0.2	0.03	6.7	<0.1	0.06	7	<0.5	<0.2
CAE442299	Soil	11	29	0.43	314	0.041	<1	1.32	0.011	0.08	0.1	0.03	5.7	<0.1	0.07	5	0.8	<0.2
CAE442300	Soil	11	27	0.43	313	0.041	1	1.29	0.010	0.07	<0.1	0.02	5.4	<0.1	<0.05	5	<0.5	<0.2
CAE442344	Soil	6	27	0.51	218	0.048	1	1.43	0.010	0.10	0.1	0.02	4.2	<0.1	<0.05	6	<0.5	<0.2
CAE442345	Soil	16	38	0.65	185	0.094	<1	1.66	0.018	0.06	0.1	0.06	7.8	<0.1	<0.05	5	<0.5	<0.2
CAE442346	Soil	3	22	1.08	256	0.093	2	2.43	0.035	0.07	0.2	<0.01	9.4	<0.1	<0.05	8	<0.5	<0.2
CAE442347	Soil	6	26	0.59	326	0.071	<1	1.61	0.023	0.07	0.1	0.03	3.9	<0.1	<0.05	6	<0.5	<0.2
CAE442348	Soil	9	34	0.55	263	0.056	1	1.91	0.013	0.05	0.2	0.03	4.0	<0.1	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 07, 2012

QUALITY CONTROL REPORT DAW12000078.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Pulp Duplicates																					
CAE442428	Soil	0.3	70.5	3.9	273	<0.1	21.0	19.9	1080	7.33	1.8	1.2	<0.5	6.6	28	<0.1	<0.1	0.1	163	0.16	0.058
REP CAE442428	QC	0.4	72.5	3.8	281	<0.1	21.2	20.2	1106	7.56	1.6	1.2	<0.5	6.6	28	<0.1	<0.1	0.1	167	0.16	0.060
CAE442430	Soil	1.3	29.1	7.3	49	<0.1	23.6	15.2	436	4.14	5.2	0.8	<0.5	5.6	16	<0.1	0.2	0.1	79	0.20	0.045
REP CAE442430	QC	1.3	29.3	7.7	50	<0.1	24.3	15.1	443	4.19	5.2	0.8	2.1	5.6	16	<0.1	0.2	0.1	80	0.21	0.046
CAE442303	Soil	0.8	45.9	8.7	60	0.1	28.5	12.3	542	3.19	10.0	0.5	3.5	3.0	57	<0.1	0.7	<0.1	66	1.74	0.053
REP CAE442303	QC	0.8	44.8	8.5	57	0.1	27.7	12.1	504	3.17	9.7	0.5	5.3	3.0	57	0.2	0.7	<0.1	64	1.75	0.054
CAE442340	Soil	0.7	37.4	11.9	80	<0.1	28.0	12.6	579	3.77	14.5	1.4	3.3	6.9	42	0.1	0.6	0.2	74	0.64	0.053
REP CAE442340	QC	0.6	36.5	11.8	80	<0.1	25.9	12.0	572	3.66	14.6	1.4	3.1	7.2	41	0.1	0.6	0.1	72	0.61	0.054
CAE442341	Soil	0.8	41.0	9.8	66	0.1	26.6	9.0	336	2.94	7.5	1.4	3.6	3.1	51	0.3	0.6	0.1	56	1.12	0.060
REP CAE442341	QC	0.8	42.0	9.7	71	0.1	27.4	9.6	341	3.12	8.0	1.5	3.3	3.1	52	0.3	0.5	0.1	57	1.14	0.063
CAE442281	Soil	1.1	24.7	8.1	62	<0.1	17.4	9.3	547	3.11	7.4	1.2	2.7	2.7	24	0.1	0.3	0.1	62	0.34	0.027
REP CAE442281	QC	1.1	25.3	8.3	63	<0.1	17.9	9.0	560	3.15	7.3	1.2	2.5	2.8	24	<0.1	0.4	0.1	62	0.35	0.028
CAE442348	Soil	1.8	23.0	19.7	68	0.1	20.2	9.6	602	3.04	9.6	0.5	2.9	2.8	20	0.1	0.5	0.2	74	0.21	0.038
REP CAE442348	QC	1.6	23.3	19.2	65	<0.1	20.6	9.4	564	3.03	9.1	0.5	3.1	2.9	21	0.2	0.6	0.2	76	0.22	0.037
Reference Materials																					
STD DS9	Standard	11.7	99.9	116.2	292	1.6	35.9	7.2	575	2.19	24.2	2.5	121.3	5.7	67	2.0	5.7	6.5	36	0.63	0.078
STD DS9	Standard	12.8	101.4	125.6	305	1.8	40.7	7.7	583	2.41	26.2	2.4	119.7	5.7	71	2.0	5.5	6.0	39	0.70	0.085
STD DS9	Standard	14.1	110.0	123.2	306	1.8	40.8	7.8	585	2.60	25.5	2.7	120.1	6.3	60	2.2	5.6	4.2	45	0.69	0.080
STD DS9	Standard	13.9	109.8	124.0	304	1.9	41.2	8.0	579	2.69	24.9	2.9	107.0	6.9	64	2.5	5.6	4.1	45	0.72	0.083
STD DS9	Standard	14.1	110.4	114.9	317	1.9	42.1	8.0	600	2.39	24.8	2.4	117.4	5.6	65	2.2	5.1	4.9	45	0.76	0.078
STD DS9 Expected		12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40	0.7201	0.0819
BLK	Blank	<0.1	0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	0.4	0.4	<1	<0.1	0.1	0.1	9	0.05	0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 07, 2012

QUALITY CONTROL REPORT DAW12000078.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																		
CAE442428	Soil	25	77	4.18	1234	0.394	<1	4.49	0.016	2.77	<0.1	<0.01	14.6	0.7	0.37	18	1.0	<0.2
REP CAE442428	QC	24	78	4.36	1217	0.400	<1	4.70	0.016	2.79	<0.1	<0.01	14.6	0.8	0.37	18	0.8	<0.2
CAE442430	Soil	19	42	1.18	367	0.209	1	2.19	0.010	0.64	0.1	0.02	6.6	0.3	<0.05	9	<0.5	<0.2
REP CAE442430	QC	19	43	1.18	369	0.217	<1	2.21	0.010	0.66	0.1	0.02	6.7	0.3	<0.05	9	<0.5	<0.2
CAE442303	Soil	13	33	0.67	348	0.089	3	1.48	0.033	0.07	0.1	0.04	5.0	<0.1	<0.05	5	<0.5	<0.2
REP CAE442303	QC	13	33	0.67	352	0.089	3	1.49	0.033	0.07	0.2	0.04	5.0	<0.1	<0.05	5	<0.5	<0.2
CAE442340	Soil	19	41	0.92	345	0.105	2	1.86	0.025	0.13	0.2	0.05	7.3	0.2	<0.05	6	<0.5	<0.2
REP CAE442340	QC	18	40	0.95	326	0.104	1	1.79	0.023	0.14	0.1	0.05	7.3	0.2	<0.05	6	0.5	<0.2
CAE442341	Soil	17	29	0.50	364	0.060	3	1.31	0.026	0.05	0.2	0.05	4.8	<0.1	<0.05	4	0.7	<0.2
REP CAE442341	QC	17	31	0.52	375	0.062	3	1.41	0.027	0.06	0.1	0.03	5.1	<0.1	<0.05	5	0.7	<0.2
CAE442281	Soil	19	31	0.45	267	0.072	2	1.93	0.014	0.08	0.1	0.03	7.0	0.1	<0.05	7	<0.5	<0.2
REP CAE442281	QC	19	31	0.46	263	0.073	2	1.93	0.014	0.09	0.1	0.03	6.8	0.1	<0.05	7	<0.5	<0.2
CAE442348	Soil	9	34	0.55	263	0.056	1	1.91	0.013	0.05	0.2	0.03	4.0	<0.1	<0.05	7	<0.5	<0.2
REP CAE442348	QC	9	34	0.54	263	0.056	<1	1.96	0.014	0.05	0.1	0.04	4.2	<0.1	<0.05	7	0.5	<0.2
Reference Materials																		
STD DS9	Standard	11	110	0.63	288	0.099	2	0.82	0.075	0.34	3.0	0.20	2.3	5.4	0.14	4	5.0	5.0
STD DS9	Standard	12	130	0.63	308	0.107	3	0.92	0.085	0.37	3.1	0.20	2.4	5.6	0.15	5	5.2	5.1
STD DS9	Standard	14	128	0.59	305	0.116	4	0.93	0.082	0.38	3.0	0.21	2.6	5.5	0.15	5	6.5	5.2
STD DS9	Standard	13	124	0.60	304	0.117	2	0.96	0.082	0.36	3.0	0.20	3.0	5.4	0.16	5	5.2	5.0
STD DS9	Standard	14	129	0.64	315	0.123	3	0.97	0.090	0.39	3.1	0.21	2.6	5.6	0.18	5	5.5	5.0
STD DS9 Expected		13.3	121	0.6165	295	0.1108		0.9577	0.0853	0.395	2.89	0.2	2.5	5.3	0.1615	4.59	5.2	5.02
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	0.01	3	0.002	<1	0.02	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.