Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Submitted By: Jean-Pierre Londero
Receiving Lab: Canada-Dawson City
Received: June 29, 2012
Report Date: August 07, 2012

CERTIFICATE OF ANALYSIS DAW12000077.1

CLIENT JOB INFORMATION

Project: White Gold
Shipment ID: WG01952012
P.O. Number
Number of Samples: 115

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT-SOIL Store Soil Reject - RJSV Charges Apply

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	115	Dry at 60C sieve 100g to -80 mesh			DAW
Dry at 60C	115	Dry at 60C			DAW
RJSV	115	Saving all or part of Soil Reject			DAW
1DX2	114	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Selene Holdings LP
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8
Canada

CC: Keith Fowlow

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 07, 2012

CERTIFICATE OF ANALYSIS DAW12000077.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
CAE442389	Soil	1.1	21.2	4.0	35	0.1	8.8	6.4	128	1.77	1.7	0.6	3.0	1.5	22	<0.1	0.1	0.2	42	0.39	0.042
CAE442390	Soil	0.5	26.8	6.5	17	0.1	6.6	3.1	53	0.94	1.6	0.7	2.9	0.5	17	<0.1	0.1	0.2	16	0.22	0.046
CAE442391	Soil	0.5	17.9	4.8	41	<0.1	10.6	6.1	137	1.96	3.7	0.5	2.2	1.7	16	0.1	0.2	<0.1	42	0.24	0.039
CAE442392	Soil	0.7	21.4	5.2	24	0.1	8.5	4.5	83	1.43	1.0	0.6	5.7	0.9	20	<0.1	0.1	<0.1	24	0.33	0.051
CAE442393	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE442394	Soil	0.6	28.1	3.8	45	<0.1	13.3	10.8	227	3.10	3.1	0.2	1.3	2.0	20	0.1	0.2	<0.1	62	0.38	0.066
CAE442395	Soil	0.6	29.3	5.1	41	<0.1	16.9	10.1	239	2.64	3.0	0.4	2.4	1.8	20	<0.1	0.2	<0.1	56	0.32	0.045
CAE442396	Soil	0.8	25.6	5.0	43	<0.1	14.3	10.1	191	2.76	3.3	0.4	2.4	2.2	21	<0.1	0.2	<0.1	59	0.33	0.046
CAE442397	Soil	0.6	26.9	5.8	50	<0.1	18.6	11.7	237	3.39	5.2	0.5	0.9	2.7	20	<0.1	0.3	<0.1	70	0.29	0.041
CAE442398	Soil	0.8	30.5	5.5	48	<0.1	16.5	11.1	213	3.22	4.5	0.4	1.9	2.3	19	<0.1	0.2	<0.1	67	0.27	0.037
CAE442399	Soil	0.8	27.0	5.7	49	<0.1	15.7	9.9	212	3.28	4.3	0.4	0.8	2.4	20	<0.1	0.2	<0.1	70	0.29	0.037
CAE442459	Soil	0.7	15.7	7.9	58	<0.1	24.5	11.7	582	3.37	6.9	0.5	1.0	5.9	19	<0.1	0.4	<0.1	62	0.29	0.049
CAE442460	Soil	0.4	21.1	7.4	78	<0.1	31.3	11.3	528	4.21	1.4	1.3	0.7	9.0	19	0.1	<0.1	<0.1	65	0.29	0.072
CAE442461	Soil	0.9	15.9	7.5	56	<0.1	27.4	13.5	421	3.90	4.8	0.7	1.9	7.1	14	<0.1	0.4	<0.1	66	0.17	0.031
CAE442462	Soil	0.8	23.2	9.2	66	<0.1	37.4	13.4	288	4.69	6.0	0.6	1.4	8.6	12	<0.1	0.4	<0.1	70	0.11	0.016
CAE442463	Soil	0.8	36.0	9.1	79	<0.1	77.6	16.9	393	5.67	3.1	0.8	1.0	12.6	17	<0.1	0.4	<0.1	76	0.21	0.029
CAE442464	Soil	0.9	39.5	6.7	68	<0.1	42.6	14.1	200	4.63	3.4	1.1	1.0	12.0	18	<0.1	0.3	<0.1	61	0.17	0.025
CAE442465	Soil	1.0	24.7	5.4	50	<0.1	36.9	10.7	191	3.14	4.7	0.9	1.8	8.1	15	<0.1	0.3	<0.1	57	0.22	0.018
CAE442466	Soil	1.2	22.9	8.1	56	<0.1	30.8	11.4	232	3.52	7.4	0.8	1.9	4.5	13	<0.1	0.6	<0.1	68	0.16	0.018
CAE442467	Soil	2.2	45.1	5.6	71	<0.1	45.7	14.8	200	4.00	2.6	1.2	1.4	8.3	10	<0.1	0.1	<0.1	62	0.17	0.045
CAE442468	Soil	1.1	22.1	7.7	51	0.2	25.8	10.8	231	3.35	7.1	0.8	2.8	6.7	15	0.1	0.4	0.3	65	0.19	0.018
CAE442469	Soil	1.1	35.6	7.1	71	<0.1	43.4	10.5	272	3.56	5.8	0.9	7.3	6.5	26	<0.1	0.3	<0.1	78	0.37	0.053
CAE442470	Soil	1.1	44.0	8.2	70	<0.1	39.8	11.9	303	4.01	4.2	1.1	3.9	10.0	31	0.1	0.4	<0.1	76	0.44	0.083
CAE442471	Soil	0.7	27.1	9.0	56	<0.1	28.3	10.8	233	3.40	4.4	1.4	16.0	10.7	20	<0.1	0.3	<0.1	58	0.31	0.031
CAE442472	Soil	0.4	36.3	9.4	89	<0.1	35.9	15.0	162	3.89	0.9	1.4	16.0	17.6	13	<0.1	0.1	<0.1	37	0.26	0.052
CAE442473	Soil	0.8	26.0	10.3	77	0.2	33.2	16.1	462	4.59	4.9	1.1	142.2	10.9	19	<0.1	0.4	<0.1	58	0.25	0.025
CAE442474	Soil	0.9	37.7	7.0	78	<0.1	55.8	19.9	216	4.47	2.4	0.8	<0.5	7.9	8	<0.1	0.3	<0.1	68	0.11	0.022
CAE442475	Soil	0.9	24.3	7.7	59	<0.1	37.2	14.2	242	3.82	4.4	1.0	2.5	10.8	16	<0.1	0.2	<0.1	56	0.19	0.018
CAE442476	Soil	0.7	57.8	10.3	83	<0.1	39.7	14.2	297	4.67	6.3	1.4	4.5	16.0	16	<0.1	0.2	<0.1	71	0.23	0.028
CAE442477	Soil	0.6	30.7	11.8	92	<0.1	45.3	16.5	233	4.77	2.5	1.1	0.7	12.8	15	<0.1	<0.1	<0.1	69	0.24	0.042

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 07, 2012

CERTIFICATE OF ANALYSIS DAW12000077.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
CAE442389	Soil	9	19	0.42	214	0.084	3	0.97	0.014	0.09	0.1	0.04	2.9	<0.1	<0.05	4	<0.5	<0.2
CAE442390	Soil	8	16	0.14	213	0.034	3	0.54	0.010	0.05	<0.1	0.02	1.7	<0.1	<0.05	2	<0.5	<0.2
CAE442391	Soil	8	24	0.50	181	0.122	2	1.21	0.013	0.14	0.2	0.04	2.2	<0.1	<0.05	5	<0.5	<0.2
CAE442392	Soil	10	20	0.28	219	0.060	4	0.80	0.015	0.06	<0.1	0.07	2.4	<0.1	<0.05	3	<0.5	<0.2
CAE442393	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE442394	Soil	8	30	0.73	206	0.128	2	1.48	0.015	0.13	0.1	0.02	2.8	<0.1	<0.05	5	<0.5	<0.2
CAE442395	Soil	9	33	0.69	198	0.116	1	1.47	0.014	0.09	<0.1	0.02	2.7	<0.1	<0.05	5	<0.5	<0.2
CAE442396	Soil	10	32	0.67	227	0.125	1	1.54	0.015	0.10	0.1	0.02	2.6	<0.1	<0.05	5	<0.5	<0.2
CAE442397	Soil	10	36	0.69	222	0.117	1	1.81	0.013	0.07	<0.1	0.03	3.6	<0.1	<0.05	6	<0.5	<0.2
CAE442398	Soil	9	39	0.75	198	0.132	2	1.80	0.014	0.08	0.1	0.03	3.3	0.1	<0.05	6	<0.5	<0.2
CAE442399	Soil	10	34	0.66	214	0.131	2	1.79	0.014	0.08	<0.1	0.03	3.8	<0.1	<0.05	7	<0.5	<0.2
CAE442459	Soil	11	38	0.57	272	0.107	1	1.69	0.011	0.18	<0.1	<0.01	3.4	0.1	<0.05	6	<0.5	<0.2
CAE442460	Soil	21	72	1.03	295	0.247	1	2.08	0.009	0.80	<0.1	0.01	5.8	0.4	<0.05	10	<0.5	<0.2
CAE442461	Soil	15	40	0.66	281	0.129	1	1.84	0.010	0.20	<0.1	0.01	3.6	0.2	<0.05	7	<0.5	<0.2
CAE442462	Soil	9	67	1.04	257	0.216	1	2.34	0.009	0.62	<0.1	0.02	5.7	0.4	<0.05	9	<0.5	<0.2
CAE442463	Soil	20	165	1.49	326	0.283	<1	2.78	0.008	0.95	<0.1	0.02	6.5	0.7	<0.05	11	<0.5	<0.2
CAE442464	Soil	24	69	1.15	230	0.196	1	2.35	0.009	0.69	<0.1	0.02	5.3	0.5	<0.05	9	<0.5	<0.2
CAE442465	Soil	21	43	0.72	253	0.104	1	1.56	0.018	0.19	<0.1	0.03	3.8	0.2	<0.05	5	<0.5	<0.2
CAE442466	Soil	15	40	0.58	347	0.093	1	1.77	0.012	0.10	<0.1	0.02	3.8	<0.1	<0.05	6	<0.5	<0.2
CAE442467	Soil	23	47	0.99	245	0.126	1	1.99	0.008	0.49	<0.1	0.02	3.6	0.4	<0.05	7	<0.5	<0.2
CAE442468	Soil	30	39	0.53	260	0.090	1	1.66	0.012	0.11	0.1	0.02	3.6	0.2	<0.05	5	<0.5	<0.2
CAE442469	Soil	23	66	0.85	383	0.134	2	1.75	0.015	0.21	0.1	0.04	4.9	0.2	<0.05	6	<0.5	<0.2
CAE442470	Soil	39	60	1.02	1503	0.110	2	1.97	0.015	0.21	<0.1	0.02	6.7	0.3	<0.05	7	<0.5	<0.2
CAE442471	Soil	53	43	0.64	208	0.129	1	1.66	0.015	0.20	0.1	0.02	5.7	0.2	<0.05	6	<0.5	<0.2
CAE442472	Soil	27	38	0.84	143	0.136	<1	1.83	0.007	0.63	<0.1	0.02	3.9	0.6	<0.05	5	<0.5	<0.2
CAE442473	Soil	14	45	0.80	284	0.186	1	2.15	0.010	0.75	0.1	0.01	4.9	0.4	<0.05	7	<0.5	<0.2
CAE442474	Soil	10	57	1.04	109	0.124	<1	2.27	0.011	0.42	<0.1	0.02	3.9	0.3	<0.05	9	<0.5	<0.2
CAE442475	Soil	12	48	0.77	140	0.127	<1	1.97	0.010	0.36	<0.1	0.01	4.0	0.3	<0.05	7	<0.5	<0.2
CAE442476	Soil	61	62	1.10	208	0.216	<1	2.30	0.016	0.56	0.1	0.03	8.3	0.5	<0.05	8	<0.5	<0.2
CAE442477	Soil	18	62	1.14	241	0.245	<1	2.71	0.010	0.93	<0.1	0.02	5.5	0.6	<0.05	9	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 07, 2012

CERTIFICATE OF ANALYSIS DAW12000077.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
CAE442478	Soil	0.8	18.9	9.0	45	0.1	22.4	11.8	707	3.22	5.1	0.7	2.5	5.9	18	<0.1	0.3	<0.1	61	0.24	0.017
CAE442479	Soil	2.1	65.1	11.2	69	<0.1	55.3	15.0	594	4.22	5.4	1.6	8.8	11.9	34	<0.1	0.3	<0.1	74	0.36	0.036
CAE442480	Soil	0.9	22.9	7.8	48	0.1	29.6	10.5	282	3.24	5.8	0.7	4.6	5.4	26	<0.1	0.3	<0.1	65	0.39	0.049
CAE442481	Soil	1.6	35.2	8.4	63	<0.1	43.8	15.3	525	3.55	4.0	1.2	2.6	9.3	25	<0.1	0.2	<0.1	63	0.34	0.065
CAE442482	Soil	0.8	30.5	8.2	60	<0.1	39.4	11.7	209	3.80	6.1	0.8	2.0	11.8	20	<0.1	0.3	<0.1	64	0.27	0.032
CAE442483	Soil	0.5	38.0	6.9	84	<0.1	48.6	15.0	124	4.28	3.1	0.7	<0.5	9.6	11	<0.1	<0.1	<0.1	53	0.18	0.026
CAE442484	Soil	1.1	16.1	9.1	48	<0.1	22.7	9.5	597	2.57	6.7	0.4	1.5	2.9	10	0.1	0.4	0.2	56	0.10	0.022
CAE442485	Soil	1.1	15.3	8.6	48	<0.1	21.7	12.0	841	2.62	6.3	0.4	1.8	3.3	15	0.1	0.3	0.1	57	0.18	0.029
CAE442486	Soil	1.0	17.3	7.0	42	<0.1	24.9	8.7	221	2.39	5.3	0.7	2.5	4.7	21	<0.1	0.2	0.1	58	0.26	0.032
CAE442487	Soil	1.3	18.7	7.7	46	<0.1	26.9	9.5	242	2.53	5.0	0.7	2.9	5.1	22	<0.1	0.2	0.1	56	0.27	0.035
CAE442488	Soil	1.1	25.1	7.3	51	<0.1	35.5	12.1	360	2.79	3.6	0.9	1.5	6.9	21	<0.1	0.2	0.1	64	0.31	0.055
CAE442489	Soil	1.1	22.2	7.0	50	<0.1	33.2	11.7	442	2.65	4.2	0.9	1.1	6.4	23	<0.1	0.2	<0.1	58	0.31	0.055
CAE442490	Soil	0.9	19.9	8.3	49	<0.1	27.6	11.7	363	2.86	6.9	0.6	1.5	5.7	19	<0.1	0.3	<0.1	61	0.32	0.035
CAE442491	Soil	1.3	20.7	7.7	47	0.1	25.0	11.4	440	2.60	5.6	0.7	7.5	5.5	19	<0.1	0.2	0.1	56	0.27	0.038
CAE442492	Soil	1.0	32.2	10.7	64	<0.1	29.8	13.8	449	3.42	4.0	1.0	1.6	9.3	17	<0.1	0.2	0.1	67	0.25	0.053
CAE442493	Soil	0.5	33.5	2.9	53	<0.1	13.3	14.2	363	3.40	2.5	0.5	0.6	4.3	20	<0.1	0.1	<0.1	62	0.35	0.026
CAE442494	Soil	1.2	30.4	15.1	57	<0.1	28.1	10.1	411	3.20	3.5	1.0	<0.5	10.1	12	<0.1	0.2	0.1	40	0.08	0.018
CAE442495	Soil	0.7	56.6	6.3	95	<0.1	62.8	25.1	211	4.74	2.4	0.8	1.0	17.3	16	<0.1	<0.1	<0.1	74	0.36	0.070
CAE442496	Soil	0.7	23.7	7.5	61	<0.1	35.9	14.4	209	3.42	2.9	0.7	6.4	12.2	16	<0.1	0.2	<0.1	66	0.24	0.030
CAE442497	Soil	0.9	33.1	8.3	53	0.1	36.5	13.4	444	2.88	4.7	1.4	5.6	10.4	34	<0.1	0.2	<0.1	54	0.51	0.058
CAE442498	Soil	0.6	28.7	6.5	40	<0.1	133.7	19.2	350	2.26	1.3	2.4	0.8	11.7	1000	<0.1	<0.1	<0.1	37	2.97	1.175
CAE442499	Soil	0.6	31.2	8.8	81	<0.1	55.2	20.1	275	4.00	1.4	0.9	<0.5	12.7	4	<0.1	<0.1	<0.1	67	0.22	0.062
CAE442500	Soil	0.5	32.1	7.4	79	<0.1	57.9	20.6	344	4.14	1.5	0.8	<0.5	12.5	23	<0.1	<0.1	<0.1	67	0.43	0.106
CAE442568	Soil	0.9	14.1	7.0	46	<0.1	16.5	12.8	1065	2.53	5.4	0.2	0.7	1.4	13	<0.1	0.4	0.1	66	0.16	0.033
CAE442569	Soil	0.7	20.2	5.0	35	<0.1	17.1	11.2	188	2.39	6.2	0.4	1.0	2.7	14	<0.1	0.3	<0.1	59	0.16	0.027
CAE442570	Soil	0.7	19.3	3.7	32	<0.1	9.4	10.7	162	2.39	4.5	0.2	2.6	1.6	13	<0.1	0.1	<0.1	62	0.18	0.041
CAE442571	Soil	0.9	23.5	6.3	34	<0.1	19.8	9.0	182	2.63	5.9	0.3	1.4	1.7	15	<0.1	0.2	<0.1	67	0.16	0.035
CAE442572	Soil	0.8	21.3	5.3	36	<0.1	20.5	10.4	241	2.39	4.7	0.3	2.8	1.8	15	<0.1	0.1	<0.1	64	0.25	0.051
CAE442573	Soil	0.8	24.9	5.8	36	<0.1	23.5	8.9	184	2.54	4.8	0.5	4.0	2.1	21	<0.1	0.2	<0.1	69	0.27	0.033
CAE442574	Soil	1.0	18.8	5.7	38	<0.1	21.3	8.4	178	2.54	5.3	0.3	<0.5	1.9	15	<0.1	0.2	<0.1	71	0.19	0.032

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 07, 2012

CERTIFICATE OF ANALYSIS DAW12000077.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
CAE442478	Soil	17	37	0.51	234	0.093	<1	1.55	0.011	0.13	<0.1	0.03	3.6	0.1	<0.05	5	<0.5	<0.2
CAE442479	Soil	61	78	1.09	1132	0.086	1	2.15	0.014	0.08	<0.1	0.06	8.6	0.2	<0.05	8	<0.5	<0.2
CAE442480	Soil	18	45	0.69	364	0.114	<1	1.69	0.013	0.18	0.2	0.02	3.7	0.1	<0.05	5	<0.5	<0.2
CAE442481	Soil	30	62	0.91	354	0.095	<1	1.74	0.010	0.28	<0.1	0.02	5.1	0.2	<0.05	6	<0.5	<0.2
CAE442482	Soil	49	56	0.83	216	0.122	<1	1.97	0.013	0.25	<0.1	0.02	5.5	0.2	<0.05	7	<0.5	<0.2
CAE442483	Soil	10	56	1.04	180	0.119	<1	2.40	0.012	0.58	<0.1	<0.01	4.2	0.5	<0.05	8	<0.5	<0.2
CAE442484	Soil	8	39	0.37	170	0.044	2	1.22	0.008	0.05	0.1	0.01	2.3	<0.1	<0.05	5	<0.5	<0.2
CAE442485	Soil	7	43	0.56	223	0.074	<1	1.43	0.009	0.12	0.1	0.02	2.5	0.1	<0.05	5	<0.5	<0.2
CAE442486	Soil	19	42	0.59	219	0.077	1	1.35	0.008	0.09	0.1	0.02	3.0	0.1	<0.05	5	<0.5	<0.2
CAE442487	Soil	18	44	0.63	235	0.083	1	1.45	0.010	0.12	0.1	0.02	3.2	0.1	<0.05	5	<0.5	<0.2
CAE442488	Soil	25	58	0.85	280	0.117	<1	1.59	0.009	0.23	<0.1	0.02	4.0	0.2	<0.05	6	<0.5	<0.2
CAE442489	Soil	23	51	0.75	234	0.116	<1	1.50	0.008	0.19	<0.1	0.02	3.5	0.2	<0.05	6	<0.5	<0.2
CAE442490	Soil	16	46	0.82	171	0.107	<1	1.59	0.011	0.23	0.1	0.01	3.7	0.2	<0.05	5	<0.5	<0.2
CAE442491	Soil	19	44	0.66	221	0.095	<1	1.41	0.011	0.19	<0.1	0.03	3.4	0.1	<0.05	5	<0.5	<0.2
CAE442492	Soil	15	43	0.94	209	0.133	<1	1.81	0.008	0.56	<0.1	0.02	4.1	0.3	<0.05	7	<0.5	<0.2
CAE442493	Soil	13	29	1.02	227	0.136	<1	1.72	0.010	0.16	<0.1	<0.01	4.1	0.1	<0.05	6	<0.5	<0.2
CAE442494	Soil	18	40	0.73	122	0.121	<1	1.32	0.006	0.44	<0.1	0.01	3.4	0.3	<0.05	5	<0.5	<0.2
CAE442495	Soil	47	104	1.79	197	0.198	<1	2.89	0.012	1.06	<0.1	0.01	6.9	0.7	<0.05	9	<0.5	<0.2
CAE442496	Soil	32	59	1.12	180	0.142	<1	1.99	0.009	0.33	<0.1	<0.01	5.6	0.3	<0.05	8	<0.5	<0.2
CAE442497	Soil	57	48	0.64	302	0.079	2	1.47	0.010	0.28	0.1	0.09	6.3	0.2	<0.05	5	<0.5	<0.2
CAE442498	Soil	69	103	1.53	382	0.042	<1	1.52	0.013	0.43	<0.1	<0.01	2.0	0.2	<0.05	4	<0.5	<0.2
CAE442499	Soil	22	77	1.30	179	0.210	<1	2.26	0.008	1.00	<0.1	<0.01	4.5	0.6	<0.05	8	<0.5	<0.2
CAE442500	Soil	28	77	1.48	268	0.258	<1	2.70	0.014	1.09	<0.1	<0.01	3.9	0.6	<0.05	9	<0.5	<0.2
CAE442568	Soil	6	29	0.40	250	0.061	<1	1.47	0.010	0.04	<0.1	0.02	2.1	0.1	<0.05	5	<0.5	<0.2
CAE442569	Soil	9	30	0.62	164	0.095	<1	1.65	0.012	0.06	<0.1	0.02	2.9	<0.1	<0.05	4	<0.5	<0.2
CAE442570	Soil	4	17	0.65	92	0.136	<1	1.43	0.011	0.06	<0.1	0.01	1.5	<0.1	<0.05	5	<0.5	<0.2
CAE442571	Soil	6	46	0.54	106	0.095	<1	1.49	0.009	0.05	<0.1	0.01	2.4	<0.1	<0.05	6	<0.5	<0.2
CAE442572	Soil	7	49	0.61	133	0.096	<1	1.43	0.011	0.07	<0.1	0.02	2.6	<0.1	<0.05	5	<0.5	<0.2
CAE442573	Soil	12	57	0.63	311	0.120	<1	1.68	0.013	0.07	<0.1	0.02	3.3	<0.1	<0.05	7	<0.5	<0.2
CAE442574	Soil	6	52	0.59	145	0.124	<1	1.48	0.010	0.06	<0.1	0.02	2.5	<0.1	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 07, 2012

CERTIFICATE OF ANALYSIS DAW12000077.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
CAE442575	Soil	0.8	31.2	6.1	36	0.1	19.9	9.5	207	2.12	3.6	0.7	1.7	1.9	21	<0.1	0.2	0.1	54	0.27	0.043
CAE442597	Soil	0.7	26.5	4.6	38	0.1	27.8	9.3	181	2.39	3.2	0.7	0.9	1.5	25	<0.1	0.1	<0.1	57	0.37	0.053
CAE442598	Soil	0.7	30.8	5.1	36	0.2	27.1	9.2	166	2.33	3.1	0.9	1.0	1.2	26	<0.1	0.1	<0.1	52	0.38	0.059
CAE442599	Soil	0.6	25.5	4.7	43	<0.1	13.7	9.6	221	2.51	3.9	0.4	0.7	2.6	19	<0.1	0.2	<0.1	65	0.26	0.039
CAE443051	Soil	0.7	22.0	4.8	36	<0.1	12.2	7.9	158	1.96	2.8	0.3	0.7	1.1	19	<0.1	<0.1	<0.1	58	0.24	0.022
CAE443052	Soil	0.8	25.2	5.7	45	<0.1	14.3	9.3	213	2.61	4.9	0.5	0.6	2.0	20	<0.1	0.1	<0.1	69	0.26	0.036
CAE443053	Soil	0.6	24.2	3.7	34	<0.1	11.0	9.5	223	1.79	2.0	0.6	1.1	2.0	33	<0.1	0.1	<0.1	41	0.47	0.060
CAE443054	Soil	0.6	29.2	3.5	47	0.1	16.2	11.8	267	2.60	2.2	0.5	1.0	2.1	25	<0.1	<0.1	<0.1	61	0.40	0.057
CAE443055	Soil	0.7	18.1	8.2	48	0.1	14.0	10.9	331	2.23	3.2	0.5	3.2	1.7	30	<0.1	0.2	<0.1	59	0.53	0.050
CAE443056	Soil	0.6	21.2	4.6	36	<0.1	14.1	10.2	197	2.34	3.8	0.3	1.3	2.5	20	<0.1	0.2	<0.1	61	0.31	0.059
CAE443057	Soil	0.8	20.1	5.1	34	<0.1	13.4	7.0	131	1.88	4.0	0.4	0.5	1.7	22	<0.1	0.2	<0.1	55	0.33	0.047
CAE443058	Soil	0.8	23.6	4.4	37	<0.1	15.7	11.0	217	2.43	3.8	0.2	1.5	1.9	22	<0.1	0.2	<0.1	69	0.44	0.057
CAE443059	Soil	0.7	30.0	2.2	63	<0.1	6.8	13.5	451	3.67	1.5	0.2	<0.5	3.5	22	<0.1	<0.1	<0.1	69	0.53	0.147
CAE443060	Soil	0.6	22.1	4.8	38	<0.1	12.7	8.6	197	2.27	4.0	0.3	5.4	2.4	24	<0.1	0.1	<0.1	54	0.37	0.076
CAE443061	Soil	0.5	21.0	5.8	44	<0.1	14.8	8.7	205	2.26	4.7	0.6	2.3	3.3	22	<0.1	0.2	<0.1	57	0.36	0.054
CAE443062	Soil	0.7	16.2	6.6	43	<0.1	14.6	8.2	192	2.45	6.0	0.4	3.4	2.8	20	<0.1	0.3	0.1	65	0.29	0.039
CAE443063	Soil	0.7	32.9	5.6	44	0.2	14.7	9.9	229	2.26	3.6	0.8	1.5	1.6	29	0.1	0.1	<0.1	55	0.43	0.059
CAE443064	Soil	0.6	20.9	4.4	40	<0.1	13.1	9.1	201	2.04	3.3	0.5	1.1	1.6	19	0.1	0.2	<0.1	52	0.29	0.046
CAE443065	Soil	0.8	21.8	4.7	42	0.1	13.6	9.7	215	2.20	3.7	0.5	0.9	1.8	20	<0.1	0.2	<0.1	57	0.30	0.052
CAE443066	Soil	0.5	16.9	3.8	34	<0.1	11.0	6.2	127	1.66	3.0	0.4	1.6	1.2	19	<0.1	<0.1	<0.1	40	0.30	0.045
CAE443067	Soil	0.5	22.7	5.6	44	<0.1	13.5	9.2	223	2.23	4.9	0.6	0.7	2.5	21	<0.1	0.2	<0.1	56	0.37	0.061
CAE443068	Soil	1.2	27.8	5.0	31	0.3	15.0	10.2	261	1.75	3.8	1.2	1.6	1.2	38	0.2	0.2	<0.1	29	0.64	0.105
CAE443069	Soil	0.8	19.1	6.5	39	<0.1	13.6	9.1	198	1.99	3.7	0.5	2.5	1.8	27	<0.1	0.2	<0.1	52	0.56	0.049
CAE443070	Soil	0.7	25.3	6.3	39	0.1	17.8	12.0	269	1.99	3.4	0.8	<0.5	2.1	32	0.2	0.2	<0.1	49	0.64	0.057
CAE443071	Soil	0.9	24.5	5.5	50	0.1	19.2	13.2	407	2.30	3.3	0.8	2.3	3.3	32	0.1	0.1	<0.1	54	0.55	0.062
CAE443072	Soil	1.0	28.3	7.2	44	0.1	24.6	13.3	348	1.94	3.2	1.6	3.2	2.3	44	0.2	0.2	<0.1	41	0.96	0.068
CAE443073	Soil	1.2	18.0	3.5	46	<0.1	19.6	9.0	475	1.71	1.6	0.7	1.8	1.9	45	0.2	0.2	<0.1	38	0.94	0.043
CAE443074	Soil	0.3	44.0	5.9	42	0.4	31.2	10.3	263	1.80	1.5	4.3	1.2	1.7	66	0.3	0.2	<0.1	31	1.69	0.070
CAE443075	Soil	0.9	23.5	7.6	58	0.2	28.3	11.7	295	2.82	3.8	0.9	2.2	6.0	20	<0.1	0.1	0.1	56	0.38	0.048
CAE443076	Soil	0.9	21.2	11.6	54	<0.1	26.1	10.8	249	2.99	4.4	0.6	4.9	6.1	19	<0.1	0.1	<0.1	64	0.34	0.049

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 07, 2012

CERTIFICATE OF ANALYSIS DAW12000077.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
CAE442575	Soil	11	44	0.50	308	0.098	<1	1.53	0.013	0.07	<0.1	0.03	3.2	<0.1	<0.05	6	<0.5	<0.2
CAE442597	Soil	12	65	0.68	313	0.108	1	1.46	0.014	0.11	<0.1	0.03	3.3	<0.1	<0.05	6	<0.5	<0.2
CAE442598	Soil	15	63	0.61	351	0.097	1	1.54	0.014	0.10	<0.1	0.06	3.6	<0.1	0.06	6	<0.5	<0.2
CAE442599	Soil	10	31	0.65	196	0.115	<1	1.47	0.013	0.09	<0.1	0.01	3.1	<0.1	<0.05	6	<0.5	<0.2
CAE443051	Soil	7	30	0.59	134	0.110	<1	1.23	0.014	0.04	<0.1	0.02	2.2	<0.1	<0.05	6	<0.5	<0.2
CAE443052	Soil	8	38	0.68	198	0.131	<1	1.54	0.013	0.07	<0.1	0.02	3.3	<0.1	<0.05	7	<0.5	<0.2
CAE443053	Soil	15	23	0.47	332	0.082	2	1.04	0.017	0.11	<0.1	0.06	3.4	<0.1	0.08	4	<0.5	<0.2
CAE443054	Soil	9	42	0.82	259	0.130	1	1.50	0.016	0.19	<0.1	0.07	4.3	<0.1	<0.05	5	<0.5	<0.2
CAE443055	Soil	9	30	0.61	331	0.084	<1	1.40	0.014	0.05	<0.1	0.05	3.5	<0.1	<0.05	5	<0.5	<0.2
CAE443056	Soil	7	29	0.60	166	0.107	<1	1.43	0.013	0.10	0.1	0.01	2.2	<0.1	<0.05	5	<0.5	<0.2
CAE443057	Soil	8	29	0.47	169	0.076	1	1.18	0.014	0.04	<0.1	0.03	2.4	<0.1	<0.05	4	<0.5	<0.2
CAE443058	Soil	6	37	0.76	142	0.097	<1	1.35	0.015	0.05	0.1	<0.01	2.8	<0.1	<0.05	5	<0.5	<0.2
CAE443059	Soil	6	14	0.94	287	0.227	2	1.76	0.014	0.71	<0.1	<0.01	3.0	0.2	<0.05	8	<0.5	<0.2
CAE443060	Soil	7	25	0.55	142	0.105	1	1.39	0.014	0.12	0.1	0.02	2.8	<0.1	<0.05	5	<0.5	<0.2
CAE443061	Soil	12	29	0.54	213	0.088	2	1.43	0.015	0.04	0.1	0.02	3.6	<0.1	<0.05	5	<0.5	<0.2
CAE443062	Soil	9	29	0.53	186	0.093	2	1.54	0.012	0.05	0.2	0.02	3.2	<0.1	<0.05	5	<0.5	<0.2
CAE443063	Soil	13	29	0.59	321	0.082	2	1.44	0.014	0.05	0.2	0.06	3.9	<0.1	<0.05	5	<0.5	<0.2
CAE443064	Soil	9	27	0.52	191	0.084	1	1.18	0.014	0.04	0.1	0.03	2.8	<0.1	<0.05	5	<0.5	<0.2
CAE443065	Soil	9	29	0.54	197	0.091	1	1.25	0.014	0.05	0.1	0.04	3.0	<0.1	<0.05	5	<0.5	<0.2
CAE443066	Soil	8	24	0.44	161	0.077	2	1.00	0.014	0.04	0.1	0.04	2.5	<0.1	<0.05	4	<0.5	<0.2
CAE443067	Soil	11	28	0.54	201	0.093	1	1.28	0.014	0.04	0.1	0.02	3.1	<0.1	<0.05	4	<0.5	<0.2
CAE443068	Soil	20	22	0.33	315	0.038	3	0.92	0.012	0.09	<0.1	0.12	3.6	<0.1	0.13	2	0.5	<0.2
CAE443069	Soil	9	26	0.53	209	0.080	<1	1.25	0.016	0.05	0.1	0.03	2.9	<0.1	<0.05	4	0.6	<0.2
CAE443070	Soil	15	33	0.54	298	0.078	1	1.32	0.015	0.05	0.1	0.05	3.9	<0.1	<0.05	5	<0.5	<0.2
CAE443071	Soil	15	39	0.68	305	0.105	1	1.51	0.016	0.18	0.2	0.04	4.2	0.1	<0.05	5	<0.5	<0.2
CAE443072	Soil	21	38	0.58	357	0.070	2	1.26	0.015	0.13	0.1	0.08	4.9	0.1	0.07	4	<0.5	<0.2
CAE443073	Soil	18	35	0.59	345	0.089	3	1.16	0.015	0.14	<0.1	0.06	3.6	0.1	0.06	5	<0.5	<0.2
CAE443074	Soil	86	29	0.38	659	0.040	2	1.39	0.011	0.09	<0.1	0.09	4.7	<0.1	0.09	4	0.7	<0.2
CAE443075	Soil	21	43	0.66	228	0.110	<1	1.63	0.012	0.19	0.1	0.04	4.5	0.2	<0.05	5	<0.5	<0.2
CAE443076	Soil	14	45	0.72	179	0.124	1	1.65	0.012	0.18	<0.1	0.01	3.8	0.2	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 07, 2012

CERTIFICATE OF ANALYSIS DAW12000077.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
CAE443077	Soil	0.8	18.5	6.6	41	<0.1	17.8	8.8	213	2.36	5.1	0.5	3.3	3.7	18	<0.1	0.2	<0.1	58	0.29	0.044
CAE443078	Soil	1.0	33.2	9.7	42	0.3	24.6	9.1	166	2.44	3.8	1.4	1.9	5.7	30	<0.1	0.2	0.1	51	0.41	0.038
CAE443079	Soil	1.1	25.1	7.6	55	0.1	31.6	12.4	249	3.06	4.0	0.6	1.3	5.8	19	<0.1	0.2	<0.1	67	0.35	0.049
CAE443080	Soil	0.9	23.7	6.8	55	<0.1	28.4	11.2	205	2.93	4.2	0.6	8.3	6.0	18	<0.1	0.2	<0.1	64	0.28	0.045
CAE443101	Soil	0.5	19.3	9.7	75	<0.1	34.3	13.6	498	3.89	3.2	0.7	<0.5	13.0	17	<0.1	0.1	<0.1	58	0.22	0.031
CAE443102	Soil	0.7	25.7	7.5	83	<0.1	32.7	12.4	496	4.46	3.4	1.0	1.6	19.1	17	<0.1	0.1	<0.1	75	0.28	0.040
CAE443103	Soil	0.4	32.7	8.9	91	<0.1	41.5	18.6	508	4.84	2.4	0.9	1.2	19.8	12	<0.1	<0.1	<0.1	63	0.26	0.072
CAE443104	Soil	0.9	22.3	11.6	74	<0.1	31.6	13.3	437	3.79	4.5	0.6	<0.5	10.5	13	<0.1	0.2	<0.1	57	0.17	0.028
CAE443105	Soil	0.6	28.4	10.9	84	<0.1	36.2	14.5	491	4.19	4.2	0.8	0.8	12.6	13	<0.1	0.1	<0.1	61	0.20	0.036
CAE443106	Soil	0.7	39.0	11.0	80	<0.1	32.9	14.5	529	4.04	6.1	0.8	<0.5	15.4	16	<0.1	0.2	<0.1	70	0.19	0.024
CAE443107	Soil	0.6	25.3	7.2	70	<0.1	37.4	17.6	513	4.13	4.8	1.0	<0.5	14.4	19	<0.1	0.2	<0.1	63	0.23	0.040
CAE443108	Soil	0.8	22.7	13.9	61	<0.1	29.6	15.5	465	2.68	3.4	0.5	<0.5	5.2	18	<0.1	0.1	<0.1	54	0.22	0.028
CAE443109	Soil	0.4	33.8	13.0	92	<0.1	42.3	16.6	450	4.16	5.0	1.0	1.5	16.1	14	<0.1	0.2	<0.1	60	0.20	0.049
CAE443110	Soil	0.6	34.8	9.7	75	<0.1	37.0	14.9	390	3.73	5.1	1.1	16.2	19.7	21	<0.1	0.2	<0.1	55	0.30	0.046
CAE443111	Soil	1.0	35.3	8.9	66	<0.1	38.3	14.5	366	3.73	2.1	1.1	1.8	13.9	15	<0.1	0.1	<0.1	60	0.24	0.052
CAE443112	Soil	2.2	63.0	6.6	78	<0.1	74.0	20.6	505	4.24	4.3	1.3	<0.5	12.0	19	<0.1	0.1	<0.1	102	0.30	0.099
CAE443113	Soil	5.2	132.0	13.3	87	0.2	79.0	18.3	697	4.55	3.8	2.0	<0.5	5.8	51	<0.1	0.2	0.1	95	0.38	0.137
CAE443114	Soil	1.6	50.2	7.3	62	<0.1	46.7	15.8	390	3.24	7.1	0.8	1.8	5.4	26	<0.1	0.3	<0.1	93	0.39	0.058
CAE443115	Soil	2.5	57.6	7.2	64	0.4	50.4	15.2	561	3.06	3.9	1.9	3.8	6.5	35	0.3	0.2	0.1	83	0.45	0.074
CAE443116	Soil	2.6	60.0	6.6	63	0.4	50.9	15.7	565	3.18	4.6	1.9	3.6	6.4	36	0.4	0.2	0.1	85	0.45	0.077
CAE443117	Soil	1.2	25.2	6.7	56	<0.1	32.7	13.5	335	3.37	4.3	0.7	1.5	7.0	25	<0.1	0.3	0.1	72	0.28	0.032
CAE443118	Soil	0.8	28.8	7.1	69	<0.1	40.2	16.8	300	3.95	3.1	0.8	<0.5	9.2	21	<0.1	0.2	<0.1	71	0.18	0.032
CAE443119	Soil	0.8	36.1	8.0	64	<0.1	47.0	17.9	215	3.92	4.1	1.2	1.3	17.8	23	<0.1	0.2	<0.1	65	0.25	0.021
CAE443120	Soil	0.7	39.3	5.2	68	<0.1	49.8	15.8	189	4.26	2.3	1.1	3.1	16.0	12	<0.1	0.2	<0.1	56	0.13	0.019
CAE443121	Soil	0.5	37.4	13.6	103	<0.1	49.5	19.8	588	5.72	4.6	1.0	1.2	21.6	16	<0.1	0.2	<0.1	80	0.14	0.030

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 07, 2012

CERTIFICATE OF ANALYSIS DAW12000077.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
CAE443077	Soil	11	32	0.52	149	0.101	1	1.50	0.012	0.06	0.1	0.02	3.3	<0.1	<0.05	5	<0.5	<0.2
CAE443078	Soil	36	38	0.48	303	0.082	2	1.88	0.016	0.07	0.1	0.05	4.8	0.1	<0.05	6	<0.5	<0.2
CAE443079	Soil	16	61	0.78	175	0.135	1	1.88	0.014	0.26	0.1	0.02	4.3	0.2	<0.05	6	<0.5	<0.2
CAE443080	Soil	17	49	0.75	214	0.139	<1	1.84	0.014	0.23	0.1	0.03	4.2	0.2	<0.05	6	<0.5	<0.2
CAE443101	Soil	15	60	0.91	169	0.293	<1	2.06	0.012	0.82	<0.1	<0.01	3.7	0.4	<0.05	7	<0.5	<0.2
CAE443102	Soil	34	71	1.24	212	0.298	<1	2.37	0.015	1.10	<0.1	0.01	6.5	0.6	<0.05	10	<0.5	<0.2
CAE443103	Soil	35	62	1.12	252	0.325	<1	2.41	0.011	1.29	<0.1	0.02	7.7	0.6	<0.05	9	<0.5	<0.2
CAE443104	Soil	15	47	0.92	220	0.252	<1	2.05	0.010	0.74	<0.1	0.02	4.5	0.4	<0.05	7	<0.5	<0.2
CAE443105	Soil	11	52	0.98	231	0.264	<1	2.19	0.009	0.99	<0.1	0.02	5.3	0.5	<0.05	8	<0.5	<0.2
CAE443106	Soil	18	59	0.99	251	0.223	<1	2.23	0.013	0.86	<0.1	0.02	6.7	0.5	<0.05	8	<0.5	<0.2
CAE443107	Soil	17	52	0.96	286	0.257	1	2.30	0.010	0.84	<0.1	0.01	5.4	0.5	<0.05	8	<0.5	<0.2
CAE443108	Soil	9	37	0.68	237	0.101	<1	1.66	0.011	0.17	<0.1	<0.01	2.9	0.2	<0.05	6	<0.5	<0.2
CAE443109	Soil	31	73	1.07	204	0.234	<1	2.43	0.012	0.99	0.3	0.02	8.1	0.6	<0.05	8	<0.5	<0.2
CAE443110	Soil	34	44	0.73	187	0.163	1	1.55	0.017	0.53	<0.1	0.02	6.9	0.4	<0.05	5	<0.5	<0.2
CAE443111	Soil	32	50	0.82	230	0.136	1	1.63	0.010	0.55	<0.1	<0.01	5.8	0.4	<0.05	6	0.6	<0.2
CAE443112	Soil	33	81	1.46	297	0.235	<1	2.49	0.012	1.05	<0.1	<0.01	6.6	0.4	<0.05	10	0.9	<0.2
CAE443113	Soil	18	48	0.69	295	0.082	2	1.50	0.011	0.43	<0.1	0.01	4.9	0.2	0.09	5	1.1	<0.2
CAE443114	Soil	14	53	0.79	254	0.124	1	1.85	0.016	0.24	<0.1	0.02	5.3	0.2	<0.05	6	<0.5	<0.2
CAE443115	Soil	36	59	0.88	505	0.110	2	1.95	0.014	0.32	0.1	0.06	5.9	0.2	<0.05	6	0.7	<0.2
CAE443116	Soil	37	60	0.92	521	0.111	2	2.07	0.016	0.32	0.1	0.06	6.0	0.2	<0.05	7	0.6	<0.2
CAE443117	Soil	19	49	0.88	196	0.157	2	1.93	0.014	0.39	<0.1	0.02	4.2	0.3	<0.05	7	<0.5	<0.2
CAE443118	Soil	19	68	1.27	157	0.223	1	2.39	0.012	0.73	<0.1	0.01	4.8	0.5	<0.05	8	<0.5	<0.2
CAE443119	Soil	42	62	1.23	169	0.176	1	2.36	0.017	0.50	<0.1	0.02	6.8	0.5	<0.05	8	<0.5	<0.2
CAE443120	Soil	41	56	1.30	107	0.143	<1	2.53	0.008	0.66	<0.1	0.01	4.7	0.5	<0.05	9	<0.5	<0.2
CAE443121	Soil	26	85	1.39	228	0.394	<1	3.13	0.012	1.53	<0.1	0.01	9.3	0.9	<0.05	10	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 07, 2012

QUALITY CONTROL REPORT DAW12000077.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Pulp Duplicates																					
CAE442399	Soil	0.8	27.0	5.7	49	<0.1	15.7	9.9	212	3.28	4.3	0.4	0.8	2.4	20	<0.1	0.2	<0.1	70	0.29	0.037
REP CAE442399	QC	0.8	25.6	5.8	49	<0.1	15.7	9.5	208	3.22	4.7	0.4	3.3	2.5	19	0.1	0.3	<0.1	68	0.26	0.038
CAE442483	Soil	0.5	38.0	6.9	84	<0.1	48.6	15.0	124	4.28	3.1	0.7	<0.5	9.6	11	<0.1	<0.1	<0.1	53	0.18	0.026
REP CAE442483	QC	0.6	37.1	7.1	86	<0.1	51.4	15.1	126	4.42	2.9	0.7	<0.5	9.9	11	<0.1	0.1	<0.1	55	0.18	0.028
CAE442494	Soil	1.2	30.4	15.1	57	<0.1	28.1	10.1	411	3.20	3.5	1.0	<0.5	10.1	12	<0.1	0.2	0.1	40	0.08	0.018
REP CAE442494	QC	1.4	30.6	15.2	60	<0.1	27.5	10.4	423	3.23	3.5	1.0	<0.5	10.1	12	<0.1	0.2	0.1	40	0.09	0.018
CAE443058	Soil	0.8	23.6	4.4	37	<0.1	15.7	11.0	217	2.43	3.8	0.2	1.5	1.9	22	<0.1	0.2	<0.1	69	0.44	0.057
REP CAE443058	QC	0.7	22.6	4.2	36	<0.1	15.1	10.6	209	2.32	3.3	0.2	0.6	1.8	21	<0.1	0.1	<0.1	67	0.42	0.055
CAE443069	Soil	0.8	19.1	6.5	39	<0.1	13.6	9.1	198	1.99	3.7	0.5	2.5	1.8	27	<0.1	0.2	<0.1	52	0.56	0.049
REP CAE443069	QC	0.8	19.3	6.2	40	<0.1	13.3	9.0	210	2.00	3.7	0.5	1.4	1.8	27	<0.1	0.1	<0.1	51	0.57	0.050
CAE443114	Soil	1.6	50.2	7.3	62	<0.1	46.7	15.8	390	3.24	7.1	0.8	1.8	5.4	26	<0.1	0.3	<0.1	93	0.39	0.058
REP CAE443114	QC	1.7	49.6	7.5	61	0.1	46.7	15.8	392	3.20	7.5	0.9	2.6	5.5	26	0.1	0.4	0.1	92	0.39	0.059
Reference Materials																					
STD DS9	Standard	14.5	113.7	123.3	310	1.9	44.5	8.2	599	2.45	24.3	2.7	117.7	6.4	73	2.4	5.4	5.9	54	0.77	0.084
STD DS9	Standard	13.9	113.3	124.2	317	2.0	43.4	7.7	592	2.63	25.1	2.7	119.6	6.1	62	2.1	5.7	4.6	43	0.74	0.078
STD DS9	Standard	12.1	105.1	111.0	288	1.8	39.3	7.6	531	2.14	22.6	2.5	104.0	5.3	57	2.0	5.1	6.1	40	0.62	0.075
STD DS9	Standard	13.6	111.7	122.7	305	1.8	41.3	7.5	566	2.28	23.7	2.6	123.5	6.6	65	2.3	5.2	5.7	43	0.71	0.081
STD DS9 Expected		12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40	0.7201	0.0819
BLK	Blank	<0.1	0.2	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 07, 2012

QUALITY CONTROL REPORT DAW12000077.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																		
CAE442399	Soil	10	34	0.66	214	0.131	2	1.79	0.014	0.08	<0.1	0.03	3.8	<0.1	<0.05	7	<0.5	<0.2
REP CAE442399	QC	10	34	0.65	212	0.122	1	1.70	0.014	0.08	0.1	0.02	3.6	<0.1	<0.05	6	<0.5	<0.2
CAE442483	Soil	10	56	1.04	180	0.119	<1	2.40	0.012	0.58	<0.1	<0.01	4.2	0.5	<0.05	8	<0.5	<0.2
REP CAE442483	QC	10	60	1.08	179	0.121	<1	2.42	0.012	0.57	<0.1	0.01	4.1	0.5	<0.05	8	<0.5	<0.2
CAE442494	Soil	18	40	0.73	122	0.121	<1	1.32	0.006	0.44	<0.1	0.01	3.4	0.3	<0.05	5	<0.5	<0.2
REP CAE442494	QC	18	42	0.74	123	0.125	<1	1.39	0.006	0.45	<0.1	<0.01	3.4	0.3	<0.05	5	<0.5	<0.2
CAE443058	Soil	6	37	0.76	142	0.097	<1	1.35	0.015	0.05	0.1	<0.01	2.8	<0.1	<0.05	5	<0.5	<0.2
REP CAE443058	QC	5	36	0.74	136	0.091	<1	1.32	0.014	0.05	0.1	<0.01	2.5	<0.1	<0.05	4	<0.5	<0.2
CAE443069	Soil	9	26	0.53	209	0.080	<1	1.25	0.016	0.05	0.1	0.03	2.9	<0.1	<0.05	4	0.6	<0.2
REP CAE443069	QC	9	27	0.52	211	0.079	<1	1.21	0.016	0.05	0.1	0.03	2.9	<0.1	<0.05	4	<0.5	<0.2
CAE443114	Soil	14	53	0.79	254	0.124	1	1.85	0.016	0.24	<0.1	0.02	5.3	0.2	<0.05	6	<0.5	<0.2
REP CAE443114	QC	14	53	0.81	260	0.124	1	1.83	0.015	0.23	0.2	0.02	5.1	0.2	<0.05	6	<0.5	<0.2
Reference Materials																		
STD DS9	Standard	15	132	0.69	310	0.121	4	1.07	0.111	0.40	2.9	0.21	3.1	5.6	0.09	5	5.5	4.9
STD DS9	Standard	14	126	0.58	304	0.116	3	0.93	0.079	0.36	3.0	0.21	2.5	5.4	0.18	5	5.6	4.8
STD DS9	Standard	10	118	0.56	255	0.095	2	0.81	0.073	0.32	2.8	0.21	1.9	5.2	0.17	4	5.0	4.7
STD DS9	Standard	13	123	0.61	294	0.113	3	0.91	0.077	0.34	3.2	0.22	2.7	5.4	0.15	5	5.7	5.0
STD DS9 Expected		13.3	121	0.6165	295	0.1108		0.9577	0.0853	0.395	2.89	0.2	2.5	5.3	0.1615	4.59	5.2	5.02
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.