Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Submitted By: Jean-Pierre Londero
Receiving Lab: Canada-Dawson City
Received: July 18, 2012
Report Date: August 08, 2012

CERTIFICATE OF ANALYSIS DAW12000151.1

CLIENT JOB INFORMATION

Project: White Gold
Shipment ID: WG02112012
P.O. Number
Number of Samples: 84

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT-SOIL Store Soil Reject - RJSV Charges Apply

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	82	Dry at 60C sieve 100g to -80 mesh			DAW
Dry at 60C	82	Dry at 60C			DAW
RJSV	82	Saving all or part of Soil Reject			DAW
1DX2	82	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Selene Holdings LP
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8
Canada

CC: Keith Fowlow

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 08, 2012

CERTIFICATE OF ANALYSIS DAW12000151.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
CAE443081	Soil	0.7	46.0	6.0	90	<0.1	18.5	25.0	763	5.79	4.0	0.5	1.2	2.0	26	<0.1	0.2	<0.1	137	0.66	0.094
CAE443082	Soil	0.9	23.9	10.6	65	<0.1	16.8	12.8	280	3.13	5.7	0.4	2.6	2.3	21	0.1	0.3	0.1	86	0.32	0.039
CAE443083	Soil	0.9	30.4	8.0	76	0.1	15.2	17.1	476	4.02	4.6	0.6	2.3	3.4	25	0.1	0.4	0.1	100	0.65	0.058
CAE443084	Soil	1.1	47.6	9.0	106	0.3	18.1	16.2	484	3.49	5.4	0.8	2.3	1.8	27	0.2	0.2	0.1	92	0.47	0.060
CAE443085	Soil	1.0	37.0	11.5	73	0.1	15.6	13.5	406	3.40	3.9	0.7	1.2	2.3	28	0.2	0.3	0.1	78	0.62	0.082
CAE443086	Soil	1.0	26.8	7.7	65	<0.1	14.2	12.9	375	3.57	5.1	0.3	0.7	2.1	22	0.1	0.3	0.1	100	0.33	0.043
CAE443087	Soil	0.9	47.8	11.6	131	<0.1	15.1	21.0	691	4.78	4.0	0.4	3.1	1.8	36	0.3	0.2	<0.1	136	0.49	0.122
CAE443088	Soil	1.0	128.3	19.7	702	0.3	14.0	18.0	1130	5.33	2.9	0.6	3.7	2.5	30	0.9	0.2	<0.1	158	0.70	0.083
CAE443089	Soil	0.9	82.4	15.8	366	0.1	13.3	22.5	849	4.45	3.2	0.6	1.1	2.1	38	0.3	0.2	<0.1	135	0.59	0.061
CAE443090	Soil	0.9	80.2	8.1	140	<0.1	25.5	22.7	422	4.04	7.2	0.6	1.3	3.1	26	0.2	0.4	0.1	127	0.37	0.039
CAE443091	Soil	1.1	85.7	6.2	112	0.7	18.8	21.5	1313	2.53	3.5	1.1	3.2	0.7	53	1.5	0.3	<0.1	70	0.64	0.079
CAE443092	Soil	0.9	49.1	7.0	68	0.1	19.8	14.0	481	2.97	6.6	0.4	2.9	2.1	26	0.2	0.4	0.1	77	0.43	0.032
CAE443093	Soil	1.1	30.2	10.6	64	<0.1	25.1	14.9	355	3.07	8.5	0.7	2.4	3.9	26	<0.1	0.5	0.1	77	0.40	0.027
CAE443094	Soil	1.4	21.6	9.4	75	<0.1	22.0	14.0	398	3.48	8.1	0.5	0.5	3.1	27	0.1	0.4	0.1	92	0.30	0.025
CAE443251	Soil	1.4	29.0	9.8	56	0.3	15.0	11.0	346	2.68	4.0	0.5	1.1	1.6	31	0.2	0.4	0.2	70	0.40	0.033
CAE443252	Soil	1.2	82.9	6.9	93	0.1	23.1	24.6	615	4.69	3.4	1.0	2.1	3.6	49	<0.1	0.3	0.1	133	0.57	0.055
CAE443253	Soil	1.5	83.4	9.5	108	<0.1	20.6	25.2	604	5.30	3.0	1.3	2.8	5.3	54	<0.1	0.2	<0.1	154	0.55	0.046
CAE443254	Soil	1.5	48.7	7.1	81	<0.1	18.8	14.6	506	3.73	4.9	0.8	1.2	3.7	39	0.2	0.3	0.1	97	0.52	0.052
CAE443255	Soil	0.6	27.5	11.5	199	<0.1	20.4	23.6	579	5.46	2.2	0.9	1.8	8.2	45	0.2	0.1	<0.1	145	0.84	0.140
CAE443256	Soil	0.8	57.2	9.5	115	0.1	19.0	19.4	470	4.60	4.6	0.6	0.7	3.4	47	0.2	0.5	<0.1	120	0.89	0.090
CAE443257	Soil	0.6	51.7	7.0	122	<0.1	19.3	23.1	447	5.19	3.1	0.7	0.9	5.0	43	0.2	0.3	<0.1	129	0.70	0.084
CAE443258	Soil	0.9	42.5	7.2	95	<0.1	20.6	21.9	704	4.42	6.4	0.6	0.9	3.1	34	0.3	0.6	<0.1	106	0.51	0.050
CAE443259	Soil	1.5	56.7	8.9	81	0.3	18.5	20.4	1063	3.87	4.8	1.1	4.2	2.9	40	0.1	0.6	0.1	94	0.69	0.059
CAE443260	Soil	4.0	87.3	7.9	95	0.2	15.2	30.9	602	5.09	2.3	0.8	2.8	2.7	69	0.3	0.1	0.1	119	1.08	0.083
CAE443261	Soil	0.9	61.0	11.7	80	0.3	25.3	18.8	601	3.76	5.8	0.8	10.9	2.5	28	0.4	0.3	0.1	102	0.60	0.066
CAE443262	Soil	0.7	32.7	7.2	58	0.2	17.7	14.4	434	2.95	4.5	0.5	4.6	2.5	22	<0.1	0.2	0.1	90	0.40	0.042
CAE443263	Soil	0.9	30.7	10.3	63	<0.1	26.2	17.2	405	3.63	7.8	0.5	3.2	2.8	26	<0.1	0.4	0.1	94	0.40	0.045
CAE443264	Soil	0.8	30.9	6.2	62	0.3	14.7	10.1	561	2.30	3.1	0.4	1.1	1.3	31	0.3	0.2	<0.1	70	0.51	0.069
CAE443265	Soil	1.0	39.0	9.2	75	<0.1	22.4	16.3	403	4.07	6.2	0.5	1.4	2.9	26	<0.1	0.3	<0.1	112	0.43	0.053
CAE443266	Soil	0.8	28.5	7.6	69	<0.1	19.9	15.0	367	3.48	6.6	0.5	0.5	2.7	28	0.1	0.3	<0.1	97	0.45	0.044

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 08, 2012

CERTIFICATE OF ANALYSIS DAW12000151.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
CAE443081	Soil	7	27	1.42	265	0.034	<1	2.59	0.013	0.06	<0.1	0.01	14.6	<0.1	<0.05	10	<0.5	<0.2
CAE443082	Soil	8	32	0.74	265	0.082	<1	1.81	0.016	0.04	0.2	0.02	4.8	<0.1	<0.05	6	<0.5	<0.2
CAE443083	Soil	12	28	1.14	789	0.135	<1	1.98	0.015	0.20	0.1	0.02	8.0	<0.1	<0.05	7	<0.5	<0.2
CAE443084	Soil	10	33	0.80	326	0.048	<1	1.80	0.013	0.03	0.1	0.04	7.5	<0.1	<0.05	7	<0.5	<0.2
CAE443085	Soil	10	26	0.69	401	0.041	<1	1.53	0.012	0.08	0.1	0.03	7.4	<0.1	<0.05	5	<0.5	<0.2
CAE443086	Soil	6	29	0.84	135	0.113	<1	1.86	0.013	0.06	0.1	0.02	5.3	<0.1	<0.05	8	<0.5	<0.2
CAE443087	Soil	6	26	1.45	165	0.129	<1	2.52	0.019	0.04	<0.1	0.01	8.1	<0.1	<0.05	11	<0.5	<0.2
CAE443088	Soil	11	24	1.87	278	0.094	<1	2.65	0.016	0.03	<0.1	0.04	11.1	<0.1	<0.05	12	0.6	0.2
CAE443089	Soil	9	27	1.45	241	0.139	<1	2.40	0.019	0.03	<0.1	0.02	8.4	<0.1	<0.05	11	0.6	<0.2
CAE443090	Soil	11	33	1.04	199	0.110	<1	2.18	0.015	0.05	<0.1	0.02	7.3	<0.1	<0.05	8	<0.5	<0.2
CAE443091	Soil	23	21	0.52	285	0.052	1	1.53	0.016	0.04	<0.1	0.09	10.3	<0.1	<0.05	5	0.9	<0.2
CAE443092	Soil	8	34	0.65	276	0.102	1	1.76	0.018	0.09	<0.1	0.02	4.2	<0.1	<0.05	6	<0.5	<0.2
CAE443093	Soil	11	40	0.69	273	0.108	1	1.85	0.015	0.07	0.1	0.03	6.3	<0.1	<0.05	6	<0.5	<0.2
CAE443094	Soil	9	38	0.72	295	0.097	2	2.27	0.013	0.05	<0.1	0.02	5.3	<0.1	<0.05	7	<0.5	<0.2
CAE443251	Soil	7	28	0.68	256	0.074	<1	1.90	0.021	0.05	<0.1	0.03	4.3	<0.1	<0.05	7	<0.5	<0.2
CAE443252	Soil	11	41	1.43	386	0.129	<1	2.62	0.022	0.19	<0.1	0.03	10.9	<0.1	<0.05	9	1.9	<0.2
CAE443253	Soil	14	46	1.89	544	0.210	<1	3.16	0.029	0.64	<0.1	0.01	10.3	0.2	<0.05	10	1.8	<0.2
CAE443254	Soil	10	36	1.20	286	0.113	<1	2.36	0.018	0.07	<0.1	0.03	6.9	<0.1	<0.05	7	1.1	<0.2
CAE443255	Soil	18	40	2.06	2487	0.245	<1	3.20	0.012	0.78	<0.1	0.01	8.4	0.2	<0.05	13	0.7	<0.2
CAE443256	Soil	10	29	1.43	1020	0.192	<1	2.75	0.027	0.23	<0.1	0.03	6.7	<0.1	<0.05	10	0.6	<0.2
CAE443257	Soil	15	30	1.55	1527	0.130	<1	2.90	0.019	0.24	<0.1	0.01	8.5	<0.1	<0.05	11	<0.5	<0.2
CAE443258	Soil	12	34	1.25	1255	0.083	<1	2.55	0.018	0.07	<0.1	0.03	8.8	<0.1	<0.05	8	0.6	<0.2
CAE443259	Soil	13	30	1.10	597	0.085	<1	2.27	0.020	0.12	<0.1	0.04	9.0	0.1	<0.05	7	1.5	<0.2
CAE443260	Soil	8	26	1.58	434	0.094	2	2.69	0.044	0.21	<0.1	0.02	11.7	0.1	0.20	9	2.5	0.3
CAE443261	Soil	12	41	0.95	373	0.068	1	2.11	0.024	0.05	0.1	0.04	9.1	<0.1	<0.05	7	0.8	<0.2
CAE443262	Soil	9	33	0.86	225	0.094	<1	1.81	0.024	0.04	0.1	0.02	5.8	<0.1	<0.05	7	<0.5	<0.2
CAE443263	Soil	10	40	0.95	254	0.113	1	2.35	0.018	0.04	0.1	0.02	5.2	<0.1	<0.05	7	<0.5	<0.2
CAE443264	Soil	8	24	0.68	254	0.100	1	1.44	0.025	0.06	<0.1	0.02	4.2	<0.1	<0.05	6	<0.5	<0.2
CAE443265	Soil	8	39	1.14	172	0.126	1	2.30	0.018	0.05	0.1	0.01	6.1	<0.1	<0.05	9	<0.5	<0.2
CAE443266	Soil	9	37	1.01	207	0.131	1	2.13	0.020	0.03	0.1	0.01	5.3	<0.1	<0.05	8	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 08, 2012

CERTIFICATE OF ANALYSIS DAW12000151.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
CAE443267	Soil	1.0	45.7	10.9	70	0.3	18.6	16.7	594	3.56	5.1	0.8	1.7	2.1	36	0.2	0.3	0.1	103	0.53	0.055
CAE443268	Soil	0.9	30.4	8.2	68	0.1	20.7	15.0	368	3.43	6.1	0.4	3.7	2.4	29	<0.1	0.4	0.1	94	0.44	0.042
CAE443269	Soil	1.4	51.1	11.2	86	0.3	23.2	18.8	613	4.18	6.2	0.9	1.4	2.5	34	0.2	0.4	0.1	115	0.48	0.054
CAE443270	Soil	1.1	52.8	9.3	76	0.2	22.1	19.0	624	3.96	5.6	0.9	3.0	2.6	37	0.2	0.3	0.1	111	0.65	0.057
CAE443271	Soil	0.9	23.0	9.2	61	<0.1	19.0	14.9	332	3.37	6.4	0.5	4.8	2.7	25	<0.1	0.4	0.1	88	0.41	0.045
CAE443272	Soil	0.9	35.7	7.2	62	<0.1	18.3	17.9	432	3.60	5.6	0.7	2.0	2.8	28	<0.1	0.4	0.1	102	0.45	0.045
CAE443273	Soil	0.7	24.4	8.1	59	<0.1	14.3	12.0	319	3.24	5.2	0.4	4.0	1.9	21	<0.1	0.4	0.2	82	0.35	0.050
CAE443274	Soil	0.9	25.9	7.1	63	<0.1	15.4	14.5	471	3.83	5.8	0.4	3.8	2.2	23	<0.1	0.3	0.1	99	0.33	0.046
CAE443275	Soil	0.7	26.3	8.4	57	<0.1	14.4	12.7	341	3.15	5.2	0.4	2.2	2.0	21	0.1	0.4	<0.1	81	0.31	0.038
CAE443276	Soil	0.5	44.1	18.3	89	<0.1	15.7	21.5	725	5.54	3.5	0.4	2.7	2.0	27	0.1	0.3	<0.1	119	0.63	0.105
CAE443305	Soil	0.9	25.8	12.3	63	0.1	18.3	15.1	696	2.94	6.0	0.7	6.8	2.4	29	0.2	0.4	0.1	71	0.43	0.052
CAE443306	Soil	0.9	31.8	7.7	66	0.2	18.8	12.1	486	2.80	5.0	0.7	4.7	1.5	36	0.2	0.3	0.2	65	0.64	0.076
CAE443307	Soil	0.8	42.6	7.8	66	0.3	20.3	11.2	681	2.63	5.3	1.1	10.4	1.3	50	0.3	0.4	0.1	61	1.37	0.073
CAE443308	Soil	0.9	27.2	7.8	65	<0.1	20.5	12.8	575	3.06	6.6	0.8	9.9	3.3	30	0.1	0.4	<0.1	69	0.50	0.066
CAE443309	Soil	1.0	28.1	11.6	76	<0.1	18.2	13.0	540	3.67	7.4	0.4	5.3	3.0	19	0.2	0.3	<0.1	92	0.27	0.050
CAE443310	Soil	0.7	25.2	9.8	64	<0.1	19.4	11.8	389	3.18	7.6	0.6	10.6	4.1	26	<0.1	0.4	<0.1	70	0.37	0.046
CAE443311	Soil	0.9	70.6	18.1	194	<0.1	16.4	19.0	715	4.54	5.8	0.5	1.4	3.1	28	0.3	0.3	<0.1	105	0.45	0.052
CAE443312	Soil	0.9	41.6	10.8	101	<0.1	13.6	13.0	636	4.18	5.9	0.8	3.9	4.3	26	0.1	0.3	<0.1	69	0.43	0.051
CAE443313	Soil	0.9	51.6	15.2	70	0.2	20.6	16.4	885	3.33	6.1	0.8	2.5	2.9	34	0.2	0.4	<0.1	82	0.54	0.064
CAE443314	Soil	0.8	39.4	10.4	69	<0.1	20.7	13.6	446	3.35	8.1	0.7	2.8	3.6	29	0.2	0.4	<0.1	77	0.51	0.036
CAE443315	Soil	1.3	82.0	9.0	100	<0.1	15.7	23.6	663	4.91	3.9	0.4	1.7	1.5	39	0.2	0.2	<0.1	112	0.72	0.088
CAE443316	Soil	0.9	42.4	9.5	68	<0.1	21.0	11.9	359	3.41	8.6	1.1	3.2	5.1	26	<0.1	0.5	<0.1	72	0.32	0.020
CAE443317	Soil	1.2	60.9	12.4	116	<0.1	20.5	25.4	801	5.08	6.1	0.4	0.9	1.9	36	0.1	0.3	<0.1	122	0.82	0.075
CAE443318	Soil	0.8	53.1	9.6	67	0.1	21.6	14.2	299	3.45	8.1	0.4	2.3	2.7	24	0.1	0.5	<0.1	78	0.32	0.031
CAE443319	Soil	0.7	52.1	8.6	67	<0.1	21.7	17.6	379	3.70	7.2	0.5	1.2	2.2	29	<0.1	0.4	<0.1	88	0.46	0.032
CAE443320	Soil	0.8	14.3	8.6	63	<0.1	15.5	17.0	487	4.92	8.0	0.6	<0.5	2.8	25	<0.1	0.4	<0.1	109	0.33	0.030
CAE443321	Soil	1.9	70.5	17.8	123	0.2	14.6	14.8	688	4.10	7.0	0.8	1.2	2.2	31	0.1	0.3	<0.1	103	0.47	0.028
CAE443322	Soil	0.5	17.5	7.2	97	<0.1	15.7	14.0	404	3.92	6.9	0.4	2.7	3.0	16	<0.1	0.3	<0.1	97	0.13	0.029
CAE443323	Soil	0.8	23.9	8.7	61	<0.1	8.5	11.7	562	4.01	4.7	0.4	1.1	3.6	13	<0.1	0.3	<0.1	83	0.19	0.040
CAE443324	Soil	1.0	19.9	7.2	77	0.1	13.6	13.7	646	4.29	4.6	0.5	2.0	3.2	13	0.2	0.4	<0.1	97	0.18	0.050

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 08, 2012

CERTIFICATE OF ANALYSIS DAW12000151.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
CAE443267	Soil	10	34	0.93	282	0.107	1	2.27	0.022	0.05	0.1	0.03	6.3	<0.1	<0.05	8	<0.5	<0.2
CAE443268	Soil	8	35	0.98	224	0.113	1	2.14	0.018	0.04	0.1	0.02	5.1	<0.1	<0.05	7	<0.5	<0.2
CAE443269	Soil	10	45	1.09	290	0.109	1	2.60	0.018	0.05	0.1	0.03	7.0	<0.1	<0.05	9	<0.5	<0.2
CAE443270	Soil	12	41	1.14	369	0.104	<1	2.59	0.021	0.04	<0.1	0.02	8.7	<0.1	<0.05	8	<0.5	<0.2
CAE443271	Soil	8	36	0.82	225	0.103	1	2.16	0.020	0.04	<0.1	0.03	4.8	<0.1	<0.05	7	<0.5	<0.2
CAE443272	Soil	11	34	0.93	259	0.114	<1	2.23	0.022	0.03	<0.1	0.02	6.6	<0.1	<0.05	7	<0.5	<0.2
CAE443273	Soil	6	25	0.85	163	0.086	2	1.84	0.016	0.03	<0.1	0.01	4.5	<0.1	<0.05	7	<0.5	<0.2
CAE443274	Soil	7	27	0.92	211	0.069	1	2.20	0.013	0.04	0.1	0.03	6.5	<0.1	<0.05	8	<0.5	<0.2
CAE443275	Soil	7	25	0.80	181	0.055	2	1.80	0.014	0.04	<0.1	0.01	5.7	<0.1	<0.05	6	<0.5	<0.2
CAE443276	Soil	7	23	1.38	263	0.027	<1	2.43	0.011	0.06	<0.1	0.01	14.4	<0.1	<0.05	9	<0.5	<0.2
CAE443305	Soil	11	32	0.72	292	0.067	2	1.66	0.017	0.05	0.1	0.02	5.2	<0.1	<0.05	6	<0.5	<0.2
CAE443306	Soil	10	37	0.70	329	0.057	2	1.71	0.018	0.04	<0.1	0.03	6.4	0.1	<0.05	6	<0.5	<0.2
CAE443307	Soil	27	30	0.56	584	0.033	3	1.93	0.014	0.05	0.1	0.07	7.4	<0.1	<0.05	5	<0.5	<0.2
CAE443308	Soil	14	35	0.78	358	0.058	1	1.75	0.016	0.04	0.1	0.03	6.7	<0.1	<0.05	6	<0.5	<0.2
CAE443309	Soil	8	29	1.16	193	0.068	2	2.16	0.012	0.04	0.1	0.02	5.6	<0.1	<0.05	9	<0.5	<0.2
CAE443310	Soil	11	32	0.82	285	0.067	2	1.97	0.013	0.04	0.1	0.02	4.8	<0.1	<0.05	7	0.6	<0.2
CAE443311	Soil	9	23	1.34	269	0.085	<1	2.32	0.017	0.04	<0.1	0.02	8.4	<0.1	<0.05	9	<0.5	<0.2
CAE443312	Soil	14	22	0.88	416	0.075	1	1.93	0.016	0.08	<0.1	0.02	8.8	<0.1	<0.05	8	<0.5	<0.2
CAE443313	Soil	14	32	0.74	399	0.067	1	1.80	0.023	0.04	0.1	0.03	7.9	<0.1	<0.05	6	<0.5	<0.2
CAE443314	Soil	11	36	0.75	322	0.069	1	2.01	0.018	0.04	0.1	0.03	6.8	<0.1	<0.05	7	<0.5	<0.2
CAE443315	Soil	5	22	1.13	395	0.134	2	2.13	0.028	0.07	<0.1	<0.01	7.5	<0.1	<0.05	9	<0.5	<0.2
CAE443316	Soil	22	39	0.65	447	0.069	1	1.90	0.015	0.04	0.1	0.03	9.2	<0.1	<0.05	6	<0.5	<0.2
CAE443317	Soil	6	37	1.56	322	0.097	1	2.49	0.047	0.06	<0.1	0.01	10.4	<0.1	<0.05	10	<0.5	<0.2
CAE443318	Soil	7	37	0.80	230	0.074	1	2.23	0.019	0.04	0.1	0.02	5.7	<0.1	<0.05	7	<0.5	<0.2
CAE443319	Soil	8	48	1.12	167	0.062	1	2.15	0.021	0.04	<0.1	0.02	8.4	<0.1	<0.05	7	<0.5	<0.2
CAE443320	Soil	5	32	1.64	174	0.010	2	2.89	0.007	0.06	<0.1	0.02	9.3	<0.1	<0.05	11	<0.5	<0.2
CAE443321	Soil	11	28	1.36	322	0.157	<1	2.34	0.012	0.04	<0.1	0.02	8.4	<0.1	<0.05	9	0.6	<0.2
CAE443322	Soil	5	29	1.53	408	0.245	1	2.55	0.010	0.59	<0.1	<0.01	5.4	0.2	<0.05	10	<0.5	<0.2
CAE443323	Soil	5	16	1.46	440	0.189	<1	2.36	0.007	0.73	<0.1	<0.01	8.1	0.1	<0.05	9	<0.5	<0.2
CAE443324	Soil	8	24	1.42	544	0.133	1	2.21	0.010	0.48	<0.1	<0.01	8.3	<0.1	<0.05	9	0.7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 08, 2012

CERTIFICATE OF ANALYSIS DAW12000151.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
CAE443325	Soil	0.6	20.4	7.3	53	<0.1	21.4	13.4	378	3.39	6.4	0.4	2.1	2.6	20	<0.1	0.4	<0.1	85	0.27	0.030
CAE443326	Soil	0.4	18.0	5.8	54	<0.1	19.4	14.2	402	3.41	5.9	0.4	9.2	2.4	20	<0.1	0.3	<0.1	91	0.27	0.033
CAE443327	Soil	1.3	36.4	8.7	84	0.1	15.2	12.9	446	3.89	5.8	0.6	3.7	2.4	19	0.1	0.4	<0.1	99	0.24	0.037
CAE443328	Soil	2.1	72.0	9.5	156	0.1	15.8	18.5	974	5.59	2.4	0.7	0.9	1.5	29	0.1	0.2	<0.1	141	0.18	0.049
CAE443329	Soil	0.8	40.6	7.8	53	<0.1	18.0	13.3	444	3.18	4.7	0.5	1.6	3.6	22	<0.1	0.4	<0.1	73	0.32	0.041
CAE443330	Soil	0.8	30.1	8.1	55	<0.1	19.1	13.4	402	3.24	6.3	0.7	1.7	4.0	27	<0.1	0.3	<0.1	68	0.41	0.032
CAE443331	Soil	0.5	36.1	7.3	65	0.1	17.3	13.6	634	3.55	5.0	0.8	3.7	2.8	36	0.1	0.3	<0.1	80	0.81	0.061
CAE443332	Soil	1.0	44.2	11.1	108	0.3	13.7	11.8	755	3.22	4.7	0.6	1.1	1.6	34	0.3	0.3	<0.1	83	0.63	0.042
CAE443333	Soil	1.0	42.7	10.0	69	0.4	15.4	10.9	529	2.83	5.6	0.7	2.2	1.8	30	0.1	0.3	<0.1	77	0.49	0.028
CAE443334	Soil	0.8	42.0	7.3	103	<0.1	15.8	15.2	619	4.79	3.5	0.8	<0.5	3.9	26	0.1	0.4	<0.1	111	0.37	0.061
CAE443335	Soil	1.0	28.1	10.9	60	0.1	18.2	10.6	404	2.84	7.5	0.6	2.3	2.8	24	<0.1	0.5	<0.1	68	0.36	0.030
CAE443336	Soil	0.7	100.8	8.5	245	<0.1	11.9	13.6	709	5.42	4.5	0.5	8.5	2.6	22	<0.1	0.3	<0.1	122	0.47	0.066
CAE443337	Soil	1.8	64.8	10.9	147	0.2	23.2	21.3	629	4.25	5.8	0.7	2.8	2.1	29	0.2	0.3	0.1	120	0.53	0.035
CAE443338	Soil	1.3	83.3	8.9	170	0.1	20.4	15.0	529	4.74	4.4	0.6	1.6	2.0	32	0.1	0.2	<0.1	135	0.51	0.039
CAE443339	Soil	0.8	37.2	6.6	64	0.2	19.0	13.0	565	2.80	3.7	0.9	2.3	1.1	48	0.2	0.3	<0.1	64	1.28	0.082
CAE443340	Soil	1.0	47.2	7.1	99	0.1	19.6	16.8	676	3.70	3.2	1.5	4.0	2.1	91	0.2	0.3	<0.1	81	1.34	0.078
CAE443341	Soil	1.2	77.7	8.9	134	<0.1	18.8	20.4	510	4.74	4.1	0.7	2.1	2.3	27	0.2	0.2	<0.1	140	0.55	0.070
CAE443342	Soil	1.6	64.3	10.3	142	<0.1	20.1	17.7	555	4.43	6.2	0.5	2.6	2.0	24	0.2	0.3	<0.1	112	0.34	0.046
CAE443343	Soil	1.0	38.8	8.6	77	0.1	20.0	17.5	606	3.74	4.9	0.7	2.3	2.4	39	0.1	0.3	<0.1	95	0.66	0.068
CAE443344	Soil	1.9	64.3	8.4	113	0.2	19.9	16.6	375	5.08	4.5	1.0	2.0	2.6	47	0.1	0.2	<0.1	125	0.52	0.048
CAE443345	Soil	1.2	52.9	6.1	113	0.1	24.3	18.9	447	4.14	4.2	0.6	3.1	2.5	28	0.1	0.2	<0.1	111	0.60	0.066
CAE443346	Soil	0.9	69.8	6.1	122	<0.1	19.3	22.5	509	5.27	2.5	0.8	2.3	4.5	49	0.1	0.1	<0.1	146	0.83	0.101

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 08, 2012

CERTIFICATE OF ANALYSIS DAW12000151.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
CAE443325	Soil	8	33	1.15	415	0.162	2	2.13	0.014	0.37	<0.1	0.01	4.7	0.1	<0.05	6	<0.5	<0.2
CAE443326	Soil	8	32	1.30	457	0.173	<1	2.18	0.014	0.47	0.1	<0.01	4.6	0.1	<0.05	7	<0.5	<0.2
CAE443327	Soil	7	29	1.20	460	0.166	1	2.29	0.015	0.36	<0.1	0.02	5.7	<0.1	<0.05	9	<0.5	<0.2
CAE443328	Soil	6	25	2.30	1024	0.253	1	3.22	0.016	1.36	<0.1	0.01	8.5	0.4	0.05	10	0.9	<0.2
CAE443329	Soil	8	28	1.19	234	0.147	1	2.02	0.013	0.39	0.1	0.01	3.6	0.2	<0.05	7	<0.5	<0.2
CAE443330	Soil	14	30	0.93	360	0.095	1	2.08	0.014	0.08	0.1	0.02	5.1	<0.1	<0.05	7	<0.5	<0.2
CAE443331	Soil	15	28	1.12	367	0.035	2	2.09	0.015	0.04	<0.1	0.03	9.1	<0.1	<0.05	8	<0.5	<0.2
CAE443332	Soil	10	25	0.88	253	0.083	1	1.86	0.017	0.07	<0.1	0.04	6.4	<0.1	<0.05	7	<0.5	<0.2
CAE443333	Soil	12	28	0.70	168	0.087	<1	1.61	0.021	0.05	0.1	0.03	6.2	<0.1	<0.05	7	<0.5	<0.2
CAE443334	Soil	11	29	1.73	290	0.094	<1	2.32	0.012	0.11	<0.1	0.01	10.0	<0.1	<0.05	10	0.5	<0.2
CAE443335	Soil	10	32	0.67	223	0.068	1	1.71	0.015	0.05	0.1	0.02	5.3	<0.1	<0.05	6	<0.5	<0.2
CAE443336	Soil	9	24	2.05	246	0.112	1	2.79	0.009	0.09	<0.1	0.01	14.6	<0.1	<0.05	12	<0.5	<0.2
CAE443337	Soil	8	41	1.20	238	0.133	<1	2.33	0.025	0.11	<0.1	0.02	7.6	<0.1	<0.05	9	<0.5	<0.2
CAE443338	Soil	8	40	1.44	241	0.156	<1	2.42	0.028	0.14	<0.1	0.02	8.5	0.1	0.07	9	0.5	<0.2
CAE443339	Soil	14	29	0.81	317	0.061	2	1.55	0.018	0.06	0.1	0.07	6.1	<0.1	0.08	5	0.6	<0.2
CAE443340	Soil	13	32	1.20	225	0.082	3	1.92	0.021	0.07	<0.1	0.05	8.3	<0.1	0.08	7	0.8	<0.2
CAE443341	Soil	9	30	1.34	294	0.161	<1	2.26	0.022	0.09	<0.1	0.02	9.7	<0.1	<0.05	9	1.0	<0.2
CAE443342	Soil	8	40	1.21	220	0.128	<1	2.37	0.014	0.12	<0.1	0.02	7.2	<0.1	<0.05	9	0.5	<0.2
CAE443343	Soil	9	35	1.09	285	0.134	<1	2.05	0.022	0.07	<0.1	0.03	6.5	<0.1	<0.05	8	0.6	<0.2
CAE443344	Soil	8	46	1.55	157	0.155	<1	2.56	0.024	0.08	<0.1	0.02	9.6	<0.1	<0.05	10	1.3	0.4
CAE443345	Soil	9	54	1.41	251	0.126	<1	2.24	0.019	0.05	0.1	0.02	8.8	<0.1	<0.05	9	<0.5	<0.2
CAE443346	Soil	14	32	1.69	519	0.252	<1	2.65	0.031	0.27	<0.1	0.01	12.4	<0.1	<0.05	12	0.6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 08, 2012

QUALITY CONTROL REPORT DAW12000151.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Pulp Duplicates																					
CAE443256	Soil	0.8	57.2	9.5	115	0.1	19.0	19.4	470	4.60	4.6	0.6	0.7	3.4	47	0.2	0.5	<0.1	120	0.89	0.090
REP CAE443256	QC	1.0	54.7	9.8	113	0.2	18.8	21.4	473	4.63	4.3	0.6	<0.5	3.4	45	0.2	0.4	<0.1	117	0.74	0.089
CAE443272	Soil	0.9	35.7	7.2	62	<0.1	18.3	17.9	432	3.60	5.6	0.7	2.0	2.8	28	<0.1	0.4	0.1	102	0.45	0.045
REP CAE443272	QC	0.8	35.8	7.2	63	<0.1	18.2	17.9	430	3.61	5.6	0.7	1.6	2.8	27	<0.1	0.3	0.1	100	0.43	0.047
CAE443320	Soil	0.8	14.3	8.6	63	<0.1	15.5	17.0	487	4.92	8.0	0.6	<0.5	2.8	25	<0.1	0.4	<0.1	109	0.33	0.030
REP CAE443320	QC	0.8	14.1	8.7	62	<0.1	15.1	17.0	488	4.94	8.0	0.6	0.7	2.9	25	<0.1	0.4	<0.1	107	0.34	0.028
CAE443336	Soil	0.7	100.8	8.5	245	<0.1	11.9	13.6	709	5.42	4.5	0.5	8.5	2.6	22	<0.1	0.3	<0.1	122	0.47	0.066
REP CAE443336	QC	0.7	97.9	8.7	241	<0.1	12.1	13.6	703	5.34	4.4	0.5	1.6	2.5	22	0.1	0.3	<0.1	121	0.47	0.065
CAE443341	Soil	1.2	77.7	8.9	134	<0.1	18.8	20.4	510	4.74	4.1	0.7	2.1	2.3	27	0.2	0.2	<0.1	140	0.55	0.070
REP CAE443341	QC	1.2	77.1	9.2	132	<0.1	18.6	21.0	524	4.98	4.0	0.7	3.1	2.3	28	0.1	0.2	<0.1	140	0.55	0.071
Reference Materials																					
STD DS9	Standard	14.1	109.3	121.0	307	1.9	42.1	7.8	573	2.37	24.6	2.7	111.4	6.2	68	2.2	5.5	6.3	42	0.71	0.083
STD DS9	Standard	12.7	109.5	118.7	307	1.8	38.3	7.7	568	2.29	26.1	2.7	129.0	6.2	72	2.6	5.9	6.4	40	0.68	0.086
STD DS9	Standard	13.4	111.5	121.9	306	1.8	41.0	7.8	578	2.30	25.0	2.9	112.1	6.7	69	2.3	5.5	6.8	43	0.80	0.081
STD DS9 Expected		12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40	0.7201	0.0819
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 08, 2012

QUALITY CONTROL REPORT DAW12000151.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																		
CAE443256	Soil	10	29	1.43	1020	0.192	<1	2.75	0.027	0.23	<0.1	0.03	6.7	<0.1	<0.05	10	0.6	<0.2
REP CAE443256	QC	10	29	1.41	921	0.162	<1	2.76	0.026	0.23	<0.1	0.02	6.6	<0.1	<0.05	10	<0.5	<0.2
CAE443272	Soil	11	34	0.93	259	0.114	<1	2.23	0.022	0.03	<0.1	0.02	6.6	<0.1	<0.05	7	<0.5	<0.2
REP CAE443272	QC	11	32	0.93	251	0.112	<1	2.23	0.022	0.03	0.1	0.02	6.4	<0.1	<0.05	8	0.6	<0.2
CAE443320	Soil	5	32	1.64	174	0.010	2	2.89	0.007	0.06	<0.1	0.02	9.3	<0.1	<0.05	11	<0.5	<0.2
REP CAE443320	QC	5	31	1.64	174	0.010	2	2.95	0.007	0.06	<0.1	0.01	9.6	<0.1	<0.05	11	<0.5	<0.2
CAE443336	Soil	9	24	2.05	246	0.112	1	2.79	0.009	0.09	<0.1	0.01	14.6	<0.1	<0.05	12	<0.5	<0.2
REP CAE443336	QC	9	24	2.05	250	0.113	<1	2.81	0.009	0.09	<0.1	0.01	14.3	<0.1	<0.05	12	1.0	<0.2
CAE443341	Soil	9	30	1.34	294	0.161	<1	2.26	0.022	0.09	<0.1	0.02	9.7	<0.1	<0.05	9	1.0	<0.2
REP CAE443341	QC	9	30	1.39	297	0.164	<1	2.25	0.022	0.10	<0.1	0.02	9.9	<0.1	<0.05	9	0.9	<0.2
Reference Materials																		
STD DS9	Standard	13	128	0.63	293	0.120	3	0.94	0.085	0.36	3.2	0.21	2.3	5.5	0.19	5	5.8	5.1
STD DS9	Standard	12	115	0.60	299	0.108	3	0.88	0.085	0.36	3.0	0.22	2.4	5.6	0.15	5	5.1	5.0
STD DS9	Standard	13	126	0.62	298	0.118	2	0.91	0.077	0.35	3.1	0.21	2.4	5.4	0.17	4	6.0	4.9
STD DS9 Expected		13.3	121	0.6165	295	0.1108		0.9577	0.0853	0.395	2.89	0.2	2.5	5.3	0.1615	4.59	5.2	5.02
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.