Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Submitted By: Jean-Pierre Londero
Receiving Lab: Canada-Dawson City
Received: June 14, 2012
Report Date: June 26, 2012

CERTIFICATE OF ANALYSIS DAW12000020.1

CLIENT JOB INFORMATION

Project: White Gold
Shipment ID: WG01832012
P.O. Number
Number of Samples: 167

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT-SOIL Store Soil Reject - RJSV Charges Apply

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	166	Dry at 60C sieve 100g to -80 mesh			DAW
Dry at 60C	166	Dry at 60C			DAW
RJSV	166	Saving all or part of Soil Reject			DAW
1DX2	163	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Selene Holdings LP
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8
Canada

CC: Keith Fowlow

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: June 26, 2012

CERTIFICATE OF ANALYSIS DAW12000020.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
CAE103901	Soil	0.4	19.2	54.1	37	0.2	34.1	4.6	620	0.89	1.1	0.4	0.8	3.3	26	0.3	0.1	0.3	17	0.94	0.104
CAE103902	Soil	0.8	36.5	13.2	60	0.2	35.8	12.5	591	3.03	8.3	0.8	2.6	7.4	41	<0.1	0.4	0.2	52	0.79	0.043
CAE103903	Soil	0.8	32.5	13.9	54	0.1	34.6	11.6	509	2.91	4.7	1.0	13.4	6.7	37	<0.1	0.3	0.3	51	0.74	0.062
CAE103904	Soil	1.4	38.4	22.4	80	0.2	40.6	9.7	468	2.62	3.2	0.9	2.1	7.9	32	<0.1	0.4	0.2	58	1.60	0.072
CAE103905	Soil	1.3	30.6	35.9	68	<0.1	37.2	8.0	432	2.12	6.4	0.7	0.6	6.8	16	<0.1	0.2	0.3	62	0.37	0.029
CAE103906	Soil	2.2	39.9	16.3	140	0.1	57.7	13.5	531	3.72	10.1	1.1	2.5	9.1	32	0.1	0.3	0.2	78	0.89	0.123
CAE103907	Soil	0.9	35.4	38.6	78	0.1	38.3	7.5	378	2.13	1.7	0.6	1.4	8.7	15	<0.1	0.4	0.2	47	0.46	0.088
CAE103908	Soil	3.1	67.5	19.5	161	0.1	65.6	15.5	443	4.91	4.9	2.2	4.1	17.0	25	0.1	0.2	0.2	91	0.44	0.112
CAE103909	Soil	2.9	57.5	11.9	126	0.2	47.2	13.8	510	4.38	5.8	2.2	18.3	14.1	42	0.1	0.3	0.2	63	0.44	0.076
CAE103910	Soil	2.1	49.1	15.0	103	0.1	51.1	13.9	469	3.87	12.7	1.4	3.9	10.4	28	<0.1	0.5	0.2	74	0.43	0.059
CAE103911	Soil	6.4	33.4	13.8	70	0.1	35.6	11.6	371	3.34	9.2	1.5	5.8	10.7	26	<0.1	0.4	0.2	65	0.45	0.062
CAE103912	Soil	3.1	43.3	11.5	97	0.2	40.7	12.0	474	3.08	45.4	0.9	6.4	6.5	38	0.3	0.8	0.2	55	0.74	0.078
CAE103913	Soil	0.8	37.0	10.2	61	0.1	34.5	11.5	354	2.92	6.4	1.0	2.6	5.7	43	<0.1	0.4	0.1	55	0.89	0.073
CAE103914	Soil	4.0	70.7	13.5	101	0.5	64.0	15.9	1203	3.82	95.2	1.0	0.8	7.0	27	0.1	2.1	0.2	80	0.50	0.034
CAE103915	Soil	2.3	72.0	9.4	103	0.1	48.0	12.9	562	3.42	22.2	1.1	<0.5	5.5	28	<0.1	0.2	0.1	92	0.50	0.060
CAE103916	Soil	0.8	31.7	9.4	56	0.1	35.0	10.8	429	2.60	6.1	1.6	3.4	3.9	56	0.2	0.3	0.1	47	1.67	0.087
CAE103917	Soil	1.1	51.5	8.9	68	0.3	42.8	13.3	495	3.10	14.2	0.7	1.8	4.0	28	<0.1	0.4	0.1	84	0.46	0.031
CAE103918	Soil	1.3	43.2	10.1	84	0.3	46.2	15.2	655	2.83	6.3	0.7	<0.5	3.5	29	<0.1	0.3	0.1	80	0.49	0.041
CAE103919	Soil	2.1	56.2	8.8	94	0.2	54.4	11.3	486	2.33	7.8	0.6	<0.5	3.5	26	0.1	0.3	0.1	86	0.38	0.037
CAE103920	Soil	2.2	60.8	10.4	104	0.1	64.4	10.7	613	2.05	16.9	0.6	<0.5	3.3	23	0.1	0.3	0.1	88	0.40	0.057
CAE103921	Soil	2.3	60.1	10.6	105	0.1	65.7	11.3	642	2.12	17.4	0.6	<0.5	3.3	25	0.1	0.3	0.1	94	0.43	0.058
CAE103922	Soil	3.1	61.7	14.0	102	0.3	89.3	17.1	762	3.06	7.4	0.9	<0.5	3.4	30	0.2	0.3	0.2	102	0.62	0.080
CAE103923	Soil	1.4	58.9	9.5	84	0.3	106.4	12.7	545	3.10	4.6	1.1	1.5	5.6	36	<0.1	0.2	0.1	86	0.62	0.053
CAE103924	Soil	1.1	51.1	9.7	66	0.2	64.3	15.2	441	3.26	12.5	1.2	1.9	4.2	50	0.1	0.5	0.1	73	1.24	0.082
CAE103925	Soil	1.3	60.8	10.0	81	0.3	83.5	13.7	380	3.17	12.3	1.4	2.8	5.2	38	0.2	0.7	0.2	69	0.88	0.045
CAE103926	Soil	9.8	88.7	33.8	327	0.2	92.7	15.2	495	4.28	54.6	2.4	15.7	12.5	50	1.7	1.4	0.3	88	0.51	0.167
CAE103927	Soil	1.6	27.1	9.9	59	0.1	41.1	12.3	387	2.82	11.8	0.7	2.9	4.5	32	<0.1	0.6	0.1	65	0.51	0.047
CAE103928	Soil	0.8	41.7	8.0	64	0.2	87.6	14.1	445	2.76	10.0	0.5	2.0	3.4	33	0.2	0.5	0.1	67	0.65	0.040
CAE103929	Soil	1.8	56.1	12.6	96	0.2	86.4	14.9	423	3.13	13.5	1.0	3.3	5.9	27	0.2	0.4	0.1	74	0.58	0.070
CAE103930	Soil	5.6	70.5	21.0	161	<0.1	83.9	16.0	450	4.33	22.7	1.8	4.3	13.4	18	0.3	0.7	0.2	80	0.43	0.105

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: June 26, 2012

CERTIFICATE OF ANALYSIS DAW12000020.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
CAE103901	Soil	24	13	0.81	413	0.026	2	0.63	0.005	0.03	0.1	0.02	2.1	<0.1	<0.05	3	<0.5	<0.2
CAE103902	Soil	49	39	0.73	271	0.094	3	1.60	0.019	0.22	<0.1	0.03	4.4	0.2	<0.05	6	<0.5	<0.2
CAE103903	Soil	39	41	0.69	263	0.107	2	1.51	0.020	0.31	0.1	0.03	3.9	0.3	<0.05	5	<0.5	<0.2
CAE103904	Soil	28	39	0.84	444	0.093	<1	1.32	0.011	0.32	<0.1	0.01	4.3	0.3	<0.05	5	<0.5	<0.2
CAE103905	Soil	14	34	0.88	337	0.065	2	1.20	0.008	0.17	<0.1	0.02	4.9	0.2	<0.05	5	<0.5	<0.2
CAE103906	Soil	34	66	1.03	359	0.125	3	1.79	0.017	0.46	0.1	0.02	5.4	0.5	<0.05	6	<0.5	<0.2
CAE103907	Soil	25	32	0.80	400	0.074	1	1.10	0.005	0.22	<0.1	0.02	3.7	0.3	<0.05	4	<0.5	<0.2
CAE103908	Soil	71	60	1.03	618	0.149	1	2.06	0.010	0.71	<0.1	0.04	5.8	0.7	<0.05	7	0.6	<0.2
CAE103909	Soil	51	47	0.61	417	0.088	3	1.50	0.014	0.52	<0.1	0.02	5.2	0.5	<0.05	5	0.9	<0.2
CAE103910	Soil	31	47	0.63	580	0.085	3	1.54	0.019	0.20	0.1	0.05	7.1	0.2	<0.05	5	0.6	<0.2
CAE103911	Soil	41	40	0.62	489	0.106	2	1.54	0.022	0.18	0.1	0.03	6.3	0.2	<0.05	5	0.6	<0.2
CAE103912	Soil	24	31	0.51	408	0.053	3	1.07	0.024	0.11	0.2	0.06	4.6	0.1	<0.05	4	0.7	<0.2
CAE103913	Soil	26	38	0.66	321	0.089	2	1.48	0.026	0.16	0.1	0.03	4.6	0.1	<0.05	5	<0.5	<0.2
CAE103914	Soil	26	68	1.17	1569	0.074	2	2.04	0.011	0.27	<0.1	0.01	7.8	0.2	<0.05	8	<0.5	<0.2
CAE103915	Soil	16	37	1.58	922	0.150	1	2.25	0.011	0.50	0.1	<0.01	7.6	0.3	<0.05	9	<0.5	<0.2
CAE103916	Soil	24	37	0.61	424	0.078	3	1.27	0.021	0.23	0.1	0.02	3.4	0.2	0.06	4	0.6	<0.2
CAE103917	Soil	16	42	1.07	1002	0.129	2	1.95	0.017	0.16	0.2	0.02	8.0	0.1	<0.05	7	<0.5	<0.2
CAE103918	Soil	13	37	1.25	1022	0.122	2	2.01	0.013	0.16	0.1	0.01	7.9	0.1	<0.05	8	<0.5	<0.2
CAE103919	Soil	10	43	1.19	1014	0.064	2	1.52	0.009	0.07	<0.1	<0.01	8.0	0.1	<0.05	6	0.6	<0.2
CAE103920	Soil	12	44	1.26	735	0.055	2	1.18	0.007	0.10	<0.1	<0.01	7.8	0.1	<0.05	5	0.7	<0.2
CAE103921	Soil	12	46	1.35	751	0.059	2	1.23	0.008	0.11	<0.1	<0.01	8.2	0.1	<0.05	6	0.7	<0.2
CAE103922	Soil	16	95	1.49	896	0.088	2	1.66	0.012	0.17	0.1	0.01	7.8	0.2	<0.05	6	<0.5	<0.2
CAE103923	Soil	21	114	1.50	625	0.099	<1	1.71	0.016	0.20	<0.1	0.03	6.4	0.3	<0.05	7	0.9	<0.2
CAE103924	Soil	21	61	0.90	521	0.091	2	1.54	0.025	0.22	0.1	0.03	5.4	0.2	<0.05	5	<0.5	<0.2
CAE103925	Soil	28	87	0.93	502	0.084	2	1.67	0.019	0.24	0.1	0.03	5.4	0.2	<0.05	5	0.6	<0.2
CAE103926	Soil	39	38	0.45	636	0.020	4	1.02	0.010	0.26	0.1	0.07	6.1	0.3	<0.05	4	3.0	<0.2
CAE103927	Soil	18	47	0.68	447	0.093	2	1.43	0.026	0.13	0.1	0.04	5.7	0.1	<0.05	5	<0.5	<0.2
CAE103928	Soil	14	75	0.94	519	0.098	2	1.57	0.028	0.11	0.2	0.04	5.3	0.1	<0.05	5	<0.5	<0.2
CAE103929	Soil	20	95	1.12	509	0.097	2	1.61	0.020	0.23	<0.1	0.03	5.5	0.2	<0.05	6	0.7	<0.2
CAE103930	Soil	33	68	0.87	571	0.089	1	1.62	0.009	0.32	<0.1	0.02	5.9	0.4	<0.05	6	1.6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: June 26, 2012

CERTIFICATE OF ANALYSIS DAW12000020.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
CAE103931	Soil	1.7	59.3	11.8	73	0.3	70.9	13.6	421	3.09	12.6	1.2	6.2	6.2	33	0.1	0.5	0.1	72	0.57	0.043
CAE103932	Soil	1.3	43.7	13.0	73	0.1	52.4	13.8	545	3.07	11.8	1.1	3.7	6.4	30	0.1	0.5	0.1	65	0.59	0.070
CAE103933	Soil	0.8	40.0	8.8	52	0.1	40.3	12.6	503	2.69	6.0	2.0	1.9	3.6	64	0.1	0.4	0.1	53	1.61	0.083
CAE103934	Soil	3.3	72.1	11.0	162	0.1	93.0	23.4	416	5.12	16.7	1.4	<0.5	6.7	16	0.3	0.3	0.1	83	0.26	0.046
CAE103935	Soil	2.6	38.8	9.5	71	0.1	39.6	10.9	269	2.96	22.4	0.8	<0.5	4.4	26	0.1	0.3	0.1	68	0.32	0.037
CAE103936	Soil	4.0	60.6	11.3	108	0.1	63.6	18.6	519	3.90	35.8	1.4	2.5	6.7	36	0.2	0.3	0.1	81	0.53	0.105
CAE103937	Soil	1.5	47.7	14.4	87	<0.1	49.5	13.7	409	3.46	7.5	1.2	4.4	9.5	25	0.1	0.3	0.2	70	0.38	0.063
CAE103938	Soil	2.6	50.8	12.4	98	0.1	56.0	16.0	457	3.91	12.3	1.2	6.1	7.0	32	0.2	0.3	0.2	75	0.55	0.083
CAE103939	Soil	1.9	41.0	12.8	84	<0.1	40.1	14.4	440	3.40	9.5	1.2	7.6	7.9	27	0.2	0.2	0.3	67	0.37	0.064
CAE103940	Soil	1.3	28.1	11.5	64	<0.1	30.8	13.0	516	3.06	10.3	0.9	1.5	6.7	30	0.1	0.4	0.2	62	0.54	0.046
CAE103941	Soil	3.5	97.0	9.5	149	0.1	51.2	19.0	667	4.14	10.9	2.1	4.5	9.2	42	0.3	0.1	0.7	86	0.37	0.111
CAE103942	Soil	3.3	96.4	10.8	146	0.1	51.5	18.2	631	4.12	10.7	2.2	7.6	9.6	46	0.3	<0.1	0.9	85	0.40	0.126
CAE103943	Soil	1.2	40.2	11.0	61	<0.1	35.5	13.5	453	3.00	12.1	1.0	2.1	5.9	34	<0.1	0.4	0.2	62	0.56	0.060
CAE103944	Soil	2.5	64.7	9.7	74	0.1	94.2	26.2	788	5.00	3.8	0.9	2.2	9.2	51	0.1	0.2	0.1	104	2.95	0.112
CAE103945	Soil	0.8	55.3	7.4	75	0.1	68.4	16.9	451	3.56	6.2	0.6	2.8	8.5	67	<0.1	0.4	<0.1	68	3.54	0.134
CAE103946	Soil	0.9	37.1	7.6	42	<0.1	55.9	14.3	329	3.21	5.8	0.4	1.3	5.8	21	<0.1	0.2	<0.1	51	0.43	0.079
CAE103947	Soil	0.9	23.1	11.0	65	<0.1	38.4	15.7	498	3.66	5.7	0.7	<0.5	7.6	21	<0.1	0.2	<0.1	72	0.38	0.034
CAE103948	Soil	0.8	63.3	15.5	108	0.2	44.9	17.1	700	3.83	3.1	0.7	2.1	6.4	73	<0.1	0.2	0.1	67	6.00	0.069
CAE103949	Soil	0.8	48.5	9.8	68	0.2	42.2	15.9	478	3.22	5.3	0.9	3.3	6.1	89	0.1	0.3	0.1	53	5.06	0.090
CAE103950	Soil	1.1	38.1	7.8	97	<0.1	62.7	21.9	288	4.42	3.9	1.0	0.5	15.9	11	<0.1	0.2	<0.1	68	0.18	0.036
CAE103951	Soil	1.0	42.9	7.5	83	<0.1	63.7	23.5	525	4.79	3.6	0.8	0.7	10.5	21	<0.1	0.2	<0.1	88	0.40	0.090
CAE103952	Soil	1.8	28.2	9.2	63	<0.1	45.0	19.0	572	4.36	5.0	1.1	<0.5	15.0	15	<0.1	0.3	<0.1	60	0.22	0.050
CAE103953	Soil	2.4	90.3	10.3	81	<0.1	52.9	17.1	618	4.20	7.4	1.8	<0.5	10.3	21	<0.1	0.3	0.1	59	0.32	0.127
CAE103954	Soil	1.1	56.6	9.7	95	<0.1	65.4	20.8	551	4.85	2.7	1.3	2.2	19.3	17	<0.1	0.2	<0.1	66	0.32	0.068
CAE103955	Soil	2.4	61.8	12.4	93	<0.1	74.6	26.2	919	5.35	3.9	1.7	<0.5	18.9	25	<0.1	0.2	0.1	64	0.50	0.102
CAE103956	Soil	1.2	49.1	10.4	60	0.1	44.0	13.6	589	3.06	6.0	1.0	3.4	7.3	46	0.1	0.3	<0.1	58	1.07	0.070
CAE103957	Soil	0.7	46.3	10.7	65	<0.1	49.5	15.8	518	3.55	6.8	0.9	4.6	7.9	36	<0.1	0.5	0.1	73	0.81	0.054
CAE103958	Soil	1.1	31.8	11.2	67	<0.1	36.5	15.5	266	3.54	6.7	1.3	1.0	10.8	17	<0.1	0.4	<0.1	58	0.21	0.023
CAE103959	Soil	1.2	74.5	9.3	85	<0.1	78.7	21.9	487	4.97	2.6	0.9	<0.5	12.1	19	<0.1	0.2	<0.1	76	0.38	0.067
CAE103960	Soil	0.5	48.8	9.0	53	0.1	66.0	16.6	487	3.28	5.2	0.5	5.0	4.5	44	<0.1	0.3	<0.1	69	1.13	0.146

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: June 26, 2012

CERTIFICATE OF ANALYSIS DAW12000020.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
CAE103931	Soil	25	69	0.87	648	0.091	2	1.63	0.024	0.11	0.1	0.07	6.1	0.1	<0.05	5	0.5	<0.2
CAE103932	Soil	27	51	0.71	427	0.094	2	1.32	0.021	0.16	0.1	0.03	4.9	0.2	<0.05	5	0.7	<0.2
CAE103933	Soil	29	40	0.64	391	0.084	2	1.40	0.022	0.20	0.1	0.02	3.8	0.2	<0.05	5	<0.5	<0.2
CAE103934	Soil	17	71	0.80	570	0.158	1	1.70	0.010	0.62	<0.1	<0.01	7.2	0.3	<0.05	6	1.1	<0.2
CAE103935	Soil	15	50	0.62	364	0.105	1	1.41	0.012	0.25	<0.1	<0.01	3.8	0.2	<0.05	5	0.5	<0.2
CAE103936	Soil	26	63	0.83	499	0.123	1	1.51	0.016	0.38	<0.1	0.02	6.0	0.3	<0.05	6	0.8	<0.2
CAE103937	Soil	27	68	0.90	436	0.134	2	1.75	0.014	0.45	0.1	0.01	5.4	0.4	<0.05	6	0.7	<0.2
CAE103938	Soil	28	54	0.84	552	0.117	3	1.84	0.016	0.41	0.1	0.04	6.2	0.3	<0.05	6	<0.5	<0.2
CAE103939	Soil	22	55	0.85	417	0.131	2	1.78	0.015	0.52	<0.1	<0.01	4.6	0.4	<0.05	6	0.6	<0.2
CAE103940	Soil	16	40	0.66	259	0.106	2	1.72	0.023	0.24	0.2	0.02	4.9	0.2	<0.05	5	<0.5	<0.2
CAE103941	Soil	33	63	1.19	591	0.169	<1	1.90	0.011	0.84	<0.1	0.01	6.4	0.9	0.09	8	<0.5	0.2
CAE103942	Soil	35	60	1.13	571	0.160	1	1.80	0.011	0.79	<0.1	0.02	6.2	0.9	0.10	8	1.1	0.2
CAE103943	Soil	20	39	0.66	344	0.095	2	1.57	0.022	0.18	0.2	0.02	4.7	0.1	<0.05	5	<0.5	<0.2
CAE103944	Soil	34	100	1.33	258	0.131	2	2.11	0.015	0.39	0.1	0.03	8.3	0.3	<0.05	8	0.7	<0.2
CAE103945	Soil	38	71	1.01	236	0.135	<1	1.82	0.024	0.27	0.2	0.05	5.1	0.2	<0.05	7	<0.5	<0.2
CAE103946	Soil	9	51	0.68	133	0.111	<1	1.53	0.012	0.34	0.1	0.01	3.2	0.2	<0.05	5	<0.5	<0.2
CAE103947	Soil	12	60	1.03	169	0.166	1	2.13	0.012	0.72	0.1	0.01	5.8	0.4	<0.05	7	<0.5	<0.2
CAE103948	Soil	23	65	1.61	140	0.171	1	2.19	0.014	0.90	0.1	0.05	4.4	0.6	<0.05	7	0.6	<0.2
CAE103949	Soil	24	42	0.99	139	0.098	2	1.63	0.018	0.37	0.2	0.05	4.5	0.3	<0.05	5	0.5	<0.2
CAE103950	Soil	33	66	1.15	133	0.205	<1	2.48	0.008	1.07	<0.1	<0.01	5.4	0.7	<0.05	8	<0.5	<0.2
CAE103951	Soil	24	84	1.39	231	0.191	<1	2.65	0.015	1.08	0.1	<0.01	7.4	0.5	<0.05	11	<0.5	<0.2
CAE103952	Soil	20	59	0.99	240	0.191	<1	2.26	0.011	0.81	<0.1	<0.01	5.5	0.4	<0.05	8	<0.5	<0.2
CAE103953	Soil	24	46	0.82	159	0.084	1	1.95	0.007	0.40	<0.1	<0.01	5.2	0.2	<0.05	6	0.6	<0.2
CAE103954	Soil	38	83	1.22	236	0.168	<1	2.18	0.012	0.70	<0.1	0.01	7.8	0.5	<0.05	9	<0.5	<0.2
CAE103955	Soil	52	79	1.05	259	0.138	2	1.93	0.012	0.73	<0.1	0.02	9.0	0.4	<0.05	8	<0.5	<0.2
CAE103956	Soil	30	40	0.66	497	0.071	2	1.51	0.020	0.19	0.1	0.06	5.4	0.1	<0.05	5	0.7	<0.2
CAE103957	Soil	33	53	0.80	377	0.091	<1	1.91	0.028	0.11	0.2	0.05	6.6	<0.1	<0.05	6	<0.5	<0.2
CAE103958	Soil	30	48	0.74	173	0.095	<1	1.80	0.013	0.29	<0.1	0.02	6.6	0.3	<0.05	6	<0.5	<0.2
CAE103959	Soil	29	114	1.52	199	0.217	<1	2.46	0.012	0.75	0.1	0.02	6.0	0.4	<0.05	10	<0.5	<0.2
CAE103960	Soil	30	68	0.78	298	0.115	2	1.58	0.024	0.27	0.1	0.04	4.5	0.1	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: June 26, 2012

CERTIFICATE OF ANALYSIS DAW12000020.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
CAE103961	Soil	0.6	57.5	11.5	74	<0.1	86.2	22.8	582	3.96	7.8	0.4	2.2	4.5	38	<0.1	0.4	<0.1	89	0.95	0.166
CAE103962	Soil	0.8	43.0	13.5	65	<0.1	56.7	19.7	1010	3.79	8.0	0.6	1.5	8.8	28	<0.1	0.4	<0.1	73	0.85	0.061
CAE103963	Soil	1.2	46.4	14.0	83	<0.1	66.2	22.4	701	4.53	2.9	1.1	1.6	17.2	21	<0.1	0.2	0.2	67	0.49	0.073
CAE103964	Soil	1.2	45.1	14.7	79	<0.1	62.9	21.6	685	4.35	3.0	1.1	1.9	17.0	21	<0.1	0.3	0.2	64	0.49	0.073
CAE103965	Soil	1.0	59.0	9.7	69	<0.1	51.8	18.4	647	3.65	7.4	0.7	5.5	11.7	32	<0.1	0.4	<0.1	64	1.14	0.053
CAE103966	Soil	0.6	46.3	8.6	86	<0.1	57.7	22.0	441	4.02	2.4	0.8	1.1	15.5	32	<0.1	0.2	<0.1	56	1.71	0.071
CAE103967	Soil	0.8	67.9	9.4	98	<0.1	39.9	18.8	491	3.63	2.4	1.0	0.7	22.8	13	<0.1	0.2	<0.1	43	0.32	0.079
CAE103968	Soil	0.6	33.9	8.1	62	<0.1	49.5	17.9	578	3.46	4.9	0.6	4.8	9.1	27	<0.1	0.3	<0.1	64	0.62	0.060
CAE103969	Soil	0.7	31.6	9.8	89	<0.1	62.5	22.9	332	4.43	2.9	0.6	<0.5	17.4	16	<0.1	0.2	<0.1	68	0.29	0.056
CAE103970	Soil	0.9	19.1	8.0	51	<0.1	30.5	16.3	608	2.97	4.5	0.4	2.6	4.8	27	<0.1	0.3	0.1	62	0.40	0.037
CAE103971	Soil	0.6	32.6	4.0	77	<0.1	59.8	23.3	114	3.89	4.1	1.1	<0.5	16.9	7	<0.1	0.2	0.2	51	0.10	0.017
CAE103972	Soil	1.0	18.3	7.3	66	<0.1	39.3	19.1	449	3.51	4.3	0.7	<0.5	8.4	20	<0.1	0.3	0.1	68	0.27	0.051
CAE103973	Soil	0.9	32.2	6.2	67	<0.1	43.3	18.7	251	3.59	6.0	0.7	4.9	9.0	14	<0.1	0.3	0.2	68	0.20	0.036
CAE103974	Soil	0.8	43.2	5.5	74	<0.1	44.4	18.5	277	3.99	4.2	0.5	<0.5	5.5	17	<0.1	0.2	<0.1	86	0.34	0.090
CAE103975	Soil	0.8	44.8	2.7	94	<0.1	46.9	24.7	370	4.67	0.7	0.5	0.6	6.3	28	<0.1	<0.1	<0.1	111	0.90	0.297
CAE103976	Soil	0.7	33.1	6.8	63	<0.1	34.4	17.0	422	3.43	5.0	0.8	2.5	8.6	28	<0.1	0.2	<0.1	66	0.61	0.108
CAE103977	Soil	0.4	40.7	6.7	56	<0.1	34.1	11.9	348	2.77	4.8	1.1	2.2	6.5	38	<0.1	0.3	<0.1	51	0.92	0.092
CAE103978	Soil	0.8	36.1	8.4	66	<0.1	55.4	18.9	277	4.01	4.4	0.5	1.1	7.3	18	<0.1	0.3	<0.1	75	0.34	0.064
CAE103979	Soil	0.6	49.9	9.1	122	<0.1	34.8	22.3	623	5.62	1.8	0.5	<0.5	9.3	24	<0.1	<0.1	<0.1	78	0.55	0.184
CAE103980	Soil	0.8	40.7	8.0	70	<0.1	53.4	17.3	392	3.91	5.8	1.1	2.0	12.1	21	<0.1	0.3	<0.1	70	0.33	0.053
CAE103981	Soil	0.9	45.0	6.8	79	<0.1	61.7	22.2	539	4.49	4.2	0.9	1.3	9.5	27	<0.1	0.2	<0.1	82	0.52	0.113
CAE103982	Soil	0.7	67.1	6.1	77	<0.1	54.1	20.0	312	4.20	3.8	1.2	0.9	20.9	14	<0.1	0.3	<0.1	59	0.18	0.037
CAE103983	Soil	0.9	24.0	9.3	46	<0.1	32.7	10.8	278	2.93	5.4	0.7	<0.5	7.8	12	<0.1	0.4	<0.1	55	0.14	0.016
CAE103984	Soil	0.9	23.4	9.0	48	<0.1	32.0	11.2	271	2.92	5.6	0.6	4.3	7.8	12	<0.1	0.4	0.1	55	0.13	0.016
CAE103985	Soil	1.1	26.3	8.9	61	<0.1	40.5	16.6	291	3.59	5.6	0.5	1.1	6.6	17	<0.1	0.3	<0.1	65	0.26	0.032
CAE103986	Soil	0.8	43.1	8.7	61	<0.1	44.8	16.0	461	3.34	6.6	1.0	4.2	8.6	32	<0.1	0.4	0.1	68	0.55	0.071
CAE103987	Soil	0.9	40.3	8.5	61	<0.1	40.1	15.8	548	3.35	5.8	1.2	3.8	8.8	39	<0.1	0.3	0.1	65	0.76	0.080
CAE103989	Soil	0.9	81.1	5.1	50	0.1	21.0	14.1	444	2.74	5.3	0.3	2.9	1.5	29	<0.1	0.3	<0.1	87	0.47	0.055
CAE103990	Soil	0.9	57.3	7.5	52	0.2	23.3	12.6	367	2.85	5.9	0.6	2.5	2.4	29	<0.1	0.3	<0.1	80	0.44	0.043
CAE103991	Soil	0.9	45.2	6.2	50	0.1	20.9	9.2	264	2.50	5.4	0.6	1.1	2.3	26	<0.1	0.2	0.2	68	0.41	0.034

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: June 26, 2012

CERTIFICATE OF ANALYSIS DAW12000020.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
CAE103961	Soil	24	78	1.01	228	0.163	2	2.00	0.029	0.26	0.2	0.03	5.5	0.1	<0.05	7	<0.5	<0.2
CAE103962	Soil	45	56	0.94	203	0.115	3	2.00	0.020	0.26	0.2	0.02	7.3	0.2	<0.05	7	<0.5	<0.2
CAE103963	Soil	62	66	1.19	146	0.121	1	2.21	0.009	0.61	<0.1	0.03	7.6	0.4	<0.05	8	<0.5	<0.2
CAE103964	Soil	61	61	1.11	141	0.114	1	2.02	0.009	0.56	<0.1	0.02	7.2	0.4	<0.05	8	<0.5	<0.2
CAE103965	Soil	42	53	0.96	194	0.121	1	1.80	0.019	0.36	0.1	0.04	5.5	0.2	<0.05	7	<0.5	<0.2
CAE103966	Soil	51	72	1.19	188	0.139	<1	2.04	0.013	0.61	<0.1	0.01	4.4	0.4	<0.05	8	<0.5	<0.2
CAE103967	Soil	38	41	0.72	140	0.153	<1	1.62	0.010	0.64	<0.1	0.01	4.3	0.4	<0.05	5	<0.5	<0.2
CAE103968	Soil	25	51	0.85	247	0.133	<1	1.87	0.020	0.46	0.1	0.02	4.6	0.3	<0.05	6	<0.5	<0.2
CAE103969	Soil	40	63	1.21	165	0.188	<1	2.36	0.010	0.90	<0.1	0.01	6.1	0.6	<0.05	9	<0.5	<0.2
CAE103970	Soil	11	40	0.69	267	0.109	<1	1.76	0.015	0.28	0.1	<0.01	3.6	0.2	<0.05	6	<0.5	<0.2
CAE103971	Soil	26	48	1.16	112	0.151	<1	2.23	0.010	0.85	<0.1	0.02	4.6	0.6	<0.05	7	<0.5	<0.2
CAE103972	Soil	13	49	0.86	290	0.155	<1	1.97	0.012	0.53	0.1	<0.01	4.2	0.3	<0.05	7	<0.5	<0.2
CAE103973	Soil	20	49	0.99	207	0.175	1	1.97	0.013	0.52	<0.1	<0.01	5.2	0.3	<0.05	7	<0.5	<0.2
CAE103974	Soil	11	48	1.19	261	0.229	<1	2.02	0.010	0.83	<0.1	<0.01	3.6	0.3	<0.05	9	<0.5	<0.2
CAE103975	Soil	23	34	1.50	329	0.286	<1	2.19	0.010	1.23	<0.1	<0.01	3.8	0.3	<0.05	12	<0.5	<0.2
CAE103976	Soil	28	39	0.85	215	0.136	2	1.61	0.019	0.37	0.1	0.01	4.5	0.3	<0.05	6	<0.5	<0.2
CAE103977	Soil	31	38	0.68	207	0.090	2	1.34	0.021	0.24	0.1	0.03	3.7	0.2	<0.05	5	<0.5	<0.2
CAE103978	Soil	41	62	1.06	217	0.148	<1	2.10	0.014	0.47	<0.1	<0.01	4.8	0.3	<0.05	9	<0.5	<0.2
CAE103979	Soil	46	42	1.57	493	0.293	<1	2.84	0.010	1.42	0.1	<0.01	2.7	0.5	<0.05	11	<0.5	<0.2
CAE103980	Soil	42	70	0.99	276	0.200	2	2.23	0.015	0.61	<0.1	0.04	7.6	0.4	<0.05	8	<0.5	<0.2
CAE103981	Soil	29	90	1.35	289	0.224	1	2.37	0.016	0.81	<0.1	0.02	5.6	0.4	<0.05	9	<0.5	<0.2
CAE103982	Soil	38	59	1.02	156	0.172	<1	2.15	0.012	0.62	<0.1	0.02	6.4	0.4	<0.05	7	<0.5	<0.2
CAE103983	Soil	13	75	0.74	103	0.139	1	1.67	0.012	0.36	<0.1	<0.01	3.3	0.3	<0.05	6	<0.5	<0.2
CAE103984	Soil	14	73	0.73	102	0.136	<1	1.67	0.012	0.38	0.1	<0.01	3.4	0.2	<0.05	6	<0.5	<0.2
CAE103985	Soil	13	51	0.80	157	0.156	1	1.98	0.011	0.31	<0.1	<0.01	3.6	0.3	<0.05	7	<0.5	<0.2
CAE103986	Soil	28	52	0.85	228	0.134	2	1.78	0.025	0.24	0.1	0.04	5.7	0.2	<0.05	6	<0.5	<0.2
CAE103987	Soil	33	51	0.93	219	0.128	2	1.86	0.022	0.25	0.1	0.04	5.5	0.2	<0.05	7	<0.5	<0.2
CAE103989	Soil	6	35	0.77	329	0.148	1	1.58	0.021	0.05	0.1	0.01	3.6	<0.1	<0.05	7	<0.5	<0.2
CAE103990	Soil	10	45	0.80	371	0.137	<1	1.65	0.021	0.08	0.1	0.02	3.4	0.1	<0.05	6	<0.5	<0.2
CAE103991	Soil	11	41	0.68	359	0.134	1	1.66	0.018	0.09	0.1	0.02	3.4	0.1	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: June 26, 2012

CERTIFICATE OF ANALYSIS DAW12000020.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
CAE103992	Soil	0.7	36.7	7.3	67	<0.1	56.1	17.9	465	3.47	7.9	1.1	2.3	5.2	30	<0.1	0.2	<0.1	100	0.76	0.081
CAE103993	Soil	0.9	41.3	6.6	61	<0.1	51.8	18.6	467	3.45	11.9	1.1	1.0	5.0	29	<0.1	0.1	<0.1	101	0.74	0.102
CAE103994	Soil	0.7	40.8	6.7	56	0.1	38.4	13.5	333	2.91	7.3	1.2	3.1	4.8	29	<0.1	0.2	<0.1	78	0.62	0.058
CAE103995	Soil	0.9	43.8	6.4	53	0.1	35.9	14.9	465	2.79	6.7	1.1	2.7	4.2	30	<0.1	0.2	<0.1	78	0.63	0.060
CAE103996	Soil	1.0	40.8	6.3	59	<0.1	59.4	18.2	368	3.33	9.9	0.9	1.6	4.2	23	<0.1	0.1	<0.1	97	0.51	0.079
CAE103997	Soil	1.1	47.1	6.2	61	<0.1	61.8	20.3	391	3.62	6.9	1.4	<0.5	5.6	30	<0.1	<0.1	<0.1	116	0.73	0.124
CAE103998	Soil	1.1	67.6	7.2	52	0.1	27.2	12.7	299	2.63	4.5	0.7	1.9	2.0	27	<0.1	0.2	<0.1	78	0.50	0.071
CAE103999	Soil	0.7	112.7	5.2	63	0.1	19.8	15.0	410	2.76	5.6	0.6	3.7	1.6	30	<0.1	0.2	<0.1	78	0.63	0.067
CAE104000	Soil	0.5	80.5	5.3	48	0.1	17.7	10.6	328	2.28	4.8	0.6	5.1	1.8	30	<0.1	0.2	<0.1	66	0.57	0.053
CAE442051	Soil	0.7	58.0	12.5	59	<0.1	32.9	14.4	593	2.69	8.0	1.2	2.6	5.8	36	0.1	0.3	<0.1	65	0.70	0.075
CAE442052	Soil	0.9	69.3	7.7	45	0.2	29.4	13.2	599	2.23	3.7	1.5	1.2	2.4	44	0.4	0.3	<0.1	53	0.95	0.057
CAE442053	Soil	0.6	34.3	9.1	58	<0.1	41.4	15.5	626	2.92	4.5	1.3	1.4	6.1	37	0.1	0.2	<0.1	72	0.78	0.087
CAE442054	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE442055	Soil	0.4	36.0	11.8	77	<0.1	63.5	24.7	764	4.34	3.7	1.9	<0.5	11.0	35	<0.1	<0.1	<0.1	114	0.85	0.179
CAE442056	Soil	0.8	25.1	10.6	57	<0.1	21.8	13.0	571	2.87	7.4	0.9	1.0	3.8	27	<0.1	0.3	0.1	74	0.49	0.050
CAE442057	Soil	0.7	22.1	9.0	45	<0.1	19.6	9.2	280	2.37	6.1	0.9	1.2	4.0	25	<0.1	0.2	<0.1	59	0.42	0.049
CAE442058	Soil	1.0	20.1	9.0	43	0.1	18.5	9.0	322	2.33	5.2	0.8	10.2	3.4	22	0.1	0.3	0.1	62	0.36	0.037
CAE442059	Soil	1.0	20.6	10.3	49	0.1	21.1	10.2	296	2.52	6.4	0.7	2.3	3.5	22	<0.1	0.3	0.1	62	0.38	0.060
CAE442060	Soil	0.9	27.6	9.6	51	<0.1	22.7	11.5	313	2.61	6.6	1.4	2.2	6.0	28	<0.1	0.4	0.2	63	0.39	0.048
CAE442061	Soil	0.8	23.6	9.2	50	<0.1	18.8	10.8	323	2.44	5.8	1.3	6.1	6.8	28	0.1	0.3	0.1	57	0.43	0.082
CAE442062	Soil	1.0	18.0	16.8	46	0.1	17.7	7.7	207	2.08	5.0	1.1	3.5	3.0	28	<0.1	0.3	0.1	52	0.39	0.061
CAE442063	Soil	1.0	27.7	10.2	43	0.2	20.4	7.7	215	2.05	5.6	1.3	2.0	3.1	24	0.2	0.2	0.1	51	0.29	0.049
CAE442064	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE442065	Soil	0.6	59.4	8.2	57	<0.1	49.7	16.8	299	3.15	5.0	0.8	2.0	5.1	35	<0.1	0.3	<0.1	87	0.50	0.087
CAE442066	Soil	0.6	64.0	6.9	60	<0.1	44.5	17.8	417	3.41	4.1	0.7	2.9	3.8	40	<0.1	0.3	<0.1	92	0.49	0.082
CAE442067	Soil	0.7	42.6	8.1	52	<0.1	33.0	12.5	281	2.94	7.8	0.7	4.1	5.6	30	<0.1	0.4	<0.1	75	0.38	0.063
CAE442068	Soil	0.6	57.5	8.0	60	<0.1	45.2	15.4	317	3.26	5.6	0.7	2.4	5.5	41	<0.1	0.4	<0.1	89	0.47	0.058
CAE442069	Soil	0.9	48.0	8.1	54	<0.1	41.1	14.7	307	3.24	7.5	0.7	1.0	4.6	32	<0.1	0.3	<0.1	90	0.38	0.050
CAE442070	Soil	0.6	66.6	8.0	52	<0.1	33.4	12.1	256	2.91	6.1	0.8	3.6	4.1	39	<0.1	0.4	<0.1	83	0.48	0.051
CAE442071	Soil	0.7	65.8	9.1	55	0.1	36.3	15.4	361	3.26	6.9	1.1	3.5	5.0	37	<0.1	0.4	<0.1	91	0.47	0.061

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: June 26, 2012

CERTIFICATE OF ANALYSIS DAW12000020.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
CAE103992	Soil	15	120	1.65	618	0.238	<1	2.14	0.018	0.23	0.2	0.02	5.9	0.2	<0.05	8	<0.5	<0.2
CAE103993	Soil	15	109	1.55	651	0.226	<1	2.07	0.018	0.31	0.2	0.04	5.5	0.2	<0.05	8	<0.5	<0.2
CAE103994	Soil	17	76	1.02	575	0.162	1	1.91	0.019	0.13	0.1	0.02	5.2	0.1	<0.05	6	<0.5	<0.2
CAE103995	Soil	16	63	0.95	586	0.149	1	1.93	0.020	0.12	0.2	0.03	4.6	0.1	<0.05	6	<0.5	<0.2
CAE103996	Soil	12	114	1.42	686	0.214	<1	2.12	0.015	0.46	0.1	0.01	4.0	0.2	<0.05	7	<0.5	<0.2
CAE103997	Soil	16	143	1.79	664	0.281	1	2.35	0.018	0.44	0.2	<0.01	5.7	0.3	<0.05	9	<0.5	<0.2
CAE103998	Soil	11	50	0.89	440	0.142	2	1.70	0.018	0.11	0.1	0.03	3.9	0.1	<0.05	6	<0.5	<0.2
CAE103999	Soil	8	32	0.73	476	0.113	<1	1.74	0.023	0.07	0.1	0.03	4.1	<0.1	<0.05	6	<0.5	<0.2
CAE104000	Soil	9	31	0.66	267	0.096	2	1.49	0.021	0.05	0.2	0.02	3.9	<0.1	<0.05	5	<0.5	<0.2
CAE442051	Soil	16	60	0.93	413	0.123	<1	1.62	0.021	0.11	0.2	0.04	5.0	0.1	<0.05	5	<0.5	<0.2
CAE442052	Soil	18	47	0.64	572	0.092	1	1.33	0.024	0.06	0.1	0.04	4.7	0.1	<0.05	5	<0.5	<0.2
CAE442053	Soil	20	93	1.22	800	0.167	<1	1.86	0.021	0.30	0.1	0.03	4.8	0.2	<0.05	6	<0.5	<0.2
CAE442054	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE442055	Soil	25	143	2.57	1248	0.333	<1	2.75	0.015	1.00	0.1	0.02	8.6	0.5	<0.05	11	<0.5	<0.2
CAE442056	Soil	11	46	0.74	408	0.126	<1	1.62	0.018	0.17	0.2	0.02	4.8	0.1	<0.05	5	<0.5	<0.2
CAE442057	Soil	12	39	0.56	324	0.104	<1	1.42	0.016	0.05	0.1	0.02	3.6	<0.1	<0.05	5	<0.5	<0.2
CAE442058	Soil	12	38	0.52	336	0.104	<1	1.45	0.016	0.07	0.1	0.02	3.2	<0.1	<0.05	5	<0.5	<0.2
CAE442059	Soil	12	41	0.57	280	0.105	<1	1.57	0.014	0.08	0.1	0.02	3.2	<0.1	<0.05	6	<0.5	<0.2
CAE442060	Soil	19	43	0.64	352	0.125	2	1.79	0.019	0.07	0.1	0.03	4.2	<0.1	<0.05	6	<0.5	<0.2
CAE442061	Soil	20	38	0.60	291	0.122	2	1.43	0.020	0.09	0.2	0.03	3.5	<0.1	<0.05	5	<0.5	<0.2
CAE442062	Soil	15	35	0.57	308	0.115	2	1.27	0.022	0.07	0.2	0.04	3.1	<0.1	<0.05	5	<0.5	<0.2
CAE442063	Soil	14	34	0.55	304	0.123	1	1.20	0.021	0.10	0.2	0.05	2.8	0.1	<0.05	5	<0.5	<0.2
CAE442064	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE442065	Soil	14	105	1.27	630	0.193	2	2.04	0.022	0.39	0.1	0.02	5.6	0.2	<0.05	8	<0.5	<0.2
CAE442066	Soil	10	102	1.43	720	0.234	1	2.29	0.019	0.47	0.1	0.02	4.9	0.2	<0.05	8	<0.5	<0.2
CAE442067	Soil	13	59	0.80	349	0.142	2	1.73	0.020	0.17	0.1	0.02	4.9	0.1	<0.05	6	<0.5	<0.2
CAE442068	Soil	15	97	1.20	519	0.200	1	2.21	0.021	0.25	0.1	0.02	6.6	0.2	<0.05	8	<0.5	<0.2
CAE442069	Soil	11	81	1.09	478	0.195	1	2.26	0.021	0.23	0.1	0.02	5.0	0.1	<0.05	8	<0.5	<0.2
CAE442070	Soil	12	65	0.93	459	0.171	1	1.87	0.023	0.15	0.1	0.02	5.3	<0.1	<0.05	7	<0.5	<0.2
CAE442071	Soil	15	67	0.97	627	0.167	1	2.08	0.022	0.14	0.1	0.02	6.1	<0.1	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: June 26, 2012

CERTIFICATE OF ANALYSIS DAW12000020.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
CAE442072	Soil	0.7	52.1	8.8	56	<0.1	34.0	12.5	274	2.96	5.2	0.7	1.5	4.0	36	<0.1	0.3	<0.1	81	0.45	0.067
CAE442073	Soil	0.6	66.3	10.0	64	<0.1	29.1	13.4	363	3.12	6.1	1.0	2.7	5.9	40	<0.1	0.3	<0.1	81	0.56	0.071
CAE442074	Soil	0.4	90.6	8.6	62	<0.1	41.9	15.4	363	3.20	7.8	1.0	11.0	4.4	44	<0.1	0.3	<0.1	92	0.67	0.065
CAE442075	Soil	0.6	111.8	6.2	55	0.2	22.5	15.8	436	2.99	5.2	1.0	4.2	2.7	51	0.1	0.4	<0.1	92	0.79	0.048
CAE442076	Soil	0.5	115.6	6.1	52	0.1	19.8	15.0	402	2.88	4.6	0.9	3.1	2.3	51	<0.1	0.3	<0.1	91	0.76	0.057
CAE442077	Soil	0.6	55.5	17.9	69	<0.1	32.6	16.5	457	3.28	5.6	0.8	3.5	5.7	39	<0.1	0.3	0.1	88	0.61	0.067
CAE442078	Soil	0.5	36.1	19.3	29	<0.1	14.7	7.3	204	1.61	6.5	1.2	2.0	16.1	18	<0.1	0.2	<0.1	39	0.27	0.058
CAE442079	Soil	0.7	46.5	12.1	54	<0.1	28.3	12.1	297	2.72	6.9	1.0	4.9	7.6	28	<0.1	0.3	<0.1	67	0.38	0.049
CAE442080	Soil	1.4	11.2	35.8	18	<0.1	4.0	1.6	76	0.99	6.0	1.0	0.9	16.2	12	<0.1	0.1	<0.1	20	0.07	0.032
CAE442081	Soil	0.7	54.3	10.7	53	0.1	31.9	12.8	367	2.87	6.4	1.1	3.1	6.2	34	<0.1	0.3	<0.1	72	0.49	0.061
CAE442082	Soil	0.5	56.0	10.4	55	<0.1	22.4	12.1	367	2.78	5.9	1.0	4.3	5.1	36	<0.1	0.3	<0.1	75	0.54	0.067
CAE442083	Soil	0.7	53.2	10.7	49	0.2	23.6	11.3	300	2.50	5.7	1.0	2.3	4.1	31	<0.1	0.3	<0.1	72	0.43	0.045
CAE442084	Soil	0.5	55.5	7.1	66	<0.1	26.7	15.8	579	3.49	4.6	1.0	3.6	7.7	29	0.1	0.3	<0.1	82	0.54	0.118
CAE442085	Soil	0.5	40.8	11.0	51	<0.1	25.0	11.3	351	2.54	5.1	1.0	2.0	5.2	34	<0.1	0.3	<0.1	68	0.53	0.057
CAE442086	Soil	0.5	72.4	6.3	45	0.2	26.2	11.8	951	1.50	3.0	2.6	5.1	1.0	70	0.5	0.4	<0.1	36	2.11	0.097
CAE442087	Soil	0.8	44.4	9.1	59	<0.1	19.1	11.4	448	2.51	7.0	0.6	3.1	3.1	38	0.2	0.6	<0.1	67	0.66	0.067
CAE442088	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
CAE442089	Soil	0.5	44.4	5.5	53	0.1	19.5	9.5	265	2.08	3.4	0.8	3.8	2.4	38	0.1	0.2	<0.1	57	0.68	0.070
CAE442090	Soil	0.9	21.5	7.2	45	<0.1	15.8	7.9	289	1.86	4.7	0.5	8.3	1.4	40	0.3	0.4	<0.1	48	0.61	0.059
CAE442091	Soil	0.4	57.4	7.8	60	<0.1	18.8	15.4	576	2.72	5.6	0.7	3.3	3.0	36	<0.1	0.5	<0.1	73	0.46	0.062
CAE442101	Soil	0.5	79.0	5.6	48	0.2	16.7	10.9	282	2.18	4.2	0.6	2.6	2.1	32	0.1	0.3	0.2	64	0.51	0.066
CAE442102	Soil	0.7	40.2	7.0	49	0.1	16.6	11.3	351	2.36	6.0	0.8	7.0	2.3	34	0.2	0.4	0.1	63	0.49	0.061
CAE442103	Soil	0.8	24.9	7.1	50	<0.1	17.7	9.4	384	2.15	5.5	0.7	3.0	2.1	37	0.2	0.4	<0.1	56	0.61	0.071
CAE442104	Soil	0.6	22.9	8.0	55	<0.1	19.8	11.8	541	2.41	6.8	0.8	10.4	3.1	37	0.2	0.4	<0.1	63	0.54	0.056
CAE442105	Soil	0.7	24.3	7.8	53	<0.1	19.0	10.6	330	2.49	6.0	0.7	4.4	2.6	33	0.2	0.3	<0.1	67	0.44	0.061
CAE442106	Soil	0.7	18.3	6.0	50	<0.1	19.0	10.7	314	2.17	4.2	0.5	4.0	1.5	25	0.2	0.2	0.1	61	0.37	0.060
CAE442107	Soil	0.8	29.6	6.0	46	0.2	16.6	13.1	456	2.42	5.7	0.7	4.8	1.3	33	<0.1	0.2	0.1	65	0.58	0.057
CAE442108	Soil	0.8	55.2	5.5	74	0.1	28.6	12.4	685	3.41	2.6	0.8	0.8	3.5	30	0.1	<0.1	<0.1	74	0.43	0.064
CAE442109	Soil	0.7	59.5	5.1	75	0.1	28.2	12.6	767	3.47	2.4	0.7	0.6	3.3	29	0.1	<0.1	<0.1	77	0.43	0.070
CAE442110	Soil	0.7	38.4	5.3	69	<0.1	33.6	13.7	467	3.29	3.2	0.8	0.9	3.6	23	<0.1	0.1	<0.1	71	0.38	0.065

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: June 26, 2012

CERTIFICATE OF ANALYSIS DAW12000020.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
CAE442072	Soil	11	64	0.96	438	0.157	1	1.82	0.021	0.21	0.1	0.02	4.6	0.1	<0.05	7	<0.5	<0.2
CAE442073	Soil	14	54	1.05	493	0.162	1	1.88	0.029	0.19	0.1	0.01	5.8	<0.1	<0.05	7	<0.5	<0.2
CAE442074	Soil	11	68	1.10	472	0.179	1	1.95	0.027	0.15	0.1	0.02	6.4	<0.1	<0.05	8	<0.5	<0.2
CAE442075	Soil	10	36	0.91	509	0.168	2	1.86	0.033	0.07	0.1	0.03	6.0	<0.1	<0.05	6	<0.5	<0.2
CAE442076	Soil	9	33	0.87	408	0.155	2	1.61	0.037	0.07	0.1	0.02	6.1	<0.1	<0.05	6	<0.5	<0.2
CAE442077	Soil	12	67	1.19	413	0.175	<1	1.85	0.020	0.17	0.2	0.02	5.7	<0.1	<0.05	7	<0.5	<0.2
CAE442078	Soil	23	24	0.44	279	0.061	<1	0.82	0.009	0.11	<0.1	0.01	2.2	<0.1	<0.05	3	<0.5	<0.2
CAE442079	Soil	16	51	0.80	420	0.128	2	1.67	0.015	0.11	0.1	0.02	4.6	<0.1	<0.05	6	<0.5	<0.2
CAE442080	Soil	22	7	0.07	110	0.007	<1	0.30	0.006	0.04	<0.1	<0.01	0.7	<0.1	<0.05	<1	<0.5	<0.2
CAE442081	Soil	18	58	0.88	703	0.114	<1	1.70	0.019	0.07	0.2	0.03	5.9	<0.1	<0.05	6	<0.5	<0.2
CAE442082	Soil	13	40	0.80	512	0.134	1	1.64	0.023	0.09	0.1	0.03	5.3	<0.1	<0.05	6	<0.5	<0.2
CAE442083	Soil	12	45	0.73	421	0.133	1	1.62	0.023	0.06	0.1	0.03	4.7	<0.1	<0.05	6	<0.5	<0.2
CAE442084	Soil	15	51	1.18	521	0.158	<1	1.96	0.017	0.35	0.2	0.01	6.0	0.2	<0.05	7	<0.5	<0.2
CAE442085	Soil	15	44	0.75	524	0.120	2	1.61	0.026	0.07	0.2	0.02	5.3	<0.1	<0.05	5	<0.5	<0.2
CAE442086	Soil	14	27	0.48	1567	0.057	3	1.04	0.030	0.10	0.1	0.09	3.7	<0.1	0.09	3	<0.5	<0.2
CAE442087	Soil	10	31	0.64	340	0.111	2	1.44	0.035	0.05	0.2	0.04	4.5	<0.1	<0.05	5	<0.5	<0.2
CAE442088	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
CAE442089	Soil	10	40	0.75	333	0.124	1	1.47	0.027	0.14	0.1	0.04	3.9	<0.1	<0.05	5	<0.5	<0.2
CAE442090	Soil	8	25	0.45	185	0.076	3	1.13	0.033	0.06	0.2	0.04	3.6	<0.1	<0.05	4	<0.5	<0.2
CAE442091	Soil	12	34	0.71	292	0.129	1	1.75	0.028	0.06	0.1	0.04	4.7	<0.1	<0.05	6	<0.5	<0.2
CAE442101	Soil	8	29	0.64	228	0.108	1	1.39	0.022	0.05	0.1	0.03	3.7	0.1	<0.05	5	<0.5	<0.2
CAE442102	Soil	11	33	0.61	263	0.101	2	1.45	0.023	0.04	0.2	0.04	3.9	<0.1	<0.05	5	<0.5	<0.2
CAE442103	Soil	10	31	0.57	244	0.092	2	1.23	0.028	0.06	0.2	0.03	3.5	<0.1	<0.05	4	<0.5	<0.2
CAE442104	Soil	11	36	0.66	265	0.105	2	1.49	0.026	0.06	0.1	0.03	4.1	<0.1	<0.05	5	<0.5	<0.2
CAE442105	Soil	10	38	0.68	208	0.115	2	1.58	0.023	0.05	0.2	0.03	3.9	<0.1	<0.05	5	<0.5	<0.2
CAE442106	Soil	8	41	0.67	294	0.097	3	1.43	0.014	0.06	0.2	0.03	3.0	<0.1	<0.05	5	<0.5	<0.2
CAE442107	Soil	9	33	0.60	284	0.074	3	1.36	0.017	0.06	0.2	0.05	3.8	<0.1	<0.05	5	0.5	<0.2
CAE442108	Soil	10	51	1.30	950	0.259	2	1.99	0.013	0.80	<0.1	0.02	3.7	0.3	<0.05	8	<0.5	<0.2
CAE442109	Soil	9	49	1.38	1095	0.264	2	2.11	0.013	0.90	<0.1	0.01	3.5	0.3	<0.05	8	<0.5	<0.2
CAE442110	Soil	12	61	1.47	937	0.233	2	2.18	0.011	0.78	0.1	0.01	2.8	0.3	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: June 26, 2012

CERTIFICATE OF ANALYSIS DAW12000020.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
CAE442111	Soil	0.9	24.3	9.6	55	0.2	25.8	12.6	776	2.79	4.9	0.7	0.8	5.0	29	0.1	0.2	0.1	60	0.40	0.048
CAE442112	Soil	0.3	31.2	7.1	50	<0.1	41.8	15.6	363	2.94	4.1	0.8	1.7	4.2	32	<0.1	0.2	<0.1	81	0.52	0.102
CAE442113	Soil	0.8	41.7	10.6	60	<0.1	40.2	15.1	391	3.23	13.6	1.4	1.5	8.2	25	<0.1	0.2	0.1	80	0.48	0.092
CAE442114	Soil	0.7	15.3	4.6	31	<0.1	17.0	9.8	204	1.88	4.7	0.2	0.7	1.2	17	<0.1	0.2	<0.1	49	0.25	0.033
CAE442115	Soil	0.4	13.4	4.2	29	<0.1	22.1	11.5	254	1.94	4.5	0.3	<0.5	1.5	15	<0.1	0.1	<0.1	56	0.31	0.040
CAE442116	Soil	0.3	15.4	2.9	21	<0.1	14.3	10.5	139	1.68	4.1	0.2	<0.5	1.0	10	<0.1	<0.1	<0.1	47	0.23	0.036
CAE442117	Soil	0.4	35.0	8.3	70	<0.1	74.8	22.5	521	3.60	2.7	0.6	<0.5	3.0	43	<0.1	<0.1	<0.1	90	0.52	0.113
CAE442118	Soil	0.7	41.1	9.4	48	0.1	38.8	12.6	328	2.80	7.3	1.1	15.6	4.2	26	<0.1	0.4	0.1	67	0.33	0.035
CAE442119	Soil	1.1	24.2	9.7	45	0.1	28.8	10.7	249	2.71	6.3	0.8	1.4	3.3	23	<0.1	0.3	<0.1	65	0.24	0.036
CAE442120	Soil	1.4	30.7	8.2	45	0.1	14.2	7.2	253	3.15	9.3	0.4	1.7	1.4	20	<0.1	0.3	0.1	102	0.20	0.039
CAE442121	Soil	0.6	23.0	7.0	28	0.2	10.8	4.3	119	1.56	5.4	0.4	0.8	0.4	14	<0.1	0.2	0.1	53	0.15	0.042
CAE442122	Soil	1.0	73.3	10.0	60	0.1	16.6	10.2	246	2.71	6.3	0.7	2.8	2.7	24	0.1	0.2	0.1	79	0.29	0.045
CAE442123	Soil	1.2	109.8	25.7	56	0.2	18.0	12.3	317	3.00	4.9	0.4	1.8	1.0	32	<0.1	0.2	<0.1	99	0.42	0.080
CAE442124	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE442125	Soil	0.6	22.7	12.8	51	<0.1	38.6	13.4	267	2.43	1.5	0.9	<0.5	2.0	27	0.1	<0.1	<0.1	66	0.36	0.087
CAE442126	Soil	0.7	23.1	7.3	36	0.3	13.1	5.0	190	1.31	3.1	0.9	1.7	0.7	25	0.2	0.1	0.1	27	0.44	0.057
CAE442127	Soil	0.8	27.0	14.4	55	0.2	16.6	8.2	317	2.19	2.2	0.4	<0.5	1.3	18	<0.1	0.1	<0.1	59	0.24	0.043

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: June 26, 2012

CERTIFICATE OF ANALYSIS DAW12000020.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
CAE442111	Soil		11	53	0.75	511	0.152	3	1.46	0.010	0.35	0.1	0.01	2.6	0.2	<0.05	6	<0.5	<0.2
CAE442112	Soil		11	88	1.69	1041	0.221	2	1.99	0.014	0.52	0.2	0.01	4.5	0.2	<0.05	8	<0.5	<0.2
CAE442113	Soil		14	104	1.43	558	0.199	2	2.22	0.010	0.40	0.2	0.01	5.8	0.3	<0.05	8	<0.5	<0.2
CAE442114	Soil		4	80	0.55	312	0.080	2	1.28	0.013	0.05	<0.1	0.01	2.0	<0.1	<0.05	4	<0.5	<0.2
CAE442115	Soil		4	174	0.99	584	0.164	1	1.51	0.011	0.11	<0.1	<0.01	2.0	<0.1	<0.05	5	<0.5	<0.2
CAE442116	Soil		3	155	0.84	367	0.158	2	1.28	0.010	0.10	<0.1	<0.01	1.6	<0.1	<0.05	4	<0.5	<0.2
CAE442117	Soil		7	180	2.52	1101	0.316	2	2.67	0.014	0.88	0.2	<0.01	2.4	0.4	<0.05	9	<0.5	<0.2
CAE442118	Soil		15	55	0.74	529	0.116	2	1.65	0.016	0.09	0.1	0.04	5.3	0.1	<0.05	5	<0.5	<0.2
CAE442119	Soil		10	71	0.60	302	0.134	2	1.60	0.012	0.06	0.2	0.02	2.8	0.1	<0.05	6	<0.5	<0.2
CAE442120	Soil		7	34	0.53	210	0.143	2	1.36	0.011	0.06	0.1	0.02	2.5	<0.1	<0.05	7	<0.5	<0.2
CAE442121	Soil		7	25	0.30	113	0.090	2	0.84	0.011	0.04	0.1	0.03	1.7	<0.1	<0.05	6	<0.5	<0.2
CAE442122	Soil		12	26	0.53	326	0.118	2	1.61	0.017	0.07	<0.1	0.01	3.2	<0.1	<0.05	6	<0.5	<0.2
CAE442123	Soil		5	32	0.79	449	0.180	3	1.74	0.022	0.11	0.2	0.04	3.9	<0.1	<0.05	7	<0.5	<0.2
CAE442124	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE442125	Soil		9	120	1.26	760	0.190	2	1.48	0.017	0.35	<0.1	0.03	2.2	0.1	<0.05	7	<0.5	<0.2
CAE442126	Soil		11	24	0.44	324	0.084	3	1.05	0.016	0.09	0.1	0.06	2.2	<0.1	<0.05	5	<0.5	<0.2
CAE442127	Soil		6	45	0.76	504	0.158	2	1.30	0.016	0.21	0.1	0.03	2.6	0.1	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: June 26, 2012

QUALITY CONTROL REPORT DAW12000020.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Pulp Duplicates																					
CAE103925	Soil	1.3	60.8	10.0	81	0.3	83.5	13.7	380	3.17	12.3	1.4	2.8	5.2	38	0.2	0.7	0.2	69	0.88	0.045
REP CAE103925	QC	1.4	61.3	10.0	82	0.3	82.5	13.9	387	3.23	12.2	1.4	2.3	5.2	37	0.1	0.7	0.2	70	0.89	0.045
CAE103936	Soil	4.0	60.6	11.3	108	0.1	63.6	18.6	519	3.90	35.8	1.4	2.5	6.7	36	0.2	0.3	0.1	81	0.53	0.105
REP CAE103936	QC	3.8	57.5	11.5	105	0.1	61.6	18.3	506	3.80	35.9	1.4	2.3	6.7	37	0.2	0.3	0.1	80	0.52	0.106
CAE103961	Soil	0.6	57.5	11.5	74	<0.1	86.2	22.8	582	3.96	7.8	0.4	2.2	4.5	38	<0.1	0.4	<0.1	89	0.95	0.166
REP CAE103961	QC	0.5	59.6	11.8	78	<0.1	88.7	24.1	604	4.13	8.5	0.5	2.6	4.6	39	<0.1	0.4	<0.1	92	0.99	0.168
CAE103972	Soil	1.0	18.3	7.3	66	<0.1	39.3	19.1	449	3.51	4.3	0.7	<0.5	8.4	20	<0.1	0.3	0.1	68	0.27	0.051
REP CAE103972	QC	0.9	18.3	7.3	64	<0.1	39.0	19.0	463	3.55	4.4	0.7	0.9	8.6	21	<0.1	0.3	<0.1	69	0.29	0.054
CAE103998	Soil	1.1	67.6	7.2	52	0.1	27.2	12.7	299	2.63	4.5	0.7	1.9	2.0	27	<0.1	0.2	<0.1	78	0.50	0.071
REP CAE103998	QC	1.1	66.8	6.8	50	0.1	26.1	13.0	301	2.64	4.1	0.7	3.9	2.1	26	<0.1	0.2	<0.1	78	0.52	0.070
CAE442059	Soil	1.0	20.6	10.3	49	0.1	21.1	10.2	296	2.52	6.4	0.7	2.3	3.5	22	<0.1	0.3	0.1	62	0.38	0.060
REP CAE442059	QC	1.1	20.7	10.0	49	0.1	20.9	9.9	287	2.49	6.4	0.7	1.6	3.4	23	0.1	0.3	0.1	63	0.38	0.057
CAE442084	Soil	0.5	55.5	7.1	66	<0.1	26.7	15.8	579	3.49	4.6	1.0	3.6	7.7	29	0.1	0.3	<0.1	82	0.54	0.118
REP CAE442084	QC	0.5	57.9	7.3	70	<0.1	28.4	16.7	614	3.70	4.9	1.1	2.0	7.9	29	<0.1	0.3	<0.1	86	0.55	0.107
CAE442105	Soil	0.7	24.3	7.8	53	<0.1	19.0	10.6	330	2.49	6.0	0.7	4.4	2.6	33	0.2	0.3	<0.1	67	0.44	0.061
REP CAE442105	QC	0.7	23.9	7.6	55	0.1	19.1	10.4	332	2.48	6.1	0.7	2.9	2.5	32	0.2	0.3	<0.1	66	0.43	0.059
Reference Materials																					
STD DS9	Standard	14.1	117.8	131.0	330	2.0	43.1	8.1	619	2.44	25.9	2.7	119.4	6.0	71	2.3	5.9	5.9	47	0.75	0.085
STD DS9	Standard	13.5	109.8	125.8	320	2.0	40.8	7.6	590	2.40	24.4	2.7	122.0	6.1	74	2.4	5.9	6.3	44	0.73	0.082
STD DS9	Standard	13.0	107.4	123.9	301	1.9	41.2	7.5	579	2.28	24.6	2.6	118.0	5.8	69	2.2	5.8	6.2	44	0.70	0.080
STD DS9	Standard	13.6	113.7	131.2	316	2.0	42.5	7.9	603	2.40	25.5	2.7	121.2	6.4	71	2.4	5.6	6.5	43	0.72	0.083
STD DS9	Standard	13.8	112.3	128.3	311	1.9	40.0	7.8	596	2.34	26.8	3.1	128.3	7.4	82	2.5	6.5	6.8	43	0.72	0.084
STD DS9 Expected		12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40	0.7201	0.0819
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	3	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	3	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: June 26, 2012

QUALITY CONTROL REPORT DAW12000020.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																		
CAE103925	Soil	28	87	0.93	502	0.084	2	1.67	0.019	0.24	0.1	0.03	5.4	0.2	<0.05	5	0.6	<0.2
REP CAE103925	QC	29	87	0.93	501	0.086	2	1.66	0.019	0.22	<0.1	0.03	5.5	0.2	<0.05	5	<0.5	<0.2
CAE103936	Soil	26	63	0.83	499	0.123	1	1.51	0.016	0.38	<0.1	0.02	6.0	0.3	<0.05	6	0.8	<0.2
REP CAE103936	QC	26	63	0.82	488	0.123	2	1.50	0.015	0.38	0.1	0.01	5.8	0.3	<0.05	5	0.9	<0.2
CAE103961	Soil	24	78	1.01	228	0.163	2	2.00	0.029	0.26	0.2	0.03	5.5	0.1	<0.05	7	<0.5	<0.2
REP CAE103961	QC	25	82	1.01	231	0.174	<1	2.04	0.031	0.26	0.2	0.04	5.8	0.1	<0.05	8	<0.5	<0.2
CAE103972	Soil	13	49	0.86	290	0.155	<1	1.97	0.012	0.53	0.1	<0.01	4.2	0.3	<0.05	7	<0.5	<0.2
REP CAE103972	QC	14	49	0.88	292	0.154	<1	2.02	0.012	0.54	<0.1	<0.01	4.4	0.3	<0.05	7	<0.5	<0.2
CAE103998	Soil	11	50	0.89	440	0.142	2	1.70	0.018	0.11	0.1	0.03	3.9	0.1	<0.05	6	<0.5	<0.2
REP CAE103998	QC	11	50	0.87	426	0.141	<1	1.66	0.018	0.11	0.2	0.03	3.8	0.1	<0.05	6	<0.5	<0.2
CAE442059	Soil	12	41	0.57	280	0.105	<1	1.57	0.014	0.08	0.1	0.02	3.2	<0.1	<0.05	6	<0.5	<0.2
REP CAE442059	QC	12	40	0.57	284	0.108	<1	1.57	0.014	0.08	0.2	0.02	3.0	<0.1	<0.05	5	<0.5	<0.2
CAE442084	Soil	15	51	1.18	521	0.158	<1	1.96	0.017	0.35	0.2	0.01	6.0	0.2	<0.05	7	<0.5	<0.2
REP CAE442084	QC	15	55	1.26	545	0.171	<1	2.06	0.017	0.37	0.2	0.01	6.6	0.2	<0.05	7	<0.5	<0.2
CAE442105	Soil	10	38	0.68	208	0.115	2	1.58	0.023	0.05	0.2	0.03	3.9	<0.1	<0.05	5	<0.5	<0.2
REP CAE442105	QC	10	37	0.67	209	0.115	1	1.56	0.023	0.05	0.1	0.02	3.6	<0.1	<0.05	5	<0.5	<0.2
Reference Materials																		
STD DS9	Standard	13	133	0.68	309	0.112	2	0.95	0.093	0.39	3.3	0.23	2.6	6.0	0.17	5	5.7	5.7
STD DS9	Standard	13	126	0.61	302	0.114	3	0.91	0.099	0.40	3.0	0.20	2.7	6.0	0.12	5	5.6	5.1
STD DS9	Standard	13	126	0.61	298	0.114	3	0.92	0.089	0.33	2.9	0.20	2.3	5.5	0.12	5	5.3	5.2
STD DS9	Standard	13	129	0.62	299	0.116	2	0.90	0.086	0.35	3.3	0.25	2.4	5.8	0.14	5	5.9	5.3
STD DS9	Standard	15	125	0.63	308	0.131	3	0.95	0.091	0.36	3.2	0.20	2.8	5.6	0.15	5	5.4	5.3
STD DS9 Expected		13.3	121	0.6165	295	0.1108		0.9577	0.0853	0.395	2.89	0.2	2.5	5.3	0.1615	4.59	5.2	5.02
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.