Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Submitted By: Jean-Pierre Londero
Receiving Lab: Canada-Dawson City
Received: June 29, 2012
Report Date: August 05, 2012

CERTIFICATE OF ANALYSIS DAW12000069.1

CLIENT JOB INFORMATION

Project: White Gold
Shipment ID: WG01922012
P.O. Number
Number of Samples: 128

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT-SOIL Store Soil Reject - RJSV Charges Apply

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	128	Dry at 60C sieve 100g to -80 mesh			DAW
Dry at 60C	128	Dry at 60C			DAW
RJSV	128	Saving all or part of Soil Reject			DAW
1DX2	126	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Selene Holdings LP
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8
Canada

CC: Keith Fowlow

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 05, 2012

CERTIFICATE OF ANALYSIS DAW12000069.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
CAE443023	Soil	0.5	29.5	8.8	48	0.1	119.5	15.9	364	2.51	3.5	1.3	2.8	4.6	38	<0.1	0.2	0.2	61	0.71	0.051
CAE443024	Soil	0.7	39.9	10.4	52	<0.1	68.3	12.9	367	2.54	4.0	1.7	4.2	5.0	36	<0.1	0.3	0.1	58	0.64	0.058
CAE443025	Soil	0.7	17.9	11.9	32	<0.1	27.0	7.0	105	1.72	4.8	0.3	1.4	1.7	12	<0.1	0.2	0.1	58	0.20	0.038
CAE443026	Soil	1.7	33.2	9.6	66	0.2	42.9	9.7	311	2.73	4.9	0.7	0.7	2.8	32	0.1	0.2	0.1	87	0.36	0.039
CAE443027	Soil	1.1	51.6	12.2	63	0.1	87.2	13.0	361	2.58	5.4	1.4	2.8	4.1	30	<0.1	0.4	0.1	71	0.59	0.042
CAE443028	Soil	1.9	63.9	44.7	96	0.1	163.4	19.3	598	3.99	1.8	1.1	1.1	6.7	29	0.2	0.1	0.3	125	0.61	0.080
CAE443029	Soil	1.8	59.4	43.0	89	0.1	145.2	17.3	545	3.70	1.7	1.1	0.6	6.2	28	0.2	0.1	0.3	108	0.58	0.075
CAE443030	Soil	0.6	54.4	4.2	40	<0.1	57.4	16.6	305	2.26	3.7	0.6	1.0	1.7	15	<0.1	0.2	<0.1	63	0.42	0.044
CAE443033	Soil	0.8	17.8	11.4	42	0.1	30.1	10.1	288	2.25	6.6	0.6	0.9	3.0	20	0.1	0.4	0.1	58	0.31	0.022
CAE443034	Soil	2.1	48.7	6.8	85	0.2	39.7	11.4	329	3.05	4.3	1.6	1.1	5.8	21	0.2	0.2	0.1	92	0.21	0.036
CAE443035	Soil	0.4	61.9	0.4	10	<0.1	207.5	15.0	91	1.01	0.7	0.2	1.3	0.6	3	<0.1	<0.1	<0.1	26	0.21	0.044
CAE443036	Soil	0.5	19.0	14.6	64	<0.1	29.5	13.1	491	2.91	2.9	1.4	2.2	6.5	40	<0.1	0.1	0.1	64	0.51	0.078
CAE443037	Soil	0.6	25.1	26.2	82	<0.1	32.9	15.7	770	3.11	3.0	2.2	2.2	10.8	42	<0.1	0.2	0.2	57	0.47	0.072
CAE443038	Soil	0.7	25.6	10.9	57	<0.1	27.8	10.8	514	2.69	6.0	1.4	4.3	7.8	35	<0.1	0.3	0.1	57	0.46	0.041
CAE443039	Soil	0.6	14.5	13.9	45	<0.1	16.8	6.3	226	2.08	4.2	0.9	1.5	4.5	21	<0.1	0.2	0.1	45	0.28	0.024
CAE443040	Soil	0.8	19.5	11.2	48	<0.1	23.7	8.5	254	2.20	5.6	0.8	7.2	5.1	26	<0.1	0.3	0.1	51	0.35	0.035
CAE443041	Soil	0.7	18.0	12.6	50	<0.1	22.9	8.7	274	2.39	5.6	0.7	2.6	5.1	22	<0.1	0.4	0.1	57	0.30	0.019
CAE443042	Soil	0.9	25.6	12.1	43	<0.1	25.8	9.0	306	2.24	6.8	0.9	3.3	5.8	28	<0.1	0.4	<0.1	54	0.42	0.038
CAE443043	Soil	1.3	19.4	17.8	48	<0.1	18.8	6.9	247	2.30	6.6	1.4	<0.5	9.6	20	<0.1	0.4	0.3	46	0.24	0.016
CAE443044	Soil	1.2	11.3	10.2	46	0.1	18.4	9.2	556	2.25	5.1	0.4	2.1	3.0	21	<0.1	0.4	0.4	55	0.26	0.019
CAE443045	Soil	0.6	8.1	10.3	43	<0.1	13.2	5.5	232	1.61	3.9	0.7	<0.5	4.5	14	<0.1	0.3	0.1	34	0.16	0.014
CAE442133	Soil	0.6	17.4	28.0	46	<0.1	23.0	9.5	313	2.16	5.5	2.3	2.7	6.1	19	<0.1	0.3	0.5	51	0.30	0.010
CAE442134	Soil	0.5	31.4	18.2	59	<0.1	28.8	13.9	631	2.85	5.7	1.0	1.5	6.1	25	<0.1	0.3	0.2	68	0.41	0.021
CAE442135	Soil	0.6	16.8	11.8	44	<0.1	22.8	7.6	267	2.14	7.6	0.8	1.7	6.6	22	<0.1	0.4	0.1	49	0.33	0.016
CAE442136	Soil	0.3	18.2	4.7	51	<0.1	76.3	22.4	423	2.93	2.2	3.5	<0.5	3.4	43	<0.1	<0.1	<0.1	73	0.76	0.075
CAE442137	Soil	0.4	16.1	4.6	59	<0.1	108.5	30.7	486	3.70	1.3	3.6	<0.5	2.4	55	<0.1	<0.1	<0.1	95	0.78	0.092
CAE442138	Soil	0.2	19.7	5.4	73	<0.1	136.2	33.0	640	3.73	2.9	4.9	0.8	4.7	45	<0.1	<0.1	<0.1	92	0.57	0.090
CAE442139	Soil	0.4	20.8	6.5	56	<0.1	68.8	18.7	362	3.23	3.6	1.8	<0.5	4.5	28	<0.1	0.2	<0.1	83	0.35	0.043
CAE442140	Soil	0.3	9.0	8.2	33	<0.1	9.2	3.2	171	1.02	3.4	0.6	2.0	6.6	11	<0.1	0.2	<0.1	21	0.17	0.010
CAE442141	Soil	0.3	13.3	9.2	38	<0.1	14.5	4.8	193	1.34	3.7	0.8	4.9	7.0	14	<0.1	0.2	<0.1	31	0.20	0.014

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 05, 2012

CERTIFICATE OF ANALYSIS DAW12000069.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
CAE443023	Soil	14	155	1.46	405	0.133	1	1.74	0.017	0.24	0.1	0.05	4.0	0.2	<0.05	7	<0.5	<0.2
CAE443024	Soil	16	77	1.07	521	0.125	2	1.57	0.022	0.30	0.1	0.03	4.3	0.3	<0.05	6	<0.5	<0.2
CAE443025	Soil	5	30	0.37	699	0.049	<1	1.14	0.006	0.03	0.1	<0.01	3.5	<0.1	<0.05	4	<0.5	<0.2
CAE443026	Soil	10	40	0.91	771	0.103	<1	1.81	0.017	0.19	<0.1	0.01	4.6	0.2	<0.05	7	0.5	<0.2
CAE443027	Soil	16	61	0.82	793	0.100	1	1.54	0.023	0.08	0.1	0.05	5.9	0.1	<0.05	5	<0.5	<0.2
CAE443028	Soil	24	171	1.85	831	0.135	<1	1.90	0.009	0.50	<0.1	<0.01	8.7	0.6	<0.05	8	0.7	<0.2
CAE443029	Soil	23	152	1.64	797	0.126	<1	1.72	0.009	0.44	<0.1	<0.01	7.7	0.5	<0.05	8	0.5	<0.2
CAE443030	Soil	7	69	0.89	253	0.100	<1	1.22	0.021	0.12	<0.1	0.01	4.7	0.1	<0.05	4	<0.5	<0.2
CAE443033	Soil	13	36	0.53	347	0.065	<1	1.31	0.014	0.07	<0.1	0.02	5.1	<0.1	<0.05	4	<0.5	<0.2
CAE443034	Soil	18	54	1.02	700	0.133	<1	1.82	0.011	0.51	<0.1	0.02	6.8	0.5	<0.05	7	0.9	<0.2
CAE443035	Soil	2	138	0.81	64	0.044	<1	0.59	0.008	0.07	<0.1	<0.01	2.4	<0.1	<0.05	2	<0.5	<0.2
CAE443036	Soil	14	52	1.50	497	0.211	<1	1.88	0.011	0.47	0.2	0.01	3.3	0.4	<0.05	8	<0.5	<0.2
CAE443037	Soil	22	57	0.99	282	0.195	<1	1.65	0.011	0.46	0.3	0.01	3.4	0.5	<0.05	8	<0.5	<0.2
CAE443038	Soil	18	39	0.72	334	0.115	<1	1.48	0.024	0.19	0.2	0.04	4.8	0.2	<0.05	6	<0.5	<0.2
CAE443039	Soil	10	29	0.54	291	0.065	<1	1.27	0.012	0.09	0.1	0.01	2.4	<0.1	<0.05	5	<0.5	<0.2
CAE443040	Soil	14	33	0.60	306	0.079	<1	1.34	0.014	0.06	0.1	0.02	2.9	<0.1	<0.05	5	<0.5	<0.2
CAE443041	Soil	13	36	0.53	252	0.077	<1	1.54	0.017	0.06	<0.1	0.02	4.2	<0.1	<0.05	5	<0.5	<0.2
CAE443042	Soil	14	35	0.48	225	0.077	1	1.20	0.021	0.09	0.2	0.02	5.1	<0.1	<0.05	4	<0.5	<0.2
CAE443043	Soil	16	28	0.44	340	0.058	<1	1.54	0.009	0.10	0.1	0.01	3.4	0.1	<0.05	6	<0.5	<0.2
CAE443044	Soil	7	32	0.39	646	0.046	<1	1.59	0.011	0.07	0.1	0.01	2.9	<0.1	<0.05	5	<0.5	<0.2
CAE443045	Soil	5	20	0.35	296	0.035	<1	1.10	0.006	0.08	<0.1	<0.01	2.1	<0.1	<0.05	4	<0.5	<0.2
CAE442133	Soil	9	34	0.59	200	0.090	<1	1.30	0.013	0.19	<0.1	0.02	4.7	0.1	<0.05	4	<0.5	<0.2
CAE442134	Soil	14	38	0.79	340	0.125	2	1.66	0.015	0.35	0.1	0.02	5.2	0.3	<0.05	6	<0.5	<0.2
CAE442135	Soil	15	31	0.48	283	0.065	1	1.30	0.017	0.09	0.1	0.02	4.9	<0.1	<0.05	4	<0.5	<0.2
CAE442136	Soil	10	160	1.82	492	0.230	1	1.91	0.013	0.47	<0.1	<0.01	2.5	0.3	<0.05	6	<0.5	<0.2
CAE442137	Soil	5	192	2.77	1710	0.309	<1	2.75	0.012	1.02	<0.1	<0.01	3.0	0.5	<0.05	7	<0.5	<0.2
CAE442138	Soil	11	269	2.05	416	0.253	<1	2.28	0.009	1.06	<0.1	<0.01	3.6	0.7	<0.05	9	<0.5	<0.2
CAE442139	Soil	12	161	1.99	1766	0.246	<1	2.48	0.015	0.85	0.1	0.01	3.1	0.3	<0.05	8	<0.5	<0.2
CAE442140	Soil	8	13	0.21	166	0.032	<1	0.61	0.009	0.09	<0.1	0.02	1.9	<0.1	<0.05	3	<0.5	<0.2
CAE442141	Soil	11	21	0.33	165	0.047	<1	0.80	0.010	0.08	<0.1	0.02	2.6	<0.1	<0.05	3	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 05, 2012

CERTIFICATE OF ANALYSIS DAW12000069.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
CAE442142	Soil	0.4	15.7	11.3	54	<0.1	12.4	4.4	256	1.54	2.9	0.9	0.9	7.0	15	<0.1	0.1	<0.1	26	0.22	0.022
CAE442143	Soil	0.6	11.2	19.6	43	<0.1	10.7	3.6	169	1.63	4.6	1.1	2.8	8.5	11	<0.1	0.2	<0.1	29	0.13	0.011
CAE442144	Soil	0.5	22.4	13.0	77	<0.1	16.5	9.0	362	2.31	1.9	4.3	<0.5	14.9	31	<0.1	0.2	<0.1	34	0.28	0.048
CAE442145	Soil	0.3	47.4	4.1	89	<0.1	61.1	25.1	719	4.59	0.9	1.9	<0.5	4.1	24	<0.1	<0.1	<0.1	103	0.48	0.105
CAE442146	Soil	0.7	11.1	8.5	45	<0.1	19.1	8.4	253	2.23	4.9	0.5	<0.5	2.7	18	<0.1	0.3	<0.1	53	0.25	0.039
CAE442147	Soil	0.7	49.8	22.4	90	<0.1	24.8	17.4	582	4.20	2.1	1.7	<0.5	15.6	32	<0.1	0.2	0.1	78	0.48	0.077
CAE442148	Soil	0.7	26.4	14.3	70	<0.1	23.0	12.7	395	3.17	3.9	1.2	1.0	6.6	32	<0.1	0.2	0.2	60	0.40	0.047
CAE442149	Soil	0.6	34.4	9.6	53	<0.1	28.7	11.1	390	2.75	7.7	1.1	3.5	4.5	36	<0.1	0.4	0.1	59	0.51	0.043
CAE442150	Soil	0.5	20.8	9.2	51	<0.1	25.9	12.5	322	2.76	4.7	1.2	2.2	6.2	37	<0.1	0.2	0.1	63	0.51	0.072
CAE442151	Soil	0.6	24.0	6.7	57	0.1	13.8	8.7	217	2.34	3.0	0.4	<0.5	1.3	22	0.1	0.2	<0.1	57	0.34	0.048
CAE442152	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE442153	Soil	0.5	21.0	5.0	45	<0.1	19.0	10.3	257	1.99	2.3	0.2	4.3	0.4	42	<0.1	0.1	<0.1	60	0.29	0.067
CAE442154	Soil	0.4	20.2	4.8	41	<0.1	17.0	9.6	230	1.88	1.9	0.2	<0.5	0.4	41	<0.1	0.1	<0.1	56	0.29	0.062
CAE442155	Soil	0.7	21.2	6.5	43	<0.1	22.4	12.2	293	2.75	5.1	0.4	0.9	1.9	26	<0.1	0.1	<0.1	78	0.33	0.102
CAE442156	Soil	0.9	27.4	5.7	53	<0.1	26.8	14.8	326	3.13	6.6	0.6	1.5	2.7	29	<0.1	0.3	<0.1	71	0.32	0.050
CAE442157	Soil	0.9	28.4	6.1	63	0.1	32.3	17.7	464	3.77	5.6	0.4	1.3	1.6	35	<0.1	0.2	<0.1	95	0.43	0.101
CAE442158	Soil	0.9	19.8	5.0	58	0.2	15.8	10.4	382	2.74	5.9	0.3	1.2	1.4	34	<0.1	0.2	<0.1	74	0.46	0.050
CAE442159	Soil	0.7	19.1	6.3	50	0.2	16.2	10.1	407	2.69	5.0	0.2	4.4	1.2	25	<0.1	0.3	<0.1	71	0.28	0.029
CAE442160	Soil	0.7	25.2	5.3	54	<0.1	21.9	11.4	303	2.91	6.6	0.4	1.6	2.2	27	<0.1	0.3	<0.1	68	0.34	0.019
CAE442161	Soil	0.4	24.5	3.9	48	<0.1	16.0	12.5	242	2.48	2.8	0.2	1.3	0.8	28	<0.1	0.2	<0.1	69	0.48	0.050
CAE443046	Soil	0.7	49.9	5.3	56	0.1	18.8	12.2	319	2.79	5.0	0.6	3.4	2.3	27	0.1	0.3	<0.1	69	0.59	0.060
CAE443047	Soil	0.6	37.6	5.3	55	0.1	18.1	10.9	248	2.82	4.4	0.6	1.6	2.2	28	<0.1	0.2	<0.1	67	0.46	0.040
CAE443048	Soil	0.6	28.4	5.2	57	0.1	19.0	10.6	254	2.77	3.9	0.4	1.0	1.6	25	<0.1	0.2	<0.1	71	0.45	0.045
CAE443049	Soil	0.5	28.0	5.4	51	<0.1	16.2	12.4	258	2.68	3.4	0.3	0.9	1.4	26	<0.1	0.2	<0.1	73	0.45	0.056
CAE443050	Soil	0.4	26.4	3.6	60	<0.1	14.7	13.1	265	2.88	2.7	0.2	0.9	1.2	31	<0.1	0.1	<0.1	77	0.50	0.054
CAE442162	Soil	0.6	34.4	5.2	54	<0.1	46.2	17.9	374	3.07	3.8	0.7	0.9	3.9	28	<0.1	0.2	<0.1	78	0.39	0.076
CAE442163	Soil	0.6	46.4	6.3	66	<0.1	46.6	17.2	490	3.56	2.7	1.0	1.1	5.3	36	<0.1	0.1	<0.1	88	0.47	0.087
CAE442164	Soil	0.5	42.7	5.5	46	<0.1	30.5	12.2	289	2.61	4.6	0.8	2.5	3.8	33	<0.1	0.2	<0.1	67	0.46	0.058
CAE442165	Soil	0.6	47.4	5.3	51	<0.1	37.1	16.4	348	2.97	4.2	0.8	2.3	3.4	35	<0.1	0.2	<0.1	76	0.51	0.072
CAE442166	Soil	0.7	38.2	7.0	46	<0.1	25.3	12.6	245	2.65	4.3	0.8	1.9	3.0	21	<0.1	0.2	<0.1	66	0.29	0.042

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 05, 2012

CERTIFICATE OF ANALYSIS DAW12000069.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
CAE442142	Soil	10	16	0.49	186	0.041	<1	1.03	0.009	0.09	<0.1	0.01	1.7	0.1	<0.05	5	<0.5	<0.2
CAE442143	Soil	6	17	0.36	207	0.032	<1	1.03	0.007	0.09	<0.1	<0.01	2.0	<0.1	<0.05	5	<0.5	<0.2
CAE442144	Soil	20	35	0.47	174	0.133	<1	1.20	0.007	0.37	<0.1	<0.01	2.5	0.2	<0.05	7	<0.5	<0.2
CAE442145	Soil	14	120	2.33	1235	0.312	<1	2.86	0.014	1.57	0.2	<0.01	2.4	0.7	<0.05	9	<0.5	<0.2
CAE442146	Soil	6	38	0.45	258	0.065	<1	1.38	0.010	0.09	0.1	0.02	2.4	0.1	<0.05	5	<0.5	<0.2
CAE442147	Soil	17	35	1.07	313	0.233	<1	1.87	0.009	0.42	<0.1	0.01	4.1	0.4	<0.05	10	<0.5	<0.2
CAE442148	Soil	11	38	0.87	257	0.172	<1	1.84	0.012	0.33	0.2	0.01	3.1	0.3	<0.05	8	<0.5	<0.2
CAE442149	Soil	16	37	0.67	315	0.090	1	1.59	0.036	0.06	0.1	0.04	5.3	<0.1	<0.05	5	<0.5	<0.2
CAE442150	Soil	15	49	0.97	420	0.145	1	1.65	0.020	0.26	0.2	0.02	4.0	0.2	<0.05	7	<0.5	<0.2
CAE442151	Soil	7	30	0.79	182	0.112	1	1.52	0.016	0.11	0.1	0.03	2.5	<0.1	<0.05	5	<0.5	<0.2
CAE442152	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE442153	Soil	3	39	0.93	354	0.173	2	1.22	0.012	0.20	<0.1	0.02	1.3	<0.1	<0.05	7	<0.5	<0.2
CAE442154	Soil	3	35	0.83	363	0.158	1	1.15	0.014	0.19	<0.1	0.03	1.3	<0.1	<0.05	7	<0.5	<0.2
CAE442155	Soil	6	55	0.96	671	0.165	1	1.67	0.012	0.30	0.1	0.01	2.3	0.2	<0.05	8	<0.5	<0.2
CAE442156	Soil	9	50	1.05	726	0.161	1	1.96	0.014	0.16	0.1	0.01	2.9	0.2	<0.05	6	<0.5	<0.2
CAE442157	Soil	5	73	1.68	456	0.232	1	2.32	0.011	0.37	0.1	0.01	2.5	0.2	<0.05	8	<0.5	<0.2
CAE442158	Soil	6	33	0.86	247	0.125	1	1.71	0.017	0.11	0.1	0.02	2.9	<0.1	<0.05	7	<0.5	<0.2
CAE442159	Soil	5	30	0.66	235	0.107	<1	1.47	0.014	0.08	0.1	0.01	2.5	<0.1	<0.05	6	<0.5	<0.2
CAE442160	Soil	8	38	0.88	226	0.113	1	1.92	0.017	0.06	<0.1	0.02	4.0	<0.1	<0.05	6	<0.5	<0.2
CAE442161	Soil	3	49	1.19	147	0.149	1	1.79	0.022	0.07	<0.1	<0.01	2.9	<0.1	<0.05	6	<0.5	<0.2
CAE443046	Soil	9	33	0.80	192	0.121	2	1.74	0.025	0.07	0.1	0.03	5.3	<0.1	<0.05	6	<0.5	<0.2
CAE443047	Soil	9	40	0.91	230	0.131	1	1.96	0.019	0.10	0.1	0.04	4.4	<0.1	<0.05	7	<0.5	<0.2
CAE443048	Soil	6	46	0.95	188	0.147	1	2.00	0.018	0.12	0.1	0.03	3.9	<0.1	<0.05	7	<0.5	<0.2
CAE443049	Soil	5	45	1.06	167	0.157	1	1.86	0.019	0.13	<0.1	0.01	3.6	<0.1	<0.05	6	<0.5	<0.2
CAE443050	Soil	5	36	1.20	218	0.185	1	2.06	0.020	0.20	0.1	<0.01	3.2	0.1	<0.05	7	<0.5	<0.2
CAE442162	Soil	10	91	1.50	855	0.199	<1	2.06	0.016	0.56	0.2	0.01	3.1	0.2	<0.05	7	<0.5	<0.2
CAE442163	Soil	13	92	1.73	940	0.239	<1	2.27	0.016	0.66	0.1	0.01	4.0	0.3	<0.05	8	<0.5	<0.2
CAE442164	Soil	11	53	0.96	599	0.141	<1	1.63	0.021	0.14	0.1	0.02	4.0	0.1	<0.05	5	<0.5	<0.2
CAE442165	Soil	11	71	1.27	749	0.191	<1	1.88	0.018	0.28	0.1	0.02	3.9	0.2	<0.05	7	<0.5	<0.2
CAE442166	Soil	8	48	0.88	304	0.148	<1	1.66	0.016	0.12	0.1	<0.01	3.0	0.1	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 05, 2012

CERTIFICATE OF ANALYSIS DAW12000069.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
CAE442167	Soil	0.8	32.0	7.0	45	<0.1	25.6	11.4	223	2.77	5.7	0.7	1.0	3.5	25	<0.1	0.3	<0.1	74	0.32	0.031
CAE442168	Soil	0.7	33.4	6.0	47	<0.1	24.8	10.7	214	2.71	5.3	0.6	2.4	3.0	20	<0.1	0.2	<0.1	73	0.27	0.040
CAE442169	Soil	0.8	37.9	6.1	53	<0.1	30.5	12.7	272	2.99	4.3	0.9	1.0	3.3	24	<0.1	0.2	<0.1	81	0.36	0.069
CAE442170	Soil	0.7	42.4	6.6	59	<0.1	34.8	15.6	341	3.07	3.2	1.0	2.1	4.1	29	<0.1	0.2	<0.1	79	0.45	0.082
CAE442171	Soil	0.7	55.6	6.4	69	0.1	34.5	15.0	304	3.09	3.4	1.0	1.5	3.7	26	<0.1	0.1	<0.1	85	0.36	0.043
CAE442172	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE442173	Soil	0.5	43.4	3.6	36	0.1	29.4	11.1	196	1.90	1.3	0.9	1.1	2.1	38	0.1	0.1	<0.1	50	0.59	0.064
CAE442174	Soil	0.4	38.3	5.5	57	<0.1	24.6	9.8	252	2.39	3.9	0.7	3.9	3.1	34	<0.1	0.3	0.2	67	0.62	0.080
CAE442175	Soil	0.5	51.1	4.6	55	0.1	25.2	13.2	394	2.30	4.4	0.7	5.0	2.3	34	<0.1	0.3	0.1	61	0.63	0.078
CAE442176	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE442177	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE442178	Soil	0.5	27.9	4.3	42	<0.1	15.1	9.6	257	1.69	2.4	0.4	1.2	1.0	23	<0.1	0.2	<0.1	46	0.38	0.056
CAE442179	Soil	0.7	16.4	5.0	54	<0.1	14.8	11.9	398	1.79	3.3	0.5	1.4	0.9	19	0.2	0.2	0.1	44	0.29	0.057
CAE442094	Soil	0.9	30.1	8.0	55	<0.1	61.6	12.4	372	2.46	6.8	0.8	1.7	2.8	33	0.2	0.3	0.1	58	0.77	0.035
CAE442095	Soil	0.9	45.6	6.7	49	<0.1	109.2	13.8	294	2.18	4.8	0.8	3.3	2.6	27	0.1	0.2	0.1	52	0.78	0.042
CAE442096	Soil	1.2	34.4	9.2	64	<0.1	66.3	13.7	389	2.64	9.4	0.9	3.5	4.7	23	<0.1	0.3	0.1	60	0.47	0.038
CAE442097	Soil	1.0	34.4	9.2	57	0.1	60.4	12.9	449	2.40	5.3	0.9	2.7	3.2	35	0.2	0.2	0.1	60	1.01	0.038
CAE442098	Soil	1.2	31.7	9.4	56	0.2	42.9	11.5	400	2.45	7.2	1.1	4.9	3.3	36	0.1	0.3	0.1	57	1.01	0.046
CAE442099	Soil	1.2	31.5	9.2	57	0.2	32.1	10.6	435	2.36	4.9	1.0	2.7	2.9	38	0.3	0.3	0.1	53	1.02	0.054
CAE442100	Soil	1.4	54.2	8.2	57	0.1	42.1	16.7	553	2.80	6.1	1.1	2.5	3.4	29	0.1	0.3	<0.1	75	0.63	0.036
CAE443001	Soil	1.0	55.0	5.7	54	<0.1	76.6	15.2	250	2.46	3.7	0.3	1.6	1.2	16	<0.1	0.1	<0.1	73	0.42	0.033
CAE443002	Soil	1.1	32.8	7.0	66	<0.1	169.5	18.8	416	2.66	4.7	0.8	3.3	2.8	35	0.2	0.2	<0.1	71	0.93	0.046
CAE443003	Soil	1.1	22.4	5.9	53	<0.1	56.0	9.2	268	1.83	3.5	0.9	0.9	1.9	43	0.3	0.2	<0.1	45	1.23	0.041
CAE443004	Soil	3.0	34.8	9.5	77	0.3	46.7	12.7	217	3.58	5.5	0.6	1.2	3.0	15	0.2	0.3	0.1	93	0.25	0.024
CAE443005	Soil	1.0	26.9	7.0	46	<0.1	37.1	11.4	299	2.76	8.5	0.9	4.1	4.0	22	<0.1	0.5	<0.1	69	0.32	0.024
CAE443006	Soil	1.1	26.4	6.5	52	0.2	155.4	22.6	444	3.13	3.6	0.6	15.8	4.8	18	<0.1	0.2	<0.1	67	0.32	0.017
CAE443007	Soil	0.9	29.9	3.8	33	<0.1	182.6	15.9	225	2.05	1.0	0.2	1.0	0.9	15	<0.1	<0.1	<0.1	70	0.32	0.018
CAE443008	Soil	1.2	40.9	5.4	59	<0.1	201.9	18.8	214	2.58	3.4	0.4	1.4	1.9	16	<0.1	0.2	<0.1	75	0.35	0.047
CAE443009	Soil	2.8	35.3	10.8	89	<0.1	44.4	11.3	303	3.07	8.3	1.0	4.5	4.3	24	0.2	0.4	0.2	71	0.39	0.054
CAE443010	Soil	4.0	45.4	28.6	89	0.2	70.7	16.1	589	3.44	8.8	1.1	1.7	3.6	26	0.4	0.2	0.2	86	0.50	0.093

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 05, 2012

CERTIFICATE OF ANALYSIS DAW12000069.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
CAE442167	Soil	11	52	0.79	337	0.150	1	1.79	0.016	0.07	0.1	0.02	3.7	0.1	<0.05	6	<0.5	<0.2
CAE442168	Soil	8	50	0.81	283	0.145	<1	1.79	0.016	0.10	0.1	0.01	3.0	<0.1	<0.05	6	<0.5	<0.2
CAE442169	Soil	10	62	1.07	551	0.190	<1	2.01	0.019	0.28	0.1	0.01	3.2	0.2	<0.05	7	<0.5	<0.2
CAE442170	Soil	12	74	1.34	729	0.207	1	2.02	0.019	0.45	0.2	<0.01	3.1	0.2	<0.05	7	<0.5	<0.2
CAE442171	Soil	11	72	1.26	504	0.225	1	2.09	0.019	0.25	0.1	0.03	3.3	0.2	<0.05	8	<0.5	<0.2
CAE442172	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE442173	Soil	11	70	0.82	657	0.121	2	1.17	0.021	0.20	0.1	0.04	2.7	0.1	<0.05	4	<0.5	<0.2
CAE442174	Soil	10	48	0.82	381	0.127	2	1.46	0.034	0.13	0.2	0.03	4.0	0.2	<0.05	5	<0.5	<0.2
CAE442175	Soil	11	44	0.71	489	0.098	2	1.37	0.032	0.09	0.2	0.04	3.9	0.1	<0.05	4	<0.5	<0.2
CAE442176	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE442177	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE442178	Soil	6	29	0.56	181	0.087	2	1.02	0.021	0.08	0.1	0.05	2.4	<0.1	<0.05	4	<0.5	<0.2
CAE442179	Soil	7	28	0.41	258	0.063	2	1.09	0.011	0.07	0.1	0.06	2.4	<0.1	<0.05	4	<0.5	<0.2
CAE442094	Soil	12	67	0.64	362	0.068	2	1.31	0.019	0.12	<0.1	0.02	3.6	0.1	0.09	5	<0.5	<0.2
CAE442095	Soil	11	110	0.92	284	0.060	2	1.17	0.016	0.10	<0.1	0.03	3.6	0.2	<0.05	4	<0.5	<0.2
CAE442096	Soil	16	65	0.70	287	0.066	2	1.33	0.016	0.10	0.1	0.03	4.2	<0.1	<0.05	4	0.7	<0.2
CAE442097	Soil	14	63	0.68	409	0.060	3	1.29	0.017	0.12	0.1	0.04	4.3	<0.1	0.07	4	<0.5	<0.2
CAE442098	Soil	16	46	0.69	430	0.059	2	1.34	0.018	0.10	0.1	0.04	4.0	0.1	0.08	4	<0.5	<0.2
CAE442099	Soil	17	37	0.56	432	0.044	2	1.22	0.017	0.09	<0.1	0.05	4.1	<0.1	<0.05	4	<0.5	<0.2
CAE442100	Soil	15	56	0.76	429	0.083	2	1.51	0.024	0.10	<0.1	0.03	4.6	0.1	<0.05	5	<0.5	<0.2
CAE443001	Soil	5	106	1.18	143	0.101	1	1.37	0.012	0.10	<0.1	<0.01	3.2	<0.1	<0.05	5	0.6	<0.2
CAE443002	Soil	12	163	1.44	379	0.077	2	1.55	0.017	0.09	<0.1	0.03	4.7	0.1	0.07	6	<0.5	<0.2
CAE443003	Soil	10	43	0.58	274	0.055	3	0.98	0.013	0.12	<0.1	0.06	3.0	0.1	0.13	3	<0.5	<0.2
CAE443004	Soil	11	59	0.81	371	0.111	2	1.88	0.011	0.29	<0.1	0.02	4.7	0.2	<0.05	8	0.6	<0.2
CAE443005	Soil	16	43	0.58	377	0.096	2	1.49	0.018	0.10	0.1	0.05	6.5	<0.1	<0.05	5	<0.5	<0.2
CAE443006	Soil	15	189	1.44	367	0.122	1	1.99	0.014	0.27	<0.1	0.02	4.6	0.2	0.05	7	<0.5	<0.2
CAE443007	Soil	3	160	1.34	159	0.102	<1	1.31	0.023	0.07	<0.1	<0.01	3.5	0.1	<0.05	5	<0.5	<0.2
CAE443008	Soil	9	168	1.72	300	0.089	<1	1.62	0.017	0.18	<0.1	0.01	4.4	0.2	<0.05	5	0.5	<0.2
CAE443009	Soil	18	46	0.64	472	0.072	2	1.68	0.014	0.21	0.1	0.02	4.2	0.1	0.10	6	0.9	<0.2
CAE443010	Soil	17	78	1.29	708	0.104	2	1.60	0.019	0.25	0.1	0.03	5.1	0.2	0.07	5	1.2	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 05, 2012

CERTIFICATE OF ANALYSIS DAW12000069.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
CAE443011	Soil	2.2	37.2	11.1	69	0.2	33.7	11.2	401	2.76	10.7	1.1	2.7	4.5	28	0.2	0.3	0.1	63	0.53	0.056
CAE443012	Soil	2.4	35.6	12.0	72	0.2	35.5	11.4	412	2.83	11.7	1.1	2.3	4.7	29	0.3	0.3	0.1	63	0.52	0.062
CAE443013	Soil	1.8	38.2	11.9	67	0.2	35.2	10.6	417	2.51	8.6	1.2	3.1	3.8	40	0.2	0.3	0.1	56	0.59	0.047
CAE443014	Soil	2.1	40.8	16.4	102	0.3	42.9	12.3	739	2.55	10.2	1.1	1.8	4.4	29	0.6	0.2	0.2	64	0.58	0.068
CAE443015	Soil	1.6	27.7	9.4	86	0.1	40.2	11.9	403	3.02	4.8	1.1	1.6	6.4	27	0.2	0.2	0.1	60	0.57	0.076
CAE443016	Soil	2.0	48.0	13.3	106	0.6	49.0	15.7	458	3.36	2.6	2.2	4.1	6.3	40	0.7	0.3	0.1	66	0.76	0.081
CAE443017	Soil	1.8	24.1	10.7	82	0.2	32.0	9.7	243	2.82	4.1	1.0	3.1	5.7	25	0.2	0.2	<0.1	61	0.47	0.049
CAE443018	Soil	2.4	29.5	12.0	75	0.3	27.9	11.6	414	2.50	4.0	1.3	6.5	4.2	36	0.6	0.2	0.2	52	0.73	0.067
CAE443019	Soil	2.1	32.6	10.2	77	0.3	31.5	9.4	363	2.86	4.2	1.5	2.4	4.8	41	0.4	0.2	0.1	60	0.87	0.055
CAE442201	Soil	1.5	23.8	8.2	62	<0.1	37.8	13.9	324	3.57	5.5	0.5	<0.5	5.1	16	<0.1	0.3	<0.1	58	0.30	0.044
CAE442202	Soil	1.3	22.5	9.4	51	<0.1	31.1	11.1	381	2.74	3.8	0.5	1.2	4.1	20	<0.1	0.2	0.1	62	0.27	0.030
CAE442203	Soil	1.2	18.0	7.8	47	<0.1	26.1	9.3	242	2.55	6.8	0.5	0.9	3.5	19	<0.1	0.3	<0.1	56	0.32	0.032
CAE442204	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE442205	Soil	0.8	18.4	4.6	33	<0.1	15.1	5.5	269	1.22	3.2	0.5	2.0	1.0	81	0.3	0.2	<0.1	24	2.47	0.064
CAE442206	Soil	0.8	20.1	5.0	31	<0.1	15.4	6.5	331	1.36	2.3	0.8	1.6	1.6	103	0.1	0.2	<0.1	24	2.46	0.056
CAE442207	Soil	0.7	22.1	7.8	43	<0.1	21.2	9.6	413	2.08	3.7	0.8	2.2	2.8	77	0.1	0.2	<0.1	38	1.81	0.049
CAE442208	Soil	0.5	15.5	3.0	28	<0.1	12.8	5.4	277	1.07	1.8	0.8	2.9	1.1	129	0.2	0.2	<0.1	20	2.89	0.056
CAE442209	Soil	0.7	22.0	4.6	39	<0.1	20.6	7.7	308	1.67	2.1	1.5	1.2	2.1	105	0.1	0.2	<0.1	30	2.24	0.078
CAE442210	Soil	0.3	23.8	4.2	35	<0.1	19.5	8.3	429	1.50	2.5	1.6	1.3	2.6	71	<0.1	0.1	<0.1	28	1.96	0.045
CAE442211	Soil	0.6	26.0	4.2	30	<0.1	19.7	7.4	340	1.35	2.4	1.2	2.3	1.4	116	0.2	0.2	0.2	26	2.83	0.058
CAE442212	Soil	0.4	36.7	6.5	40	<0.1	30.6	10.8	379	2.20	3.6	1.6	2.8	2.6	83	0.1	0.3	0.1	42	2.07	0.050
CAE442213	Soil	2.1	42.0	6.6	66	<0.1	66.6	24.0	352	4.51	2.9	0.6	<0.5	5.2	18	<0.1	0.2	<0.1	94	0.49	0.107
CAE442214	Soil	1.3	24.3	7.3	44	<0.1	30.2	11.7	211	2.98	5.3	0.4	0.8	4.4	18	<0.1	0.3	<0.1	70	0.32	0.022
CAE442215	Soil	1.2	32.3	6.3	52	<0.1	39.6	15.2	513	3.05	5.4	0.6	1.1	5.5	22	<0.1	0.3	<0.1	64	0.35	0.046
CAE442216	Soil	1.9	27.2	6.0	59	<0.1	34.2	16.0	339	3.86	4.1	0.4	<0.5	2.8	18	<0.1	0.2	<0.1	88	0.34	0.113
CAE442217	Soil	0.5	36.6	6.7	43	0.1	32.3	11.2	400	2.31	4.6	1.7	1.0	2.7	86	<0.1	0.3	<0.1	44	2.18	0.054
CAE442218	Soil	1.0	45.3	8.4	64	<0.1	58.6	18.3	412	3.58	4.4	1.0	<0.5	7.6	32	<0.1	0.2	<0.1	72	0.66	0.109
CAE442219	Soil	1.3	24.3	7.8	64	<0.1	41.8	15.9	362	3.37	4.4	0.6	<0.5	3.6	28	0.2	0.3	<0.1	76	0.59	0.076
CAE442220	Soil	1.0	27.9	8.0	62	<0.1	37.3	16.3	351	3.44	4.9	0.7	<0.5	4.5	29	<0.1	0.2	<0.1	76	0.61	0.085
CAE442221	Soil	1.2	32.6	5.5	69	<0.1	39.4	19.2	369	3.64	3.4	0.6	4.8	4.4	31	<0.1	0.2	<0.1	78	0.75	0.139

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 05, 2012

CERTIFICATE OF ANALYSIS DAW12000069.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
CAE443011	Soil	19	36	0.53	437	0.069	2	1.34	0.015	0.16	0.1	0.04	4.0	0.2	<0.05	5	0.7	<0.2
CAE443012	Soil	20	38	0.55	482	0.069	2	1.45	0.015	0.17	0.1	0.03	4.0	0.2	<0.05	5	0.6	<0.2
CAE443013	Soil	17	33	0.48	578	0.048	2	1.27	0.017	0.10	0.1	0.06	4.3	0.1	0.07	4	0.9	<0.2
CAE443014	Soil	17	36	0.67	511	0.059	2	1.28	0.010	0.20	0.1	0.03	4.6	0.2	<0.05	5	0.9	<0.2
CAE443015	Soil	20	47	0.67	343	0.098	2	1.46	0.017	0.26	0.1	0.03	4.1	0.3	<0.05	5	0.6	<0.2
CAE443016	Soil	38	47	0.65	627	0.074	2	1.66	0.017	0.22	0.1	0.06	5.2	0.3	0.08	5	2.8	<0.2
CAE443017	Soil	21	36	0.58	338	0.100	1	1.36	0.013	0.24	0.1	0.03	3.2	0.2	<0.05	5	<0.5	<0.2
CAE443018	Soil	19	32	0.54	291	0.074	2	1.20	0.017	0.24	0.1	0.03	3.5	0.2	<0.05	4	0.8	<0.2
CAE443019	Soil	19	36	0.61	410	0.073	2	1.38	0.019	0.20	<0.1	0.04	3.7	0.2	0.07	5	1.7	<0.2
CAE442201	Soil	16	51	0.73	162	0.136	1	1.83	0.008	0.43	<0.1	<0.01	3.4	0.3	<0.05	6	<0.5	<0.2
CAE442202	Soil	13	47	0.79	162	0.106	1	1.67	0.014	0.18	<0.1	0.02	3.3	0.2	<0.05	7	<0.5	<0.2
CAE442203	Soil	13	42	0.57	169	0.085	1	1.42	0.014	0.13	0.1	0.01	3.0	0.1	<0.05	5	<0.5	<0.2
CAE442204	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE442205	Soil	10	19	0.31	111	0.033	4	0.72	0.013	0.07	<0.1	0.05	1.8	<0.1	0.30	2	<0.5	<0.2
CAE442206	Soil	18	18	0.32	171	0.039	3	0.81	0.014	0.08	<0.1	0.07	2.2	<0.1	0.11	2	<0.5	<0.2
CAE442207	Soil	14	26	0.43	167	0.063	2	1.08	0.016	0.10	<0.1	0.03	3.2	0.1	0.12	4	<0.5	<0.2
CAE442208	Soil	11	15	0.29	204	0.039	3	0.66	0.014	0.05	<0.1	0.05	2.0	<0.1	0.13	2	<0.5	<0.2
CAE442209	Soil	26	24	0.41	278	0.046	2	0.99	0.014	0.06	<0.1	0.05	3.2	<0.1	0.09	3	<0.5	<0.2
CAE442210	Soil	27	24	0.38	205	0.046	5	0.84	0.010	0.11	<0.1	0.06	2.6	0.1	<0.05	3	<0.5	<0.2
CAE442211	Soil	22	23	0.34	198	0.035	4	0.78	0.011	0.06	<0.1	0.05	2.2	<0.1	0.09	3	0.5	<0.2
CAE442212	Soil	17	33	0.53	236	0.070	2	1.14	0.017	0.13	0.1	0.05	3.0	0.1	<0.05	4	<0.5	<0.2
CAE442213	Soil	9	84	1.37	177	0.219	<1	2.39	0.008	0.73	<0.1	0.01	5.6	0.4	<0.05	11	<0.5	<0.2
CAE442214	Soil	13	41	0.60	163	0.123	1	1.67	0.011	0.18	0.1	0.02	3.4	0.2	<0.05	7	<0.5	<0.2
CAE442215	Soil	18	49	0.76	215	0.126	2	1.77	0.015	0.22	<0.1	0.02	4.4	0.2	<0.05	6	<0.5	<0.2
CAE442216	Soil	8	60	1.04	189	0.190	2	1.97	0.010	0.56	<0.1	0.01	3.4	0.2	<0.05	9	<0.5	<0.2
CAE442217	Soil	18	35	0.57	251	0.071	4	1.22	0.019	0.14	0.1	0.03	3.4	0.1	<0.05	4	<0.5	<0.2
CAE442218	Soil	42	80	1.04	281	0.148	2	1.87	0.017	0.33	<0.1	0.02	5.3	0.2	<0.05	8	<0.5	<0.2
CAE442219	Soil	13	60	0.98	172	0.156	2	1.78	0.018	0.24	0.1	0.03	4.3	0.2	<0.05	7	<0.5	<0.2
CAE442220	Soil	17	53	0.94	203	0.160	2	1.84	0.018	0.29	0.1	<0.01	4.2	0.2	<0.05	7	<0.5	<0.2
CAE442221	Soil	15	49	1.03	220	0.186	2	1.85	0.017	0.46	0.1	0.02	4.0	0.2	<0.05	8	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 05, 2012

CERTIFICATE OF ANALYSIS DAW12000069.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
CAE442222	Soil		1.5	29.0	8.6	57	<0.1	40.7	17.2	433	3.24	3.6	1.1	<0.5	5.8	35	<0.1	0.2	<0.1	71	0.72	0.068
CAE442223	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE442224	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE442225	Soil		0.5	39.0	7.0	44	0.1	33.7	11.7	405	2.36	4.8	1.8	1.3	2.5	89	0.1	0.4	<0.1	46	2.30	0.055
CAE442226	Soil		0.4	18.1	2.7	18	<0.1	12.8	5.1	241	0.86	2.0	0.9	<0.5	1.0	82	0.2	0.2	<0.1	16	1.99	0.043
CAE442227	Soil		0.8	28.8	5.8	55	<0.1	43.2	14.1	659	2.10	2.5	0.9	<0.5	2.7	60	0.2	0.2	<0.1	40	1.58	0.079
CAE442228	Soil		1.2	34.7	9.0	71	0.1	34.0	15.4	922	2.54	2.9	1.3	<0.5	3.1	123	0.2	0.2	0.1	45	3.72	0.094
CAE442229	Soil		0.8	25.9	9.3	61	<0.1	27.5	12.6	557	2.68	3.4	1.1	<0.5	5.0	58	<0.1	0.2	<0.1	46	1.74	0.061

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 05, 2012

CERTIFICATE OF ANALYSIS DAW12000069.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
CAE442222	Soil	25	59	0.85	214	0.151	2	1.83	0.018	0.25	0.1	0.02	5.1	0.2	<0.05	7	<0.5	<0.2
CAE442223	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE442224	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
CAE442225	Soil	18	36	0.57	262	0.077	3	1.27	0.020	0.15	0.1	0.03	3.6	0.1	<0.05	4	<0.5	<0.2
CAE442226	Soil	16	14	0.23	143	0.024	2	0.55	0.009	0.04	<0.1	0.03	1.6	<0.1	<0.05	2	<0.5	<0.2
CAE442227	Soil	19	41	0.55	215	0.080	3	1.09	0.014	0.15	0.1	0.04	3.0	0.2	<0.05	4	<0.5	<0.2
CAE442228	Soil	18	44	0.66	245	0.098	7	1.37	0.024	0.19	0.2	0.09	4.2	0.2	0.18	5	<0.5	<0.2
CAE442229	Soil	20	39	0.64	138	0.103	3	1.34	0.016	0.22	0.1	0.06	4.1	0.3	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 05, 2012

QUALITY CONTROL REPORT DAW12000069.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Pulp Duplicates																					
CAE442144	Soil	0.5	22.4	13.0	77	<0.1	16.5	9.0	362	2.31	1.9	4.3	<0.5	14.9	31	<0.1	0.2	<0.1	34	0.28	0.048
REP CAE442144	QC	0.6	22.4	13.4	78	<0.1	16.3	9.1	373	2.34	1.9	4.3	<0.5	15.0	30	<0.1	0.1	<0.1	35	0.28	0.049
CAE442145	Soil	0.3	47.4	4.1	89	<0.1	61.1	25.1	719	4.59	0.9	1.9	<0.5	4.1	24	<0.1	<0.1	<0.1	103	0.48	0.105
REP CAE442145	QC	0.4	44.4	4.0	80	<0.1	57.1	23.3	657	4.32	0.7	1.9	<0.5	4.1	23	<0.1	<0.1	<0.1	98	0.46	0.104
CAE442174	Soil	0.4	38.3	5.5	57	<0.1	24.6	9.8	252	2.39	3.9	0.7	3.9	3.1	34	<0.1	0.3	0.2	67	0.62	0.080
REP CAE442174	QC	0.4	38.7	5.7	57	<0.1	24.7	10.2	251	2.47	4.0	0.7	3.6	3.1	35	<0.1	0.4	0.1	69	0.63	0.083
CAE442175	Soil	0.5	51.1	4.6	55	0.1	25.2	13.2	394	2.30	4.4	0.7	5.0	2.3	34	<0.1	0.3	0.1	61	0.63	0.078
REP CAE442175	QC	0.6	50.8	4.6	55	0.1	24.7	13.3	400	2.34	4.4	0.8	4.4	2.2	34	0.1	0.3	<0.1	62	0.64	0.077
CAE442207	Soil	0.7	22.1	7.8	43	<0.1	21.2	9.6	413	2.08	3.7	0.8	2.2	2.8	77	0.1	0.2	<0.1	38	1.81	0.049
REP CAE442207	QC	0.7	22.9	7.9	44	<0.1	22.9	9.7	432	2.15	4.0	0.8	3.2	2.9	78	0.2	0.2	<0.1	39	1.94	0.046
CAE442208	Soil	0.5	15.5	3.0	28	<0.1	12.8	5.4	277	1.07	1.8	0.8	2.9	1.1	129	0.2	0.2	<0.1	20	2.89	0.056
REP CAE442208	QC	0.4	15.1	3.1	28	<0.1	11.9	5.1	261	1.04	2.1	0.8	0.6	1.2	123	0.2	0.2	<0.1	20	2.86	0.052
Reference Materials																					
STD DS9	Standard	13.0	113.0	125.9	306	1.8	40.9	7.7	585	2.34	25.3	2.7	117.2	5.9	65	2.5	5.1	5.6	42	0.70	0.083
STD DS9	Standard	13.3	113.7	126.4	309	1.8	42.9	7.9	591	2.33	24.5	2.8	111.8	6.4	63	2.4	5.4	5.7	45	0.72	0.079
STD DS9	Standard	14.0	101.0	121.4	303	1.8	41.2	7.8	594	2.36	23.9	2.5	122.9	6.1	74	2.2	5.3	5.8	43	0.74	0.083
STD DS9	Standard	13.5	100.5	122.9	308	1.8	40.1	7.8	589	2.34	23.8	2.4	120.0	5.9	64	2.1	5.2	5.7	42	0.71	0.082
STD DS9	Standard	12.6	99.1	114.9	298	1.8	38.3	7.6	554	2.27	23.8	2.4	114.2	5.4	62	2.3	5.2	5.3	47	0.71	0.072
STD DS9 Expected		12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40	0.7201	0.0819
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
Suite 410, 700 W. Pender Street
Vancouver BC V6C 1G8 Canada

Project: White Gold
Report Date: August 05, 2012

QUALITY CONTROL REPORT DAW12000069.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																		
CAE442144	Soil	20	35	0.47	174	0.133	<1	1.20	0.007	0.37	<0.1	<0.01	2.5	0.2	<0.05	7	<0.5	<0.2
REP CAE442144	QC	20	35	0.46	174	0.132	<1	1.21	0.007	0.37	<0.1	<0.01	2.6	0.2	<0.05	7	<0.5	<0.2
CAE442145	Soil	14	120	2.33	1235	0.312	<1	2.86	0.014	1.57	0.2	<0.01	2.4	0.7	<0.05	9	<0.5	<0.2
REP CAE442145	QC	13	110	2.25	1186	0.289	<1	2.75	0.013	1.50	0.1	<0.01	2.2	0.7	<0.05	8	<0.5	<0.2
CAE442174	Soil	10	48	0.82	381	0.127	2	1.46	0.034	0.13	0.2	0.03	4.0	0.2	<0.05	5	<0.5	<0.2
REP CAE442174	QC	10	48	0.85	389	0.127	1	1.49	0.034	0.13	0.2	0.02	4.0	0.1	<0.05	5	<0.5	<0.2
CAE442175	Soil	11	44	0.71	489	0.098	2	1.37	0.032	0.09	0.2	0.04	3.9	0.1	<0.05	4	<0.5	<0.2
REP CAE442175	QC	11	45	0.72	482	0.097	2	1.36	0.030	0.09	0.2	0.03	3.9	<0.1	<0.05	4	<0.5	<0.2
CAE442207	Soil	14	26	0.43	167	0.063	2	1.08	0.016	0.10	<0.1	0.03	3.2	0.1	0.12	4	<0.5	<0.2
REP CAE442207	QC	15	28	0.45	172	0.066	2	1.11	0.017	0.09	<0.1	0.03	3.4	0.1	<0.05	4	<0.5	<0.2
CAE442208	Soil	11	15	0.29	204	0.039	3	0.66	0.014	0.05	<0.1	0.05	2.0	<0.1	0.13	2	<0.5	<0.2
REP CAE442208	QC	11	15	0.28	201	0.038	4	0.62	0.013	0.05	<0.1	0.05	2.1	<0.1	0.18	2	<0.5	<0.2
Reference Materials																		
STD DS9	Standard	13	128	0.62	286	0.111	2	0.92	0.091	0.36	3.0	0.21	2.4	5.5	<0.05	5	5.0	5.0
STD DS9	Standard	12	128	0.62	297	0.110	3	0.89	0.076	0.35	3.3	0.21	2.3	5.7	0.14	5	5.3	5.8
STD DS9	Standard	14	124	0.65	309	0.111	3	0.95	0.090	0.37	3.2	0.21	2.6	5.6	0.12	5	5.7	5.4
STD DS9	Standard	12	122	0.63	296	0.108	3	0.91	0.083	0.36	3.0	0.20	2.4	5.6	0.13	5	5.3	4.7
STD DS9	Standard	11	121	0.60	274	0.106	3	0.92	0.082	0.38	2.9	0.21	2.4	5.4	0.13	5	5.6	5.0
STD DS9 Expected		13.3	121	0.6165	295	0.1108		0.9577	0.0853	0.395	2.89	0.2	2.5	5.3	0.1615	4.59	5.2	5.02
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.