



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Goldstrike Resources Ltd.

1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Submitted By: Lucy Zhang

Receiving Lab: Canada-Dawson City

Received: August 21, 2012

Report Date: September 20, 2012

Page: 1 of 4

CERTIFICATE OF ANALYSIS

DAW12000262.1

CLIENT JOB INFORMATION

Project: Plateau South
Shipment ID: PS_Soil_11_Aug15_201
P.O. Number
Number of Samples: 75

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Goldstrike Resources Ltd.
1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3
Canada

CC: Email Distribution List

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	75	Dry at 60C			DAW
SS80	75	Dry at 60C sieve 100g to -80 mesh			DAW
1DX2	75	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Goldstrike Resources Ltd.**
1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau South
Report Date: September 20, 2012

Page: 2 of 4

Part: 1 of 1

CERTIFICATE OF ANALYSIS

DAW12000262.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	% 0.01	ppm 0.5	ppb 0.5	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 2	% 0.01	% 0.001
1247499	Soil	1.1	23.8	11.2	69	<0.1	25.1	10.1	332	1.94	24.6	15.1	4.8	15	0.3	0.9	0.2	39	0.19	0.080
1247500	Soil	1.2	29.6	13.5	81	<0.1	28.6	12.2	420	2.44	27.4	22.8	5.4	23	0.3	1.0	0.2	40	0.27	0.086
1247761	Soil	2.3	24.9	34.1	98	0.1	61.3	33.2	1648	3.17	170.5	1.1	9.5	45	0.1	0.9	0.4	40	0.32	0.034
1247751	Soil	1.8	17.8	14.7	62	<0.1	22.4	7.4	222	2.59	12.6	1.7	2.7	8	0.2	1.1	0.2	55	0.07	0.032
1247752	Soil	1.4	27.7	12.6	71	<0.1	25.9	11.3	332	2.16	14.3	<0.5	3.4	16	0.2	0.8	0.2	42	0.18	0.062
1247753	Soil	0.9	26.0	11.9	67	<0.1	24.1	10.9	455	2.18	63.3	138.3	6.2	14	0.2	0.7	0.2	34	0.15	0.063
1247754	Soil	0.8	24.9	13.6	63	<0.1	24.0	10.6	282	1.98	12.3	4.8	5.6	20	0.2	0.7	0.2	33	0.25	0.067
1247060	Soil	1.3	21.0	13.6	56	<0.1	21.1	7.9	321	1.95	205.5	108.6	1.9	10	0.1	0.7	0.2	34	0.10	0.051
1247061	Soil	0.9	27.2	13.6	73	<0.1	27.5	15.0	720	2.36	22.3	5.6	5.7	17	<0.1	0.7	0.1	41	0.17	0.062
1247062	Soil	1.1	19.6	13.5	69	<0.1	23.4	8.9	254	2.22	12.1	5.3	2.6	13	0.3	0.8	0.1	43	0.15	0.060
1247063	Soil	1.5	22.4	11.1	63	<0.1	21.6	7.9	256	2.09	12.5	2.1	1.9	12	0.1	0.9	0.1	44	0.13	0.065
1247064	Soil	1.0	23.8	10.2	66	<0.1	21.8	8.7	360	2.04	59.5	52.6	5.0	16	0.1	0.7	0.1	37	0.17	0.061
1247065	Soil	1.4	18.5	13.9	57	<0.1	20.8	7.4	407	2.08	22.1	3.7	1.2	12	0.2	0.7	0.1	42	0.12	0.059
1247066	Soil	1.1	18.3	10.0	55	<0.1	19.7	7.0	280	1.92	40.3	51.2	1.3	11	0.2	0.7	0.1	38	0.12	0.052
1247067	Soil	0.9	23.2	9.4	65	<0.1	23.2	8.4	332	1.99	70.9	46.7	4.3	14	0.2	0.8	0.1	38	0.16	0.063
1247068	Soil	1.5	19.6	10.1	63	<0.1	20.8	7.0	241	2.13	51.5	135.6	1.0	12	0.2	0.9	0.1	45	0.12	0.064
1247069	Soil	1.8	21.9	13.4	89	<0.1	27.0	9.2	356	2.54	27.5	18.7	3.2	14	0.4	1.0	0.2	53	0.15	0.073
1247070	Soil	1.2	32.6	14.2	92	0.1	32.7	13.6	519	2.53	38.4	287.1	6.3	17	0.6	0.9	0.2	47	0.22	0.106
1247071	Soil	1.7	28.9	14.3	80	<0.1	27.4	9.5	331	2.40	30.0	22.7	4.5	15	0.2	0.9	0.2	47	0.18	0.093
1247072	Soil	1.5	31.2	20.6	105	0.2	41.3	17.9	798	3.65	144.8	41.2	7.6	21	0.2	3.4	0.3	37	0.20	0.095
1247073	Soil	1.5	55.5	25.3	122	0.1	47.3	20.2	831	3.66	48.1	11.5	8.0	20	0.3	0.8	0.4	50	0.19	0.089
1247074	Soil	1.4	43.5	16.5	75	<0.1	38.1	18.7	401	2.88	52.0	14.7	8.6	13	0.3	0.8	0.2	28	0.13	0.066
1247075	Soil	1.9	26.7	12.9	92	<0.1	29.4	10.7	340	2.78	20.7	5.9	3.1	13	0.4	1.2	0.2	51	0.12	0.045
1247076	Soil	1.2	19.0	10.5	66	<0.1	21.2	7.7	267	2.07	36.6	74.7	1.7	11	0.2	0.8	0.1	43	0.12	0.055
1247077	Soil	1.2	20.7	12.7	70	<0.1	22.7	9.3	332	2.19	26.4	19.6	2.6	12	0.4	0.8	0.1	42	0.13	0.062
1247078	Soil	1.1	27.1	12.0	65	0.1	26.0	10.4	272	2.19	18.9	7.0	1.6	11	0.2	0.7	0.2	39	0.11	0.052
1247079	Soil	1.1	22.4	10.2	69	<0.1	24.1	9.7	348	2.12	13.4	5.6	4.7	13	0.2	0.8	0.1	39	0.15	0.059
1247080	Soil	1.0	21.9	10.3	65	<0.1	22.2	9.0	294	1.97	45.0	45.7	5.3	15	0.2	0.8	<0.1	37	0.17	0.065
1247081	Soil	1.3	24.4	12.5	73	0.1	25.6	9.5	384	2.25	57.0	22.7	3.8	17	0.2	0.9	0.1	45	0.19	0.071
1247082	Soil	1.1	19.7	12.0	65	<0.1	20.2	8.4	321	1.93	63.5	158.2	4.1	17	0.3	0.7	0.1	35	0.20	0.063



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Goldstrike Resources Ltd.
1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau South
Report Date: September 20, 2012

Page: 2 of 4

Part: 2 of 1

CERTIFICATE OF ANALYSIS

DAW12000262.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te
		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1247499	Soil	21	0.33	100	0.042	2	1.07	0.006	0.04	0.4	0.04	2.2	<0.1	<0.05	3	<0.5	<0.2
1247500	Soil	24	0.43	156	0.045	1	1.29	0.007	0.07	0.3	0.05	3.2	<0.1	<0.05	4	0.9	<0.2
1247761	Soil	32	0.33	262	0.012	1	1.56	0.009	0.06	0.2	0.03	3.1	<0.1	<0.05	4	1.0	<0.2
1247751	Soil	27	0.34	94	0.028	<1	1.55	0.005	0.04	0.4	0.06	2.3	0.1	<0.05	5	0.9	<0.2
1247752	Soil	27	0.42	152	0.045	1	1.21	0.007	0.07	0.3	0.04	2.4	0.1	<0.05	4	<0.5	<0.2
1247753	Soil	23	0.44	138	0.039	<1	1.24	0.006	0.07	0.2	0.04	2.3	0.1	<0.05	4	0.5	<0.2
1247754	Soil	23	0.37	162	0.043	1	1.06	0.008	0.06	0.3	0.02	2.5	<0.1	<0.05	3	<0.5	<0.2
1247060	Soil	22	0.29	89	0.033	1	1.12	0.005	0.05	1.2	0.07	2.0	<0.1	<0.05	3	0.8	<0.2
1247061	Soil	24	0.37	193	0.049	2	1.24	0.007	0.06	0.2	0.03	3.2	<0.1	<0.05	4	<0.5	<0.2
1247062	Soil	25	0.38	113	0.038	<1	1.37	0.006	0.06	0.3	0.03	2.4	<0.1	<0.05	4	<0.5	<0.2
1247063	Soil	24	0.35	97	0.038	2	1.19	0.006	0.05	0.3	0.05	2.0	<0.1	<0.05	4	<0.5	<0.2
1247064	Soil	21	0.31	154	0.046	1	1.12	0.006	0.06	0.6	0.03	3.1	<0.1	<0.05	3	<0.5	<0.2
1247065	Soil	23	0.30	146	0.030	2	1.08	0.006	0.05	0.2	0.06	1.6	<0.1	<0.05	4	<0.5	<0.2
1247066	Soil	21	0.29	92	0.033	2	1.03	0.006	0.04	0.6	0.05	1.7	<0.1	<0.05	3	<0.5	<0.2
1247067	Soil	23	0.33	120	0.045	<1	1.11	0.006	0.05	0.9	0.02	2.6	<0.1	<0.05	3	<0.5	<0.2
1247068	Soil	24	0.31	82	0.031	2	1.16	0.006	0.05	0.8	0.09	1.6	0.1	<0.05	4	<0.5	<0.2
1247069	Soil	28	0.35	100	0.042	3	1.32	0.006	0.06	0.6	0.07	2.3	0.1	<0.05	4	<0.5	<0.2
1247070	Soil	27	0.41	146	0.051	2	1.36	0.006	0.06	0.7	0.06	3.4	0.1	<0.05	4	0.6	<0.2
1247071	Soil	25	0.38	109	0.043	2	1.29	0.008	0.06	0.6	0.04	2.8	<0.1	<0.05	4	<0.5	<0.2
1247072	Soil	21	0.33	164	0.034	2	1.02	0.006	0.06	0.5	0.04	3.9	<0.1	<0.05	4	<0.5	<0.2
1247073	Soil	36	0.84	275	0.082	2	2.26	0.011	0.29	0.5	0.06	5.0	0.3	<0.05	7	1.1	<0.2
1247074	Soil	21	0.39	141	0.028	2	1.00	0.004	0.07	0.4	0.02	2.4	<0.1	<0.05	3	0.5	<0.2
1247075	Soil	28	0.48	102	0.039	1	1.57	0.007	0.05	0.6	0.04	2.5	0.1	<0.05	4	1.1	<0.2
1247076	Soil	21	0.29	87	0.031	2	1.10	0.005	0.04	0.5	0.05	1.7	0.1	<0.05	3	<0.5	<0.2
1247077	Soil	22	0.31	96	0.032	1	1.17	0.005	0.05	1.1	0.03	1.9	<0.1	<0.05	4	0.6	<0.2
1247078	Soil	23	0.32	96	0.031	1	1.20	0.006	0.05	0.3	0.06	1.8	0.1	<0.05	3	<0.5	<0.2
1247079	Soil	22	0.34	113	0.041	<1	1.14	0.005	0.06	0.4	0.04	2.6	0.1	<0.05	3	<0.5	<0.2
1247080	Soil	21	0.32	145	0.045	2	1.06	0.009	0.05	0.7	0.03	2.9	<0.1	<0.05	3	<0.5	<0.2
1247081	Soil	25	0.38	202	0.041	<1	1.27	0.007	0.06	0.6	0.02	3.1	0.1	<0.05	4	0.5	<0.2
1247082	Soil	21	0.31	144	0.039	<1	0.94	0.007	0.05	2.4	0.03	2.4	<0.1	<0.05	3	<0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Goldstrike Resources Ltd.**
1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau South
Report Date: September 20, 2012

Page: 3 of 4

Part: 1 of 1

CERTIFICATE OF ANALYSIS

DAW12000262.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	% 0.01	ppm 0.5	ppb 0.5	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 2	% 0.01	% 0.001
1247083	Soil	1.2	22.6	11.9	67	<0.1	24.2	10.6	404	2.03	109.5	121.2	4.2	15	0.3	0.8	0.1	38	0.16	0.069
1247084	Soil	1.0	19.8	10.9	60	<0.1	21.2	8.3	300	1.92	16.7	13.7	3.8	13	0.2	0.7	0.1	35	0.15	0.060
1247085	Soil	1.1	22.7	12.5	67	<0.1	23.2	8.4	351	1.96	18.5	18.8	4.5	14	0.2	0.7	0.1	37	0.16	0.063
1247086	Soil	1.2	22.7	10.9	70	<0.1	23.3	8.3	334	2.08	23.4	83.3	3.8	16	0.3	0.8	0.1	41	0.18	0.066
1247087	Soil	1.0	20.9	9.9	64	<0.1	23.1	8.2	258	1.97	12.9	9.5	5.7	17	0.2	0.7	0.2	35	0.21	0.071
1247088	Soil	1.0	24.1	10.7	64	<0.1	24.0	9.0	415	2.07	17.0	7.9	5.3	15	0.2	0.6	0.1	36	0.15	0.056
1247089	Soil	1.0	26.1	10.5	60	<0.1	25.9	9.5	311	2.00	12.1	9.6	6.7	13	0.3	0.7	0.2	37	0.16	0.063
1247090	Soil	0.9	23.3	12.0	61	<0.1	23.1	9.1	188	1.92	10.6	7.2	4.9	11	0.2	0.6	0.1	39	0.13	0.051
1247091	Soil	0.7	24.1	10.9	55	<0.1	22.4	8.8	196	1.91	10.4	4.3	5.6	19	0.2	0.5	0.1	34	0.20	0.050
1247092	Soil	0.8	25.3	10.6	64	<0.1	24.6	9.0	240	2.01	11.5	4.6	5.7	16	0.2	0.6	0.1	37	0.18	0.058
1247093	Soil	0.9	25.5	13.7	58	<0.1	24.9	12.7	387	2.17	12.6	6.3	6.4	14	0.1	0.6	0.1	42	0.15	0.052
1247094	Soil	1.0	25.7	14.8	64	<0.1	26.2	12.9	417	2.18	21.5	17.5	6.5	17	0.2	0.6	0.1	41	0.18	0.053
1247095	Soil	1.0	27.3	14.1	57	<0.1	26.8	10.8	246	2.39	10.9	2.6	4.5	14	<0.1	0.6	0.2	45	0.13	0.050
1247096	Soil	1.3	26.8	13.7	68	<0.1	27.0	12.3	353	2.31	16.4	9.0	5.8	17	0.2	0.8	0.1	46	0.21	0.064
1247097	Soil	1.2	27.0	12.1	68	0.1	25.2	10.1	294	2.06	84.4	75.4	5.7	17	0.2	0.8	0.1	43	0.21	0.077
1247098	Soil	1.8	19.0	15.8	61	<0.1	23.9	9.1	313	2.29	18.1	8.7	3.5	12	0.3	1.0	0.2	53	0.14	0.063
1247099	Soil	1.4	24.2	12.1	70	<0.1	27.7	10.2	324	2.31	13.8	4.9	4.0	14	0.3	0.8	0.1	49	0.18	0.076
1247100	Soil	1.3	37.1	15.0	69	<0.1	29.2	13.4	352	2.45	17.4	7.9	5.9	14	0.3	0.7	0.1	42	0.17	0.067
1247651	Soil	1.2	27.2	13.6	62	<0.1	27.1	13.6	349	2.34	151.1	46.5	5.6	14	0.1	0.7	0.2	42	0.16	0.061
1247652	Soil	1.4	15.7	10.0	53	<0.1	18.0	6.4	177	2.26	10.9	1.1	2.2	10	0.1	0.9	0.1	58	0.10	0.032
1247653	Soil	1.1	21.5	11.8	67	<0.1	24.3	11.3	369	2.03	16.0	21.5	5.6	16	0.3	0.7	0.1	41	0.22	0.087
1247654	Soil	1.4	21.3	11.6	76	<0.1	24.8	10.1	390	2.22	16.2	15.4	5.6	15	0.4	0.8	0.1	49	0.19	0.082
1247655	Soil	1.4	32.2	12.0	77	0.1	30.5	10.9	317	2.52	13.8	5.7	6.3	20	0.3	0.9	0.1	52	0.26	0.084
1247656	Soil	1.0	34.3	13.2	77	<0.1	34.4	13.9	380	2.88	14.9	2.5	7.9	23	0.2	0.6	0.2	48	0.28	0.072
1247657	Soil	1.0	24.3	12.5	68	<0.1	26.7	11.4	385	2.04	39.8	36.3	6.8	15	0.4	0.7	0.1	41	0.20	0.079
1247658	Soil	1.0	22.2	10.4	65	<0.1	22.4	9.1	333	1.94	25.3	40.0	5.2	12	0.3	0.7	0.1	37	0.15	0.063
1247659	Soil	1.3	27.0	11.2	74	<0.1	24.8	10.8	264	2.15	20.1	30.2	7.0	23	0.5	0.8	0.1	47	0.29	0.100
1247660	Soil	1.5	32.0	14.0	83	0.1	29.1	12.1	338	2.54	29.0	21.8	6.2	20	0.4	0.9	0.2	52	0.24	0.081
1247661	Soil	1.0	28.1	14.7	64	<0.1	24.9	12.8	270	2.04	15.6	3.2	7.1	21	0.2	0.7	0.1	43	0.26	0.064
1247662	Soil	1.3	24.5	11.2	65	<0.1	24.6	11.4	380	2.27	13.0	3.8	5.2	12	0.3	0.8	0.1	46	0.15	0.064



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Goldstrike Resources Ltd.**
1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau South
Report Date: September 20, 2012

Page: 3 of 4

Part: 2 of 1

CERTIFICATE OF ANALYSIS

DAW12000262.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te
		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1247083	Soil	22	0.32	133	0.039	<1	1.11	0.007	0.05	1.0	0.04	2.5	<0.1	<0.05	3	0.6	<0.2
1247084	Soil	19	0.29	71	0.042	1	1.04	0.005	0.05	0.4	0.03	2.0	<0.1	<0.05	3	<0.5	<0.2
1247085	Soil	21	0.31	117	0.045	<1	1.06	0.006	0.06	0.4	0.05	2.6	<0.1	<0.05	3	<0.5	<0.2
1247086	Soil	24	0.35	138	0.047	1	1.17	0.007	0.06	1.2	0.03	3.0	<0.1	<0.05	4	0.7	<0.2
1247087	Soil	21	0.35	97	0.052	<1	1.10	0.007	0.08	0.6	0.02	2.3	<0.1	<0.05	3	1.0	<0.2
1247088	Soil	22	0.37	168	0.048	1	1.24	0.007	0.09	0.9	0.03	3.0	<0.1	<0.05	4	0.8	<0.2
1247089	Soil	23	0.34	138	0.048	2	1.20	0.005	0.08	0.3	0.03	2.5	<0.1	<0.05	3	<0.5	<0.2
1247090	Soil	24	0.36	148	0.044	<1	1.21	0.005	0.06	0.3	0.03	2.5	0.1	<0.05	3	<0.5	<0.2
1247091	Soil	22	0.37	132	0.046	<1	1.17	0.007	0.09	0.3	0.02	2.4	0.1	<0.05	3	<0.5	<0.2
1247092	Soil	24	0.35	149	0.053	1	1.06	0.007	0.08	0.3	0.02	2.6	<0.1	<0.05	3	<0.5	<0.2
1247093	Soil	27	0.41	164	0.054	1	1.34	0.006	0.10	0.4	0.02	3.0	0.1	<0.05	4	<0.5	<0.2
1247094	Soil	27	0.39	176	0.054	<1	1.18	0.006	0.12	0.4	0.02	2.8	0.1	<0.05	4	<0.5	<0.2
1247095	Soil	31	0.47	143	0.056	2	1.58	0.006	0.15	0.3	0.04	2.7	0.1	<0.05	4	<0.5	<0.2
1247096	Soil	27	0.41	200	0.048	2	1.21	0.008	0.07	0.3	0.03	3.0	0.1	<0.05	4	<0.5	<0.2
1247097	Soil	24	0.33	157	0.045	2	1.02	0.007	0.05	0.5	0.03	2.9	<0.1	<0.05	3	<0.5	<0.2
1247098	Soil	27	0.33	117	0.033	1	1.25	0.006	0.05	0.3	0.06	2.1	0.1	<0.05	4	<0.5	<0.2
1247099	Soil	28	0.39	126	0.048	2	1.30	0.007	0.05	0.3	0.03	2.5	<0.1	<0.05	4	<0.5	<0.2
1247100	Soil	28	0.42	158	0.041	1	1.21	0.009	0.06	0.2	0.03	2.5	<0.1	<0.05	4	<0.5	<0.2
1247651	Soil	25	0.39	115	0.046	1	1.16	0.006	0.07	0.3	0.02	2.5	<0.1	<0.05	4	<0.5	<0.2
1247652	Soil	26	0.29	91	0.039	1	1.21	0.005	0.04	0.2	0.03	1.9	<0.1	<0.05	4	<0.5	<0.2
1247653	Soil	22	0.35	99	0.047	1	1.06	0.006	0.05	0.3	0.03	2.2	<0.1	<0.05	3	<0.5	<0.2
1247654	Soil	25	0.36	134	0.042	2	1.14	0.008	0.05	0.3	0.02	2.5	<0.1	<0.05	4	<0.5	<0.2
1247655	Soil	30	0.48	208	0.061	1	1.39	0.007	0.11	0.3	0.04	3.8	0.1	<0.05	4	<0.5	<0.2
1247656	Soil	35	0.65	243	0.090	<1	1.67	0.008	0.38	0.2	0.01	4.3	0.2	<0.05	5	<0.5	<0.2
1247657	Soil	23	0.34	128	0.049	2	1.09	0.006	0.05	0.4	0.02	2.5	<0.1	<0.05	3	<0.5	<0.2
1247658	Soil	21	0.30	131	0.039	1	1.07	0.006	0.05	0.4	0.03	2.1	<0.1	<0.05	3	<0.5	<0.2
1247659	Soil	25	0.36	202	0.053	2	1.00	0.008	0.06	0.6	0.04	3.3	<0.1	<0.05	3	<0.5	<0.2
1247660	Soil	31	0.42	230	0.053	1	1.41	0.008	0.07	0.5	0.04	3.6	0.1	<0.05	4	<0.5	<0.2
1247661	Soil	25	0.38	172	0.058	1	1.16	0.009	0.07	0.3	0.03	3.2	<0.1	<0.05	3	<0.5	<0.2
1247662	Soil	26	0.38	115	0.050	2	1.26	0.006	0.05	0.3	0.03	2.7	<0.1	<0.05	4	<0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Goldstrike Resources Ltd.
1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau South
Report Date: September 20, 2012

Page: 4 of 4

Part: 1 of 1

CERTIFICATE OF ANALYSIS

DAW12000262.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1247663	Soil	1.7	23.5	13.5	89	<0.1	31.5	14.0	555	2.56	14.1	5.5	5.7	15	0.3	0.9	0.1	52	0.20	0.083
1247664	Soil	1.4	28.0	14.0	91	0.1	34.5	13.8	508	2.47	14.8	2.8	7.6	18	0.5	0.9	0.1	47	0.23	0.098
1247665	Soil	1.4	23.7	13.2	65	<0.1	27.9	10.7	344	2.50	12.9	<0.5	4.1	12	0.3	0.8	0.2	46	0.17	0.059
1247666	Soil	1.2	26.9	10.6	67	<0.1	25.6	11.8	341	2.17	11.8	1.8	6.1	15	0.3	0.8	0.1	42	0.20	0.076
1247667	Soil	1.3	25.8	11.5	61	<0.1	23.8	13.9	545	2.50	15.5	21.2	6.4	15	0.2	0.8	0.1	46	0.17	0.063
1247668	Soil	0.9	32.4	14.7	78	<0.1	30.3	13.5	256	2.48	15.2	8.4	8.0	19	0.3	0.8	0.2	49	0.20	0.070
1247669	Soil	1.2	28.9	13.0	78	<0.1	28.0	11.3	324	2.44	19.0	10.7	6.7	20	0.4	0.8	0.2	47	0.24	0.080
1247670	Soil	1.3	25.8	10.4	75	<0.1	25.0	9.1	308	2.21	17.9	7.7	6.4	20	0.4	0.9	0.1	45	0.25	0.084
1247671	Soil	1.2	28.0	13.4	78	<0.1	27.4	11.2	404	2.39	21.2	21.5	5.5	16	0.4	0.9	0.2	45	0.19	0.084
1247672	Soil	1.0	23.5	10.5	69	0.1	23.1	10.0	249	2.09	47.0	39.7	6.0	20	0.3	0.7	0.1	42	0.26	0.088
1247673	Soil	1.1	32.7	13.1	77	0.1	32.2	14.2	408	2.23	11.8	2.2	6.3	26	0.3	0.7	0.1	41	0.27	0.080
1247674	Soil	1.0	36.4	11.1	59	<0.1	22.0	9.7	185	2.18	17.7	9.5	6.0	14	0.2	0.6	0.1	34	0.17	0.065
1247675	Soil	1.3	29.7	14.9	100	0.1	29.0	10.2	412	2.37	13.2	7.1	2.8	25	0.8	0.7	0.2	43	0.25	0.112
1247764	Soil	1.4	41.4	18.4	44	<0.1	22.0	8.1	102	2.70	26.0	2.2	10.5	3	<0.1	0.5	0.3	27	0.01	0.018
1247765	Soil	0.8	42.2	17.3	72	<0.1	5.7	3.5	114	4.64	11.0	<0.5	17.3	13	<0.1	0.1	0.3	14	<0.01	0.044



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Goldstrike Resources Ltd.
1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau South
Report Date: September 20, 2012

Page: 4 of 4

Part: 2 of 1

CERTIFICATE OF ANALYSIS

DAW12000262.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te
		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1247663	Soil	28	0.43	123	0.050	1	1.42	0.007	0.06	0.4	0.04	2.7	<0.1	<0.05	4	<0.5	<0.2
1247664	Soil	27	0.41	171	0.047	1	1.35	0.007	0.06	0.5	0.04	2.6	<0.1	<0.05	4	<0.5	<0.2
1247665	Soil	26	0.41	91	0.045	2	1.29	0.006	0.05	0.3	0.03	2.1	0.1	<0.05	4	<0.5	<0.2
1247666	Soil	25	0.38	122	0.054	<1	1.14	0.007	0.06	0.3	0.03	2.7	<0.1	<0.05	3	<0.5	<0.2
1247667	Soil	28	0.41	149	0.055	2	1.25	0.007	0.08	0.2	0.03	3.0	0.1	<0.05	4	<0.5	<0.2
1247668	Soil	31	0.49	251	0.071	<1	1.54	0.007	0.13	0.3	0.02	3.9	0.1	<0.05	5	<0.5	<0.2
1247669	Soil	28	0.42	184	0.059	1	1.30	0.008	0.09	0.4	0.02	3.4	0.1	<0.05	4	<0.5	<0.2
1247670	Soil	24	0.37	190	0.048	<1	1.01	0.007	0.05	0.3	0.03	2.9	<0.1	<0.05	3	<0.5	<0.2
1247671	Soil	25	0.39	158	0.046	1	1.28	0.009	0.06	0.3	0.03	3.1	<0.1	<0.05	4	<0.5	<0.2
1247672	Soil	24	0.37	177	0.047	<1	1.03	0.008	0.05	0.3	0.02	2.9	<0.1	<0.05	3	<0.5	<0.2
1247673	Soil	26	0.47	210	0.062	1	1.24	0.010	0.12	0.2	0.02	3.1	0.1	<0.05	4	<0.5	<0.2
1247674	Soil	22	0.41	100	0.036	1	1.16	0.005	0.05	0.2	0.02	2.0	<0.1	<0.05	3	<0.5	<0.2
1247675	Soil	27	0.46	306	0.035	1	1.37	0.013	0.08	0.3	0.07	2.6	0.1	0.08	4	<0.5	<0.2
1247764	Soil	16	0.35	96	0.006	<1	1.18	0.003	0.03	0.1	0.01	1.2	<0.1	<0.05	3	<0.5	<0.2
1247765	Soil	24	0.90	11	0.003	<1	1.38	0.017	0.05	<0.1	<0.01	1.2	<0.1	0.23	5	<0.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Goldstrike Resources Ltd.**
1300 - 1111 West Georgia Street
Vancouver BC V6E 4M3 Canada

Project: Plateau South
Report Date: September 20, 2012

Page: 1 of 1

Part: 1 of 1

QUALITY CONTROL REPORT

DAW12000262.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
Pulp Duplicates																					
1247500	Soil	1.2	29.6	13.5	81	<0.1	28.6	12.2	420	2.44	27.4	22.8	5.4	23	0.3	1.0	0.2	40	0.27	0.086	22
REP 1247500	QC	1.3	29.8	13.3	81	<0.1	28.1	12.2	408	2.44	27.0	15.9	5.5	22	0.2	1.0	0.2	40	0.27	0.083	22
1247076	Soil	1.2	19.0	10.5	66	<0.1	21.2	7.7	267	2.07	36.6	74.7	1.7	11	0.2	0.8	0.1	43	0.12	0.055	16
REP 1247076	QC	1.2	19.0	10.6	66	<0.1	20.6	7.7	266	2.06	36.8	19.7	1.7	12	0.3	0.8	0.1	42	0.12	0.058	16
1247090	Soil	0.9	23.3	12.0	61	<0.1	23.1	9.1	188	1.92	10.6	7.2	4.9	11	0.2	0.6	0.1	39	0.13	0.051	17
REP 1247090	QC	1.0	23.6	12.2	60	<0.1	23.5	9.1	186	1.90	10.9	14.4	5.1	11	0.2	0.7	0.1	40	0.13	0.048	18
1247662	Soil	1.3	24.5	11.2	65	<0.1	24.6	11.4	380	2.27	13.0	3.8	5.2	12	0.3	0.8	0.1	46	0.15	0.064	22
REP 1247662	QC	1.2	24.1	11.5	65	<0.1	25.7	11.6	389	2.28	12.6	4.5	5.3	13	0.2	0.8	0.1	47	0.15	0.065	23
1247675	Soil	1.3	29.7	14.9	100	0.1	29.0	10.2	412	2.37	13.2	7.1	2.8	25	0.8	0.7	0.2	43	0.25	0.112	16
REP 1247675	QC	1.4	31.5	15.7	107	0.1	29.8	10.4	425	2.51	14.5	7.1	2.8	27	0.9	0.8	0.2	46	0.26	0.119	17
Reference Materials																					
STD DS9	Standard	13.0	106.3	120.8	293	1.7	39.3	7.5	579	2.24	23.6	112.2	6.0	74	2.3	5.9	6.0	41	0.68	0.078	13
STD DS9	Standard	14.2	119.8	125.9	302	1.8	43.7	8.5	583	2.42	25.1	110.3	6.9	72	2.5	5.9	6.3	47	0.71	0.080	14
STD DS9	Standard	14.3	114.1	124.9	310	1.7	40.8	8.1	587	2.37	26.0	112.2	6.7	71	2.3	5.5	6.2	47	0.74	0.085	14
STD DS9 Expected		12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	118	6.38	69.6	2.4	4.94	6.32	40	0.7201	0.0819	13.3
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Goldstrike Resources Ltd.

1300 - 1111 West Georgia Street

Vancouver BC V6E 4M3 Canada

Project: Plateau South

Report Date: September 20, 2012

Page: 1 of 1

Part: 2 of 1

QUALITY CONTROL REPORT

DAW12000262.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																	
1247500	Soil	24	0.43	156	0.045	1	1.29	0.007	0.07	0.3	0.05	3.2	<0.1	<0.05	4	0.9	<0.2
REP 1247500	QC	24	0.42	158	0.044	2	1.23	0.007	0.07	0.3	0.05	3.2	<0.1	<0.05	4	<0.5	<0.2
1247076	Soil	21	0.29	87	0.031	2	1.10	0.005	0.04	0.5	0.05	1.7	0.1	<0.05	3	<0.5	<0.2
REP 1247076	QC	21	0.29	87	0.031	2	1.08	0.005	0.05	0.6	0.04	1.8	<0.1	<0.05	3	<0.5	<0.2
1247090	Soil	24	0.36	148	0.044	<1	1.21	0.005	0.06	0.3	0.03	2.5	0.1	<0.05	3	<0.5	<0.2
REP 1247090	QC	24	0.36	151	0.043	1	1.16	0.005	0.06	0.3	0.03	2.5	<0.1	<0.05	3	<0.5	<0.2
1247662	Soil	26	0.38	115	0.050	2	1.26	0.006	0.05	0.3	0.03	2.7	<0.1	<0.05	4	<0.5	<0.2
REP 1247662	QC	27	0.38	117	0.049	2	1.25	0.006	0.06	0.3	0.04	2.9	<0.1	<0.05	4	<0.5	<0.2
1247675	Soil	27	0.46	306	0.035	1	1.37	0.013	0.08	0.3	0.07	2.6	0.1	0.08	4	<0.5	<0.2
REP 1247675	QC	28	0.49	323	0.039	2	1.47	0.014	0.09	0.4	0.08	2.9	0.1	0.09	4	<0.5	<0.2
Reference Materials																	
STD DS9	Standard	120	0.60	281	0.111	2	0.90	0.082	0.36	2.9	0.25	2.6	5.1	0.05	4	4.8	4.7
STD DS9	Standard	131	0.60	304	0.124	3	0.93	0.089	0.37	2.9	0.21	2.7	5.3	0.18	5	5.1	4.8
STD DS9	Standard	130	0.63	293	0.125	3	0.94	0.084	0.36	3.3	0.20	2.4	5.6	0.21	5	4.7	4.8
STD DS9 Expected		121	0.6165	295	0.1108		0.9577	0.0853	0.395	2.89	0.2	2.5	5.3	0.1615	4.59	5.2	5.02
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2